

Computer algebra independent integration tests

4-Trig-functions/4.1-Sine/4.1.12-e-x-^m-a+b-sin-c+d-x^n-^p

Nasser M. Abbasi

June 29, 2021

Compiled on June 29, 2021 at 7:34pm

Contents

1	Introduction	17
1.1	Listing of CAS systems tested	17
1.2	Results	18
1.3	Performance	22
1.4	list of integrals that has no closed form antiderivative	23
1.5	list of integrals solved by CAS but has no known antiderivative	24
1.6	list of integrals solved by CAS but failed verification	24
1.7	Timing	25
1.8	Verification	25
1.9	Important notes about some of the results	25
1.9.1	Important note about Maxima results	25
1.9.2	Important note about FriCAS and Giac/XCAS results	26
1.9.3	Important note about finding leaf size of antiderivative	26
1.9.4	Important note about Mupad results	27
1.10	Design of the test system	28
2	detailed summary tables of results	29
2.1	List of integrals sorted by grade for each CAS	29
2.1.1	Rubi	29
2.1.2	Mathematica	30
2.1.3	Maple	30
2.1.4	Maxima	31

2.1.5	FriCAS	31
2.1.6	Sympy	32
2.1.7	Giac	32
2.1.8	Mupad	33
2.2	Detailed conclusion table per each integral for all CAS systems	34
2.3	Detailed conclusion table specific for Rubi results	105

3 Listing of integrals 121

3.1	$\int x^5 (a + b \sin(c + dx^2)) dx$	121
3.2	$\int x^3 (a + b \sin(c + dx^2)) dx$	125
3.3	$\int x (a + b \sin(c + dx^2)) dx$	129
3.4	$\int \frac{a+b \sin(c+dx^2)}{x} dx$	132
3.5	$\int \frac{a+b \sin(c+dx^2)}{x^3} dx$	135
3.6	$\int \frac{a+b \sin(c+dx^2)}{x^5} dx$	139
3.7	$\int x^4 (a + b \sin(c + dx^2)) dx$	143
3.8	$\int x^2 (a + b \sin(c + dx^2)) dx$	148
3.9	$\int (a + b \sin(c + dx^2)) dx$	152
3.10	$\int \frac{a+b \sin(c+dx^2)}{x^2} dx$	156
3.11	$\int \frac{a+b \sin(c+dx^2)}{x^4} dx$	160
3.12	$\int x^5 (a + b \sin(c + dx^2))^2 dx$	164
3.13	$\int x^3 (a + b \sin(c + dx^2))^2 dx$	169
3.14	$\int x (a + b \sin(c + dx^2))^2 dx$	173
3.15	$\int \frac{(a+b \sin(c+dx^2))^2}{x} dx$	176
3.16	$\int \frac{(a+b \sin(c+dx^2))^2}{x^3} dx$	180
3.17	$\int \frac{(a+b \sin(c+dx^2))^2}{x^5} dx$	185
3.18	$\int x^4 (a + b \sin(c + dx^2))^2 dx$	190
3.19	$\int x^2 (a + b \sin(c + dx^2))^2 dx$	195
3.20	$\int (a + b \sin(c + dx^2))^2 dx$	200
3.21	$\int \frac{(a+b \sin(c+dx^2))^2}{x^2} dx$	204
3.22	$\int \frac{(a+b \sin(c+dx^2))^2}{x^4} dx$	209
3.23	$\int x^5 \sin^3(a + bx^2) dx$	214

3.24	$\int x^3 \sin^3(a + bx^2) dx$	218
3.25	$\int x \sin^3(a + bx^2) dx$	222
3.26	$\int \frac{\sin^3(a+bx^2)}{x} dx$	225
3.27	$\int \frac{\sin^3(a+bx^2)}{x^3} dx$	229
3.28	$\int x^2 \sin^3(a + bx^2) dx$	233
3.29	$\int \sin^3(a + bx^2) dx$	238
3.30	$\int \frac{\sin^3(a+bx^2)}{x^2} dx$	242
3.31	$\int x^2 \sin^3(x^2) dx$	246
3.32	$\int x^4 \cos(x^2) \sin^2(x^2) dx$	250
3.33	$\int x \sin^7(a + bx^2) dx$	254
3.34	$\int \frac{(1+\sin(x^2))^2}{x^3} dx$	258
3.35	$\int \frac{x^5}{a+b \sin(c+dx^2)} dx$	262
3.36	$\int \frac{x^3}{a+b \sin(c+dx^2)} dx$	267
3.37	$\int \frac{x}{a+b \sin(c+dx^2)} dx$	272
3.38	$\int \frac{1}{x(a+b \sin(c+dx^2))} dx$	280
3.39	$\int \frac{1}{x^3(a+b \sin(c+dx^2))} dx$	283
3.40	$\int \frac{x^2}{a+b \sin(c+dx^2)} dx$	286
3.41	$\int \frac{1}{a+b \sin(c+dx^2)} dx$	289
3.42	$\int \frac{1}{x^2(a+b \sin(c+dx^2))} dx$	292
3.43	$\int \frac{x^5}{(a+b \sin(c+dx^2))^2} dx$	295
3.44	$\int \frac{x^3}{(a+b \sin(c+dx^2))^2} dx$	302
3.45	$\int \frac{x}{(a+b \sin(c+dx^2))^2} dx$	308
3.46	$\int \frac{1}{x(a+b \sin(c+dx^2))^2} dx$	313
3.47	$\int \frac{1}{x^3(a+b \sin(c+dx^2))^2} dx$	316
3.48	$\int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx$	319
3.49	$\int \frac{1}{(a+b \sin(c+dx^2))^2} dx$	322

3.50	$\int \frac{1}{x^2(a+b \sin(c+dx^2))^2} dx$	325
3.51	$\int (ex)^m (a + b \sin(c + dx^2))^p dx$	328
3.52	$\int (ex)^m (a + b \sin(c + dx^2))^3 dx$	330
3.53	$\int (ex)^m (a + b \sin(c + dx^2))^2 dx$	335
3.54	$\int (ex)^m (a + b \sin(c + dx^2)) dx$	339
3.55	$\int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx$	342
3.56	$\int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx$	345
3.57	$\int x^5 (a + b \sin(c + dx^3)) dx$	348
3.58	$\int x^2 (a + b \sin(c + dx^3)) dx$	352
3.59	$\int \frac{a+b \sin(c+dx^3)}{x} dx$	355
3.60	$\int \frac{a+b \sin(c+dx^3)}{x^4} dx$	358
3.61	$\int x^4 (a + b \sin(c + dx^3)) dx$	362
3.62	$\int x (a + b \sin(c + dx^3)) dx$	366
3.63	$\int \frac{a+b \sin(c+dx^3)}{x^2} dx$	369
3.64	$\int \frac{a+b \sin(c+dx^3)}{x^5} dx$	373
3.65	$\int x^3 (a + b \sin(c + dx^3)) dx$	377
3.66	$\int (a + b \sin(c + dx^3)) dx$	381
3.67	$\int \frac{a+b \sin(c+dx^3)}{x^3} dx$	384
3.68	$\int \frac{a+b \sin(c+dx^3)}{x^6} dx$	388
3.69	$\int x^5 (a + b \sin(c + dx^3))^2 dx$	392
3.70	$\int x^2 (a + b \sin(c + dx^3))^2 dx$	396
3.71	$\int \frac{(a+b \sin(c+dx^3))^2}{x} dx$	399
3.72	$\int \frac{(a+b \sin(c+dx^3))^2}{x^4} dx$	403
3.73	$\int x^4 (a + b \sin(c + dx^3))^2 dx$	408
3.74	$\int x (a + b \sin(c + dx^3))^2 dx$	413
3.75	$\int \frac{(a+b \sin(c+dx^3))^2}{x^2} dx$	417
3.76	$\int \frac{(a+b \sin(c+dx^3))^2}{x^5} dx$	422
3.77	$\int x^3 (a + b \sin(c + dx^3))^2 dx$	427

3.78	$\int (a + b \sin(c + dx^3))^2 dx$	432
3.79	$\int \frac{(a+b \sin(c+dx^3))^2}{x^3} dx$	436
3.80	$\int \frac{(a+b \sin(c+dx^3))^2}{x^5} dx$	441
3.81	$\int \frac{x^6}{a+b \sin(c+dx^3)} dx$	446
3.82	$\int \frac{x^2}{a+b \sin(c+dx^3)} dx$	451
3.83	$\int \frac{1}{x(a+b \sin(c+dx^3))} dx$	459
3.84	$\int \frac{1}{x^4(a+b \sin(c+dx^3))} dx$	462
3.85	$\int \frac{x}{a+b \sin(c+dx^3)} dx$	465
3.86	$\int \frac{1}{x^2(a+b \sin(c+dx^3))} dx$	468
3.87	$\int \frac{1}{a+b \sin(c+dx^3)} dx$	471
3.88	$\int \frac{1}{x^3(a+b \sin(c+dx^3))} dx$	474
3.89	$\int \frac{x^5}{(a+b \sin(c+dx^3))^2} dx$	477
3.90	$\int \frac{x^2}{(a+b \sin(c+dx^3))^2} dx$	483
3.91	$\int \frac{1}{x(a+b \sin(c+dx^3))^2} dx$	488
3.92	$\int \frac{1}{x^4(a+b \sin(c+dx^3))^2} dx$	491
3.93	$\int \frac{x}{(a+b \sin(c+dx^3))^2} dx$	494
3.94	$\int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx$	498
3.95	$\int \frac{1}{(a+b \sin(c+dx^3))^2} dx$	502
3.96	$\int \frac{1}{x^3(a+b \sin(c+dx^3))^2} dx$	506
3.97	$\int (ex)^m (a + b \sin(c + dx^3))^p dx$	510
3.98	$\int (ex)^m (a + b \sin(c + dx^3))^3 dx$	512
3.99	$\int (ex)^m (a + b \sin(c + dx^3))^2 dx$	517
3.100	$\int (ex)^m (a + b \sin(c + dx^3)) dx$	521
3.101	$\int \frac{(ex)^m}{a+b \sin(c+dx^3)} dx$	524
3.102	$\int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx$	527

3.103	$\int x^2 \sin\left(a + \frac{b}{x}\right) dx$	531
3.104	$\int x \sin\left(a + \frac{b}{x}\right) dx$	535
3.105	$\int \sin\left(a + \frac{b}{x}\right) dx$	539
3.106	$\int \frac{\sin\left(a + \frac{b}{x}\right)}{x} dx$	543
3.107	$\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^2} dx$	546
3.108	$\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^3} dx$	549
3.109	$\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^4} dx$	552
3.110	$\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^5} dx$	556
3.111	$\int x^2 \sin^2\left(a + \frac{b}{x}\right) dx$	560
3.112	$\int x \sin^2\left(a + \frac{b}{x}\right) dx$	564
3.113	$\int \sin^2\left(a + \frac{b}{x}\right) dx$	569
3.114	$\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x} dx$	573
3.115	$\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^2} dx$	576
3.116	$\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^3} dx$	580
3.117	$\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^4} dx$	584
3.118	$\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^5} dx$	589
3.119	$\int \sin\left(a + \frac{b}{x^2}\right) dx$	594
3.120	$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x} dx$	598
3.121	$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^2} dx$	601
3.122	$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^3} dx$	605
3.123	$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx$	608
3.124	$\int \frac{\sin(\sqrt{x})}{\sqrt{x}} dx$	612
3.125	$\int \frac{\sin^3(\sqrt{x})}{\sqrt{x}} dx$	615

3.126	$\int \sin(\sqrt{x}) dx$	618
3.127	$\int \sin^2(\sqrt[3]{x}) dx$	621
3.128	$\int \sin^3(\sqrt[3]{x}) dx$	625
3.129	$\int (ex)^m (b \sin(c + dx^n))^p dx$	629
3.130	$\int (ex)^m (a + b \sin(c + dx^n))^p dx$	631
3.131	$\int (ex)^{-1+n} (b \sin(c + dx^n))^p dx$	633
3.132	$\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx$	636
3.133	$\int (ex)^{-1+n} (a + b \sin(c + dx^n))^p dx$	639
3.134	$\int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx$	643
3.135	$\int \frac{\sin(ax+bx^n)}{x} dx$	646
3.136	$\int \frac{\sin^2(ax+bx^n)}{x} dx$	649
3.137	$\int \frac{\sin^3(ax+bx^n)}{x} dx$	652
3.138	$\int \frac{\sin^4(ax+bx^n)}{x} dx$	656
3.139	$\int \sin(a + bx^n) dx$	660
3.140	$\int \sin^2(a + bx^n) dx$	663
3.141	$\int \sin^3(a + bx^n) dx$	666
3.142	$\int x^m \sin(a + bx^n) dx$	669
3.143	$\int x^m \sin^2(a + bx^n) dx$	672
3.144	$\int x^m \sin^3(a + bx^n) dx$	675
3.145	$\int x^{-1+2n} \sin(a + bx^n) dx$	678
3.146	$\int x^{-1+2n} \cos(a + bx^n) dx$	681
3.147	$\int x^{-1-n} \sin(a + bx^n) dx$	684
3.148	$\int x^{-1-n} \sin^2(a + bx^n) dx$	688
3.149	$\int x^{-1-n} \sin^3(a + bx^n) dx$	692
3.150	$\int x^{-1-2n} \sin(a + bx^n) dx$	696
3.151	$\int x^{-1-2n} \sin^2(a + bx^n) dx$	700
3.152	$\int x^{-1-2n} \sin^3(a + bx^n) dx$	704
3.153	$\int (e + fx)^3 \sin(b(c + dx)^2) dx$	709
3.154	$\int (e + fx)^2 \sin(b(c + dx)^2) dx$	715
3.155	$\int (e + fx) \sin(b(c + dx)^2) dx$	720
3.156	$\int \sin(b(c + dx)^2) dx$	724
3.157	$\int \frac{\sin(b(c+dx)^2)}{e+fx} dx$	727
3.158	$\int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$	730
3.159	$\int (e + fx)^3 \sin\left(\frac{b}{(c+dx)^2}\right) dx$	733

3.160	$\int (e + fx)^2 \sin\left(\frac{b}{(c+dx)^2}\right) dx$	740
3.161	$\int (e + fx) \sin\left(\frac{b}{(c+dx)^2}\right) dx$	746
3.162	$\int \sin\left(\frac{b}{(c+dx)^2}\right) dx$	751
3.163	$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$	755
3.164	$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$	758
3.165	$\int (e + fx)^3 \sin(a + b(c + dx)^2) dx$	761
3.166	$\int (e + fx)^2 \sin(a + b(c + dx)^2) dx$	768
3.167	$\int (e + fx) \sin(a + b(c + dx)^2) dx$	774
3.168	$\int \sin(a + b(c + dx)^2) dx$	779
3.169	$\int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx$	783
3.170	$\int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx$	786
3.171	$\int (e + fx)^3 \sin(a + b(c + dx)^3) dx$	789
3.172	$\int (e + fx)^2 \sin(a + b(c + dx)^3) dx$	794
3.173	$\int (e + fx) \sin(a + b(c + dx)^3) dx$	798
3.174	$\int \sin(a + b(c + dx)^3) dx$	802
3.175	$\int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx$	805
3.176	$\int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx$	808
3.177	$\int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right) dx$	811
3.178	$\int (e + fx) \sin\left(a + \frac{b}{(c+dx)^2}\right) dx$	818
3.179	$\int \sin\left(a + \frac{b}{(c+dx)^2}\right) dx$	823
3.180	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx$	827
3.181	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$	830
3.182	$\int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^3}\right) dx$	833
3.183	$\int (e + fx) \sin\left(a + \frac{b}{(c+dx)^3}\right) dx$	839
3.184	$\int \sin\left(a + \frac{b}{(c+dx)^3}\right) dx$	844
3.185	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$	848

3.186	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$	851
3.187	$\int (e+fx)^2 \sin\left(a + b\sqrt{c+dx}\right) dx$	854
3.188	$\int (e+fx) \sin\left(a + b\sqrt{c+dx}\right) dx$	860
3.189	$\int \sin\left(a + b\sqrt{c+dx}\right) dx$	865
3.190	$\int \frac{\sin(a+b\sqrt{c+dx})}{e+fx} dx$	869
3.191	$\int \frac{\sin(a+b\sqrt{c+dx})}{(e+fx)^2} dx$	873
3.192	$\int (e+fx)^2 \sin\left(a + b(c+dx)^{3/2}\right) dx$	879
3.193	$\int (e+fx) \sin\left(a + b(c+dx)^{3/2}\right) dx$	884
3.194	$\int \sin\left(a + b(c+dx)^{3/2}\right) dx$	889
3.195	$\int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx$	893
3.196	$\int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx$	896
3.197	$\int (e+fx)^2 \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx$	899
3.198	$\int (e+fx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx$	909
3.199	$\int \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx$	916
3.200	$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e+fx} dx$	920
3.201	$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(e+fx)^2} dx$	925
3.202	$\int (e+fx)^2 \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$	931
3.203	$\int (e+fx) \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$	937
3.204	$\int \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$	942
3.205	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx$	946
3.206	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$	949
3.207	$\int (e+fx)^2 \sin\left(a + b\sqrt[3]{c+dx}\right) dx$	952
3.208	$\int (e+fx) \sin\left(a + b\sqrt[3]{c+dx}\right) dx$	961
3.209	$\int \sin\left(a + b\sqrt[3]{c+dx}\right) dx$	966
3.210	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{e+fx} dx$	970

3.211	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{(e+fx)^2} dx$	975
3.212	$\int (e+fx)^2 \sin(a+b(c+dx)^{2/3}) dx$	981
3.213	$\int (e+fx) \sin(a+b(c+dx)^{2/3}) dx$	988
3.214	$\int \sin(a+b(c+dx)^{2/3}) dx$	993
3.215	$\int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx$	997
3.216	$\int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx$	1000
3.217	$\int (e+fx)^2 \sin\left(a+\frac{b}{\sqrt[3]{c+dx}}\right) dx$	1003
3.218	$\int (e+fx) \sin\left(a+\frac{b}{\sqrt[3]{c+dx}}\right) dx$	1011
3.219	$\int \sin\left(a+\frac{b}{\sqrt[3]{c+dx}}\right) dx$	1019
3.220	$\int \frac{\sin\left(a+\frac{b}{\sqrt[3]{c+dx}}\right)}{e+fx} dx$	1024
3.221	$\int \frac{\sin\left(a+\frac{b}{\sqrt[3]{c+dx}}\right)}{(e+fx)^2} dx$	1029
3.222	$\int (e+fx)^2 \sin\left(a+\frac{b}{(c+dx)^{2/3}}\right) dx$	1035
3.223	$\int (e+fx) \sin\left(a+\frac{b}{(c+dx)^{2/3}}\right) dx$	1043
3.224	$\int \sin\left(a+\frac{b}{(c+dx)^{2/3}}\right) dx$	1050
3.225	$\int \frac{\sin\left(a+\frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx$	1055
3.226	$\int \frac{\sin\left(a+\frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$	1058
3.227	$\int (ce+dex)^{4/3} \sin(a+b\sqrt[3]{c+dx}) dx$	1061
3.228	$\int (ce+dex)^{2/3} \sin(a+b\sqrt[3]{c+dx}) dx$	1066
3.229	$\int \sqrt[3]{ce+dex} \sin(a+b\sqrt[3]{c+dx}) dx$	1070
3.230	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{\sqrt[3]{ce+dex}} dx$	1074
3.231	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{(ce+dex)^{2/3}} dx$	1078
3.232	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{(ce+dex)^{4/3}} dx$	1081
3.233	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{(ce+dex)^{5/3}} dx$	1085

3.234	$\int \frac{\sin(a+b\sqrt[3]{c+dx})}{(ce+dex)^{7/3}} dx$.1090
3.235	$\int (ce+dex)^{4/3} \sin(a+b(c+dx)^{2/3}) dx$.1095
3.236	$\int (ce+dex)^{2/3} \sin(a+b(c+dx)^{2/3}) dx$.1100
3.237	$\int \sqrt[3]{ce+dex} \sin(a+b(c+dx)^{2/3}) dx$.1105
3.238	$\int \frac{\sin(a+b(c+dx)^{2/3})}{\sqrt[3]{ce+dex}} dx$.1109
3.239	$\int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{2/3}} dx$.1113
3.240	$\int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{4/3}} dx$.1118
3.241	$\int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{5/3}} dx$.1123
3.242	$\int \sqrt[3]{ce+dex} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx$.1128
3.243	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{\sqrt[3]{ce+dex}} dx$.1133
3.244	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{2/3}} dx$.1138
3.245	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{4/3}} dx$.1143
3.246	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{5/3}} dx$.1147
3.247	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{7/3}} dx$.1151
3.248	$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{8/3}} dx$.1156
3.249	$\int (ce+dex)^{4/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$.1162
3.250	$\int (ce+dex)^{2/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$.1168
3.251	$\int \sqrt[3]{ce+dex} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$.1174
3.252	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{\sqrt[3]{ce+dex}} dx$.1179
3.253	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{2/3}} dx$.1184
3.254	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{4/3}} dx$.1189

3.255	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{5/3}} dx$1194
3.256	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{7/3}} dx$1198
3.257	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{8/3}} dx$1202
3.258	$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{10/3}} dx$1208
3.259	$\int (ex)^m \sin(a + b(c + dx)^n) dx$1214
3.260	$\int x^3 \sin(a + b(c + dx)^n) dx$1216
3.261	$\int x^2 \sin(a + b(c + dx)^n) dx$1220
3.262	$\int x \sin(a + b(c + dx)^n) dx$1224
3.263	$\int \sin(a + b(c + dx)^n) dx$1228
3.264	$\int \frac{\sin(a+b(c+dx)^n)}{x} dx$1231
3.265	$\int \frac{\sin(a+b(c+dx)^n)}{x^2} dx$1234
3.266	$\int x^3 (a + b \sin(c + d(f + gx)^n)) dx$1237
3.267	$\int x^2 (a + b \sin(c + d(f + gx)^n)) dx$1242
3.268	$\int x (a + b \sin(c + d(f + gx)^n)) dx$1247
3.269	$\int (a + b \sin(c + d(f + gx)^n)) dx$1251
3.270	$\int \frac{a+b \sin(c+d(f+gx)^n)}{x} dx$1254
3.271	$\int \frac{a+b \sin(c+d(f+gx)^n)}{x^2} dx$1257
3.272	$\int x^2 (a + b \sin(c + d(f + gx)^n))^2 dx$1260
3.273	$\int x (a + b \sin(c + d(f + gx)^n))^2 dx$1266
3.274	$\int (a + b \sin(c + d(f + gx)^n))^2 dx$1271
3.275	$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx$1275
3.276	$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx$1278
3.277	$\int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx$1281
3.278	$\int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx$1284
3.279	$\int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx$1287
3.280	$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx$1290
3.281	$\int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx$1293

3.282	$\int \frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2} dx$1296
3.283	$\int \frac{x}{(a+b \sin(c+d(f+gx)^n))^2} dx$1299
3.284	$\int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx$1302
3.285	$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))^2} dx$1305
3.286	$\int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))^2} dx$1308
3.287	$\int (ex)^m (a+b \sin(c+d(f+gx)^n))^p dx$1311
3.288	$\int (e+fx)^2 \left(a+b \sin\left(c+\frac{d}{x}\right)\right) dx$1314
3.289	$\int (e+fx) \left(a+b \sin\left(c+\frac{d}{x}\right)\right) dx$1320
3.290	$\int \left(a+b \sin\left(c+\frac{d}{x}\right)\right) dx$1325
3.291	$\int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{e+fx} dx$1329
3.292	$\int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{(e+fx)^2} dx$1334
3.293	$\int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{(e+fx)^3} dx$1339
3.294	$\int (e+fx) \left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2 dx$1345
3.295	$\int \left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2 dx$1351
3.296	$\int \frac{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}{e+fx} dx$1356
3.297	$\int \frac{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}{(e+fx)^2} dx$1362
3.298	$\int \frac{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}{(e+fx)^3} dx$1368
3.299	$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$1377
3.300	$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$1380
3.301	$\int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx$1383
3.302	$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$1386

3.303	$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$.1389
3.304	$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$.1392
3.305	$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$.1395
3.306	$\int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$.1398
3.307	$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$.1401
3.308	$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$.1404
3.309	$\int (e+fx)^m \left(a+b \sin\left(c+\frac{d}{x}\right)\right)^p dx$.1407
3.310	$\int x^m \sqrt[3]{c \sin^3(a+bx)} dx$.1410
3.311	$\int x^3 \sqrt[3]{c \sin^3(a+bx)} dx$.1413
3.312	$\int x^2 \sqrt[3]{c \sin^3(a+bx)} dx$.1417
3.313	$\int x \sqrt[3]{c \sin^3(a+bx)} dx$.1421
3.314	$\int \sqrt[3]{c \sin^3(a+bx)} dx$.1425
3.315	$\int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x} dx$.1428
3.316	$\int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x^2} dx$.1432
3.317	$\int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x^3} dx$.1436
3.318	$\int x^m \sqrt[3]{c \sin^3(a+bx^2)} dx$.1440
3.319	$\int x^3 \sqrt[3]{c \sin^3(a+bx^2)} dx$.1443
3.320	$\int x^2 \sqrt[3]{c \sin^3(a+bx^2)} dx$.1447
3.321	$\int x \sqrt[3]{c \sin^3(a+bx^2)} dx$.1451
3.322	$\int \sqrt[3]{c \sin^3(a+bx^2)} dx$.1455
3.323	$\int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x} dx$.1459
3.324	$\int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x^2} dx$.1463
3.325	$\int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x^3} dx$.1467
3.326	$\int x^m \sqrt[3]{c \sin^3(a+bx^n)} dx$.1471

3.327	$\int x^3 \sqrt[3]{c \sin^3(a + bx^n)} dx$.1474
3.328	$\int x^2 \sqrt[3]{c \sin^3(a + bx^n)} dx$.1477
3.329	$\int x \sqrt[3]{c \sin^3(a + bx^n)} dx$.1480
3.330	$\int \sqrt[3]{c \sin^3(a + bx^n)} dx$.1483
3.331	$\int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x} dx$.1486
3.332	$\int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x^2} dx$.1490
3.333	$\int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x^3} dx$.1493
3.334	$\int x^m (c \sin^3(a + bx))^{2/3} dx$.1496
3.335	$\int x^3 (c \sin^3(a + bx))^{2/3} dx$.1500
3.336	$\int x^2 (c \sin^3(a + bx))^{2/3} dx$.1504
3.337	$\int x (c \sin^3(a + bx))^{2/3} dx$.1508
3.338	$\int (c \sin^3(a + bx))^{2/3} dx$.1512
3.339	$\int \frac{(c \sin^3(a + bx))^{2/3}}{x} dx$.1516
3.340	$\int \frac{(c \sin^3(a + bx))^{2/3}}{x^2} dx$.1520
3.341	$\int \frac{(c \sin^3(a + bx))^{2/3}}{x^3} dx$.1524
3.342	$\int x^m (c \sin^3(a + bx^2))^{2/3} dx$.1529
3.343	$\int x^3 (c \sin^3(a + bx^2))^{2/3} dx$.1533
3.344	$\int x^2 (c \sin^3(a + bx^2))^{2/3} dx$.1537
3.345	$\int x (c \sin^3(a + bx^2))^{2/3} dx$.1541
3.346	$\int (c \sin^3(a + bx^2))^{2/3} dx$.1545
3.347	$\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x} dx$.1549
3.348	$\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x^2} dx$.1553
3.349	$\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x^3} dx$.1558
3.350	$\int x^m (c \sin^3(a + bx^n))^{2/3} dx$.1563
3.351	$\int x^3 (c \sin^3(a + bx^n))^{2/3} dx$.1567
3.352	$\int x^2 (c \sin^3(a + bx^n))^{2/3} dx$.1571
3.353	$\int x (c \sin^3(a + bx^n))^{2/3} dx$.1575

3.354	$\int (c \sin^3(a + bx^n))^{2/3} dx$.1579
3.355	$\int \frac{(c \sin^3(a+bx^n))^{2/3}}{x} dx$.1583
3.356	$\int \frac{(c \sin^3(a+bx^n))^{2/3}}{x^2} dx$.1587
3.357	$\int \frac{(c \sin^3(a+bx^n))^{2/3}}{x^3} dx$.1591
4	Listing of Grading functions	1595
4.0.1	Mathematica and Rubi grading function	.1595
4.0.2	Maple grading function	.1597
4.0.3	Sympy grading function	.1602
4.0.4	SageMath grading function	.1605

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [357]. This is test number [69].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (357)	% 0.00 (0)
Mathematica	% 96.64 (345)	% 3.36 (12)
Maple	% 68.63 (245)	% 31.37 (112)
Maxima	% 72.83 (260)	% 27.17 (97)
Fricas	% 85.43 (305)	% 14.57 (52)
Sympy	% 29.41 (105)	% 70.59 (252)
Giac	% 50.98 (182)	% 49.02 (175)
Mupad	% 36.13 (129)	% 63.87 (228)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	93.00	0.84	2.80	3.36
Maple	51.26	5.88	11.48	31.37
Maxima	35.57	3.36	33.89	27.17
Fricas	81.23	1.40	2.80	14.57
Sympy	28.01	1.40	0.00	70.59
Giac	34.73	9.24	7.00	49.02
Mupad	22.69	13.45	0.00	63.87

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	12	50.00 %	50.00 %	0.00 %
Maple	112	100.00 %	0.00 %	0.00 %
Maxima	97	80.41 %	16.49 %	3.09 %
Fricas	52	100.00 %	0.00 %	0.00 %
Sympy	252	78.17 %	21.83 %	0.00 %
Giac	175	96.57 %	2.86 %	0.57 %
Mupad	228	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.18	131.66	0.77	96.00	1.00
Mathematica	3.24	120.94	0.73	81.00	0.84
Maple	0.28	160.83	1.02	62.00	0.87
Maxima	0.88	224.04	2.28	74.50	0.84
Fricas	0.75	138.42	0.84	78.00	0.84
Sympy	2.20	73.37	1.00	0.00	0.00
Giac	0.48	233.81	1.33	43.00	0.94
Mupad	1.49	24.60	0.36	-1.00	-0.04

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



1.4 list of integrals that has no closed form antiderivative

{38, 39, 40, 41, 42, 46, 47, 48, 49, 50, 51, 55, 56, 83, 84, 85, 86, 87, 88, 91, 92, 93, 94, 95, 96, 97, 101, 102, 129, 130, 132, 134, 157, 158, 163, 164, 169, 170, 175, 176, 180, 181, 185, 186, 195, 196, 205, 206, 215, 216, 225, 226, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {133, 182, 272, 273, 291, 296}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima abs_integrate was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the buildin system function LeafSize is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special buildin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user slelievre at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 174, 175, 176, 177, 178, 179, 180, 181, 182, 184, 185, 186, 187, 188, 189, 192, 194, 195, 196, 198, 199, 202, 204, 205, 206, 207, 208, 209, 213, 214, 215, 216, 218, 219, 223, 224, 225, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 284, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357 }

B grade: { 183, 193, 203 }

C grade: { 190, 191, 197, 210, 211, 212, 217, 220, 221, 222 }

F grade: { 171, 172, 173, 200, 201, 226, 260, 261, 282, 283, 285, 286 }

2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 18, 19, 20, 21, 22, 23, 24, 25, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 41, 42, 45, 46, 47, 48, 49, 50, 51, 55, 56, 57, 58, 69, 70, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 101, 102, 103, 104, 105, 106, 107, 108, 111, 112, 113, 114, 115, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 132, 134, 135, 136, 137, 138, 145, 146, 147, 148, 149, 150, 151, 152, 156, 157, 158, 159, 160, 161, 162, 163, 164, 169, 170, 175, 176, 177, 178, 179, 180, 181, 185, 186, 189, 195, 196, 197, 198, 199, 200, 205, 206, 209, 212, 213, 214, 215, 216, 217, 218, 219, 222, 223, 224, 225, 226, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 294, 295, 296, 297, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309 }

B grade: { 109, 110, 116, 117, 118, 153, 154, 155, 165, 166, 167, 168, 187, 188, 190, 191, 201, 207, 208, 293, 298 }

C grade: { 15, 16, 17, 26, 27, 139, 142, 210, 211, 220, 221, 311, 312, 313, 314, 315, 316, 317, 319, 320, 321, 322, 323, 324, 325, 331, 335, 336, 337, 338, 339, 340, 341, 343, 344, 345, 346, 347, 348, 349, 355 }

F grade: { 35, 36, 43, 44, 52, 53, 54, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 89, 98, 99, 100, 131, 133, 140, 141, 143, 144, 171, 172, 173, 174, 182, 183, 184, 192, 193, 194, 202, 203, 204, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 266, 267, }

268, 269, 272, 273, 274, 310, 318, 326, 327, 328, 329, 330, 332, 333, 334, 342, 350, 351, 352, 353, 354, 356, 357 }

2.1.4 Maxima

A grade: { 1, 2, 3, 12, 13, 14, 23, 24, 25, 33, 38, 39, 40, 41, 42, 51, 55, 57, 58, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 73, 74, 75, 76, 77, 78, 79, 80, 83, 84, 85, 86, 87, 88, 93, 94, 95, 96, 97, 101, 102, 107, 115, 122, 124, 125, 126, 127, 128, 129, 130, 132, 134, 145, 146, 157, 158, 163, 164, 169, 170, 175, 176, 180, 181, 185, 186, 189, 193, 194, 195, 196, 204, 205, 206, 209, 215, 216, 225, 226, 231, 238, 245, 255, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 287, 299, 300, 301, 302, 303, 305, 306, 307, 309, 311, 312, 313, 314, 319, 321, 336, 343, 345 }

B grade: { 37, 82, 187, 188, 192, 202, 203, 207, 208, 335, 337, 338 }

C grade: { 4, 5, 6, 7, 8, 9, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 26, 27, 28, 29, 30, 31, 32, 34, 59, 60, 71, 72, 103, 104, 105, 106, 108, 109, 110, 111, 112, 113, 114, 116, 117, 118, 119, 120, 121, 123, 135, 136, 137, 138, 153, 154, 155, 156, 165, 166, 167, 168, 197, 198, 199, 212, 213, 214, 217, 218, 219, 222, 223, 224, 227, 228, 229, 230, 232, 233, 234, 235, 236, 237, 239, 240, 241, 242, 243, 244, 246, 247, 248, 249, 250, 251, 252, 253, 254, 256, 257, 258, 288, 289, 290, 294, 295, 315, 316, 317, 320, 322, 323, 324, 325, 331, 339, 340, 341, 344, 346, 347, 348, 349, 355 }

F grade: { 35, 36, 43, 44, 45, 46, 47, 48, 49, 50, 52, 53, 54, 56, 81, 89, 90, 91, 92, 98, 99, 100, 131, 133, 139, 140, 141, 142, 143, 144, 147, 148, 149, 150, 151, 152, 159, 160, 161, 162, 171, 172, 173, 174, 177, 178, 179, 182, 183, 184, 190, 191, 200, 201, 210, 211, 220, 221, 260, 261, 262, 263, 266, 267, 268, 269, 272, 273, 274, 285, 286, 291, 292, 293, 296, 297, 298, 304, 308, 310, 318, 326, 327, 328, 329, 330, 332, 333, 334, 342, 350, 351, 352, 353, 354, 356, 357 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 37, 38, 39, 40, 41, 42, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 132, 134, 135, 136, 137, 138, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 185, 186, 187, 188, 189, 192, 193, 194, 195, 196, 197, 198, 199, 202, 203, 204, 205, 206, 207, 208, 209, 212, 213, 214, 215, 216, 217, 218, 219, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 237, 238, 245, 246, 247, 248, 255, 256, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 331, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 355 }

B grade: { 36, 44, 81, 89, 184 }

C grade: { 35, 43, 190, 191, 200, 201, 210, 211, 220, 221 }

F grade: { 131, 133, 139, 140, 141, 142, 143, 144, 232, 233, 234, 235, 236, 239, 240, 241, 242, 243, 244, 249, 250, 251, 252, 253, 254, 257, 258, 260, 261, 262, 263, 266, 267, 268, 269, 272, 273, 274, 326, 327, 328, 329, 330, 332, 333, 350, 351, 352, 353, 354, 356, 357 }

2.1.6 Sympy

A grade: { 1, 2, 3, 9, 12, 13, 14, 23, 24, 25, 29, 31, 33, 34, 37, 38, 39, 40, 41, 42, 46, 47, 48, 49, 50, 51, 55, 56, 57, 58, 69, 70, 82, 83, 84, 85, 86, 87, 88, 91, 92, 93, 94, 95, 96, 97, 101, 102, 106, 107, 108, 109, 110, 114, 115, 116, 117, 118, 122, 124, 125, 126, 128, 129, 130, 157, 158, 163, 169, 170, 175, 176, 180, 185, 187, 188, 189, 195, 196, 205, 209, 215, 216, 225, 226, 259, 264, 265, 270, 271, 275, 276, 279, 301, 311, 312, 313, 314, 319, 321 }

B grade: { 7, 8, 28, 32, 127 }

C grade: { }

F grade: { 4, 5, 6, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 26, 27, 30, 35, 36, 43, 44, 45, 52, 53, 54, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 89, 90, 98, 99, 100, 103, 104, 105, 111, 112, 113, 119, 120, 121, 123, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 159, 160, 161, 162, 164, 165, 166, 167, 168, 171, 172, 173, 174, 177, 178, 179, 181, 182, 183, 184, 186, 190, 191, 192, 193, 194, 197, 198, 199, 200, 201, 202, 203, 204, 206, 207, 208, 210, 211, 212, 213, 214, 217, 218, 219, 220, 221, 222, 223, 224, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 266, 267, 268, 269, 272, 273, 274, 277, 278, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 302, 303, 304, 305, 306, 307, 308, 309, 310, 315, 316, 317, 318, 320, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 12, 13, 14, 15, 23, 24, 25, 26, 33, 34, 37, 38, 39, 40, 41, 42, 45, 46, 47, 48, 49, 50, 51, 55, 56, 57, 58, 59, 69, 70, 71, 82, 83, 84, 85, 86, 87, 88, 90, 91, 92, 93, 94, 95, 96, 97, 101, 102, 106, 107, 108, 115, 116, 117, 124, 125, 126, 127, 128, 129, 130, 132, 134, 157, 158, 163, 164, 169, 175, 180, 181, 185, 187, 188, 189, 195, 196, 205, 206, 208, 209, 215, 216, 225, 226, 228, 229, 230, 231, 238, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 291, 296, 299, 300, 301, 302, 303, 305, 306, 307, 308, 309 }

B grade: { 5, 6, 16, 17, 27, 60, 72, 103, 104, 105, 109, 110, 111, 112, 113, 114, 118, 197, 198, 199, 207, 218, 219, 227, 288, 289, 290, 292, 293, 294, 295, 297, 298 }

C grade: { 7, 8, 9, 18, 19, 20, 28, 29, 31, 32, 153, 154, 155, 156, 165, 166, 167, 168, 212, 213, 214, 235, 236, 237, 239 }

F grade: { 10, 11, 21, 22, 30, 35, 36, 43, 44, 52, 53, 54, 61, 62, 63, 64, 65, 66, 67, 68, 73, 74, 75, 76, 77, 78, 79, 80, 81, 89, 98, 99, 100, 119, 120, 121, 122, 123, 131, 133, 135, 136, 137, 138, 139, 140, 141,

142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 159, 160, 161, 162, 170, 171, 172, 173, 174, 176, 177, 178, 179, 182, 183, 184, 186, 190, 191, 192, 193, 194, 200, 201, 202, 203, 204, 210, 211, 217, 220, 221, 222, 223, 224, 232, 233, 234, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 266, 267, 268, 269, 272, 273, 274, 304, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357 }

2.1.8 Mupad

A grade: { 38, 39, 40, 41, 42, 46, 47, 48, 49, 50, 51, 55, 56, 83, 84, 85, 86, 87, 88, 91, 92, 93, 94, 95, 96, 97, 101, 102, 129, 130, 132, 134, 157, 158, 163, 164, 169, 170, 175, 176, 180, 181, 185, 186, 195, 196, 205, 206, 215, 216, 225, 226, 259, 264, 265, 270, 271, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309 }

B grade: { 1, 2, 3, 9, 12, 13, 14, 23, 24, 25, 33, 37, 45, 57, 58, 69, 70, 82, 90, 107, 108, 109, 110, 115, 116, 117, 118, 121, 122, 124, 125, 126, 127, 128, 153, 154, 155, 156, 162, 168, 189, 209, 311, 312, 313, 314, 319, 321 }

C grade: { }

F grade: { 4, 5, 6, 7, 8, 10, 11, 15, 16, 17, 18, 19, 20, 21, 22, 26, 27, 28, 29, 30, 31, 32, 34, 35, 36, 43, 44, 52, 53, 54, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 89, 98, 99, 100, 103, 104, 105, 106, 111, 112, 113, 114, 119, 120, 123, 131, 133, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 159, 160, 161, 165, 166, 167, 171, 172, 173, 174, 177, 178, 179, 182, 183, 184, 187, 188, 190, 191, 192, 193, 194, 197, 198, 199, 200, 201, 202, 203, 204, 207, 208, 210, 211, 212, 213, 214, 217, 218, 219, 220, 221, 222, 223, 224, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 260, 261, 262, 263, 266, 267, 268, 269, 272, 273, 274, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 310, 315, 316, 317, 318, 320, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	57	57	51	62	47	51	65	69	53
normalized size	1	1.00	0.89	1.09	0.82	0.89	1.14	1.21	0.93
time (sec)	N/A	0.073	0.088	0.026	0.650	0.741	3.515	0.514	0.192
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	40	37	40	49	61	38
normalized size	1	1.00	1.00	0.91	0.84	0.91	1.11	1.39	0.86
time (sec)	N/A	0.043	0.005	0.022	0.892	0.655	1.051	0.418	0.088
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	41	27	21	23	31	26	21
normalized size	1	1.00	1.64	1.08	0.84	0.92	1.24	1.04	0.84
time (sec)	N/A	0.021	0.013	0.008	0.485	0.764	0.239	0.714	4.611

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	29	28	50	38	0	32	-1
normalized size	1	1.00	0.94	0.90	1.61	1.23	0.00	1.03	-0.03
time (sec)	N/A	0.034	0.047	0.026	1.230	0.642	0.000	0.364	0.000

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	48	47	57	65	0	99	-1
normalized size	1	1.00	0.91	0.89	1.08	1.23	0.00	1.87	-0.02
time (sec)	N/A	0.091	0.081	0.024	2.446	0.792	0.000	0.588	0.000

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	86	65	58	85	0	204	-1
normalized size	1	1.00	1.16	0.88	0.78	1.15	0.00	2.76	-0.01
time (sec)	N/A	0.125	0.092	0.023	1.003	0.834	0.000	0.519	0.000

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	B	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	125	89	92	103	488	165	-1
normalized size	1	1.00	1.03	0.74	0.76	0.85	4.03	1.36	-0.01
time (sec)	N/A	0.134	0.255	0.027	0.635	0.820	4.830	0.498	0.000

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	B	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	104	68	75	86	223	145	-1
normalized size	1	1.00	1.02	0.67	0.74	0.84	2.19	1.42	-0.01
time (sec)	N/A	0.068	0.196	0.028	0.552	0.637	3.777	0.622	0.000

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	61	48	53	67	66	102	56
normalized size	1	1.00	0.82	0.65	0.72	0.91	0.89	1.38	0.76
time (sec)	N/A	0.043	0.148	0.020	0.506	0.932	0.545	1.021	4.750

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	91	66	81	78	0	0	-1
normalized size	1	1.00	1.03	0.75	0.92	0.89	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.189	0.028	1.555	0.764	0.000	0.000	0.000

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	119	83	82	98	0	0	-1
normalized size	1	1.00	1.04	0.73	0.72	0.86	0.00	0.00	-0.01
time (sec)	N/A	0.091	0.227	0.027	1.039	0.650	0.000	0.000	0.000

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	122	140	106	121	209	181	149
normalized size	1	1.00	0.75	0.86	0.65	0.74	1.28	1.11	0.91
time (sec)	N/A	0.247	0.394	0.054	0.867	0.704	6.794	0.613	0.393

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	92	93	87	84	136	123	95
normalized size	1	1.00	0.90	0.91	0.85	0.82	1.33	1.21	0.93
time (sec)	N/A	0.134	0.230	0.051	0.497	0.714	2.284	0.542	4.699

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	52	62	52	53	95	57	51
normalized size	1	1.00	0.90	1.07	0.90	0.91	1.64	0.98	0.88
time (sec)	N/A	0.049	0.128	0.045	1.175	0.882	0.607	0.806	4.675

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	71	157	108	94	0	77	-1
normalized size	1	1.00	0.96	2.12	1.46	1.27	0.00	1.04	-0.01
time (sec)	N/A	0.105	0.166	0.587	0.497	0.808	0.000	0.409	0.000

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	116	203	124	147	0	226	-1
normalized size	1	1.00	1.01	1.77	1.08	1.28	0.00	1.97	-0.01
time (sec)	N/A	0.221	0.259	0.620	0.491	0.796	0.000	0.488	0.000

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	158	255	129	189	0	448	-1
normalized size	1	1.00	0.93	1.51	0.76	1.12	0.00	2.65	-0.01
time (sec)	N/A	0.290	0.468	0.687	0.540	0.602	0.000	0.426	0.000

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	234	189	207	216	0	329	-1
normalized size	1	1.00	0.95	0.77	0.84	0.87	0.00	1.33	-0.00
time (sec)	N/A	0.242	0.590	0.059	0.494	0.751	0.000	0.477	0.000

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	191	142	171	176	0	283	-1
normalized size	1	1.00	0.96	0.72	0.86	0.89	0.00	1.43	-0.01
time (sec)	N/A	0.157	0.544	0.057	0.495	0.625	0.000	0.558	0.000

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	147	99	129	134	0	195	-1
normalized size	1	1.00	0.96	0.65	0.84	0.88	0.00	1.27	-0.01
time (sec)	N/A	0.109	0.328	0.059	0.603	0.834	0.000	1.041	0.000

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	184	137	170	159	0	0	-1
normalized size	1	1.00	0.98	0.73	0.91	0.85	0.00	0.00	-0.01
time (sec)	N/A	0.162	0.513	0.058	0.609	0.711	0.000	0.000	0.000

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	239	239	226	175	175	206	0	0	-1
normalized size	1	1.00	0.95	0.73	0.73	0.86	0.00	0.00	-0.00
time (sec)	N/A	0.197	0.676	0.059	0.631	0.725	0.000	0.000	0.000

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	75	113	79	79	143	122	94
normalized size	1	1.00	0.64	0.97	0.68	0.68	1.22	1.04	0.80
time (sec)	N/A	0.130	0.269	0.030	0.348	0.598	10.333	0.350	4.971

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	58	66	60	58	92	60	66
normalized size	1	1.00	0.73	0.84	0.76	0.73	1.16	0.76	0.84
time (sec)	N/A	0.074	0.166	0.025	0.339	0.614	3.527	0.513	4.752

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	33	33	33	26	27	26	46	26	28
normalized size	1	1.00	1.00	0.79	0.82	0.79	1.39	0.79	0.85
time (sec)	N/A	0.031	0.029	0.082	0.315	0.678	0.941	0.445	4.666

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	51	125	89	63	0	47	-1
normalized size	1	1.00	0.93	2.27	1.62	1.15	0.00	0.85	-0.02
time (sec)	N/A	0.095	0.072	0.423	0.470	0.676	0.000	0.371	0.000

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	90	162	100	118	0	186	-1
normalized size	1	1.00	0.99	1.78	1.10	1.30	0.00	2.04	-0.01
time (sec)	N/A	0.220	0.135	0.542	0.603	0.793	0.000	0.473	0.000

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	B	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	159	132	143	147	439	259	-1
normalized size	1	1.00	0.85	0.70	0.76	0.78	2.34	1.38	-0.01
time (sec)	N/A	0.225	0.440	0.033	0.445	0.690	4.791	1.166	0.000

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	117	99	112	120	129	185	-1
normalized size	1	1.00	0.76	0.65	0.73	0.78	0.84	1.21	-0.01
time (sec)	N/A	0.082	0.233	0.036	1.189	0.722	1.357	0.925	0.000

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	167	130	151	147	0	0	-1
normalized size	1	1.00	0.99	0.77	0.90	0.88	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.431	0.031	0.586	0.562	0.000	0.000	0.000

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	71	71	63	58	97	51	116	97	-1
normalized size	1	1.00	0.89	0.82	1.37	0.72	1.63	1.37	-0.01
time (sec)	N/A	0.053	0.066	0.036	1.661	0.550	4.105	0.447	0.000

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	B	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	75	78	117	73	291	125	-1
normalized size	1	1.00	0.89	0.93	1.39	0.87	3.46	1.49	-0.01
time (sec)	N/A	0.078	0.150	0.068	0.812	0.851	3.911	0.739	0.000

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	67	50	55	52	95	52	55
normalized size	1	1.00	1.00	0.75	0.82	0.78	1.42	0.78	0.82
time (sec)	N/A	0.045	0.044	0.079	0.323	0.570	9.991	0.505	4.988

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	41	39	54	47	51	39	-1
normalized size	1	1.00	0.93	0.89	1.23	1.07	1.16	0.89	-0.02
time (sec)	N/A	0.100	0.104	0.050	0.401	0.827	4.684	0.385	0.000

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	362	362	289	0	0	1453	0	0	-1
normalized size	1	1.00	0.80	0.00	0.00	4.01	0.00	0.00	-0.00
time (sec)	N/A	0.879	0.207	0.093	0.000	0.854	0.000	0.000	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	188	0	0	1053	0	0	-1
normalized size	1	1.00	0.77	0.00	0.00	4.30	0.00	0.00	-0.00
time (sec)	N/A	0.514	0.067	0.080	0.000	0.983	0.000	0.000	0.000

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	48	48	48	48	8078	208	192	63	128
normalized size	1	1.00	1.00	1.00	168.29	4.33	4.00	1.31	2.67
time (sec)	N/A	0.069	0.085	0.050	36.952	0.699	11.766	0.372	6.633

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	0.400	0.076	0.000	0.969	0.000	0.000	0.000

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	0.351	0.082	0.000	0.788	0.000	0.000	0.000

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.029	0.382	0.075	0.000	0.719	0.000	0.000	0.000

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.005	0.024	0.072	0.000	0.657	0.000	0.000	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	0.253	0.079	0.000	0.810	0.000	0.000	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	C	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	663	663	513	0	0	2487	0	0	-1
normalized size	1	1.00	0.77	0.00	0.00	3.75	0.00	0.00	-0.00
time (sec)	N/A	1.302	2.334	1.148	0.000	1.264	0.000	0.000	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	302	0	0	1517	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	4.68	0.00	0.00	-0.00
time (sec)	N/A	0.596	0.956	1.020	0.000	1.170	0.000	0.000	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	91	164	0	366	0	144	178
normalized size	1	1.00	1.00	1.80	0.00	4.02	0.00	1.58	1.96
time (sec)	N/A	0.102	0.198	0.102	0.000	0.675	0.000	0.430	5.098

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.046	6.558	0.995	0.000	0.926	0.000	0.000	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.028	8.834	1.214	0.000	0.713	0.000	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.027	4.359	0.726	0.000	0.828	0.000	0.000	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.007	5.063	0.891	0.000	0.784	0.000	0.000	0.000

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	7.781	1.095	0.000	0.876	0.000	0.000	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.027	0.922	0.853	0.000	0.674	0.000	0.000	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	444	444	373	0	0	321	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.72	0.00	0.00	-0.00
time (sec)	N/A	0.480	8.605	0.611	0.000	0.731	0.000	0.000	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	279	279	551	0	0	198	0	0	-1
normalized size	1	1.00	1.97	0.00	0.00	0.71	0.00	0.00	-0.00
time (sec)	N/A	0.263	6.583	0.690	0.000	0.786	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	149	0	0	98	0	0	-1
normalized size	1	1.00	1.11	0.00	0.00	0.73	0.00	0.00	-0.01
time (sec)	N/A	0.119	1.514	0.256	0.000	0.785	0.000	0.000	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.028	0.390	0.161	0.000	0.746	0.000	0.000	0.000

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.026	0.911	0.536	0.000	0.731	0.000	0.000	0.000

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	67	37	40	49	61	38
normalized size	1	1.00	1.00	1.52	0.84	0.91	1.11	1.39	0.86
time (sec)	N/A	0.052	0.009	0.069	0.328	0.646	3.534	0.363	0.175

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	41	27	21	23	31	26	21
normalized size	1	1.00	1.64	1.08	0.84	0.92	1.24	1.04	0.84
time (sec)	N/A	0.027	0.022	0.006	0.320	0.774	0.517	0.440	4.658

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	29	0	50	38	0	32	-1
normalized size	1	1.00	0.94	0.00	1.61	1.23	0.00	1.03	-0.03
time (sec)	N/A	0.039	0.051	0.102	0.430	0.704	0.000	0.407	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	48	0	57	65	0	99	-1
normalized size	1	1.00	0.91	0.00	1.08	1.23	0.00	1.87	-0.02
time (sec)	N/A	0.102	0.088	0.135	0.429	0.656	0.000	0.592	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	124	0	109	70	0	0	-1
normalized size	1	1.00	1.11	0.00	0.97	0.62	0.00	0.00	-0.01
time (sec)	N/A	0.085	0.236	0.119	0.579	0.713	0.000	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	108	0	93	53	0	0	-1
normalized size	1	1.00	1.19	0.00	1.02	0.58	0.00	0.00	-0.01
time (sec)	N/A	0.064	0.128	0.113	0.538	0.780	0.000	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	120	0	89	62	0	0	-1
normalized size	1	1.00	1.19	0.00	0.88	0.61	0.00	0.00	-0.01
time (sec)	N/A	0.078	0.214	0.126	0.541	0.791	0.000	0.000	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	143	0	91	83	0	0	-1
normalized size	1	1.00	1.10	0.00	0.70	0.64	0.00	0.00	-0.01
time (sec)	N/A	0.102	0.404	0.147	0.566	0.626	0.000	0.000	0.000

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	106	106	124	0	110	68	0	0	-1
normalized size	1	1.00	1.17	0.00	1.04	0.64	0.00	0.00	-0.01
time (sec)	N/A	0.072	0.193	0.117	0.552	0.723	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	138	0	85	49	0	0	-1
normalized size	1	1.00	1.68	0.00	1.04	0.60	0.00	0.00	-0.01
time (sec)	N/A	0.029	0.101	0.116	0.535	0.686	0.000	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	120	0	90	66	0	0	-1
normalized size	1	1.00	1.19	0.00	0.89	0.65	0.00	0.00	-0.01
time (sec)	N/A	0.055	0.191	0.130	0.524	0.732	0.000	0.000	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	146	0	91	83	0	0	-1
normalized size	1	1.00	1.16	0.00	0.72	0.66	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.457	0.155	0.544	0.853	0.000	0.000	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	92	137	87	84	143	123	95
normalized size	1	1.00	0.86	1.28	0.81	0.79	1.34	1.15	0.89
time (sec)	N/A	0.133	0.291	0.282	0.340	0.730	6.355	0.359	0.266

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	52	62	52	53	99	57	51
normalized size	1	1.00	0.87	1.03	0.87	0.88	1.65	0.95	0.85
time (sec)	N/A	0.057	0.156	0.053	0.323	0.636	1.092	0.486	4.717

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	71	0	108	95	0	79	-1
normalized size	1	1.00	0.89	0.00	1.35	1.19	0.00	0.99	-0.01
time (sec)	N/A	0.093	0.168	0.586	0.484	0.730	0.000	0.749	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	116	0	124	147	0	226	-1
normalized size	1	1.00	0.95	0.00	1.02	1.20	0.00	1.85	-0.01
time (sec)	N/A	0.219	0.275	0.666	0.484	0.665	0.000	1.240	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	249	249	339	0	239	150	0	0	-1
normalized size	1	1.00	1.36	0.00	0.96	0.60	0.00	0.00	-0.00
time (sec)	N/A	0.206	0.630	0.512	0.578	0.700	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	283	0	199	107	0	0	-1
normalized size	1	1.00	1.47	0.00	1.03	0.55	0.00	0.00	-0.01
time (sec)	N/A	0.136	0.364	0.515	0.570	0.857	0.000	0.000	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	229	332	0	187	131	0	0	-1
normalized size	1	0.99	1.44	0.00	0.81	0.57	0.00	0.00	-0.00
time (sec)	N/A	0.189	0.591	0.628	0.581	0.639	0.000	0.000	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	283	292	0	198	180	0	0	-1
normalized size	1	0.99	1.02	0.00	0.69	0.63	0.00	0.00	-0.00
time (sec)	N/A	0.236	2.532	0.732	0.598	0.670	0.000	0.000	0.000

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	339	0	240	146	0	0	-1
normalized size	1	1.00	1.43	0.00	1.01	0.62	0.00	0.00	-0.00
time (sec)	N/A	0.150	0.579	0.489	0.582	0.929	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	281	0	192	105	0	0	-1
normalized size	1	1.00	1.54	0.00	1.05	0.57	0.00	0.00	-0.01
time (sec)	N/A	0.075	0.270	0.365	0.566	0.885	0.000	0.000	0.000

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	225	332	0	188	139	0	0	-1
normalized size	1	0.99	1.46	0.00	0.83	0.61	0.00	0.00	-0.00
time (sec)	N/A	0.134	0.556	0.642	0.594	0.852	0.000	0.000	0.000

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	275	294	0	197	181	0	0	-1
normalized size	1	0.99	1.06	0.00	0.71	0.65	0.00	0.00	-0.00
time (sec)	N/A	0.183	2.457	0.644	0.590	0.764	0.000	0.000	0.000

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	245	245	188	0	0	1053	0	0	-1
normalized size	1	1.00	0.77	0.00	0.00	4.30	0.00	0.00	-0.00
time (sec)	N/A	0.503	0.167	0.099	0.000	1.078	0.000	0.000	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	51	49	8078	208	202	64	136
normalized size	1	1.00	1.00	0.96	158.39	4.08	3.96	1.25	2.67
time (sec)	N/A	0.078	0.118	0.050	30.565	0.555	18.162	0.483	6.516

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	0.437	0.079	0.000	0.638	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	0.459	0.086	0.000	0.799	0.000	0.000	0.000

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.015	0.609	0.076	0.000	0.595	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	0.325	0.086	0.000	0.791	0.000	0.000	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.005	0.025	0.071	0.000	0.734	0.000	0.000	0.000

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.026	0.374	0.079	0.000	0.726	0.000	0.000	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	324	324	302	0	0	1517	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	4.68	0.00	0.00	-0.00
time (sec)	N/A	0.593	0.984	1.336	0.000	1.230	0.000	0.000	0.000

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	91	167	0	366	0	146	186
normalized size	1	1.00	0.97	1.78	0.00	3.89	0.00	1.55	1.98
time (sec)	N/A	0.109	0.207	0.098	0.000	0.617	0.000	1.887	4.949

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	11.042	1.092	0.000	0.706	0.000	0.000	0.000

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	13.372	1.149	0.000	0.679	0.000	0.000	0.000

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.015	7.316	1.000	0.000	0.721	0.000	0.000	0.000

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.024	11.683	1.247	0.000	0.612	0.000	0.000	0.000

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.005	9.125	1.027	0.000	0.710	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.025	12.830	1.096	0.000	0.757	0.000	0.000	0.000

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.025	0.879	0.845	0.000	0.766	0.000	0.000	0.000

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	442	442	373	0	0	345	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.78	0.00	0.00	-0.00
time (sec)	N/A	0.414	12.016	0.615	0.000	0.936	0.000	0.000	0.000

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	285	285	556	0	0	214	0	0	-1
normalized size	1	1.00	1.95	0.00	0.00	0.75	0.00	0.00	-0.00
time (sec)	N/A	0.232	6.672	0.702	0.000	0.706	0.000	0.000	0.000

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	149	0	0	106	0	0	-1
normalized size	1	1.00	1.11	0.00	0.00	0.79	0.00	0.00	-0.01
time (sec)	N/A	0.100	1.588	0.280	0.000	0.704	0.000	0.000	0.000

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.026	0.401	0.166	0.000	0.591	0.000	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.025	1.011	0.542	0.000	0.645	0.000	0.000	0.000

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	70	73	86	79	0	400	-1
normalized size	1	1.00	0.90	0.94	1.10	1.01	0.00	5.13	-0.01
time (sec)	N/A	0.131	0.082	0.033	0.442	0.552	0.000	0.470	0.000

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	52	57	76	69	0	251	-1
normalized size	1	1.00	0.87	0.95	1.27	1.15	0.00	4.18	-0.02
time (sec)	N/A	0.098	0.064	0.032	0.393	0.597	0.000	0.708	0.000

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	32	38	58	45	0	132	-1
normalized size	1	1.00	1.00	1.19	1.81	1.41	0.00	4.12	-0.03
time (sec)	N/A	0.072	0.025	0.031	0.380	0.611	0.000	0.458	0.000

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	21	22	43	29	17	42	-1
normalized size	1	1.00	1.00	1.05	2.05	1.38	0.81	2.00	-0.05
time (sec)	N/A	0.028	0.052	0.029	0.365	0.641	1.148	0.419	0.000

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	13	12	14	14	14	12
normalized size	1	1.00	1.00	1.08	1.00	1.17	1.17	1.17	1.00
time (sec)	N/A	0.014	0.014	0.009	0.295	0.823	1.212	0.430	4.528

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	29	29	29	42	50	33	29	48	29
normalized size	1	1.00	1.00	1.45	1.72	1.14	1.00	1.66	1.00
time (sec)	N/A	0.025	0.004	0.028	0.359	0.499	2.271	1.585	4.539

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	38	95	51	44	46	106	46
normalized size	1	1.00	0.84	2.11	1.13	0.98	1.02	2.36	1.02
time (sec)	N/A	0.046	0.059	0.029	0.394	0.700	3.863	1.153	4.631

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	61	61	61	165	50	52	61	191	64
normalized size	1	1.00	1.00	2.70	0.82	0.85	1.00	3.13	1.05
time (sec)	N/A	0.068	0.005	0.029	0.420	0.674	6.416	1.146	4.774

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	86	96	99	109	0	442	-1
normalized size	1	1.00	0.89	0.99	1.02	1.12	0.00	4.56	-0.01
time (sec)	N/A	0.169	0.177	0.041	0.451	0.804	0.000	1.125	0.000

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	65	76	89	90	0	283	-1
normalized size	1	1.00	1.00	1.17	1.37	1.38	0.00	4.35	-0.02
time (sec)	N/A	0.104	0.166	0.042	0.389	0.527	0.000	0.373	0.000

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	41	41	41	52	66	56	0	153	-1
normalized size	1	1.00	1.00	1.27	1.61	1.37	0.00	3.73	-0.02
time (sec)	N/A	0.091	0.089	0.043	0.406	0.701	0.000	0.372	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	32	36	51	39	31	65	-1
normalized size	1	1.00	0.86	0.97	1.38	1.05	0.84	1.76	-0.03
time (sec)	N/A	0.050	0.056	0.040	0.426	0.634	2.664	0.563	0.000

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	32	34	25	34	262	29	22
normalized size	1	1.00	1.03	1.10	0.81	1.10	8.45	0.94	0.71
time (sec)	N/A	0.027	0.056	0.032	0.317	0.616	3.164	0.712	4.571

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	51	51	43	97	68	60	391	77	41
normalized size	1	1.00	0.84	1.90	1.33	1.18	7.67	1.51	0.80
time (sec)	N/A	0.040	0.086	0.038	0.373	0.614	4.210	0.712	4.615

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	54	197	68	72	654	153	64
normalized size	1	1.00	0.62	2.26	0.78	0.83	7.52	1.76	0.74
time (sec)	N/A	0.065	0.134	0.067	0.385	0.696	5.967	0.380	4.698

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	65	334	68	90	726	255	84
normalized size	1	1.00	0.61	3.12	0.64	0.84	6.79	2.38	0.79
time (sec)	N/A	0.081	0.196	0.079	0.369	0.496	8.206	0.693	4.720

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	81	59	127	74	0	0	-1
normalized size	1	1.00	1.01	0.74	1.59	0.92	0.00	0.00	-0.01
time (sec)	N/A	0.058	0.136	0.029	0.394	0.711	0.000	0.000	0.000

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	22	43	29	0	0	-1
normalized size	1	1.00	1.00	0.88	1.72	1.16	0.00	0.00	-0.04
time (sec)	N/A	0.029	0.048	0.026	0.366	0.786	0.000	0.000	0.000

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	61	47	98	64	0	0	55
normalized size	1	1.00	0.81	0.63	1.31	0.85	0.00	0.00	0.73
time (sec)	N/A	0.031	0.102	0.028	0.420	0.655	0.000	0.000	4.801

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	15	14	13	17	20	0	13
normalized size	1	1.00	1.00	0.93	0.87	1.13	1.33	0.00	0.87
time (sec)	N/A	0.016	0.014	0.007	0.356	0.714	3.533	0.000	4.671

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	89	65	74	85	0	0	-1
normalized size	1	1.00	0.92	0.67	0.76	0.88	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.160	0.030	0.399	0.643	0.000	0.000	0.000

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	8	8	8	7	6	6	8	6	6
normalized size	1	1.00	1.00	0.88	0.75	0.75	1.00	0.75	0.75
time (sec)	N/A	0.009	0.011	0.009	0.311	0.698	0.318	0.508	4.568

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	21	21	23	15	15	15	29	15	14
normalized size	1	1.00	1.10	0.71	0.71	0.71	1.38	0.71	0.67
time (sec)	N/A	0.020	0.024	0.085	0.302	0.666	0.924	0.356	4.736

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	22	22	22	17	16	16	20	16	16
normalized size	1	1.00	1.00	0.77	0.73	0.73	0.91	0.73	0.73
time (sec)	N/A	0.012	0.019	0.021	0.471	0.706	0.304	0.832	4.637

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	41	52	30	37	379	30	34
normalized size	1	1.00	0.59	0.75	0.43	0.54	5.49	0.43	0.49
time (sec)	N/A	0.043	0.048	0.059	0.436	0.625	1.324	0.305	4.771

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	62	59	47	51	80	47	58
normalized size	1	1.00	0.71	0.68	0.54	0.59	0.92	0.54	0.67
time (sec)	N/A	0.064	0.056	0.118	0.330	0.704	6.107	0.663	4.779

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.020	1.049	1.186	0.000	0.696	0.000	0.000	0.000

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.023	1.456	1.072	0.000	0.763	0.000	0.000	0.000

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	88	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.102	0.159	1.427	0.000	0.749	0.000	0.000	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	39	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.051	0.935	1.249	0.000	0.705	0.000	0.000	0.000

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	148	0	0	0	0	0	-1
normalized size	1	1.00	1.12	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.190	0.464	1.379	0.000	0.708	0.000	0.000	0.000

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	41	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.059	1.298	1.144	0.000	0.856	0.000	0.000	0.000

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	23	24	91	35	0	0	-1
normalized size	1	1.00	0.92	0.96	3.64	1.40	0.00	0.00	-0.04
time (sec)	N/A	0.038	0.067	0.027	1.021	0.663	0.000	0.000	0.000

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	43	43	37	45	100	48	0	0	-1
normalized size	1	1.00	0.86	1.05	2.33	1.12	0.00	0.00	-0.02
time (sec)	N/A	0.061	0.081	0.041	3.103	0.620	0.000	0.000	0.000

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	54	52	180	74	0	0	-1
normalized size	1	1.00	0.81	0.78	2.69	1.10	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.112	0.040	3.802	0.896	0.000	0.000	0.000

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	66	77	188	87	0	0	-1
normalized size	1	1.00	0.84	0.97	2.38	1.10	0.00	0.00	-0.01
time (sec)	N/A	0.101	0.116	0.042	1.322	0.899	0.000	0.000	0.000

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	87	87	95	74	0	0	0	0	-1
normalized size	1	1.00	1.09	0.85	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.027	0.089	0.123	0.000	0.634	0.000	0.000	0.000

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	94	0	0	0	0	0	-1
normalized size	1	1.00	0.94	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.072	0.234	0.230	0.000	0.568	0.000	0.000	0.000

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	187	187	177	0	0	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.089	0.294	0.603	0.000	0.772	0.000	0.000	0.000

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	118	110	0	0	0	0	-1
normalized size	1	1.00	1.08	1.01	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.079	0.225	0.152	0.000	0.569	0.000	0.000	0.000

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	129	0	0	0	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.169	0.538	0.234	0.000	0.620	0.000	0.000	0.000

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	225	0	0	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.238	0.599	0.478	0.000	0.801	0.000	0.000	0.000

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	30	44	32	32	0	0	-1
normalized size	1	1.00	0.86	1.26	0.91	0.91	0.00	0.00	-0.03
time (sec)	N/A	0.032	0.075	0.026	0.372	0.674	0.000	0.000	0.000

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	29	44	29	29	0	0	-1
normalized size	1	1.00	0.85	1.29	0.85	0.85	0.00	0.00	-0.03
time (sec)	N/A	0.030	0.070	0.038	0.407	0.771	0.000	0.000	0.000

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	47	44	0	62	0	0	-1
normalized size	1	1.00	1.02	0.96	0.00	1.35	0.00	0.00	-0.02
time (sec)	N/A	0.089	0.082	0.034	0.000	0.779	0.000	0.000	0.000

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	58	66	0	73	0	0	-1
normalized size	1	1.00	0.87	0.99	0.00	1.09	0.00	0.00	-0.01
time (sec)	N/A	0.120	0.139	0.077	0.000	0.587	0.000	0.000	0.000

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	113	113	95	99	0	127	0	0	-1
normalized size	1	1.00	0.84	0.88	0.00	1.12	0.00	0.00	-0.01
time (sec)	N/A	0.215	0.205	0.052	0.000	0.838	0.000	0.000	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	68	65	0	90	0	0	-1
normalized size	1	1.00	0.87	0.83	0.00	1.15	0.00	0.00	-0.01
time (sec)	N/A	0.111	0.129	0.033	0.000	0.783	0.000	0.000	0.000

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	82	89	0	107	0	0	-1
normalized size	1	1.00	0.86	0.94	0.00	1.13	0.00	0.00	-0.01
time (sec)	N/A	0.151	0.177	0.068	0.000	0.771	0.000	0.000	0.000

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	141	144	0	183	0	0	-1
normalized size	1	1.00	0.85	0.87	0.00	1.11	0.00	0.00	-0.01
time (sec)	N/A	0.264	0.303	0.053	0.000	0.801	0.000	0.000	0.000

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	223	223	173	586	972	255	0	1023	231
normalized size	1	1.00	0.78	2.63	4.36	1.14	0.00	4.59	1.04
time (sec)	N/A	0.312	1.084	0.032	2.275	0.708	0.000	0.730	4.706

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	117	291	564	162	0	669	136
normalized size	1	1.00	0.78	1.94	3.76	1.08	0.00	4.46	0.91
time (sec)	N/A	0.164	0.647	0.026	1.613	0.713	0.000	1.110	0.187

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	69	69	66	120	271	80	0	367	58
normalized size	1	1.00	0.96	1.74	3.93	1.16	0.00	5.32	0.84
time (sec)	N/A	0.073	0.188	0.023	0.857	0.631	0.000	0.931	0.106

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	39	39	39	42	53	45	0	143	41
normalized size	1	1.00	1.00	1.08	1.36	1.15	0.00	3.67	1.05
time (sec)	N/A	0.008	0.015	0.021	0.374	0.744	0.000	0.902	0.084

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.012	5.319	0.199	0.000	0.709	0.000	0.000	0.000

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.012	10.013	0.277	0.000	0.833	0.000	0.000	0.000

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	440	365	0	449	0	0	-1
normalized size	1	1.00	1.31	1.08	0.00	1.33	0.00	0.00	-0.00
time (sec)	N/A	0.420	0.934	0.033	0.000	0.748	0.000	0.000	0.000

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	233	233	265	225	0	300	0	0	-1
normalized size	1	1.00	1.14	0.97	0.00	1.29	0.00	0.00	-0.00
time (sec)	N/A	0.249	0.508	0.033	0.000	0.815	0.000	0.000	0.000

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	95	101	0	155	0	0	-1
normalized size	1	1.00	0.79	0.84	0.00	1.29	0.00	0.00	-0.01
time (sec)	N/A	0.128	0.287	0.032	0.000	0.702	0.000	0.000	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	60	60	60	52	0	73	0	0	52
normalized size	1	1.00	1.00	0.87	0.00	1.22	0.00	0.00	0.87
time (sec)	N/A	0.034	0.034	0.028	0.000	0.656	0.000	0.000	5.196

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.013	1.559	0.342	0.000	0.538	0.000	0.000	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.012	19.889	0.604	0.000	0.620	0.000	0.000	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	341	341	218	1248	1815	328	0	1073	-1
normalized size	1	1.00	0.64	3.66	5.32	0.96	0.00	3.15	-0.00
time (sec)	N/A	0.572	3.032	0.032	3.973	0.680	0.000	0.992	0.000

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	256	256	151	669	1034	208	0	705	-1
normalized size	1	1.00	0.59	2.61	4.04	0.81	0.00	2.75	-0.00
time (sec)	N/A	0.340	1.835	0.034	2.280	0.789	0.000	1.054	0.000

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	114	309	481	131	0	389	-1
normalized size	1	1.00	0.93	2.53	3.94	1.07	0.00	3.19	-0.01
time (sec)	N/A	0.178	0.604	0.028	1.216	0.669	0.000	0.718	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	C	A	F	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	67	136	69	89	0	151	95
normalized size	1	1.00	0.81	1.64	0.83	1.07	0.00	1.82	1.14
time (sec)	N/A	0.042	0.068	0.026	0.515	0.757	0.000	0.738	0.046

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	15.117	0.192	0.000	0.711	0.000	0.000	0.000

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	25.612	0.291	0.000	0.447	0.000	0.000	0.000

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	434	434	0	0	0	425	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.98	0.00	0.00	-0.00
time (sec)	N/A	0.444	132.800	0.279	0.000	0.714	0.000	0.000	0.000

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	280	280	0	0	0	319	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	1.14	0.00	0.00	-0.00
time (sec)	N/A	0.276	53.041	0.218	0.000	0.682	0.000	0.000	0.000

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	A	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	0	0	0	225	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.96	0.00	0.00	-0.00
time (sec)	N/A	0.192	46.008	0.188	0.000	0.676	0.000	0.000	0.000

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	115	0	0	107	0	0	-1
normalized size	1	1.00	1.07	0.00	0.00	1.00	0.00	0.00	-0.01
time (sec)	N/A	0.029	0.020	0.123	0.000	0.613	0.000	0.000	0.000

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	63.039	0.174	0.000	0.658	0.000	0.000	0.000

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.012	130.645	0.242	0.000	0.629	0.000	0.000	0.000

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	371	371	467	302	0	430	0	0	-1
normalized size	1	1.00	1.26	0.81	0.00	1.16	0.00	0.00	-0.00
time (sec)	N/A	0.479	1.541	0.038	0.000	0.861	0.000	0.000	0.000

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	198	198	242	150	0	260	0	0	-1
normalized size	1	1.00	1.22	0.76	0.00	1.31	0.00	0.00	-0.01
time (sec)	N/A	0.259	0.794	0.036	0.000	0.831	0.000	0.000	0.000

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	105	105	100	80	0	137	0	0	-1
normalized size	1	1.00	0.95	0.76	0.00	1.30	0.00	0.00	-0.01
time (sec)	N/A	0.068	0.175	0.040	0.000	0.774	0.000	0.000	0.000

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	5.125	0.385	0.000	0.665	0.000	0.000	0.000

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.012	25.277	0.521	0.000	0.764	0.000	0.000	0.000

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	330	330	405	0	0	488	0	0	-1
normalized size	1	1.00	1.23	0.00	0.00	1.48	0.00	0.00	-0.00
time (sec)	N/A	0.300	2.645	0.440	0.000	0.693	0.000	0.000	0.000

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	700	0	0	321	0	0	-1
normalized size	1	1.00	2.98	0.00	0.00	1.37	0.00	0.00	-0.00
time (sec)	N/A	0.146	2.350	0.385	0.000	0.777	0.000	0.000	0.000

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	107	107	203	0	0	175	0	0	-1
normalized size	1	1.00	1.90	0.00	0.00	1.64	0.00	0.00	-0.01
time (sec)	N/A	0.027	0.507	0.213	0.000	0.790	0.000	0.000	0.000

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	5.151	0.395	0.000	0.821	0.000	0.000	0.000

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	29.671	0.517	0.000	0.864	0.000	0.000	0.000

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	410	410	138	1246	1101	196	529	701	-1
normalized size	1	1.00	0.34	3.04	2.69	0.48	1.29	1.71	-0.00
time (sec)	N/A	0.399	1.872	0.031	0.407	0.681	2.678	1.161	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	85	366	348	86	221	219	-1
normalized size	1	1.00	0.46	1.98	1.88	0.46	1.19	1.18	-0.01
time (sec)	N/A	0.159	0.448	0.027	0.330	0.543	0.765	0.691	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	54	54	50	61	62	44	66	44	43
normalized size	1	1.00	0.93	1.13	1.15	0.81	1.22	0.81	0.80
time (sec)	N/A	0.028	0.077	0.026	0.329	0.602	0.499	0.437	4.730

Problem 190	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	238	238	238	785	0	250	0	0	-1
normalized size	1	1.00	1.00	3.30	0.00	1.05	0.00	0.00	-0.00
time (sec)	N/A	0.749	1.551	0.045	0.000	0.873	0.000	0.000	0.000

Problem 191	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	339	339	397	1817	0	416	0	0	-1
normalized size	1	1.00	1.17	5.36	0.00	1.23	0.00	0.00	-0.00
time (sec)	N/A	0.983	3.607	0.080	0.000	0.756	0.000	0.000	0.000

Problem 192	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	382	382	419	0	694	276	0	0	-1
normalized size	1	1.00	1.10	0.00	1.82	0.72	0.00	0.00	-0.00
time (sec)	N/A	0.306	3.249	0.074	1.203	0.692	0.000	0.000	0.000

Problem 193	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	291	291	705	0	375	185	0	0	-1
normalized size	1	1.00	2.42	0.00	1.29	0.64	0.00	0.00	-0.00
time (sec)	N/A	0.200	2.632	0.037	0.978	0.901	0.000	0.000	0.000

Problem 194	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	123	0	112	69	0	0	-1
normalized size	1	1.00	1.07	0.00	0.97	0.60	0.00	0.00	-0.01
time (sec)	N/A	0.081	0.153	0.025	0.576	0.690	0.000	0.000	0.000

Problem 195	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	11.084	0.078	0.000	0.680	0.000	0.000	0.000

Problem 196	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	13.921	0.072	0.000	0.648	0.000	0.000	0.000

Problem 197	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	611	611	557	696	877	459	0	6606	-1
normalized size	1	1.00	0.91	1.14	1.44	0.75	0.00	10.81	-0.00
time (sec)	N/A	0.791	2.297	0.084	1.069	0.589	0.000	2.470	0.000

Problem 198	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	301	301	367	295	407	241	0	2159	-1
normalized size	1	1.00	1.22	0.98	1.35	0.80	0.00	7.17	-0.00
time (sec)	N/A	0.393	0.642	0.053	0.717	0.717	0.000	1.774	0.000

Problem 199	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	99	84	124	125	0	413	-1
normalized size	1	1.00	1.05	0.89	1.32	1.33	0.00	4.39	-0.01
time (sec)	N/A	0.118	0.086	0.039	0.593	0.614	0.000	0.623	0.000

Problem 200	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	A	F	C	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	276	276	0	438	0	320	0	0	-1
normalized size	1	1.00	0.00	1.59	0.00	1.16	0.00	0.00	-0.00
time (sec)	N/A	1.203	15.689	0.055	0.000	0.804	0.000	0.000	0.000

Problem 201	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F(-1)	B	F	C	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	350	350	0	2724	0	454	0	0	-1
normalized size	1	1.00	0.00	7.78	0.00	1.30	0.00	0.00	-0.00
time (sec)	N/A	0.929	180.034	0.089	0.000	0.749	0.000	0.000	0.000

Problem 202	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	390	390	463	0	1003	506	0	0	-1
normalized size	1	1.00	1.19	0.00	2.57	1.30	0.00	0.00	-0.00
time (sec)	N/A	0.428	2.283	0.088	1.204	0.821	0.000	0.000	0.000

Problem 203	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	F	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	251	251	835	0	508	330	0	0	-1
normalized size	1	1.00	3.33	0.00	2.02	1.31	0.00	0.00	-0.00
time (sec)	N/A	0.226	2.771	0.066	2.000	0.721	0.000	0.000	0.000

Problem 204	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	166	0	151	144	0	0	-1
normalized size	1	1.00	1.44	0.00	1.31	1.25	0.00	0.00	-0.01
time (sec)	N/A	0.082	0.449	0.046	0.604	0.893	0.000	0.000	0.000

Problem 205	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.014	13.380	0.080	0.000	0.702	0.000	0.000	0.000

Problem 206	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.015	15.897	0.081	0.000	0.807	0.000	0.000	0.000

Problem 207	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	633	633	256	2704	2151	333	0	1558	-1
normalized size	1	1.00	0.40	4.27	3.40	0.53	0.00	2.46	-0.00
time (sec)	N/A	0.647	2.655	0.033	0.473	0.639	0.000	2.345	0.000

Problem 208	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	288	288	147	801	681	142	0	454	-1
normalized size	1	1.00	0.51	2.78	2.36	0.49	0.00	1.58	-0.00
time (sec)	N/A	0.269	0.646	0.029	0.448	0.667	0.000	0.432	0.000

Problem 209	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	65	134	120	58	94	82	69
normalized size	1	1.00	0.76	1.58	1.41	0.68	1.11	0.96	0.81
time (sec)	N/A	0.057	0.111	0.027	0.544	0.735	1.419	0.360	4.606

Problem 210	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	396	396	118	327	0	448	0	0	-1
normalized size	1	1.00	0.30	0.83	0.00	1.13	0.00	0.00	-0.00
time (sec)	N/A	1.390	1.848	0.056	0.000	0.875	0.000	0.000	0.000

Problem 211	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	555	555	180	1175	0	728	0	0	-1
normalized size	1	1.00	0.32	2.12	0.00	1.31	0.00	0.00	-0.00
time (sec)	N/A	2.124	1.189	0.110	0.000	1.219	0.000	0.000	0.000

Problem 212	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	513	513	432	395	559	308	0	777	-1
normalized size	1	1.00	0.84	0.77	1.09	0.60	0.00	1.51	-0.00
time (sec)	N/A	0.535	2.414	0.029	0.504	0.979	0.000	0.834	0.000

Problem 213	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	213	175	248	159	0	407	-1
normalized size	1	1.00	0.88	0.72	1.02	0.65	0.00	1.67	-0.00
time (sec)	N/A	0.264	0.852	0.025	0.366	0.997	0.000	1.643	0.000

Problem 214	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	114	86	92	98	0	170	-1
normalized size	1	1.00	0.88	0.66	0.71	0.75	0.00	1.31	-0.01
time (sec)	N/A	0.074	0.155	0.024	0.335	0.565	0.000	0.756	0.000

Problem 215	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	22.300	0.078	0.000	0.696	0.000	0.000	0.000

Problem 216	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	21.102	0.069	0.000	0.625	0.000	0.000	0.000

Problem 217	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	855	855	929	936	1003	653	0	0	-1
normalized size	1	1.00	1.09	1.09	1.17	0.76	0.00	0.00	-0.00
time (sec)	N/A	1.051	4.719	0.099	1.924	0.693	0.000	0.000	0.000

Problem 218	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	419	419	540	391	458	299	0	3728	-1
normalized size	1	1.00	1.29	0.93	1.09	0.71	0.00	8.90	-0.00
time (sec)	N/A	0.504	0.891	0.053	0.738	0.777	0.000	3.096	0.000

Problem 219	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	136	136	133	108	138	139	0	663	-1
normalized size	1	1.00	0.98	0.79	1.01	1.02	0.00	4.88	-0.01
time (sec)	N/A	0.162	0.111	0.038	0.464	0.604	0.000	1.381	0.000

Problem 220	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	434	434	170	156	0	554	0	0	-1
normalized size	1	1.00	0.39	0.36	0.00	1.28	0.00	0.00	-0.00
time (sec)	N/A	1.920	2.802	0.066	0.000	0.873	0.000	0.000	0.000

Problem 221	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	C	F	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	566	566	313	1556	0	796	0	0	-1
normalized size	1	1.00	0.55	2.75	0.00	1.41	0.00	0.00	-0.00
time (sec)	N/A	2.630	1.272	0.135	0.000	0.932	0.000	0.000	0.000

Problem 222	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	630	630	613	452	1258	494	0	0	-1
normalized size	1	1.00	0.97	0.72	2.00	0.78	0.00	0.00	-0.00
time (sec)	N/A	0.748	3.102	0.045	1.370	0.909	0.000	0.000	0.000

Problem 223	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	318	318	378	225	584	267	0	0	-1
normalized size	1	1.00	1.19	0.71	1.84	0.84	0.00	0.00	-0.00
time (sec)	N/A	0.385	1.185	0.041	0.774	0.772	0.000	0.000	0.000

Problem 224	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	146	105	219	143	0	0	-1
normalized size	1	1.00	1.04	0.74	1.55	1.01	0.00	0.00	-0.01
time (sec)	N/A	0.112	0.159	0.034	0.486	0.609	0.000	0.000	0.000

Problem 225	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.013	30.159	0.086	0.000	0.782	0.000	0.000	0.000

Problem 226	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.014	180.033	0.078	0.000	0.689	0.000	0.000	0.000

Problem 227	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	289	289	226	0	176	234	0	566	-1
normalized size	1	1.00	0.78	0.00	0.61	0.81	0.00	1.96	-0.00
time (sec)	N/A	0.269	0.565	0.082	0.632	1.571	0.000	0.729	0.000

Problem 228	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	111	0	193	143	0	310	-1
normalized size	1	1.00	0.55	0.00	0.96	0.71	0.00	1.53	-0.00
time (sec)	N/A	0.178	0.296	0.075	0.631	1.803	0.000	1.057	0.000

Problem 229	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	160	160	97	0	155	128	0	196	-1
normalized size	1	1.00	0.61	0.00	0.97	0.80	0.00	1.22	-0.01
time (sec)	N/A	0.138	0.224	0.076	0.617	1.763	0.000	0.954	0.000

Problem 230	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	70	0	129	84	0	83	-1
normalized size	1	1.00	0.82	0.00	1.52	0.99	0.00	0.98	-0.01
time (sec)	N/A	0.070	0.078	0.074	0.617	1.526	0.000	1.244	0.000

Problem 231	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	42	0	23	46	0	35	-1
normalized size	1	1.00	1.00	0.00	0.55	1.10	0.00	0.83	-0.02
time (sec)	N/A	0.052	0.069	0.083	0.350	0.679	0.000	0.781	0.000

Problem 232	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	120	120	85	0	128	0	0	0	-1
normalized size	1	1.00	0.71	0.00	1.07	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.155	0.075	0.617	1.456	0.000	0.000	0.000

Problem 233	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	115	0	129	0	0	0	-1
normalized size	1	1.00	0.66	0.00	0.74	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.181	0.199	0.074	0.624	1.401	0.000	0.000	0.000

Problem 234	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	267	184	0	129	0	0	0	-1
normalized size	1	1.00	0.69	0.00	0.48	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.263	0.377	0.076	0.696	1.320	0.000	0.000	0.000

Problem 235	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F(-1)	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	267	267	175	0	386	0	0	713	-1
normalized size	1	1.00	0.66	0.00	1.45	0.00	0.00	2.67	-0.00
time (sec)	N/A	0.273	0.757	0.074	0.783	1.420	0.000	1.087	0.000

Problem 236	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	227	227	160	0	429	0	0	321	-1
normalized size	1	1.00	0.70	0.00	1.89	0.00	0.00	1.41	-0.00
time (sec)	N/A	0.198	0.465	0.075	0.819	1.492	0.000	0.721	0.000

Problem 237	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	72	0	129	89	0	265	-1
normalized size	1	1.00	0.81	0.00	1.45	1.00	0.00	2.98	-0.01
time (sec)	N/A	0.086	0.060	0.073	1.338	1.561	0.000	1.853	0.000

Problem 238	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	44	0	23	46	0	52	-1
normalized size	1	1.00	1.00	0.00	0.52	1.05	0.00	1.18	-0.02
time (sec)	N/A	0.063	0.070	0.077	0.341	0.571	0.000	0.541	0.000

Problem 239	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	96	0	493	0	0	84	-1
normalized size	1	1.00	0.72	0.00	3.71	0.00	0.00	0.63	-0.01
time (sec)	N/A	0.125	0.146	0.074	1.602	1.537	0.000	1.609	0.000

Problem 240	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	133	0	386	0	0	0	-1
normalized size	1	1.00	0.79	0.00	2.30	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.163	0.243	0.075	1.343	1.648	0.000	0.000	0.000

Problem 241	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	126	126	87	0	128	0	0	0	-1
normalized size	1	1.00	0.69	0.00	1.02	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.153	0.161	0.073	0.697	1.244	0.000	0.000	0.000

Problem 242	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	208	0	129	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.52	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.242	0.396	0.074	1.780	1.246	0.000	0.000	0.000

Problem 243	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	131	0	172	0	0	0	-1
normalized size	1	1.00	0.78	0.00	1.02	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.165	0.185	0.072	0.616	1.422	0.000	0.000	0.000

Problem 244	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	88	0	157	0	0	0	-1
normalized size	1	1.00	0.76	0.00	1.35	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.129	0.185	0.072	0.591	1.560	0.000	0.000	0.000

Problem 245	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	42	0	31	64	0	0	-1
normalized size	1	1.00	0.93	0.00	0.69	1.42	0.00	0.00	-0.02
time (sec)	N/A	0.047	0.065	0.074	0.342	0.743	0.000	0.000	0.000

Problem 246	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	72	0	170	116	0	0	-1
normalized size	1	1.00	0.79	0.00	1.87	1.27	0.00	0.00	-0.01
time (sec)	N/A	0.076	0.089	0.075	0.597	1.591	0.000	0.000	0.000

Problem 247	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	107	0	1390	160	0	0	-1
normalized size	1	1.00	0.62	0.00	8.08	0.93	0.00	0.00	-0.01
time (sec)	N/A	0.148	0.168	0.079	2.368	1.975	0.000	0.000	0.000

Problem 248	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	112	0	1965	181	0	0	-1
normalized size	1	1.00	0.52	0.00	9.06	0.83	0.00	0.00	-0.00
time (sec)	N/A	0.189	0.295	0.075	3.566	2.121	0.000	0.000	0.000

Problem 249	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F(-1)	F(-2)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	299	299	237	0	1119	0	0	0	-1
normalized size	1	1.00	0.79	0.00	3.74	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.287	0.903	0.077	2.540	1.521	0.000	0.000	0.000

Problem 250	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	228	0	749	0	0	0	-1
normalized size	1	1.00	0.87	0.00	2.86	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.228	0.353	0.075	2.048	1.498	0.000	0.000	0.000

Problem 251	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	113	0	129	0	0	0	-1
normalized size	1	1.00	0.67	0.00	0.77	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.182	0.307	0.074	0.580	1.397	0.000	0.000	0.000

Problem 252	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	90	0	128	0	0	0	-1
normalized size	1	1.00	0.74	0.00	1.05	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.145	0.228	0.075	0.658	1.407	0.000	0.000	0.000

Problem 253	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	164	164	136	0	383	0	0	0	-1
normalized size	1	1.00	0.83	0.00	2.34	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.158	0.317	0.080	1.535	1.567	0.000	0.000	0.000

Problem 254	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	141	141	96	0	487	0	0	0	-1
normalized size	1	1.00	0.68	0.00	3.45	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.138	0.160	0.083	1.119	1.657	0.000	0.000	0.000

Problem 255	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	44	0	31	64	0	0	-1
normalized size	1	1.00	0.94	0.00	0.66	1.36	0.00	0.00	-0.02
time (sec)	N/A	0.066	0.071	0.075	0.335	0.701	0.000	0.000	0.000

Problem 256	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	72	0	129	133	0	0	-1
normalized size	1	1.00	0.76	0.00	1.36	1.40	0.00	0.00	-0.01
time (sec)	N/A	0.096	0.106	0.074	0.664	1.609	0.000	0.000	0.000

Problem 257	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	165	0	414	0	0	0	-1
normalized size	1	1.00	0.70	0.00	1.75	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.245	0.913	0.075	1.167	1.574	0.000	0.000	0.000

Problem 258	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	277	277	192	0	411	0	0	0	-1
normalized size	1	1.00	0.69	0.00	1.48	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.265	1.275	0.076	0.830	1.362	0.000	0.000	0.000

Problem 259	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.009	6.180	0.260	0.000	0.592	0.000	0.000	0.000

Problem 260	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	503	503	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.391	12.220	0.063	0.000	0.649	0.000	0.000	0.000

Problem 261	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	F	F	F	F	F	F	F
verified	N/A	Yes	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	369	369	0	0	0	0	0	0	-1
normalized size	1	1.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.249	8.774	0.138	0.000	0.532	0.000	0.000	0.000

Problem 262	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	243	243	192	0	0	0	0	0	-1
normalized size	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.131	0.861	0.135	0.000	0.560	0.000	0.000	0.000

Problem 263	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	121	0	0	0	0	0	-1
normalized size	1	1.00	1.03	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.029	0.042	0.104	0.000	0.603	0.000	0.000	0.000

Problem 264	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.009	1.923	0.073	0.000	0.578	0.000	0.000	0.000

Problem 265	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.009	1.802	0.129	0.000	0.630	0.000	0.000	0.000

Problem 266	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	519	519	539	0	0	0	0	0	-1
normalized size	1	1.00	1.04	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.534	15.146	0.119	0.000	0.599	0.000	0.000	0.000

Problem 267	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	383	383	403	0	0	0	0	0	-1
normalized size	1	1.00	1.05	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.345	10.233	0.177	0.000	0.570	0.000	0.000	0.000

Problem 268	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	255	255	215	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.192	0.515	0.225	0.000	0.637	0.000	0.000	0.000

Problem 269	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	122	122	126	0	0	0	0	0	-1
normalized size	1	1.00	1.03	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.058	0.260	0.206	0.000	0.602	0.000	0.000	0.000

Problem 270	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	26	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.018	3.282	0.129	0.000	0.739	0.000	0.000	0.000

Problem 271	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	28	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.018	2.891	0.184	0.000	0.700	0.000	0.000	0.000

Problem 272	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	856	856	786	0	0	0	0	0	-1
normalized size	1	1.00	0.92	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.966	26.636	0.645	0.000	0.740	0.000	0.000	0.000

Problem 273	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	556	556	552	0	0	0	0	0	-1
normalized size	1	1.00	0.99	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.457	16.574	0.706	0.000	0.696	0.000	0.000	0.000

Problem 274	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	261	261	381	0	0	0	0	0	-1
normalized size	1	1.00	1.46	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.149	1.734	0.418	0.000	0.795	0.000	0.000	0.000

Problem 275	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.024	3.939	0.891	0.000	0.678	0.000	0.000	0.000

Problem 276	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.026	3.340	0.778	0.000	0.820	0.000	0.000	0.000

Problem 277	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.028	1.506	0.128	0.000	0.651	0.000	0.000	0.000

Problem 278	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.018	1.321	0.160	0.000	0.675	0.000	0.000	0.000

Problem 279	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.006	0.278	0.136	0.000	0.655	0.000	0.000	0.000

Problem 280	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.027	0.727	0.162	0.000	0.790	0.000	0.000	0.000

Problem 281	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.027	0.837	0.106	0.000	0.707	0.000	0.000	0.000

Problem 282	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.027	180.120	0.679	0.000	0.767	0.000	0.000	0.000

Problem 283	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.015	180.084	3.018	0.000	0.699	0.000	0.000	0.000

Problem 284	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.006	11.579	2.103	0.000	0.754	0.000	0.000	0.000

Problem 285	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	F(-1)	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.026	180.080	0.624	0.000	0.554	0.000	0.000	0.000

Problem 286	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	F(-1)	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.026	180.124	0.643	0.000	0.646	0.000	0.000	0.000

Problem 287	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	27	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.024	2.108	1.159	0.000	0.602	0.000	0.000	0.000

Problem 288	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	224	224	150	209	258	224	0	1264	-1
normalized size	1	1.00	0.67	0.93	1.15	1.00	0.00	5.64	-0.00
time (sec)	N/A	0.457	0.622	0.069	0.551	0.730	0.000	1.550	0.000

Problem 289	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	79	115	153	133	0	530	-1
normalized size	1	1.00	0.67	0.97	1.30	1.13	0.00	4.49	-0.01
time (sec)	N/A	0.239	0.233	0.057	0.428	0.659	0.000	0.623	0.000

Problem 290	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	50	43	65	52	0	137	-1
normalized size	1	1.00	1.32	1.13	1.71	1.37	0.00	3.61	-0.03
time (sec)	N/A	0.078	0.033	0.034	0.364	0.640	0.000	0.554	0.000

Problem 291	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	83	142	0	133	0	172	-1
normalized size	1	1.00	0.81	1.38	0.00	1.29	0.00	1.67	-0.01
time (sec)	N/A	0.279	0.210	0.056	0.000	0.756	0.000	0.467	0.000

Problem 292	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	85	144	0	164	0	347	-1
normalized size	1	1.00	0.90	1.53	0.00	1.74	0.00	3.69	-0.01
time (sec)	N/A	0.222	0.743	0.051	0.000	0.707	0.000	0.576	0.000

Problem 293	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	233	233	151	527	0	429	0	1502	-1
normalized size	1	1.00	0.65	2.26	0.00	1.84	0.00	6.45	-0.00
time (sec)	N/A	0.487	1.894	0.058	0.000	0.750	0.000	0.667	0.000

Problem 294	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	254	254	252	265	322	300	0	1145	-1
normalized size	1	1.00	0.99	1.04	1.27	1.18	0.00	4.51	-0.00
time (sec)	N/A	0.616	0.564	0.099	0.561	0.621	0.000	1.074	0.000

Problem 295	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	94	94	105	110	137	130	0	305	-1
normalized size	1	1.00	1.12	1.17	1.46	1.38	0.00	3.24	-0.01
time (sec)	N/A	0.226	0.146	0.092	0.432	0.740	0.000	0.793	0.000

Problem 296	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	A	F	A	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	255	255	195	321	0	288	0	368	-1
normalized size	1	1.00	0.76	1.26	0.00	1.13	0.00	1.44	-0.00
time (sec)	N/A	0.663	0.411	0.101	0.000	0.824	0.000	5.027	0.000

Problem 297	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-1)	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	195	195	263	308	0	343	0	700	-1
normalized size	1	1.00	1.35	1.58	0.00	1.76	0.00	3.59	-0.01
time (sec)	N/A	0.391	1.493	0.086	0.000	0.704	0.000	0.468	0.000

Problem 298	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	A	F(-1)	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	470	470	740	1124	0	926	0	3062	-1
normalized size	1	1.00	1.57	2.39	0.00	1.97	0.00	6.51	-0.00
time (sec)	N/A	0.957	3.489	0.096	0.000	0.878	0.000	0.623	0.000

Problem 299	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.032	1.068	1.523	0.000	0.675	0.000	0.000	0.000

Problem 300	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.017	0.576	1.429	0.000	0.709	0.000	0.000	0.000

Problem 301	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.005	0.039	0.231	0.000	0.771	0.000	0.000	0.000

Problem 302	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.017	0.076	0.002	0.000	0.710	0.000	0.000	0.000

Problem 303	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.031	0.148	0.003	0.000	0.639	0.000	0.000	0.000

Problem 304	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	F(-1)	F(-1)	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.030	126.315	5.011	0.000	0.731	0.000	0.000	0.000

Problem 305	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.017	19.401	3.787	0.000	0.558	0.000	0.000	0.000

Problem 306	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.005	3.374	3.128	0.000	0.775	0.000	0.000	0.000

Problem 307	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.016	2.925	0.003	0.000	0.834	0.000	0.000	0.000

Problem 308	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.030	113.160	0.003	0.000	0.652	0.000	0.000	0.000

Problem 309	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	25	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.028	1.495	0.638	0.000	0.733	0.000	0.000	0.000

Problem 310	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	94	0	0	80	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.70	0.00	0.00	-0.01
time (sec)	N/A	0.287	0.117	0.299	0.000	0.765	0.000	0.000	0.000

Problem 311	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	47	151	146	74	143	0	109
normalized size	1	1.00	0.49	1.57	1.52	0.77	1.49	0.00	1.14
time (sec)	N/A	0.208	0.204	0.194	1.148	0.602	21.524	0.000	5.706

Problem 312	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	74	74	40	133	99	64	117	0	88
normalized size	1	1.00	0.54	1.80	1.34	0.86	1.58	0.00	1.19
time (sec)	N/A	0.182	0.228	0.185	1.371	0.677	9.542	0.000	5.489

Problem 313	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	45	45	30	117	60	55	76	0	63
normalized size	1	1.00	0.67	2.60	1.33	1.22	1.69	0.00	1.40
time (sec)	N/A	0.127	0.135	0.177	0.941	0.666	4.512	0.000	5.139

Problem 314	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	25	25	25	105	31	43	53	0	49
normalized size	1	1.00	1.00	4.20	1.24	1.72	2.12	0.00	1.96
time (sec)	N/A	0.018	0.063	0.263	1.221	0.556	1.816	0.000	4.847

Problem 315	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	36	228	42	80	0	0	-1
normalized size	1	1.00	0.65	4.15	0.76	1.45	0.00	0.00	-0.02
time (sec)	N/A	0.166	0.053	0.187	1.214	0.788	0.000	0.000	0.000

Problem 316	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	77	77	51	155	243	112	0	0	-1
normalized size	1	1.00	0.66	2.01	3.16	1.45	0.00	0.00	-0.01
time (sec)	N/A	0.177	0.186	0.203	1.027	0.637	0.000	0.000	0.000

Problem 317	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	116	116	69	183	270	140	0	0	-1
normalized size	1	1.00	0.59	1.58	2.33	1.21	0.00	0.00	-0.01
time (sec)	N/A	0.206	0.145	0.199	1.007	0.638	0.000	0.000	0.000

Problem 318	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	138	0	0	98	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.64	0.00	0.00	-0.01
time (sec)	N/A	0.301	0.308	0.342	0.000	0.728	0.000	0.000	0.000

Problem 319	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	58	58	38	135	32	67	92	0	71
normalized size	1	1.00	0.66	2.33	0.55	1.16	1.59	0.00	1.22
time (sec)	N/A	0.181	0.093	0.223	1.004	0.697	23.186	0.000	5.186

Problem 320	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	155	155	105	240	73	156	0	0	-1
normalized size	1	1.00	0.68	1.55	0.47	1.01	0.00	0.00	-0.01
time (sec)	N/A	0.214	0.271	0.280	0.961	0.601	0.000	0.000	0.000

Problem 321	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	A	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	31	119	16	51	66	0	53
normalized size	1	1.00	1.00	3.84	0.52	1.65	2.13	0.00	1.71
time (sec)	N/A	0.104	0.055	0.276	0.955	0.570	4.420	0.000	4.822

Problem 322	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	80	157	51	128	0	0	-1
normalized size	1	1.00	0.68	1.34	0.44	1.09	0.00	0.00	-0.01
time (sec)	N/A	0.059	0.123	0.231	1.926	0.768	0.000	0.000	0.000

Problem 323	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	47	268	47	94	0	0	-1
normalized size	1	1.00	0.64	3.67	0.64	1.29	0.00	0.00	-0.01
time (sec)	N/A	0.121	0.059	0.218	2.928	0.466	0.000	0.000	0.000

Problem 324	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	105	232	76	150	0	0	-1
normalized size	1	1.00	0.78	1.72	0.56	1.11	0.00	0.00	-0.01
time (sec)	N/A	0.156	0.281	0.237	2.450	0.709	0.000	0.000	0.000

Problem 325	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	98	98	67	214	52	138	0	0	-1
normalized size	1	1.00	0.68	2.18	0.53	1.41	0.00	0.00	-0.01
time (sec)	N/A	0.203	0.126	0.229	2.728	0.622	0.000	0.000	0.000

Problem 326	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	142	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.381	0.351	0.493	0.000	0.773	0.000	0.000	0.000

Problem 327	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	129	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.278	0.199	0.253	0.000	0.825	0.000	0.000	0.000

Problem 328	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	129	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.266	0.188	0.356	0.000	0.716	0.000	0.000	0.000

Problem 329	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	129	0	0	0	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.186	0.181	0.312	0.000	0.678	0.000	0.000	0.000

Problem 330	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	119	0	0	0	0	0	-1
normalized size	1	1.00	0.88	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.047	0.138	0.284	0.000	0.553	0.000	0.000	0.000

Problem 331	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	47	280	144	98	0	0	-1
normalized size	1	1.00	0.64	3.84	1.97	1.34	0.00	0.00	-0.01
time (sec)	N/A	0.151	0.078	0.342	2.331	0.890	0.000	0.000	0.000

Problem 332	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	110	0	0	0	0	0	-1
normalized size	1	1.00	0.79	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.205	0.160	0.355	0.000	0.620	0.000	0.000	0.000

Problem 333	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	143	143	114	0	0	0	0	0	-1
normalized size	1	1.00	0.80	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.212	0.172	0.251	0.000	0.637	0.000	0.000	0.000

Problem 334	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	142	0	0	112	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.66	0.00	0.00	-0.01
time (sec)	N/A	0.301	0.527	0.309	0.000	0.798	0.000	0.000	0.000

Problem 335	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	79	208	286	111	0	0	-1
normalized size	1	1.00	0.48	1.26	1.73	0.67	0.00	0.00	-0.01
time (sec)	N/A	0.188	0.295	0.196	1.237	0.636	0.000	0.000	0.000

Problem 336	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	69	190	219	95	0	0	-1
normalized size	1	1.00	0.50	1.37	1.58	0.68	0.00	0.00	-0.01
time (sec)	N/A	0.164	0.281	0.182	0.599	0.790	0.000	0.000	0.000

Problem 337	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	55	174	162	82	0	0	-1
normalized size	1	1.00	0.70	2.20	2.05	1.04	0.00	0.00	-0.01
time (sec)	N/A	0.102	0.176	0.177	0.488	0.592	0.000	0.000	0.000

Problem 338	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	47	158	116	60	0	0	-1
normalized size	1	1.00	0.85	2.87	2.11	1.09	0.00	0.00	-0.02
time (sec)	N/A	0.023	0.095	0.273	0.524	0.664	0.000	0.000	0.000

Problem 339	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	50	283	52	88	0	0	-1
normalized size	1	1.00	0.51	2.86	0.53	0.89	0.00	0.00	-0.01
time (sec)	N/A	0.209	0.084	0.188	1.111	0.782	0.000	0.000	0.000

Problem 340	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	86	86	65	211	280	108	0	0	-1
normalized size	1	1.00	0.76	2.45	3.26	1.26	0.00	0.00	-0.01
time (sec)	N/A	0.184	0.150	0.202	1.049	0.674	0.000	0.000	0.000

Problem 341	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	119	119	85	238	311	142	0	0	-1
normalized size	1	1.00	0.71	2.00	2.61	1.19	0.00	0.00	-0.01
time (sec)	N/A	0.230	0.207	0.197	1.677	0.600	0.000	0.000	0.000

Problem 342	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	209	209	189	0	0	130	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.62	0.00	0.00	-0.00
time (sec)	N/A	0.277	0.893	0.314	0.000	0.668	0.000	0.000	0.000

Problem 343	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	67	200	47	96	0	0	-1
normalized size	1	1.00	0.74	2.20	0.52	1.05	0.00	0.00	-0.01
time (sec)	N/A	0.183	0.233	0.225	0.627	0.891	0.000	0.000	0.000

Problem 344	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	195	195	113	309	98	146	0	0	-1
normalized size	1	1.00	0.58	1.58	0.50	0.75	0.00	0.00	-0.01
time (sec)	N/A	0.231	0.287	0.270	0.657	0.850	0.000	0.000	0.000

Problem 345	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	55	182	28	72	0	0	-1
normalized size	1	1.00	0.85	2.80	0.43	1.11	0.00	0.00	-0.02
time (sec)	N/A	0.100	0.114	0.276	0.971	0.759	0.000	0.000	0.000

Problem 346	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	148	148	93	224	76	114	0	0	-1
normalized size	1	1.00	0.63	1.51	0.51	0.77	0.00	0.00	-0.01
time (sec)	N/A	0.058	0.102	0.254	0.753	0.770	0.000	0.000	0.000

Problem 347	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	115	115	60	331	55	100	0	0	-1
normalized size	1	1.00	0.52	2.88	0.48	0.87	0.00	0.00	-0.01
time (sec)	N/A	0.133	0.097	0.224	1.260	0.679	0.000	0.000	0.000

Problem 348	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	132	132	107	301	90	127	0	0	-1
normalized size	1	1.00	0.81	2.28	0.68	0.96	0.00	0.00	-0.01
time (sec)	N/A	0.148	0.205	0.246	1.070	0.701	0.000	0.000	0.000

Problem 349	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	79	277	64	132	0	0	-1
normalized size	1	1.00	0.49	1.72	0.40	0.82	0.00	0.00	-0.01
time (sec)	N/A	0.215	0.148	0.227	1.119	0.701	0.000	0.000	0.000

Problem 350	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	217	217	194	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.365	0.849	0.418	0.000	0.691	0.000	0.000	0.000

Problem 351	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	161	0	0	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.341	0.542	0.271	0.000	0.700	0.000	0.000	0.000

Problem 352	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	168	0	0	0	0	0	-1
normalized size	1	1.00	0.89	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.315	0.561	0.342	0.000	0.640	0.000	0.000	0.000

Problem 353	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	188	188	160	0	0	0	0	0	-1
normalized size	1	1.00	0.85	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.240	0.558	0.407	0.000	0.578	0.000	0.000	0.000

Problem 354	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	178	178	149	0	0	0	0	0	-1
normalized size	1	1.00	0.84	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.089	0.268	0.351	0.000	0.742	0.000	0.000	0.000

Problem 355	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	63	343	153	106	0	0	-1
normalized size	1	1.00	0.52	2.83	1.26	0.88	0.00	0.00	-0.01
time (sec)	N/A	0.179	0.142	0.361	1.025	0.734	0.000	0.000	0.000

Problem 356	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	180	180	125	0	0	0	0	0	-1
normalized size	1	1.00	0.69	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.275	0.344	0.346	0.000	0.702	0.000	0.000	0.000

Problem 357	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	129	0	0	0	0	0	-1
normalized size	1	1.00	0.70	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.269	0.358	0.267	0.000	0.735	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules**

column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [177] had the largest ratio of [.7000]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	6	4	1.00	16	0.250
2	A	5	4	1.00	16	0.250
3	A	4	3	1.00	14	0.214
4	A	5	4	1.00	16	0.250
5	A	7	6	1.00	16	0.375
6	A	8	6	1.00	16	0.375
7	A	7	6	1.00	16	0.375
8	A	6	5	1.00	16	0.312
9	A	4	3	1.00	12	0.250
10	A	6	5	1.00	16	0.312
11	A	7	6	1.00	16	0.375
12	A	10	8	1.00	18	0.444
13	A	7	6	1.00	18	0.333
14	A	2	2	1.00	16	0.125
15	A	9	6	1.00	18	0.333
16	A	13	8	1.00	18	0.444
17	A	15	8	1.00	18	0.444
18	A	13	8	1.00	18	0.444
19	A	11	8	1.00	18	0.444
20	A	8	5	1.00	14	0.357
21	A	11	8	1.00	18	0.444
22	A	13	8	1.00	18	0.444

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
23	A	7	5	1.00	14	0.357
24	A	4	4	1.00	14	0.286
25	A	3	2	1.00	12	0.167
26	A	8	4	1.00	14	0.286
27	A	12	6	1.00	14	0.429
28	A	10	5	1.00	14	0.357
29	A	8	4	1.00	10	0.400
30	A	9	5	1.00	14	0.357
31	A	6	3	1.00	10	0.300
32	A	7	4	1.00	14	0.286
33	A	3	2	1.00	12	0.167
34	A	8	6	1.00	12	0.500
35	A	11	7	1.00	18	0.389
36	A	9	6	1.00	18	0.333
37	A	4	4	1.00	16	0.250
38	A	0	0	0.00	0	0.000
39	A	0	0	0.00	0	0.000
40	A	0	0	0.00	0	0.000
41	A	0	0	0.00	0	0.000
42	A	0	0	0.00	0	0.000
43	A	19	11	1.00	18	0.611
44	A	12	9	1.00	18	0.500
45	A	6	6	1.00	16	0.375
46	A	0	0	0.00	0	0.000
47	A	0	0	0.00	0	0.000
48	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
49	A	0	0	0.00	0	0.000
50	A	0	0	0.00	0	0.000
51	A	0	0	0.00	0	0.000
52	A	13	5	1.00	20	0.250
53	A	9	5	1.00	20	0.250
54	A	5	3	1.00	18	0.167
55	A	0	0	0.00	0	0.000
56	A	0	0	0.00	0	0.000
57	A	5	4	1.00	16	0.250
58	A	4	3	1.00	16	0.188
59	A	5	4	1.00	16	0.250
60	A	7	6	1.00	16	0.375
61	A	6	4	1.00	16	0.250
62	A	5	3	1.00	14	0.214
63	A	6	4	1.00	16	0.250
64	A	7	5	1.00	16	0.312
65	A	6	4	1.00	16	0.250
66	A	4	2	1.00	12	0.167
67	A	6	4	1.00	16	0.250
68	A	7	5	1.00	16	0.312
69	A	7	6	1.00	18	0.333
70	A	2	2	1.00	18	0.111
71	A	9	6	1.00	18	0.333
72	A	13	8	1.00	18	0.444
73	A	11	7	1.00	18	0.389
74	A	9	5	1.00	16	0.312

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
75	A	11	7	0.99	18	0.389
76	A	13	7	0.99	18	0.389
77	A	11	7	1.00	18	0.389
78	A	8	4	1.00	14	0.286
79	A	11	7	0.99	18	0.389
80	A	13	7	0.99	18	0.389
81	A	9	6	1.00	18	0.333
82	A	4	4	1.00	18	0.222
83	A	0	0	0.00	0	0.000
84	A	0	0	0.00	0	0.000
85	A	0	0	0.00	0	0.000
86	A	0	0	0.00	0	0.000
87	A	0	0	0.00	0	0.000
88	A	0	0	0.00	0	0.000
89	A	12	9	1.00	18	0.500
90	A	6	6	1.00	18	0.333
91	A	0	0	0.00	0	0.000
92	A	0	0	0.00	0	0.000
93	A	0	0	0.00	0	0.000
94	A	0	0	0.00	0	0.000
95	A	0	0	0.00	0	0.000
96	A	0	0	0.00	0	0.000
97	A	0	0	0.00	0	0.000
98	A	13	5	1.00	20	0.250
99	A	9	5	1.00	20	0.250
100	A	5	3	1.00	18	0.167

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
101	A	0	0	0.00	0	0.000
102	A	0	0	0.00	0	0.000
103	A	7	5	1.00	12	0.417
104	A	6	5	1.00	10	0.500
105	A	5	5	1.00	8	0.625
106	A	3	3	1.00	12	0.250
107	A	2	2	1.00	12	0.167
108	A	3	3	1.00	12	0.250
109	A	4	3	1.00	12	0.250
110	A	5	3	1.00	12	0.250
111	A	9	6	1.00	14	0.429
112	A	8	8	1.00	12	0.667
113	A	6	6	1.00	10	0.600
114	A	5	4	1.00	14	0.286
115	A	3	3	1.00	14	0.214
116	A	3	3	1.00	14	0.214
117	A	5	5	1.00	14	0.357
118	A	5	4	1.00	14	0.286
119	A	5	5	1.00	8	0.625
120	A	3	3	1.00	12	0.250
121	A	4	4	1.00	12	0.333
122	A	2	2	1.00	12	0.167
123	A	5	5	1.00	12	0.417
124	A	2	2	1.00	12	0.167
125	A	3	2	1.00	14	0.143
126	A	3	3	1.00	6	0.500

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
127	A	5	5	1.00	8	0.625
128	A	7	5	1.00	8	0.625
129	A	0	0	0.00	0	0.000
130	A	0	0	0.00	0	0.000
131	A	3	3	1.00	20	0.150
132	A	0	0	0.00	0	0.000
133	A	5	5	1.00	22	0.227
134	A	0	0	0.00	0	0.000
135	A	3	3	1.00	12	0.250
136	A	5	4	1.00	14	0.286
137	A	8	4	1.00	14	0.286
138	A	8	4	1.00	14	0.286
139	A	3	2	1.00	8	0.250
140	A	5	3	1.00	10	0.300
141	A	8	3	1.00	10	0.300
142	A	3	2	1.00	12	0.167
143	A	5	3	1.00	14	0.214
144	A	8	3	1.00	14	0.214
145	A	3	3	1.00	16	0.188
146	A	3	3	1.00	16	0.188
147	A	5	5	1.00	16	0.312
148	A	7	6	1.00	18	0.333
149	A	12	6	1.00	18	0.333
150	A	6	5	1.00	16	0.312
151	A	8	6	1.00	18	0.333
152	A	14	6	1.00	18	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
153	A	10	8	1.00	18	0.444
154	A	7	6	1.00	18	0.333
155	A	5	4	1.00	16	0.250
156	A	1	1	1.00	10	0.100
157	A	0	0	0.00	0	0.000
158	A	0	0	0.00	0	0.000
159	A	16	11	1.00	18	0.611
160	A	12	10	1.00	18	0.556
161	A	8	7	1.00	16	0.438
162	A	3	3	1.00	10	0.300
163	A	0	0	0.00	0	0.000
164	A	0	0	0.00	0	0.000
165	A	14	10	1.00	20	0.500
166	A	11	8	1.00	20	0.400
167	A	7	6	1.00	18	0.333
168	A	3	3	1.00	12	0.250
169	A	0	0	0.00	0	0.000
170	A	0	0	0.00	0	0.000
171	A	14	9	1.00	20	0.450
172	A	10	7	1.00	20	0.350
173	A	8	5	1.00	18	0.278
174	A	3	2	1.00	12	0.167
175	A	0	0	0.00	0	0.000
176	A	0	0	0.00	0	0.000
177	A	18	14	1.00	20	0.700
178	A	12	11	1.00	18	0.611

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
179	A	5	5	1.00	12	0.417
180	A	0	0	0.00	0	0.000
181	A	0	0	0.00	0	0.000
182	A	13	10	1.00	20	0.500
183	A	8	5	1.00	18	0.278
184	A	3	2	1.00	12	0.167
185	A	0	0	0.00	0	0.000
186	A	0	0	0.00	0	0.000
187	A	14	3	1.00	22	0.136
188	A	8	3	1.00	20	0.150
189	A	3	3	1.00	14	0.214
190	A	8	4	1.00	22	0.182
191	A	10	6	1.00	22	0.273
192	A	12	9	1.00	22	0.409
193	A	9	6	1.00	20	0.300
194	A	4	3	1.00	14	0.214
195	A	0	0	0.00	0	0.000
196	A	0	0	0.00	0	0.000
197	A	23	5	1.00	22	0.227
198	A	14	5	1.00	20	0.250
199	A	6	5	1.00	14	0.357
200	A	13	5	1.00	22	0.227
201	A	10	6	1.00	22	0.273
202	A	14	8	1.00	22	0.364
203	A	8	3	1.00	20	0.150
204	A	4	3	1.00	14	0.214

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
205	A	0	0	0.00	0	0.000
206	A	0	0	0.00	0	0.000
207	A	20	4	1.00	22	0.182
208	A	11	4	1.00	20	0.200
209	A	4	3	1.00	14	0.214
210	A	11	4	1.00	22	0.182
211	A	13	6	1.00	22	0.273
212	A	17	10	1.00	22	0.454
213	A	10	8	1.00	20	0.400
214	A	5	5	1.00	14	0.357
215	A	0	0	0.00	0	0.000
216	A	0	0	0.00	0	0.000
217	A	29	5	1.00	22	0.227
218	A	17	5	1.00	20	0.250
219	A	7	5	1.00	14	0.357
220	A	16	5	1.00	22	0.227
221	A	13	6	1.00	22	0.273
222	A	24	13	1.00	22	0.591
223	A	15	12	1.00	20	0.600
224	A	7	7	1.00	14	0.500
225	A	0	0	0.00	0	0.000
226	A	0	0	0.00	0	0.000
227	A	9	4	1.00	27	0.148
228	A	7	4	1.00	27	0.148
229	A	6	4	1.00	27	0.148
230	A	4	4	1.00	27	0.148

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
231	A	3	3	1.00	27	0.111
232	A	6	6	1.00	27	0.222
233	A	7	6	1.00	27	0.222
234	A	9	6	1.00	27	0.222
235	A	9	8	1.00	27	0.296
236	A	8	8	1.00	27	0.296
237	A	5	5	1.00	27	0.185
238	A	4	4	1.00	27	0.148
239	A	6	6	1.00	27	0.222
240	A	7	7	1.00	27	0.259
241	A	7	7	1.00	27	0.259
242	A	9	6	1.00	27	0.222
243	A	7	6	1.00	27	0.222
244	A	6	6	1.00	27	0.222
245	A	3	3	1.00	27	0.111
246	A	4	4	1.00	27	0.148
247	A	6	4	1.00	27	0.148
248	A	7	4	1.00	27	0.148
249	A	11	9	1.00	27	0.333
250	A	10	9	1.00	27	0.333
251	A	8	7	1.00	27	0.259
252	A	7	7	1.00	27	0.259
253	A	8	8	1.00	27	0.296
254	A	6	6	1.00	27	0.222
255	A	4	4	1.00	27	0.148
256	A	5	5	1.00	27	0.185

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
257	A	9	9	1.00	27	0.333
258	A	10	9	1.00	27	0.333
259	A	0	0	0.00	0	0.000
260	A	14	5	1.00	16	0.312
261	A	11	5	1.00	16	0.312
262	A	8	5	1.00	14	0.357
263	A	3	2	1.00	12	0.167
264	A	0	0	0.00	0	0.000
265	A	0	0	0.00	0	0.000
266	A	16	6	1.00	20	0.300
267	A	13	6	1.00	20	0.300
268	A	10	6	1.00	18	0.333
269	A	4	2	1.00	16	0.125
270	A	0	0	0.00	0	0.000
271	A	0	0	0.00	0	0.000
272	A	28	10	1.00	22	0.454
273	A	19	10	1.00	20	0.500
274	A	8	4	1.00	18	0.222
275	A	0	0	0.00	0	0.000
276	A	0	0	0.00	0	0.000
277	A	0	0	0.00	0	0.000
278	A	0	0	0.00	0	0.000
279	A	0	0	0.00	0	0.000
280	A	0	0	0.00	0	0.000
281	A	0	0	0.00	0	0.000
282	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
283	A	0	0	0.00	0	0.000
284	A	0	0	0.00	0	0.000
285	A	0	0	0.00	0	0.000
286	A	0	0	0.00	0	0.000
287	A	0	0	0.00	0	0.000
288	A	23	6	1.00	20	0.300
289	A	15	6	1.00	18	0.333
290	A	6	5	1.00	12	0.417
291	A	12	6	1.00	20	0.300
292	A	7	6	1.00	20	0.300
293	A	15	6	1.00	20	0.300
294	A	27	11	1.00	20	0.550
295	A	12	8	1.00	14	0.571
296	A	22	6	1.00	22	0.273
297	A	12	8	1.00	22	0.364
298	A	27	11	1.00	22	0.500
299	A	0	0	0.00	0	0.000
300	A	0	0	0.00	0	0.000
301	A	0	0	0.00	0	0.000
302	A	0	0	0.00	0	0.000
303	A	0	0	0.00	0	0.000
304	A	0	0	0.00	0	0.000
305	A	0	0	0.00	0	0.000
306	A	0	0	0.00	0	0.000
307	A	0	0	0.00	0	0.000
308	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
309	A	0	0	0.00	0	0.000
310	A	4	3	1.00	18	0.167
311	A	5	3	1.00	18	0.167
312	A	4	3	1.00	18	0.167
313	A	3	3	1.00	16	0.188
314	A	2	2	1.00	14	0.143
315	A	4	4	1.00	18	0.222
316	A	5	5	1.00	18	0.278
317	A	6	5	1.00	18	0.278
318	A	4	3	1.00	20	0.150
319	A	4	4	1.00	20	0.200
320	A	5	5	1.00	20	0.250
321	A	3	3	1.00	18	0.167
322	A	4	4	1.00	16	0.250
323	A	4	4	1.00	20	0.200
324	A	5	5	1.00	20	0.250
325	A	6	6	1.00	20	0.300
326	A	4	3	1.00	20	0.150
327	A	4	3	1.00	20	0.150
328	A	4	3	1.00	20	0.150
329	A	4	3	1.00	18	0.167
330	A	4	3	1.00	16	0.188
331	A	4	4	1.00	20	0.200
332	A	4	3	1.00	20	0.150
333	A	4	3	1.00	20	0.150
334	A	6	4	1.00	18	0.222

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
335	A	5	4	1.00	18	0.222
336	A	5	5	1.00	18	0.278
337	A	3	3	1.00	16	0.188
338	A	3	3	1.00	14	0.214
339	A	6	5	1.00	18	0.278
340	A	6	6	1.00	18	0.333
341	A	8	7	1.00	18	0.389
342	A	6	4	1.00	20	0.200
343	A	4	4	1.00	20	0.200
344	A	7	6	1.00	20	0.300
345	A	4	4	1.00	18	0.222
346	A	6	5	1.00	16	0.312
347	A	6	5	1.00	20	0.250
348	A	7	7	1.00	20	0.350
349	A	8	7	1.00	20	0.350
350	A	6	4	1.00	20	0.200
351	A	6	4	1.00	20	0.200
352	A	6	4	1.00	20	0.200
353	A	6	4	1.00	18	0.222
354	A	6	4	1.00	16	0.250
355	A	6	5	1.00	20	0.250
356	A	6	4	1.00	20	0.200
357	A	6	4	1.00	20	0.200

Chapter 3

Listing of integrals

3.1 $\int x^5 (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=57

$$\frac{ax^6}{6} + \frac{b \cos(c + dx^2)}{d^3} + \frac{bx^2 \sin(c + dx^2)}{d^2} - \frac{bx^4 \cos(c + dx^2)}{2d}$$

[Out] $1/6*a*x^6+b*\cos(d*x^2+c)/d^3-1/2*b*x^4*\cos(d*x^2+c)/d+b*x^2*\sin(d*x^2+c)/d^2$

Rubi [A] time = 0.07, antiderivative size = 57, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3379, 3296, 2638}

$$\frac{ax^6}{6} + \frac{bx^2 \sin(c + dx^2)}{d^2} + \frac{b \cos(c + dx^2)}{d^3} - \frac{bx^4 \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(a + b*\text{Sin}[c + d*x^2]),x]$

[Out] $(a*x^6)/6 + (b*\text{Cos}[c + d*x^2])/d^3 - (b*x^4*\text{Cos}[c + d*x^2])/(2*d) + (b*x^2*\text{Sin}[c + d*x^2])/d^2$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3379

`Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))`

Rubi steps

$$\begin{aligned}
 \int x^5 (a + b \sin(c + dx^2)) dx &= \int (ax^5 + bx^5 \sin(c + dx^2)) dx \\
 &= \frac{ax^6}{6} + b \int x^5 \sin(c + dx^2) dx \\
 &= \frac{ax^6}{6} + \frac{1}{2} b \text{Subst} \left(\int x^2 \sin(c + dx) dx, x, x^2 \right) \\
 &= \frac{ax^6}{6} - \frac{bx^4 \cos(c + dx^2)}{2d} + \frac{b \text{Subst} \left(\int x \cos(c + dx) dx, x, x^2 \right)}{d} \\
 &= \frac{ax^6}{6} - \frac{bx^4 \cos(c + dx^2)}{2d} + \frac{bx^2 \sin(c + dx^2)}{d^2} - \frac{b \text{Subst} \left(\int \sin(c + dx) dx, x, x^2 \right)}{d^2} \\
 &= \frac{ax^6}{6} + \frac{b \cos(c + dx^2)}{d^3} - \frac{bx^4 \cos(c + dx^2)}{2d} + \frac{bx^2 \sin(c + dx^2)}{d^2}
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 51, normalized size = 0.89

$$\frac{ad^3x^6 - 3b(d^2x^4 - 2)\cos(c + dx^2) + 6bdx^2\sin(c + dx^2)}{6d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*Sin[c + d*x^2]),x]

[Out] (a*d^3*x^6 - 3*b*(-2 + d^2*x^4)*Cos[c + d*x^2] + 6*b*d*x^2*Sin[c + d*x^2])/(6*d^3)

fricas [A] time = 0.74, size = 51, normalized size = 0.89

$$\frac{adx^6 + 6bdx^2 \sin(dx^2 + c) - 3(bd^2x^4 - 2b) \cos(dx^2 + c)}{6d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] 1/6*(a*d^3*x^6 + 6*b*d*x^2*sin(d*x^2 + c) - 3*(b*d^2*x^4 - 2*b)*cos(d*x^2 + c))/d^3

giac [A] time = 0.51, size = 69, normalized size = 1.21

$$\frac{adx^6 + 3 \left(\frac{2x^2 \sin(dx^2+c)}{d} - \frac{((dx^2+c)^2 - 2(dx^2+c)c + c^2 - 2) \cos(dx^2+c)}{d^2} \right) b}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] 1/6*(a*d*x^6 + 3*(2*x^2*sin(d*x^2 + c)/d - ((d*x^2 + c)^2 - 2*(d*x^2 + c)*c + c^2 - 2)*cos(d*x^2 + c)/d^2)*b)/d

maple [A] time = 0.03, size = 62, normalized size = 1.09

$$\frac{ax^6}{6} + b \left(-\frac{x^4 \cos(dx^2 + c)}{2d} + \frac{\frac{x^2 \sin(dx^2+c)}{d} + \frac{\cos(dx^2+c)}{d^2}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*sin(d*x^2+c)),x)

[Out] 1/6*a*x^6+b*(-1/2/d*x^4*cos(d*x^2+c)+2/d*(1/2/d*x^2*sin(d*x^2+c)+1/2/d^2*cos(d*x^2+c)))

maxima [A] time = 0.65, size = 47, normalized size = 0.82

$$\frac{1}{6} ax^6 + \frac{(2 dx^2 \sin(dx^2 + c) - (d^2 x^4 - 2) \cos(dx^2 + c)) b}{2 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] $\frac{1}{6}ax^6 + \frac{1}{2}(2dx^2\sin(dx^2 + c) - (d^2x^4 - 2)\cos(dx^2 + c))\frac{b}{d^3}$

mupad [B] time = 0.19, size = 53, normalized size = 0.93

$$\frac{ax^6}{6} + \frac{b \cos(dx^2 + c) - \frac{bd^2x^4 \cos(dx^2+c)}{2} + bdx^2 \sin(dx^2 + c)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a + b*sin(c + d*x^2)),x)

[Out] $\frac{ax^6}{6} + \frac{(b\cos(c + dx^2) - (bd^2x^4\cos(c + dx^2)))/2 + bdx^2\sin(c + dx^2)}{d^3}$

sympy [A] time = 3.51, size = 65, normalized size = 1.14

$$\begin{cases} \frac{ax^6}{6} - \frac{bx^4 \cos(c+dx^2)}{2d} + \frac{bx^2 \sin(c+dx^2)}{d^2} + \frac{b \cos(c+dx^2)}{d^3} & \text{for } d \neq 0 \\ \frac{x^6(a+b \sin(c))}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*sin(d*x**2+c)),x)

[Out] Piecewise((a*x**6/6 - b*x**4*cos(c + d*x**2)/(2*d) + b*x**2*sin(c + d*x**2)/d**2 + b*cos(c + d*x**2)/d**3, Ne(d, 0)), (x**6*(a + b*sin(c))/6, True))

3.2 $\int x^3 (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=44

$$\frac{ax^4}{4} + \frac{b \sin(c + dx^2)}{2d^2} - \frac{bx^2 \cos(c + dx^2)}{2d}$$

[Out] 1/4*a*x^4-1/2*b*x^2*cos(d*x^2+c)/d+1/2*b*sin(d*x^2+c)/d^2

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3379, 3296, 2637}

$$\frac{ax^4}{4} + \frac{b \sin(c + dx^2)}{2d^2} - \frac{bx^2 \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*Sin[c + d*x^2]),x]

[Out] (a*x^4)/4 - (b*x^2*Cos[c + d*x^2])/(2*d) + (b*Sin[c + d*x^2])/(2*d^2)

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)+ (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(

m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
 \int x^3 (a + b \sin(c + dx^2)) dx &= \int (ax^3 + bx^3 \sin(c + dx^2)) dx \\
 &= \frac{ax^4}{4} + b \int x^3 \sin(c + dx^2) dx \\
 &= \frac{ax^4}{4} + \frac{1}{2} b \text{Subst} \left(\int x \sin(c + dx) dx, x, x^2 \right) \\
 &= \frac{ax^4}{4} - \frac{bx^2 \cos(c + dx^2)}{2d} + \frac{b \text{Subst} \left(\int \cos(c + dx) dx, x, x^2 \right)}{2d} \\
 &= \frac{ax^4}{4} - \frac{bx^2 \cos(c + dx^2)}{2d} + \frac{b \sin(c + dx^2)}{2d^2}
 \end{aligned}$$

Mathematica [A] time = 0.00, size = 44, normalized size = 1.00

$$\frac{ax^4}{4} + \frac{b \sin(c + dx^2)}{2d^2} - \frac{bx^2 \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*Sin[c + d*x^2]),x]

[Out] (a*x^4)/4 - (b*x^2*Cos[c + d*x^2])/(2*d) + (b*Sin[c + d*x^2])/(2*d^2)

fricas [A] time = 0.66, size = 40, normalized size = 0.91

$$\frac{ad^2x^4 - 2bdx^2 \cos(dx^2 + c) + 2b \sin(dx^2 + c)}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] 1/4*(a*d^2*x^4 - 2*b*d*x^2*cos(d*x^2 + c) + 2*b*sin(d*x^2 + c))/d^2

giac [A] time = 0.42, size = 61, normalized size = 1.39

$$\frac{\frac{((dx^2+c)^2 - 2(dx^2+c)c)a}{d} - \frac{2(dx^2 \cos(dx^2+c) - \sin(dx^2+c))b}{d}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(d*x^2+c)),x, algorithm="giac")`

[Out] $\frac{1}{4} * (((d*x^2 + c)^2 - 2*(d*x^2 + c)*c)*a/d - 2*(d*x^2*cos(d*x^2 + c) - \sin(d*x^2 + c))*b/d)/d$

maple [A] time = 0.02, size = 40, normalized size = 0.91

$$\frac{a x^4}{4} + b \left(-\frac{x^2 \cos(dx^2 + c)}{2d} + \frac{\sin(dx^2 + c)}{2d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*sin(d*x^2+c)),x)`

[Out] $\frac{1}{4} * a * x^4 + b * (-1/2/d * x^2 * \cos(d*x^2+c) + 1/2/d^2 * \sin(d*x^2+c))$

maxima [A] time = 0.89, size = 37, normalized size = 0.84

$$\frac{1}{4} a x^4 - \frac{(dx^2 \cos(dx^2 + c) - \sin(dx^2 + c))b}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(d*x^2+c)),x, algorithm="maxima")`

[Out] $\frac{1}{4} * a * x^4 - \frac{1}{2} * (d * x^2 * \cos(d * x^2 + c) - \sin(d * x^2 + c)) * b / d^2$

mupad [B] time = 0.09, size = 38, normalized size = 0.86

$$\frac{a x^4}{4} + \frac{\frac{b \sin(dx^2+c)}{2} - \frac{b d x^2 \cos(dx^2+c)}{2}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*sin(c + d*x^2)),x)`

[Out] $(a*x^4)/4 + ((b*\sin(c + d*x^2))/2 - (b*d*x^2*\cos(c + d*x^2))/2)/d^2$

sympy [A] time = 1.05, size = 49, normalized size = 1.11

$$\begin{cases} \frac{ax^4}{4} - \frac{bx^2 \cos(c+dx^2)}{2d} + \frac{b \sin(c+dx^2)}{2d^2} & \text{for } d \neq 0 \\ \frac{x^4(a+b \sin(c))}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*sin(d*x**2+c)),x)
```

```
[Out] Piecewise((a*x**4/4 - b*x**2*cos(c + d*x**2)/(2*d) + b*sin(c + d*x**2)/(2*d**2), Ne(d, 0)), (x**4*(a + b*sin(c))/4, True))
```


3.3 $\int x (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=25

$$\frac{ax^2}{2} - \frac{b \cos(c + dx^2)}{2d}$$

[Out] 1/2*a*x^2-1/2*b*cos(d*x^2+c)/d

Rubi [A] time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {14, 3379, 2638}

$$\frac{ax^2}{2} - \frac{b \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*Sin[c + d*x^2]),x]

[Out] (a*x^2)/2 - (b*Cos[c + d*x^2])/(2*d)

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x(a + b \sin(c + dx^2)) dx &= \int (ax + bx \sin(c + dx^2)) dx \\
&= \frac{ax^2}{2} + b \int x \sin(c + dx^2) dx \\
&= \frac{ax^2}{2} + \frac{1}{2}b \text{Subst}\left(\int \sin(c + dx) dx, x, x^2\right) \\
&= \frac{ax^2}{2} - \frac{b \cos(c + dx^2)}{2d}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 41, normalized size = 1.64

$$\frac{ax^2}{2} + \frac{b \sin(c) \sin(dx^2)}{2d} - \frac{b \cos(c) \cos(dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*Sin[c + d*x^2]),x]

[Out] (a*x^2)/2 - (b*Cos[c]*Cos[d*x^2])/(2*d) + (b*Sin[c]*Sin[d*x^2])/(2*d)

fricas [A] time = 0.76, size = 23, normalized size = 0.92

$$\frac{adx^2 - b \cos(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] 1/2*(a*d*x^2 - b*cos(d*x^2 + c))/d

giac [A] time = 0.71, size = 26, normalized size = 1.04

$$\frac{(dx^2 + c)a - b \cos(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] 1/2*((d*x^2 + c)*a - b*cos(d*x^2 + c))/d

maple [A] time = 0.01, size = 27, normalized size = 1.08

$$\frac{a(dx^2 + c) - b \cos(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*sin(d*x^2+c)),x)

[Out] 1/2/d*(a*(d*x^2+c)-b*cos(d*x^2+c))

maxima [A] time = 0.48, size = 21, normalized size = 0.84

$$\frac{1}{2}ax^2 - \frac{b \cos(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] 1/2*a*x^2 - 1/2*b*cos(d*x^2 + c)/d

mupad [B] time = 4.61, size = 21, normalized size = 0.84

$$\frac{ax^2}{2} - \frac{b \cos(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*sin(c + d*x^2)),x)

[Out] (a*x^2)/2 - (b*cos(c + d*x^2))/(2*d)

sympy [A] time = 0.24, size = 31, normalized size = 1.24

$$\begin{cases} \frac{ax^2}{2} - \frac{b \cos(c+dx^2)}{2d} & \text{for } d \neq 0 \\ \frac{x^2(a+b \sin(c))}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x**2+c)),x)

[Out] Piecewise((a*x**2/2 - b*cos(c + d*x**2)/(2*d), Ne(d, 0)), (x**2*(a + b*sin(c))/2, True))

$$3.4 \quad \int \frac{a+b \sin(c+dx^2)}{x} dx$$

Optimal. Leaf size=31

$$a \log(x) + \frac{1}{2}b \sin(c) \text{Ci}(dx^2) + \frac{1}{2}b \cos(c) \text{Si}(dx^2)$$

[Out] a*ln(x)+1/2*b*cos(c)*Si(d*x^2)+1/2*b*Ci(d*x^2)*sin(c)

Rubi [A] time = 0.03, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3377, 3376, 3375}

$$a \log(x) + \frac{1}{2}b \sin(c) \text{CosIntegral}(dx^2) + \frac{1}{2}b \cos(c) \text{Si}(dx^2)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])/x,x]

[Out] a*Log[x] + (b*CosIntegral[d*x^2]*Sin[c])/2 + (b*Cos[c]*SinIntegral[d*x^2])/2

Rule 14

```
Int[(u_)*((c_.)*(x_)^(m_.)), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]
```

Rule 3375

```
Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]
```

Rule 3376

```
Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]
```

Rule 3377

```
Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] /; FreeQ[{c, d, n}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin(c + dx^2)}{x} dx &= \int \left(\frac{a}{x} + \frac{b \sin(c + dx^2)}{x} \right) dx \\
&= a \log(x) + b \int \frac{\sin(c + dx^2)}{x} dx \\
&= a \log(x) + (b \cos(c)) \int \frac{\sin(dx^2)}{x} dx + (b \sin(c)) \int \frac{\cos(dx^2)}{x} dx \\
&= a \log(x) + \frac{1}{2} b \text{Ci}(dx^2) \sin(c) + \frac{1}{2} b \cos(c) \text{Si}(dx^2)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 29, normalized size = 0.94

$$a \log(x) + \frac{1}{2} b (\sin(c) \text{Ci}(dx^2) + \cos(c) \text{Si}(dx^2))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])/x,x]

[Out] a*Log[x] + (b*(CosIntegral[d*x^2]*Sin[c] + Cos[c]*SinIntegral[d*x^2]))/2

fricas [A] time = 0.64, size = 38, normalized size = 1.23

$$\frac{1}{2} b \cos(c) \text{Si}(dx^2) + a \log(x) + \frac{1}{4} (b \text{Ci}(dx^2) + b \text{Ci}(-dx^2)) \sin(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x,x, algorithm="fricas")

[Out] 1/2*b*cos(c)*sin_integral(d*x^2) + a*log(x) + 1/4*(b*cos_integral(d*x^2) + b*cos_integral(-d*x^2))*sin(c)

giac [A] time = 0.36, size = 32, normalized size = 1.03

$$\frac{1}{2} b \text{Ci}(dx^2) \sin(c) + \frac{1}{2} b \cos(c) \text{Si}(dx^2) + \frac{1}{2} a \log(dx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x,x, algorithm="giac")

[Out] $\frac{1}{2}b\cos_integral(dx^2)\sin(c) + \frac{1}{2}b\cos(c)\sin_integral(dx^2) + \frac{1}{2}a\log(dx^2)$

maple [A] time = 0.03, size = 28, normalized size = 0.90

$$a \ln(x) + \frac{b \cos(c) \operatorname{Si}(dx^2)}{2} + \frac{b \operatorname{Ci}(dx^2) \sin(c)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^2+c))/x,x)`

[Out] `a*ln(x)+1/2*b*cos(c)*Si(d*x^2)+1/2*b*Ci(d*x^2)*sin(c)`

maxima [C] time = 1.23, size = 50, normalized size = 1.61

$$-\frac{1}{4} \left((i \operatorname{Ei}(idx^2) - i \operatorname{Ei}(-idx^2)) \cos(c) - (\operatorname{Ei}(idx^2) + \operatorname{Ei}(-idx^2)) \sin(c) \right) b + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))/x,x, algorithm="maxima")`

[Out] `-1/4*((I*Ei(I*d*x^2) - I*Ei(-I*d*x^2))*cos(c) - (Ei(I*d*x^2) + Ei(-I*d*x^2))*sin(c))*b + a*log(x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$a \ln(x) + \frac{b \sin(c) \operatorname{cosint}(dx^2)}{2} + \frac{b \cos(c) \operatorname{sinint}(dx^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^2))/x,x)`

[Out] `a*log(x) + (b*sin(c)*cosint(d*x^2))/2 + (b*cos(c)*sinint(d*x^2))/2`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**2+c))/x,x)`

[Out] `Integral((a + b*sin(c + d*x**2))/x, x)`

$$3.5 \quad \int \frac{a+b \sin(c+dx^2)}{x^3} dx$$

Optimal. Leaf size=53

$$-\frac{a}{2x^2} + \frac{1}{2}bd \cos(c)\text{Ci}(dx^2) - \frac{1}{2}bd \sin(c)\text{Si}(dx^2) - \frac{b \sin(c+dx^2)}{2x^2}$$

[Out] $-1/2*a/x^2+1/2*b*d*\text{Ci}(d*x^2)*\cos(c)-1/2*b*d*\text{Si}(d*x^2)*\sin(c)-1/2*b*\sin(d*x^2+c)/x^2$

Rubi [A] time = 0.09, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {14, 3379, 3297, 3303, 3299, 3302}

$$-\frac{a}{2x^2} + \frac{1}{2}bd \cos(c)\text{CosIntegral}(dx^2) - \frac{1}{2}bd \sin(c)\text{Si}(dx^2) - \frac{b \sin(c+dx^2)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])/x^3,x]

[Out] $-a/(2*x^2) + (b*d*\text{Cos}[c]*\text{CosIntegral}[d*x^2])/2 - (b*\text{Sin}[c + d*x^2])/(2*x^2) - (b*d*\text{Sin}[c]*\text{SinIntegral}[d*x^2])/2$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin(c + dx^2)}{x^3} dx &= \int \left(\frac{a}{x^3} + \frac{b \sin(c + dx^2)}{x^3} \right) dx \\
 &= -\frac{a}{2x^2} + b \int \frac{\sin(c + dx^2)}{x^3} dx \\
 &= -\frac{a}{2x^2} + \frac{1}{2} b \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, x^2 \right) \\
 &= -\frac{a}{2x^2} - \frac{b \sin(c + dx^2)}{2x^2} + \frac{1}{2} (bd) \text{Subst} \left(\int \frac{\cos(c + dx)}{x} dx, x, x^2 \right) \\
 &= -\frac{a}{2x^2} - \frac{b \sin(c + dx^2)}{2x^2} + \frac{1}{2} (bd \cos(c)) \text{Subst} \left(\int \frac{\cos(dx)}{x} dx, x, x^2 \right) - \frac{1}{2} (bd \sin(c)) \text{Subst} \left(\int \frac{1}{x} dx, x, x^2 \right) \\
 &= -\frac{a}{2x^2} + \frac{1}{2} bd \cos(c) \text{Ci}(dx^2) - \frac{b \sin(c + dx^2)}{2x^2} - \frac{1}{2} bd \sin(c) \text{Si}(dx^2)
 \end{aligned}$$

Mathematica [A] time = 0.08, size = 48, normalized size = 0.91

$$\frac{a - bdx^2 \cos(c) \text{Ci}(dx^2) + bdx^2 \sin(c) \text{Si}(dx^2) + b \sin(c + dx^2)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])/x^3,x]

[Out] $-1/2*(a - b*d*x^2*\text{Cos}[c]*\text{CosIntegral}[d*x^2] + b*\text{Sin}[c + d*x^2] + b*d*x^2*\text{Sin}[c]*\text{SinIntegral}[d*x^2])/x^2$

fricas [A] time = 0.79, size = 65, normalized size = 1.23

$$\frac{2 b d x^2 \sin(c) \text{Si}\left(d x^2\right) - \left(b d x^2 \text{Ci}\left(d x^2\right) + b d x^2 \text{Ci}\left(-d x^2\right)\right) \cos(c) + 2 b \sin\left(d x^2 + c\right) + 2 a}{4 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^3,x, algorithm="fricas")

[Out] $-1/4*(2*b*d*x^2*\sin(c)*\sin_integral(d*x^2) - (b*d*x^2*\cos_integral(d*x^2) + b*d*x^2*\cos_integral(-d*x^2))*\cos(c) + 2*b*\sin(d*x^2 + c) + 2*a)/x^2$

giac [B] time = 0.59, size = 99, normalized size = 1.87

$$\frac{\left(d x^2 + c\right) b d^2 \cos(c) \text{Ci}\left(d x^2\right) - b c d^2 \cos(c) \text{Ci}\left(d x^2\right) - \left(d x^2 + c\right) b d^2 \sin(c) \text{Si}\left(d x^2\right) + b c d^2 \sin(c) \text{Si}\left(d x^2\right) - b d^2 \sin(c)}{2 d^2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^3,x, algorithm="giac")

[Out] $1/2*((d*x^2 + c)*b*d^2*\cos(c)*\cos_integral(d*x^2) - b*c*d^2*\cos(c)*\cos_integral(d*x^2) - (d*x^2 + c)*b*d^2*\sin(c)*\sin_integral(d*x^2) + b*c*d^2*\sin(c)*\sin_integral(d*x^2) - b*d^2*\sin(d*x^2 + c) - a*d^2)/(d^2*x^2)$

maple [A] time = 0.02, size = 47, normalized size = 0.89

$$-\frac{a}{2 x^2} + b \left(-\frac{\sin\left(d x^2 + c\right)}{2 x^2} + d \left(\frac{\cos(c) \text{Ci}\left(d x^2\right)}{2} - \frac{\sin(c) \text{Si}\left(d x^2\right)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))/x^3,x)

[Out] $-1/2*a/x^2+b*(-1/2/x^2*\sin(d*x^2+c)+d*(1/2*\cos(c)*\text{Ci}(d*x^2)-1/2*\sin(c)*\text{Si}(d*x^2)))$

maxima [C] time = 2.45, size = 57, normalized size = 1.08

$$\frac{1}{4} \left(\left(\Gamma\left(-1, i d x^2\right) + \Gamma\left(-1, -i d x^2\right) \right) \cos(c) - \left(i \Gamma\left(-1, i d x^2\right) - i \Gamma\left(-1, -i d x^2\right) \right) \sin(c) \right) b d - \frac{a}{2 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^3,x, algorithm="maxima")

[Out] 1/4*((gamma(-1, I*d*x^2) + gamma(-1, -I*d*x^2))*cos(c) - (I*gamma(-1, I*d*x^2) - I*gamma(-1, -I*d*x^2))*sin(c))*b*d - 1/2*a/x^2

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \sin(dx^2 + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))/x^3,x)

[Out] int((a + b*sin(c + d*x^2))/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))/x**3,x)

[Out] Integral((a + b*sin(c + d*x**2))/x**3, x)

$$3.6 \quad \int \frac{a+b \sin(c+dx^2)}{x^5} dx$$

Optimal. Leaf size=74

$$-\frac{a}{4x^4} - \frac{1}{4}bd^2 \sin(c)\text{Ci}(dx^2) - \frac{1}{4}bd^2 \cos(c)\text{Si}(dx^2) - \frac{bd \cos(c+dx^2)}{4x^2} - \frac{b \sin(c+dx^2)}{4x^4}$$

[Out] $-1/4*a/x^4-1/4*b*d*\cos(d*x^2+c)/x^2-1/4*b*d^2*\cos(c)*\text{Si}(d*x^2)-1/4*b*d^2*\text{Ci}(d*x^2)*\sin(c)-1/4*b*\sin(d*x^2+c)/x^4$

Rubi [A] time = 0.13, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {14, 3379, 3297, 3303, 3299, 3302}

$$-\frac{a}{4x^4} - \frac{1}{4}bd^2 \sin(c)\text{CosIntegral}(dx^2) - \frac{1}{4}bd^2 \cos(c)\text{Si}(dx^2) - \frac{b \sin(c+dx^2)}{4x^4} - \frac{bd \cos(c+dx^2)}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])/x^5,x]

[Out] $-a/(4*x^4) - (b*d*\text{Cos}[c + d*x^2])/(4*x^2) - (b*d^2*\text{CosIntegral}[d*x^2]*\text{Sin}[c])/4 - (b*\text{Sin}[c + d*x^2])/(4*x^4) - (b*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x^2])/4$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin(c + dx^2)}{x^5} dx &= \int \left(\frac{a}{x^5} + \frac{b \sin(c + dx^2)}{x^5} \right) dx \\
 &= -\frac{a}{4x^4} + b \int \frac{\sin(c + dx^2)}{x^5} dx \\
 &= -\frac{a}{4x^4} + \frac{1}{2} b \operatorname{Subst} \left(\int \frac{\sin(c + dx)}{x^3} dx, x, x^2 \right) \\
 &= -\frac{a}{4x^4} - \frac{b \sin(c + dx^2)}{4x^4} + \frac{1}{4} (bd) \operatorname{Subst} \left(\int \frac{\cos(c + dx)}{x^2} dx, x, x^2 \right) \\
 &= -\frac{a}{4x^4} - \frac{bd \cos(c + dx^2)}{4x^2} - \frac{b \sin(c + dx^2)}{4x^4} - \frac{1}{4} (bd^2) \operatorname{Subst} \left(\int \frac{\sin(c + dx)}{x} dx, x, x^2 \right) \\
 &= -\frac{a}{4x^4} - \frac{bd \cos(c + dx^2)}{4x^2} - \frac{b \sin(c + dx^2)}{4x^4} - \frac{1}{4} (bd^2 \cos(c)) \operatorname{Subst} \left(\int \frac{\sin(dx)}{x} dx, x, x^2 \right) \\
 &= -\frac{a}{4x^4} - \frac{bd \cos(c + dx^2)}{4x^2} - \frac{1}{4} bd^2 \operatorname{Ci}(dx^2) \sin(c) - \frac{b \sin(c + dx^2)}{4x^4} - \frac{1}{4} bd^2 \cos(c) \operatorname{Si}(dx^2)
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 86, normalized size = 1.16

$$-\frac{a}{4x^4} - \frac{1}{4}bd^2 \left(\sin(c)\text{Ci}(dx^2) + \cos(c)\text{Si}(dx^2) \right) - \frac{b \cos(dx^2) (dx^2 \cos(c) + \sin(c))}{4x^4} + \frac{b \sin(dx^2) (dx^2 \sin(c) - \cos(c))}{4x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])/x^5,x]

[Out] $-\frac{1}{4}a/x^4 - (b*\text{Cos}[d*x^2]*(d*x^2*\text{Cos}[c] + \text{Sin}[c]))/(4*x^4) + (b*(-\text{Cos}[c] + d*x^2*\text{Sin}[c])*\text{Sin}[d*x^2])/(4*x^4) - (b*d^2*(\text{CosIntegral}[d*x^2]*\text{Sin}[c] + \text{CosIntegral}[d*x^2]*\text{Sin}[c])*\text{SinIntegral}[d*x^2])/4$

fricas [A] time = 0.83, size = 85, normalized size = 1.15

$$\frac{2bd^2x^4 \cos(c) \text{Si}(dx^2) + 2bdx^2 \cos(dx^2 + c) + 2b \sin(dx^2 + c) + (bd^2x^4 \text{Ci}(dx^2) + bd^2x^4 \text{Ci}(-dx^2)) \sin(c)}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^5,x, algorithm="fricas")

[Out] $-\frac{1}{8}*(2*b*d^2*x^4*\cos(c)*\sin_integral(d*x^2) + 2*b*d*x^2*\cos(d*x^2 + c) + 2*b*\sin(d*x^2 + c) + (b*d^2*x^4*\cos_integral(d*x^2) + b*d^2*x^4*\cos_integral(-d*x^2))*\sin(c) + 2*a)/x^4$

giac [B] time = 0.52, size = 204, normalized size = 2.76

$$\frac{(dx^2 + c)^2 bd^3 \text{Ci}(dx^2) \sin(c) - 2(dx^2 + c) bcd^3 \text{Ci}(dx^2) \sin(c) + bc^2 d^3 \text{Ci}(dx^2) \sin(c) + (dx^2 + c)^2 bd^3 \cos(c) \text{Si}(dx^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^5,x, algorithm="giac")

[Out] $-\frac{1}{4}*((d*x^2 + c)^2*b*d^3*\cos_integral(d*x^2)*\sin(c) - 2*(d*x^2 + c)*b*c*d^3*\cos_integral(d*x^2)*\sin(c) + b*c^2*d^3*\cos_integral(d*x^2)*\sin(c) + (d*x^2 + c)^2*b*d^3*\cos(c)*\sin_integral(d*x^2) - 2*(d*x^2 + c)*b*c*d^3*\cos(c)*\sin_integral(d*x^2) + b*c^2*d^3*\cos(c)*\sin_integral(d*x^2) + (d*x^2 + c)*b*d^3*\cos(d*x^2 + c) - b*c*d^3*\cos(d*x^2 + c) + b*d^3*\sin(d*x^2 + c) + a*d^3)/((d*x^2 + c)^2 - 2*(d*x^2 + c)*c + c^2)*d$

maple [A] time = 0.02, size = 65, normalized size = 0.88

$$-\frac{a}{4x^4} + b \left(-\frac{\sin(dx^2 + c)}{4x^4} + \frac{d \left(-\frac{\cos(dx^2 + c)}{2x^2} - d \left(\frac{\cos(c) \text{Si}(dx^2)}{2} + \frac{\sin(c) \text{Ci}(dx^2)}{2} \right) \right)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^2+c))/x^5,x)`

[Out] `-1/4*a/x^4+b*(-1/4/x^4*sin(d*x^2+c)+1/2*d*(-1/2/x^2*cos(d*x^2+c)-d*(1/2*cos(c)*Si(d*x^2)+1/2*sin(c)*Ci(d*x^2))))`

maxima [C] time = 1.00, size = 58, normalized size = 0.78

$$\frac{1}{4} \left((i\Gamma(-2, i dx^2) - i\Gamma(-2, -i dx^2)) \cos(c) + (\Gamma(-2, i dx^2) + \Gamma(-2, -i dx^2)) \sin(c) \right) b d^2 - \frac{a}{4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))/x^5,x, algorithm="maxima")`

[Out] `1/4*((I*gamma(-2, I*d*x^2) - I*gamma(-2, -I*d*x^2))*cos(c) + (gamma(-2, I*d*x^2) + gamma(-2, -I*d*x^2))*sin(c))*b*d^2 - 1/4*a/x^4`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^2 + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^2))/x^5,x)`

[Out] `int((a + b*sin(c + d*x^2))/x^5, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^2)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**2+c))/x**5,x)`

[Out] `Integral((a + b*sin(c + d*x**2))/x**5, x)`

3.7 $\int x^4 (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=121

$$\frac{ax^5}{5} - \frac{3\sqrt{\frac{\pi}{2}} b \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{4d^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}} b \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{4d^{5/2}} + \frac{3bx \sin(c + dx^2)}{4d^2} - \frac{bx^3 \cos(c + dx^2)}{2d}$$

[Out] $1/5*a*x^5-1/2*b*x^3*\cos(d*x^2+c)/d+3/4*b*x*\sin(d*x^2+c)/d^2-3/8*b*\cos(c)*\text{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}-3/8*b*\text{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(c)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}$

Rubi [A] time = 0.13, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {14, 3385, 3386, 3353, 3352, 3351}

$$\frac{ax^5}{5} - \frac{3\sqrt{\frac{\pi}{2}} b \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{4d^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}} b \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{4d^{5/2}} + \frac{3bx \sin(c + dx^2)}{4d^2} - \frac{bx^3 \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(a + b*\text{Sin}[c + d*x^2]),x]$

[Out] $(a*x^5)/5 - (b*x^3*\text{Cos}[c + d*x^2])/(2*d) - (3*b*\text{Sqrt}[Pi/2]*\text{Cos}[c]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/Pi]*x])/(4*d^{(5/2)}) - (3*b*\text{Sqrt}[Pi/2]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/Pi]*x]*\text{Sin}[c])/(4*d^{(5/2)}) + (3*b*x*\text{Sin}[c + d*x^2])/(4*d^2)$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_))^{(m_*)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}\{c, m\}, x \ \&\& \ \text{SumQ}[u] \ \&\& \ !\text{LinearQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (a_*) + (b_*)*(v_*)] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{InverseFunctionQ}[v]$

Rule 3351

$\text{Int}[\text{Sin}[(d_*)*((e_*) + (f_*)*(x_))^{(2)}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[2/Pi]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_*)*((e_*) + (f_*)*(x_))^{(2)}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[Pi/2]*\text{FresnelC}[\text{Sqrt}[2/Pi]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3385

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := -Simp[(e^
(n - 1)*(e*x)(m - n + 1)*Cos[c + d*xn]]/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[(e^(
n - 1)*(e*x)(m - n + 1)*Sin[c + d*xn]]/(d*n), x] - Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rubi steps

$$\begin{aligned}
\int x^4 (a + b \sin(c + dx^2)) dx &= \int (ax^4 + bx^4 \sin(c + dx^2)) dx \\
&= \frac{ax^5}{5} + b \int x^4 \sin(c + dx^2) dx \\
&= \frac{ax^5}{5} - \frac{bx^3 \cos(c + dx^2)}{2d} + \frac{(3b) \int x^2 \cos(c + dx^2) dx}{2d} \\
&= \frac{ax^5}{5} - \frac{bx^3 \cos(c + dx^2)}{2d} + \frac{3bx \sin(c + dx^2)}{4d^2} - \frac{(3b) \int \sin(c + dx^2) dx}{4d^2} \\
&= \frac{ax^5}{5} - \frac{bx^3 \cos(c + dx^2)}{2d} + \frac{3bx \sin(c + dx^2)}{4d^2} - \frac{(3b \cos(c)) \int \sin(dx^2) dx}{4d^2} - \frac{(3b \sin(c)) \int \cos(dx^2) dx}{4d^2} \\
&= \frac{ax^5}{5} - \frac{bx^3 \cos(c + dx^2)}{2d} - \frac{3b \sqrt{\frac{\pi}{2}} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{4d^{5/2}} - \frac{3b \sqrt{\frac{\pi}{2}} C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \sin(c)}{4d^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 125, normalized size = 1.03

$$\frac{ax^5}{5} - \frac{3\sqrt{\frac{\pi}{2}} b \left(\sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \right)}{4d^{5/2}} - \frac{bx \cos(dx^2) (2dx^2 \cos(c) - 3 \sin(c))}{4d^2} + \frac{bx \sin(dx^2) (2dx^2 \sin(c) + 3 \cos(c))}{4d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*Sin[c + d*x^2]),x]

[Out] $(a*x^5)/5 - (b*x*\cos[d*x^2]*(2*d*x^2*\cos[c] - 3*\sin[c]))/(4*d^2) - (3*b*\sqrt{\pi/2}*(\cos[c]*\text{FresnelS}[\sqrt{d}*\sqrt{2/\pi}*x] + \text{FresnelC}[\sqrt{d}*\sqrt{2/\pi}]*x]*\sin[c]))/(4*d^{5/2}) + (b*x*(3*\cos[c] + 2*d*x^2*\sin[c])*\sin[d*x^2])/(4*d^2)$

fricas [A] time = 0.82, size = 103, normalized size = 0.85

$$\frac{8ad^3x^5 - 20bd^2x^3 \cos(dx^2 + c) - 15\sqrt{2}\pi b\sqrt{\frac{d}{\pi}} \cos(c) S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) - 15\sqrt{2}\pi b\sqrt{\frac{d}{\pi}} C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) \sin(c) + 30bd^2x \sin(dx^2 + c)}{40d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] $1/40*(8*a*d^3*x^5 - 20*b*d^2*x^3*\cos(d*x^2 + c) - 15*\sqrt{2}*\pi*b*\sqrt{d/\pi}*\cos(c)*\text{fresnel_sin}(\sqrt{2}*x*\sqrt{d/\pi}) - 15*\sqrt{2}*\pi*b*\sqrt{d/\pi}*\text{fresnel_cos}(\sqrt{2}*x*\sqrt{d/\pi})*\sin(c) + 30*b*d*x*\sin(d*x^2 + c))/d^3$

giac [C] time = 0.50, size = 165, normalized size = 1.36

$$\frac{1}{5}ax^5 - \frac{3i\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{id}{|d|} + 1\right)\sqrt{|d|}\right)e^{ic}}{16d^2\left(-\frac{id}{|d|} + 1\right)\sqrt{|d|}} + \frac{3i\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(\frac{id}{|d|} + 1\right)\sqrt{|d|}\right)e^{-ic}}{16d^2\left(\frac{id}{|d|} + 1\right)\sqrt{|d|}} + \frac{i(2ibdx^3 - 3b)}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] $1/5*a*x^5 - 3/16*I*\sqrt{2}*\sqrt{\pi}*b*\operatorname{erf}(-1/2*\sqrt{2}*x*(-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})*e^{I*c}/(d^2*(-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)}) + 3/16*I*\sqrt{2}*\sqrt{\pi}*b*\operatorname{erf}(-1/2*\sqrt{2}*x*(I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})*e^{-I*c}/(d^2*(I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)}) + 1/8*I*(2*I*b*d*x^3 - 3*b*x)*e^{I*d*x^2 + I*c}/d^2 + 1/8*I*(2*I*b*d*x^3 + 3*b*x)*e^{-I*d*x^2 - I*c}/d^2$

maple [A] time = 0.03, size = 89, normalized size = 0.74

$$\frac{ax^5}{5} + b \left(-\frac{x^3 \cos(dx^2 + c)}{2d} + \frac{\frac{3x \sin(dx^2 + c)}{4d} - \frac{3\sqrt{2}\sqrt{\pi} \left(\cos(c) S\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) + \sin(c) \operatorname{FresnelC}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) \right)}{8d^{\frac{3}{2}}}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*sin(d*x^2+c)),x)`

[Out] $\frac{1}{5}ax^5 + b\left(-\frac{1}{2}d^3x^3\cos(dx^2+c) + \frac{3}{2}d\left(\frac{1}{2}dx\sin(dx^2+c) - \frac{1}{4}d^{3/2}\right)^{1/2}\pi^{1/2}\left(\cos(c)\operatorname{FresnelS}\left(xd^{1/2}\right)^{1/2}/\pi^{1/2}\right) + \sin(c)\operatorname{FresnelC}\left(xd^{1/2}\right)^{1/2}/\pi^{1/2}\right)$

maxima [C] time = 0.64, size = 92, normalized size = 0.76

$$\frac{1}{5}ax^5 - \frac{\left(16d^3x^3\cos(dx^2+c) - 24d^2x\sin(dx^2+c) - \sqrt{2}\sqrt{\pi}\left((-3i+3)\cos(c) + (3i-3)\sin(c)\right)\operatorname{erf}\left(\sqrt{id}x\right) + \left(3i-3\right)\cos(c) - \left(3i+3\right)\sin(c)\right)\operatorname{erf}\left(\sqrt{-id}x\right)}{32d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*sin(d*x^2+c)),x, algorithm="maxima")`

[Out] $\frac{1}{5}ax^5 - \frac{1}{32}\left(16d^3x^3\cos(dx^2+c) - 24d^2x\sin(dx^2+c) - \sqrt{2}\sqrt{\pi}\left((-3i+3)\cos(c) + (3i-3)\sin(c)\right)\operatorname{erf}\left(\sqrt{id}x\right) + \left(3i-3\right)\cos(c) - \left(3i+3\right)\sin(c)\right)\operatorname{erf}\left(\sqrt{-id}x\right)d^{3/2} + \frac{b}{d^4}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 (a + b \sin(dx^2 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*sin(c + d*x^2)),x)`

[Out] `int(x^4*(a + b*sin(c + d*x^2)), x)`

sympy [B] time = 4.83, size = 488, normalized size = 4.03

$$\frac{ax^5}{5} - \frac{5\sqrt{2}\sqrt{\pi}bx^4\sqrt{\frac{1}{d}}\sin(c)C\left(\frac{\sqrt{2}\sqrt{dx}}{\sqrt{\pi}}\right)\Gamma\left(\frac{1}{4}\right)}{32\Gamma\left(\frac{9}{4}\right)} + \frac{\sqrt{2}\sqrt{\pi}bx^4\sqrt{\frac{1}{d}}\sin(c)C\left(\frac{\sqrt{2}\sqrt{dx}}{\sqrt{\pi}}\right)}{2} - \frac{21\sqrt{2}\sqrt{\pi}bx^4\sqrt{\frac{1}{d}}\cos(c)S\left(\frac{\sqrt{2}\sqrt{dx}}{\sqrt{\pi}}\right)}{32\Gamma\left(\frac{11}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*sin(d*x**2+c)),x)`

[Out] $a x^5/5 - 5\sqrt{2}\sqrt{\pi}b x^4\sqrt{1/d}\sin(c)\operatorname{fresnelc}\left(\sqrt{2}\sqrt{d}x/\sqrt{\pi}\right)\Gamma(1/4)/(32\Gamma(9/4)) + \sqrt{2}\sqrt{\pi}b x^4\sqrt{1/d}\sin(c)\operatorname{fresnelc}\left(\sqrt{2}\sqrt{d}x/\sqrt{\pi}\right)/2 - 21\sqrt{2}\sqrt{\pi}b x^4\sqrt{1/d}\cos(c)\operatorname{fresnels}\left(\sqrt{2}\sqrt{d}x/\sqrt{\pi}\right)\Gamma(3/4)/(32\Gamma(11/4)) + \sqrt{2}\sqrt{\pi}b x^4\sqrt{1/d}\cos(c)\operatorname{fresnels}\left(\sqrt{2}\sqrt{d}x/\sqrt{\pi}\right)/2 - 15\sqrt{2}\sqrt{\pi}b\sqrt{1/d}\sin(c)\operatorname{fresnelc}\left(\sqrt{2}\sqrt{d}x/\sqrt{\pi}\right)\Gamma(1/4)/(128d^{1/2}\Gamma(9/4)) - 63\sqrt{2}\sqrt{\pi}$

$$\begin{aligned}
& *b*\sqrt{1/d}*\cos(c)*\text{fresnels}(\sqrt{2}*\sqrt{d}*x/\sqrt{\pi})*\gamma(3/4)/(128*d* \\
& *2*\gamma(11/4)) + 5*b*x**3*\sqrt{1/d}*\sin(c)*\sin(d*x**2)*\gamma(1/4)/(32*\sqrt{ \\
& (d)*\gamma(9/4)) - 21*b*x**3*\sqrt{1/d}*\cos(c)*\cos(d*x**2)*\gamma(3/4)/(32*\sqrt{ \\
& t(d)*\gamma(11/4)) + 15*b*x*\sqrt{1/d}*\sin(c)*\cos(d*x**2)*\gamma(1/4)/(64*d**(\\
& 3/2)*\gamma(9/4)) + 63*b*x*\sqrt{1/d}*\sin(d*x**2)*\cos(c)*\gamma(3/4)/(64*d**(3 \\
& /2)*\gamma(11/4))
\end{aligned}$$

3.8 $\int x^2 (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=102

$$\frac{ax^3}{3} + \frac{\sqrt{\frac{\pi}{2}} b \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{2d^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} b \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{2d^{3/2}} - \frac{bx \cos(c + dx^2)}{2d}$$

[Out] $1/3*a*x^3-1/2*b*x*\cos(d*x^2+c)/d+1/4*b*\cos(c)*\text{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-1/4*b*\text{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(c)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}$

Rubi [A] time = 0.07, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {14, 3385, 3354, 3352, 3351}

$$\frac{ax^3}{3} + \frac{\sqrt{\frac{\pi}{2}} b \cos(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{2d^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} b \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{2d^{3/2}} - \frac{bx \cos(c + dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + b*\text{Sin}[c + d*x^2]),x]$

[Out] $(a*x^3)/3 - (b*x*\text{Cos}[c + d*x^2])/(2*d) + (b*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[c]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x])/(2*d^{(3/2)}) - (b*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[c])/(2*d^{(3/2)})$

Rule 14

$\text{Int}[(u_)*((c_)*(x_))^{(m_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /; \text{FreeQ}[\{c, m\}, x] \&\& \text{SumQ}[u] \&\& !\text{LinearQ}[u, x] \&\& !\text{MatchQ}[u, (a_ + (b_)*(v_)) /; \text{FreeQ}[\{a, b\}, x] \&\& \text{InverseFunctionQ}[v]]$

Rule 3351

$\text{Int}[\text{Sin}[(d_)*((e_.) + (f_)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_)*((e_.) + (f_)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3385

```
Int[((e_.)*(x_))(m_.)*Sin[(c_.) + (d_.)*(x_)(n_)]], x_Symbol] := -Simp[(e
(n - 1)*(e*x)(m - n + 1)*Cos[c + d*xn]/(d*n), x] + Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rubi steps

$$\begin{aligned}
 \int x^2 (a + b \sin(c + dx^2)) dx &= \int (ax^2 + bx^2 \sin(c + dx^2)) dx \\
 &= \frac{ax^3}{3} + b \int x^2 \sin(c + dx^2) dx \\
 &= \frac{ax^3}{3} - \frac{bx \cos(c + dx^2)}{2d} + \frac{b \int \cos(c + dx^2) dx}{2d} \\
 &= \frac{ax^3}{3} - \frac{bx \cos(c + dx^2)}{2d} + \frac{(b \cos(c)) \int \cos(dx^2) dx}{2d} - \frac{(b \sin(c)) \int \sin(dx^2) dx}{2d} \\
 &= \frac{ax^3}{3} - \frac{bx \cos(c + dx^2)}{2d} + \frac{b \sqrt{\frac{\pi}{2}} \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{2d^{3/2}} - \frac{b \sqrt{\frac{\pi}{2}} S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \sin(c)}{2d^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.20, size = 104, normalized size = 1.02

$$\frac{ax^3}{3} + \frac{\sqrt{\frac{\pi}{2}} b \left(\cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \right)}{2d^{3/2}} + \frac{bx \sin(c) \sin(dx^2)}{2d} - \frac{bx \cos(c) \cos(dx^2)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[x²*(a + b*SIN[c + d*x²]),x]

[Out] (a*x³)/3 - (b*x*cos[c]*cos[d*x²])/(2*d) + (b*Sqrt[Pi/2]*(cos[c]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x] - FresnelS[Sqrt[d]*Sqrt[2/Pi]*x]*sin[c]))/(2*d^(3/2)) + (b*x*sin[c]*sin[d*x²])/(2*d)

fricas [A] time = 0.64, size = 86, normalized size = 0.84

$$\frac{4ad^2x^3 + 3\sqrt{2}\pi b\sqrt{\frac{d}{\pi}} \cos(c) C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) - 3\sqrt{2}\pi b\sqrt{\frac{d}{\pi}} S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) \sin(c) - 6bdx \cos(dx^2 + c)}{12d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] $\frac{1}{12}*(4*a*d^2*x^3 + 3*\sqrt{2}*\pi*b*\sqrt{d/\pi}*\cos(c)*\text{fresnel_cos}(\sqrt{2}*x*\sqrt{d/\pi})) - 3*\sqrt{2}*\pi*b*\sqrt{d/\pi}*\text{fresnel_sin}(\sqrt{2}*x*\sqrt{d/\pi})*\sin(c) - 6*b*d*x*\cos(d*x^2 + c))/d^2$

giac [C] time = 0.62, size = 145, normalized size = 1.42

$$\frac{1}{3}ax^3 - \frac{bx e^{(idx^2+ic)}}{4d} - \frac{bx e^{(-idx^2-ic)}}{4d} - \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{id}{|d|}+1\right)\sqrt{|d|}\right)e^{(ic)}}{8d\left(-\frac{id}{|d|}+1\right)\sqrt{|d|}} - \frac{\sqrt{2}\sqrt{\pi}b \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(\frac{id}{|d|}+1\right)\sqrt{|d|}\right)}{8d\left(\frac{id}{|d|}+1\right)\sqrt{|d|}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] $\frac{1}{3}ax^3 - \frac{1}{4}bx e^{(I*d*x^2 + I*c)/d} - \frac{1}{4}bx e^{(-I*d*x^2 - I*c)/d} - \frac{1}{8*\sqrt{2}*\sqrt{\pi}*\pi*b*\operatorname{erf}(-1/2*\sqrt{2}*x*(-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})}*e^{(I*c)/(d*(-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})} - \frac{1}{8*\sqrt{2}*\sqrt{\pi}*\pi*b*\operatorname{erf}(-1/2*\sqrt{2}*x*(I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})}*e^{(-I*c)/(d*(I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})}$

maple [A] time = 0.03, size = 68, normalized size = 0.67

$$\frac{ax^3}{3} + b \left(-\frac{x \cos(dx^2 + c)}{2d} + \frac{\sqrt{2}\sqrt{\pi} \left(\cos(c) \operatorname{FresnelC}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) - \sin(c) \operatorname{S}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) \right)}{4d^{\frac{3}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*sin(d*x^2+c)),x)

[Out] $\frac{1}{3}ax^3 + b*(-1/2/d*x*\cos(d*x^2+c) + 1/4/d^{(3/2)}*2^{(1/2)}*\pi^{(1/2)}*(\cos(c)*\operatorname{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}) - \sin(c)*\operatorname{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}))$

maxima [C] time = 0.55, size = 75, normalized size = 0.74

$$\frac{1}{3}ax^3 - \frac{\left(8d^2x \cos(dx^2 + c) + \sqrt{2}\sqrt{\pi}(((i-1)\cos(c) + (i+1)\sin(c))\operatorname{erf}(\sqrt{id}x) + (-i+1)\cos(c) - (i-1)\sin(c))\right)}{16d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] $\frac{1}{3}ax^3 - \frac{1}{16}(8d^2x\cos(dx^2 + c) + \sqrt{2}\sqrt{\pi})(((I - 1)\cos(c) + (I + 1)\sin(c))\operatorname{erf}(\sqrt{I*d}*x) + (-I + 1)\cos(c) - (I - 1)\sin(c))\operatorname{erf}(\sqrt{-I*d}*x))d^{(3/2)}*b/d^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \sin(dx^2 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*sin(c + d*x^2)),x)`

[Out] `int(x^2*(a + b*sin(c + d*x^2)), x)`

sympy [B] time = 3.78, size = 223, normalized size = 2.19

$$\frac{ax^3}{3} - \frac{bd^{\frac{3}{2}}x^5\sqrt{\frac{1}{d}}\cos(c)\Gamma\left(\frac{3}{4}\right)\Gamma\left(\frac{5}{4}\right){}_2F_3\left(\frac{3}{4}, \frac{5}{4} \middle| \frac{3}{2}, \frac{7}{4}, \frac{9}{4} \right) - \frac{d^2x^4}{4}}{8\Gamma\left(\frac{7}{4}\right)\Gamma\left(\frac{9}{4}\right)} - \frac{b\sqrt{d}x^3\sqrt{\frac{1}{d}}\sin(c)\Gamma\left(\frac{1}{4}\right)\Gamma\left(\frac{3}{4}\right){}_2F_3\left(\frac{1}{4}, \frac{3}{4} \middle| \frac{1}{2}, \frac{5}{4}, \frac{7}{4} \right) - \frac{d^2x^4}{4}}{8\Gamma\left(\frac{5}{4}\right)\Gamma\left(\frac{7}{4}\right)} + \frac{\sqrt{2}\sqrt{\pi}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*sin(d*x**2+c)),x)`

[Out] $a*x**3/3 - b*d**(3/2)*x**5*\sqrt{1/d}*\cos(c)*\gamma(3/4)*\gamma(5/4)*\operatorname{hyper}((3/4, 5/4), (3/2, 7/4, 9/4), -d**2*x**4/4)/(8*\gamma(7/4)*\gamma(9/4)) - b*\sqrt{d}*x**3*\sqrt{1/d}*\sin(c)*\gamma(1/4)*\gamma(3/4)*\operatorname{hyper}((1/4, 3/4), (1/2, 5/4, 7/4), -d**2*x**4/4)/(8*\gamma(5/4)*\gamma(7/4)) + \sqrt{2}*\sqrt{\pi}*b*x**2*\sqrt{1/d}*\sin(c)*\operatorname{fresnelc}(\sqrt{2}*\sqrt{d}*x/\sqrt{\pi})/2 + \sqrt{2}*\sqrt{\pi}*b*x**2*\sqrt{1/d}*\cos(c)*\operatorname{fresnels}(\sqrt{2}*\sqrt{d}*x/\sqrt{\pi})/2$

3.9 $\int (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=74

$$ax + \frac{\sqrt{\frac{\pi}{2}} b \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} + \frac{\sqrt{\frac{\pi}{2}} b \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}}$$

[Out] $a*x+1/2*b*\cos(c)*\text{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(1/2)}+1/2*b*\text{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(c)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3353, 3352, 3351}

$$ax + \frac{\sqrt{\frac{\pi}{2}} b \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{\sqrt{d}} + \frac{\sqrt{\frac{\pi}{2}} b \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[a + b*Sin[c + d*x^2], x]

[Out] $a*x + (b*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[c]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x])/\text{Sqrt}[d] + (b*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[c])/\text{Sqrt}[d]$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \sin(c + dx^2)) dx &= ax + b \int \sin(c + dx^2) dx \\
&= ax + (b \cos(c)) \int \sin(dx^2) dx + (b \sin(c)) \int \cos(dx^2) dx \\
&= ax + \frac{b\sqrt{\frac{\pi}{2}} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} + \frac{b\sqrt{\frac{\pi}{2}} C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \sin(c)}{\sqrt{d}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 61, normalized size = 0.82

$$ax + \frac{\sqrt{\frac{\pi}{2}} b \left(\sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \right)}{\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[a + b*Sin[c + d*x^2], x]

[Out] a*x + (b*Sqrt[Pi/2]*(Cos[c]*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x] + FresnelC[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c]))/Sqrt[d]

fricas [A] time = 0.93, size = 67, normalized size = 0.91

$$\frac{\sqrt{2} \pi b \sqrt{\frac{d}{\pi}} \cos(c) S\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) + \sqrt{2} \pi b \sqrt{\frac{d}{\pi}} C\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) \sin(c) + 2 a d x}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x^2+c), x, algorithm="fricas")

[Out] 1/2*(sqrt(2)*pi*b*sqrt(d/pi)*cos(c)*fresnel_sin(sqrt(2)*x*sqrt(d/pi)) + sqrt(2)*pi*b*sqrt(d/pi)*fresnel_cos(sqrt(2)*x*sqrt(d/pi))*sin(c) + 2*a*d*x)/d

giac [C] time = 1.02, size = 102, normalized size = 1.38

$$-\frac{1}{4} \left(\frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} x \left(-\frac{id}{|d|} + 1\right) \sqrt{|d|}\right) e^{(ic)}}{\left(-\frac{id}{|d|} + 1\right) \sqrt{|d|}} + \frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} x \left(\frac{id}{|d|} + 1\right) \sqrt{|d|}\right) e^{(-ic)}}{\left(\frac{id}{|d|} + 1\right) \sqrt{|d|}} \right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x^2+c), x, algorithm="giac")

[Out] $-1/4*(-I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*x*(-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})*e^{(I*c)/((-I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})} + I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*x*(I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})*e^{-(I*c)/((I*d/\operatorname{abs}(d) + 1)*\sqrt{\operatorname{abs}(d)})})*b + a*x$

maple [A] time = 0.02, size = 48, normalized size = 0.65

$$ax + \frac{b\sqrt{2}\sqrt{\pi}\left(\cos(c)S\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) + \sin(c)\operatorname{FresnelC}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right)\right)}{2\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a+b*sin(d*x^2+c),x)`

[Out] $a*x + 1/2*b*2^{(1/2)}*\pi^{(1/2)}/d^{(1/2)}*(\cos(c)*\operatorname{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}) + \sin(c)*\operatorname{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}))$

maxima [C] time = 0.51, size = 53, normalized size = 0.72

$$\frac{\sqrt{2}\sqrt{\pi}\left((-i+1)\cos(c) + (i-1)\sin(c)\right)\operatorname{erf}\left(\sqrt{id}x\right) + \left((i-1)\cos(c) - (i+1)\sin(c)\right)\operatorname{erf}\left(\sqrt{-id}x\right)b}{8\sqrt{d}} + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(a+b*sin(d*x^2+c),x, algorithm="maxima")`

[Out] $-1/8*\sqrt{2}*\sqrt{\pi}*\left(\left(-I+1\right)*\cos(c) + \left(I-1\right)*\sin(c)\right)*\operatorname{erf}\left(\sqrt{I*d}*x\right) + \left(\left(I-1\right)*\cos(c) - \left(I+1\right)*\sin(c)\right)*\operatorname{erf}\left(\sqrt{-I*d}*x\right)*b/\sqrt{d} + a*x$

mupad [B] time = 4.75, size = 56, normalized size = 0.76

$$ax + \frac{\sqrt{2}b\sqrt{\pi}S\left(\frac{\sqrt{2}\sqrt{d}x}{\sqrt{\pi}}\right)\cos(c)}{2\sqrt{d}} + \frac{\sqrt{2}b\sqrt{\pi}C\left(\frac{\sqrt{2}\sqrt{d}x}{\sqrt{\pi}}\right)\sin(c)}{2\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(a + b*sin(c + d*x^2),x)`

[Out] $a*x + (2^{(1/2)}*b*\pi^{(1/2)}*\operatorname{fresnels}((2^{(1/2)}*d^{(1/2)}*x)/\pi^{(1/2)})*\cos(c))/(2*d^{(1/2)}) + (2^{(1/2)}*b*\pi^{(1/2)}*\operatorname{fresnelc}((2^{(1/2)}*d^{(1/2)}*x)/\pi^{(1/2)})*\sin(c))/(2*d^{(1/2)})$

sympy [A] time = 0.54, size = 66, normalized size = 0.89

$$ax + \frac{\sqrt{2}\sqrt{\pi}b\left(\sin(c)C\left(\frac{\sqrt{2}\sqrt{d}x}{\sqrt{\pi}}\right) + \cos(c)S\left(\frac{\sqrt{2}\sqrt{d}x}{\sqrt{\pi}}\right)\right)\sqrt{\frac{1}{d}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*sin(d*x**2+c),x)
```

```
[Out] a*x + sqrt(2)*sqrt(pi)*b*(sin(c)*fresnelc(sqrt(2)*sqrt(d)*x/sqrt(pi)) + cos(c)*fresnels(sqrt(2)*sqrt(d)*x/sqrt(pi)))*sqrt(1/d)/2
```

$$3.10 \quad \int \frac{a+b \sin(c+dx^2)}{x^2} dx$$

Optimal. Leaf size=88

$$-\frac{a}{x} + \sqrt{2\pi} b \sqrt{d} \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \sqrt{2\pi} b \sqrt{d} \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{b \sin(c+dx^2)}{x}$$

[Out] $-\frac{a}{x} - b \sin(d x^2 + c) / x + b \cos(c) \text{FresnelC}(x \sqrt{d} \sqrt{2/\pi}) \sqrt{d} \sqrt{2/\pi} - b \sin(c) \text{FresnelS}(x \sqrt{d} \sqrt{2/\pi}) \sqrt{d} \sqrt{2/\pi} - \frac{b \sin(c + dx^2)}{x}$

Rubi [A] time = 0.07, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {14, 3387, 3354, 3352, 3351}

$$-\frac{a}{x} + \sqrt{2\pi} b \sqrt{d} \cos(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right) - \sqrt{2\pi} b \sqrt{d} \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{b \sin(c+dx^2)}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])/x^2, x]

[Out] $-\frac{a}{x} + b \sqrt{d} \sqrt{2\pi} \cos(c) \text{FresnelC}[\sqrt{d} \sqrt{2/\pi} x] - b \sqrt{d} \sqrt{2\pi} \sin(c) \text{FresnelS}[\sqrt{d} \sqrt{2/\pi} x] - \frac{b \sin(c + dx^2)}{x}$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3351

Int[Sin[(d_)*((e_)+(f_)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e+f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_)*((e_)+(f_)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e+f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3387

```
Int[((e_.)*(x_))(m_)*Sin[(c_.) + (d_.)*(x_)(n_)], x_Symbol] := Simp[((e*x
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1))], Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin(c + dx^2)}{x^2} dx &= \int \left(\frac{a}{x^2} + \frac{b \sin(c + dx^2)}{x^2} \right) dx \\ &= -\frac{a}{x} + b \int \frac{\sin(c + dx^2)}{x^2} dx \\ &= -\frac{a}{x} - \frac{b \sin(c + dx^2)}{x} + (2bd) \int \cos(c + dx^2) dx \\ &= -\frac{a}{x} - \frac{b \sin(c + dx^2)}{x} + (2bd \cos(c)) \int \cos(dx^2) dx - (2bd \sin(c)) \int \sin(dx^2) dx \\ &= -\frac{a}{x} + b\sqrt{d} \sqrt{2\pi} \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - b\sqrt{d} \sqrt{2\pi} S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \sin(c) - \frac{b \sin(c + dx^2)}{x} \end{aligned}$$

Mathematica [A] time = 0.19, size = 91, normalized size = 1.03

$$-\frac{a}{x} + \sqrt{2\pi} b \sqrt{d} \left(\cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) \right) - \frac{b \sin(c) \cos(dx^2)}{x} - \frac{b \cos(c) \sin(dx^2)}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*SIN[c + d*x^2])/x^2, x]
```

```
[Out] -(a/x) - (b*cos[d*x^2]*sin[c])/x + b*Sqrt[d]*Sqrt[2*Pi]*(Cos[c]*FresnelC[Sq
rt[d]*Sqrt[2/Pi]*x] - FresnelS[Sqrt[d]*Sqrt[2/Pi]*x]*sin[c]) - (b*cos[c]*Si
n[d*x^2])/x
```

fricas [A] time = 0.76, size = 78, normalized size = 0.89

$$\frac{\sqrt{2} \pi b x \sqrt{\frac{d}{\pi}} \cos(c) C\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) - \sqrt{2} \pi b x \sqrt{\frac{d}{\pi}} S\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) \sin(c) - b \sin(dx^2 + c) - a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^2,x, algorithm="fricas")

[Out] (sqrt(2)*pi*b*x*sqrt(d/pi)*cos(c)*fresnel_cos(sqrt(2)*x*sqrt(d/pi)) - sqrt(2)*pi*b*x*sqrt(d/pi)*fresnel_sin(sqrt(2)*x*sqrt(d/pi))*sin(c) - b*sin(d*x^2 + c) - a)/x

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^2 + c) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)/x^2, x)

maple [A] time = 0.03, size = 66, normalized size = 0.75

$$-\frac{a}{x} + b \left(-\frac{\sin(dx^2 + c)}{x} + \sqrt{d} \sqrt{2} \sqrt{\pi} \left(\cos(c) \operatorname{FresnelC} \left(\frac{x\sqrt{d} \sqrt{2}}{\sqrt{\pi}} \right) - \sin(c) \operatorname{S} \left(\frac{x\sqrt{d} \sqrt{2}}{\sqrt{\pi}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))/x^2,x)

[Out] -a/x+b*(-1/x*sin(d*x^2+c)+d^(1/2)*2^(1/2)*Pi^(1/2)*(cos(c)*FresnelC(x*d^(1/2)*2^(1/2)/Pi^(1/2))-sin(c)*FresnelS(x*d^(1/2)*2^(1/2)/Pi^(1/2))))

maxima [C] time = 1.56, size = 81, normalized size = 0.92

$$\frac{\sqrt{dx^2} \left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, i dx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -i dx^2\right) \right) \cos(c) + \left((i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, i dx^2\right) - (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -i dx^2\right) \right) \sin(c)}{8x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^2,x, algorithm="maxima")

[Out] -1/8*sqrt(d*x^2)*(((I - 1)*sqrt(2)*gamma(-1/2, I*d*x^2) - (I + 1)*sqrt(2)*gamma(-1/2, -I*d*x^2))*cos(c) + ((I + 1)*sqrt(2)*gamma(-1/2, I*d*x^2) - (I - 1)*sqrt(2)*gamma(-1/2, -I*d*x^2))*sin(c))*b/x - a/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^2 + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^2))/x^2,x)`

[Out] `int((a + b*sin(c + d*x^2))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**2+c))/x**2,x)`

[Out] `Integral((a + b*sin(c + d*x**2))/x**2, x)`

$$3.11 \quad \int \frac{a+b \sin(c+dx^2)}{x^4} dx$$

Optimal. Leaf size=114

$$-\frac{a}{3x^3} - \frac{2}{3} \sqrt{2\pi} b d^{3/2} \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{2}{3} \sqrt{2\pi} b d^{3/2} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{2bd \cos(c+dx^2)}{3x} - \frac{b \sin(c+dx^2)}{3x^3}$$

[Out] $-1/3*a/x^3 - 2/3*b*d*cos(d*x^2+c)/x - 1/3*b*sin(d*x^2+c)/x^3 - 2/3*b*d^(3/2)*cos(c)*FresnelS(x*d^(1/2)*2^(1/2)/Pi^(1/2))*2^(1/2)*Pi^(1/2) - 2/3*b*d^(3/2)*FresnelC(x*d^(1/2)*2^(1/2)/Pi^(1/2))*sin(c)*2^(1/2)*Pi^(1/2)$

Rubi [A] time = 0.09, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {14, 3387, 3388, 3353, 3352, 3351}

$$-\frac{a}{3x^3} - \frac{2}{3} \sqrt{2\pi} b d^{3/2} \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right) - \frac{2}{3} \sqrt{2\pi} b d^{3/2} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{b \sin(c+dx^2)}{3x^3} - \frac{2bd \cos(c+dx^2)}{3x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])/x^4, x]

[Out] $-a/(3*x^3) - (2*b*d*Cos[c + d*x^2])/(3*x) - (2*b*d^(3/2)*Sqrt[2*Pi]*Cos[c]*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x])/3 - (2*b*d^(3/2)*Sqrt[2*Pi]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c])/3 - (b*Sin[c + d*x^2])/(3*x^3)$

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353


```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3387

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := Simp[((e*x
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1))], Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[((e*x
)(m + 1)*Cos[c + d*xn]/(e*(m + 1)), x] + Dist[(d*n)/(en*(m + 1))], Int[(
e*x)(m + n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin(c + dx^2)}{x^4} dx &= \int \left(\frac{a}{x^4} + \frac{b \sin(c + dx^2)}{x^4} \right) dx \\
&= -\frac{a}{3x^3} + b \int \frac{\sin(c + dx^2)}{x^4} dx \\
&= -\frac{a}{3x^3} - \frac{b \sin(c + dx^2)}{3x^3} + \frac{1}{3}(2bd) \int \frac{\cos(c + dx^2)}{x^2} dx \\
&= -\frac{a}{3x^3} - \frac{2bd \cos(c + dx^2)}{3x} - \frac{b \sin(c + dx^2)}{3x^3} - \frac{1}{3}(4bd^2) \int \sin(c + dx^2) dx \\
&= -\frac{a}{3x^3} - \frac{2bd \cos(c + dx^2)}{3x} - \frac{b \sin(c + dx^2)}{3x^3} - \frac{1}{3}(4bd^2 \cos(c)) \int \sin(dx^2) dx - \frac{1}{3} \left(\frac{4bd^2 \sin(c)}{2d} \right) \\
&= -\frac{a}{3x^3} - \frac{2bd \cos(c + dx^2)}{3x} - \frac{2}{3}bd^{3/2}\sqrt{2\pi} \cos(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right) - \frac{2}{3}bd^{3/2}\sqrt{2\pi}C\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right)
\end{aligned}$$

Mathematica [A] time = 0.23, size = 119, normalized size = 1.04

$$-\frac{a}{3x^3} - \frac{2}{3}\sqrt{2\pi}bd^{3/2}\left(\sin(c)C\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right) + \cos(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right)\right) - \frac{b \cos(dx^2)(2dx^2 \cos(c) + \sin(c))}{3x^3} + \frac{b \sin(dx^2)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])/x^4,x]

[Out] $-\frac{1}{3} \frac{a}{x^3} - \frac{(b \cos[d x^2] (2 d x^2 \cos[c] + \sin[c]))}{(3 x^3)} - \frac{(2 b d^{3/2} \sqrt{2 \pi} (\cos[c] \operatorname{FresnelS}[\sqrt{d} \sqrt{2 \pi} x] + \operatorname{FresnelC}[\sqrt{d} \sqrt{2 \pi} x] \sin[c]))}{3} + \frac{(b (-\cos[c] + 2 d x^2 \sin[c]) \sin[d x^2])}{(3 x^3)}$

fricas [A] time = 0.65, size = 98, normalized size = 0.86

$$\frac{2 \sqrt{2} \pi b d x^3 \sqrt{\frac{d}{\pi}} \cos(c) S\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) + 2 \sqrt{2} \pi b d x^3 \sqrt{\frac{d}{\pi}} C\left(\sqrt{2} x \sqrt{\frac{d}{\pi}}\right) \sin(c) + 2 b d x^2 \cos(dx^2 + c) + b \sin(dx^2 + c)}{3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^4,x, algorithm="fricas")

[Out] $-\frac{1}{3} (2 \sqrt{2} \pi b d x^3 \sqrt{\frac{d}{\pi}} \cos(c) \operatorname{fresnel_sin}(\sqrt{2} x \sqrt{\frac{d}{\pi}}) + 2 \sqrt{2} \pi b d x^3 \sqrt{\frac{d}{\pi}} \operatorname{fresnel_cos}(\sqrt{2} x \sqrt{\frac{d}{\pi}}) \sin(c) + 2 b d x^2 \cos(dx^2 + c) + b \sin(dx^2 + c) + a) / x^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^2 + c) + a}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^4,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)/x^4, x)

maple [A] time = 0.03, size = 83, normalized size = 0.73

$$-\frac{a}{3x^3} + b \left(-\frac{\sin(dx^2 + c)}{3x^3} + \frac{2d \left(-\frac{\cos(dx^2 + c)}{x} - \sqrt{d} \sqrt{2} \sqrt{\pi} \left(\cos(c) S\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) + \sin(c) \operatorname{FresnelC}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) \right) \right)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))/x^4,x)

[Out] $-\frac{1}{3} \frac{a}{x^3} + b \left(-\frac{1}{3} \frac{\sin(dx^2 + c)}{x^3} + \frac{2}{3} d \left(-\frac{1}{x} \cos(dx^2 + c) - d^{1/2} 2^{1/2} \pi^{1/2} (\cos(c) \operatorname{FresnelS}(x d^{1/2} 2^{1/2} / \pi^{1/2}) + \sin(c) \operatorname{FresnelC}(x d^{1/2} 2^{1/2} / \pi^{1/2})) \right) \right)$

maxima [C] time = 1.04, size = 82, normalized size = 0.72

$$\frac{\sqrt{dx^2} \left(\left(-(i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, i dx^2\right) + (i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -i dx^2\right) \right) \cos(c) + \left((i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, i dx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -i dx^2\right) \right) \sin(c) \right)}{8x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))/x^4,x, algorithm="maxima")

[Out] $-1/8*\sqrt{d*x^2}*((-1)*\sqrt{2}*\text{gamma}(-3/2, I*d*x^2) + (1)*\sqrt{2}*\text{gamma}(-3/2, -I*d*x^2))*\cos(c) + ((1)*\sqrt{2}*\text{gamma}(-3/2, I*d*x^2) - (1)*\sqrt{2}*\text{gamma}(-3/2, -I*d*x^2))*\sin(c))*b*d/x - 1/3*a/x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^2 + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))/x^4,x)

[Out] int((a + b*sin(c + d*x^2))/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^2)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))/x**4,x)

[Out] Integral((a + b*sin(c + d*x**2))/x**4, x)

3.12 $\int x^5 (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=163

$$\frac{a^2 x^6}{6} + \frac{2ab \cos(c + dx^2)}{d^3} + \frac{2abx^2 \sin(c + dx^2)}{d^2} - \frac{abx^4 \cos(c + dx^2)}{d} + \frac{b^2 \sin(c + dx^2) \cos(c + dx^2)}{8d^3} + \frac{b^2 x^2 \sin^2(c + dx^2)}{4d^2}$$

[Out] $-1/8*b^2*x^2/d^2+1/6*a^2*x^6+1/12*b^2*x^6+2*a*b*\cos(d*x^2+c)/d^3-a*b*x^4*\cos(d*x^2+c)/d+2*a*b*x^2*\sin(d*x^2+c)/d^2+1/8*b^2*\cos(d*x^2+c)*\sin(d*x^2+c)/d^3-1/4*b^2*x^4*\cos(d*x^2+c)*\sin(d*x^2+c)/d+1/4*b^2*x^2*\sin(d*x^2+c)^2/d^2$

Rubi [A] time = 0.25, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3379, 3317, 3296, 2638, 3311, 30, 2635, 8}

$$\frac{a^2 x^6}{6} + \frac{2abx^2 \sin(c + dx^2)}{d^2} + \frac{2ab \cos(c + dx^2)}{d^3} - \frac{abx^4 \cos(c + dx^2)}{d} + \frac{b^2 x^2 \sin^2(c + dx^2)}{4d^2} + \frac{b^2 \sin(c + dx^2) \cos(c + dx^2)}{8d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^5*(a + b*\text{Sin}[c + d*x^2])^2,x]$

[Out] $-(b^2*x^2)/(8*d^2) + (a^2*x^6)/6 + (b^2*x^6)/12 + (2*a*b*\text{Cos}[c + d*x^2])/d^3 - (a*b*x^4*\text{Cos}[c + d*x^2])/d + (2*a*b*x^2*\text{Sin}[c + d*x^2])/d^2 + (b^2*\text{Cos}[c + d*x^2]*\text{Sin}[c + d*x^2])/(8*d^3) - (b^2*x^4*\text{Cos}[c + d*x^2]*\text{Sin}[c + d*x^2])/(4*d) + (b^2*x^2*\text{Sin}[c + d*x^2]^2)/(4*d^2)$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 30

$\text{Int}[(x_)^(m_), x_Symbol] \rightarrow \text{Simp}[x^(m+1)/(m+1), x] /; \text{FreeQ}[m, x] \&\& \text{NeQ}[m, -1]$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)(x_)]^(n_), x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^(n-1))/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^(n-2), x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :=
Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.),
x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*SIN[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)])^(p_.), x_Symbol] :=
Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p,
x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x^5 (a + b \sin(c + dx^2))^2 dx &= \frac{1}{2} \text{Subst} \left(\int x^2 (a + b \sin(c + dx))^2 dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int (a^2 x^2 + 2abx^2 \sin(c + dx) + b^2 x^2 \sin^2(c + dx)) dx, x, x^2 \right) \\
&= \frac{a^2 x^6}{6} + (ab) \text{Subst} \left(\int x^2 \sin(c + dx) dx, x, x^2 \right) + \frac{1}{2} b^2 \text{Subst} \left(\int x^2 \sin^2(c + dx) dx, x, x^2 \right) \\
&= \frac{a^2 x^6}{6} - \frac{abx^4 \cos(c + dx^2)}{d} - \frac{b^2 x^4 \cos(c + dx^2) \sin(c + dx^2)}{4d} + \frac{b^2 x^2 \sin^2(c + dx^2)}{4d^2} \\
&= \frac{a^2 x^6}{6} + \frac{b^2 x^6}{12} - \frac{abx^4 \cos(c + dx^2)}{d} + \frac{2abx^2 \sin(c + dx^2)}{d^2} + \frac{b^2 \cos(c + dx^2) \sin(c + dx^2)}{8d^3} \\
&= -\frac{b^2 x^2}{8d^2} + \frac{a^2 x^6}{6} + \frac{b^2 x^6}{12} + \frac{2ab \cos(c + dx^2)}{d^3} - \frac{abx^4 \cos(c + dx^2)}{d} + \frac{2abx^2 \sin(c + dx^2)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.39, size = 122, normalized size = 0.75

$$\frac{8a^2 d^3 x^6 - 48ab(d^2 x^4 - 2) \cos(c + dx^2) + 96abdx^2 \sin(c + dx^2) - 6b^2 d^2 x^4 \sin(2(c + dx^2)) + 3b^2 \sin(2(c + dx^2))}{48d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*Sin[c + d*x^2])^2,x]

[Out] (8*a^2*d^3*x^6 + 4*b^2*d^3*x^6 - 48*a*b*(-2 + d^2*x^4)*Cos[c + d*x^2] - 6*b^2*d*x^2*Cos[2*(c + d*x^2)] + 96*a*b*d*x^2*Sin[c + d*x^2] + 3*b^2*Sin[2*(c + d*x^2)] - 6*b^2*d^2*x^4*Sin[2*(c + d*x^2)])/(48*d^3)

fricas [A] time = 0.70, size = 121, normalized size = 0.74

$$\frac{2(2a^2 + b^2)d^3x^6 - 6b^2dx^2 \cos(dx^2 + c)^2 + 3b^2dx^2 - 24(abd^2x^4 - 2ab) \cos(dx^2 + c) + 3(16abdx^2 - (2b^2d^2x^4 - 2b^2) \cos(dx^2 + c)) \sin(dx^2 + c)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] 1/24*(2*(2*a^2 + b^2)*d^3*x^6 - 6*b^2*d*x^2*cos(d*x^2 + c)^2 + 3*b^2*d*x^2 - 24*(a*b*d^2*x^4 - 2*a*b)*cos(d*x^2 + c) + 3*(16*a*b*d*x^2 - (2*b^2*d^2*x^4 - b^2)*cos(d*x^2 + c))*sin(d*x^2 + c))/d^3

giac [A] time = 0.61, size = 181, normalized size = 1.11

$$\frac{8a^2 dx^6 + 48 \left(\frac{2x^2 \sin(dx^2+c)}{d} - \frac{((dx^2+c)^2 - 2(dx^2+c)c + c^2 - 2) \cos(dx^2+c)}{d^2} \right) ab - \left(\frac{6x^2 \cos(2dx^2+2c)}{d} + \frac{3(2(dx^2+c)^2 - 4(dx^2+c)c + 2c^2 - 1) \sin(2(dx^2+c))}{d^2} \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] $\frac{1}{48}(8a^2dx^6 + 48(2x^2\sin(dx^2 + c)/d - ((dx^2 + c)^2 - 2(dx^2 + c)*c + c^2 - 2)\cos(dx^2 + c)/d^2)*ab - (6x^2\cos(2dx^2 + 2c)/d + 3*(2(dx^2 + c)^2 - 4(dx^2 + c)*c + 2c^2 - 1)\sin(2dx^2 + 2c)/d^2 - 4*((dx^2 + c)^3 - 3(dx^2 + c)^2*c + 3(dx^2 + c)*c^2)/d^2)*b^2)/d$

maple [A] time = 0.05, size = 140, normalized size = 0.86

$$\frac{a^2x^6}{6} + \frac{b^2x^6}{12} - \frac{b^2 \left(\frac{x^4 \sin(2dx^2+2c)}{4d} - \frac{-\frac{x^2 \cos(2dx^2+2c)}{4d} + \frac{\sin(2dx^2+2c)}{8d^2}}{d} \right)}{2} + 2ab \left(-\frac{x^4 \cos(dx^2 + c)}{2d} + \frac{\frac{x^2 \sin(dx^2+c)}{d} + \frac{\cos(dx^2+c)}{d^2}}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*sin(d*x^2+c))^2,x)

[Out] $\frac{1}{6}a^2x^6 + \frac{1}{12}b^2x^6 - \frac{1}{2}b^2 \left(\frac{1}{4}dx^4\sin(2dx^2+2c) - \frac{1}{d} \left(-\frac{1}{4}dx^2\cos(2dx^2+2c) + \frac{1}{8}d^2\sin(2dx^2+2c) \right) \right) + 2ab \left(-\frac{1}{2}dx^4\cos(dx^2+c) + \frac{1}{2}d \left(\frac{1}{2}dx^2\sin(dx^2+c) + \frac{1}{2}d^2\cos(dx^2+c) \right) \right)$

maxima [A] time = 0.87, size = 106, normalized size = 0.65

$$\frac{1}{6}a^2x^6 + \frac{(2dx^2\sin(dx^2+c) - (d^2x^4 - 2)\cos(dx^2+c))ab}{d^3} + \frac{(4d^3x^6 - 6dx^2\cos(2dx^2+2c) - 3(2d^2x^4 - 1)\sin(2dx^2+2c))b^2}{48d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6}a^2x^6 + \frac{(2dx^2\sin(dx^2+c) - (d^2x^4 - 2)\cos(dx^2+c))*ab}{d^3} + \frac{1}{48} \frac{(4d^3x^6 - 6dx^2\cos(2dx^2+2c) - 3(2d^2x^4 - 1)\sin(2dx^2+2c))*b^2}{d^3}$

mupad [B] time = 0.39, size = 149, normalized size = 0.91

$$\frac{\frac{3b^2 \sin(2dx^2+2c)}{2} - 96ab \sin\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 + 4a^2d^3x^6 + 2b^2d^3x^6 + 3b^2dx^2 \left(2\sin(dx^2+c)^2 - 1 \right) - 3b^2d^2x^4 \sin(2dx^2+2c)}{24d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a + b*sin(c + d*x^2))^2,x)

```
[Out] ((3*b^2*sin(2*c + 2*d*x^2))/2 - 96*a*b*sin(c/2 + (d*x^2)/2)^2 + 4*a^2*d^3*x^6 + 2*b^2*d^3*x^6 + 3*b^2*d*x^2*(2*sin(c + d*x^2)^2 - 1) - 3*b^2*d^2*x^4*sin(2*c + 2*d*x^2) + 24*a*b*d^2*x^4*(2*sin(c/2 + (d*x^2)/2)^2 - 1) + 48*a*b*d*x^2*sin(c + d*x^2))/(24*d^3)
```

sympy [A] time = 6.79, size = 209, normalized size = 1.28

$$\left\{ \begin{array}{l} \frac{a^2x^6}{6} - \frac{abx^4 \cos(c+dx^2)}{d} + \frac{2abx^2 \sin(c+dx^2)}{d^2} + \frac{2ab \cos(c+dx^2)}{d^3} + \frac{b^2x^6 \sin^2(c+dx^2)}{12} + \frac{b^2x^6 \cos^2(c+dx^2)}{12} - \frac{b^2x^4 \sin(c+dx^2) \cos(c+dx^2)}{4d} + \\ \frac{x^6(a+b \sin(c))^2}{6} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Piecewise((a**2*x**6/6 - a*b*x**4*cos(c + d*x**2)/d + 2*a*b*x**2*sin(c + d*x**2)/d**2 + 2*a*b*cos(c + d*x**2)/d**3 + b**2*x**6*sin(c + d*x**2)**2/12 + b**2*x**6*cos(c + d*x**2)**2/12 - b**2*x**4*sin(c + d*x**2)*cos(c + d*x**2)/(4*d) + b**2*x**2*sin(c + d*x**2)**2/(8*d**2) - b**2*x**2*cos(c + d*x**2)**2/(8*d**2) + b**2*sin(c + d*x**2)*cos(c + d*x**2)/(8*d**3), Ne(d, 0)), (x**6*(a + b*sin(c))**2/6, True))
```


3.13 $\int x^3 (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=102

$$\frac{a^2x^4}{4} + \frac{ab \sin(c + dx^2)}{d^2} - \frac{abx^2 \cos(c + dx^2)}{d} + \frac{b^2 \sin^2(c + dx^2)}{8d^2} - \frac{b^2x^2 \sin(c + dx^2) \cos(c + dx^2)}{4d} + \frac{b^2x^4}{8}$$

[Out] $1/4*a^2*x^4+1/8*b^2*x^4-a*b*x^2*\cos(d*x^2+c)/d+a*b*\sin(d*x^2+c)/d^2-1/4*b^2*x^2*\cos(d*x^2+c)*\sin(d*x^2+c)/d+1/8*b^2*\sin(d*x^2+c)^2/d^2$

Rubi [A] time = 0.13, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3379, 3317, 3296, 2637, 3310, 30}

$$\frac{a^2x^4}{4} + \frac{ab \sin(c + dx^2)}{d^2} - \frac{abx^2 \cos(c + dx^2)}{d} + \frac{b^2 \sin^2(c + dx^2)}{8d^2} - \frac{b^2x^2 \sin(c + dx^2) \cos(c + dx^2)}{4d} + \frac{b^2x^4}{8}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*\text{Sin}[c + d*x^2])^2,x]$

[Out] $(a^2*x^4)/4 + (b^2*x^4)/8 - (a*b*x^2*\text{Cos}[c + d*x^2])/d + (a*b*\text{Sin}[c + d*x^2])/d^2 - (b^2*x^2*\text{Cos}[c + d*x^2]*\text{Sin}[c + d*x^2])/(4*d) + (b^2*\text{Sin}[c + d*x^2]^2)/(8*d^2)$

Rule 30

$\text{Int}[(x_)^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[x^{(m + 1)}/(m + 1), x] /; \text{FreeQ}[m, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x])/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3310

$\text{Int}[((c_.) + (d_.)*(x_))*((b_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(d*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist}[(b^2*(n - 1))/n, \text{Int}[(c$

```
+ d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sin[e + f*x])^(n - 1))/(f*n), x] /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \sin(c + dx^2))^2 dx &= \frac{1}{2} \text{Subst} \left(\int x (a + b \sin(c + dx))^2 dx, x, x^2 \right) \\
&= \frac{1}{2} \text{Subst} \left(\int (a^2 x + 2abx \sin(c + dx) + b^2 x \sin^2(c + dx)) dx, x, x^2 \right) \\
&= \frac{a^2 x^4}{4} + (ab) \text{Subst} \left(\int x \sin(c + dx) dx, x, x^2 \right) + \frac{1}{2} b^2 \text{Subst} \left(\int x \sin^2(c + dx) dx, x, x^2 \right) \\
&= \frac{a^2 x^4}{4} - \frac{abx^2 \cos(c + dx^2)}{d} - \frac{b^2 x^2 \cos(c + dx^2) \sin(c + dx^2)}{4d} + \frac{b^2 \sin^2(c + dx^2)}{8d^2} \\
&= \frac{a^2 x^4}{4} + \frac{b^2 x^4}{8} - \frac{abx^2 \cos(c + dx^2)}{d} + \frac{ab \sin(c + dx^2)}{d^2} - \frac{b^2 x^2 \cos(c + dx^2) \sin(c + dx^2)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 92, normalized size = 0.90

$$\frac{4a^2 d^2 x^4 + 16ab \sin(c + dx^2) - 16abdx^2 \cos(c + dx^2) - 2b^2 dx^2 \sin(2(c + dx^2)) - b^2 \cos(2(c + dx^2)) + 2b^2 d^2 x^4}{16d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(a + b*Sin[c + d*x^2])^2,x]
```

[Out] $(4a^2d^2x^4 + 2b^2d^2x^4 - 16abdx^2\cos[c + dx^2] - b^2\cos[2(c + dx^2)] + 16ab\sin[c + dx^2] - 2b^2dx^2\sin[2(c + dx^2)])/(16d^2)$

fricas [A] time = 0.71, size = 84, normalized size = 0.82

$$\frac{(2a^2 + b^2)d^2x^4 - 8abdx^2 \cos(dx^2 + c) - b^2 \cos(dx^2 + c)^2 - 2(b^2dx^2 \cos(dx^2 + c) - 4ab) \sin(dx^2 + c)}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(dx^2+c))^2,x, algorithm="fricas")`

[Out] $1/8*((2a^2 + b^2)d^2x^4 - 8abdx^2\cos(dx^2 + c) - b^2\cos(dx^2 + c)^2 - 2(b^2dx^2\cos(dx^2 + c) - 4ab)\sin(dx^2 + c))/d^2$

giac [A] time = 0.54, size = 123, normalized size = 1.21

$$\frac{\frac{4((dx^2+c)^2-2(dx^2+c)c)a^2}{d} - \frac{16(dx^2\cos(dx^2+c)-\sin(dx^2+c))ab}{d} - \frac{(2dx^2\sin(2dx^2+2c)-2(dx^2+c)^2+4(dx^2+c)c+\cos(2dx^2+2c))b^2}{d}}{16d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(dx^2+c))^2,x, algorithm="giac")`

[Out] $1/16*(4*((dx^2 + c)^2 - 2*(dx^2 + c)*c)*a^2/d - 16*(dx^2*\cos(dx^2 + c) - \sin(dx^2 + c))*a*b/d - (2*dx^2*\sin(2*dx^2 + 2*c) - 2*(dx^2 + c)^2 + 4*(dx^2 + c)*c + \cos(2*dx^2 + 2*c))*b^2/d)/d$

maple [A] time = 0.05, size = 93, normalized size = 0.91

$$\frac{a^2x^4}{4} + \frac{b^2x^4}{8} - \frac{b^2\left(\frac{x^2\sin(2dx^2+2c)}{4d} + \frac{\cos(2dx^2+2c)}{8d^2}\right)}{2} + 2ab\left(-\frac{x^2\cos(dx^2+c)}{2d} + \frac{\sin(dx^2+c)}{2d^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*sin(dx^2+c))^2,x)`

[Out] $1/4*a^2*x^4+1/8*b^2*x^4-1/2*b^2*(1/4/d*x^2*\sin(2*d*x^2+2*c)+1/8/d^2*\cos(2*d*x^2+2*c))+2*a*b*(-1/2/d*x^2*\cos(dx^2+c)+1/2/d^2*\sin(dx^2+c))$

maxima [A] time = 0.50, size = 87, normalized size = 0.85

$$\frac{1}{4}a^2x^4 - \frac{(dx^2 \cos(dx^2 + c) - \sin(dx^2 + c))ab}{d^2} + \frac{(2d^2x^4 - 2dx^2 \sin(2dx^2 + 2c) - \cos(2dx^2 + 2c))b^2}{16d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{4}a^2x^4 - (dx^2\cos(dx^2 + c) - \sin(dx^2 + c))ab/d^2 + \frac{1}{16}(2d^2x^4 - 2dx^2\sin(2dx^2 + 2c) - \cos(2dx^2 + 2c))b^2/d^2$

mupad [B] time = 4.70, size = 95, normalized size = 0.93

$$\frac{b^2 \cos(dx^2 + c)^2 - 2a^2 d^2 x^4 - b^2 d^2 x^4 - 8ab \sin(dx^2 + c) + 8abd x^2 \cos(dx^2 + c) + 2b^2 d x^2 \cos(dx^2 + c)}{8d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*sin(c + d*x^2))^2,x)

[Out] $-(b^2\cos(c + dx^2))^2 - 2a^2d^2x^4 - b^2d^2x^4 - 8a*b*\sin(c + dx^2) + 8a*b*d*x^2*\cos(c + dx^2) + 2*b^2*d*x^2*\cos(c + dx^2)*\sin(c + dx^2))/(8*d^2)$

sympy [A] time = 2.28, size = 136, normalized size = 1.33

$$\left\{ \begin{array}{l} \frac{a^2x^4}{4} - \frac{abx^2 \cos(c+dx^2)}{d} + \frac{ab \sin(c+dx^2)}{d^2} + \frac{b^2x^4 \sin^2(c+dx^2)}{8} + \frac{b^2x^4 \cos^2(c+dx^2)}{8} - \frac{b^2x^2 \sin(c+dx^2) \cos(c+dx^2)}{4d} + \frac{b^2 \sin^2(c+dx^2)}{8d^2} \\ \frac{x^4(a+b \sin(c))^2}{4} \end{array} \right. \text{ for } \text{ot}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+b*sin(d*x**2+c))**2,x)

[Out] Piecewise((a**2*x**4/4 - a*b*x**2*cos(c + d*x**2)/d + a*b*sin(c + d*x**2)/d**2 + b**2*x**4*sin(c + d*x**2)**2/8 + b**2*x**4*cos(c + d*x**2)**2/8 - b**2*x**2*sin(c + d*x**2)*cos(c + d*x**2)/(4*d) + b**2*sin(c + d*x**2)**2/(8*d**2), Ne(d, 0)), (x**4*(a + b*sin(c))**2/4, True))

3.14 $\int x (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=58

$$\frac{1}{4}x^2(2a^2 + b^2) - \frac{ab \cos(c + dx^2)}{d} - \frac{b^2 \sin(c + dx^2) \cos(c + dx^2)}{4d}$$

[Out] $1/4*(2*a^2+b^2)*x^2-a*b*\cos(d*x^2+c)/d-1/4*b^2*\cos(d*x^2+c)*\sin(d*x^2+c)/d$

Rubi [A] time = 0.05, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3379, 2644}

$$\frac{1}{4}x^2(2a^2 + b^2) - \frac{ab \cos(c + dx^2)}{d} - \frac{b^2 \sin(c + dx^2) \cos(c + dx^2)}{4d}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*Sin[c + d*x^2])^2,x]

[Out] $((2*a^2 + b^2)*x^2)/4 - (a*b*\cos[c + d*x^2])/d - (b^2*\cos[c + d*x^2]*\sin[c + d*x^2])/(4*d)$

Rule 2644

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^2, x_Symbol] :> Simp[((2*a^2 + b^2)*x)/2, x] + (-Simp[(2*a*b*Cos[c + d*x])/d, x] - Simp[(b^2*Cos[c + d*x]*Sin[c + d*x])/(2*d), x]) /; FreeQ[{a, b, c, d}, x]

Rule 3379

Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int x (a + b \sin(c + dx^2))^2 dx &= \frac{1}{2} \text{Subst} \left(\int (a + b \sin(c + dx))^2 dx, x, x^2 \right) \\ &= \frac{1}{4} (2a^2 + b^2) x^2 - \frac{ab \cos(c + dx^2)}{d} - \frac{b^2 \cos(c + dx^2) \sin(c + dx^2)}{4d} \end{aligned}$$

Mathematica [A] time = 0.13, size = 52, normalized size = 0.90

$$\frac{-2(2a^2 + b^2)(c + dx^2) + 8ab \cos(c + dx^2) + b^2 \sin(2(c + dx^2))}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*Sin[c + d*x^2])^2,x]

[Out] -1/8*(-2*(2*a^2 + b^2)*(c + d*x^2) + 8*a*b*Cos[c + d*x^2] + b^2*Sin[2*(c + d*x^2)])/d

fricas [A] time = 0.88, size = 53, normalized size = 0.91

$$\frac{(2a^2 + b^2)dx^2 - b^2 \cos(dx^2 + c) \sin(dx^2 + c) - 4ab \cos(dx^2 + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] 1/4*((2*a^2 + b^2)*d*x^2 - b^2*cos(d*x^2 + c)*sin(d*x^2 + c) - 4*a*b*cos(d*x^2 + c))/d

giac [A] time = 0.81, size = 57, normalized size = 0.98

$$\frac{4(dx^2 + c)a^2 + (2dx^2 + 2c - \sin(2dx^2 + 2c))b^2 - 8ab \cos(dx^2 + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] 1/8*(4*(d*x^2 + c)*a^2 + (2*d*x^2 + 2*c - sin(2*d*x^2 + 2*c))*b^2 - 8*a*b*cos(d*x^2 + c))/d

maple [A] time = 0.04, size = 62, normalized size = 1.07

$$\frac{b^2 \left(-\frac{\cos(dx^2+c)\sin(dx^2+c)}{2} + \frac{dx^2}{2} + \frac{c}{2} \right) - 2ab \cos(dx^2 + c) + a^2(dx^2 + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*sin(d*x^2+c))^2,x)

[Out] 1/2/d*(b^2*(-1/2*cos(d*x^2+c)*sin(d*x^2+c)+1/2*d*x^2+1/2*c)-2*a*b*cos(d*x^2+c)+a^2*(d*x^2+c))

maxima [A] time = 1.18, size = 52, normalized size = 0.90

$$\frac{1}{2} a^2 x^2 + \frac{(2 dx^2 - \sin(2 dx^2 + 2 c)) b^2}{8 d} - \frac{ab \cos(dx^2 + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] 1/2*a^2*x^2 + 1/8*(2*d*x^2 - sin(2*d*x^2 + 2*c))*b^2/d - a*b*cos(d*x^2 + c)/d

mupad [B] time = 4.67, size = 51, normalized size = 0.88

$$\frac{a^2 x^2}{2} + \frac{b^2 x^2}{4} - \frac{b^2 \sin(2 dx^2 + 2 c)}{8 d} - \frac{ab \cos(dx^2 + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*sin(c + d*x^2))^2,x)

[Out] (a^2*x^2)/2 + (b^2*x^2)/4 - (b^2*sin(2*c + 2*d*x^2))/(8*d) - (a*b*cos(c + d*x^2))/d

sympy [A] time = 0.61, size = 95, normalized size = 1.64

$$\begin{cases} \frac{a^2 x^2}{2} - \frac{ab \cos(c+dx^2)}{d} + \frac{b^2 x^2 \sin^2(c+dx^2)}{4} + \frac{b^2 x^2 \cos^2(c+dx^2)}{4} - \frac{b^2 \sin(c+dx^2) \cos(c+dx^2)}{4d} & \text{for } d \neq 0 \\ \frac{x^2(a+b \sin(c))^2}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x**2+c))**2,x)

[Out] Piecewise((a**2*x**2/2 - a*b*cos(c + d*x**2)/d + b**2*x**2*sin(c + d*x**2)**2/4 + b**2*x**2*cos(c + d*x**2)**2/4 - b**2*sin(c + d*x**2)*cos(c + d*x**2)/(4*d), Ne(d, 0)), (x**2*(a + b*sin(c))**2/2, True))

$$3.15 \quad \int \frac{(a+b \sin(c+dx^2))^2}{x} dx$$

Optimal. Leaf size=74

$$\frac{1}{2} (2a^2 + b^2) \log(x) + ab \sin(c) \text{Ci}(dx^2) + ab \cos(c) \text{Si}(dx^2) - \frac{1}{4} b^2 \cos(2c) \text{Ci}(2dx^2) + \frac{1}{4} b^2 \sin(2c) \text{Si}(2dx^2)$$

[Out] $-1/4*b^2*Ci(2*d*x^2)*cos(2*c)+1/2*(2*a^2+b^2)*ln(x)+a*b*cos(c)*Si(d*x^2)+a*b*Ci(d*x^2)*sin(c)+1/4*b^2*Si(2*d*x^2)*sin(2*c)$

Rubi [A] time = 0.11, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3403, 6, 3378, 3376, 3375, 3377}

$$\frac{1}{2} (2a^2 + b^2) \log(x) + ab \sin(c) \text{CosIntegral}(dx^2) + ab \cos(c) \text{Si}(dx^2) - \frac{1}{4} b^2 \cos(2c) \text{CosIntegral}(2dx^2) + \frac{1}{4} b^2 \sin(2c) \text{Si}(2dx^2)$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Sin}[c + d*x^2])^2/x, x]$

[Out] $-(b^2*\text{Cos}[2*c]*\text{CosIntegral}[2*d*x^2])/4 + ((2*a^2 + b^2)*\text{Log}[x])/2 + a*b*\text{CosIntegral}[d*x^2]*\text{Sin}[c] + a*b*\text{Cos}[c]*\text{SinIntegral}[d*x^2] + (b^2*\text{Sin}[2*c]*\text{SinIntegral}[2*d*x^2])/4$

Rule 6

$\text{Int}[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^{(p_.)}, x_Symbol] \rightarrow \text{Int}[u*((a + b)*v + w)^p, x] /; \text{FreeQ}\{a, b, x\} \&\& \text{!FreeQ}\{v, x\}$

Rule 3375

$\text{Int}[\text{Sin}[(d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[d*x^n]/n, x] /; \text{FreeQ}\{d, n\}, x]$

Rule 3376

$\text{Int}[\text{Cos}[(d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[d*x^n]/n, x] /; \text{FreeQ}\{d, n\}, x]$

Rule 3377

$\text{Int}[\text{Sin}[(c_) + (d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*x^n]/x, x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*x^n]/x, x], x] /; \text{FreeQ}\{c, d, n\}, x]$

Rule 3378

`Int[Cos[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Cos[c], Int[Cos[d*x^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] /; FreeQ[{c, d, n}, x]`

Rule 3403

`Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]`

Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \sin(c + dx^2))^2}{x} dx &= \int \left(\frac{a^2}{x} + \frac{b^2}{2x} - \frac{b^2 \cos(2c + 2dx^2)}{2x} + \frac{2ab \sin(c + dx^2)}{x} \right) dx \\
 &= \int \left(\frac{a^2 + \frac{b^2}{2}}{x} - \frac{b^2 \cos(2c + 2dx^2)}{2x} + \frac{2ab \sin(c + dx^2)}{x} \right) dx \\
 &= \frac{1}{2} (2a^2 + b^2) \log(x) + (2ab) \int \frac{\sin(c + dx^2)}{x} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^2)}{x} dx \\
 &= \frac{1}{2} (2a^2 + b^2) \log(x) + (2ab \cos(c)) \int \frac{\sin(dx^2)}{x} dx - \frac{1}{2} (b^2 \cos(2c)) \int \frac{\cos(2dx^2)}{x} dx \\
 &= -\frac{1}{4} b^2 \cos(2c) \text{Ci}(2dx^2) + \frac{1}{2} (2a^2 + b^2) \log(x) + ab \text{Ci}(dx^2) \sin(c) + ab \cos(c) \text{Si}(dx^2)
 \end{aligned}$$

Mathematica [A] time = 0.17, size = 71, normalized size = 0.96

$$\frac{1}{2} (2a^2 + b^2) \log(x) - \frac{1}{4} b (-4a \sin(c) \text{Ci}(dx^2) - 4a \cos(c) \text{Si}(dx^2) + b \cos(2c) \text{Ci}(2dx^2) - b \sin(2c) \text{Si}(2dx^2))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*SIN[c + d*x^2])^2/x, x]

[Out] ((2*a^2 + b^2)*Log[x])/2 - (b*(b*COS[2*c]*CosIntegral[2*d*x^2] - 4*a*CosIntegral[d*x^2]*Sin[c] - 4*a*COS[c]*SinIntegral[d*x^2] - b*SIN[2*c]*SinIntegral[2*d*x^2]))/4

fricas [A] time = 0.81, size = 94, normalized size = 1.27

$$\frac{1}{4} b^2 \sin(2c) \text{Si}(2dx^2) + ab \cos(c) \text{Si}(dx^2) - \frac{1}{8} (b^2 \text{Ci}(2dx^2) + b^2 \text{Ci}(-2dx^2)) \cos(2c) + \frac{1}{2} (2a^2 + b^2) \log(x) + \frac{1}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x,x, algorithm="fricas")

[Out] $\frac{1}{4}b^2\sin(2c)\sin_integral(2d*x^2) + a*b*\cos(c)\sin_integral(d*x^2) - \frac{1}{8}(b^2\cos_integral(2d*x^2) + b^2\cos_integral(-2d*x^2))*\cos(2c) + \frac{1}{2}(2a^2 + b^2)*\log(x) + \frac{1}{2}(a*b*\cos_integral(d*x^2) + a*b*\cos_integral(-d*x^2))*\sin(c)$

giac [A] time = 0.41, size = 77, normalized size = 1.04

$$-\frac{1}{4}b^2\cos(2c)\text{Ci}(2dx^2)+ab\text{Ci}(dx^2)\sin(c)+ab\cos(c)\text{Si}(dx^2)-\frac{1}{4}b^2\sin(2c)\text{Si}(-2dx^2)+\frac{1}{2}a^2\log(dx^2)+\frac{1}{4}b^2\log(dx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x,x, algorithm="giac")

[Out] $-\frac{1}{4}b^2\cos(2c)\cos_integral(2d*x^2) + a*b*\cos_integral(d*x^2)*\sin(c) + a*b*\cos(c)\sin_integral(d*x^2) - \frac{1}{4}b^2\sin(2c)\sin_integral(-2d*x^2) + \frac{1}{2}a^2*\log(d*x^2) + \frac{1}{4}b^2*\log(d*x^2)$

maple [C] time = 0.59, size = 157, normalized size = 2.12

$$-\frac{\pi e^{-ic}\text{csgn}(dx^2)ab}{2} + e^{-ic}\text{Si}(dx^2)ab - \frac{ie^{-ic}\text{Ei}(1,-idx^2)ab}{2} + \ln(x)a^2 + \frac{\ln(x)b^2}{2} - \frac{i\pi\text{csgn}(dx^2)e^{-2ic}b^2}{8} + \frac{ie^{-2ic}\text{Si}(dx^2)ab}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))^2/x,x)

[Out] $-\frac{1}{2}\text{Pi}*\exp(-I*c)*\text{csgn}(d*x^2)*a*b + \exp(-I*c)*\text{Si}(d*x^2)*a*b - \frac{1}{2}I*\exp(-I*c)*\text{Ei}(1,-I*d*x^2)*a*b + \ln(x)*a^2 + \frac{1}{2}\ln(x)*b^2 - \frac{1}{8}I*\text{Pi}*\text{csgn}(d*x^2)*\exp(-2*I*c)*b^2 + \frac{1}{4}I*\exp(-2*I*c)*\text{Si}(2*d*x^2)*b^2 + \frac{1}{8}\exp(-2*I*c)*\text{Ei}(1,-2*I*d*x^2)*b^2 + \frac{1}{8}b^2*\exp(2*I*c)*\text{Ei}(1,-2*I*d*x^2) + \frac{1}{2}I*a*b*\exp(I*c)*\text{Ei}(1,-I*d*x^2)$

maxima [C] time = 0.50, size = 108, normalized size = 1.46

$$-\frac{1}{2}\left(\left(i\text{Ei}(idx^2) - i\text{Ei}(-idx^2)\right)\cos(c) - \left(\text{Ei}(idx^2) + \text{Ei}(-idx^2)\right)\sin(c)\right)ab - \frac{1}{8}\left(\left(\text{Ei}(2idx^2) + \text{Ei}(-2idx^2)\right)\cos(c) - \left(i\text{Ei}(idx^2) - i\text{Ei}(-idx^2)\right)\sin(c)\right)b^2 + a^2\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x,x, algorithm="maxima")

[Out] $-\frac{1}{2}\left(\left(I*\text{Ei}(I*d*x^2) - I*\text{Ei}(-I*d*x^2)\right)*\cos(c) - \left(\text{Ei}(I*d*x^2) + \text{Ei}(-I*d*x^2)\right)*\sin(c)\right)*a*b - \frac{1}{8}\left(\left(\text{Ei}(2*I*d*x^2) + \text{Ei}(-2*I*d*x^2)\right)*\cos(2*c) - \left(-I*\text{Ei}(2*I*d*x^2) + I*\text{Ei}(-2*I*d*x^2)\right)*\sin(2*c) - 4*\log(x)\right)*b^2 + a^2*\log(x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^2 + c))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))^2/x,x)

[Out] int((a + b*sin(c + d*x^2))^2/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^2))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))**2/x,x)

[Out] Integral((a + b*sin(c + d*x**2))**2/x, x)

$$3.16 \quad \int \frac{(a+b \sin(c+dx^2))^2}{x^3} dx$$

Optimal. Leaf size=115

$$-\frac{2a^2 + b^2}{4x^2} + abd \cos(c) \operatorname{Ci}(dx^2) - abd \sin(c) \operatorname{Si}(dx^2) - \frac{ab \sin(c + dx^2)}{x^2} + \frac{1}{2} b^2 d \sin(2c) \operatorname{Ci}(2dx^2) + \frac{1}{2} b^2 d \cos(2c) \operatorname{Si}(2dx^2)$$

[Out] 1/4*(-2*a^2-b^2)/x^2+a*b*d*Ci(d*x^2)*cos(c)+1/4*b^2*cos(2*d*x^2+2*c)/x^2+1/2*b^2*d*cos(2*c)*Si(2*d*x^2)-a*b*d*Si(d*x^2)*sin(c)+1/2*b^2*d*Ci(2*d*x^2)*sin(2*c)-a*b*sin(d*x^2+c)/x^2

Rubi [A] time = 0.22, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3380, 3297, 3303, 3299, 3302, 3379}

$$-\frac{2a^2 + b^2}{4x^2} + abd \cos(c) \operatorname{CosIntegral}(dx^2) - abd \sin(c) \operatorname{Si}(dx^2) - \frac{ab \sin(c + dx^2)}{x^2} + \frac{1}{2} b^2 d \sin(2c) \operatorname{CosIntegral}(2dx^2)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])^2/x^3,x]

[Out] -(2*a^2 + b^2)/(4*x^2) + (b^2*Cos[2*(c + d*x^2)])/(4*x^2) + a*b*d*Cos[c]*CosIntegral[d*x^2] + (b^2*d*CosIntegral[2*d*x^2]*Sin[2*c])/2 - (a*b*Sin[c + d*x^2])/x^2 - a*b*d*Sin[c]*SinIntegral[d*x^2] + (b^2*d*Cos[2*c]*SinIntegral[2*d*x^2])/2

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^2))^2}{x^3} dx &= \int \left(\frac{a^2}{x^3} + \frac{b^2}{2x^3} - \frac{b^2 \cos(2c + 2dx^2)}{2x^3} + \frac{2ab \sin(c + dx^2)}{x^3} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^3} - \frac{b^2 \cos(2c + 2dx^2)}{2x^3} + \frac{2ab \sin(c + dx^2)}{x^3} \right) dx \\
&= -\frac{2a^2 + b^2}{4x^2} + (2ab) \int \frac{\sin(c + dx^2)}{x^3} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^2)}{x^3} dx \\
&= -\frac{2a^2 + b^2}{4x^2} + (ab) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, x^2 \right) - \frac{1}{4} b^2 \text{Subst} \left(\int \frac{\cos(2c + 2dx)}{x^2} dx, x, x^2 \right) \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2(c + dx^2))}{4x^2} - \frac{ab \sin(c + dx^2)}{x^2} + (abd) \text{Subst} \left(\int \frac{\cos(c + dx)}{x} dx, x, x^2 \right) \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2(c + dx^2))}{4x^2} - \frac{ab \sin(c + dx^2)}{x^2} + (abd \cos(c)) \text{Subst} \left(\int \frac{\cos(dx)}{x} dx, x, x^2 \right) \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2(c + dx^2))}{4x^2} + abd \cos(c) \text{Ci}(dx^2) + \frac{1}{2} b^2 d \text{Ci}(2dx^2) \sin(2c) -
\end{aligned}$$

Mathematica [A] time = 0.26, size = 116, normalized size = 1.01

$$\frac{-2a^2 + 4abdx^2 \cos(c) \text{Ci}(dx^2) - 4abdx^2 \sin(c) \text{Si}(dx^2) - 4ab \sin(c + dx^2) + 2b^2 dx^2 \sin(2c) \text{Ci}(2dx^2) + 2b^2 dx^2 \cos(2c) \text{Si}(2dx^2)}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])^2/x^3,x]

[Out] (-2*a^2 - b^2 + b^2*Cos[2*(c + d*x^2)] + 4*a*b*d*x^2*Cos[c]*CosIntegral[d*x^2] + 2*b^2*d*x^2*CosIntegral[2*d*x^2]*Sin[2*c] - 4*a*b*Sin[c + d*x^2] - 4*a*b*d*x^2*Sin[c]*SinIntegral[d*x^2] + 2*b^2*d*x^2*Cos[2*c]*SinIntegral[2*d*x^2])/(4*x^2)

fricas [A] time = 0.80, size = 147, normalized size = 1.28

$$\frac{2b^2 dx^2 \cos(2c) \text{Si}(2dx^2) - 4abdx^2 \sin(c) \text{Si}(dx^2) + 2b^2 \cos(dx^2 + c)^2 - 4ab \sin(dx^2 + c) - 2a^2 - 2b^2 + 2(ab \text{Ci}(dx^2) + b^2 d \text{Ci}(2dx^2) \sin(2c))}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^3,x, algorithm="fricas")

[Out] $\frac{1}{4}*(2*b^2*d*x^2*\cos(2*c)*\sin_integral(2*d*x^2) - 4*a*b*d*x^2*\sin(c)*\sin_integral(d*x^2) + 2*b^2*\cos(d*x^2 + c)^2 - 4*a*b*\sin(d*x^2 + c) - 2*a^2 - 2*b^2 + 2*(a*b*d*x^2*\cos_integral(d*x^2) + a*b*d*x^2*\cos_integral(-d*x^2))*\cos(c) + (b^2*d*x^2*\cos_integral(2*d*x^2) + b^2*d*x^2*\cos_integral(-2*d*x^2))*\sin(2*c))/x^2$

giac [B] time = 0.49, size = 226, normalized size = 1.97

$$\frac{4(dx^2 + c)abd^2 \cos(c) \operatorname{Ci}(dx^2) - 4abcd^2 \cos(c) \operatorname{Ci}(dx^2) + 2(dx^2 + c)b^2d^2 \operatorname{Ci}(2dx^2) \sin(2c) - 2b^2cd^2 \operatorname{Ci}(2dx^2)}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))^2/x^3,x, algorithm="giac")`

[Out] $\frac{1}{4}*(4*(d*x^2 + c)*a*b*d^2*\cos(c)*\cos_integral(d*x^2) - 4*a*b*c*d^2*\cos(c)*\cos_integral(d*x^2) + 2*(d*x^2 + c)*b^2*d^2*\cos_integral(2*d*x^2)*\sin(2*c) - 2*b^2*c*d^2*\cos_integral(2*d*x^2)*\sin(2*c) - 4*(d*x^2 + c)*a*b*d^2*\sin(c)*\sin_integral(d*x^2) + 4*a*b*c*d^2*\sin(c)*\sin_integral(d*x^2) - 2*(d*x^2 + c)*b^2*d^2*\cos(2*c)*\sin_integral(-2*d*x^2) + 2*b^2*c*d^2*\cos(2*c)*\sin_integral(-2*d*x^2) + b^2*d^2*\cos(2*d*x^2 + 2*c) - 4*a*b*d^2*\sin(d*x^2 + c) - 2*a^2*d^2 - b^2*d^2)/(d^2*x^2)$

maple [C] time = 0.62, size = 203, normalized size = 1.77

$$\frac{\pi \operatorname{csgn}(dx^2) e^{-2icb^2d} \operatorname{Si}(2dx^2) e^{-2icb^2d} - i \operatorname{Ei}(1, -2id x^2) e^{-2icb^2d} + ib^2d \operatorname{Ei}(1, -2id x^2) e^{2ic} - abd \operatorname{Ei}(1, -id x^2)}{4} + \frac{\operatorname{Si}(2dx^2) e^{-2icb^2d}}{2} - \frac{i \operatorname{Ei}(1, -2id x^2) e^{-2icb^2d}}{4} + \frac{ib^2d \operatorname{Ei}(1, -2id x^2) e^{2ic}}{4} - \frac{abd \operatorname{Ei}(1, -id x^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^2+c))^2/x^3,x)`

[Out] $-1/4*\pi*\operatorname{csgn}(d*x^2)*\exp(-2*I*c)*b^2*d+1/2*\operatorname{Si}(2*d*x^2)*\exp(-2*I*c)*b^2*d-1/4*I*\operatorname{Ei}(1, -2*I*d*x^2)*\exp(-2*I*c)*b^2*d+1/4*I*b^2*d*\operatorname{Ei}(1, -2*I*d*x^2)*\exp(2*I*c)-1/2*a*b*d*\operatorname{Ei}(1, -I*d*x^2)*\exp(I*c)+1/2*I*\pi*\operatorname{csgn}(d*x^2)*\exp(-I*c)*a*b*d-I*\operatorname{Si}(d*x^2)*\exp(-I*c)*a*b*d-1/2*\operatorname{Ei}(1, -I*d*x^2)*\exp(-I*c)*a*b*d-1/2/x^2*a^2-1/4*b^2/x^2-a*b*\sin(d*x^2+c)/x^2+1/4*b^2*\cos(2*d*x^2+2*c)/x^2$

maxima [C] time = 0.49, size = 124, normalized size = 1.08

$$\frac{1}{2} \left((\Gamma(-1, id x^2) + \Gamma(-1, -id x^2)) \cos(c) - (i \Gamma(-1, id x^2) - i \Gamma(-1, -id x^2)) \sin(c) \right) abd + \frac{(((i \Gamma(-1, 2i dx^2) - i \Gamma(-1, -2i dx^2)) \cos(c) - (i \Gamma(-1, 2i dx^2) - i \Gamma(-1, -2i dx^2)) \sin(c))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))^2/x^3,x, algorithm="maxima")`

```
[Out] 1/2*((gamma(-1, I*d*x^2) + gamma(-1, -I*d*x^2))*cos(c) - (I*gamma(-1, I*d*x^2) - I*gamma(-1, -I*d*x^2))*sin(c))*a*b*d + 1/4*((I*gamma(-1, 2*I*d*x^2) - I*gamma(-1, -2*I*d*x^2))*cos(2*c) + (gamma(-1, 2*I*d*x^2) + gamma(-1, -2*I*d*x^2))*sin(2*c))*d*x^2 - 1)*b^2/x^2 - 1/2*a^2/x^2
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^2 + c))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d*x^2))^2/x^3,x)
```

```
[Out] int((a + b*sin(c + d*x^2))^2/x^3, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^2))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(d*x**2+c))**2/x**3,x)
```

```
[Out] Integral((a + b*sin(c + d*x**2))**2/x**3, x)
```


$$3.17 \quad \int \frac{(a+b \sin(c+dx^2))^2}{x^5} dx$$

Optimal. Leaf size=169

$$-\frac{2a^2 + b^2}{8x^4} - \frac{1}{2}abd^2 \sin(c)\text{Ci}(dx^2) - \frac{1}{2}abd^2 \cos(c)\text{Si}(dx^2) - \frac{abd \cos(c + dx^2)}{2x^2} - \frac{ab \sin(c + dx^2)}{2x^4} + \frac{1}{2}b^2d^2 \cos(2c)\text{Ci}$$

[Out] $1/8*(-2*a^2-b^2)/x^4+1/2*b^2*d^2*Ci(2*d*x^2)*\cos(2*c)-1/2*a*b*d*\cos(d*x^2+c)/x^2+1/8*b^2*\cos(2*d*x^2+2*c)/x^4-1/2*a*b*d^2*\cos(c)*Si(d*x^2)-1/2*a*b*d^2*Ci(d*x^2)*\sin(c)-1/2*b^2*d^2*Si(2*d*x^2)*\sin(2*c)-1/2*a*b*\sin(d*x^2+c)/x^4-1/4*b^2*d*\sin(2*d*x^2+2*c)/x^2$

Rubi [A] time = 0.29, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3380, 3297, 3303, 3299, 3302, 3379}

$$-\frac{2a^2 + b^2}{8x^4} - \frac{1}{2}abd^2 \sin(c)\text{CosIntegral}(dx^2) - \frac{1}{2}abd^2 \cos(c)\text{Si}(dx^2) - \frac{ab \sin(c + dx^2)}{2x^4} - \frac{abd \cos(c + dx^2)}{2x^2} + \frac{1}{2}b^2d^2$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])^2/x^5, x]

[Out] $-(2*a^2 + b^2)/(8*x^4) - (a*b*d*\text{Cos}[c + d*x^2])/(2*x^2) + (b^2*\text{Cos}[2*(c + d*x^2)])/(8*x^4) + (b^2*d^2*\text{Cos}[2*c]*\text{CosIntegral}[2*d*x^2])/2 - (a*b*d^2*\text{CosIntegral}[d*x^2]*\text{Sin}[c])/2 - (a*b*\text{Sin}[c + d*x^2])/(2*x^4) - (b^2*d*\text{Sin}[2*(c + d*x^2)])/(4*x^2) - (a*b*d^2*\text{Cos}[c]*\text{SinIntegral}[d*x^2])/2 - (b^2*d^2*\text{Sin}[2*c]*\text{SinIntegral}[2*d*x^2])/2$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_)^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^2))^2}{x^5} dx &= \int \left(\frac{a^2}{x^5} + \frac{b^2}{2x^5} - \frac{b^2 \cos(2c + 2dx^2)}{2x^5} + \frac{2ab \sin(c + dx^2)}{x^5} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^5} - \frac{b^2 \cos(2c + 2dx^2)}{2x^5} + \frac{2ab \sin(c + dx^2)}{x^5} \right) dx \\
&= -\frac{2a^2 + b^2}{8x^4} + (2ab) \int \frac{\sin(c + dx^2)}{x^5} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^2)}{x^5} dx \\
&= -\frac{2a^2 + b^2}{8x^4} + (ab) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^3} dx, x, x^2 \right) - \frac{1}{4} b^2 \text{Subst} \left(\int \frac{\cos(2c + 2dx)}{x^3} dx, x, x^2 \right) \\
&= -\frac{2a^2 + b^2}{8x^4} + \frac{b^2 \cos(2(c + dx^2))}{8x^4} - \frac{ab \sin(c + dx^2)}{2x^4} + \frac{1}{2} (abd) \text{Subst} \left(\int \frac{\cos(c + dx)}{x^2} dx, x, x^2 \right) \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{abd \cos(c + dx^2)}{2x^2} + \frac{b^2 \cos(2(c + dx^2))}{8x^4} - \frac{ab \sin(c + dx^2)}{2x^4} - \frac{b^2 d \sin(2(c + dx^2))}{8x^4} \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{abd \cos(c + dx^2)}{2x^2} + \frac{b^2 \cos(2(c + dx^2))}{8x^4} - \frac{ab \sin(c + dx^2)}{2x^4} - \frac{b^2 d \sin(2(c + dx^2))}{8x^4} \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{abd \cos(c + dx^2)}{2x^2} + \frac{b^2 \cos(2(c + dx^2))}{8x^4} + \frac{1}{2} b^2 d^2 \cos(2c) \text{Ci}(2dx^2)
\end{aligned}$$

Mathematica [A] time = 0.47, size = 158, normalized size = 0.93

$$\frac{2a^2 + 4abd^2x^4 \sin(c) \text{Ci}(dx^2) + 4abd^2x^4 \cos(c) \text{Si}(dx^2) + 4ab \sin(c + dx^2) + 4abdx^2 \cos(c + dx^2) - 4b^2d^2x^4 \cos(2c) \text{Ci}(2dx^2)}{8x^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])^2/x^5, x]

[Out] -1/8*(2*a^2 + b^2 + 4*a*b*d*x^2*Cos[c + d*x^2] - b^2*Cos[2*(c + d*x^2)] - 4*b^2*d^2*x^4*Cos[2*c]*CosIntegral[2*d*x^2] + 4*a*b*d^2*x^4*CosIntegral[d*x^2]*Sin[c] + 4*a*b*Sin[c + d*x^2] + 2*b^2*d*x^2*Sin[2*(c + d*x^2)] + 4*a*b*d^2*x^4*Cos[c]*SinIntegral[d*x^2] + 4*b^2*d^2*x^4*Sin[2*c]*SinIntegral[2*d*x^2])/x^4

fricas [A] time = 0.60, size = 189, normalized size = 1.12

$$\frac{2b^2d^2x^4 \sin(2c) \text{Si}(2dx^2) + 2abd^2x^4 \cos(c) \text{Si}(dx^2) + 2abdx^2 \cos(dx^2 + c) - b^2 \cos(dx^2 + c)^2 + a^2 + b^2 - (2a^2 + b^2)}{8x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^5,x, algorithm="fricas")

[Out]
$$\frac{-1/4*(2*b^2*d^2*x^4*\sin(2*c)*\sin_integral(2*d*x^2) + 2*a*b*d^2*x^4*\cos(c)*\sin_integral(d*x^2) + 2*a*b*d*x^2*\cos(d*x^2 + c) - b^2*\cos(d*x^2 + c)^2 + a^2 + b^2 - (b^2*d^2*x^4*\cos_integral(2*d*x^2) + b^2*d^2*x^4*\cos_integral(-2*d*x^2))*\cos(2*c) + 2*(b^2*d*x^2*\cos(d*x^2 + c) + a*b)*\sin(d*x^2 + c) + (a*b*d^2*x^4*\cos_integral(d*x^2) + a*b*d^2*x^4*\cos_integral(-d*x^2))*\sin(c))/x^4$$

giac [B] time = 0.43, size = 448, normalized size = 2.65

$$\frac{4(dx^2 + c)^2 b^2 d^3 \cos(2c) \operatorname{Ci}(2dx^2) - 8(dx^2 + c) b^2 c d^3 \cos(2c) \operatorname{Ci}(2dx^2) + 4b^2 c^2 d^3 \cos(2c) \operatorname{Ci}(2dx^2) - 4(dx^2 + c)^2 b^2 d^3 \cos(2c) \operatorname{Ci}(2dx^2) - 8(dx^2 + c) b^2 c d^3 \cos(2c) \operatorname{Ci}(2dx^2) + 4b^2 c^2 d^3 \cos(2c) \operatorname{Ci}(2dx^2) - 4(dx^2 + c)^2 b^2 d^3 \cos(2c) \operatorname{Ci}(2dx^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^5,x, algorithm="giac")

[Out]
$$\frac{1/8*(4*(d*x^2 + c)^2*b^2*d^3*\cos(2*c)*\cos_integral(2*d*x^2) - 8*(d*x^2 + c)*b^2*c*d^3*\cos(2*c)*\cos_integral(2*d*x^2) + 4*b^2*c^2*d^3*\cos(2*c)*\cos_integral(2*d*x^2) - 4*(d*x^2 + c)^2*a*b*d^3*\cos_integral(d*x^2)*\sin(c) + 8*(d*x^2 + c)*a*b*c*d^3*\cos_integral(d*x^2)*\sin(c) - 4*a*b*c^2*d^3*\cos_integral(d*x^2)*\sin(c) - 4*(d*x^2 + c)^2*a*b*d^3*\cos(c)*\sin_integral(d*x^2) + 8*(d*x^2 + c)*a*b*c*d^3*\cos(c)*\sin_integral(d*x^2) - 4*a*b*c^2*d^3*\cos(c)*\sin_integral(d*x^2) + 4*(d*x^2 + c)^2*b^2*d^3*\sin(2*c)*\sin_integral(-2*d*x^2) - 8*(d*x^2 + c)*b^2*c*d^3*\sin(2*c)*\sin_integral(-2*d*x^2) + 4*b^2*c^2*d^3*\sin(2*c)*\sin_integral(-2*d*x^2) - 4*(d*x^2 + c)*a*b*d^3*\cos(d*x^2 + c) + 4*a*b*c*d^3*\cos(d*x^2 + c) - 2*(d*x^2 + c)*b^2*d^3*\sin(2*d*x^2 + 2*c) + 2*b^2*c*d^3*\sin(2*d*x^2 + 2*c) + b^2*d^3*\cos(2*d*x^2 + 2*c) - 4*a*b*d^3*\sin(d*x^2 + c) - 2*a^2*d^3 - b^2*d^3)/(((d*x^2 + c)^2 - 2*(d*x^2 + c)*c + c^2)*d}$$

maple [C] time = 0.69, size = 255, normalized size = 1.51

$$\frac{\pi \operatorname{csgn}(dx^2) e^{-ic} a b d^2}{4} - \frac{\operatorname{Si}(dx^2) e^{-ic} a b d^2}{2} + \frac{i \operatorname{Ei}(1, -id x^2) e^{-ic} a b d^2}{4} - \frac{a^2}{4x^4} - \frac{b^2}{8x^4} + \frac{i\pi \operatorname{csgn}(dx^2) e^{-2ic} b^2 d^2}{4} - \frac{i \operatorname{Si}(2a dx^2)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))^2/x^5,x)

[Out]
$$\frac{1/4*\pi*\operatorname{csgn}(d*x^2)*\exp(-I*c)*a*b*d^2-1/2*\operatorname{Si}(d*x^2)*\exp(-I*c)*a*b*d^2+1/4*I*\operatorname{Ei}(1,-I*d*x^2)*\exp(-I*c)*a*b*d^2-1/4/x^4*a^2-1/8*b^2/x^4+1/4*I*\pi*\operatorname{csgn}(d*x^2)*\exp(-2*I*c)*b^2*d^2-1/2*I*\operatorname{Si}(2*d*x^2)*\exp(-2*I*c)*b^2*d^2-1/4*\operatorname{Ei}(1,-2*I*c)*a^2}{4}$$

$d*x^2)*\exp(-2*I*c)*b^2*d^2-1/4*b^2*d^2*Ei(1,-2*I*d*x^2)*\exp(2*I*c)-1/4*I*a*b*d^2*Ei(1,-I*d*x^2)*\exp(I*c)-1/2*a*b*d*\cos(d*x^2+c)/x^2-1/2*a*b*\sin(d*x^2+c)/x^4+1/8*b^2*\cos(2*d*x^2+2*c)/x^4-1/4*b^2*d*\sin(2*d*x^2+2*c)/x^2$

maxima [C] time = 0.54, size = 129, normalized size = 0.76

$$\frac{1}{2} \left((i\Gamma(-2, idx^2) - i\Gamma(-2, -idx^2)) \cos(c) + (\Gamma(-2, idx^2) + \Gamma(-2, -idx^2)) \sin(c) \right) abd^2 - \frac{((4(\Gamma(-2, 2idx^2) + \Gamma(-2, -2idx^2)) \cos(2c) - (4\Gamma(-2, 2idx^2) + \Gamma(-2, -2idx^2)) \sin(2c)) * d^2 * x^4 + 1) * b^2 / x^4 - 1/4 * a^2 / x^4}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^5,x, algorithm="maxima")

[Out] 1/2*((I*gamma(-2, I*d*x^2) - I*gamma(-2, -I*d*x^2))*cos(c) + (gamma(-2, I*d*x^2) + gamma(-2, -I*d*x^2))*sin(c))*a*b*d^2 - 1/8*((4*(gamma(-2, 2*I*d*x^2) + gamma(-2, -2*I*d*x^2))*cos(2*c) - (4*I*gamma(-2, 2*I*d*x^2) - 4*I*gamma(-2, -2*I*d*x^2))*sin(2*c))*d^2*x^4 + 1)*b^2/x^4 - 1/4*a^2/x^4

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^2 + c))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))^2/x^5,x)

[Out] int((a + b*sin(c + d*x^2))^2/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^2))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))**2/x**5,x)

[Out] Integral((a + b*sin(c + d*x**2))**2/x**5, x)

3.18 $\int x^4 (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=247

$$\frac{1}{10}x^5(2a^2 + b^2) - \frac{3\sqrt{\frac{\pi}{2}}ab\sin(c)C\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right)}{2d^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}}ab\cos(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right)}{2d^{5/2}} + \frac{3abx\sin(c + dx^2)}{2d^2} - \frac{abx^3\cos(c + dx^2)}{d}$$

[Out] $1/10*(2*a^2+b^2)*x^5-a*b*x^3*\cos(d*x^2+c)/d-3/32*b^2*x*\cos(2*d*x^2+2*c)/d^2+3/2*a*b*x*\sin(d*x^2+c)/d^2-1/8*b^2*x^3*\sin(2*d*x^2+2*c)/d-3/4*a*b*\cos(c)*FresnelS(x*d^(1/2)*2^(1/2)/Pi^(1/2))*2^(1/2)*Pi^(1/2)/d^(5/2)-3/4*a*b*FresnelC(x*d^(1/2)*2^(1/2)/Pi^(1/2))*sin(c)*2^(1/2)*Pi^(1/2)/d^(5/2)+3/64*b^2*\cos(2*c)*FresnelC(2*x*d^(1/2)/Pi^(1/2))*Pi^(1/2)/d^(5/2)-3/64*b^2*FresnelS(2*x*d^(1/2)/Pi^(1/2))*sin(2*c)*Pi^(1/2)/d^(5/2)$

Rubi [A] time = 0.24, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3386, 3385, 3354, 3352, 3351, 3353}

$$\frac{1}{10}x^5(2a^2 + b^2) - \frac{3\sqrt{\frac{\pi}{2}}ab\sin(c)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{d}x\right)}{2d^{5/2}} - \frac{3\sqrt{\frac{\pi}{2}}ab\cos(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right)}{2d^{5/2}} + \frac{3abx\sin(c + dx^2)}{2d^2} - \frac{abx^3\cos(c + dx^2)}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4*(a + b*\text{Sin}[c + d*x^2])^2, x]$

[Out] $((2*a^2 + b^2)*x^5)/10 - (a*b*x^3*\text{Cos}[c + d*x^2])/d - (3*b^2*x*\text{Cos}[2*c + 2*d*x^2])/(32*d^2) + (3*b^2*\text{Sqrt}[Pi]*\text{Cos}[2*c]*\text{FresnelC}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[Pi]])/(64*d^(5/2)) - (3*a*b*\text{Sqrt}[Pi/2]*\text{Cos}[c]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/Pi]*x])/ (2*d^(5/2)) - (3*a*b*\text{Sqrt}[Pi/2]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/Pi]*x]*\text{Sin}[c])/ (2*d^(5/2)) - (3*b^2*\text{Sqrt}[Pi]*\text{FresnelS}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[Pi]]*\text{Sin}[2*c])/ (64*d^(5/2)) + (3*a*b*x*\text{Sin}[c + d*x^2])/(2*d^2) - (b^2*x^3*\text{Sin}[2*c + 2*d*x^2])/(8*d)$

Rule 6

$\text{Int}[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_))^(p_.), x_Symbol] \rightarrow \text{Int}[u*((a + b)*v + w)^p, x] /;$ $\text{FreeQ}\{a, b, x\} \ \&\amp; \ !\text{FreeQ}[v, x]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[2/Pi]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$ $\text{FreeQ}\{d, e, f, x\}$

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3385

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*xⁿ]/(d*n), x] + Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3386

Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Sin[c + d*xⁿ]/(d*n), x] - Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Sin[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3403

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*xⁿ])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x^4 (a + b \sin(c + dx^2))^2 dx &= \int \left(a^2 x^4 + \frac{b^2 x^4}{2} - \frac{1}{2} b^2 x^4 \cos(2c + 2dx^2) + 2abx^4 \sin(c + dx^2) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) x^4 - \frac{1}{2} b^2 x^4 \cos(2c + 2dx^2) + 2abx^4 \sin(c + dx^2) \right) dx \\
&= \frac{1}{10} (2a^2 + b^2) x^5 + (2ab) \int x^4 \sin(c + dx^2) dx - \frac{1}{2} b^2 \int x^4 \cos(2c + 2dx^2) dx \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{abx^3 \cos(c + dx^2)}{d} - \frac{b^2 x^3 \sin(2c + 2dx^2)}{8d} + \frac{(3ab) \int x^2 \cos(c + dx^2) dx}{d} \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{abx^3 \cos(c + dx^2)}{d} - \frac{3b^2 x \cos(2c + 2dx^2)}{32d^2} + \frac{3abx \sin(c + dx^2)}{2d^2} \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{abx^3 \cos(c + dx^2)}{d} - \frac{3b^2 x \cos(2c + 2dx^2)}{32d^2} + \frac{3abx \sin(c + dx^2)}{2d^2} \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{abx^3 \cos(c + dx^2)}{d} - \frac{3b^2 x \cos(2c + 2dx^2)}{32d^2} + \frac{3b^2 \sqrt{\pi} \cos(2c)}{64d^{5/2}}
\end{aligned}$$

Mathematica [A] time = 0.59, size = 234, normalized size = 0.95

$$64a^2 d^{5/2} x^5 - 320abd^{3/2} x^3 \cos(c + dx^2) - 240\sqrt{2\pi} ab \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - 240\sqrt{2\pi} ab \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + 480$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*Sin[c + d*x^2])^2,x]

[Out] (64*a^2*d^(5/2)*x^5 + 32*b^2*d^(5/2)*x^5 - 320*a*b*d^(3/2)*x^3*Cos[c + d*x^2] - 30*b^2*Sqrt[d]*x*Cos[2*(c + d*x^2)] + 15*b^2*Sqrt[Pi]*Cos[2*c]*FresnelC[(2*Sqrt[d]*x)/Sqrt[Pi]] - 240*a*b*Sqrt[2*Pi]*Cos[c]*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x] - 240*a*b*Sqrt[2*Pi]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c] - 15*b^2*Sqrt[Pi]*FresnelS[(2*Sqrt[d]*x)/Sqrt[Pi]]*Sin[2*c] + 480*a*b*Sqrt[d]*x*Sin[c + d*x^2] - 40*b^2*d^(3/2)*x^3*Sin[2*(c + d*x^2)])/(320*d^(5/2))

fricas [A] time = 0.75, size = 216, normalized size = 0.87

$$32(2a^2 + b^2)d^3x^5 - 320abd^2x^3 \cos(dx^2 + c) - 60b^2dx \cos(dx^2 + c)^2 - 240\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} \cos(c) S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) - 240\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} \cos(c) C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) + 480$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{320}*(32*(2*a^2 + b^2)*d^3*x^5 - 320*a*b*d^2*x^3*\cos(d*x^2 + c) - 60*b^2*d*x*\cos(d*x^2 + c)^2 - 240*\sqrt{2}*\pi*a*b*\sqrt{d/\pi}*\cos(c)*\text{fresnel_sin}(\sqrt{2}*x*\sqrt{d/\pi}) - 240*\sqrt{2}*\pi*a*b*\sqrt{d/\pi}*\text{fresnel_cos}(\sqrt{2}*x*\sqrt{d/\pi}))*\sin(c) + 15*\pi*b^2*\sqrt{d/\pi}*\cos(2*c)*\text{fresnel_cos}(2*x*\sqrt{d/\pi}) - 15*\pi*b^2*\sqrt{d/\pi}*\text{fresnel_sin}(2*x*\sqrt{d/\pi}))*\sin(2*c) + 30*b^2*d*x - 80*(b^2*d^2*x^3*\cos(d*x^2 + c) - 6*a*b*d*x)*\sin(d*x^2 + c))/d^3$

giac [C] time = 0.48, size = 329, normalized size = 1.33

$$\frac{1}{5}a^2x^5 + \frac{1}{10}b^2x^5 - \frac{3i\sqrt{2}\sqrt{\pi}ab\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{id}{|d|} + 1\right)\sqrt{|d|}\right)e^{ic}}{8d^2\left(-\frac{id}{|d|} + 1\right)\sqrt{|d|}} + \frac{3i\sqrt{2}\sqrt{\pi}ab\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(\frac{id}{|d|} + 1\right)\sqrt{|d|}\right)e^{-ic}}{8d^2\left(\frac{id}{|d|} + 1\right)\sqrt{|d|}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^4*(a+b*sin(d*x^2+c))^2,x, algorithm="giac")`

[Out] $\frac{1}{5}a^2x^5 + \frac{1}{10}b^2x^5 - \frac{3}{8}I*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x*\left(-\frac{I*d}{\operatorname{abs}(d)} + 1\right)*\sqrt{\operatorname{abs}(d)}\right)*e^{I*c}/(d^2*\left(-\frac{I*d}{\operatorname{abs}(d)} + 1\right)*\sqrt{\operatorname{abs}(d)}) + \frac{3}{8}I*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x*\left(\frac{I*d}{\operatorname{abs}(d)} + 1\right)*\sqrt{\operatorname{abs}(d)}\right)*e^{-I*c}/(d^2*\left(\frac{I*d}{\operatorname{abs}(d)} + 1\right)*\sqrt{\operatorname{abs}(d)}) - \frac{3}{128}*\sqrt{\pi}*b^2*\operatorname{erf}\left(-\sqrt{d}*x*\left(-\frac{I*d}{\operatorname{abs}(d)} + 1\right)\right)*e^{2*I*c}/(d^{5/2}*\left(-\frac{I*d}{\operatorname{abs}(d)} + 1\right)) - \frac{3}{12}*\sqrt{\pi}*b^2*\operatorname{erf}\left(-\sqrt{d}*x*\left(\frac{I*d}{\operatorname{abs}(d)} + 1\right)\right)*e^{-2*I*c}/(d^{5/2}*\left(\frac{I*d}{\operatorname{abs}(d)} + 1\right)) - \frac{1}{64}*(-4*I*b^2*d*x^3 + 3*b^2*x)*e^{2*I*d*x^2 + 2*I*c}/d^2 + \frac{1}{4}I*(2*I*a*b*d*x^3 - 3*a*b*x)*e^{I*d*x^2 + I*c}/d^2 + \frac{1}{4}I*(2*I*a*b*d*x^3 + 3*a*b*x)*e^{-I*d*x^2 - I*c}/d^2 - \frac{1}{64}*(4*I*b^2*d*x^3 + 3*b^2*x)*e^{-2*I*d*x^2 - 2*I*c}/d^2$

maple [A] time = 0.06, size = 189, normalized size = 0.77

$$\frac{x^5a^2}{5} + \frac{x^5b^2}{10} - \frac{b^2 \left(\frac{x^3 \sin(2dx^2+2c)}{4d} - \frac{3 \left(-\frac{x \cos(2dx^2+2c)}{4d} + \frac{\sqrt{\pi} \left(\cos(2c) \operatorname{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) - \sin(2c) \operatorname{S}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) \right)}{8d^2} \right)}{4d} \right)}{2} + 2ab \left(-\frac{x^3 \cos(dx^2+c)}{2d} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a+b*sin(d*x^2+c))^2,x)`

[Out] $\frac{1}{5}x^5a^2 + \frac{1}{10}x^5b^2 - \frac{1}{2}b^2*\left(\frac{1}{4}d*x^3*\sin(2*d*x^2+2*c) - \frac{3}{4}d*\left(-\frac{1}{4}d*x*\cos(2*d*x^2+2*c) + \frac{1}{8}d^{3/2}*\pi^{1/2}*(\cos(2*c)*\operatorname{FresnelC}(2*x*d^{1/2})/\pi^{1/2} + \dots \right)\right)$

1/2)) - sin(2*c)*FresnelS(2*x*d^(1/2)/Pi^(1/2)))) + 2*a*b*(-1/2/d*x^3*cos(d*x^2+c) + 3/2/d*(1/2/d*x*sin(d*x^2+c) - 1/4/d^(3/2)*2^(1/2)*Pi^(1/2)*(cos(c)*FresnelS(x*d^(1/2)*2^(1/2)/Pi^(1/2)) + sin(c)*FresnelC(x*d^(1/2)*2^(1/2)/Pi^(1/2))))))

maxima [C] time = 0.49, size = 207, normalized size = 0.84

$$\frac{1}{5} a^2 x^5 - \frac{\left(16 d^3 x^3 \cos(dx^2 + c) - 24 d^2 x \sin(dx^2 + c) - \sqrt{2} \sqrt{\pi} \left((-3i + 3) \cos(c) + (3i - 3) \sin(c)\right) \operatorname{erf}(\sqrt{i d} x) + \left((3i - 3) \cos(c) - (3i + 3) \sin(c)\right) \operatorname{erf}(\sqrt{-i d} x)\right) d^{3/2} a b / d^4 + 1/2560 * (256 * d^4 * x^5 - 320 * d^3 * x^3 * \sin(2 * d * x^2 + 2 * c) - 240 * d^2 * x * \cos(2 * d * x^2 + 2 * c) - 4^{1/4} * \sqrt{2} * \sqrt{\pi} * \left(\left(15 * I - 15\right) * \cos(2 * c) + \left(15 * I + 15\right) * \sin(2 * c)\right) * \operatorname{erf}(\sqrt{2 * I * d} * x) + \left(-\left(15 * I + 15\right) * \cos(2 * c) - \left(15 * I - 15\right) * \sin(2 * c)\right) * \operatorname{erf}(\sqrt{-2 * I * d} * x)) * d^{3/2} * b^2 / d^4}{16 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] 1/5*a^2*x^5 - 1/16*(16*d^3*x^3*cos(d*x^2 + c) - 24*d^2*x*sin(d*x^2 + c) - sqrt(2)*sqrt(pi)*((-3*I + 3)*cos(c) + (3*I - 3)*sin(c))*erf(sqrt(I*d)*x) + ((3*I - 3)*cos(c) - (3*I + 3)*sin(c))*erf(sqrt(-I*d)*x))*d^(3/2)*a*b/d^4 + 1/2560*(256*d^4*x^5 - 320*d^3*x^3*sin(2*d*x^2 + 2*c) - 240*d^2*x*cos(2*d*x^2 + 2*c) - 4^(1/4)*sqrt(2)*sqrt(pi)*(((15*I - 15)*cos(2*c) + (15*I + 15)*sin(2*c))*erf(sqrt(2*I*d)*x) + (-((15*I + 15)*cos(2*c) - (15*I - 15)*sin(2*c))*erf(sqrt(-2*I*d)*x))*d^(3/2))*b^2/d^4

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (a + b \sin(dx^2 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a + b*sin(c + d*x^2))^2,x)

[Out] int(x^4*(a + b*sin(c + d*x^2))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + b \sin(c + dx^2))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**4*(a+b*sin(d*x**2+c))**2,x)

[Out] Integral(x**4*(a + b*sin(c + d*x**2))**2, x)

3.19 $\int x^2 \left(a + b \sin \left(c + dx^2 \right) \right)^2 dx$

Optimal. Leaf size=198

$$\frac{1}{6}x^3(2a^2 + b^2) + \frac{\sqrt{\frac{\pi}{2}} ab \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{d^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} ab \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{d^{3/2}} - \frac{abx \cos(c + dx^2)}{d} + \frac{\sqrt{\pi} b^2 \sin(2c) C\left(\frac{2}{\sqrt{\pi}} \sqrt{d} x\right)}{16d^{3/2}}$$

[Out] $\frac{1}{6}(2a^2 + b^2)x^3 - \frac{abx \cos(c + dx^2)}{d} + \frac{1}{16}b^2 \sin(2c) \frac{C\left(\frac{2}{\sqrt{\pi}} \sqrt{d} x\right)}{d^{3/2}} - \frac{1}{16}b^2 \cos(2c) \frac{S\left(\frac{2}{\sqrt{\pi}} \sqrt{d} x\right)}{d^{3/2}} + \frac{ab \cos(c) C\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{d^{3/2}} - \frac{ab \sin(c) S\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{d^{3/2}}$

Rubi [A] time = 0.16, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3386, 3353, 3352, 3351, 3385, 3354}

$$\frac{1}{6}x^3(2a^2 + b^2) + \frac{\sqrt{\frac{\pi}{2}} ab \cos(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{d^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} ab \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{d^{3/2}} - \frac{abx \cos(c + dx^2)}{d} + \frac{\sqrt{\pi} b^2 \sin(2c) C\left(\frac{2}{\sqrt{\pi}} \sqrt{d} x\right)}{16d^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2(a + b \sin[c + dx^2])^2, x]$

[Out] $\frac{((2a^2 + b^2)x^3)/6 - (abx \cos[c + dx^2])/d + (ab \sqrt{\pi/2} \cos[c] \text{FresnelC}[\sqrt{d} \sqrt{2/\pi} x])/d^{3/2} + (b^2 \sqrt{\pi} \cos[2c] \text{FresnelS}[(2 \sqrt{d} x)/\sqrt{\pi}])/(16d^{3/2}) - (ab \sqrt{\pi/2} \text{FresnelS}[\sqrt{d} \sqrt{2/\pi} x] \sin[c])/d^{3/2} + (b^2 \sqrt{\pi} \text{FresnelC}[(2 \sqrt{d} x)/\sqrt{\pi}] \sin[2c])/(16d^{3/2}) - (b^2 x \sin[2c + 2dx^2])/(8d)}$

Rule 6

$\text{Int}[(u_.) * ((w_.) + (a_.) * (v_.) + (b_.) * (v_.)^2)^p, x_Symbol] \rightarrow \text{Int}[u * ((a + b)v + w)^p, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ !\text{FreeQ}\{v, x\}$

Rule 3351

$\text{Int}[\sin[(d_.) * ((e_.) + (f_.) * (x_.)^2)], x_Symbol] \rightarrow \text{Simp}[(\sqrt{\pi/2} \text{FresnelS}[\sqrt{2/\pi} \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 3352

$\text{Int}[\cos[(d_.) * ((e_.) + (f_.) * (x_.)^2)], x_Symbol] \rightarrow \text{Simp}[(\sqrt{\pi/2} \text{FresnelC}[\sqrt{2/\pi} \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3385

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := -Simp[(e(
n - 1)*(e*x)(m - n + 1)*Cos[c + d*xn])/(d*n), x] + Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[(e(
n - 1)*(e*x)(m - n + 1)*Sin[c + d*xn])/(d*n), x] - Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3403

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]))(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)m, (a + b*SIN[c + d*xn])p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sin(c + dx^2))^2 dx &= \int \left(a^2 x^2 + \frac{b^2 x^2}{2} - \frac{1}{2} b^2 x^2 \cos(2c + 2dx^2) + 2abx^2 \sin(c + dx^2) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) x^2 - \frac{1}{2} b^2 x^2 \cos(2c + 2dx^2) + 2abx^2 \sin(c + dx^2) \right) dx \\
&= \frac{1}{6} (2a^2 + b^2) x^3 + (2ab) \int x^2 \sin(c + dx^2) dx - \frac{1}{2} b^2 \int x^2 \cos(2c + 2dx^2) dx \\
&= \frac{1}{6} (2a^2 + b^2) x^3 - \frac{abx \cos(c + dx^2)}{d} - \frac{b^2 x \sin(2c + 2dx^2)}{8d} + \frac{(ab) \int \cos(c + dx^2) dx}{d} \\
&= \frac{1}{6} (2a^2 + b^2) x^3 - \frac{abx \cos(c + dx^2)}{d} - \frac{b^2 x \sin(2c + 2dx^2)}{8d} + \frac{(ab \cos(c)) \int \cos(c + dx^2) dx}{d} \\
&= \frac{1}{6} (2a^2 + b^2) x^3 - \frac{abx \cos(c + dx^2)}{d} + \frac{ab \sqrt{\frac{\pi}{2}} \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{d^{3/2}} + \frac{b^2 \sqrt{\pi} \cos(2c + 2dx^2)}{16d}
\end{aligned}$$

Mathematica [A] time = 0.54, size = 191, normalized size = 0.96

$$\frac{16a^2 d^{3/2} x^3 + 24\sqrt{2\pi} ab \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - 24\sqrt{2\pi} ab \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - 48ab\sqrt{d} x \cos(c + dx^2) + 3\sqrt{\pi} b^2 \sin(2c + 2dx^2)}{48d^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*Sin[c + d*x^2])^2,x]

[Out] (16*a^2*d^(3/2)*x^3 + 8*b^2*d^(3/2)*x^3 - 48*a*b*Sqrt[d]*x*Cos[c + d*x^2] + 24*a*b*Sqrt[2*Pi]*Cos[c]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x] + 3*b^2*Sqrt[Pi]*Cos[2*c]*FresnelS[(2*Sqrt[d]*x)/Sqrt[Pi]] - 24*a*b*Sqrt[2*Pi]*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c] + 3*b^2*Sqrt[Pi]*FresnelC[(2*Sqrt[d]*x)/Sqrt[Pi]]*Sin[2*c] - 6*b^2*Sqrt[d]*x*Sin[2*(c + d*x^2)])/(48*d^(3/2))

fricas [A] time = 0.62, size = 176, normalized size = 0.89

$$\frac{8(2a^2 + b^2)d^2 x^3 + 24\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} \cos(c) C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) - 12b^2 dx \cos(dx^2 + c) \sin(dx^2 + c) - 24\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right)}{48d^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] 1/48*(8*(2*a^2 + b^2)*d^2*x^3 + 24*sqrt(2)*pi*a*b*sqrt(d/pi)*cos(c)*fresnel_cos(sqrt(2)*x*sqrt(d/pi)) - 12*b^2*d*x*cos(d*x^2 + c)*sin(d*x^2 + c) - 24*

$\sqrt{2} \pi a b \sqrt{d/\pi} \operatorname{fresnel_sin}(\sqrt{2} x \sqrt{d/\pi}) \sin(c) + 3 \pi b^2 \sqrt{d/\pi} \cos(2c) \operatorname{fresnel_sin}(2x \sqrt{d/\pi}) + 3 \pi b^2 \sqrt{d/\pi} \operatorname{fresnel_cos}(2x \sqrt{d/\pi}) \sin(2c) - 48 a b d x \cos(dx^2 + c) / d^2$

giac [C] time = 0.56, size = 283, normalized size = 1.43

$$\frac{1}{3} a^2 x^3 + \frac{1}{6} b^2 x^3 + \frac{i b^2 x e^{(2i d x^2 + 2i c)}}{16 d} - \frac{a b x e^{(i d x^2 + i c)}}{2 d} - \frac{a b x e^{(-i d x^2 - i c)}}{2 d} - \frac{i b^2 x e^{(-2i d x^2 - 2i c)}}{16 d} - \frac{\sqrt{2} \sqrt{\pi} a b \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} x \left(-\frac{i d}{|d|} + 1\right)\right)}{4 d \left(-\frac{i d}{|d|} + 1\right) \sqrt{|d|}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] $\frac{1}{3} a^2 x^3 + \frac{1}{6} b^2 x^3 + \frac{1}{16} I b^2 x e^{(2 I d x^2 + 2 I c) / d} - \frac{1}{2} a b x e^{(I d x^2 + I c) / d} - \frac{1}{2} a b x e^{(-I d x^2 - I c) / d} - \frac{1}{16} I b^2 x e^{(-2 I d x^2 - 2 I c) / d} - \frac{1}{4} \sqrt{2} \sqrt{\pi} a b \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} x \left(-\frac{I d}{\operatorname{abs}(d)} + 1\right) \sqrt{\operatorname{abs}(d)}\right) e^{(I c) / (d \left(-\frac{I d}{\operatorname{abs}(d)} + 1\right) \sqrt{\operatorname{abs}(d)})} - \frac{1}{4} \sqrt{2} \sqrt{\pi} a b \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} x \left(\frac{I d}{\operatorname{abs}(d)} + 1\right) \sqrt{\operatorname{abs}(d)}\right) e^{(-I c) / (d \left(\frac{I d}{\operatorname{abs}(d)} + 1\right) \sqrt{\operatorname{abs}(d)})} + \frac{1}{32} I \sqrt{\pi} b^2 \operatorname{erf}\left(-\sqrt{d} x \left(-\frac{I d}{\operatorname{abs}(d)} + 1\right)\right) e^{(2 I c) / (d^{3/2} \left(-\frac{I d}{\operatorname{abs}(d)} + 1\right))} - \frac{1}{32} I \sqrt{\pi} b^2 \operatorname{erf}\left(-\sqrt{d} x \left(\frac{I d}{\operatorname{abs}(d)} + 1\right)\right) e^{(-2 I c) / (d^{3/2} \left(\frac{I d}{\operatorname{abs}(d)} + 1\right))}$

maple [A] time = 0.06, size = 142, normalized size = 0.72

$$\frac{x^3 a^2}{3} + \frac{x^3 b^2}{6} - \frac{b^2 \left(\frac{x \sin(2d x^2 + 2c)}{4d} - \frac{\sqrt{\pi} \left(\cos(2c) S\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) + \sin(2c) \operatorname{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) \right)}{8d^{\frac{3}{2}}} \right)}{2} + 2ab \left(-\frac{x \cos(dx^2 + c)}{2d} + \frac{\sqrt{2} \sqrt{\pi} \left(\cos(c) \operatorname{FresnelS}\left(\frac{x\sqrt{d}}{\sqrt{\pi}}\right) + \sin(c) \operatorname{FresnelC}\left(\frac{x\sqrt{d}}{\sqrt{\pi}}\right) \right)}{2d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*sin(d*x^2+c))^2,x)

[Out] $\frac{1}{3} x^3 a^2 + \frac{1}{6} x^3 b^2 - \frac{1}{2} b^2 \left(\frac{1}{4} \frac{\sin(2d x^2 + 2c)}{d} - \frac{1}{8} d^{-3/2} \pi^{1/2} \left(\cos(2c) \operatorname{FresnelS}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) + \sin(2c) \operatorname{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) \right) \right) + 2ab \left(-\frac{1}{2} \frac{\cos(dx^2 + c)}{d} + \frac{1}{4} d^{-3/2} \pi^{1/2} \left(\cos(c) \operatorname{FresnelC}\left(\frac{x\sqrt{d}}{\sqrt{\pi}}\right) + \sin(c) \operatorname{FresnelS}\left(\frac{x\sqrt{d}}{\sqrt{\pi}}\right) \right) \right)$

maxima [C] time = 0.49, size = 171, normalized size = 0.86

$$\frac{1}{3} a^2 x^3 - \frac{\left(8 d^2 x \cos(dx^2 + c) + \sqrt{2} \sqrt{\pi} \left(((i-1) \cos(c) + (i+1) \sin(c)) \operatorname{erf}\left(\sqrt{i d} x\right) + (-i+1) \cos(c) - (i-1) \sin(c) \right) \right)}{8 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")`

[Out] $\frac{1}{3}a^2x^3 - \frac{1}{8}(8d^2x\cos(dx^2 + c) + \sqrt{2}\sqrt{\pi})((I - 1)\cos(c) + (I + 1)\sin(c))\operatorname{erf}(\sqrt{I}d)x + (- (I + 1)\cos(c) - (I - 1)\sin(c))\operatorname{erf}(\sqrt{-I}d)x)d^{3/2})a*b/d^3 + \frac{1}{384}(64d^3x^3 - 48d^2x\sin(2dx^2 + 2c) - 4^{1/4}\sqrt{2}\sqrt{\pi})((- (3I + 3)\cos(2c) + (3I - 3)\sin(2c))\operatorname{erf}(\sqrt{2I}d)x + ((3I - 3)\cos(2c) - (3I + 3)\sin(2c))\operatorname{erf}(\sqrt{-2I}d)x)d^{3/2})b^2/d^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + b \sin(dx^2 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*sin(c + d*x^2))^2,x)`

[Out] `int(x^2*(a + b*sin(c + d*x^2))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a + b \sin(c + dx^2))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*sin(d*x**2+c))**2,x)`

[Out] `Integral(x**2*(a + b*sin(c + d*x**2))**2, x)`

3.20 $\int (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=153

$$\frac{1}{2}x(2a^2 + b^2) + \frac{\sqrt{2\pi} ab \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} + \frac{\sqrt{2\pi} ab \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} - \frac{\sqrt{\pi} b^2 \cos(2c) C\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}} + \frac{\sqrt{\pi} b^2 \sin(2c) S\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}}$$

[Out] $\frac{1}{2}x(2a^2 + b^2) - \frac{1}{4}b^2 \cos(2c) \text{FresnelC}\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right) \frac{\sqrt{\pi}}{d^{1/2}} + \frac{1}{4}b^2 \text{FresnelS}\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right) \frac{\sin(2c) \sqrt{\pi}}{d^{1/2}} + a b \cos(c) \text{FresnelS}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right) \frac{2\sqrt{\pi}}{d^{1/2}} + a b \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right) \frac{2\sqrt{\pi}}{d^{1/2}}$

Rubi [A] time = 0.11, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3357, 3354, 3352, 3351, 3353}

$$\frac{1}{2}x(2a^2 + b^2) + \frac{\sqrt{2\pi} ab \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{\sqrt{d}} + \frac{\sqrt{2\pi} ab \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} - \frac{\sqrt{\pi} b^2 \cos(2c) \text{FresnelC}\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])^2, x]

[Out] $\frac{(2a^2 + b^2)x}{2} - \frac{b^2 \sqrt{\pi} \cos(2c) \text{FresnelC}\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}} + \frac{a b \sqrt{2\pi} \cos(c) \text{FresnelS}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{\sqrt{d}} + \frac{a b \sqrt{2\pi} \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right)}{\sqrt{d}} - \frac{b^2 \sqrt{\pi} \sin(2c) \text{FresnelS}\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}}$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)^2], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)^2], x] /; FreeQ[{c, d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] / ; FreeQ[{c, d, e, f}, x]

Rule 3357

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))ⁿ])^p], x_Symbol] := Int[ExpandTrigReduce[(a + b*Sin[c + d*(e + f*x)ⁿ])^p, x], x] / ; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 1] && IGtQ[n, 1]

Rubi steps

$$\begin{aligned} \int (a + b \sin(c + dx^2))^2 dx &= \int \left(a^2 + \frac{b^2}{2} - \frac{1}{2} b^2 \cos(2c + 2dx^2) + 2ab \sin(c + dx^2) \right) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (2ab) \int \sin(c + dx^2) dx - \frac{1}{2} b^2 \int \cos(2c + 2dx^2) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (2ab \cos(c)) \int \sin(dx^2) dx - \frac{1}{2} (b^2 \cos(2c)) \int \cos(2dx^2) dx + \\ &= \frac{1}{2} (2a^2 + b^2) x - \frac{b^2 \sqrt{\pi} \cos(2c) C\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}} + \frac{ab\sqrt{2\pi} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)}{\sqrt{d}} + \frac{ab\sqrt{2\pi}}{\sqrt{d}} \end{aligned}$$

Mathematica [A] time = 0.33, size = 147, normalized size = 0.96

$$\frac{4a^2\sqrt{d}x + 4\sqrt{2\pi}ab \sin(c)C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + 4\sqrt{2\pi}ab \cos(c)S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \sqrt{\pi}b^2 \cos(2c)C\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right) + \sqrt{\pi}b^2 \sin(2c)S\left(\frac{2\sqrt{d}x}{\sqrt{\pi}}\right)}{4\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])², x]

[Out] (4*a²*Sqrt[d]*x + 2*b²*Sqrt[d]*x - b²*Sqrt[Pi]*Cos[2*c]*FresnelC[(2*Sqrt[d]*x)/Sqrt[Pi]] + 4*a*b*Sqrt[2*Pi]*Cos[c]*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x] + 4*a*b*Sqrt[2*Pi]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c] + b²*Sqrt[Pi]*FresnelS[(2*Sqrt[d]*x)/Sqrt[Pi]]*Sin[2*c])/(4*Sqrt[d])

fricas [A] time = 0.83, size = 134, normalized size = 0.88

$$\frac{4\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} \cos(c)S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) + 4\sqrt{2}\pi ab\sqrt{\frac{d}{\pi}} C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) \sin(c) - \pi b^2\sqrt{\frac{d}{\pi}} \cos(2c)C\left(2x\sqrt{\frac{d}{\pi}}\right) + \pi b^2\sqrt{\frac{d}{\pi}} \sin(2c)S\left(2x\sqrt{\frac{d}{\pi}}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{4}*(4*\sqrt{2}*\pi*a*b*\sqrt{d/\pi}*\cos(c)*\text{fresnel_sin}(\sqrt{2}*x*\sqrt{d/\pi})) + 4*\sqrt{2}*\pi*a*b*\sqrt{d/\pi}*\text{fresnel_cos}(\sqrt{2}*x*\sqrt{d/\pi})*\sin(c) - \pi*b^2*\sqrt{d/\pi}*\cos(2*c)*\text{fresnel_cos}(2*x*\sqrt{d/\pi}) + \pi*b^2*\sqrt{d/\pi}*\text{fresnel_sin}(2*x*\sqrt{d/\pi})*\sin(2*c) + 2*(2*a^2 + b^2)*d*x)/d$

giac [C] time = 1.04, size = 195, normalized size = 1.27

$$\frac{i\sqrt{2}\sqrt{\pi}ab\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{id}{|d|}+1\right)\sqrt{|d|}\right)e^{ic}}{2\left(-\frac{id}{|d|}+1\right)\sqrt{|d|}} - \frac{i\sqrt{2}\sqrt{\pi}ab\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(\frac{id}{|d|}+1\right)\sqrt{|d|}\right)e^{-ic}}{2\left(\frac{id}{|d|}+1\right)\sqrt{|d|}} + \frac{\sqrt{\pi}b^2\operatorname{erf}\left(-\sqrt{d}x\left(-\frac{id}{|d|}+1\right)\right)}{8\sqrt{d}\left(-\frac{id}{|d|}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] $\frac{1}{2}I*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}*x*\left(-I*d/\operatorname{abs}(d)+1\right)*\sqrt{\operatorname{abs}(d)}\right)*e^{I*c}/\left(\left(-I*d/\operatorname{abs}(d)+1\right)*\sqrt{\operatorname{abs}(d)}\right) - \frac{1}{2}I*\sqrt{2}*\sqrt{\pi}*a*b*\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}*x*\left(I*d/\operatorname{abs}(d)+1\right)*\sqrt{\operatorname{abs}(d)}\right)*e^{-I*c}/\left(\left(I*d/\operatorname{abs}(d)+1\right)*\sqrt{\operatorname{abs}(d)}\right) + \frac{1}{8}\sqrt{\pi}*b^2*\operatorname{erf}\left(-\sqrt{d}*x*\left(-I*d/\operatorname{abs}(d)+1\right)\right)*e^{2*I*c}/\left(\sqrt{d}*(-I*d/\operatorname{abs}(d)+1)\right) + \frac{1}{8}\sqrt{\pi}*b^2*\operatorname{erf}\left(-\sqrt{d}*x*\left(I*d/\operatorname{abs}(d)+1\right)\right)*e^{-2*I*c}/\left(\sqrt{d}*(I*d/\operatorname{abs}(d)+1)\right) + \frac{1}{2}*(2*a^2 + b^2)*x$

maple [A] time = 0.06, size = 99, normalized size = 0.65

$$a^2x + \frac{b^2x}{2} - \frac{b^2\sqrt{\pi}\left(\cos(2c)\operatorname{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) - \sin(2c)S\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right)\right)}{4\sqrt{d}} + \frac{ab\sqrt{2}\sqrt{\pi}\left(\cos(c)S\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right) + \sin(c)\operatorname{FresnelC}\left(\frac{x\sqrt{d}\sqrt{2}}{\sqrt{\pi}}\right)\right)}{\sqrt{d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))^2,x)

[Out] $a^2*x + \frac{1}{2}b^2*x - \frac{1}{4}b^2*\pi^{1/2}/d^{1/2}*(\cos(2*c)*\operatorname{FresnelC}(2*x*d^{1/2}/\pi^{1/2}) - \sin(2*c)*\operatorname{FresnelS}(2*x*d^{1/2}/\pi^{1/2})) + a*b*2^{1/2}*\pi^{1/2}/d^{1/2}*(\cos(c)*\operatorname{FresnelS}(x*d^{1/2}*2^{1/2}/\pi^{1/2}) + \sin(c)*\operatorname{FresnelC}(x*d^{1/2}*2^{1/2}/\pi^{1/2}))$

maxima [C] time = 0.60, size = 129, normalized size = 0.84

$$\frac{\sqrt{2}\sqrt{\pi}\left((-i+1)\cos(c) + (i-1)\sin(c)\right)\operatorname{erf}\left(\sqrt{id}x\right) + \left((i-1)\cos(c) - (i+1)\sin(c)\right)\operatorname{erf}\left(\sqrt{-id}x\right)ab}{4\sqrt{d}} + a^2x + \frac{b^2x}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] $-1/4*\sqrt{2}*\sqrt{\pi}*((-I + 1)*\cos(c) + (I - 1)*\sin(c))*\operatorname{erf}(\sqrt{I*d}*x)$
 $+ ((I - 1)*\cos(c) - (I + 1)*\sin(c))*\operatorname{erf}(\sqrt{-I*d}*x))*a*b/\sqrt{d} + a^2*x$
 $+ 1/32*(4^{(1/4)}*\sqrt{2}*\sqrt{\pi}*(((I - 1)*\cos(2*c) + (I + 1)*\sin(2*c))*\operatorname{erf}(\sqrt{2*I*d}*x)$
 $+ (-(I + 1)*\cos(2*c) - (I - 1)*\sin(2*c))*\operatorname{erf}(\sqrt{-2*I*d}*x))$
 $*d^{(3/2)} + 16*d^2*x)*b^2/d^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \sin(dx^2 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))^2,x)

[Out] int((a + b*sin(c + d*x^2))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \sin(c + dx^2))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))**2,x)

[Out] Integral((a + b*sin(c + d*x**2))**2, x)

$$3.21 \quad \int \frac{(a+b \sin(c+dx^2))^2}{x^2} dx$$

Optimal. Leaf size=187

$$-\frac{2a^2 + b^2}{2x} + 2\sqrt{2\pi} ab\sqrt{d} \cos(c)C\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right) - 2\sqrt{2\pi} ab\sqrt{d} \sin(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right) - \frac{2ab \sin(c + dx^2)}{x} + \sqrt{\pi} b^2 \sqrt{d} \sin$$

[Out] $1/2*(-2*a^2-b^2)/x+1/2*b^2*\cos(2*d*x^2+2*c)/x-2*a*b*\sin(d*x^2+c)/x+b^2*\cos(2*c)*\text{FresnelS}(2*x*d^{(1/2)}/\text{Pi}^{(1/2)})*d^{(1/2)}*\text{Pi}^{(1/2)}+b^2*\text{FresnelC}(2*x*d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*c)*d^{(1/2)}*\text{Pi}^{(1/2)}+2*a*b*\cos(c)*\text{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}-2*a*b*\text{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(c)*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3388, 3353, 3352, 3351, 3387, 3354}

$$-\frac{2a^2 + b^2}{2x} + 2\sqrt{2\pi} ab\sqrt{d} \cos(c)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{d}x\right) - 2\sqrt{2\pi} ab\sqrt{d} \sin(c)S\left(\sqrt{d}\sqrt{\frac{2}{\pi}}x\right) - \frac{2ab \sin(c + dx^2)}{x} + \sqrt{\pi} b$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])^2/x^2,x]

[Out] $-(2*a^2 + b^2)/(2*x) + (b^2*\cos[2*c + 2*d*x^2])/(2*x) + 2*a*b*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Pi}]*\cos[c]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x] + b^2*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]*\cos[2*c]*\text{FresnelS}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[\text{Pi}]] - 2*a*b*\text{Sqrt}[d]*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x]*\sin[c] + b^2*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[\text{Pi}]]*\sin[2*c] - (2*a*b*\sin[c + d*x^2])/x$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3387

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := Simp[((e*x)
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1)), Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[((e*x)
)(m + 1)*Cos[c + d*xn]/(e*(m + 1)), x] + Dist[(d*n)/(en*(m + 1)), Int[(
e*x)(m + n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3403

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)m, (a + b*Sin[c + d*xn])p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^2))^2}{x^2} dx &= \int \left(\frac{a^2}{x^2} + \frac{b^2}{2x^2} - \frac{b^2 \cos(2c + 2dx^2)}{2x^2} + \frac{2ab \sin(c + dx^2)}{x^2} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^2} - \frac{b^2 \cos(2c + 2dx^2)}{2x^2} + \frac{2ab \sin(c + dx^2)}{x^2} \right) dx \\
&= -\frac{2a^2 + b^2}{2x} + (2ab) \int \frac{\sin(c + dx^2)}{x^2} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^2)}{x^2} dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^2)}{2x} - \frac{2ab \sin(c + dx^2)}{x} + (4abd) \int \cos(c + dx^2) dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^2)}{2x} - \frac{2ab \sin(c + dx^2)}{x} + (4abd \cos(c)) \int \cos(dx^2) dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^2)}{2x} + 2ab\sqrt{d} \sqrt{2\pi} \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + b^2 \sqrt{d} \sqrt{\pi} S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right)
\end{aligned}$$

Mathematica [A] time = 0.51, size = 184, normalized size = 0.98

$$\frac{-2a^2 + 4\sqrt{2\pi} ab\sqrt{d} x \cos(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - 4\sqrt{2\pi} ab\sqrt{d} x \sin(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - 4ab \sin(c + dx^2) + 2\sqrt{\pi} b^2 \sqrt{d} x \cos(2c + 2dx^2)}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])^2/x^2,x]

[Out] (-2*a^2 - b^2 + b^2*Cos[2*(c + d*x^2)] + 4*a*b*Sqrt[d]*Sqrt[2*Pi]*x*Cos[c]*FresnelC[Sqrt[d]*Sqrt[2/Pi]*x] + 2*b^2*Sqrt[d]*Sqrt[Pi]*x*Cos[2*c]*FresnelS[(2*Sqrt[d]*x)/Sqrt[Pi]] - 4*a*b*Sqrt[d]*Sqrt[2*Pi]*x*FresnelS[Sqrt[d]*Sqrt[2/Pi]*x]*Sin[c] + 2*b^2*Sqrt[d]*Sqrt[Pi]*x*FresnelC[(2*Sqrt[d]*x)/Sqrt[Pi]]*Sin[2*c] - 4*a*b*Sin[c + d*x^2])/(2*x)

fricas [A] time = 0.71, size = 159, normalized size = 0.85

$$\frac{2\sqrt{2}\pi abx\sqrt{\frac{d}{\pi}} \cos(c) C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) - 2\sqrt{2}\pi abx\sqrt{\frac{d}{\pi}} S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) \sin(c) + \pi b^2 x \sqrt{\frac{d}{\pi}} \cos(2c) S\left(2x\sqrt{\frac{d}{\pi}}\right) + \pi b^2 x \cos(2c + 2dx^2)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^2,x, algorithm="fricas")

[Out] $(2\sqrt{2}\pi a b x \sqrt{d/\pi}) \cos(c) \operatorname{fresnel_cos}(\sqrt{2} x \sqrt{d/\pi}) - 2\sqrt{2}\pi a b x \sqrt{d/\pi} \operatorname{fresnel_sin}(\sqrt{2} x \sqrt{d/\pi}) \sin(c) + \pi b^2 x \sqrt{d/\pi} \cos(2c) \operatorname{fresnel_sin}(2x \sqrt{d/\pi}) + \pi b^2 x \sqrt{d/\pi} \operatorname{fresnel_cos}(2x \sqrt{d/\pi}) \sin(2c) + b^2 \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2)/x$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^2 + c) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))^2/x^2,x, algorithm="giac")`

[Out] `integrate((b*sin(d*x^2 + c) + a)^2/x^2, x)`

maple [A] time = 0.06, size = 137, normalized size = 0.73

$$\frac{a^2 + \frac{b^2}{2}}{x} - \frac{b^2 \left(-\frac{\cos(2dx^2+2c)}{x} - 2\sqrt{d} \sqrt{\pi} \left(\cos(2c) S\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) + \sin(2c) \operatorname{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) \right) \right)}{2} + 2ab \left(-\frac{\sin(dx^2 + c)}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^2+c))^2/x^2,x)`

[Out] $-(a^2+1/2*b^2)/x-1/2*b^2*(-1/x*\cos(2*d*x^2+2*c)-2*d^{(1/2)}*Pi^{(1/2)}*(\cos(2*c)*\operatorname{FresnelS}(2*x*d^{(1/2)}/Pi^{(1/2)})+\sin(2*c)*\operatorname{FresnelC}(2*x*d^{(1/2)}/Pi^{(1/2)})))+2*a*b*(-1/x*\sin(d*x^2+c)+d^{(1/2)}*2^{(1/2)}*Pi^{(1/2)}*(\cos(c)*\operatorname{FresnelC}(x*d^{(1/2)}*2^{(1/2)}/Pi^{(1/2)})-\sin(c)*\operatorname{FresnelS}(x*d^{(1/2)}*2^{(1/2)}/Pi^{(1/2)}))$

maxima [C] time = 0.61, size = 170, normalized size = 0.91

$$\frac{\sqrt{dx^2} \left(\left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, i dx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -i dx^2\right) \right) \cos(c) + \left((i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, i dx^2\right) - (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -i dx^2\right) \right) \sin(c) \right)}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^2+c))^2/x^2,x, algorithm="maxima")`

[Out] $-1/4*\sqrt{d*x^2}*(((I-1)*\sqrt{2}*\gamma(-1/2, I*d*x^2) - (I+1)*\sqrt{2}*\gamma(-1/2, -I*d*x^2))*\cos(c) + ((I+1)*\sqrt{2}*\gamma(-1/2, I*d*x^2) - (I-1)*\sqrt{2}*\gamma(-1/2, -I*d*x^2))*\sin(c))*a*b/x - 1/16*(\sqrt{2}*\sqrt{d*x^2})*((-I+1)*\sqrt{2}*\gamma(-1/2, 2*I*d*x^2) + (I-1)*\sqrt{2}*\gamma(-1/2, -2*I*d*x^2))$

$2*I*d*x^2))*\cos(2*c) + ((I - 1)*\sqrt{2}*\gamma(-1/2, 2*I*d*x^2) - (I + 1)*\sqrt{2}*\gamma(-1/2, -2*I*d*x^2))*\sin(2*c)) + 8)*b^2/x - a^2/x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^2 + c))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^2))^2/x^2, x)

[Out] int((a + b*sin(c + d*x^2))^2/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^2))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**2+c))**2/x**2, x)

[Out] Integral((a + b*sin(c + d*x**2))**2/x**2, x)

$$3.22 \quad \int \frac{(a+b \sin(c+dx^2))^2}{x^4} dx$$

Optimal. Leaf size=239

$$-\frac{2a^2 + b^2}{6x^3} - \frac{4}{3} \sqrt{2\pi} abd^{3/2} \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{4}{3} \sqrt{2\pi} abd^{3/2} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{4abd \cos(c + dx^2)}{3x} - \frac{2ab \sin(c + dx^2)}{3x}$$

[Out] $1/6*(-2*a^2-b^2)/x^3-4/3*a*b*d*\cos(d*x^2+c)/x+1/6*b^2*\cos(2*d*x^2+2*c)/x^3-2/3*a*b*\sin(d*x^2+c)/x^3-2/3*b^2*d*\sin(2*d*x^2+2*c)/x+4/3*b^2*d^(3/2)*\cos(2*c)*\text{FresnelC}(2*x*d^(1/2)/\text{Pi}^(1/2))*\text{Pi}^(1/2)-4/3*b^2*d^(3/2)*\text{FresnelS}(2*x*d^(1/2)/\text{Pi}^(1/2))*\sin(2*c)*\text{Pi}^(1/2)-4/3*a*b*d^(3/2)*\cos(c)*\text{FresnelS}(x*d^(1/2))*2^(1/2)/\text{Pi}^(1/2))*2^(1/2)*\text{Pi}^(1/2)-4/3*a*b*d^(3/2)*\text{FresnelC}(x*d^(1/2))*2^(1/2)/\text{Pi}^(1/2))*\sin(c)*2^(1/2)*\text{Pi}^(1/2)$

Rubi [A] time = 0.20, antiderivative size = 239, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3388, 3387, 3354, 3352, 3351, 3353}

$$-\frac{2a^2 + b^2}{6x^3} - \frac{4}{3} \sqrt{2\pi} abd^{3/2} \sin(c) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{d} x\right) - \frac{4}{3} \sqrt{2\pi} abd^{3/2} \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) - \frac{2ab \sin(c + dx^2)}{3x^3} - \frac{4abd \cos(c + dx^2)}{3x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^2])^2/x^4, x]

[Out] $-(2*a^2 + b^2)/(6*x^3) - (4*a*b*d*\cos[c + d*x^2])/(3*x) + (b^2*\cos[2*c + 2*d*x^2])/(6*x^3) + (4*b^2*d^(3/2)*\text{Sqrt}[\text{Pi}]*\cos[2*c]*\text{FresnelC}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[\text{Pi}]])/3 - (4*a*b*d^(3/2)*\text{Sqrt}[2*\text{Pi}]*\cos[c]*\text{FresnelS}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x])/3 - (4*a*b*d^(3/2)*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[\text{Sqrt}[d]*\text{Sqrt}[2/\text{Pi}]*x]*\sin[c])/3 - (4*b^2*d^(3/2)*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[d]*x)/\text{Sqrt}[\text{Pi}]]*\sin[2*c])/3 - (2*a*b*\sin[c + d*x^2])/(3*x^3) - (2*b^2*d*\sin[2*c + 2*d*x^2])/(3*x)$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3387

```
Int[((e_.)*(x_))(m_)*Sin[(c_) + (d_.)*(x_)(n_)], x_Symbol] := Simp[((e*x)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1))], Int[(e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_) + (d_.)*(x_)(n_)]*((e_.)*(x_))(m_), x_Symbol] := Simp[((e*x)(m + 1)*Cos[c + d*xn]/(e*(m + 1)), x] + Dist[(d*n)/(en*(m + 1))], Int[(e*x)(m + n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3403

```
Int[((e_.)*(x_))(m_)*((a_.) + (b_.)*Sin[(c_) + (d_.)*(x_)(n_)])(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)m, (a + b*SIN[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^2))^2}{x^4} dx &= \int \left(\frac{a^2}{x^4} + \frac{b^2}{2x^4} - \frac{b^2 \cos(2c + 2dx^2)}{2x^4} + \frac{2ab \sin(c + dx^2)}{x^4} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^4} - \frac{b^2 \cos(2c + 2dx^2)}{2x^4} + \frac{2ab \sin(c + dx^2)}{x^4} \right) dx \\
&= -\frac{2a^2 + b^2}{6x^3} + (2ab) \int \frac{\sin(c + dx^2)}{x^4} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^2)}{x^4} dx \\
&= -\frac{2a^2 + b^2}{6x^3} + \frac{b^2 \cos(2c + 2dx^2)}{6x^3} - \frac{2ab \sin(c + dx^2)}{3x^3} + \frac{1}{3} (4abd) \int \frac{\cos(c + dx^2)}{x^2} dx \\
&= -\frac{2a^2 + b^2}{6x^3} - \frac{4abd \cos(c + dx^2)}{3x} + \frac{b^2 \cos(2c + 2dx^2)}{6x^3} - \frac{2ab \sin(c + dx^2)}{3x^3} - \frac{2b^2 c}{3x^3} \\
&= -\frac{2a^2 + b^2}{6x^3} - \frac{4abd \cos(c + dx^2)}{3x} + \frac{b^2 \cos(2c + 2dx^2)}{6x^3} - \frac{2ab \sin(c + dx^2)}{3x^3} - \frac{2b^2 c}{3x^3} \\
&= -\frac{2a^2 + b^2}{6x^3} - \frac{4abd \cos(c + dx^2)}{3x} + \frac{b^2 \cos(2c + 2dx^2)}{6x^3} + \frac{4}{3} b^2 d^{3/2} \sqrt{\pi} \cos(2c) C \left(\frac{2}{\sqrt{\pi}} \sqrt{d} x \right)
\end{aligned}$$

Mathematica [A] time = 0.68, size = 226, normalized size = 0.95

$$\frac{2a^2 + 8\sqrt{2\pi} abd^{3/2} x^3 \sin(c) C\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + 8\sqrt{2\pi} abd^{3/2} x^3 \cos(c) S\left(\sqrt{d} \sqrt{\frac{2}{\pi}} x\right) + 4ab \sin(c + dx^2) + 8abd x^2 \cos(c)}{x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^2])^2/x^4, x]

[Out] $-1/6*(2*a^2 + b^2 + 8*a*b*d*x^2*\cos[c + d*x^2] - b^2*\cos[2*(c + d*x^2)] - 8*b^2*d^(3/2)*\sqrt{\pi}*x^3*\cos[2*c]*\text{FresnelC}[(2*\sqrt{d}*x)/\sqrt{\pi}] + 8*a*b*d^(3/2)*\sqrt{2*\pi}*x^3*\cos[c]*\text{FresnelS}[\sqrt{d}*\sqrt{2/\pi}*x] + 8*a*b*d^(3/2)*\sqrt{2*\pi}*x^3*\text{FresnelC}[\sqrt{d}*\sqrt{2/\pi}*x]*\sin[c] + 8*b^2*d^(3/2)*\sqrt{\pi}*x^3*\text{FresnelS}[(2*\sqrt{d}*x)/\sqrt{\pi}]*\sin[2*c] + 4*a*b*\sin[c + d*x^2] + 4*b^2*d*x^2*\sin[2*(c + d*x^2)]) / x^3$

fricas [A] time = 0.72, size = 206, normalized size = 0.86

$$\frac{4\sqrt{2}\pi abdx^3\sqrt{\frac{d}{\pi}}\cos(c)S\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right) + 4\sqrt{2}\pi abdx^3\sqrt{\frac{d}{\pi}}C\left(\sqrt{2}x\sqrt{\frac{d}{\pi}}\right)\sin(c) - 4\pi b^2 dx^3\sqrt{\frac{d}{\pi}}\cos(2c)C\left(2x\sqrt{\frac{d}{\pi}}\right)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^4,x, algorithm="fricas")

[Out]
$$-1/3*(4*\sqrt{2}*\pi*a*b*d*x^3*\sqrt{d/\pi}*\cos(c)*\text{fresnel_sin}(\sqrt{2}*x*\sqrt{d/\pi}) + 4*\sqrt{2}*\pi*a*b*d*x^3*\sqrt{d/\pi}*\text{fresnel_cos}(\sqrt{2}*x*\sqrt{d/\pi}) * \sin(c) - 4*\pi*b^2*d*x^3*\sqrt{d/\pi}*\cos(2*c)*\text{fresnel_cos}(2*x*\sqrt{d/\pi}) + 4*\pi*b^2*d*x^3*\sqrt{d/\pi}*\text{fresnel_sin}(2*x*\sqrt{d/\pi})*\sin(2*c) + 4*a*b*d*x^2*\cos(d*x^2 + c) - b^2*\cos(d*x^2 + c)^2 + a^2 + b^2 + 2*(2*b^2*d*x^2*\cos(d*x^2 + c) + a*b)*\sin(d*x^2 + c))/x^3$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^2 + c) + a)^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^4,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)^2/x^4, x)

maple [A] time = 0.06, size = 175, normalized size = 0.73

$$\frac{a^2 + \frac{b^2}{2}}{3x^3} \frac{b^2 \left(-\frac{\cos(2dx^2+2c)}{3x^3} - \frac{4d \left(-\frac{\sin(2dx^2+2c)}{x} + 2\sqrt{d} \sqrt{\pi} \left(\cos(2c) \text{FresnelC}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) - \sin(2c) \text{S}\left(\frac{2x\sqrt{d}}{\sqrt{\pi}}\right) \right) \right)}{3} \right)}{2} + 2ab \left(-\frac{\sin(dx^2 + c)}{3x^3} + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^2+c))^2/x^4,x)

[Out]
$$-1/3*(a^2+1/2*b^2)/x^3-1/2*b^2*(-1/3/x^3*\cos(2*d*x^2+2*c)-4/3*d*(-1/x*\sin(2*d*x^2+2*c)+2*d^(1/2)*\pi^(1/2)*(cos(2*c)*\text{FresnelC}(2*x*d^(1/2)/\pi^(1/2))-\sin(2*c)*\text{FresnelS}(2*x*d^(1/2)/\pi^(1/2))))+2*a*b*(-1/3/x^3*\sin(d*x^2+c)+2/3*d*(-1/x*\cos(d*x^2+c)-d^(1/2)*2^(1/2)*\pi^(1/2)*(cos(c)*\text{FresnelS}(x*d^(1/2)*2^(1/2)/\pi^(1/2))+\sin(c)*\text{FresnelC}(x*d^(1/2)*2^(1/2)/\pi^(1/2))))$$

maxima [C] time = 0.63, size = 175, normalized size = 0.73

$$\frac{\sqrt{dx^2} \left(\left(-(i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, idx^2\right) + (i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -idx^2\right) \right) \cos(c) + \left((i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, idx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -idx^2\right) \right) \sin(c) \right)}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^2+c))^2/x^4,x, algorithm="maxima")

```
[Out] -1/4*sqrt(d*x^2)*((-I + 1)*sqrt(2)*gamma(-3/2, I*d*x^2) + (I - 1)*sqrt(2)*
gamma(-3/2, -I*d*x^2))*cos(c) + ((I - 1)*sqrt(2)*gamma(-3/2, I*d*x^2) - (I
+ 1)*sqrt(2)*gamma(-3/2, -I*d*x^2))*sin(c))*a*b*d/x + 1/24*(sqrt(2)*sqrt(d*
x^2)*(((3*I - 3)*sqrt(2)*gamma(-3/2, 2*I*d*x^2) - (3*I + 3)*sqrt(2)*gamma(-
3/2, -2*I*d*x^2))*cos(2*c) + ((3*I + 3)*sqrt(2)*gamma(-3/2, 2*I*d*x^2) - (3
*I - 3)*sqrt(2)*gamma(-3/2, -2*I*d*x^2))*sin(2*c))*d*x^2 - 4)*b^2/x^3 - 1/3
*a^2/x^3
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \sin(dx^2 + c))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d*x^2))^2/x^4, x)
```

```
[Out] int((a + b*sin(c + d*x^2))^2/x^4, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^2))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(d*x**2+c))**2/x**4, x)
```

```
[Out] Integral((a + b*sin(c + d*x**2))**2/x**4, x)
```

3.23 $\int x^5 \sin^3(a + bx^2) dx$

Optimal. Leaf size=117

$$-\frac{\cos^3(a + bx^2)}{27b^3} + \frac{7 \cos(a + bx^2)}{9b^3} + \frac{x^2 \sin^3(a + bx^2)}{9b^2} + \frac{2x^2 \sin(a + bx^2)}{3b^2} - \frac{x^4 \cos(a + bx^2)}{3b} - \frac{x^4 \sin^2(a + bx^2) \cos(a + bx^2)}{6b}$$

[Out] $7/9*\cos(b*x^2+a)/b^3-1/3*x^4*\cos(b*x^2+a)/b-1/27*\cos(b*x^2+a)^3/b^3+2/3*x^2*\sin(b*x^2+a)/b^2-1/6*x^4*\cos(b*x^2+a)*\sin(b*x^2+a)^2/b+1/9*x^2*\sin(b*x^2+a)^3/b^2$

Rubi [A] time = 0.13, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3379, 3311, 3296, 2638, 2633}

$$\frac{x^2 \sin^3(a + bx^2)}{9b^2} + \frac{2x^2 \sin(a + bx^2)}{3b^2} - \frac{\cos^3(a + bx^2)}{27b^3} + \frac{7 \cos(a + bx^2)}{9b^3} - \frac{x^4 \cos(a + bx^2)}{3b} - \frac{x^4 \sin^2(a + bx^2) \cos(a + bx^2)}{6b}$$

Antiderivative was successfully verified.

[In] Int[x^5*Sin[a + b*x^2]^3,x]

[Out] $(7*\text{Cos}[a + b*x^2])/(9*b^3) - (x^4*\text{Cos}[a + b*x^2])/(3*b) - \text{Cos}[a + b*x^2]^3/(27*b^3) + (2*x^2*\text{Sin}[a + b*x^2])/(3*b^2) - (x^4*\text{Cos}[a + b*x^2]*\text{Sin}[a + b*x^2]^2)/(6*b) + (x^2*\text{Sin}[a + b*x^2]^3)/(9*b^2)$

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3379

```
Int[(x_)^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sine[c + d*x])^p,
x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x^5 \sin^3(a + bx^2) dx &= \frac{1}{2} \text{Subst} \left(\int x^2 \sin^3(a + bx) dx, x, x^2 \right) \\
&= -\frac{x^4 \cos(a + bx^2) \sin^2(a + bx^2)}{6b} + \frac{x^2 \sin^3(a + bx^2)}{9b^2} + \frac{1}{3} \text{Subst} \left(\int x^2 \sin(a + bx) dx, x, x^2 \right) \\
&= -\frac{x^4 \cos(a + bx^2)}{3b} - \frac{x^4 \cos(a + bx^2) \sin^2(a + bx^2)}{6b} + \frac{x^2 \sin^3(a + bx^2)}{9b^2} + \frac{\text{Subst} \left(\int x^2 \sin(a + bx) dx, x, x^2 \right)}{3} \\
&= \frac{\cos(a + bx^2)}{9b^3} - \frac{x^4 \cos(a + bx^2)}{3b} - \frac{\cos^3(a + bx^2)}{27b^3} + \frac{2x^2 \sin(a + bx^2)}{3b^2} - \frac{x^4 \cos(a + bx^2)}{3b} \\
&= \frac{7 \cos(a + bx^2)}{9b^3} - \frac{x^4 \cos(a + bx^2)}{3b} - \frac{\cos^3(a + bx^2)}{27b^3} + \frac{2x^2 \sin(a + bx^2)}{3b^2} - \frac{x^4 \cos(a + bx^2)}{3b}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 75, normalized size = 0.64

$$\frac{-81(b^2x^4 - 2)\cos(a + bx^2) + (9b^2x^4 - 2)\cos(3(a + bx^2)) - 6bx^2(\sin(3(a + bx^2)) - 27\sin(a + bx^2))}{216b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5*Sin[a + b*x^2]^3,x]
```

```
[Out] (-81*(-2 + b^2*x^4)*Cos[a + b*x^2] + (-2 + 9*b^2*x^4)*Cos[3*(a + b*x^2)] -
6*b*x^2*(-27*Sin[a + b*x^2] + Sin[3*(a + b*x^2)]))/(216*b^3)
```

fricas [A] time = 0.60, size = 79, normalized size = 0.68

$$\frac{(9b^2x^4 - 2)\cos(bx^2 + a)^3 - 3(9b^2x^4 - 14)\cos(bx^2 + a) - 6(bx^2\cos(bx^2 + a)^2 - 7bx^2)\sin(bx^2 + a)}{54b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*sin(b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/54*((9*b^2*x^4 - 2)*cos(b*x^2 + a)^3 - 3*(9*b^2*x^4 - 14)*cos(b*x^2 + a) - 6*(b*x^2*cos(b*x^2 + a)^2 - 7*b*x^2)*sin(b*x^2 + a))/b^3

giac [A] time = 0.35, size = 122, normalized size = 1.04

$$\frac{\frac{6x^2\sin(3bx^2+3a)}{b} - \frac{162x^2\sin(bx^2+a)}{b} - \frac{(9(bx^2+a)^2-18(bx^2+a)a+9a^2-2)\cos(3bx^2+3a)}{b^2} + \frac{81((bx^2+a)^2-2(bx^2+a)a+a^2-2)\cos(bx^2+a)}{b^2}}{216b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*sin(b*x^2+a)^3,x, algorithm="giac")

[Out] -1/216*(6*x^2*sin(3*b*x^2 + 3*a)/b - 162*x^2*sin(b*x^2 + a)/b - (9*(b*x^2 + a)^2 - 18*(b*x^2 + a)*a + 9*a^2 - 2)*cos(3*b*x^2 + 3*a)/b^2 + 81*((b*x^2 + a)^2 - 2*(b*x^2 + a)*a + a^2 - 2)*cos(b*x^2 + a)/b^2)/b

maple [A] time = 0.03, size = 113, normalized size = 0.97

$$\frac{3x^4\cos(bx^2+a)}{8b} + \frac{\frac{3x^2\sin(bx^2+a)}{4b} + \frac{3\cos(bx^2+a)}{4b^2}}{b} + \frac{x^4\cos(3bx^2+3a)}{24b} - \frac{\frac{x^2\sin(3bx^2+3a)}{6b} + \frac{\cos(3bx^2+3a)}{18b^2}}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*sin(b*x^2+a)^3,x)

[Out] -3/8*x^4*cos(b*x^2+a)/b+3/2/b*(1/2/b*x^2*sin(b*x^2+a)+1/2/b^2*cos(b*x^2+a))+1/24/b*x^4*cos(3*b*x^2+3*a)-1/6/b*(1/6/b*x^2*sin(3*b*x^2+3*a)+1/18/b^2*cos(3*b*x^2+3*a))

maxima [A] time = 0.35, size = 79, normalized size = 0.68

$$\frac{6bx^2\sin(3bx^2+3a) - 162bx^2\sin(bx^2+a) - (9b^2x^4 - 2)\cos(3bx^2+3a) + 81(b^2x^4 - 2)\cos(bx^2+a)}{216b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*sin(b*x^2+a)^3,x, algorithm="maxima")

[Out] $-1/216*(6*b*x^2*\sin(3*b*x^2 + 3*a) - 162*b*x^2*\sin(b*x^2 + a) - (9*b^2*x^4 - 2)*\cos(3*b*x^2 + 3*a) + 81*(b^2*x^4 - 2)*\cos(b*x^2 + a))/b^3$

mupad [B] time = 4.97, size = 94, normalized size = 0.80

$$\frac{\frac{3 \cos(bx^2+a)}{4} - \frac{\cos(3bx^2+3a)}{108} + b \left(\frac{3x^2 \sin(bx^2+a)}{4} - \frac{x^2 \sin(3bx^2+3a)}{36} \right) + b^2 \left(\frac{x^4 \cos(3bx^2+3a)}{24} - \frac{3x^4 \cos(bx^2+a)}{8} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*sin(a + b*x^2)^3,x)

[Out] $((3*\cos(a + b*x^2))/4 - \cos(3*a + 3*b*x^2)/108 + b*((3*x^2*\sin(a + b*x^2))/4 - (x^2*\sin(3*a + 3*b*x^2))/36) + b^2*((x^4*\cos(3*a + 3*b*x^2))/24 - (3*x^4*\cos(a + b*x^2))/8))/b^3$

sympy [A] time = 10.33, size = 143, normalized size = 1.22

$$\left\{ \begin{array}{l} -\frac{x^4 \sin^2(a+bx^2) \cos(a+bx^2)}{2b} - \frac{x^4 \cos^3(a+bx^2)}{3b} + \frac{7x^2 \sin^3(a+bx^2)}{9b^2} + \frac{2x^2 \sin(a+bx^2) \cos^2(a+bx^2)}{3b^2} + \frac{7 \sin^2(a+bx^2) \cos(a+bx^2)}{9b^3} + \frac{20 \cos^3(a+bx^2)}{27b^3} \\ \frac{x^6 \sin^3(a)}{6} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*sin(b*x**2+a)**3,x)

[Out] Piecewise((-x**4*sin(a + b*x**2)**2*cos(a + b*x**2)/(2*b) - x**4*cos(a + b*x**2)**3/(3*b) + 7*x**2*sin(a + b*x**2)**3/(9*b**2) + 2*x**2*sin(a + b*x**2)*cos(a + b*x**2)**2/(3*b**2) + 7*sin(a + b*x**2)**2*cos(a + b*x**2)/(9*b**3) + 20*cos(a + b*x**2)**3/(27*b**3), Ne(b, 0)), (x**6*sin(a)**3/6, True))

3.24 $\int x^3 \sin^3(a + bx^2) dx$

Optimal. Leaf size=79

$$\frac{\sin^3(a + bx^2)}{18b^2} + \frac{\sin(a + bx^2)}{3b^2} - \frac{x^2 \cos(a + bx^2)}{3b} - \frac{x^2 \sin^2(a + bx^2) \cos(a + bx^2)}{6b}$$

[Out] $-1/3*x^2*\cos(b*x^2+a)/b+1/3*\sin(b*x^2+a)/b^2-1/6*x^2*\cos(b*x^2+a)*\sin(b*x^2+a)^2/b+1/18*\sin(b*x^2+a)^3/b^2$

Rubi [A] time = 0.07, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3379, 3310, 3296, 2637}

$$\frac{\sin^3(a + bx^2)}{18b^2} + \frac{\sin(a + bx^2)}{3b^2} - \frac{x^2 \cos(a + bx^2)}{3b} - \frac{x^2 \sin^2(a + bx^2) \cos(a + bx^2)}{6b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{Sin}[a + b*x^2]^3, x]$

[Out] $-(x^2*\text{Cos}[a + b*x^2])/(3*b) + \text{Sin}[a + b*x^2]/(3*b^2) - (x^2*\text{Cos}[a + b*x^2]*\text{Sin}[a + b*x^2]^2)/(6*b) + \text{Sin}[a + b*x^2]^3/(18*b^2)$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
 $\text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$
 $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3310

$\text{Int}[(c_. + (d_.)*(x_.))*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow$
 $\text{Simp}[(d*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[(b*(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n-1)})/(f*n), x]) /;$
 $\text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1]$
 $]$

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int x^3 \sin^3(a + bx^2) dx &= \frac{1}{2} \text{Subst} \left(\int x \sin^3(a + bx) dx, x, x^2 \right) \\
 &= -\frac{x^2 \cos(a + bx^2) \sin^2(a + bx^2)}{6b} + \frac{\sin^3(a + bx^2)}{18b^2} + \frac{1}{3} \text{Subst} \left(\int x \sin(a + bx) dx, x, x^2 \right) \\
 &= -\frac{x^2 \cos(a + bx^2)}{3b} - \frac{x^2 \cos(a + bx^2) \sin^2(a + bx^2)}{6b} + \frac{\sin^3(a + bx^2)}{18b^2} + \frac{\text{Subst} \left(\int \cos(a + bx) dx, x, x^2 \right)}{3} \\
 &= -\frac{x^2 \cos(a + bx^2)}{3b} + \frac{\sin(a + bx^2)}{3b^2} - \frac{x^2 \cos(a + bx^2) \sin^2(a + bx^2)}{6b} + \frac{\sin^3(a + bx^2)}{18b^2}
 \end{aligned}$$

Mathematica [A] time = 0.17, size = 58, normalized size = 0.73

$$\frac{-27 \sin(a + bx^2) + \sin(3(a + bx^2)) + 27bx^2 \cos(a + bx^2) - 3bx^2 \cos(3(a + bx^2))}{72b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sin[a + b*x^2]^3,x]

[Out] -1/72*(27*b*x^2*Cos[a + b*x^2] - 3*b*x^2*Cos[3*(a + b*x^2)] - 27*Sin[a + b*x^2] + Sin[3*(a + b*x^2)])/b^2

fricas [A] time = 0.61, size = 58, normalized size = 0.73

$$\frac{3bx^2 \cos(bx^2 + a)^3 - 9bx^2 \cos(bx^2 + a) - (\cos(bx^2 + a)^2 - 7) \sin(bx^2 + a)}{18b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/18*(3*b*x^2*cos(b*x^2 + a)^3 - 9*b*x^2*cos(b*x^2 + a) - (cos(b*x^2 + a)^2 - 7)*sin(b*x^2 + a))/b^2

giac [A] time = 0.51, size = 60, normalized size = 0.76

$$\frac{3bx^2 \cos(3bx^2 + 3a) - 27bx^2 \cos(bx^2 + a) - \sin(3bx^2 + 3a) + 27 \sin(bx^2 + a)}{72b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(b*x^2+a)^3,x, algorithm="giac")

[Out] 1/72*(3*b*x^2*cos(3*b*x^2 + 3*a) - 27*b*x^2*cos(b*x^2 + a) - sin(3*b*x^2 + 3*a) + 27*sin(b*x^2 + a))/b^2

maple [A] time = 0.02, size = 66, normalized size = 0.84

$$-\frac{3x^2 \cos(bx^2 + a)}{8b} + \frac{3 \sin(bx^2 + a)}{8b^2} + \frac{x^2 \cos(3bx^2 + 3a)}{24b} - \frac{\sin(3bx^2 + 3a)}{72b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(b*x^2+a)^3,x)

[Out] -3/8*x^2*cos(b*x^2+a)/b+3/8*sin(b*x^2+a)/b^2+1/24/b*x^2*cos(3*b*x^2+3*a)-1/72/b^2*sin(3*b*x^2+3*a)

maxima [A] time = 0.34, size = 60, normalized size = 0.76

$$\frac{3bx^2 \cos(3bx^2 + 3a) - 27bx^2 \cos(bx^2 + a) - \sin(3bx^2 + 3a) + 27 \sin(bx^2 + a)}{72b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(b*x^2+a)^3,x, algorithm="maxima")

[Out] 1/72*(3*b*x^2*cos(3*b*x^2 + 3*a) - 27*b*x^2*cos(b*x^2 + a) - sin(3*b*x^2 + 3*a) + 27*sin(b*x^2 + a))/b^2

mupad [B] time = 4.75, size = 66, normalized size = 0.84

$$\frac{\frac{7 \sin(bx^2+a)}{18} - \frac{\cos(bx^2+a)^2 \sin(bx^2+a)}{18} + b \left(\frac{x^2 \cos(bx^2+a)^3}{6} - \frac{x^2 \cos(bx^2+a)}{2} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(a + b*x^2)^3,x)

[Out] $((7*\sin(a + b*x^2))/18 - (\cos(a + b*x^2)^2*\sin(a + b*x^2))/18 + b*((x^2*\cos(a + b*x^2)^3)/6 - (x^2*\cos(a + b*x^2))/2))/b^2$

sympy [A] time = 3.53, size = 92, normalized size = 1.16

$$\begin{cases} -\frac{x^2 \sin^2(a+bx^2) \cos(a+bx^2)}{2b} - \frac{x^2 \cos^3(a+bx^2)}{3b} + \frac{7 \sin^3(a+bx^2)}{18b^2} + \frac{\sin(a+bx^2) \cos^2(a+bx^2)}{3b^2} & \text{for } b \neq 0 \\ \frac{x^4 \sin^3(a)}{4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*sin(b*x**2+a)**3,x)`

[Out] `Piecewise((-x**2*sin(a + b*x**2)**2*cos(a + b*x**2)/(2*b) - x**2*cos(a + b*x**2)**3/(3*b) + 7*sin(a + b*x**2)**3/(18*b**2) + sin(a + b*x**2)*cos(a + b*x**2)**2/(3*b**2), Ne(b, 0)), (x**4*sin(a)**3/4, True))`

3.25 $\int x \sin^3(a + bx^2) dx$

Optimal. Leaf size=33

$$\frac{\cos^3(a + bx^2)}{6b} - \frac{\cos(a + bx^2)}{2b}$$

[Out] $-1/2*\cos(b*x^2+a)/b+1/6*\cos(b*x^2+a)^3/b$

Rubi [A] time = 0.03, antiderivative size = 33, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3379, 2633}

$$\frac{\cos^3(a + bx^2)}{6b} - \frac{\cos(a + bx^2)}{2b}$$

Antiderivative was successfully verified.

[In] Int[x*Sin[a + b*x^2]^3,x]

[Out] -Cos[a + b*x^2]/(2*b) + Cos[a + b*x^2]^3/(6*b)

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int x \sin^3(a + bx^2) dx &= \frac{1}{2} \text{Subst} \left(\int \sin^3(a + bx) dx, x, x^2 \right) \\ &= -\frac{\text{Subst} \left(\int (1 - x^2) dx, x, \cos(a + bx^2) \right)}{2b} \\ &= -\frac{\cos(a + bx^2)}{2b} + \frac{\cos^3(a + bx^2)}{6b} \end{aligned}$$

Mathematica [A] time = 0.03, size = 33, normalized size = 1.00

$$\frac{\cos(3(a + bx^2))}{24b} - \frac{3 \cos(a + bx^2)}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sin[a + b*x^2]^3,x]

[Out] (-3*Cos[a + b*x^2])/(8*b) + Cos[3*(a + b*x^2)]/(24*b)

fricas [A] time = 0.68, size = 26, normalized size = 0.79

$$\frac{\cos(bx^2 + a)^3 - 3 \cos(bx^2 + a)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^3,x, algorithm="fricas")

[Out] 1/6*(cos(b*x^2 + a)^3 - 3*cos(b*x^2 + a))/b

giac [A] time = 0.45, size = 26, normalized size = 0.79

$$\frac{\cos(bx^2 + a)^3 - 3 \cos(bx^2 + a)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^3,x, algorithm="giac")

[Out] 1/6*(cos(b*x^2 + a)^3 - 3*cos(b*x^2 + a))/b

maple [A] time = 0.08, size = 26, normalized size = 0.79

$$-\frac{(2 + \sin^2(bx^2 + a)) \cos(bx^2 + a)}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(b*x^2+a)^3,x)

[Out] -1/6/b*(2+sin(b*x^2+a)^2)*cos(b*x^2+a)

maxima [A] time = 0.32, size = 27, normalized size = 0.82

$$\frac{\cos(3bx^2 + 3a) - 9 \cos(bx^2 + a)}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^3,x, algorithm="maxima")

[Out] 1/24*(cos(3*b*x^2 + 3*a) - 9*cos(b*x^2 + a))/b

mupad [B] time = 4.67, size = 28, normalized size = 0.85

$$\frac{3 \cos(bx^2 + a) - \cos(bx^2 + a)^3}{6b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(a + b*x^2)^3,x)

[Out] -(3*cos(a + b*x^2) - cos(a + b*x^2)^3)/(6*b)

sympy [A] time = 0.94, size = 46, normalized size = 1.39

$$\begin{cases} -\frac{\sin^2(a+bx^2)\cos(a+bx^2)}{2b} - \frac{\cos^3(a+bx^2)}{3b} & \text{for } b \neq 0 \\ \frac{x^2 \sin^3(a)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x**2+a)**3,x)

[Out] Piecewise((-sin(a + b*x**2)**2*cos(a + b*x**2)/(2*b) - cos(a + b*x**2)**3/(3*b), Ne(b, 0)), (x**2*sin(a)**3/2, True))

$$3.26 \quad \int \frac{\sin^3(a+bx^2)}{x} dx$$

Optimal. Leaf size=55

$$\frac{3}{8} \sin(a) \text{Ci}(bx^2) - \frac{1}{8} \sin(3a) \text{Ci}(3bx^2) + \frac{3}{8} \cos(a) \text{Si}(bx^2) - \frac{1}{8} \cos(3a) \text{Si}(3bx^2)$$

[Out] $3/8*\cos(a)*\text{Si}(b*x^2)-1/8*\cos(3*a)*\text{Si}(3*b*x^2)+3/8*\text{Ci}(b*x^2)*\sin(a)-1/8*\text{Ci}(3*b*x^2)*\sin(3*a)$

Rubi [A] time = 0.10, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3403, 3377, 3376, 3375}

$$\frac{3}{8} \sin(a) \text{CosIntegral}(bx^2) - \frac{1}{8} \sin(3a) \text{CosIntegral}(3bx^2) + \frac{3}{8} \cos(a) \text{Si}(bx^2) - \frac{1}{8} \cos(3a) \text{Si}(3bx^2)$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^2]^3/x, x]

[Out] $(3*\text{CosIntegral}[b*x^2]*\text{Sin}[a])/8 - (\text{CosIntegral}[3*b*x^2]*\text{Sin}[3*a])/8 + (3*\text{Cos}[a]*\text{SinIntegral}[b*x^2])/8 - (\text{Cos}[3*a]*\text{SinIntegral}[3*b*x^2])/8$

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3377

Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3403

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] / ; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a + bx^2)}{x} dx &= \int \left(\frac{3 \sin(a + bx^2)}{4x} - \frac{\sin(3a + 3bx^2)}{4x} \right) dx \\
&= -\left(\frac{1}{4} \int \frac{\sin(3a + 3bx^2)}{x} dx \right) + \frac{3}{4} \int \frac{\sin(a + bx^2)}{x} dx \\
&= \frac{1}{4} (3 \cos(a)) \int \frac{\sin(bx^2)}{x} dx - \frac{1}{4} \cos(3a) \int \frac{\sin(3bx^2)}{x} dx + \frac{1}{4} (3 \sin(a)) \int \frac{\cos(bx^2)}{x} dx - \\
&= \frac{3}{8} \text{Ci}(bx^2) \sin(a) - \frac{1}{8} \text{Ci}(3bx^2) \sin(3a) + \frac{3}{8} \cos(a) \text{Si}(bx^2) - \frac{1}{8} \cos(3a) \text{Si}(3bx^2)
\end{aligned}$$

Mathematica [A] time = 0.07, size = 51, normalized size = 0.93

$$\frac{1}{8} (3 \sin(a) \text{Ci}(bx^2) - \sin(3a) \text{Ci}(3bx^2) + 3 \cos(a) \text{Si}(bx^2) - \cos(3a) \text{Si}(3bx^2))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^2]^3/x,x]

[Out] (3*CosIntegral[b*x^2]*Sin[a] - CosIntegral[3*b*x^2]*Sin[3*a] + 3*Cos[a]*SinIntegral[b*x^2] - Cos[3*a]*SinIntegral[3*b*x^2])/8

fricas [A] time = 0.68, size = 63, normalized size = 1.15

$$-\frac{1}{16} (\text{Ci}(3bx^2) + \text{Ci}(-3bx^2)) \sin(3a) + \frac{3}{16} (\text{Ci}(bx^2) + \text{Ci}(-bx^2)) \sin(a) - \frac{1}{8} \cos(3a) \text{Si}(3bx^2) + \frac{3}{8} \cos(a) \text{Si}(bx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x,x, algorithm="fricas")

[Out] -1/16*(cos_integral(3*b*x^2) + cos_integral(-3*b*x^2))*sin(3*a) + 3/16*(cos_integral(b*x^2) + cos_integral(-b*x^2))*sin(a) - 1/8*cos(3*a)*sin_integral(3*b*x^2) + 3/8*cos(a)*sin_integral(b*x^2)

giac [A] time = 0.37, size = 47, normalized size = 0.85

$$-\frac{1}{8} \text{Ci}(3bx^2) \sin(3a) + \frac{3}{8} \text{Ci}(bx^2) \sin(a) + \frac{3}{8} \cos(a) \text{Si}(bx^2) + \frac{1}{8} \cos(3a) \text{Si}(-3bx^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x,x, algorithm="giac")

[Out] $-1/8*\cos_integral(3*b*x^2)*\sin(3*a) + 3/8*\cos_integral(b*x^2)*\sin(a) + 3/8*\cos(a)*\sin_integral(b*x^2) + 1/8*\cos(3*a)*\sin_integral(-3*b*x^2)$

maple [C] time = 0.42, size = 125, normalized size = 2.27

$$\frac{ie^{3ia} \operatorname{Ei}(1, -3ibx^2)}{16} + \frac{e^{-3ia} \operatorname{csgn}(bx^2) \pi}{16} - \frac{e^{-3ia} \operatorname{Si}(3bx^2)}{8} + \frac{i \operatorname{Ei}(1, -3ibx^2) e^{-3ia}}{16} - \frac{3 \operatorname{csgn}(bx^2) e^{-ia} \pi}{16} + \frac{3e^{-ia} \operatorname{Si}(bx^2)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x^2+a)^3/x,x)

[Out] $-1/16*I*\exp(3*I*a)*\operatorname{Ei}(1, -3*I*b*x^2) + 1/16*\exp(-3*I*a)*\operatorname{csgn}(b*x^2)*\pi - 1/8*\exp(-3*I*a)*\operatorname{Si}(3*b*x^2) + 1/16*I*\operatorname{Ei}(1, -3*I*b*x^2)*\exp(-3*I*a) - 3/16*\operatorname{csgn}(b*x^2)*\exp(-I*a)*\pi + 3/8*\exp(-I*a)*\operatorname{Si}(b*x^2) - 3/16*I*\exp(-I*a)*\operatorname{Ei}(1, -I*b*x^2) + 3/16*I*\exp(I*a)*\operatorname{Ei}(1, -I*b*x^2)$

maxima [C] time = 0.47, size = 89, normalized size = 1.62

$$\frac{1}{16} (i \operatorname{Ei}(3ibx^2) - i \operatorname{Ei}(-3ibx^2)) \cos(3a) + \frac{1}{16} (-3i \operatorname{Ei}(ibx^2) + 3i \operatorname{Ei}(-ibx^2)) \cos(a) - \frac{1}{16} (\operatorname{Ei}(3ibx^2) + \operatorname{Ei}(-3ibx^2)) \sin(3a) + \frac{1}{16} (\operatorname{Ei}(ibx^2) + \operatorname{Ei}(-ibx^2)) \sin(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x,x, algorithm="maxima")

[Out] $1/16*(I*\operatorname{Ei}(3*I*b*x^2) - I*\operatorname{Ei}(-3*I*b*x^2))*\cos(3*a) + 1/16*(-3*I*\operatorname{Ei}(I*b*x^2) + 3*I*\operatorname{Ei}(-I*b*x^2))*\cos(a) - 1/16*(\operatorname{Ei}(3*I*b*x^2) + \operatorname{Ei}(-3*I*b*x^2))*\sin(3*a) + 3/16*(\operatorname{Ei}(I*b*x^2) + \operatorname{Ei}(-I*b*x^2))*\sin(a)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(bx^2 + a)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^2)^3/x,x)

[Out] int(sin(a + b*x^2)^3/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^3(a + bx^2)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(b*x**2+a)**3/x,x)
```

```
[Out] Integral(sin(a + b*x**2)**3/x, x)
```

$$3.27 \quad \int \frac{\sin^3(a+bx^2)}{x^3} dx$$

Optimal. Leaf size=91

$$\frac{3}{8}b \cos(a) \text{Ci}(bx^2) - \frac{3}{8}b \cos(3a) \text{Ci}(3bx^2) - \frac{3}{8}b \sin(a) \text{Si}(bx^2) + \frac{3}{8}b \sin(3a) \text{Si}(3bx^2) - \frac{3 \sin(a+bx^2)}{8x^2} + \frac{\sin(3(a+bx^2))}{8x^2}$$

[Out] 3/8*b*Ci(b*x^2)*cos(a)-3/8*b*Ci(3*b*x^2)*cos(3*a)-3/8*b*Si(b*x^2)*sin(a)+3/8*b*Si(3*b*x^2)*sin(3*a)-3/8*sin(b*x^2+a)/x^2+1/8*sin(3*b*x^2+3*a)/x^2

Rubi [A] time = 0.22, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {3403, 3379, 3297, 3303, 3299, 3302}

$$\frac{3}{8}b \cos(a) \text{CosIntegral}(bx^2) - \frac{3}{8}b \cos(3a) \text{CosIntegral}(3bx^2) - \frac{3}{8}b \sin(a) \text{Si}(bx^2) + \frac{3}{8}b \sin(3a) \text{Si}(3bx^2) - \frac{3 \sin(a+bx^2)}{8x^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^2]^3/x^3, x]

[Out] (3*b*Cos[a]*CosIntegral[b*x^2])/8 - (3*b*Cos[3*a]*CosIntegral[3*b*x^2])/8 - (3*Sin[a + b*x^2])/(8*x^2) + Sin[3*(a + b*x^2)]/(8*x^2) - (3*b*Sin[a]*SinIntegral[b*x^2])/8 + (3*b*Sin[3*a]*SinIntegral[3*b*x^2])/8

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin^3(a + bx^2)}{x^3} dx &= \int \left(\frac{3 \sin(a + bx^2)}{4x^3} - \frac{\sin(3a + 3bx^2)}{4x^3} \right) dx \\
&= -\left(\frac{1}{4} \int \frac{\sin(3a + 3bx^2)}{x^3} dx \right) + \frac{3}{4} \int \frac{\sin(a + bx^2)}{x^3} dx \\
&= -\left(\frac{1}{8} \text{Subst} \left(\int \frac{\sin(3a + 3bx)}{x^2} dx, x, x^2 \right) \right) + \frac{3}{8} \text{Subst} \left(\int \frac{\sin(a + bx)}{x^2} dx, x, x^2 \right) \\
&= -\frac{3 \sin(a + bx^2)}{8x^2} + \frac{\sin(3(a + bx^2))}{8x^2} + \frac{1}{8}(3b) \text{Subst} \left(\int \frac{\cos(a + bx)}{x} dx, x, x^2 \right) - \frac{1}{8}(3b) \text{Subst} \left(\int \frac{\cos(3a + 3bx)}{x} dx, x, x^2 \right) \\
&= -\frac{3 \sin(a + bx^2)}{8x^2} + \frac{\sin(3(a + bx^2))}{8x^2} + \frac{1}{8}(3b \cos(a)) \text{Subst} \left(\int \frac{\cos(bx)}{x} dx, x, x^2 \right) - \frac{1}{8}(3b \cos(3a)) \text{Subst} \left(\int \frac{\cos(3bx)}{x} dx, x, x^2 \right) \\
&= \frac{3}{8}b \cos(a) \text{Ci}(bx^2) - \frac{3}{8}b \cos(3a) \text{Ci}(3bx^2) - \frac{3 \sin(a + bx^2)}{8x^2} + \frac{\sin(3(a + bx^2))}{8x^2} - \frac{3}{8}b \sin(a) \text{Si}(bx^2) + \frac{3}{8}b \sin(3a) \text{Si}(3bx^2)
\end{aligned}$$

Mathematica [A] time = 0.14, size = 90, normalized size = 0.99

$$\frac{3bx^2 \cos(a) \text{Ci}(bx^2) - 3bx^2 \cos(3a) \text{Ci}(3bx^2) - 3bx^2 \sin(a) \text{Si}(bx^2) + 3bx^2 \sin(3a) \text{Si}(3bx^2) - 3 \sin(a + bx^2) + 3 \sin(3a + 3bx^2)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^2]^3/x^3,x]

[Out] (3*b*x^2*Cos[a]*CosIntegral[b*x^2] - 3*b*x^2*Cos[3*a]*CosIntegral[3*b*x^2] - 3*Sin[a + b*x^2] + Sin[3*(a + b*x^2)] - 3*b*x^2*Sin[a]*SinIntegral[b*x^2] + 3*b*x^2*Sin[3*a]*SinIntegral[3*b*x^2])/(8*x^2)

fricas [A] time = 0.79, size = 118, normalized size = 1.30

$$\frac{6bx^2 \sin(3a) \operatorname{Si}(3bx^2) - 6bx^2 \sin(a) \operatorname{Si}(bx^2) - 3(bx^2 \operatorname{Ci}(3bx^2) + bx^2 \operatorname{Ci}(-3bx^2)) \cos(3a) + 3(bx^2 \operatorname{Ci}(bx^2) + bx^2 \operatorname{Ci}(-bx^2)) \cos(a)}{16x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^3,x, algorithm="fricas")

[Out] 1/16*(6*b*x^2*sin(3*a)*sin_integral(3*b*x^2) - 6*b*x^2*sin(a)*sin_integral(b*x^2) - 3*(b*x^2*cos_integral(3*b*x^2) + b*x^2*cos_integral(-3*b*x^2))*cos(3*a) + 3*(b*x^2*cos_integral(b*x^2) + b*x^2*cos_integral(-b*x^2))*cos(a) + 8*(cos(b*x^2 + a)^2 - 1)*sin(b*x^2 + a))/x^2

giac [B] time = 0.47, size = 186, normalized size = 2.04

$$\frac{3(bx^2 + a)b^2 \cos(3a) \operatorname{Ci}(3bx^2) - 3ab^2 \cos(3a) \operatorname{Ci}(bx^2) - 3(bx^2 + a)b^2 \cos(a) \operatorname{Ci}(bx^2) + 3ab^2 \cos(a) \operatorname{Ci}(bx^2)}{16x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^3,x, algorithm="giac")

[Out] -1/8*(3*(b*x^2 + a)*b^2*cos(3*a)*cos_integral(3*b*x^2) - 3*a*b^2*cos(3*a)*cos_integral(3*b*x^2) - 3*(b*x^2 + a)*b^2*cos(a)*cos_integral(b*x^2) + 3*a*b^2*cos(a)*cos_integral(b*x^2) + 3*(b*x^2 + a)*b^2*sin(a)*sin_integral(b*x^2) - 3*a*b^2*sin(a)*sin_integral(b*x^2) + 3*(b*x^2 + a)*b^2*sin(3*a)*sin_integral(-3*b*x^2) - 3*a*b^2*sin(3*a)*sin_integral(-3*b*x^2) - b^2*sin(3*b*x^2 + 3*a) + 3*b^2*sin(b*x^2 + a))/(b^2*x^2)

maple [C] time = 0.54, size = 162, normalized size = 1.78

$$\frac{3i\pi e^{-3ia} \operatorname{csgn}(bx^2) b}{16} + \frac{3ie^{-3ia} \operatorname{Si}(3bx^2) b}{8} + \frac{3e^{-3ia} \operatorname{Ei}(1, -3ibx^2) b}{16} + \frac{3e^{3ia} b \operatorname{Ei}(1, -3ibx^2)}{16} - \frac{3e^{ia} b \operatorname{Ei}(1, -ibx^2)}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x^2+a)^3/x^3,x)

[Out] $-3/16*I*Pi*exp(-3*I*a)*csgn(b*x^2)*b+3/8*I*exp(-3*I*a)*Si(3*b*x^2)*b+3/16*exp(-3*I*a)*Ei(1,-3*I*b*x^2)*b+3/16*exp(3*I*a)*b*Ei(1,-3*I*b*x^2)-3/16*exp(I*a)*b*Ei(1,-I*b*x^2)+3/16*I*Pi*csgn(b*x^2)*exp(-I*a)*b-3/8*I*exp(-I*a)*Si(b*x^2)*b-3/16*Ei(1,-I*b*x^2)*exp(-I*a)*b-3/8*\sin(b*x^2+a)/x^2+1/8*\sin(3*b*x^2+3*a)/x^2$

maxima [C] time = 0.60, size = 100, normalized size = 1.10

$$-\frac{1}{16} \left(3 \left(\Gamma(-1, 3i b x^2) + \Gamma(-1, -3i b x^2) \right) \cos(3a) - 3 \left(\Gamma(-1, i b x^2) + \Gamma(-1, -i b x^2) \right) \cos(a) - \left(3i \Gamma(-1, 3i b x^2) - 3i \Gamma(-1, -3i b x^2) \right) \sin(3a) + \left(3i \Gamma(-1, i b x^2) - 3i \Gamma(-1, -i b x^2) \right) \sin(a) \right) b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^3,x, algorithm="maxima")

[Out] $-1/16*(3*(\gamma(-1, 3*I*b*x^2) + \gamma(-1, -3*I*b*x^2))*\cos(3*a) - 3*(\gamma(-1, I*b*x^2) + \gamma(-1, -I*b*x^2))*\cos(a) - (3*I*\gamma(-1, 3*I*b*x^2) - 3*I*\gamma(-1, -3*I*b*x^2))*\sin(3*a) - (-3*I*\gamma(-1, I*b*x^2) + 3*I*\gamma(-1, -I*b*x^2))*\sin(a))*b$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(bx^2 + a)^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^2)^3/x^3,x)

[Out] int(sin(a + b*x^2)^3/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^3(a + bx^2)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x**2+a)**3/x**3,x)

[Out] Integral(sin(a + b*x**2)**3/x**3, x)

3.28 $\int x^2 \sin^3(a + bx^2) dx$

Optimal. Leaf size=188

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{8b^{3/2}} - \frac{\sqrt{\frac{\pi}{6}} \cos(3a)C\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{24b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{8b^{3/2}} + \frac{\sqrt{\frac{\pi}{6}} \sin(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{24b^{3/2}} - 3x$$

[Out] $-3/8*x*\cos(b*x^2+a)/b+1/24*x*\cos(3*b*x^2+3*a)/b-1/144*\cos(3*a)*\text{FresnelC}(x*b^{1/2}*6^{1/2}/\text{Pi}^{1/2})*6^{1/2}*\text{Pi}^{1/2}/b^{3/2}+1/144*\text{FresnelS}(x*b^{1/2}*6^{1/2}/\text{Pi}^{1/2})*\sin(3*a)*6^{1/2}*\text{Pi}^{1/2}/b^{3/2}+3/16*\cos(a)*\text{FresnelC}(x*b^{1/2}*2^{1/2}/\text{Pi}^{1/2})*2^{1/2}*\text{Pi}^{1/2}/b^{3/2}-3/16*\text{FresnelS}(x*b^{1/2}*2^{1/2}/\text{Pi}^{1/2})*\sin(a)*2^{1/2}*\text{Pi}^{1/2}/b^{3/2}$

Rubi [A] time = 0.22, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3403, 3385, 3354, 3352, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{b}x\right)}{8b^{3/2}} - \frac{\sqrt{\frac{\pi}{6}} \cos(3a)\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{b}x\right)}{24b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{8b^{3/2}} + \frac{\sqrt{\frac{\pi}{6}} \sin(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{24b^{3/2}} - 3x$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sin}[a + b*x^2]^3, x]$

[Out] $(-3*x*\text{Cos}[a + b*x^2])/(8*b) + (x*\text{Cos}[3*a + 3*b*x^2])/(24*b) + (3*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x])/(8*b^{3/2}) - (\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x])/(24*b^{3/2}) - (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[a])/(8*b^{3/2}) + (\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x]*\text{Sin}[3*a])/(24*b^{3/2})$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3354

$\text{Int}[\text{Cos}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[c], \text{Int}[\text{Cos}[d*(e + f*x)^2], x], x] - \text{Dist}[\text{Sin}[c], \text{Int}[\text{Sin}[d*(e + f*x)^2], x], x] /$

; FreeQ[{c, d, e, f}, x]

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> -Simp[(e^(
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int x^2 \sin^3(a + bx^2) dx &= \int \left(\frac{3}{4}x^2 \sin(a + bx^2) - \frac{1}{4}x^2 \sin(3a + 3bx^2) \right) dx \\
 &= -\left(\frac{1}{4} \int x^2 \sin(3a + 3bx^2) dx \right) + \frac{3}{4} \int x^2 \sin(a + bx^2) dx \\
 &= -\frac{3x \cos(a + bx^2)}{8b} + \frac{x \cos(3a + 3bx^2)}{24b} - \frac{\int \cos(3a + 3bx^2) dx}{24b} + \frac{3 \int \cos(a + bx^2) dx}{8b} \\
 &= -\frac{3x \cos(a + bx^2)}{8b} + \frac{x \cos(3a + 3bx^2)}{24b} + \frac{(3 \cos(a)) \int \cos(bx^2) dx}{8b} - \frac{\cos(3a) \int \cos(3bx^2) dx}{24b} \\
 &= -\frac{3x \cos(a + bx^2)}{8b} + \frac{x \cos(3a + 3bx^2)}{24b} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right)}{8b^{3/2}} - \frac{\sqrt{\frac{\pi}{6}} \cos(3a) C\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right)}{24b^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.44, size = 159, normalized size = 0.85

$$\frac{27\sqrt{2\pi} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) - \sqrt{6\pi} \cos(3a) C\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right) - 27\sqrt{2\pi} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) + \sqrt{6\pi} \sin(3a) S\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right)}{144b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sin[a + b*x^2]^3,x]

[Out] (-54*Sqrt[b]*x*Cos[a + b*x^2] + 6*Sqrt[b]*x*Cos[3*(a + b*x^2)] + 27*Sqrt[2*Pi]*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*x] - Sqrt[6*Pi]*Cos[3*a]*FresnelC[Sq

$\text{rt}[b] \cdot \sqrt{6/\pi} \cdot x] - 27 \cdot \sqrt{2\pi} \cdot \text{FresnelS}[\sqrt{b} \cdot \sqrt{2/\pi} \cdot x] \cdot \sin[a] + \sqrt{6\pi} \cdot \text{FresnelS}[\sqrt{b} \cdot \sqrt{6/\pi} \cdot x] \cdot \sin[3a]) / (144 \cdot b^{3/2})$

fricas [A] time = 0.69, size = 147, normalized size = 0.78

$$\frac{24bx \cos(bx^2 + a)^3 - \sqrt{6}\pi\sqrt{\frac{b}{\pi}} \cos(3a)C\left(\sqrt{6}x\sqrt{\frac{b}{\pi}}\right) + 27\sqrt{2}\pi\sqrt{\frac{b}{\pi}} \cos(a)C\left(\sqrt{2}x\sqrt{\frac{b}{\pi}}\right) + \sqrt{6}\pi\sqrt{\frac{b}{\pi}} S\left(\sqrt{6}x\sqrt{\frac{b}{\pi}}\right)}{144b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(b*x^2+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{144} \cdot (24 \cdot b \cdot x \cdot \cos(b \cdot x^2 + a)^3 - \sqrt{6} \cdot \pi \cdot \sqrt{b/\pi} \cdot \cos(3a) \cdot \text{fresnel_cos}(\sqrt{6} \cdot x \cdot \sqrt{b/\pi}) + 27 \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/\pi} \cdot \cos(a) \cdot \text{fresnel_cos}(\sqrt{2} \cdot x \cdot \sqrt{b/\pi}) + \sqrt{6} \cdot \pi \cdot \sqrt{b/\pi} \cdot \text{fresnel_sin}(\sqrt{6} \cdot x \cdot \sqrt{b/\pi}) \cdot \sin(3a) - 27 \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/\pi} \cdot \text{fresnel_sin}(\sqrt{2} \cdot x \cdot \sqrt{b/\pi}) \cdot \sin(a) - 72 \cdot b \cdot x \cdot \cos(b \cdot x^2 + a)) / b^2$

giac [C] time = 1.17, size = 259, normalized size = 1.38

$$\frac{x e^{3i b x^2 + 3i a}}{48 b} - \frac{3 x e^{i b x^2 + i a}}{16 b} - \frac{3 x e^{-i b x^2 - i a}}{16 b} + \frac{x e^{-3i b x^2 - 3i a}}{48 b} + \frac{\sqrt{6} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b} x \left(-\frac{i b}{|b|} + 1\right)\right) e^{3i a}}{288 b^{\frac{3}{2}} \left(-\frac{i b}{|b|} + 1\right)} - \frac{3 \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b} x \left(-\frac{i b}{|b|} + 1\right)\right) e^{i a}}{288 b^{\frac{3}{2}} \left(-\frac{i b}{|b|} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(b*x^2+a)^3,x, algorithm="giac")

[Out] $\frac{1}{48} x \cdot e^{(3 \cdot I \cdot b \cdot x^2 + 3 \cdot I \cdot a)/b} - \frac{3}{16} x \cdot e^{(I \cdot b \cdot x^2 + I \cdot a)/b} - \frac{3}{16} x \cdot e^{(-I \cdot b \cdot x^2 - I \cdot a)/b} + \frac{1}{48} x \cdot e^{(-3 \cdot I \cdot b \cdot x^2 - 3 \cdot I \cdot a)/b} + \frac{1}{288} \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b} x \left(-\frac{i b}{|b|} + 1\right)\right) e^{3 \cdot I \cdot a} / (b^{3/2} \cdot (-I \cdot b / |b| + 1)) - \frac{3}{32} \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b} x \left(-\frac{i b}{|b|} + 1\right)\right) e^{i \cdot a} / (b \cdot (-I \cdot b / |b| + 1) \sqrt{|b|}) - \frac{3}{32} \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b} x \left(\frac{i b}{|b|} + 1\right)\right) e^{-i \cdot a} / (b \cdot (I \cdot b / |b| + 1) \sqrt{|b|}) + \frac{1}{288} \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{6} \sqrt{b} x \left(\frac{i b}{|b|} + 1\right)\right) e^{-3 \cdot I \cdot a} / (b^{3/2} \cdot (I \cdot b / |b| + 1))$

maple [A] time = 0.03, size = 132, normalized size = 0.70

$$\frac{3x \cos(bx^2 + a)}{8b} + \frac{3\sqrt{2}\sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{x\sqrt{b}\sqrt{2}}{\sqrt{\pi}}\right) - \sin(a) S\left(\frac{x\sqrt{b}\sqrt{2}}{\sqrt{\pi}}\right) \right)}{16b^{\frac{3}{2}}} + \frac{x \cos(3bx^2 + 3a)}{24b} - \frac{\sqrt{2}\sqrt{\pi} \sqrt{3} \operatorname{FresnelS}\left(\frac{x\sqrt{b}\sqrt{6}}{\sqrt{\pi}}\right)}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(b*x^2+a)^3,x)

[Out]
$$-3/8*x*\cos(b*x^2+a)/b+3/16/b^{(3/2)}*2^{(1/2)}*Pi^{(1/2)}*(\cos(a)*\text{FresnelC}(x*b^{(1/2)}*2^{(1/2)}/Pi^{(1/2)})-\sin(a)*\text{FresnelS}(x*b^{(1/2)}*2^{(1/2)}/Pi^{(1/2)}))+1/24*x*\cos(3*b*x^2+3*a)/b-1/144/b^{(3/2)}*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}*(\cos(3*a)*\text{FresnelC}(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*b^{(1/2)}*x)-\sin(3*a)*\text{FresnelS}(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}*b^{(1/2)}*x))$$

maxima [C] time = 0.45, size = 143, normalized size = 0.76

$$72b^2x \cos(3bx^2 + 3a) - 648b^2x \cos(bx^2 + a) + 3 \cdot 9^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} \left((i-1) \cos(3a) + (i+1) \sin(3a) \right) \text{erf}(\sqrt{3i}bx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*sin(b*x^2+a)^3,x, algorithm="maxima")`

[Out]
$$\frac{1}{1728} (72b^2x \cos(3bx^2 + 3a) - 648b^2x \cos(bx^2 + a) + 3 \cdot 9^{(1/4)} \sqrt{2} \sqrt{\pi} \left((I-1) \cos(3a) + (I+1) \sin(3a) \right) \text{erf}(\sqrt{3I}bx) + (-I+1) \cos(3a) - (I-1) \sin(3a) \text{erf}(\sqrt{-3I}bx)) b^{(3/2)} + \sqrt{2} \sqrt{\pi} \left((-81I-81) \cos(a) - (81I+81) \sin(a) \right) \text{erf}(\sqrt{I}bx) + ((81I+81) \cos(a) + (81I-81) \sin(a)) \text{erf}(\sqrt{-I}bx)) b^{(3/2)}) / b^3$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sin(bx^2 + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(a + b*x^2)^3,x)`

[Out] `int(x^2*sin(a + b*x^2)^3, x)`

sympy [B] time = 4.79, size = 439, normalized size = 2.34

$$\frac{3b^{\frac{3}{2}}x^5\sqrt{\frac{1}{b}}\cos(a)\Gamma\left(\frac{3}{4}\right)\Gamma\left(\frac{5}{4}\right){}_2F_3\left(\frac{3}{4}, \frac{5}{4} \middle| \frac{3}{2}, \frac{7}{4}, \frac{9}{4} \right) - \frac{b^2x^4}{4}}{32\Gamma\left(\frac{7}{4}\right)\Gamma\left(\frac{9}{4}\right)} + \frac{3b^{\frac{3}{2}}x^5\sqrt{\frac{1}{b}}\cos(3a)\Gamma\left(\frac{3}{4}\right)\Gamma\left(\frac{5}{4}\right){}_2F_3\left(\frac{3}{4}, \frac{5}{4} \middle| \frac{3}{2}, \frac{7}{4}, \frac{9}{4} \right) - \frac{9b^2x^4}{4}}{32\Gamma\left(\frac{7}{4}\right)\Gamma\left(\frac{9}{4}\right)} + 3\sqrt{b}x^3\sqrt{\frac{1}{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*sin(b*x**2+a)**3,x)`

[Out]
$$-3*b^{(3/2)}*x^{*5}\sqrt{1/b}*\cos(a)*\text{gamma}(3/4)*\text{gamma}(5/4)*\text{hyper}((3/4, 5/4), (3/2, 7/4, 9/4), -b^{*2}*x^{*4}/4)/(32*\text{gamma}(7/4)*\text{gamma}(9/4)) + 3*b^{(3/2)}*x^{*5}$$

$$\begin{aligned} & \sqrt{1/b} * \cos(3*a) * \text{gamma}(3/4) * \text{gamma}(5/4) * \text{hyper}((3/4, 5/4), (3/2, 7/4, 9/4), \\ & \quad -9*b**2*x**4/4)/(32*\text{gamma}(7/4)*\text{gamma}(9/4)) - 3*\sqrt{b}*x**3*\sqrt{1/b}*\sin(a) * \\ & \quad \text{gamma}(1/4) * \text{gamma}(3/4) * \text{hyper}((1/4, 3/4), (1/2, 5/4, 7/4), -b**2*x**4/4)/(\\ & \quad 32*\text{gamma}(5/4)*\text{gamma}(7/4)) + \sqrt{b}*x**3*\sqrt{1/b}*\sin(3*a) * \text{gamma}(1/4) * \text{gamma} \\ & \quad a(3/4) * \text{hyper}((1/4, 3/4), (1/2, 5/4, 7/4), -9*b**2*x**4/4)/(32*\text{gamma}(5/4)*\text{gamma} \\ & \quad (7/4)) + 3*\sqrt{2}*\sqrt{\pi} * x**2*\sqrt{1/b}*\sin(a) * \text{fresnelc}(\sqrt{2}*\sqrt{b} * \\ & \quad x/\sqrt{\pi})/8 - \sqrt{6}*\sqrt{\pi} * x**2*\sqrt{1/b}*\sin(3*a) * \text{fresnelc}(\sqrt{6} * \\ & \quad)*\sqrt{b} * x/\sqrt{\pi})/24 + 3*\sqrt{2}*\sqrt{\pi} * x**2*\sqrt{1/b}*\cos(a) * \text{fresnel} \\ & \quad \text{s}(\sqrt{2}*\sqrt{b} * x/\sqrt{\pi})/8 - \sqrt{6}*\sqrt{\pi} * x**2*\sqrt{1/b}*\cos(3*a) * \\ & \quad \text{fresnels}(\sqrt{6}*\sqrt{b} * x/\sqrt{\pi})/24 \end{aligned}$$

3.29 $\int \sin^3(a + bx^2) dx$

Optimal. Leaf size=153

$$\frac{3\sqrt{\frac{\pi}{2}} \sin(a)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{4\sqrt{b}} - \frac{\sqrt{\frac{\pi}{6}} \sin(3a)C\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{4\sqrt{b}} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{4\sqrt{b}} - \frac{\sqrt{\frac{\pi}{6}} \cos(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{4\sqrt{b}}$$

[Out] $-1/24*\cos(3*a)*\text{FresnelS}(x*b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}$
 $-1/24*\text{FresnelC}(x*b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)})*\sin(3*a)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}$
 $+3/8*\cos(a)*\text{FresnelS}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}$
 $+3/8*\text{FresnelC}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3357, 3353, 3352, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}} \sin(a)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{b}x\right)}{4\sqrt{b}} - \frac{\sqrt{\frac{\pi}{6}} \sin(3a)\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{b}x\right)}{4\sqrt{b}} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)}{4\sqrt{b}} - \frac{\sqrt{\frac{\pi}{6}} \cos(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)}{4\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^2]^3, x]

[Out] $(3*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x])/(4*\text{Sqrt}[b]) - (\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x])/(4*\text{Sqrt}[b]) + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[a])/(4*\text{Sqrt}[b]) - (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x]*\text{Sin}[3*a])/(4*\text{Sqrt}[b])$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3357

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_), x_Symbol] :> Int[ExpandTrigReduce[(a + b*Sin[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 1] && IGtQ[n, 1]

Rubi steps

$$\begin{aligned} \int \sin^3(a + bx^2) dx &= \int \left(\frac{3}{4} \sin(a + bx^2) - \frac{1}{4} \sin(3a + 3bx^2) \right) dx \\ &= -\left(\frac{1}{4} \int \sin(3a + 3bx^2) dx \right) + \frac{3}{4} \int \sin(a + bx^2) dx \\ &= \frac{1}{4} (3 \cos(a)) \int \sin(bx^2) dx - \frac{1}{4} \cos(3a) \int \sin(3bx^2) dx + \frac{1}{4} (3 \sin(a)) \int \cos(bx^2) dx - \\ &= \frac{3\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) - \sqrt{\frac{\pi}{6}} \cos(3a) S\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right) + 3\sqrt{\frac{\pi}{2}} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \sin(a) - \sqrt{\frac{\pi}{6}} C\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right) \cos(3a)}{4\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.23, size = 117, normalized size = 0.76

$$\frac{\sqrt{\frac{\pi}{6}} \left(3\sqrt{3} \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) - \sin(3a) C\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right) + 3\sqrt{3} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) - \cos(3a) S\left(\sqrt{b} \sqrt{\frac{6}{\pi}} x\right) \right)}{4\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^2]^3, x]

[Out] (Sqrt[Pi/6]*(3*Sqrt[3]*Cos[a]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*x] - Cos[3*a]*FresnelS[Sqrt[b]*Sqrt[6/Pi]*x] + 3*Sqrt[3]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*x]*Sin[a] - FresnelC[Sqrt[b]*Sqrt[6/Pi]*x]*Sin[3*a]))/(4*Sqrt[b])

fricas [A] time = 0.72, size = 120, normalized size = 0.78

$$\frac{\sqrt{6} \pi \sqrt{\frac{b}{\pi}} \cos(3a) S\left(\sqrt{6} x \sqrt{\frac{b}{\pi}}\right) - 9 \sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) S\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) + \sqrt{6} \pi \sqrt{\frac{b}{\pi}} C\left(\sqrt{6} x \sqrt{\frac{b}{\pi}}\right) \sin(3a) - 9 \sqrt{2} \pi \sqrt{\frac{b}{\pi}} C\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) \cos(3a)}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3,x, algorithm="fricas")

[Out] -1/24*(sqrt(6)*pi*sqrt(b/pi)*cos(3*a)*fresnel_sin(sqrt(6)*x*sqrt(b/pi)) - 9*sqrt(2)*pi*sqrt(b/pi)*cos(a)*fresnel_sin(sqrt(2)*x*sqrt(b/pi)) + sqrt(6)*pi

$i\sqrt{b/\pi} \operatorname{fresnel_cos}(\sqrt{6}x\sqrt{b/\pi}) \sin(3a) - 9\sqrt{2}\pi\sqrt{b/\pi} \operatorname{fresnel_cos}(\sqrt{2}x\sqrt{b/\pi}) \sin(a) / b$

giac [C] time = 0.93, size = 185, normalized size = 1.21

$$\frac{i\sqrt{6}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{6}\sqrt{b}x\left(-\frac{ib}{|b|}+1\right)\right)e^{(3ia)}}{48\sqrt{b}\left(-\frac{ib}{|b|}+1\right)} + \frac{3i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{ib}{|b|}+1\right)\sqrt{|b|}\right)e^{(ia)}}{16\left(-\frac{ib}{|b|}+1\right)\sqrt{|b|}} - \frac{3i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}x\left(-\frac{ib}{|b|}+1\right)\sqrt{|b|}\right)e^{(ia)}}{16\left(\frac{ib}{|b|}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3,x, algorithm="giac")

[Out] $-1/48*I*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b}*x*(-I*b/\operatorname{abs}(b)+1))*e^{(3I*a)}/(\sqrt{b}*(-I*b/\operatorname{abs}(b)+1))+3/16*I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*x*(-I*b/\operatorname{abs}(b)+1)*\sqrt{\operatorname{abs}(b)})*e^{(I*a)}/((-I*b/\operatorname{abs}(b)+1)*\sqrt{\operatorname{abs}(b)})-3/16*I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*x*(I*b/\operatorname{abs}(b)+1)*\sqrt{\operatorname{abs}(b)})*e^{(-I*a)}/((I*b/\operatorname{abs}(b)+1)*\sqrt{\operatorname{abs}(b)})+1/48*I*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b}*x*(I*b/\operatorname{abs}(b)+1))*e^{(-3I*a)}/(\sqrt{b}*(I*b/\operatorname{abs}(b)+1))$

maple [A] time = 0.04, size = 99, normalized size = 0.65

$$\frac{3\sqrt{2}\sqrt{\pi}\left(\cos(a)S\left(\frac{x\sqrt{b}\sqrt{2}}{\sqrt{\pi}}\right)+\sin(a)\operatorname{FresnelC}\left(\frac{x\sqrt{b}\sqrt{2}}{\sqrt{\pi}}\right)\right)}{8\sqrt{b}} - \frac{\sqrt{2}\sqrt{\pi}\sqrt{3}\left(\cos(3a)S\left(\frac{\sqrt{2}\sqrt{3}\sqrt{b}x}{\sqrt{\pi}}\right)+\sin(3a)\operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{b}x}{\sqrt{\pi}}\right)\right)}{24\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x^2+a)^3,x)

[Out] $3/8*2^{(1/2)}*\pi^{(1/2)}/b^{(1/2)}*(\cos(a)*\operatorname{FresnelS}(x*b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)})+\sin(a)*\operatorname{FresnelC}(x*b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}))-1/24*2^{(1/2)}*\pi^{(1/2)}*3^{(1/2)}/b^{(1/2)}*(\cos(3a)*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*b^{(1/2)}*x)+\sin(3a)*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*b^{(1/2)}*x))$

maxima [C] time = 1.19, size = 112, normalized size = 0.73

$$3 \cdot 9^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} \left((-i+1) \cos(3a) + (i-1) \sin(3a) \right) \operatorname{erf}(\sqrt{3ib}x) + \left((i-1) \cos(3a) - (i+1) \sin(3a) \right) \operatorname{erf}(\sqrt{-3ib}x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3,x, algorithm="maxima")

[Out] $1/288*(3*9^{(1/4)}*\sqrt{2}*\sqrt{\pi}*((-I+1)*\cos(3a)+(I-1)*\sin(3a))*\operatorname{erf}(\sqrt{3I*b}*x)+((I-1)*\cos(3a)-(I+1)*\sin(3a))*\operatorname{erf}(\sqrt{-3I*b}*x)$

$x)) * b^{(3/2)} + \sqrt{2} * \sqrt{\pi} * (((27 * I + 27) * \cos(a) - (27 * I - 27) * \sin(a)) * \operatorname{erf}(\sqrt{I * b} * x) + (-27 * I - 27) * \cos(a) + (27 * I + 27) * \sin(a)) * \operatorname{erf}(\sqrt{-I * b} * x)) * b^{(3/2)} / b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(bx^2 + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*x^2)^3, x)`

[Out] `int(sin(a + b*x^2)^3, x)`

sympy [A] time = 1.36, size = 129, normalized size = 0.84

$$\frac{3\sqrt{2}\sqrt{\pi}\left(\sin(a)C\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{\pi}}\right) + \cos(a)S\left(\frac{\sqrt{2}\sqrt{bx}}{\sqrt{\pi}}\right)\right)\sqrt{\frac{1}{b}}}{8} - \frac{\sqrt{6}\sqrt{\pi}\left(\sin(3a)C\left(\frac{\sqrt{6}\sqrt{bx}}{\sqrt{\pi}}\right) + \cos(3a)S\left(\frac{\sqrt{6}\sqrt{bx}}{\sqrt{\pi}}\right)\right)\sqrt{\frac{1}{b}}}{24}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*x**2+a)**3, x)`

[Out] `3*sqrt(2)*sqrt(pi)*(sin(a)*fresnelc(sqrt(2)*sqrt(b)*x/sqrt(pi)) + cos(a)*fresnels(sqrt(2)*sqrt(b)*x/sqrt(pi)))*sqrt(1/b)/8 - sqrt(6)*sqrt(pi)*(sin(3*a)*fresnelc(sqrt(6)*sqrt(b)*x/sqrt(pi)) + cos(3*a)*fresnels(sqrt(6)*sqrt(b)*x/sqrt(pi)))*sqrt(1/b)/24`

$$3.30 \quad \int \frac{\sin^3(a+bx^2)}{x^2} dx$$

Optimal. Leaf size=168

$$\frac{3}{2}\sqrt{\frac{\pi}{2}}\sqrt{b}\cos(a)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)-\frac{1}{2}\sqrt{\frac{3\pi}{2}}\sqrt{b}\cos(3a)C\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)-\frac{3}{2}\sqrt{\frac{\pi}{2}}\sqrt{b}\sin(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)+\frac{1}{2}\sqrt{\frac{3\pi}{2}}\sqrt{b}\sin(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)$$

[Out] $-\sin(bx^2+a)^3/x+3/4*\cos(a)*\text{FresnelC}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}-3/4*\text{FresnelS}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}-1/4*\cos(3a)*\text{FresnelC}(x*b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)})*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}+1/4*\text{FresnelS}(x*b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)})*\sin(3a)*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3393, 4574, 3354, 3352, 3351}

$$\frac{3}{2}\sqrt{\frac{\pi}{2}}\sqrt{b}\cos(a)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{b}x\right)-\frac{1}{2}\sqrt{\frac{3\pi}{2}}\sqrt{b}\cos(3a)\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}\sqrt{b}x\right)-\frac{3}{2}\sqrt{\frac{\pi}{2}}\sqrt{b}\sin(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}x\right)+\frac{1}{2}\sqrt{\frac{3\pi}{2}}\sqrt{b}\sin(3a)S\left(\sqrt{b}\sqrt{\frac{6}{\pi}}x\right)$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^2]^3/x^2,x]

[Out] $(3*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x])/2 - (\text{Sqrt}[b]*\text{Sqrt}[(3*\text{Pi})/2]*\text{Cos}[3*a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x])/2 - (3*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[a])/2 + (\text{Sqrt}[b]*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*x]*\text{Sin}[3*a])/2 - \text{Sin}[a + b*x^2]^3/x$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] /

; FreeQ[{c, d, e, f}, x]

Rule 3393

Int[(x_)^(m_)*Sin[(a_.) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] :> Simp[(x^(m + 1)*Sin[a + b*x^n]^p)/(m + 1), x] - Dist[(b*n*p)/(m + 1), Int[Sin[a + b*x^n]^(p - 1)*Cos[a + b*x^n], x], x] /; FreeQ[{a, b}, x] && IGtQ[p, 1] && EqQ[m + n, 0] && NeQ[n, 1] && IntegerQ[n]

Rule 4574

Int[Cos[w_]^(q_)*Sin[v_]^(p_), x_Symbol] :> Int[ExpandTrigReduce[Sin[v]^p *Cos[w]^q, x], x] /; IGtQ[p, 0] && IGtQ[q, 0] && ((PolynomialQ[v, x] && PolynomialQ[w, x]) || (BinomialQ[{v, w}, x] && IndependentQ[Cancel[v/w], x]))

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^3(a + bx^2)}{x^2} dx &= -\frac{\sin^3(a + bx^2)}{x} + (6b) \int \cos(a + bx^2) \sin^2(a + bx^2) dx \\
 &= -\frac{\sin^3(a + bx^2)}{x} + (6b) \int \left(\frac{1}{4} \cos(a + bx^2) - \frac{1}{4} \cos(3a + 3bx^2) \right) dx \\
 &= -\frac{\sin^3(a + bx^2)}{x} + \frac{1}{2}(3b) \int \cos(a + bx^2) dx - \frac{1}{2}(3b) \int \cos(3a + 3bx^2) dx \\
 &= -\frac{\sin^3(a + bx^2)}{x} + \frac{1}{2}(3b \cos(a)) \int \cos(bx^2) dx - \frac{1}{2}(3b \cos(3a)) \int \cos(3bx^2) dx - \frac{1}{2}(3b) \int \sin(3bx^2) dx \\
 &= \frac{3}{2} \sqrt{b} \sqrt{\frac{\pi}{2}} \cos(a) C \left(\sqrt{b} \sqrt{\frac{2}{\pi}} x \right) - \frac{1}{2} \sqrt{b} \sqrt{\frac{3\pi}{2}} \cos(3a) C \left(\sqrt{b} \sqrt{\frac{6}{\pi}} x \right) - \frac{3}{2} \sqrt{b} \sqrt{\frac{\pi}{2}} S \left(\sqrt{b} \sqrt{\frac{2}{\pi}} x \right)
 \end{aligned}$$

Mathematica [A] time = 0.43, size = 167, normalized size = 0.99

$$\frac{3\sqrt{2\pi} \sqrt{b} x \cos(a) C \left(\sqrt{b} \sqrt{\frac{2}{\pi}} x \right) - \sqrt{6\pi} \sqrt{b} x \cos(3a) C \left(\sqrt{b} \sqrt{\frac{6}{\pi}} x \right) - 3\sqrt{2\pi} \sqrt{b} x \sin(a) S \left(\sqrt{b} \sqrt{\frac{2}{\pi}} x \right) + \sqrt{6\pi} \sqrt{b} x \sin(3a) S \left(\sqrt{b} \sqrt{\frac{6}{\pi}} x \right)}{4x}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^2]^3/x^2,x]

[Out] (3*Sqrt[b]*Sqrt[2*Pi]*x*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*x] - Sqrt[b]*Sqrt[6*Pi]*x*Cos[3*a]*FresnelC[Sqrt[b]*Sqrt[6/Pi]*x] - 3*Sqrt[b]*Sqrt[2*Pi]*x*S

FresnelS[Sqrt[b]*Sqrt[2/Pi]*x]*Sin[a] + Sqrt[b]*Sqrt[6*Pi]*x*FresnelS[Sqrt[b]*Sqrt[6/Pi]*x]*Sin[3*a] - 3*Sin[a + b*x^2] + Sin[3*(a + b*x^2)]/(4*x)

fricas [A] time = 0.56, size = 147, normalized size = 0.88

$$\frac{\sqrt{6} \pi x \sqrt{\frac{b}{\pi}} \cos(3a) C\left(\sqrt{6} x \sqrt{\frac{b}{\pi}}\right) - 3 \sqrt{2} \pi x \sqrt{\frac{b}{\pi}} \cos(a) C\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) - \sqrt{6} \pi x \sqrt{\frac{b}{\pi}} S\left(\sqrt{6} x \sqrt{\frac{b}{\pi}}\right) \sin(3a) + 3 \sqrt{2} \pi x \sqrt{\frac{b}{\pi}} S\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) \sin(a) - 4(\cos(bx^2 + a) - \sin(bx^2 + a))}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^2,x, algorithm="fricas")

[Out] -1/4*(sqrt(6)*pi*x*sqrt(b/pi)*cos(3*a)*fresnel_cos(sqrt(6)*x*sqrt(b/pi)) - 3*sqrt(2)*pi*x*sqrt(b/pi)*cos(a)*fresnel_cos(sqrt(2)*x*sqrt(b/pi)) - sqrt(6)*pi*x*sqrt(b/pi)*fresnel_sin(sqrt(6)*x*sqrt(b/pi))*sin(3*a) + 3*sqrt(2)*pi*x*sqrt(b/pi)*fresnel_sin(sqrt(2)*x*sqrt(b/pi))*sin(a) - 4*(cos(b*x^2 + a) - sin(b*x^2 + a))/x

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bx^2 + a)^3}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^2,x, algorithm="giac")

[Out] integrate(sin(b*x^2 + a)^3/x^2, x)

maple [A] time = 0.03, size = 130, normalized size = 0.77

$$\frac{3 \sin(bx^2 + a)}{4x} + \frac{3\sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{x\sqrt{b} \sqrt{2}}{\sqrt{\pi}}\right) - \sin(a) S\left(\frac{x\sqrt{b} \sqrt{2}}{\sqrt{\pi}}\right) \right)}{4} + \frac{\sin(3bx^2 + 3a)}{4x} - \frac{\sqrt{b} \sqrt{2} \sqrt{\pi}}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*x^2+a)^3/x^2,x)

[Out] -3/4/x*sin(b*x^2+a)+3/4*b^(1/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelC(x*b^(1/2)*2^(1/2)/Pi^(1/2))-sin(a)*FresnelS(x*b^(1/2)*2^(1/2)/Pi^(1/2)))+1/4*sin(3*b*x^2+3*a)/x-1/4*b^(1/2)*2^(1/2)*Pi^(1/2)*3^(1/2)*(cos(3*a)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)*b^(1/2)*x)-sin(3*a)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)*b^(1/2)*x))

maxima [C] time = 0.59, size = 151, normalized size = 0.90

$$\frac{\sqrt{3} \sqrt{bx^2} \left(\left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, 3ibx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -3ibx^2\right) \right) \cos(3a) + \left((i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, 3ibx^2\right) - (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -3ibx^2\right) \right) \sin(3a) \right)}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x^2+a)^3/x^2,x, algorithm="maxima")

[Out] $\frac{1}{32}(\sqrt{3}\sqrt{bx^2})\left(\left((I-1)\sqrt{2}\Gamma\left(-\frac{1}{2}, 3Ibx^2\right) - (I+1)\sqrt{2}\Gamma\left(-\frac{1}{2}, -3Ibx^2\right)\right)\cos(3a) + \left((I+1)\sqrt{2}\Gamma\left(-\frac{1}{2}, 3Ibx^2\right) - (I-1)\sqrt{2}\Gamma\left(-\frac{1}{2}, -3Ibx^2\right)\right)\sin(3a)\right) + \sqrt{bx^2}\left(\left(-3I-3\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, Ibx^2\right) + \left(3I+3\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, -Ibx^2\right)\right)\cos(a) + \left(-3I+3\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, Ibx^2\right) + \left(3I-3\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, -Ibx^2\right)\sin(a)\right)/x$

mpad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin^3(bx^2 + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^2)^3/x^2,x)

[Out] int(sin(a + b*x^2)^3/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^3(a + bx^2)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*x**2+a)**3/x**2,x)

[Out] Integral(sin(a + b*x**2)**3/x**2, x)

3.31 $\int x^2 \sin^3(x^2) dx$

Optimal. Leaf size=71

$$\frac{3}{8}\sqrt{\frac{\pi}{2}}C\left(\sqrt{\frac{2}{\pi}}x\right) - \frac{1}{24}\sqrt{\frac{\pi}{6}}C\left(\sqrt{\frac{6}{\pi}}x\right) + \frac{1}{6}x\cos^3(x^2) - \frac{1}{2}x\cos(x^2)$$

[Out] $-1/2*x*\cos(x^2)+1/6*x*\cos(x^2)^3-1/144*\text{FresnelC}(x*6^{(1/2)}/\text{Pi}^{(1/2)})*6^{(1/2)}$
 $*\text{Pi}^{(1/2)}+3/16*\text{FresnelC}(x*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 71, normalized size of antiderivative = 1.00,
 number of steps used = 6, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.300, Rules used = {3403, 3385, 3352}

$$\frac{3}{8}\sqrt{\frac{\pi}{2}}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}x\right) - \frac{1}{24}\sqrt{\frac{\pi}{6}}\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}x\right) - \frac{3}{8}x\cos(x^2) + \frac{1}{24}x\cos(3x^2)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sin}[x^2]^3, x]$

[Out] $(-3*x*\text{Cos}[x^2])/8 + (x*\text{Cos}[3*x^2])/24 + (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*x])/8 - (\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[\text{Sqrt}[6/\text{Pi}]*x])/24$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; FreeQ}\{d, e, f\}, x]$

Rule 3385

$\text{Int}[(e_.)*(x_))^{(m_.)}*\text{Sin}[(c_.) + (d_.)*(x_)^{(n_)}], x_Symbol] \rightarrow -\text{Simp}[(e^{(n-1)}*(e*x)^{(m-n+1)}*\text{Cos}[c + d*x^n])/(d*n), x] + \text{Dist}[(e^n*(m-n+1))/(d*n), \text{Int}[(e*x)^{(m-n)}*\text{Cos}[c + d*x^n], x], x] \text{ /; FreeQ}\{c, d, e\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[n, m + 1]$

Rule 3403

$\text{Int}[(e_.)*(x_))^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(e*x)^m, (a + b*\text{Sin}[c + d*x^n])^p, x], x] \text{ /; FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{IGtQ}[p, 1] \&\& \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned}
\int x^2 \sin^3(x^2) dx &= \int \left(\frac{3}{4} x^2 \sin(x^2) - \frac{1}{4} x^2 \sin(3x^2) \right) dx \\
&= -\left(\frac{1}{4} \int x^2 \sin(3x^2) dx \right) + \frac{3}{4} \int x^2 \sin(x^2) dx \\
&= -\frac{3}{8} x \cos(x^2) + \frac{1}{24} x \cos(3x^2) - \frac{1}{24} \int \cos(3x^2) dx + \frac{3}{8} \int \cos(x^2) dx \\
&= -\frac{3}{8} x \cos(x^2) + \frac{1}{24} x \cos(3x^2) + \frac{3}{8} \sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} x\right) - \frac{1}{24} \sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} x\right)
\end{aligned}$$

Mathematica [A] time = 0.07, size = 63, normalized size = 0.89

$$\frac{1}{144} \left(27\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} x\right) - \sqrt{6\pi} C\left(\sqrt{\frac{6}{\pi}} x\right) + 6x(\cos(3x^2) - 9\cos(x^2)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sin[x^2]^3,x]

[Out] (6*x*(-9*Cos[x^2] + Cos[3*x^2]) + 27*Sqrt[2*Pi]*FresnelC[Sqrt[2/Pi]*x] - Sqrt[6*Pi]*FresnelC[Sqrt[6/Pi]*x])/144

fricas [A] time = 0.55, size = 51, normalized size = 0.72

$$\frac{1}{6} x \cos(x^2)^3 - \frac{1}{2} x \cos(x^2) - \frac{1}{144} \sqrt{6} \sqrt{\pi} C\left(\frac{\sqrt{6}x}{\sqrt{\pi}}\right) + \frac{3}{16} \sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2}x}{\sqrt{\pi}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(x^2)^3,x, algorithm="fricas")

[Out] 1/6*x*cos(x^2)^3 - 1/2*x*cos(x^2) - 1/144*sqrt(6)*sqrt(pi)*fresnel_cos(sqrt(6)*x/sqrt(pi)) + 3/16*sqrt(2)*sqrt(pi)*fresnel_cos(sqrt(2)*x/sqrt(pi))

giac [C] time = 0.45, size = 97, normalized size = 1.37

$$\left(\frac{1}{576}i + \frac{1}{576}\right) \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{6}x\right) - \left(\frac{1}{576}i - \frac{1}{576}\right) \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{6}x\right) - \left(\frac{3}{64}i + \frac{3}{64}\right) \sqrt{2} \sqrt{\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(x^2)^3,x, algorithm="giac")

[Out] $(1/576*I + 1/576)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{6}*x) - (1/576*I - 1/576)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{6}*x) - (3/64*I + 3/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*x) + (3/64*I - 3/64)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{2}*x) + 1/48*x*e^{(3*I*x^2)} - 3/16*x*e^{(I*x^2)} - 3/16*x*e^{(-I*x^2)} + 1/48*x*e^{(-3*I*x^2)}$

maple [A] time = 0.04, size = 58, normalized size = 0.82

$$-\frac{3x \cos(x^2)}{8} + \frac{3 \operatorname{FresnelC}\left(\frac{x\sqrt{2}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\pi}}{16} + \frac{x \cos(3x^2)}{24} - \frac{\sqrt{2} \sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} x}{\sqrt{\pi}}\right)}{144}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^2*\sin(x^2)^3, x)$

[Out] $-3/8*x*\cos(x^2)+3/16*\operatorname{FresnelC}(x*2^{(1/2)}/\pi^{(1/2)})*2^{(1/2)}*\pi^{(1/2)}+1/24*x*\cos(3*x^2)-1/144*2^{(1/2)}*\pi^{(1/2)}*3^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}*x)$

maxima [C] time = 1.66, size = 97, normalized size = 1.37

$$\frac{1}{24} x \cos(3x^2) - \frac{3}{8} x \cos(x^2) + \frac{1}{1152} \sqrt{\pi} \left((2i - 2) \sqrt{3} \sqrt{2} \operatorname{erf}(\sqrt{3i}x) - (2i + 2) \sqrt{3} \sqrt{2} \operatorname{erf}(\sqrt{-3i}x) - (27i - 27) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^2*\sin(x^2)^3, x, \text{algorithm}="maxima")$

[Out] $1/24*x*\cos(3*x^2) - 3/8*x*\cos(x^2) + 1/1152*\sqrt{\pi}*((2*I - 2)*\sqrt{3}*\sqrt{2}*\operatorname{erf}(\sqrt{3*I}*x) - (2*I + 2)*\sqrt{3}*\sqrt{2}*\operatorname{erf}(\sqrt{-3*I}*x) - (27*I - 27)*\sqrt{2}*\operatorname{erf}((1/2*I + 1/2)*\sqrt{2}*x) - (27*I + 27)*\sqrt{2}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*x) + (27*I + 27)*\sqrt{2}*\operatorname{erf}(\sqrt{-I}*x) - (27*I - 27)*\sqrt{2}*\operatorname{erf}((-1)^{(1/4)}*x))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sin(x^2)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^2*\sin(x^2)^3, x)$

[Out] $\operatorname{int}(x^2*\sin(x^2)^3, x)$

sympy [A] time = 4.10, size = 116, normalized size = 1.63

$$-\frac{15x \cos(x^2) \Gamma\left(\frac{5}{4}\right)}{32 \Gamma\left(\frac{9}{4}\right)} + \frac{5x \cos(3x^2) \Gamma\left(\frac{5}{4}\right)}{96 \Gamma\left(\frac{9}{4}\right)} + \frac{15\sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2}x}{\sqrt{\pi}}\right) \Gamma\left(\frac{5}{4}\right)}{64 \Gamma\left(\frac{9}{4}\right)} - \frac{5\sqrt{6} \sqrt{\pi} C\left(\frac{\sqrt{6}x}{\sqrt{\pi}}\right) \Gamma\left(\frac{5}{4}\right)}{576 \Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(x**2)**3,x)

[Out] -15*x*cos(x**2)*gamma(5/4)/(32*gamma(9/4)) + 5*x*cos(3*x**2)*gamma(5/4)/(96*gamma(9/4)) + 15*sqrt(2)*sqrt(pi)*fresnelc(sqrt(2)*x/sqrt(pi))*gamma(5/4)/(64*gamma(9/4)) - 5*sqrt(6)*sqrt(pi)*fresnelc(sqrt(6)*x/sqrt(pi))*gamma(5/4)/(576*gamma(9/4))

3.32 $\int x^4 \cos(x^2) \sin^2(x^2) dx$

Optimal. Leaf size=84

$$-\frac{3}{16}\sqrt{\frac{\pi}{2}}C\left(\sqrt{\frac{2}{\pi}}x\right)+\frac{1}{48}\sqrt{\frac{\pi}{6}}C\left(\sqrt{\frac{6}{\pi}}x\right)-\frac{1}{12}x\cos^3(x^2)+\frac{1}{4}x\cos(x^2)+\frac{1}{6}x^3\sin^3(x^2)$$

[Out] 1/4*x*cos(x^2)-1/12*x*cos(x^2)^3+1/6*x^3*sin(x^2)^3+1/288*FresnelC(x*6^(1/2)/Pi^(1/2))*6^(1/2)*Pi^(1/2)-3/32*FresnelC(x*2^(1/2)/Pi^(1/2))*2^(1/2)*Pi^(1/2)

Rubi [A] time = 0.08, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3443, 3403, 3385, 3352}

$$-\frac{3}{16}\sqrt{\frac{\pi}{2}}\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}x\right)+\frac{1}{48}\sqrt{\frac{\pi}{6}}\text{FresnelC}\left(\sqrt{\frac{6}{\pi}}x\right)+\frac{1}{6}x^3\sin^3(x^2)+\frac{3}{16}x\cos(x^2)-\frac{1}{48}x\cos(3x^2)$$

Antiderivative was successfully verified.

[In] Int[x^4*Cos[x^2]*Sin[x^2]^2,x]

[Out] (3*x*Cos[x^2])/16 - (x*Cos[3*x^2])/48 - (3*Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*x])/16 + (Sqrt[Pi/6]*FresnelC[Sqrt[6/Pi]*x])/48 + (x^3*Sin[x^2]^3)/6

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3385

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/ (d*n), x] + Dist[(e^n*(m - n + 1))/ (d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3403

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rule 3443

```
Int[Cos[(a_.) + (b_.)*(x_)^(n_.)]*(x_)^(m_.)*Sin[(a_.) + (b_.)*(x_)^(n_.)]^(p_.), x_Symbol] :> Simp[(x^(m - n + 1)*Sin[a + b*x^n]^(p + 1))/(b*n*(p + 1)), x] - Dist[(m - n + 1)/(b*n*(p + 1)), Int[x^(m - n)*Sin[a + b*x^n]^(p + 1), x], x] /; FreeQ[{a, b, p}, x] && LtQ[0, n, m + 1] && NeQ[p, -1]
```

Rubi steps

$$\begin{aligned}
 \int x^4 \cos(x^2) \sin^2(x^2) dx &= \frac{1}{6}x^3 \sin^3(x^2) - \frac{1}{2} \int x^2 \sin^3(x^2) dx \\
 &= \frac{1}{6}x^3 \sin^3(x^2) - \frac{1}{2} \int \left(\frac{3}{4}x^2 \sin(x^2) - \frac{1}{4}x^2 \sin(3x^2) \right) dx \\
 &= \frac{1}{6}x^3 \sin^3(x^2) + \frac{1}{8} \int x^2 \sin(3x^2) dx - \frac{3}{8} \int x^2 \sin(x^2) dx \\
 &= \frac{3}{16}x \cos(x^2) - \frac{1}{48}x \cos(3x^2) + \frac{1}{6}x^3 \sin^3(x^2) + \frac{1}{48} \int \cos(3x^2) dx - \frac{3}{16} \int \cos(x^2) dx \\
 &= \frac{3}{16}x \cos(x^2) - \frac{1}{48}x \cos(3x^2) - \frac{3}{16} \sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}} x\right) + \frac{1}{48} \sqrt{\frac{\pi}{6}} C\left(\sqrt{\frac{6}{\pi}} x\right) + \frac{1}{6}x^3 \sin^3(x^2)
 \end{aligned}$$

Mathematica [A] time = 0.15, size = 75, normalized size = 0.89

$$\frac{1}{288} \left(-27\sqrt{2\pi} C\left(\sqrt{\frac{2}{\pi}} x\right) + \sqrt{6\pi} C\left(\sqrt{\frac{6}{\pi}} x\right) + 6x(8x^2 \sin^3(x^2) + 9 \cos(x^2) - \cos(3x^2)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^4*Cos[x^2]*Sin[x^2]^2,x]
```

```
[Out] (-27*Sqrt[2*Pi]*FresnelC[Sqrt[2/Pi]*x] + Sqrt[6*Pi]*FresnelC[Sqrt[6/Pi]*x] + 6*x*(9*Cos[x^2] - Cos[3*x^2] + 8*x^2*Sin[x^2]^3))/288
```

fricas [A] time = 0.85, size = 73, normalized size = 0.87

$$-\frac{1}{12}x \cos(x^2)^3 + \frac{1}{4}x \cos(x^2) + \frac{1}{288} \sqrt{6} \sqrt{\pi} C\left(\frac{\sqrt{6}x}{\sqrt{\pi}}\right) - \frac{3}{32} \sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2}x}{\sqrt{\pi}}\right) - \frac{1}{6} \left(x^3 \cos(x^2)^2 - x^3 \right) \sin(x^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^4*cos(x^2)*sin(x^2)^2,x, algorithm="fricas")
```

```
[Out] -1/12*x*cos(x^2)^3 + 1/4*x*cos(x^2) + 1/288*sqrt(6)*sqrt(pi)*fresnel_cos(sqrt(6)*x/sqrt(pi)) - 3/32*sqrt(2)*sqrt(pi)*fresnel_cos(sqrt(2)*x/sqrt(pi)) - 1/6*(x^3*cos(x^2)^2 - x^3)*sin(x^2)
```

giac [C] time = 0.74, size = 125, normalized size = 1.49

$$-\left(\frac{1}{1152}i + \frac{1}{1152}\right) \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{6}x\right) + \left(\frac{1}{1152}i - \frac{1}{1152}\right) \sqrt{6} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{6}x\right) + \left(\frac{3}{128}i + \frac{3}{128}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2}x\right) - \left(\frac{3}{128}i - \frac{3}{128}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2}x\right) - \frac{1}{96}(-2Ix^3 + x)e^{(3Ix^2)} - \frac{1}{32}(2Ix^3 - 3x)e^{(Ix^2)} - \frac{1}{32}(-2Ix^3 - 3x)e^{(-Ix^2)} - \frac{1}{96}(2Ix^3 + x)e^{(-3Ix^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*cos(x^2)*sin(x^2)^2,x, algorithm="giac")

[Out] $-(1/1152*I + 1/1152)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{6}*x) + (1/1152*I - 1/1152)*\sqrt{6}*\sqrt{\pi}*\operatorname{erf}(-1/2*I + 1/2)*\sqrt{6}*x + (3/128*I + 3/128)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*x) - (3/128*I - 3/128)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*I + 1/2)*\sqrt{2}*x - 1/96*(-2*I*x^3 + x)*e^{(3*I*x^2)} - 1/32*(2*I*x^3 - 3*x)*e^{(I*x^2)} - 1/32*(-2*I*x^3 - 3*x)*e^{(-I*x^2)} - 1/96*(2*I*x^3 + x)*e^{(-3*I*x^2)}$

maple [A] time = 0.07, size = 78, normalized size = 0.93

$$\frac{x^3 \sin(x^2)}{8} + \frac{3x \cos(x^2)}{16} - \frac{3 \operatorname{FresnelC}\left(\frac{x\sqrt{2}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\pi}}{32} - \frac{x^3 \sin(3x^2)}{24} - \frac{x \cos(3x^2)}{48} + \frac{\sqrt{2} \sqrt{\pi} \sqrt{3} \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{3} x}{\sqrt{\pi}}\right)}{288}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*cos(x^2)*sin(x^2)^2,x)

[Out] $1/8*x^3*\sin(x^2)+3/16*x*\cos(x^2)-3/32*\operatorname{FresnelC}(x*2^{(1/2)}/\operatorname{Pi}^{(1/2)})*2^{(1/2)}*\operatorname{Pi}^{(1/2)}-1/24*x^3*\sin(3*x^2)-1/48*x*\cos(3*x^2)+1/288*2^{(1/2)}*\operatorname{Pi}^{(1/2)}*3^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\operatorname{Pi}^{(1/2)}*3^{(1/2)}*x)$

maxima [C] time = 0.81, size = 117, normalized size = 1.39

$$-\frac{1}{24}x^3 \sin(3x^2) + \frac{1}{8}x^3 \sin(x^2) - \frac{1}{48}x \cos(3x^2) + \frac{3}{16}x \cos(x^2) - \frac{1}{2304} \sqrt{\pi} \left((2i - 2) \sqrt{3} \sqrt{2} \operatorname{erf}(\sqrt{3}ix) - (2i + 2) \sqrt{3} \sqrt{2} \operatorname{erf}(-\sqrt{3}ix) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*cos(x^2)*sin(x^2)^2,x, algorithm="maxima")

[Out] $-1/24*x^3*\sin(3*x^2) + 1/8*x^3*\sin(x^2) - 1/48*x*\cos(3*x^2) + 3/16*x*\cos(x^2) - 1/2304*\sqrt{\pi}*((2*I - 2)*\sqrt{3}*\sqrt{2}*\operatorname{erf}(\sqrt{3}*I*x) - (2*I + 2)*\sqrt{3}*\sqrt{2}*\operatorname{erf}(\sqrt{3}*(-I)*x)) - (27*I - 27)*\sqrt{2}*\operatorname{erf}((1/2*I + 1/2)*\sqrt{2}*x) - (27*I + 27)*\sqrt{2}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*x) + (27*I + 27)*\sqrt{2}*\operatorname{erf}(\sqrt{2}*(-I)*x) - (27*I - 27)*\sqrt{2}*\operatorname{erf}((-1)^{(1/4)}*x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 \cos(x^2) \sin(x^2)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*cos(x^2)*sin(x^2)^2,x)`

[Out] `int(x^4*cos(x^2)*sin(x^2)^2, x)`

sympy [B] time = 3.91, size = 291, normalized size = 3.46

$$-\frac{9x^5\Gamma\left(-\frac{9}{4}\right)}{40\Gamma\left(-\frac{5}{4}\right)} + \frac{9x^3\sin(x^2)\Gamma\left(-\frac{9}{4}\right)}{32\Gamma\left(-\frac{5}{4}\right)} - \frac{5x^3\sin(x^2)\Gamma\left(-\frac{5}{4}\right)}{16\Gamma\left(-\frac{1}{4}\right)} + \frac{3x^3\sin(3x^2)\Gamma\left(-\frac{9}{4}\right)}{32\Gamma\left(-\frac{5}{4}\right)} + \frac{27x\cos(x^2)\Gamma\left(-\frac{9}{4}\right)}{64\Gamma\left(-\frac{5}{4}\right)} - \frac{15x\cos(x^2)}{32\Gamma\left(-\frac{1}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*cos(x**2)*sin(x**2)**2,x)`

[Out] `-9*x**5*gamma(-9/4)/(40*gamma(-5/4)) + 9*x**3*sin(x**2)*gamma(-9/4)/(32*gamma(-5/4)) - 5*x**3*sin(x**2)*gamma(-5/4)/(16*gamma(-1/4)) + 3*x**3*sin(3*x**2)*gamma(-9/4)/(32*gamma(-5/4)) + 27*x*cos(x**2)*gamma(-9/4)/(64*gamma(-5/4)) - 15*x*cos(x**2)*gamma(-5/4)/(32*gamma(-1/4)) + 3*x*cos(3*x**2)*gamma(-9/4)/(64*gamma(-5/4)) + 15*sqrt(2)*sqrt(pi)*fresnelc(sqrt(2)*x/sqrt(pi))*gamma(-5/4)/(64*gamma(-1/4)) - 27*sqrt(2)*sqrt(pi)*fresnelc(sqrt(2)*x/sqrt(pi))*gamma(-9/4)/(128*gamma(-5/4)) - sqrt(6)*sqrt(pi)*fresnelc(sqrt(6)*x/sqrt(pi))*gamma(-9/4)/(128*gamma(-5/4))`

3.33 $\int x \sin^7(a + bx^2) dx$

Optimal. Leaf size=67

$$\frac{\cos^7(a + bx^2)}{14b} - \frac{3 \cos^5(a + bx^2)}{10b} + \frac{\cos^3(a + bx^2)}{2b} - \frac{\cos(a + bx^2)}{2b}$$

[Out] $-1/2*\cos(b*x^2+a)/b+1/2*\cos(b*x^2+a)^3/b-3/10*\cos(b*x^2+a)^5/b+1/14*\cos(b*x^2+a)^7/b$

Rubi [A] time = 0.04, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3379, 2633}

$$\frac{\cos^7(a + bx^2)}{14b} - \frac{3 \cos^5(a + bx^2)}{10b} + \frac{\cos^3(a + bx^2)}{2b} - \frac{\cos(a + bx^2)}{2b}$$

Antiderivative was successfully verified.

[In] Int[x*Sin[a + b*x^2]^7,x]

[Out] $-\text{Cos}[a + b*x^2]/(2*b) + \text{Cos}[a + b*x^2]^3/(2*b) - (3*\text{Cos}[a + b*x^2]^5)/(10*b) + \text{Cos}[a + b*x^2]^7/(14*b)$

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int x \sin^7(a + bx^2) dx &= \frac{1}{2} \text{Subst} \left(\int \sin^7(a + bx) dx, x, x^2 \right) \\
&= -\frac{\text{Subst} \left(\int (1 - 3x^2 + 3x^4 - x^6) dx, x, \cos(a + bx^2) \right)}{2b} \\
&= -\frac{\cos(a + bx^2)}{2b} + \frac{\cos^3(a + bx^2)}{2b} - \frac{3 \cos^5(a + bx^2)}{10b} + \frac{\cos^7(a + bx^2)}{14b}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 67, normalized size = 1.00

$$-\frac{35 \cos(a + bx^2)}{128b} + \frac{7 \cos(3(a + bx^2))}{128b} - \frac{7 \cos(5(a + bx^2))}{640b} + \frac{\cos(7(a + bx^2))}{896b}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sin[a + b*x^2]^7,x]

[Out] (-35*Cos[a + b*x^2])/(128*b) + (7*Cos[3*(a + b*x^2)])/(128*b) - (7*Cos[5*(a + b*x^2)])/(640*b) + Cos[7*(a + b*x^2)]/(896*b)

fricas [A] time = 0.57, size = 52, normalized size = 0.78

$$\frac{5 \cos(bx^2 + a)^7 - 21 \cos(bx^2 + a)^5 + 35 \cos(bx^2 + a)^3 - 35 \cos(bx^2 + a)}{70b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^7,x, algorithm="fricas")

[Out] 1/70*(5*cos(b*x^2 + a)^7 - 21*cos(b*x^2 + a)^5 + 35*cos(b*x^2 + a)^3 - 35*cos(b*x^2 + a))/b

giac [A] time = 0.51, size = 52, normalized size = 0.78

$$\frac{5 \cos(bx^2 + a)^7 - 21 \cos(bx^2 + a)^5 + 35 \cos(bx^2 + a)^3 - 35 \cos(bx^2 + a)}{70b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^7,x, algorithm="giac")

[Out] 1/70*(5*cos(b*x^2 + a)^7 - 21*cos(b*x^2 + a)^5 + 35*cos(b*x^2 + a)^3 - 35*cos(b*x^2 + a))/b

maple [A] time = 0.08, size = 50, normalized size = 0.75

$$\frac{\left(\frac{16}{5} + \sin^6(bx^2 + a) + \frac{6(\sin^4(bx^2+a))}{5} + \frac{8(\sin^2(bx^2+a))}{5}\right) \cos(bx^2 + a)}{14b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(b*x^2+a)^7,x)

[Out] -1/14/b*(16/5+sin(b*x^2+a)^6+6/5*sin(b*x^2+a)^4+8/5*sin(b*x^2+a)^2)*cos(b*x^2+a)

maxima [A] time = 0.32, size = 55, normalized size = 0.82

$$\frac{5 \cos(7bx^2 + 7a) - 49 \cos(5bx^2 + 5a) + 245 \cos(3bx^2 + 3a) - 1225 \cos(bx^2 + a)}{4480b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(b*x^2+a)^7,x, algorithm="maxima")

[Out] 1/4480*(5*cos(7*b*x^2 + 7*a) - 49*cos(5*b*x^2 + 5*a) + 245*cos(3*b*x^2 + 3*a) - 1225*cos(b*x^2 + a))/b

mupad [B] time = 4.99, size = 55, normalized size = 0.82

$$\frac{245 \cos(3bx^2 + 3a) - 49 \cos(5bx^2 + 5a) + 5 \cos(7bx^2 + 7a) - 1225 \cos(bx^2 + a)}{4480b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(a + b*x^2)^7,x)

[Out] (245*cos(3*a + 3*b*x^2) - 49*cos(5*a + 5*b*x^2) + 5*cos(7*a + 7*b*x^2) - 1225*cos(a + b*x^2))/(4480*b)

sympy [A] time = 9.99, size = 95, normalized size = 1.42

$$\begin{cases} \frac{\sin^6(a+bx^2) \cos(a+bx^2)}{2b} - \frac{\sin^4(a+bx^2) \cos^3(a+bx^2)}{b} - \frac{4 \sin^2(a+bx^2) \cos^5(a+bx^2)}{5b} - \frac{8 \cos^7(a+bx^2)}{35b} & \text{for } b \neq 0 \\ \frac{x^2 \sin^7(a)}{2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate(x*sin(b*x**2+a)**7,x)
```

```
[Out] Piecewise((-sin(a + b*x**2)**6*cos(a + b*x**2)/(2*b) - sin(a + b*x**2)**4*cos(a + b*x**2)**3/b - 4*sin(a + b*x**2)**2*cos(a + b*x**2)**5/(5*b) - 8*cos(a + b*x**2)**7/(35*b), Ne(b, 0)), (x**2*sin(a)**7/2, True))
```

$$3.34 \quad \int \frac{(1+\sin(x^2))^2}{x^3} dx$$

Optimal. Leaf size=44

$$\text{Ci}(x^2) + \frac{\text{Si}(2x^2)}{2} - \frac{3}{4x^2} - \frac{\sin(x^2)}{x^2} + \frac{\cos(2x^2)}{4x^2}$$

[Out] $-3/4/x^2 + \text{Ci}(x^2) + 1/4 * \cos(2*x^2)/x^2 + 1/2 * \text{Si}(2*x^2) - \sin(x^2)/x^2$

Rubi [A] time = 0.10, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3403, 3380, 3297, 3299, 3379, 3302}

$$\text{CosIntegral}(x^2) + \frac{\text{Si}(2x^2)}{2} - \frac{3}{4x^2} - \frac{\sin(x^2)}{x^2} + \frac{\cos(2x^2)}{4x^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(1 + \text{Sin}[x^2])^2/x^3, x]$

[Out] $-3/(4*x^2) + \text{Cos}[2*x^2]/(4*x^2) + \text{CosIntegral}[x^2] - \text{Sin}[x^2]/x^2 + \text{SinIntegral}[2*x^2]/2$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
```

```
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_.)]*(b_.))^(p_.)*(x_)^(m_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_), x_Symbol]
:> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{(1 + \sin(x^2))^2}{x^3} dx &= \int \left(\frac{3}{2x^3} - \frac{\cos(2x^2)}{2x^3} + \frac{2 \sin(x^2)}{x^3} \right) dx \\
 &= -\frac{3}{4x^2} - \frac{1}{2} \int \frac{\cos(2x^2)}{x^3} dx + 2 \int \frac{\sin(x^2)}{x^3} dx \\
 &= -\frac{3}{4x^2} - \frac{1}{4} \text{Subst} \left(\int \frac{\cos(2x)}{x^2} dx, x, x^2 \right) + \text{Subst} \left(\int \frac{\sin(x)}{x^2} dx, x, x^2 \right) \\
 &= -\frac{3}{4x^2} + \frac{\cos(2x^2)}{4x^2} - \frac{\sin(x^2)}{x^2} + \frac{1}{2} \text{Subst} \left(\int \frac{\sin(2x)}{x} dx, x, x^2 \right) + \text{Subst} \left(\int \frac{\cos(x)}{x} dx, x, x^2 \right) \\
 &= -\frac{3}{4x^2} + \frac{\cos(2x^2)}{4x^2} + \text{Ci}(x^2) - \frac{\sin(x^2)}{x^2} + \frac{\text{Si}(2x^2)}{2}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 41, normalized size = 0.93

$$\frac{4x^2 \text{Ci}(x^2) + 2x^2 \text{Si}(2x^2) - 4 \sin(x^2) + \cos(2x^2) - 3}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(1 + Sin[x^2])^2/x^3,x]

[Out] $(-3 + \cos(2x^2) + 4x^2 \operatorname{CosIntegral}(x^2) - 4\sin(x^2) + 2x^2 \operatorname{SinIntegral}(2x^2)) / (4x^2)$

fricas [A] time = 0.83, size = 47, normalized size = 1.07

$$\frac{x^2 \operatorname{Ci}(-x^2) + x^2 \operatorname{Ci}(x^2) + x^2 \operatorname{Si}(2x^2) + \cos(x^2)^2 - 2 \sin(x^2) - 2}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+sin(x^2))^2/x^3,x, algorithm="fricas")`

[Out] $1/2*(x^2*\cos_integral(-x^2) + x^2*\cos_integral(x^2) + x^2*\sin_integral(2*x^2) + \cos(x^2)^2 - 2*\sin(x^2) - 2)/x^2$

giac [A] time = 0.38, size = 39, normalized size = 0.89

$$\frac{4x^2 \operatorname{Ci}(x^2) + 2x^2 \operatorname{Si}(2x^2) + \cos(2x^2) - 4 \sin(x^2) - 3}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+sin(x^2))^2/x^3,x, algorithm="giac")`

[Out] $1/4*(4*x^2*\cos_integral(x^2) + 2*x^2*\sin_integral(2*x^2) + \cos(2*x^2) - 4*\sin(x^2) - 3)/x^2$

maple [A] time = 0.05, size = 39, normalized size = 0.89

$$-\frac{3}{4x^2} + \operatorname{Ci}(x^2) + \frac{\cos(2x^2)}{4x^2} + \frac{\operatorname{Si}(2x^2)}{2} - \frac{\sin(x^2)}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((1+sin(x^2))^2/x^3,x)`

[Out] $-3/4/x^2 + \operatorname{Ci}(x^2) + 1/4*\cos(2*x^2)/x^2 + 1/2*\operatorname{Si}(2*x^2) - \sin(x^2)/x^2$

maxima [C] time = 0.40, size = 54, normalized size = 1.23

$$\frac{x^2(i\Gamma(-1, 2ix^2) - i\Gamma(-1, -2ix^2)) - 1}{4x^2} - \frac{1}{2x^2} + \frac{1}{2}\Gamma(-1, ix^2) + \frac{1}{2}\Gamma(-1, -ix^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+sin(x^2))^2/x^3,x, algorithm="maxima")`

[Out] $1/4*(x^2*(I*\gamma(-1, 2*I*x^2) - I*\gamma(-1, -2*I*x^2)) - 1)/x^2 - 1/2/x^2 + 1/2*\gamma(-1, I*x^2) + 1/2*\gamma(-1, -I*x^2)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\operatorname{cosint}(x^2) + \frac{\operatorname{sinint}(2x^2)}{2} - \frac{\sin(x^2)}{x^2} + \frac{\cos(x^2)^2}{2x^2} - \frac{1}{x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((sin(x^2) + 1)^2/x^3,x)`

[Out] $\operatorname{cosint}(x^2) + \operatorname{sinint}(2*x^2)/2 - \sin(x^2)/x^2 + \cos(x^2)^2/(2*x^2) - 1/x^2$

sympy [A] time = 4.68, size = 51, normalized size = 1.16

$$-\log(x^2) + \frac{\log(x^4)}{2} + \operatorname{Ci}(x^2) + \frac{\operatorname{Si}(2x^2)}{2} - \frac{\sin(x^2)}{x^2} + \frac{\cos(2x^2)}{4x^2} - \frac{3}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+sin(x**2))**2/x**3,x)`

[Out] $-\log(x**2) + \log(x**4)/2 + \operatorname{Ci}(x**2) + \operatorname{Si}(2*x**2)/2 - \sin(x**2)/x**2 + \cos(2*x**2)/(4*x**2) - 3/(4*x**2)$

$$3.35 \quad \int \frac{x^5}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=362

$$-\frac{i \operatorname{Li}_3\left(\frac{i b e^{i(d x^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{d^3 \sqrt{a^2-b^2}} + \frac{i \operatorname{Li}_3\left(\frac{i b e^{i(d x^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{d^3 \sqrt{a^2-b^2}} - \frac{x^2 \operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 \sqrt{a^2-b^2}} + \frac{x^2 \operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{d^2 \sqrt{a^2-b^2}} - \frac{i x^4 \log\left(1-\frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{2 d \sqrt{a^2-b^2}} + \frac{i x^4 \log\left(1-\frac{i b e^{i(c+d x^2)}}{a+\sqrt{a^2-b^2}}\right)}{2 d \sqrt{a^2-b^2}}$$

[Out] $-1/2*I*x^4*\ln(1-I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/d/(a^2-b^2)^{(1/2)}$
 $+1/2*I*x^4*\ln(1-I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/d/(a^2-b^2)^{(1/2)}$
 $-x^2*polylog(2,I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/d^2/(a^2-b^2)^{(1/2)}$
 $+x^2*polylog(2,I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/d^2/(a^2-b^2)^{(1/2)}$
 $-I*polylog(3,I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/d^3/(a^2-b^2)^{(1/2)}$
 $+I*polylog(3,I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/d^3/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.88, antiderivative size = 362, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3379, 3323, 2264, 2190, 2531, 2282, 6589}

$$-\frac{x^2 \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{d^2 \sqrt{a^2-b^2}} + \frac{x^2 \operatorname{PolyLog}\left(2, \frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{d^2 \sqrt{a^2-b^2}} - \frac{i \operatorname{PolyLog}\left(3, \frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{d^3 \sqrt{a^2-b^2}} + \frac{i \operatorname{PolyLog}\left(3, \frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{d^3 \sqrt{a^2-b^2}} - \frac{i x^4 \log\left(1-\frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{2 d \sqrt{a^2-b^2}} + \frac{i x^4 \log\left(1-\frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{2 d \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^5/(a + b*\sin[c + d*x^2]), x]$

[Out] $((-I/2)*x^4*\log[1 - (I*b*E^(I*(c + d*x^2)))/(a - \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d) + ((I/2)*x^4*\log[1 - (I*b*E^(I*(c + d*x^2)))/(a + \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d) - (x^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x^2)))/(a - \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d^2) + (x^2*\operatorname{PolyLog}[2, (I*b*E^(I*(c + d*x^2)))/(a + \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d^2) - (I*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x^2)))/(a - \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d^3) + (I*\operatorname{PolyLog}[3, (I*b*E^(I*(c + d*x^2)))/(a + \operatorname{Sqrt}[a^2 - b^2]])/(\operatorname{Sqrt}[a^2 - b^2]*d^3)$

Rule 2190

$\operatorname{Int}[(((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)*((c_) + (d_)*(x_))^\wedge(m_))/((a_) + (b_)*((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)), x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^\wedge m * \log[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a]/(b*f*g*n*\log[F]), x] - \operatorname{Dist}[(d*m)/(b*f*g*n*\log[F]), \operatorname{Int}[(c + d*x)^\wedge(m - 1)*\log[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a], x], x] /;$ $\operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \operatorname{IGtQ}[m, 0]$

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
))) - I*b*E^(2*I*(e + f*x))], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{a + b \sin(c + dx^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{a + b \sin(c + dx)} dx, x, x^2 \right) \\
&= \text{Subst} \left(\int \frac{e^{i(c+dx)} x^2}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right) \\
&= -\frac{(ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x^2}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^2 \right)}{\sqrt{a^2-b^2}} + \frac{(ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x^2}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^2 \right)}{\sqrt{a^2-b^2}} \\
&= -\frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} + \frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} + \frac{i \text{Subst} \left(\int x \log \left(1 - \frac{2ibe^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}} \right) dx, x, x^2 \right)}{\sqrt{a^2-b^2}d} \\
&= -\frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} + \frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} - \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2} + \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2} \\
&= -\frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} + \frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} - \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2} + \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2} \\
&= -\frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} + \frac{ix^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2}d} - \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2} + \frac{x^2 \text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{\sqrt{a^2-b^2}d^2}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 289, normalized size = 0.80

$$\frac{-i \left(d^2 x^4 \log \left(1 + \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}-a} \right) - d^2 x^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}+a} \right) + 2id x^2 \text{Li}_2 \left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}} \right) + 2\text{Li}_3 \left(\frac{ibe^{i(dx^2+c)}}{a-\sqrt{a^2-b^2}} \right) - 2\text{Li}_3 \left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}} \right) \right)}{2d^3 \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(a + b*Sin[c + d*x^2]),x]

[Out] (-2*d*x^2*PolyLog[2, ((-I)*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])] - I*(d^2*x^4*Log[1 + (I*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])] - d^2*x^4*Log[1 - (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])] + (2*I)*d*x^2*PolyLog[2, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])] + 2*PolyLog[3, (I*b*E^(I*(c + d*x^2)))/(a - Sqrt[a^2 - b^2])] - 2*PolyLog[3, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])])/(2*Sqrt[a^2 - b^2]*d^3)

fricas [C] time = 0.85, size = 1453, normalized size = 4.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/8*(-4*I*b*d*x^2*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(2*I*a*\cos(d*x^2 + c) \\ & + 2*a*\sin(d*x^2 + c) + 2*(b*\cos(d*x^2 + c) - I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 \\ & - b^2)/b^2} + 2*b)/b + 1) + 4*I*b*d*x^2*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2* \\ & (2*I*a*\cos(d*x^2 + c) + 2*a*\sin(d*x^2 + c) - 2*(b*\cos(d*x^2 + c) - I*b*\sin(\\ & d*x^2 + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) + 4*I*b*d*x^2*\sqrt{-(a^2 - \\ & b^2)/b^2}*dilog(-1/2*(-2*I*a*\cos(d*x^2 + c) + 2*a*\sin(d*x^2 + c) + 2*(b*co \\ & s(d*x^2 + c) + I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b + 1) - 4 \\ & *I*b*d*x^2*\sqrt{-(a^2 - b^2)/b^2}*dilog(-1/2*(-2*I*a*\cos(d*x^2 + c) + 2*a*s \\ & in(d*x^2 + c) - 2*(b*\cos(d*x^2 + c) + I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2) \\ & /b^2} + 2*b)/b + 1) - 2*b*c^2*\sqrt{-(a^2 - b^2)/b^2}*log(2*b*\cos(d*x^2 + c) \\ & + 2*I*b*\sin(d*x^2 + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) - 2*b*c^2*\sqrt{ \\ & t(-(a^2 - b^2)/b^2)*log(2*b*\cos(d*x^2 + c) - 2*I*b*\sin(d*x^2 + c) + 2*b*\sqrt{ \\ & t(-(a^2 - b^2)/b^2) - 2*I*a) + 2*b*c^2*\sqrt{-(a^2 - b^2)/b^2}*log(-2*b*\cos(\\ & d*x^2 + c) + 2*I*b*\sin(d*x^2 + c) + 2*b*\sqrt{-(a^2 - b^2)/b^2} + 2*I*a) + 2 \\ & *b*c^2*\sqrt{-(a^2 - b^2)/b^2}*log(-2*b*\cos(d*x^2 + c) - 2*I*b*\sin(d*x^2 + c \\ &) + 2*b*\sqrt{-(a^2 - b^2)/b^2} - 2*I*a) - 2*(b*d^2*x^4 - b*c^2)*\sqrt{-(a^2 \\ & - b^2)/b^2}*log(1/2*(2*I*a*\cos(d*x^2 + c) + 2*a*\sin(d*x^2 + c) + 2*(b*\cos(d \\ & *x^2 + c) - I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(b*d^2 \\ & *x^4 - b*c^2)*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(2*I*a*\cos(d*x^2 + c) + 2*a*si \\ & n(d*x^2 + c) - 2*(b*\cos(d*x^2 + c) - I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/ \\ & b^2} + 2*b)/b) - 2*(b*d^2*x^4 - b*c^2)*\sqrt{-(a^2 - b^2)/b^2}*log(1/2*(-2*I \\ & *a*\cos(d*x^2 + c) + 2*a*\sin(d*x^2 + c) + 2*(b*\cos(d*x^2 + c) + I*b*\sin(d*x^ \\ & 2 + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 2*(b*d^2*x^4 - b*c^2)*\sqrt{-(a^2 \\ & - b^2)/b^2}*log(1/2*(-2*I*a*\cos(d*x^2 + c) + 2*a*\sin(d*x^2 + c) - 2*(b*\cos \\ & (d*x^2 + c) + I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/b^2} + 2*b)/b) + 4*b*\sqrt{ \\ & t(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*\cos(d*x^2 + c) - 2*a*\sin(d*x^2 + \\ & c) + 2*(b*\cos(d*x^2 + c) + I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/b^2}))/b) \\ & - 4*b*\sqrt{-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*\cos(d*x^2 + c) - 2*a*\sin \\ & (d*x^2 + c) - 2*(b*\cos(d*x^2 + c) + I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 - b^2)/b \\ & ^2}))/b) + 4*b*\sqrt{-(a^2 - b^2)/b^2)*polylog(3, 1/2*(-2*I*a*\cos(d*x^2 + c) \\ & - 2*a*\sin(d*x^2 + c) + 2*(b*\cos(d*x^2 + c) - I*b*\sin(d*x^2 + c))*\sqrt{-(a^2 \\ & - b^2)/b^2}))/b) - 4*b*\sqrt{-(a^2 - b^2)/b^2)*polylog(3, 1/2*(-2*I*a*\cos(d* \\ & x^2 + c) - 2*a*\sin(d*x^2 + c) - 2*(b*\cos(d*x^2 + c) - I*b*\sin(d*x^2 + c))*\sqrt{ \\ & t(-(a^2 - b^2)/b^2}))/b)))/((a^2 - b^2)*d^3) \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(x^5/(b*sin(d*x^2 + c) + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{x^5}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a+b*sin(d*x^2+c)),x)

[Out] int(x^5/(a+b*sin(d*x^2+c)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(x^5/(b*sin(d*x^2 + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a + b*sin(c + d*x^2)),x)

[Out] int(x^5/(a + b*sin(c + d*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{a + b \sin(c + dx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(a+b*sin(d*x**2+c)),x)

[Out] Integral(x**5/(a + b*sin(c + d*x**2)), x)

$$3.36 \quad \int \frac{x^3}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=245

$$-\frac{\operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{2 d^2 \sqrt{a^2-b^2}}+\frac{\operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{2 d^2 \sqrt{a^2-b^2}}-\frac{i x^2 \log\left(1-\frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{2 d \sqrt{a^2-b^2}}+\frac{i x^2 \log\left(1-\frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{2 d \sqrt{a^2-b^2}}$$

[Out] $-1/2*I*x^2*\ln(1-I*b*\exp(I*(d*x^2+c)))/(a-(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}$
 $+1/2*I*x^2*\ln(1-I*b*\exp(I*(d*x^2+c)))/(a+(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}$
 $-1/2*polylog(2,I*b*\exp(I*(d*x^2+c)))/(a-(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)}$
 $+1/2*polylog(2,I*b*\exp(I*(d*x^2+c)))/(a+(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.51, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3379, 3323, 2264, 2190, 2279, 2391}

$$-\frac{\operatorname{PolyLog}\left(2,\frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{2 d^2 \sqrt{a^2-b^2}}+\frac{\operatorname{PolyLog}\left(2,\frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{2 d^2 \sqrt{a^2-b^2}}-\frac{i x^2 \log\left(1-\frac{i b e^{i(c+d x^2)}}{a-\sqrt{a^2-b^2}}\right)}{2 d \sqrt{a^2-b^2}}+\frac{i x^2 \log\left(1-\frac{i b e^{i(c+d x^2)}}{\sqrt{a^2-b^2}+a}\right)}{2 d \sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + b*Sin[c + d*x^2]),x]

[Out] $((-I/2)*x^2*\operatorname{Log}[1-(I*b*E^{I*(c+d*x^2)})/(a-\operatorname{Sqrt}[a^2-b^2])])/(\operatorname{Sqrt}[a^2-b^2]*d) + ((I/2)*x^2*\operatorname{Log}[1-(I*b*E^{I*(c+d*x^2)})/(a+\operatorname{Sqrt}[a^2-b^2])])/(\operatorname{Sqrt}[a^2-b^2]*d) - \operatorname{PolyLog}[2,(I*b*E^{I*(c+d*x^2)})/(a-\operatorname{Sqrt}[a^2-b^2])]/(2*\operatorname{Sqrt}[a^2-b^2]*d^2) + \operatorname{PolyLog}[2,(I*b*E^{I*(c+d*x^2)})/(a+\operatorname{Sqrt}[a^2-b^2])]/(2*\operatorname{Sqrt}[a^2-b^2]*d^2)$

Rule 2190

Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n]/a)]/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n]/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2264

Int[(((F_)^(u_))*((f_) + (g_)*(x_))^(m_)]/((a_) + (b_)*(F_)^(u_) + (c_)*((F_)^(v_))), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[

```
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_)^(m_.))/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{a + b \sin(c + dx^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) \\
&= \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right) \\
&= -\frac{(ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^2 \right)}{\sqrt{a^2-b^2}} + \frac{(ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^2 \right)}{\sqrt{a^2-b^2}} \\
&= -\frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} + \frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} + \frac{i \text{Subst} \left(\int \log \left(1 - \frac{2ibe^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}} \right) dx, x, x^2 \right)}{2\sqrt{a^2-b^2} d} \\
&= -\frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} + \frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} + \frac{\text{Subst} \left(\int \frac{\log \left(1 - \frac{2ibx}{2a-2\sqrt{a^2-b^2}} \right)}{x} dx, x, x^2 \right)}{2\sqrt{a^2-b^2} d^2} \\
&= -\frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} + \frac{ix^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d} - \frac{\text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d^2} + \frac{\text{Li}_2 \left(\frac{ibe^{i(c+dx^2)}}{a+\sqrt{a^2-b^2}} \right)}{2\sqrt{a^2-b^2} d^2}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 188, normalized size = 0.77

$$\frac{-\text{Li}_2 \left(-\frac{ibe^{i(dx^2+c)}}{\sqrt{a^2-b^2}-a} \right) + \text{Li}_2 \left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}} \right) - idx^2 \left(\log \left(1 + \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}-a} \right) - \log \left(1 - \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}+a} \right) \right)}{2d^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*Sin[c + d*x^2]),x]

[Out] ((-I)*d*x^2*(Log[1 + (I*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2]]) - Log[1 - (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2]]) - PolyLog[2, ((-I)*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2]]) + PolyLog[2, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2]]))/(2*Sqrt[a^2 - b^2]*d^2)

fricas [B] time = 0.98, size = 1053, normalized size = 4.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

```
[Out] -1/8*(2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x^2 + c) + 2*I*b*sin(d*x^2
+ c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*b*c*sqrt(-(a^2 - b^2)/b^2)*
log(2*b*cos(d*x^2 + c) - 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2)
- 2*I*a) - 2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x^2 + c) + 2*I*b*sin
(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*b*c*sqrt(-(a^2 - b^2)
/b^2)*log(-2*b*cos(d*x^2 + c) - 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)
)/b^2) - 2*I*a) - 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^2
+ c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(
-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(
2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d
*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*sqrt(-(a^2 - b^2)/b
^2)*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2
+ c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*b*sq
rt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c)
- 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/
b + 1) - 2*(b*d*x^2 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^2
+ c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(
-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d*x^2 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(
1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*
sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b*d*x^2 + b*c)*sqrt(-
(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b
*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*
(b*d*x^2 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^2 + c) + 2*a
*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^
2)/b^2) + 2*b)/b))/((a^2 - b^2)*d^2)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3/(a+b*sin(d*x^2+c)),x, algorithm="giac")
```

```
[Out] integrate(x^3/(b*sin(d*x^2 + c) + a), x)
```

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3/(a+b*sin(d*x^2+c)),x)
```

[Out] `int(x^3/(a+b*sin(d*x^2+c)),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3/(a+b*sin(d*x^2+c)),x, algorithm="maxima")`

[Out] `integrate(x^3/(b*sin(d*x^2 + c) + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3/(a + b*sin(c + d*x^2)),x)`

[Out] `int(x^3/(a + b*sin(c + d*x^2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a + b \sin(c + dx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(a+b*sin(d*x**2+c)),x)`

[Out] `Integral(x**3/(a + b*sin(c + d*x**2)), x)`

$$3.37 \quad \int \frac{x}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=48

$$\frac{\tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx^2)\right)+b}{\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}}$$

[Out] arctan((b+a*tan(1/2*d*x^2+1/2*c))/(a^2-b^2)^(1/2))/d/(a^2-b^2)^(1/2)

Rubi [A] time = 0.07, antiderivative size = 48, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3379, 2660, 618, 204}

$$\frac{\tan^{-1}\left(\frac{a \tan\left(\frac{1}{2}(c+dx^2)\right)+b}{\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b*Sin[c + d*x^2]),x]

[Out] ArcTan[(b + a*Tan[(c + d*x^2)/2])/Sqrt[a^2 - b^2]]/(Sqrt[a^2 - b^2]*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 2660

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3379


```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{x}{a + b \sin(c + dx^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{a + b \sin(c + dx)} dx, x, x^2 \right) \\ &= \frac{\text{Subst} \left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan \left(\frac{1}{2} (c + dx^2) \right) \right)}{d} \\ &= \frac{2 \text{Subst} \left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan \left(\frac{1}{2} (c + dx^2) \right) \right)}{d} \\ &= \frac{\tan^{-1} \left(\frac{b + a \tan \left(\frac{1}{2} (c + dx^2) \right)}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2} d} \end{aligned}$$

Mathematica [A] time = 0.09, size = 48, normalized size = 1.00

$$\frac{\tan^{-1} \left(\frac{a \tan \left(\frac{1}{2} (c + dx^2) \right) + b}{\sqrt{a^2 - b^2}} \right)}{d \sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*Sin[c + d*x^2]),x]

[Out] ArcTan[(b + a*Tan[(c + d*x^2)/2])/Sqrt[a^2 - b^2]]/(Sqrt[a^2 - b^2]*d)

fricas [A] time = 0.70, size = 208, normalized size = 4.33

$$\left[\frac{\sqrt{-a^2 + b^2} \log \left(\frac{(2a^2 - b^2) \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2 + 2(a \cos(dx^2 + c) \sin(dx^2 + c) + b \cos(dx^2 + c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2} \right)}{4(a^2 - b^2)d} \right], \frac{\arctan \left(-\frac{\sqrt{-a^2 + b^2}}{2\sqrt{a^2 - b^2}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] [-1/4*sqrt(-a^2 + b^2)*log(((2*a^2 - b^2)*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2 + 2*(a*cos(d*x^2 + c)*sin(d*x^2 + c) + b*cos(d*x^2 + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2)))/((a^2 - b^2)*d), -1/2*arctan(-(a*sin(d*x^2 + c) + b)/(sqrt(a^2 - b^2)*cos(d*x^2 + c)))/(sqrt(a^2 - b^2)*d)]

giac [A] time = 0.37, size = 63, normalized size = 1.31

$$\frac{\pi \left[\frac{dx^2+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx^2 + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] (pi*floor(1/2*(d*x^2 + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x^2 + 1/2*c) + b)/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*d)

maple [A] time = 0.05, size = 48, normalized size = 1.00

$$\frac{\arctan \left(\frac{2a \tan \left(\frac{dx^2}{2} + \frac{c}{2} \right) + 2b}{2\sqrt{a^2 - b^2}} \right)}{d\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(d*x^2+c)),x)

[Out] 1/d/(a^2-b^2)^(1/2)*arctan(1/2*(2*a*tan(1/2*d*x^2+1/2*c)+2*b)/(a^2-b^2)^(1/2))

maxima [B] time = 36.95, size = 8078, normalized size = 168.29

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] 1/2*arctan2(-2*(4*(a^2*b^4 - b^6)*cos(d*x^2 + 2*c)^4*cos(c)*sin(c) - 4*(a^2*b^4 - b^6)*cos(c)*sin(d*x^2 + 2*c)^4*sin(c) - 4*((a^3*b^3 - a*b^5)*cos(c)^3 + 3*(a^3*b^3 - a*b^5)*cos(c)*sin(c)^2)*cos(d*x^2 + 2*c)^3 - 4*(3*(a^3*b^3

$$\begin{aligned}
& - a^3b^5 \cos(c)^2 \sin(c) + (a^3b^3 - a^2b^5) \sin(c)^3 + ((a^2b^4 - b^6) \cos(c)^2 - (a^2b^4 - b^6) \sin(c)^2) \cos(dx^2 + 2c) \sin(dx^2 + 2c)^3 + \\
& 4((4a^4b^2 - 5a^2b^4 + b^6) \cos(c)^3 \sin(c) + (4a^4b^2 - 5a^2b^4 + b^6) \cos(c) \sin(c)^3) \cos(dx^2 + 2c)^2 - 4((4a^4b^2 - 5a^2b^4 + b^6) \cos(c)^3 \sin(c) + \\
& (4a^4b^2 - 5a^2b^4 + b^6) \cos(c) \sin(c)^3) \cos(dx^2 + 2c) + 3((a^3b^3 - a^2b^5) \cos(c)^3 - (a^3b^3 - a^2b^5) \cos(c) \sin(c)^2) \cos(dx^2 + 2c) \sin(dx^2 + 2c)^2 - \\
& 4((2a^5b - 3a^3b^3 + a^2b^5) \cos(c)^5 + 2(2a^5b - 3a^3b^3 + a^2b^5) \cos(c)^3 \sin(c)^2 + (2a^5b - 3a^3b^3 + a^2b^5) \cos(c) \sin(c)^4) \cos(dx^2 + 2c) - \\
& 4((2a^5b - 3a^3b^3 + a^2b^5) \cos(c)^4 \sin(c) + 2(2a^5b - 3a^3b^3 + a^2b^5) \cos(c)^2 \sin(c)^3 + (2a^5b - 3a^3b^3 + a^2b^5) \sin(c)^5) \cos(dx^2 + 2c) + \\
& ((a^2b^4 - b^6) \cos(c)^2 - (a^2b^4 - b^6) \sin(c)^2) \cos(dx^2 + 2c)^3 - 3((a^3b^3 - a^2b^5) \cos(c)^2 \sin(c) - (a^3b^3 - a^2b^5) \sin(c)^3) \cos(dx^2 + 2c)^2 + \\
& ((4a^4b^2 - 5a^2b^4 + b^6) \cos(c)^4 - (4a^4b^2 - 5a^2b^4 + b^6) \sin(c)^4) \cos(dx^2 + 2c) \sin(dx^2 + 2c) + (b^5 \cos(dx^2 + 2c)^5 \cos(c) - 4a^4b^4 \cos(dx^2 + 2c)^4 \cos(c) \sin(c) + \\
& b^5 \sin(dx^2 + 2c)^5 \sin(c) + (b^5 \cos(dx^2 + 2c) \cos(c) + 4a^4b^4 \cos(c) \sin(c)) \sin(dx^2 + 2c)^4 + 2((2a^2b^3 - b^5) \cos(c)^3 + 3(2a^2b^3 - b^5) \cos(c) \sin(c)^2) \cos(dx^2 + 2c)^3 + \\
& 2(b^5 \cos(dx^2 + 2c)^2 \sin(c) + 3(2a^2b^3 - b^5) \cos(c)^2 \sin(c) + (2a^2b^3 - b^5) \sin(c)^3) \cos(dx^2 + 2c) + 2(a^4b^4 \cos(c)^2 - a^4b^4 \sin(c)^2) \cos(dx^2 + 2c) \sin(dx^2 + 2c)^3 - \\
& 4((4a^3b^2 - 3a^2b^4) \cos(c)^3 \sin(c) + (4a^3b^2 - 3a^2b^4) \cos(c) \sin(c)^3) \cos(dx^2 + 2c)^2 + 2(b^5 \cos(dx^2 + 2c)^3 \cos(c) + 2(4a^3b^2 - 3a^2b^4) \cos(c)^3 \sin(c) + \\
& 2(4a^3b^2 - 3a^2b^4) \cos(c) \sin(c)^3) \cos(dx^2 + 2c) + ((8a^4b - 8a^2b^3 + b^5) \cos(c)^5 + 2(8a^4b - 8a^2b^3 + b^5) \cos(c)^3 \sin(c)^2 + (8a^4b - 8a^2b^3 + b^5) \cos(c) \sin(c)^4) \cos(dx^2 + 2c) + \\
& (b^5 \cos(dx^2 + 2c)^4 \sin(c) + (8a^4b - 8a^2b^3 + b^5) \cos(c)^4 \sin(c) + 2(8a^4b - 8a^2b^3 + b^5) \cos(c)^2 \sin(c)^3 + (8a^4b - 8a^2b^3 + b^5) \sin(c)^5) \cos(dx^2 + 2c) + 4(a^4b^4 \cos(c)^2 - \\
& a^4b^4 \sin(c)^2) \cos(dx^2 + 2c)^3 - 6((2a^2b^3 - b^5) \cos(c)^2 \sin(c) - (2a^2b^3 - b^5) \sin(c)^3) \cos(dx^2 + 2c)^2 + 4((4a^3b^2 - 3a^2b^4) \cos(c)^4 - (4a^3b^2 - 3a^2b^4) \sin(c)^4) \cos(dx^2 + 2c) \sin(dx^2 + 2c) \sqrt{a^2 - b^2} / \\
& (b^6 \cos(dx^2 + 2c)^6 + 6a^4b^5 \cos(c) \sin(dx^2 + 2c)^5 + b^6 \sin(dx^2 + 2c)^6 - 6a^4b^5 \cos(dx^2 + 2c)^5 \sin(c) + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^6 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^4 \sin(c)^2 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^2 \sin(c)^4 + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \sin(c)^6 + 3((2a^2b^4 - b^6) \cos(c)^2 + 5(2a^2b^4 - b^6) \sin(c)^2) \cos(dx^2 + 2c)^4 + 3(b^6 \cos(dx^2 + 2c)^2 - 2a^4b^5 \cos(dx^2 + 2c) \sin(c) + 5(2a^2b^4 - b^6) \cos(c)^2 + (2a^2b^4 - b^6) \sin(c)^2) \sin(dx^2 + 2c)^4 - 4(3(4a^3b^3 - 3a^2b^5) \cos(c)^2 \sin(c) + 5(4a^3b^3 - 3a^2b^5) \sin(c)^3) \cos(dx^2 + 2c)^3 + 4(3a^4b^5 \cos(dx^2 + 2c)^2 \cos(c) + 5(4a^3b^3 - 3a^2b^5) \cos(c)^3 - 6(2a^2b^4 - b^6) \cos(dx^2 + 2c) \cos(c) \sin(c) + 3(4a^3b^3 - 3a^2b^5) \cos(c) \sin(c)^2) \sin(dx^2 + 2c)^3 + 3((8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^4 + 6(8a^4b^2 - 8a^2b^4 + b^6) \cos(
\end{aligned}$$

$$\begin{aligned}
& c)^2 \sin(c)^2 + 5(8a^4b^2 - 8a^2b^4 + b^6) \sin(c)^4 \cos(dx^2 + 2c)^2 \\
& + 3(b^6 \cos(dx^2 + 2c)^4 - 4ab^5 \cos(dx^2 + 2c)^3 \sin(c) + 5(8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^4 \\
& + 6(8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^2 \sin(c)^2 + (8a^4b^2 - 8a^2b^4 + b^6) \sin(c)^4 + 6((2a^2b^4 - b^6) \cos(c)^2 \\
& + (2a^2b^4 - b^6) \sin(c)^2) \cos(dx^2 + 2c)^2 - 4(3(4a^3b^3 - 3ab^5) \cos(c)^2 \sin(c) + (4a^3b^3 - 3ab^5) \sin(c)^3) \cos(dx^2 + 2c) \\
& \sin(dx^2 + 2c)^2 - 6((16a^5b - 20a^3b^3 + 5ab^5) \cos(c)^4 \sin(c) + 2(16a^5b - 20a^3b^3 + 5ab^5) \cos(c)^2 \sin(c)^3 + (16a^5b - 20a^3b^3 + 5ab^5) \sin(c)^5) \cos(dx^2 + 2c) \\
& + 6(ab^5 \cos(dx^2 + 2c)^4 \cos(c) + (16a^5b - 20a^3b^3 + 5ab^5) \cos(c)^5 - 4(2a^2b^4 - b^6) \cos(dx^2 + 2c)^3 \cos(c) \sin(c) + 2(16a^5b - 20a^3b^3 + 5ab^5) \cos(c)^3 \sin(c)^2 + (16a^5b - 20a^3b^3 + 5ab^5) \cos(c) \sin(c)^4 + 2((4a^3b^3 - 3ab^5) \cos(c)^3 + 3(4a^3b^3 - 3ab^5) \cos(c) \sin(c)^2) \cos(dx^2 + 2c)^2 - 4((8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^3 \sin(c) + (8a^4b^2 - 8a^2b^4 + b^6) \cos(c) \sin(c)^3) \cos(dx^2 + 2c) \sin(dx^2 + 2c) - 2(3b^5 \cos(c) \sin(dx^2 + 2c)^5 - 3b^5 \cos(dx^2 + 2c)^5 \sin(c) + (16a^5 - 16a^3b^2 + 3ab^4) \cos(c)^6 + 3(16a^5 - 16a^3b^2 + 3ab^4) \cos(c)^4 \sin(c)^2 + 3(16a^5 - 16a^3b^2 + 3ab^4) \cos(c)^2 \sin(c)^4 + (16a^5 - 16a^3b^2 + 3ab^4) \sin(c)^6 + 3(ab^4 \cos(c)^2 + 5ab^4 \sin(c)^2) \cos(dx^2 + 2c)^4 + 3(5ab^4 \cos(c)^2 - b^5 \cos(dx^2 + 2c) \sin(c) + ab^4 \sin(c)^2) \sin(dx^2 + 2c)^4 - 2(3(4a^2b^3 - b^5) \cos(c)^2 \sin(c) + 5(4a^2b^3 - b^5) \sin(c)^3) \cos(dx^2 + 2c)^3 + 2(3b^5 \cos(dx^2 + 2c)^2 \cos(c) - 12ab^4 \cos(dx^2 + 2c) \cos(c) \sin(c) + 5(4a^2b^3 - b^5) \cos(c)^3 + 3(4a^2b^3 - b^5) \cos(c) \sin(c)^2) \sin(dx^2 + 2c)^3 + 6((2a^3b^2 - ab^4) \cos(c)^4 + 6(2a^3b^2 - ab^4) \cos(c)^2 \sin(c)^2 + 5(2a^3b^2 - ab^4) \sin(c)^4) \cos(dx^2 + 2c)^2 - 6(b^5 \cos(dx^2 + 2c)^3 \sin(c) - 5(2a^3b^2 - ab^4) \cos(c)^4 - 6(2a^3b^2 - ab^4) \cos(c)^2 \sin(c)^2 - (2a^3b^2 - ab^4) \sin(c)^4 - 3(ab^4 \cos(c)^2 + ab^4 \sin(c)^2) \cos(dx^2 + 2c)^2 + (3(4a^2b^3 - b^5) \cos(c)^2 \sin(c) + (4a^2b^3 - b^5) \sin(c)^3) \cos(dx^2 + 2c) \sin(dx^2 + 2c)^2 - 3((16a^4b - 12a^2b^3 + b^5) \cos(c)^4 \sin(c) + 2(16a^4b - 12a^2b^3 + b^5) \cos(c)^2 \sin(c)^3 + (16a^4b - 12a^2b^3 + b^5) \sin(c)^5) \cos(dx^2 + 2c) + 3(b^5 \cos(dx^2 + 2c)^4 \cos(c) - 8ab^4 \cos(dx^2 + 2c)^3 \cos(c) \sin(c) + (16a^4b - 12a^2b^3 + b^5) \cos(c)^5 + 2(16a^4b - 12a^2b^3 + b^5) \cos(c)^3 \sin(c)^2 + (16a^4b - 12a^2b^3 + b^5) \cos(c) \sin(c)^4 + 2((4a^2b^3 - b^5) \cos(c)^3 + 3(4a^2b^3 - b^5) \cos(c) \sin(c)^2) \cos(dx^2 + 2c)^2 - 16((2a^3b^2 - ab^4) \cos(c)^3 \sin(c) + (2a^3b^2 - ab^4) \cos(c) \sin(c)^3) \cos(dx^2 + 2c) \sin(dx^2 + 2c) \sqrt{a^2 - b^2}), (b^6 \cos(dx^2 + 2c)^6 + 6ab^5 \cos(c) \sin(dx^2 + 2c)^5 + b^6 \sin(dx^2 + 2c)^6 - 6ab^5 \cos(dx^2 + 2c)^5 \sin(c) + (8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^6 + 3(8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^4 \sin(c)^2 + 3(8a^4b^2 - 8a^2b^4 + b^6) \cos(c)^2 \sin(c)^4 + (8a^4b^2 - 8a^2b^4 + b^6) \sin(c)^6 + ((4a^2b^4 - b^6) \cos(c)^2 + 5(4a^2b^4 - b^6) \sin(c)^2) \cos(dx^2 + 2c)^4 + (3b^6 \cos(dx^2 + 2c)^2 - 6ab^5 \cos(dx^2 + 2c) \sin(c) + 5(4a^2b^4 - b^6) \cos(c)^2 + (4a^2b^4 - b^6) \sin(c)^2) \sin(dx^2 + 2c)^4 - 4(3
\end{aligned}$$

$$\begin{aligned}
& (2a^3b^3 - ab^5)\cos(c)^2\sin(c) + 5(2a^3b^3 - ab^5)\sin(c)^3\cos(dx^2 + 2c)^3 + 4(3a^2b^4 - b^6)\cos(dx^2 + 2c)^2\cos(c) + 5(2a^3b^3 - ab^5) \\
&)\cos(c)^3 - 2(4a^2b^4 - b^6)\cos(dx^2 + 2c)\cos(c)\sin(c) + 3(2a^3b^3 - ab^5)\cos(c)\sin(c)^2\sin(dx^2 + 2c)^3 + ((8a^4b^2 - 4a^2b^4 - b^6) \\
&)\cos(c)^4 + 6(8a^4b^2 - 4a^2b^4 - b^6)\cos(c)^2\sin(c)^2 + 5(8a^4b^2 - 4a^2b^4 - b^6)\sin(c)^4\cos(dx^2 + 2c)^2 + (3b^6\cos(dx^2 + 2c)^4 - 12a^2b^5 \\
&)\cos(dx^2 + 2c)^3\sin(c) + 5(8a^4b^2 - 4a^2b^4 - b^6)\cos(c)^4 + 6(8a^4b^2 - 4a^2b^4 - b^6)\cos(c)^2\sin(c)^2 + (8a^4b^2 - 4a^2b^4 - b^6) \\
&)\sin(c)^4 + 6((4a^2b^4 - b^6)\cos(c)^2 + (4a^2b^4 - b^6)\sin(c)^2)\cos(dx^2 + 2c)^2 - 12(3(2a^3b^3 - ab^5)\cos(c)^2\sin(c) + (2a^3b^3 - ab^5) \\
&)\sin(c)^3\cos(dx^2 + 2c))\sin(dx^2 + 2c)^2 - 2((8a^5b - 5a^2b^5)\cos(c)^4\sin(c) + 2(8a^5b - 5a^2b^5)\cos(c)^2\sin(c)^3 + (8a^5b - 5a^2b^5) \\
&)\sin(c)^5\cos(dx^2 + 2c) + 2(3a^2b^5\cos(dx^2 + 2c)^4\cos(c) + (8a^5b - 5a^2b^5)\cos(c)^5 - 4(4a^2b^4 - b^6)\cos(dx^2 + 2c)^3\cos(c)\sin(c) + 2(8a^5b - 5a^2b^5) \\
&)\cos(c)^3\sin(c)^2 + (8a^5b - 5a^2b^5)\cos(c)\sin(c)^4 + 6((2a^3b^3 - ab^5)\cos(c)^3 + 3(2a^3b^3 - ab^5)\cos(c)\sin(c)^2)\cos(dx^2 + 2c)^2 - 4((8a^4b^2 - 4a^2b^4 - b^6) \\
&)\cos(c)^3\sin(c) + (8a^4b^2 - 4a^2b^4 - b^6)\cos(c)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c) - 4(b^5\cos(c)\sin(dx^2 + 2c))^5 - b^5\cos(dx^2 + 2c)^5\sin(c) + (2a^3b^2 - ab^4) \\
&)\cos(c)^6 + 3(2a^3b^2 - ab^4)\cos(c)^4\sin(c)^2 + 3(2a^3b^2 - ab^4)\cos(c)^2\sin(c)^4 + (2a^3b^2 - ab^4)\sin(c)^6 + (ab^4\cos(c)^2 + 5a^2b^4\sin(c)^2)\cos(dx^2 + 2c)^4 + (5a^2b^4\cos(c)^2 - b^5\cos(dx^2 + 2c)) \\
&)\sin(c) + ab^4\sin(c)^2)\sin(dx^2 + 2c)^4 - 2(3a^2b^3\cos(c)^2\sin(c) + 5a^2b^3\sin(c)^3)\cos(dx^2 + 2c)^3 + 2(b^5\cos(dx^2 + 2c)^2\cos(c) + 5a^2b^3\cos(c)^3 - 4a^2b^4\cos(dx^2 + 2c) \\
&)\cos(c)\sin(c) + 3a^2b^3\cos(c)\sin(c)^2)\sin(dx^2 + 2c)^3 + 2(a^3b^2\cos(c)^4 + 6a^3b^2\cos(c)^2\sin(c)^2 + 5a^3b^2\sin(c)^4)\cos(dx^2 + 2c)^2 + 2(5a^3b^2\cos(c)^4 - b^5\cos(dx^2 + 2c)^3\sin(c) + 6a^3b^2\cos(c)^2\sin(c)^2 + a^3b^2\sin(c)^4 + 3(a^2b^4\cos(c)^2 + ab^4\sin(c)^2)\cos(dx^2 + 2c)^2 - 3(3a^2b^3\cos(c)^2\sin(c) + a^2b^3\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c)^2 - ((4a^4b + 2a^2b^3 - b^5)\cos(c)^4\sin(c) + 2(4a^4b + 2a^2b^3 - b^5)\cos(c)^2\sin(c)^3 + (4a^4b + 2a^2b^3 - b^5)\sin(c)^5)\cos(dx^2 + 2c) + (b^5\cos(dx^2 + 2c)^4\cos(c) - 8a^2b^4\cos(dx^2 + 2c)^3\cos(c)\sin(c) + (4a^4b + 2a^2b^3 - b^5)\cos(c)^5 + 2(4a^4b + 2a^2b^3 - b^5)\cos(c)^3\sin(c)^2 + (4a^4b + 2a^2b^3 - b^5)\cos(c)\sin(c)^4 + 6(a^2b^3\cos(c)^3 + 3a^2b^3\cos(c)\sin(c)^2)\cos(dx^2 + 2c)^2 - 16(a^3b^2\cos(c)^3\sin(c) + a^3b^2\cos(c)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c))\sqrt{a^2 - b^2})/(b^6\cos(dx^2 + 2c)^6 + 6a^2b^5\cos(c)\sin(dx^2 + 2c)^5 + b^6\sin(dx^2 + 2c)^6 - 6a^2b^5\cos(dx^2 + 2c)^5\sin(c) + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6)\cos(c)^6 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6)\cos(c)^4\sin(c)^2 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6)\cos(c)^2\sin(c)^4 + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6)\sin(c)^6 + 3((2a^2b^4 - b^6)\cos(c)^2 + 5(2a^2b^4 - b^6)\sin(c)^2)\cos(dx^2 + 2c)^4 + 3(b^6\cos(dx^2 + 2c)^2 - 2a^2b^5\cos(dx^2 + 2c)\sin(c) + 5(2a^2b^4 - b^6)\cos
\end{aligned}$$

$$\begin{aligned}
& (c)^2 + (2a^2b^4 - b^6)\sin(c)^2\sin(dx^2 + 2c)^4 - 4*(3*(4a^3b^3 - \\
& 3ab^5)\cos(c)^2\sin(c) + 5*(4a^3b^3 - 3ab^5)\sin(c)^3)\cos(dx^2 + 2c)^3 + 4*(3ab^5\cos(dx^2 + 2c)^2\cos(c) + 5*(4a^3b^3 - 3ab^5)\cos(c)^3 - 6*(2a^2b^4 - b^6)\cos(dx^2 + 2c)\cos(c)\sin(c) + 3*(4a^3b^3 - 3ab^5)\cos(c)\sin(c)^2)\sin(dx^2 + 2c)^3 + 3*((8a^4b^2 - 8a^2b^4 + b^6)\cos(c)^4 + 6*(8a^4b^2 - 8a^2b^4 + b^6)\cos(c)^2\sin(c)^2 + 5*(8a^4b^2 - 8a^2b^4 + b^6)\sin(c)^4)\cos(dx^2 + 2c)^2 + 3*(b^6\cos(dx^2 + 2c)^4 - 4ab^5\cos(dx^2 + 2c)^3\sin(c) + 5*(8a^4b^2 - 8a^2b^4 + b^6)\cos(c)^4 + 6*(8a^4b^2 - 8a^2b^4 + b^6)\cos(c)^2\sin(c)^2 + (8a^4b^2 - 8a^2b^4 + b^6)\sin(c)^4 + 6*((2a^2b^4 - b^6)\cos(c)^2 + (2a^2b^4 - b^6)\sin(c)^2)\cos(dx^2 + 2c)^2 - 4*(3*(4a^3b^3 - 3ab^5)\cos(c)^2\sin(c) + (4a^3b^3 - 3ab^5)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c)^2 - 6*((16a^5b - 20a^3b^3 + 5ab^5)\cos(c)^4\sin(c) + 2*(16a^5b - 20a^3b^3 + 5ab^5)\cos(c)^2\sin(c)^3 + (16a^5b - 20a^3b^3 + 5ab^5)\sin(c)^5)\cos(dx^2 + 2c) + 6*(ab^5\cos(dx^2 + 2c)^4\cos(c) + (16a^5b - 20a^3b^3 + 5ab^5)\cos(c)^5 - 4*(2a^2b^4 - b^6)\cos(dx^2 + 2c)^3\cos(c)\sin(c) + 2*(16a^5b - 20a^3b^3 + 5ab^5)\cos(c)^3\sin(c)^2 + (16a^5b - 20a^3b^3 + 5ab^5)\cos(c)\sin(c)^4 + 2*((4a^3b^3 - 3ab^5)\cos(c)^3 + 3*(4a^3b^3 - 3ab^5)\cos(c)\sin(c)^2)\cos(dx^2 + 2c)^2 - 4*((8a^4b^2 - 8a^2b^4 + b^6)\cos(c)^3\sin(c) + (8a^4b^2 - 8a^2b^4 + b^6)\cos(c)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c) - 2*(3b^5\cos(c)\sin(dx^2 + 2c)^5 - 3b^5\cos(dx^2 + 2c)^5\sin(c) + (16a^5 - 16a^3b^2 + 3ab^4)\cos(c)^6 + 3*(16a^5 - 16a^3b^2 + 3ab^4)\cos(c)^4\sin(c)^2 + 3*(16a^5 - 16a^3b^2 + 3ab^4)\cos(c)^2\sin(c)^4 + (16a^5 - 16a^3b^2 + 3ab^4)\sin(c)^6 + 3*(ab^4\cos(c)^2 + 5ab^4\sin(c)^2)\cos(dx^2 + 2c)^4 + 3*(5ab^4\cos(c)^2 - b^5\cos(dx^2 + 2c)\sin(c) + ab^4\sin(c)^2)\sin(dx^2 + 2c)^4 - 2*(3*(4a^2b^3 - b^5)\cos(c)^2\sin(c) + 5*(4a^2b^3 - b^5)\sin(c)^3)\cos(dx^2 + 2c)^3 + 2*(3b^5\cos(dx^2 + 2c)^2\cos(c) - 12ab^4\cos(dx^2 + 2c)\cos(c)\sin(c) + 5*(4a^2b^3 - b^5)\cos(c)^3 + 3*(4a^2b^3 - b^5)\cos(c)\sin(c)^2)\sin(dx^2 + 2c)^3 + 6*((2a^3b^2 - ab^4)\cos(c)^4 + 6*(2a^3b^2 - ab^4)\cos(c)^2\sin(c)^2 + 5*(2a^3b^2 - ab^4)\sin(c)^4)\cos(dx^2 + 2c)^2 - 6*(b^5\cos(dx^2 + 2c)^3\sin(c) - 5*(2a^3b^2 - ab^4)\cos(c)^4 - 6*(2a^3b^2 - ab^4)\cos(c)^2\sin(c)^2 - (2a^3b^2 - ab^4)\sin(c)^4 - 3*(ab^4\cos(c)^2 + ab^4\sin(c)^2)\cos(dx^2 + 2c)^2 + (3*(4a^2b^3 - b^5)\cos(c)^2\sin(c) + (4a^2b^3 - b^5)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c)^2 - 3*((16a^4b - 12a^2b^3 + b^5)\cos(c)^4\sin(c) + 2*(16a^4b - 12a^2b^3 + b^5)\cos(c)^2\sin(c)^3 + (16a^4b - 12a^2b^3 + b^5)\sin(c)^5)\cos(dx^2 + 2c) + 3*(b^5\cos(dx^2 + 2c)^4\cos(c) - 8ab^4\cos(dx^2 + 2c)^3\cos(c)\sin(c) + (16a^4b - 12a^2b^3 + b^5)\cos(c)^5 + 2*(16a^4b - 12a^2b^3 + b^5)\cos(c)^3\sin(c)^2 + (16a^4b - 12a^2b^3 + b^5)\cos(c)\sin(c)^4 + 2*((4a^2b^3 - b^5)\cos(c)^3 + 3*(4a^2b^3 - b^5)\cos(c)\sin(c)^2)\cos(dx^2 + 2c)^2 - 16*((2a^3b^2 - ab^4)\cos(c)^3\sin(c) + (2a^3b^2 - ab^4)\cos(c)\sin(c)^3)\cos(dx^2 + 2c))\sin(dx^2 + 2c))/(\sqrt{a^2 - b^2})*d
\end{aligned}$$

mupad [B] time = 6.63, size = 128, normalized size = 2.67

$$\frac{\ln\left(-x e^{dx^2} e^{c} 2i - \frac{2x(b 1i + a e^{dx^2} e^{c} 1i)}{\sqrt{a+b} \sqrt{b-a}}\right) - \ln\left(-x e^{dx^2} e^{c} 2i + \frac{2x(b 1i + a e^{dx^2} e^{c} 1i)}{\sqrt{a+b} \sqrt{b-a}}\right)}{2d \sqrt{a+b} \sqrt{b-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*sin(c + d*x^2)),x)

[Out] $-\frac{\log(-x \exp(dx^2) \exp(c) 2i - (2x(b 1i + a \exp(dx^2) \exp(c) 1i)))/((a + b)^{(1/2)}(b - a)^{(1/2)}) - \log((2x(b 1i + a \exp(dx^2) \exp(c) 1i)))/((a + b)^{(1/2)}(b - a)^{(1/2)}) - x \exp(dx^2) \exp(c) 2i)/(2d (a + b)^{(1/2)}(b - a)^{(1/2)})}{2d \sqrt{a+b} \sqrt{b-a}}$

sympy [A] time = 11.77, size = 192, normalized size = 4.00

$$\left\{ \begin{array}{ll} \frac{x^2}{2(a+b \sin(c))} & \text{for } d = 0 \\ \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^2}{2}\right)\right)}{2bd} & \text{for } a = 0 \\ \frac{\sqrt{b^2}}{b^2 d \tan\left(\frac{c}{2} + \frac{dx^2}{2}\right) - bd \sqrt{b^2}} & \text{for } a = -\sqrt{b^2} \\ \frac{\sqrt{b^2}}{b^2 d \tan\left(\frac{c}{2} + \frac{dx^2}{2}\right) + bd \sqrt{b^2}} & \text{for } a = \sqrt{b^2} \\ \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^2}{2}\right) + \frac{b}{a} - \frac{\sqrt{-a^2+b^2}}{a}\right)}{2d \sqrt{-a^2+b^2}} - \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^2}{2}\right) + \frac{b}{a} + \frac{\sqrt{-a^2+b^2}}{a}\right)}{2d \sqrt{-a^2+b^2}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x**2+c)),x)

[Out] Piecewise((x**2/(2*(a + b*sin(c))), Eq(d, 0)), (log(tan(c/2 + d*x**2/2))/(2*b*d), Eq(a, 0)), (sqrt(b**2)/(b**2*d*tan(c/2 + d*x**2/2) - b*d*sqrt(b**2)), Eq(a, -sqrt(b**2))), (-sqrt(b**2)/(b**2*d*tan(c/2 + d*x**2/2) + b*d*sqrt(b**2)), Eq(a, sqrt(b**2))), (log(tan(c/2 + d*x**2/2) + b/a - sqrt(-a**2 + b**2)/a)/(2*d*sqrt(-a**2 + b**2)) - log(tan(c/2 + d*x**2/2) + b/a + sqrt(-a**2 + b**2)/a)/(2*d*sqrt(-a**2 + b**2))), True))

$$3.38 \quad \int \frac{1}{x(a+b \sin(c+dx^2))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x(a+b \sin(c+dx^2))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*x^2])), x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*x^2])), x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+dx^2))} dx = \int \frac{1}{x(a+b \sin(c+dx^2))} dx$$

Mathematica [A] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sin(c+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*x^2])), x]

[Out] Integrate[1/(x*(a + b*Sin[c + d*x^2])), x]

fricas [A] time = 0.97, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx \sin(dx^2 + c) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral(1/(b*x*sin(d*x^2 + c) + a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*sin(d*x^2+c)),x)

[Out] int(1/x/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*sin(c + d*x^2))),x)

[Out] int(1/(x*(a + b*sin(c + d*x^2))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(c + dx^2))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x**2+c)),x)

[Out] Integral(1/(x*(a + b*sin(c + d*x**2))), x)

$$3.39 \quad \int \frac{1}{x^3(a+b \sin(c+dx^2))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^3(a+b \sin(c+dx^2))}, x\right)$$

[Out] Unintegrable(1/x^3/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^3(a+b \sin(c+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^3*(a + b*Sin[c + d*x^2])), x]

[Out] Defer[Int][1/(x^3*(a + b*Sin[c + d*x^2])), x]

Rubi steps

$$\int \frac{1}{x^3(a+b \sin(c+dx^2))} dx = \int \frac{1}{x^3(a+b \sin(c+dx^2))} dx$$

Mathematica [A] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3(a+b \sin(c+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^3*(a + b*Sin[c + d*x^2])), x]

[Out] Integrate[1/(x^3*(a + b*Sin[c + d*x^2])), x]

fricas [A] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^3 \sin(dx^2 + c) + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral(1/(b*x^3*sin(d*x^2 + c) + a*x^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x^3), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(a+b*sin(d*x^2+c)),x)

[Out] int(1/x^3/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x^3), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^3 (a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*sin(c + d*x^2))),x)

[Out] int(1/(x^3*(a + b*sin(c + d*x^2))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^2))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*sin(d*x**2+c)),x)

[Out] Integral(1/(x**3*(a + b*sin(c + d*x**2))), x)

$$3.40 \quad \int \frac{x^2}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{x^2}{a+b \sin(c+dx^2)}, x\right)$$

[Out] Unintegrable(x^2/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/(a + b*Sin[c + d*x^2]), x]

[Out] Defer[Int][x^2/(a + b*Sin[c + d*x^2]), x]

Rubi steps

$$\int \frac{x^2}{a+b \sin(c+dx^2)} dx = \int \frac{x^2}{a+b \sin(c+dx^2)} dx$$

Mathematica [A] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/(a + b*Sin[c + d*x^2]), x]

[Out] Integrate[x^2/(a + b*Sin[c + d*x^2]), x]

fricas [A] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{b \sin(dx^2 + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral(x^2/(b*sin(d*x^2 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(x^2/(b*sin(d*x^2 + c) + a), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(d*x^2+c)),x)

[Out] int(x^2/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(x^2/(b*sin(d*x^2 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{x^2}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*sin(c + d*x^2)),x)

```
[Out] int(x^2/(a + b*sin(c + d*x^2)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{a + b \sin(c + dx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*sin(d*x**2+c)),x)
```

```
[Out] Integral(x**2/(a + b*sin(c + d*x**2)), x)
```


$$3.41 \quad \int \frac{1}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{a+b \sin(c+dx^2)}, x\right)$$

[Out] Unintegrable(1/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*x^2])^(-1), x]

[Out] Defer[Int] [(a + b*Sin[c + d*x^2])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sin(c+dx^2)} dx = \int \frac{1}{a+b \sin(c+dx^2)} dx$$

Mathematica [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*x^2])^(-1), x]

[Out] Integrate[(a + b*Sin[c + d*x^2])^(-1), x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b \sin(dx^2 + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral(1/(b*sin(d*x^2 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(1/(b*sin(d*x^2 + c) + a), x)

maple [A] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(d*x^2+c)),x)

[Out] int(1/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(1/(b*sin(d*x^2 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d*x^2)),x)

[Out] int(1/(a + b*sin(c + d*x^2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin(c + dx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x**2+c)),x)

[Out] Integral(1/(a + b*sin(c + d*x**2)), x)

$$3.42 \quad \int \frac{1}{x^2(a+b \sin(cx+dx^2))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^2(a+b \sin(cx+dx^2))}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2(a+b \sin(cx+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*x^2])), x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*x^2])), x]

Rubi steps

$$\int \frac{1}{x^2(a+b \sin(cx+dx^2))} dx = \int \frac{1}{x^2(a+b \sin(cx+dx^2))} dx$$

Mathematica [A] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b \sin(cx+dx^2))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*x^2])), x]

[Out] Integrate[1/(x^2*(a + b*Sin[c + d*x^2])), x]

fricas [A] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^2 \sin(dx^2 + c) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral(1/(b*x^2*sin(d*x^2 + c) + a*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x^2), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(d*x^2+c)),x)

[Out] int(1/x^2/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(dx^2 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*sin(c + d*x^2))),x)

[Out] int(1/(x^2*(a + b*sin(c + d*x^2))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(c + dx^2))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*sin(d*x**2+c)),x)

[Out] Integral(1/(x**2*(a + b*sin(c + d*x**2))), x)

$$3.43 \quad \int \frac{x^5}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=663

$$\frac{i\text{Li}_2\left(\frac{ibe^{i(dx^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{d^3(a^2-b^2)} + \frac{i\text{Li}_2\left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{d^3(a^2-b^2)} - \frac{ia\text{Li}_3\left(\frac{ibe^{i(dx^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{d^3(a^2-b^2)^{3/2}} + \frac{ia\text{Li}_3\left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{d^3(a^2-b^2)^{3/2}} - \frac{ax^2\text{Li}_2\left(\frac{ibe^{i(dx^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} + \frac{ax^2\text{Li}_2\left(\frac{ibe^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}}$$

[Out] $1/2*I*x^4/d/(a^2-b^2)-x^2*\ln(1-I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/((a^2-b^2)/d^2-1/2*I*a*x^4*\ln(1-I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d-x^2*\ln(1-I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/((a^2-b^2)/d^2+1/2*I*a*x^4*\ln(1-I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d+I*\text{polylog}(2,I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/((a^2-b^2)/d^3-a*x^2*\text{polylog}(2,I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d^2+I*\text{polylog}(2,I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/((a^2-b^2)/d^3+a*x^2*\text{polylog}(2,I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d^2-I*a*\text{polylog}(3,I*b*\exp(I*(d*x^2+c))/(a-(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d^3+I*a*\text{polylog}(3,I*b*\exp(I*(d*x^2+c))/(a+(a^2-b^2)^{(1/2)}))/((a^2-b^2)^{(3/2)}/d^3+1/2*b*x^4*\cos(d*x^2+c)/(a^2-b^2)/d/(a+b*\sin(d*x^2+c)))$

Rubi [A] time = 1.30, antiderivative size = 663, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {3379, 3324, 3323, 2264, 2190, 2531, 2282, 6589, 4519, 2279, 2391}

$$-\frac{ax^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} + \frac{ax^2\text{PolyLog}\left(2, \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}+a}\right)}{d^2(a^2-b^2)^{3/2}} + \frac{i\text{PolyLog}\left(2, \frac{ibe^{i(c+dx^2)}}{a-\sqrt{a^2-b^2}}\right)}{d^3(a^2-b^2)} + \frac{i\text{PolyLog}\left(2, \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2-b^2}+a}\right)}{d^3(a^2-b^2)} - ia$$

Antiderivative was successfully verified.

[In] Int[x^5/(a + b*Sin[c + d*x^2])^2,x]

[Out] $((I/2)*x^4)/((a^2-b^2)*d) - (x^2*\text{Log}[1 - (I*b*E^{I*(c+d*x^2)})]/(a - \text{Sqrt}[a^2-b^2]))/((a^2-b^2)*d^2) - ((I/2)*a*x^4*\text{Log}[1 - (I*b*E^{I*(c+d*x^2)})]/(a - \text{Sqrt}[a^2-b^2]))/((a^2-b^2)^{(3/2)*d) - (x^2*\text{Log}[1 - (I*b*E^{I*(c+d*x^2)})]/(a + \text{Sqrt}[a^2-b^2]))/((a^2-b^2)*d^2) + ((I/2)*a*x^4*\text{Log}[1 - (I*b*E^{I*(c+d*x^2)})]/(a + \text{Sqrt}[a^2-b^2]))/((a^2-b^2)^{(3/2)*d) + (I*\text{PolyLog}[2, (I*b*E^{I*(c+d*x^2)})]/(a - \text{Sqrt}[a^2-b^2]))/((a^2-b^2)*d^3) - (a*x^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x^2)})]/(a - \text{Sqrt}[a^2-b^2]))/((a^2-b^2)^{(3/2)*d^2) + (I*\text{PolyLog}[2, (I*b*E^{I*(c+d*x^2)})]/(a + \text{Sqrt}[a^2-b^2]))/((a^2-b^2)*d^3) + (a*x^2*\text{PolyLog}[2, (I*b*E^{I*(c+d*x^2)})]$

$$\frac{1}{(a + \sqrt{a^2 - b^2})} \frac{1}{((a^2 - b^2)^{3/2} d^2)} - (I * a * \text{PolyLog}[3, (I * b * E^{(I * (c + d * x^2))}) / (a - \sqrt{a^2 - b^2})]) / ((a^2 - b^2)^{3/2} d^3) + (I * a * \text{PolyLog}[3, (I * b * E^{(I * (c + d * x^2))}) / (a + \sqrt{a^2 - b^2})]) / ((a^2 - b^2)^{3/2} d^3) + (b * x^4 * \text{Cos}[c + d * x^2]) / (2 * (a^2 - b^2) * d * (a + b * \text{Sin}[c + d * x^2]))$$
Rule 2190

```
Int[(((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)*((c_) + (d_)*(x_))^(m_))/
((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_))))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_))))^(n_)], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_)*((F_)^((c_)*((a_) + (b_)*(x_))))^(n_)]*((f_) + (g_)
*(x_))^(m_), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
```


, g, n}, x] && GtQ[m, 0]

Rule 3323

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3324

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^2, x_Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e + f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x], x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a + b*Sin[e + f*x]), x], x)) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 4519

Int[(Cos[(c_.) + (d_.)*(x_)]*((e_.) + (f_.)*(x_))^(m_.))/((a_) + (b_.)*Sin[(c_.) + (d_.)*(x_)]), x_Symbol] := -Simp[(I*(e + f*x)^(m + 1))/(b*f*(m + 1)), x] + (Int[((e + f*x)^m*E^(I*(c + d*x)))/(a - Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x] + Int[((e + f*x)^m*E^(I*(c + d*x)))/(a + Rt[a^2 - b^2, 2] - I*b*E^(I*(c + d*x))), x]) /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[m, 0] && PosQ[a^2 - b^2]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{(a + b \sin(c + dx^2))^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x^2}{(a + b \sin(c + dx))^2} dx, x, x^2 \right) \\
&= \frac{bx^4 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{x^2}{a + b \sin(c + dx)} dx, x, x^2 \right) - b \text{Subst} \left(\int \frac{x^2}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)} \\
&= \frac{ix^4}{2(a^2 - b^2)d} + \frac{bx^4 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{e^{i(c+dx)} x^2}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right) - b \text{Subst} \left(\int \frac{e^{i(c+dx)} x^2}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right)}{a^2 - b^2} \\
&= \frac{ix^4}{2(a^2 - b^2)d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} + \frac{bx^4 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} \\
&= \frac{ix^4}{2(a^2 - b^2)d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} - \frac{iax^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} \\
&= \frac{ix^4}{2(a^2 - b^2)d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} - \frac{iax^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} \\
&= \frac{ix^4}{2(a^2 - b^2)d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} - \frac{iax^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} \\
&= \frac{ix^4}{2(a^2 - b^2)d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2} - \frac{iax^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{x^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)d^2}
\end{aligned}$$

Mathematica [A] time = 2.33, size = 513, normalized size = 0.77

$$\frac{-iad^2 x^4 \log \left(1 + \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2 - b^2} - a} \right)}{\sqrt{a^2 - b^2}} + \frac{iad^2 x^4 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{\sqrt{a^2 - b^2} + a} \right)}{\sqrt{a^2 - b^2}} + \left(-\frac{2adx^2}{\sqrt{a^2 - b^2}} + 2i \right) \text{Li}_2 \left(-\frac{ibe^{i(dx^2+c)}}{\sqrt{a^2 - b^2} - a} \right) + \left(\frac{2adx^2}{\sqrt{a^2 - b^2}} + 2i \right) \text{Li}_2 \left(\frac{ibe^{i(dx^2+c)}}{a + \sqrt{a^2 - b^2}} \right) - \dots$$

$$2d^3 (a^2 - b^2)$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(a + b*SIN[c + d*x^2])^2,x]

[Out] (I*d^2*x^4 - 2*d*x^2*Log[1 + (I*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])] - (I*a*d^2*x^4*Log[1 + (I*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])])/Sqrt[a^2 - b^2] - 2*d*x^2*Log[1 - (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])]) + (I*a*d^2*x^4*Log[1 - (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])])/Sqrt[a^2 - b^2] + (2*I - (2*a*d*x^2)/Sqrt[a^2 - b^2])*PolyLog[2, ((-I)*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])] + (2*I + (2*a*d*x^2)/Sqrt[a^2 - b^2])*PolyLog[2, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])] - ((2*I)*a*PolyLog[3, (I*b*E^(I*(c + d*x^2)))/(a - Sqrt[a^2 - b^2])])/Sqrt[a^2 - b^2] + ((2*I)*a*PolyLog[3, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])])/Sqrt[a^2 - b^2] + (b*d^2*x^4*Cos[c + d*x^2])/(a + b*SIN[c + d*x^2])/(2*(a^2 - b^2)*d^3)

fricas [C] time = 1.26, size = 2487, normalized size = 3.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] 1/8*(4*(a^2*b - b^3)*d^2*x^4*cos(d*x^2 + c) - 4*(a*b^2*sin(d*x^2 + c) + a^2*b)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x^2 + c) - 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 4*(a*b^2*sin(d*x^2 + c) + a^2*b)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(2*I*a*cos(d*x^2 + c) - 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))/b) - 4*(a*b^2*sin(d*x^2 + c) + a^2*b)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(-2*I*a*cos(d*x^2 + c) - 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))/b) + 4*(a*b^2*sin(d*x^2 + c) + a^2*b)*sqrt(-(a^2 - b^2)/b^2)*polylog(3, 1/2*(-2*I*a*cos(d*x^2 + c) - 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))/b) + (-4*I*a^3 + 4*I*a*b^2 + (-4*I*a^2*b + 4*I*b^3)*sin(d*x^2 + c) + 2*(2*I*a*b^2*d*x^2*sin(d*x^2 + c) + 2*I*a^2*b*d*x^2)*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-4*I*a^3 + 4*I*a*b^2 + (-4*I*a^2*b + 4*I*b^3)*sin(d*x^2 + c) + 2*(-2*I*a*b^2*d*x^2*sin(d*x^2 + c) - 2*I*a^2*b*d*x^2)*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (4*I*a^3 - 4*I*a*b^2 + (4*I*a^2*b - 4*I*b^3)*sin(d*x^2 + c) + 2*(-2*I*a*b^2*d*x^2*sin(d*x^2 + c) - 2*I*a^2*b*d*x^2)*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (4*I*a^3 - 4*I*a*b^2 + (4*I*a^2*b - 4*I*b^3)*sin(d*x^2 + c) + 2*(2*I*a*b^2*d*x^2*sin(d*x^2 + c) + 2*I*a^2*b*d*x^2)*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (4*I*a^3 - 4*I*a*b^2 + (4*I*a^2*b - 4*I*b^3)*sin(d*x^2 + c) + 2*(2*I*a*b^2*d*x^2*sin(d*x^2 + c) + 2*I*a^2*b*d*x^2)*sqrt(-(a^2 - b^2)/b^2))*dilog(-1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1)

```

c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-
(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*(2*(a^2*b - b^3)*c*sin(d*x^2 + c) + 2*(a
^3 - a*b^2)*c + (a*b^2*c^2*sin(d*x^2 + c) + a^2*b*c^2)*sqrt(-(a^2 - b^2)/b^
2))*log(2*b*cos(d*x^2 + c) + 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b
^2) + 2*I*a) + 2*(2*(a^2*b - b^3)*c*sin(d*x^2 + c) + 2*(a^3 - a*b^2)*c + (a
*b^2*c^2*sin(d*x^2 + c) + a^2*b*c^2)*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*
x^2 + c) - 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) + 2*(
2*(a^2*b - b^3)*c*sin(d*x^2 + c) + 2*(a^3 - a*b^2)*c - (a*b^2*c^2*sin(d*x^2
+ c) + a^2*b*c^2)*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x^2 + c) + 2*I*b*
sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*(2*(a^2*b - b^3)*c
*sin(d*x^2 + c) + 2*(a^3 - a*b^2)*c - (a*b^2*c^2*sin(d*x^2 + c) + a^2*b*c^2
)*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x^2 + c) - 2*I*b*sin(d*x^2 + c) +
2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*(2*(a^3 - a*b^2)*d*x^2 + 2*(a^3 - a
*b^2)*c + 2*((a^2*b - b^3)*d*x^2 + (a^2*b - b^3)*c)*sin(d*x^2 + c) - (a^2*b
*d^2*x^4 - a^2*b*c^2 + (a*b^2*d^2*x^4 - a*b^2*c^2)*sin(d*x^2 + c))*sqrt(-(a
^2 - b^2)/b^2))*log(1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*c
os(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(2
*(a^3 - a*b^2)*d*x^2 + 2*(a^3 - a*b^2)*c + 2*((a^2*b - b^3)*d*x^2 + (a^2*b
- b^3)*c)*sin(d*x^2 + c) + (a^2*b*d^2*x^4 - a^2*b*c^2 + (a*b^2*d^2*x^4 - a*
b^2*c^2)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(2*I*a*cos(d*x^2 +
c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-
(a^2 - b^2)/b^2) + 2*b)/b) - 2*(2*(a^3 - a*b^2)*d*x^2 + 2*(a^3 - a*b^2)*c +
2*((a^2*b - b^3)*d*x^2 + (a^2*b - b^3)*c)*sin(d*x^2 + c) - (a^2*b*d^2*x^4
- a^2*b*c^2 + (a*b^2*d^2*x^4 - a*b^2*c^2)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)
/b^2))*log(1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2
+ c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(2*(a^3 -
a*b^2)*d*x^2 + 2*(a^3 - a*b^2)*c + 2*((a^2*b - b^3)*d*x^2 + (a^2*b - b^3)*c
)*sin(d*x^2 + c) + (a^2*b*d^2*x^4 - a^2*b*c^2 + (a*b^2*d^2*x^4 - a*b^2*c^2)
*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2))*log(1/2*(-2*I*a*cos(d*x^2 + c) + 2
*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 -
b^2)/b^2) + 2*b)/b)/((a^4*b - 2*a^2*b^3 + b^5)*d^3*sin(d*x^2 + c) + (a^5 -
2*a^3*b^2 + a*b^4)*d^3)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(b \sin(dx^2 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(x^5/(b*sin(d*x^2 + c) + a)^2, x)

maple [F] time = 1.15, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a+b*sin(d*x^2+c))^2,x)

[Out] int(x^5/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a + b*sin(c + d*x^2))^2,x)

[Out] int(x^5/(a + b*sin(c + d*x^2))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(a+b*sin(d*x**2+c))**2,x)

[Out] Timed out

$$3.44 \quad \int \frac{x^3}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=324

$$-\frac{a \operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a-\sqrt{a^2-b^2}}\right)}{2 d^2\left(a^2-b^2\right)^{3 / 2}}+\frac{a \operatorname{Li}_2\left(\frac{i b e^{i(d x^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{2 d^2\left(a^2-b^2\right)^{3 / 2}}-\frac{\log \left(a+b \sin \left(c+d x^2\right)\right)}{2 d^2\left(a^2-b^2\right)}-\frac{i a x^2 \log \left(1-\frac{i b e^{i\left(c+d x^2\right)}}{a-\sqrt{a^2-b^2}}\right)}{2 d\left(a^2-b^2\right)^{3 / 2}}+\frac{i a x^2 \log \left(1-\frac{i b e^{i\left(c+d x^2\right)}}{\sqrt{a^2-b^2}+a}\right)}{2 d\left(a^2-b^2\right)^{3 / 2}}$$

[Out] $-1/2*\ln(a+b*\sin(d*x^2+c))/(a^2-b^2)/d^2-1/2*I*a*x^2*\ln(1-I*b*\exp(I*(d*x^2+c)))/(a-(a^2-b^2)^(1/2))/(a^2-b^2)^(3/2)/d+1/2*I*a*x^2*\ln(1-I*b*\exp(I*(d*x^2+c)))/(a+(a^2-b^2)^(1/2))/(a^2-b^2)^(3/2)/d-1/2*a*polylog(2,I*b*\exp(I*(d*x^2+c)))/(a-(a^2-b^2)^(1/2))/(a^2-b^2)^(3/2)/d^2+1/2*a*polylog(2,I*b*\exp(I*(d*x^2+c)))/(a+(a^2-b^2)^(1/2))/(a^2-b^2)^(3/2)/d^2+1/2*b*x^2*\cos(d*x^2+c)/(a^2-b^2)/d/(a+b*\sin(d*x^2+c))$

Rubi [A] time = 0.60, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3379, 3324, 3323, 2264, 2190, 2279, 2391, 2668, 31}

$$-\frac{a \operatorname{PolyLog}\left(2, \frac{i b e^{i\left(c+d x^2\right)}}{a-\sqrt{a^2-b^2}}\right)}{2 d^2\left(a^2-b^2\right)^{3 / 2}}+\frac{a \operatorname{PolyLog}\left(2, \frac{i b e^{i\left(c+d x^2\right)}}{\sqrt{a^2-b^2}+a}\right)}{2 d^2\left(a^2-b^2\right)^{3 / 2}}-\frac{\log \left(a+b \sin \left(c+d x^2\right)\right)}{2 d^2\left(a^2-b^2\right)}-\frac{i a x^2 \log \left(1-\frac{i b e^{i\left(c+d x^2\right)}}{a-\sqrt{a^2-b^2}}\right)}{2 d\left(a^2-b^2\right)^{3 / 2}}+\frac{i a x^2 \log \left(1-\frac{i b e^{i\left(c+d x^2\right)}}{\sqrt{a^2-b^2}+a}\right)}{2 d\left(a^2-b^2\right)^{3 / 2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}\left[x^3/\left(a+b \sin \left[c+d x^2\right]\right)^2, x\right]$

[Out] $((-I/2)*a*x^2*\log[1-(I*b*E^(I*(c+d*x^2)))/(a-Sqrt[a^2-b^2])]/((a^2-b^2)^(3/2)*d)+((I/2)*a*x^2*\log[1-(I*b*E^(I*(c+d*x^2)))/(a+Sqrt[a^2-b^2])]/((a^2-b^2)^(3/2)*d)-\log[a+b*\sin[c+d*x^2]]/(2*(a^2-b^2)*d^2)-(a*\operatorname{PolyLog}[2,(I*b*E^(I*(c+d*x^2)))/(a-Sqrt[a^2-b^2])]/(2*(a^2-b^2)^(3/2)*d^2)+(a*\operatorname{PolyLog}[2,(I*b*E^(I*(c+d*x^2)))/(a+Sqrt[a^2-b^2])]/(2*(a^2-b^2)^(3/2)*d^2)+(b*x^2*\cos[c+d*x^2])/(2*(a^2-b^2)*d*(a+b*\sin[c+d*x^2])))$

Rule 31

$\operatorname{Int}(((a_) + (b_.)*(x_))^{-1}, x_Symbol) \rightarrow \operatorname{Simp}[\operatorname{Log}[\operatorname{RemoveContent}[a + b*x, x]]/b, x] /; \operatorname{FreeQ}[\{a, b\}, x]$

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2668

```
Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m
_)), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 3323

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3324

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]^2, x_
Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e +
f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x],
x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a
```

+ b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{(a + b \sin(c + dx))^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{x}{(a + b \sin(c + dx))^2} dx, x, x^2 \right) \\
 &= \frac{bx^2 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) - b \text{Subst} \left(\int \frac{x}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)} \\
 &= \frac{bx^2 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{e^{i(c+dx)x}}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right) - b \text{Subst} \left(\int \frac{e^{i(c+dx)x}}{ib - 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^2 \right)}{a^2 - b^2} \\
 &= -\frac{\log(a + b \sin(c + dx^2))}{2(a^2 - b^2)d^2} + \frac{bx^2 \cos(c + dx^2)}{2(a^2 - b^2)d(a + b \sin(c + dx^2))} - \frac{(iab) \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) - (iab) \text{Subst} \left(\int \frac{x}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)d^2} \\
 &= -\frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} + \frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^2))}{2(a^2 - b^2)d^2} + \frac{(iab) \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) - (iab) \text{Subst} \left(\int \frac{x}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)d^2} \\
 &= -\frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} + \frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^2))}{2(a^2 - b^2)d^2} + \frac{(iab) \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) - (iab) \text{Subst} \left(\int \frac{x}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)d^2} \\
 &= -\frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a - \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} + \frac{iax^2 \log \left(1 - \frac{ibe^{i(c+dx^2)}}{a + \sqrt{a^2 - b^2}} \right)}{2(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^2))}{2(a^2 - b^2)d^2} + \frac{(iab) \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^2 \right) - (iab) \text{Subst} \left(\int \frac{x}{a - b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)d^2}
 \end{aligned}$$

Mathematica [A] time = 0.96, size = 302, normalized size = 0.93

$$\frac{a \operatorname{Li}_2\left(-\frac{ib e^{i(dx^2+c)}}{\sqrt{a^2-b^2}-a}\right)}{(a^2-b^2)^{3/2}} + \frac{a \operatorname{Li}_2\left(\frac{ib e^{i(dx^2+c)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} - \frac{i a d x^2 \log\left(1+\frac{ib e^{i(c+dx^2)}}{\sqrt{a^2-b^2}-a}\right)}{(a^2-b^2)^{3/2}} + \frac{i a d x^2 \log\left(1-\frac{ib e^{i(c+dx^2)}}{\sqrt{a^2-b^2}+a}\right)}{(a^2-b^2)^{3/2}} - \frac{\log(a+b \sin(c+dx^2))}{a^2-b^2} + \frac{b d x^2 \cos(c+dx^2)}{(a^2-b^2)(a+b \sin(c+dx^2))}$$

$$2d^2$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*Sin[c + d*x^2])^2,x]

[Out] (((-I)*a*d*x^2*Log[1 + (I*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (I*a*d*x^2*Log[1 - (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) - Log[a + b*Sin[c + d*x^2]]/(a^2 - b^2) - (a*PolyLog[2, ((-I)*b*E^(I*(c + d*x^2)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (a*PolyLog[2, (I*b*E^(I*(c + d*x^2)))/(a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (b*d*x^2*Cos[c + d*x^2])/((a^2 - b^2)*(a + b*Sin[c + d*x^2])))/(2*d^2)

fricas [B] time = 1.17, size = 1517, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] 1/4*(2*(a^2*b - b^3)*d*x^2*cos(d*x^2 + c) + (I*a*b^2*sin(d*x^2 + c) + I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-I*a*b^2*sin(d*x^2 + c) - I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-I*a*b^2*sin(d*x^2 + c) - I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (I*a*b^2*sin(d*x^2 + c) + I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (a^2*b*d*x^2 + a^2*b*c + (a*b^2*d*x^2 + a*b^2*c)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^2*b*d*x^2 + a^2*b*c + (a*b^2*d*x^2 + a*b^2*c)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) - I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a^2*b*d*x^2 + a^2*b*c + (a*b^2*d*x^2 + a*b^2*c)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) + 2*(b*cos(d*x^2 + c)

```

+ I*b*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^2*b*d*x^2 + a^
2*b*c + (a*b^2*d*x^2 + a*b^2*c)*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2)*log(
1/2*(-2*I*a*cos(d*x^2 + c) + 2*a*sin(d*x^2 + c) - 2*(b*cos(d*x^2 + c) + I*b
*sin(d*x^2 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^3 - a*b^2 + (a^2*b -
b^3)*sin(d*x^2 + c) + (a*b^2*c*sin(d*x^2 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)
/b^2))*log(2*b*cos(d*x^2 + c) + 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)
)/b^2) + 2*I*a) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^2 + c) + (a*b^2*c*si
n(d*x^2 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*x^2 + c) - 2*
I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - (a^3 - a*b^2 + (
a^2*b - b^3)*sin(d*x^2 + c) - (a*b^2*c*sin(d*x^2 + c) + a^2*b*c)*sqrt(-(a^2
- b^2)/b^2))*log(-2*b*cos(d*x^2 + c) + 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a
^2 - b^2)/b^2) + 2*I*a) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^2 + c) - (a*
b^2*c*sin(d*x^2 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x^2
+ c) - 2*I*b*sin(d*x^2 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a))/((a^4*b
- 2*a^2*b^3 + b^5)*d^2*sin(d*x^2 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d^2)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(b \sin(dx^2 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(x^3/(b*sin(d*x^2 + c) + a)^2, x)

maple [F] time = 1.02, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+b*sin(d*x^2+c))^2,x)

[Out] int(x^3/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is $4*b^2-4*a^2$ positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + b*sin(c + d*x^2))^2,x)

[Out] int(x^3/(a + b*sin(c + d*x^2))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+b*sin(d*x**2+c))**2,x)

[Out] Integral(x**3/(a + b*sin(c + d*x**2))**2, x)

$$3.45 \quad \int \frac{x}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=91

$$\frac{a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx^2) \right) + b}{\sqrt{a^2-b^2}} \right)}{d(a^2-b^2)^{3/2}} + \frac{b \cos(c+dx^2)}{2d(a^2-b^2)(a+b \sin(c+dx^2))}$$

[Out] a*arctan((b+a*tan(1/2*d*x^2+1/2*c))/(a^2-b^2)^(1/2))/(a^2-b^2)^(3/2)/d+1/2*b*cos(d*x^2+c)/(a^2-b^2)/d/(a+b*sin(d*x^2+c))

Rubi [A] time = 0.10, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3379, 2664, 12, 2660, 618, 204}

$$\frac{a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c+dx^2) \right) + b}{\sqrt{a^2-b^2}} \right)}{d(a^2-b^2)^{3/2}} + \frac{b \cos(c+dx^2)}{2d(a^2-b^2)(a+b \sin(c+dx^2))}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b*Sin[c + d*x^2])^2,x]

[Out] (a*ArcTan[(b + a*Tan[(c + d*x^2)/2])/Sqrt[a^2 - b^2]]/((a^2 - b^2)^(3/2)*d) + (b*Cos[c + d*x^2])/(2*(a^2 - b^2)*d*(a + b*Sin[c + d*x^2]))

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 2660

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2664

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n + 1))/(d*(n + 1)*(a^2 - b^2)), x] + Dist[1/((n + 1)*(a^2 - b^2)), Int[(a + b*Sin[c + d*x])^(n + 1)*Simp[a*(n + 1) - b*(n + 2)*Sin[c + d*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 3379

```
Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x}{(a + b \sin(c + dx^2))^2} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{(a + b \sin(c + dx))^2} dx, x, x^2 \right) \\
&= \frac{b \cos(c + dx^2)}{2(a^2 - b^2) d (a + b \sin(c + dx^2))} + \frac{\text{Subst} \left(\int \frac{a}{a + b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)} \\
&= \frac{b \cos(c + dx^2)}{2(a^2 - b^2) d (a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{1}{a + b \sin(c + dx)} dx, x, x^2 \right)}{2(a^2 - b^2)} \\
&= \frac{b \cos(c + dx^2)}{2(a^2 - b^2) d (a + b \sin(c + dx^2))} + \frac{a \text{Subst} \left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan \left(\frac{1}{2} (c + dx^2) \right) \right)}{(a^2 - b^2) d} \\
&= \frac{b \cos(c + dx^2)}{2(a^2 - b^2) d (a + b \sin(c + dx^2))} - \frac{(2a) \text{Subst} \left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan \left(\frac{1}{2} (c + dx^2) \right) \right)}{(a^2 - b^2) d} \\
&= \frac{a \tan^{-1} \left(\frac{b + a \tan \left(\frac{1}{2} (c + dx^2) \right)}{\sqrt{a^2 - b^2}} \right)}{(a^2 - b^2)^{3/2} d} + \frac{b \cos(c + dx^2)}{2(a^2 - b^2) d (a + b \sin(c + dx^2))}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 91, normalized size = 1.00

$$\frac{2a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2} (c + dx^2) \right) + b}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2}} + \frac{b \cos(c + dx^2)}{a + b \sin(c + dx^2)}$$

$$\frac{\hspace{10em}}{2d(a - b)(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*Sin[c + d*x^2])^2,x]

[Out] ((2*a*ArcTan[(b + a*Tan[(c + d*x^2)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (b*Cos[c + d*x^2])/(a + b*Sin[c + d*x^2]))/(2*(a - b)*(a + b)*d)

fricas [A] time = 0.67, size = 366, normalized size = 4.02

$$\left[\frac{(ab \sin(dx^2 + c) + a^2) \sqrt{-a^2 + b^2} \log \left(-\frac{(2a^2 - b^2) \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2 - 2(a \cos(dx^2 + c) \sin(dx^2 + c) + b \cos(dx^2 + c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2} \right)}{4 \left((a^4 b - 2a^2 b^3 + b^5) d \sin(dx^2 + c) + (a^5 - 2a^3 b^2 + ab^4) d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] [1/4*((a*b*sin(d*x^2 + c) + a^2)*sqrt(-a^2 + b^2)*log(-((2*a^2 - b^2)*cos(d*x^2 + c))^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2 - 2*(a*cos(d*x^2 + c)*sin(d*x^2 + c) + b*cos(d*x^2 + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2) + 2*(a^2*b - b^3)*cos(d*x^2 + c))/((a^4*b - 2*a^2*b^3 + b^5)*d*sin(d*x^2 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d), -1/2*((a*b*sin(d*x^2 + c) + a^2)*sqrt(a^2 - b^2)*arctan(-(a*sin(d*x^2 + c) + b)/(sqrt(a^2 - b^2)*cos(d*x^2 + c)) - (a^2*b - b^3)*cos(d*x^2 + c))/((a^4*b - 2*a^2*b^3 + b^5)*d*sin(d*x^2 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d)]

giac [A] time = 0.43, size = 144, normalized size = 1.58

$$\frac{\left(\pi \left[\frac{dx^2+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(a) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right) + b}{\sqrt{a^2 - b^2}}\right)\right) a}{(a^2 d - b^2 d) \sqrt{a^2 - b^2}} + \frac{b^2 \tan\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right) + ab}{(a^3 d - ab^2 d) \left(a \tan\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right)^2 + 2b \tan\left(\frac{1}{2} dx^2 + \frac{1}{2} c\right) + a\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] (pi*floor(1/2*(d*x^2 + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x^2 + 1/2*c) + b)/sqrt(a^2 - b^2)))*a/((a^2*d - b^2*d)*sqrt(a^2 - b^2)) + (b^2*tan(1/2*d*x^2 + 1/2*c) + a*b)/((a^3*d - a*b^2*d)*(a*tan(1/2*d*x^2 + 1/2*c)^2 + 2*b*tan(1/2*d*x^2 + 1/2*c) + a))

maple [A] time = 0.10, size = 164, normalized size = 1.80

$$\frac{b^2 \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{d \left(\left(\tan^2\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right) a + 2 \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right) b + a\right) a (a^2 - b^2)} + \frac{b}{d \left(\left(\tan^2\left(\frac{dx^2}{2} + \frac{c}{2}\right)\right) a + 2 \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right) b + a\right) (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(d*x^2+c))^2,x)

[Out] 1/d/(tan(1/2*d*x^2+1/2*c)^2*a+2*tan(1/2*d*x^2+1/2*c)*b+a)*b^2/a/(a^2-b^2)*tan(1/2*d*x^2+1/2*c)+1/d/(tan(1/2*d*x^2+1/2*c)^2*a+2*tan(1/2*d*x^2+1/2*c)*b+a)*b/(a^2-b^2)+1/d*a/(a^2-b^2)^(3/2)*arctan(1/2*(2*a*tan(1/2*d*x^2+1/2*c)+2*b)/(a^2-b^2)^(1/2))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [B] time = 5.10, size = 178, normalized size = 1.96

$$\frac{\frac{b}{a^2-b^2} + \frac{b^2 \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{a(a^2-b^2)}}{d \left(a \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right)^2 + 2b \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right) + a \right)} + \frac{a \operatorname{atan}\left(\frac{(a^2-b^2) \left(\frac{a^2 \tan\left(\frac{dx^2}{2} + \frac{c}{2}\right)}{(a+b)^{3/2} (a-b)^{3/2}} + \frac{a(2a^2 b - 2b^3)}{2(a+b)^{3/2} (a^2-b^2) (a-b)^{3/2}} \right)}{a} \right)}{d (a+b)^{3/2} (a-b)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*sin(c + d*x^2))^2,x)

[Out] (b/(a^2 - b^2) + (b^2*tan(c/2 + (d*x^2)/2))/(a*(a^2 - b^2)))/(d*(a + a*tan(c/2 + (d*x^2)/2)^2 + 2*b*tan(c/2 + (d*x^2)/2))) + (a*atan(((a^2 - b^2)*((a^2*tan(c/2 + (d*x^2)/2)))/((a + b)^(3/2)*(a - b)^(3/2)) + (a*(2*a^2*b - 2*b^3))/(2*(a + b)^(3/2)*(a^2 - b^2)*(a - b)^(3/2))))/a)/(d*(a + b)^(3/2)*(a - b)^(3/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x**2+c))**2,x)

[Out] Integral(x/(a + b*sin(c + d*x**2))**2, x)

$$3.46 \quad \int \frac{1}{x(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x(a+b \sin(c+dx^2))^2}, x \right)$$

[Out] Unintegrable(1/x/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*x^2]))^2,x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*x^2]))^2, x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+dx^2))^2} dx = \int \frac{1}{x(a+b \sin(c+dx^2))^2} dx$$

Mathematica [A] time = 6.56, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*x^2]))^2,x]

[Out] Integrate[1/(x*(a + b*Sin[c + d*x^2]))^2, x]

fricas [A] time = 0.93, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2x \cos(dx^2+c)^2 - 2abx \sin(dx^2+c) - (a^2+b^2)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x*cos(d*x^2 + c)^2 - 2*a*b*x*sin(d*x^2 + c) - (a^2 + b^2)*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)^2*x), x)

maple [A] time = 1.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*sin(d*x^2+c))^2,x)

[Out] int(1/x/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*sin(c + d*x^2))^2),x)

```
[Out] int(1/(x*(a + b*sin(c + d*x^2))^2), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Integral(1/(x*(a + b*sin(c + d*x**2))**2), x)
```

$$3.47 \quad \int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x^3 (a + b \sin(c + dx^2))^2}, x \right)$$

[Out] Unintegrable(1/x^3/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^3*(a + b*Sin[c + d*x^2])^2),x]

[Out] Defer[Int][1/(x^3*(a + b*Sin[c + d*x^2])^2), x]

Rubi steps

$$\int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx = \int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx$$

Mathematica [A] time = 8.83, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^3*(a + b*Sin[c + d*x^2])^2),x]

[Out] Integrate[1/(x^3*(a + b*Sin[c + d*x^2])^2), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 x^3 \cos(dx^2 + c)^2 - 2 ab x^3 \sin(dx^2 + c) - (a^2 + b^2) x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^3*cos(d*x^2 + c)^2 - 2*a*b*x^3*sin(d*x^2 + c) - (a^2 + b^2)*x^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)^2*x^3), x)

maple [A] time = 1.21, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(a+b*sin(d*x^2+c))^2,x)

[Out] int(1/x^3/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^3 (a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*sin(c + d*x^2))^2),x)

[Out] `int(1/(x^3*(a + b*sin(c + d*x^2))^2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(a+b*sin(d*x**2+c))**2,x)`

[Out] `Integral(1/(x**3*(a + b*sin(c + d*x**2))**2), x)`

$$3.48 \quad \int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{x^2}{(a+b \sin(c+dx^2))^2}, x \right)$$

[Out] Unintegrable(x^2/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/(a + b*Sin[c + d*x^2])^2,x]

[Out] Defer[Int][x^2/(a + b*Sin[c + d*x^2])^2, x]

Rubi steps

$$\int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx = \int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx$$

Mathematica [A] time = 4.36, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/(a + b*Sin[c + d*x^2])^2,x]

[Out] Integrate[x^2/(a + b*Sin[c + d*x^2])^2, x]

fricas [A] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{x^2}{b^2 \cos(dx^2+c)^2 - 2ab \sin(dx^2+c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-x^2/(b^2*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(b \sin(dx^2 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(x^2/(b*sin(d*x^2 + c) + a)^2, x)

maple [A] time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(d*x^2+c))^2,x)

[Out] int(x^2/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{x^2}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*sin(c + d*x^2))^2,x)


```
[Out] int(x^2/(a + b*sin(c + d*x^2))^2, x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Integral(x**2/(a + b*sin(c + d*x**2))**2, x)
```

$$3.49 \quad \int \frac{1}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{(a+b \sin(c+dx^2))^2}, x \right)$$

[Out] Unintegrable(1/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*x^2])^(-2),x]

[Out] Defer[Int] [(a + b*Sin[c + d*x^2])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b \sin(c+dx^2))^2} dx = \int \frac{1}{(a+b \sin(c+dx^2))^2} dx$$

Mathematica [A] time = 5.06, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*x^2])^(-2),x]

[Out] Integrate[(a + b*Sin[c + d*x^2])^(-2), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 \cos(dx^2+c)^2 - 2ab \sin(dx^2+c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)^(-2), x)

maple [A] time = 0.89, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(d*x^2+c))^2,x)

[Out] int(1/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d*x^2))^2,x)

```
[Out] int(1/(a + b*sin(c + d*x^2))^2, x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Integral((a + b*sin(c + d*x**2))**(-2), x)
```

$$3.50 \quad \int \frac{1}{x^2(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x^2 (a + b \sin (c + dx^2))^2}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \sin (c + dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*x^2]))^2,x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*x^2]))^2), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \sin (c + dx^2))^2} dx = \int \frac{1}{x^2 (a + b \sin (c + dx^2))^2} dx$$

Mathematica [A] time = 7.78, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin (c + dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*x^2]))^2,x]

[Out] Integrate[1/(x^2*(a + b*Sin[c + d*x^2]))^2), x]

fricas [A] time = 0.88, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 x^2 \cos(dx^2 + c)^2 - 2 ab x^2 \sin(dx^2 + c) - (a^2 + b^2) x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^2*cos(d*x^2 + c)^2 - 2*a*b*x^2*sin(d*x^2 + c) - (a^2 + b^2)*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^2 + c) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^2 + c) + a)^2*x^2), x)

maple [A] time = 1.10, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(d*x^2+c))^2,x)

[Out] int(1/x^2/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*sin(c + d*x^2))^2),x)

```
[Out] int(1/(x^2*(a + b*sin(c + d*x^2))^2), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x^2 (a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Integral(1/(x**2*(a + b*sin(c + d*x**2))**2), x)
```

3.51 $\int (ex)^m (a + b \sin(c + dx^2))^p dx$

Optimal. Leaf size=23

$$\text{Int}\left((ex)^m (a + b \sin(c + dx^2))^p, x\right)$$

[Out] Unintegrable((e*x)^m*(a+b*sin(d*x^2+c))^p,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m (a + b \sin(c + dx^2))^p dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^2])^p,x]

[Out] Defer[Int][(e*x)^m*(a + b*Sin[c + d*x^2])^p, x]

Rubi steps

$$\int (ex)^m (a + b \sin(c + dx^2))^p dx = \int (ex)^m (a + b \sin(c + dx^2))^p dx$$

Mathematica [A] time = 0.92, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^2))^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^2])^p,x]

[Out] Integrate[(e*x)^m*(a + b*Sin[c + d*x^2])^p, x]

fricas [A] time = 0.67, size = 0, normalized size = 0.00

$$\text{integral}\left((ex)^m (b \sin(dx^2 + c) + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^p,x, algorithm="fricas")

[Out] integral((e*x)^m*(b*sin(d*x^2 + c) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^2 + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^p,x, algorithm="giac")

[Out] integrate((e*x)^m*(b*sin(d*x^2 + c) + a)^p, x)

maple [A] time = 0.85, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^2 + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^2+c))^p,x)

[Out] int((e*x)^m*(a+b*sin(d*x^2+c))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^2 + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^p,x, algorithm="maxima")

[Out] integrate((e*x)^m*(b*sin(d*x^2 + c) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (ex)^m (a + b \sin(dx^2 + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^2))^p,x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^2))^p, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^2))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(a+b*sin(d*x**2+c))**p,x)

[Out] Integral((e*x)**m*(a + b*sin(c + d*x**2))**p, x)

3.52 $\int (ex)^m (a + b \sin(c + dx^2))^3 dx$

Optimal. Leaf size=444

$$\frac{3ibe^{ic} (4a^2 + b^2) (-idx^2)^{\frac{1}{2}(-m-1)} (ex)^{m+1} \Gamma\left(\frac{m+1}{2}, -idx^2\right)}{16e} - \frac{3ibe^{-ic} (4a^2 + b^2) (idx^2)^{\frac{1}{2}(-m-1)} (ex)^{m+1} \Gamma\left(\frac{m+1}{2}, idx^2\right)}{16e} + a$$

[Out] $\frac{1}{2} a (2 a^2 + 3 b^2) (e x)^{1+m} / e^{1+m} + \frac{3}{16} I b (4 a^2 + b^2) \exp(I c) (e x)^{1+m} (-I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, -I d x^2) / e - \frac{3}{16} I b (4 a^2 + b^2) (e x)^{1+m} (I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, I d x^2) / e / \exp(I c) + 3 \cdot 2^{-7/2-1/2 m} a b^2 \exp(2 I c) (e x)^{1+m} (-I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, -2 I d x^2) / e + 3 \cdot 2^{-7/2-1/2 m} a b^2 (e x)^{1+m} (I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, 2 I d x^2) / e / \exp(2 I c) - \frac{1}{16} I \cdot 3^{-1/2-1/2 m} b^3 \exp(3 I c) (e x)^{1+m} (-I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, -3 I d x^2) / e + \frac{1}{16} I \cdot 3^{-1/2-1/2 m} b^3 (e x)^{1+m} (I d x^2)^{-1/2-1/2 m} \text{GAMMA}(1/2+1/2 m, 3 I d x^2) / e / \exp(3 I c)$

Rubi [A] time = 0.48, antiderivative size = 444, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3403, 6, 3390, 2218, 3389}

$$\frac{3ibe^{ic} (4a^2 + b^2) (-idx^2)^{\frac{1}{2}(-m-1)} (ex)^{m+1} \text{Gamma}\left(\frac{m+1}{2}, -idx^2\right)}{16e} - \frac{3ibe^{-ic} (4a^2 + b^2) (idx^2)^{\frac{1}{2}(-m-1)} (ex)^{m+1} \text{Gamma}\left(\frac{m+1}{2}, idx^2\right)}{16e} + a$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^2])^3,x]

[Out] $(a(2a^2 + 3b^2)(ex)^{1+m}) / (2e^{1+m}) + (((3I)/16) b (4a^2 + b^2) E^{Ic} (ex)^{1+m} ((-I) d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, (-I) d x^2]) / e - (((3I)/16) b (4a^2 + b^2) (ex)^{1+m} (I d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, I d x^2]) / (e E^{Ic}) + (3 \cdot 2^{-7/2-m/2} a b^2 E^{(2I)c} (ex)^{1+m} ((-I) d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, (-2I) d x^2]) / e + (3 \cdot 2^{-7/2-m/2} a b^2 (ex)^{1+m} (I d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, (2I) d x^2]) / (e E^{(2I)c}) - ((I/16) \cdot 3^{-1/2-m/2} b^3 E^{(3I)c} (ex)^{1+m} ((-I) d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, (-3I) d x^2]) / e + ((I/16) \cdot 3^{-1/2-m/2} b^3 (ex)^{1+m} (I d x^2)^{(-1-m)/2} \text{Gamma}[(1+m)/2, (3I) d x^2]) / (e E^{(3I)c})$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n)*Log[F])])]/(f*n*(-(b*(c + d*x)^(n)*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]
```

Rule 3389

```
Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_)^(m_.), x_Symbol] := Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (ex)^m (a + b \sin(c + dx^2))^3 dx &= \int \left(a^3(ex)^m + \frac{3}{2}ab^2(ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^2) + 3a^2b(ex)^m \sin(c + dx^2) \right) dx \\
&= \int \left(\left(a^3 + \frac{3ab^2}{2} \right) (ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^2) + 3a^2b(ex)^m \sin(c + dx^2) \right) dx \\
&= \int \left(\left(a^3 + \frac{3ab^2}{2} \right) (ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^2) + \left(3a^2b + \frac{3b^3}{4} \right) (ex)^m \sin(c + dx^2) \right) dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} - \frac{1}{2}(3ab^2) \int (ex)^m \cos(2c + 2dx^2) dx - \frac{1}{4}b^3 \int (ex)^m \sin(c + dx^2) dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} - \frac{1}{4}(3ab^2) \int e^{-2ic-2idx^2}(ex)^m dx - \frac{1}{4}(3ab^2) \int e^{2ic+2idx^2}(ex)^m dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} + \frac{3ib(4a^2 + b^2)e^{ic}(ex)^{1+m}(-idx^2)^{\frac{1}{2}(-1-m)}\Gamma\left(\frac{1+m}{2}, -idx^2\right)}{16e}
\end{aligned}$$

Mathematica [A] time = 8.61, size = 373, normalized size = 0.84

$$\frac{1}{16}ix(ex)^m \left(3be^{ic} (4a^2 + b^2) (-idx^2)^{-\frac{m}{2}-\frac{1}{2}} \Gamma\left(\frac{m+1}{2}, -idx^2\right) - 3be^{-ic} (4a^2 + b^2) (idx^2)^{-\frac{m}{2}-\frac{1}{2}} \Gamma\left(\frac{m+1}{2}, idx^2\right) - \frac{8ia}{16} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^2])^3,x]

[Out] (I/16)*x*(e*x)^m*(((−8*I)*a*(2*a^2 + 3*b^2))/(1 + m) + 3*b*(4*a^2 + b^2)*E^(I*c)*((−I)*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, (−I)*d*x^2] - (3*b*(4*a^2 + b^2)*(I*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, I*d*x^2])/E^(I*c) - (3*I)^2*(1/2 - m/2)*a*b^2*E^((2*I)*c)*((−I)*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, (−2*I)*d*x^2] - ((3*I)^2*(1/2 - m/2)*a*b^2*(I*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, (2*I)*d*x^2])/E^((2*I)*c) - 3^(-1/2 - m/2)*b^3*E^((3*I)*c)*((−I)*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, (−3*I)*d*x^2] + (3^(-1/2 - m/2)*b^3*(I*d*x^2)^(-1/2 - m/2)*Gamma[(1 + m)/2, (3*I)*d*x^2])/E^((3*I)*c)

fricas [A] time = 0.73, size = 321, normalized size = 0.72

$$24(2a^3 + 3ab^2)(ex)^m dx + (b^3em + b^3e)e^{\left(-\frac{1}{2}(m-1)\log\left(\frac{3id}{e^2}\right) - 3ic\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, 3idx^2\right) + (-9iab^2em - 9iab^2e)e^{\left(-\frac{1}{2}(m-1)\log\left(\frac{3id}{e^2}\right) - 3ic\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^3,x, algorithm="fricas")

[Out] 1/48*(24*(2*a^3 + 3*a*b^2)*(e*x)^m*d*x + (b^3*e*m + b^3*e)*e^(-1/2*(m - 1)*log(3*I*d/e^2) - 3*I*c)*gamma(1/2*m + 1/2, 3*I*d*x^2) + (-9*I*a*b^2*e*m - 9*I*a*b^2*e)*e^(-1/2*(m - 1)*log(2*I*d/e^2) - 2*I*c)*gamma(1/2*m + 1/2, 2*I*d*x^2) - 9*((4*a^2*b + b^3)*e*m + (4*a^2*b + b^3)*e)*e^(-1/2*(m - 1)*log(I*d/e^2) - I*c)*gamma(1/2*m + 1/2, I*d*x^2) - 9*((4*a^2*b + b^3)*e*m + (4*a^2*b + b^3)*e)*e^(-1/2*(m - 1)*log(-I*d/e^2) + I*c)*gamma(1/2*m + 1/2, -I*d*x^2) + (9*I*a*b^2*e*m + 9*I*a*b^2*e)*e^(-1/2*(m - 1)*log(-2*I*d/e^2) + 2*I*c)*gamma(1/2*m + 1/2, -2*I*d*x^2) + (b^3*e*m + b^3*e)*e^(-1/2*(m - 1)*log(-3*I*d/e^2) + 3*I*c)*gamma(1/2*m + 1/2, -3*I*d*x^2))/(d*m + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^2 + c) + a)^3 (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^3,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)^3*(e*x)^m, x)

maple [F] time = 0.61, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^2 + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^2+c))^3,x)

[Out] int((e*x)^m*(a+b*sin(d*x^2+c))^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{3((4a^2b+b^3)e^m m \cos(c) + (4a^2b+b^3)e^m \cos(c)) dx^3 x^m \Gamma\left(\frac{1}{4}m + \frac{3}{4}\right) {}_1F_2\left(\frac{1}{4}m + \frac{3}{4}; -\frac{1}{4}d^2x^4\right) + 12ab^2e^m x x^m + \dots}{4\Gamma\left(\frac{1}{4}m + \frac{7}{4}\right)} + \frac{(ex)^{m+1} a^3}{e(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^3,x, algorithm="maxima")

[Out] (e*x)^(m + 1)*a^3/(e*(m + 1)) + 1/8*(12*a*b^2*e^m*x*x^m - 12*(a*b^2*e^m*m + a*b^2*e^m)*integrate(x^m*cos(2*d*x^2 + 2*c), x) + 3*((4*a^2*b + b^3)*e^m*m *sin(c) + (4*a^2*b + b^3)*e^m*sin(c))*integrate(x^m*cos(d*x^2), x) - 2*(b^3 *e^m*m + b^3*e^m)*integrate(x^m*sin(3*d*x^2 + 3*c), x) + 3*((4*a^2*b + b^3) *e^m*m + (4*a^2*b + b^3)*e^m)*integrate(x^m*sin(d*x^2 + c), x) + 3*((4*a^2*b + b^3)*e^m*m*cos(c) + (4*a^2*b + b^3)*e^m*cos(c))*integrate(x^m*sin(d*x^2), x))/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex)^m (a + b \sin(dx^2 + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^2))^3,x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^2))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^2))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m*(a+b*sin(d*x**2+c))**3,x)
```

```
[Out] Integral((e*x)**m*(a + b*sin(c + d*x**2))**3, x)
```

3.53 $\int (ex)^m (a + b \sin(c + dx^2))^2 dx$

Optimal. Leaf size=279

$$\frac{(2a^2 + b^2)(ex)^{m+1}}{2e(m+1)} + \frac{iabe^{ic}(-idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, -idx^2\right)}{2e} - \frac{iabe^{-ic}(idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, idx^2\right)}{2e} + \frac{b^2 e^{2ic} 2^{-7/2-1/2m} \exp(2Ic) \exp(-2I dx^2) \Gamma(1/2+1/2m, 2I dx^2)}{2e}$$

[Out] $\frac{1}{2}*(2*a^2+b^2)*(e*x)^{(1+m)}/e/(1+m)+1/2*I*a*b*\exp(I*c)*(e*x)^{(1+m)*(-I*d*x^2)^{-1/2-1/2*m}*GAMMA(1/2+1/2*m,-I*d*x^2)/e-1/2*I*a*b*(e*x)^{(1+m)*(I*d*x^2)^{-1/2-1/2*m}*GAMMA(1/2+1/2*m,I*d*x^2)/e/\exp(I*c)+2^{-7/2-1/2*m}*b^2*\exp(2*I*c)*(e*x)^{(1+m)*(-I*d*x^2)^{-1/2-1/2*m}*GAMMA(1/2+1/2*m,-2*I*d*x^2)/e+2^{-7/2-1/2*m}*b^2*(e*x)^{(1+m)*(I*d*x^2)^{-1/2-1/2*m}*GAMMA(1/2+1/2*m,2*I*d*x^2)}/e/\exp(2*I*c)$

Rubi [A] time = 0.26, antiderivative size = 279, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3403, 6, 3390, 2218, 3389}

$$\frac{iabe^{ic}(-idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, -idx^2\right)}{2e} - \frac{iabe^{-ic}(idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, idx^2\right)}{2e} + \frac{b^2 e^{2ic} 2^{-7/2-1/2m} \exp(2Ic) \exp(-2I dx^2) \Gamma(1/2+1/2m, 2I dx^2)}{2e}$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*SIN[c + d*x^2])^2,x]

[Out] $((2*a^2 + b^2)*(e*x)^{(1+m)})/(2*e*(1+m)) + ((I/2)*a*b*E^{(I*c)}*(e*x)^{(1+m)*((-I)*d*x^2)^{-1/2-m}*Gamma[(1+m)/2, (-I)*d*x^2])/e - ((I/2)*a*b*(e*x)^{(1+m)*(I*d*x^2)^{-1/2-m}*Gamma[(1+m)/2, I*d*x^2]}/(e*E^{(I*c)}) + (2^{-7/2-m/2}*b^2*E^{(2*I)*c}*(e*x)^{(1+m)*((-I)*d*x^2)^{-1/2-m}*Gamma[(1+m)/2, (-2*I)*d*x^2])/e + (2^{-7/2-m/2}*b^2*(e*x)^{(1+m)*(I*d*x^2)^{-1/2-m}*Gamma[(1+m)/2, (2*I)*d*x^2]}/(e*E^{(2*I)*c}))$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^p, x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m+1)*Gamma[(m+1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m+1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Dist[1/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (ex)^m (a + b \sin(c + dx^2))^2 dx &= \int \left(a^2(ex)^m + \frac{1}{2}b^2(ex)^m - \frac{1}{2}b^2(ex)^m \cos(2c + 2dx^2) + 2ab(ex)^m \sin(c + dx^2) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) (ex)^m - \frac{1}{2}b^2(ex)^m \cos(2c + 2dx^2) + 2ab(ex)^m \sin(c + dx^2) \right) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + (2ab) \int (ex)^m \sin(c + dx^2) dx - \frac{1}{2}b^2 \int (ex)^m \cos(2c + 2dx^2) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + (iab) \int e^{-ic-idx^2} (ex)^m dx - (iab) \int e^{ic+idx^2} (ex)^m dx - \frac{1}{4}b^2 \int (ex)^m \cos(2c + 2dx^2) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + \frac{iabe^{ic}(ex)^{1+m} (-idx^2)^{\frac{1}{2}(-1-m)} \Gamma\left(\frac{1+m}{2}, -idx^2\right)}{2e} - \frac{iabe^{-ic}(ex)^{1+m} (idx^2)^{\frac{1}{2}(-1-m)} \Gamma\left(\frac{1+m}{2}, idx^2\right)}{2e}
\end{aligned}$$

Mathematica [A] time = 6.58, size = 551, normalized size = 1.97

$$2^{\frac{1}{2}(-m-7)} x (d^2 x^4)^{\frac{1}{2}(-m-1)} (ex)^m \left(a^2 2^{\frac{m+7}{2}} (d^2 x^4)^{\frac{m+1}{2}} - iab 2^{\frac{m+5}{2}} (m+1) (\cos(c) - i \sin(c)) (-idx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, idx^2\right) + iab 2^{\frac{m+5}{2}} (m+1) (\cos(c) + i \sin(c)) (idx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, -idx^2\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*sin[c + d*x^2])^2,x]

[Out] $(2^{((-7 - m)/2)*x*(e*x)^m*(d^2*x^4)^{((-1 - m)/2)*(2^{((7 + m)/2)*a^2*(d^2*x^4)^{((1 + m)/2)} + 2^{((5 + m)/2)*b^2*(d^2*x^4)^{((1 + m)/2)} + b^2*(I*d*x^2)^{((1 + m)/2)*\cos[2*c]*\Gamma[(1 + m)/2, (-2*I)*d*x^2]} + b^2*m*(I*d*x^2)^{((1 + m)/2)*\cos[2*c]*\Gamma[(1 + m)/2, (-2*I)*d*x^2]} + b^2*((-I)*d*x^2)^{((1 + m)/2)*\cos[2*c]*\Gamma[(1 + m)/2, (2*I)*d*x^2]} + b^2*m*((-I)*d*x^2)^{((1 + m)/2)*\cos[2*c]*\Gamma[(1 + m)/2, (2*I)*d*x^2]} - I*2^{((5 + m)/2)*a*b*(1 + m)*((-I)*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, I*d*x^2]}*(\cos[c] - I*\sin[c]) + I*2^{((5 + m)/2)*a*b*(1 + m)*(I*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, (-I)*d*x^2]}*(\cos[c] + I*\sin[c]) + I*b^2*(I*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, (-2*I)*d*x^2]}*\sin[2*c] + I*b^2*m*(I*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, (-2*I)*d*x^2]}*\sin[2*c] - I*b^2*((-I)*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, (2*I)*d*x^2]}*\sin[2*c] - I*b^2*m*((-I)*d*x^2)^{((1 + m)/2)*\Gamma[(1 + m)/2, (2*I)*d*x^2]}*\sin[2*c]))/(1 + m)$

fricas [A] time = 0.79, size = 198, normalized size = 0.71

$$8(2a^2 + b^2)(ex)^m dx + (-ib^2em - ib^2e)e^{\left(-\frac{1}{2}(m-1)\log\left(\frac{2id}{e^2}\right) - 2ic\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, 2i dx^2\right) - 8(abem + abe)e^{\left(-\frac{1}{2}(m-1)\log\left(\frac{i}{e^2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] $1/16*(8*(2*a^2 + b^2)*(e*x)^m*d*x + (-I*b^2*e*m - I*b^2*e)*e^{(-1/2*(m - 1)*\log(2*I*d/e^2) - 2*I*c)*\gamma(1/2*m + 1/2, 2*I*d*x^2)} - 8*(a*b*e*m + a*b*e)*e^{(-1/2*(m - 1)*\log(I*d/e^2) - I*c)*\gamma(1/2*m + 1/2, I*d*x^2)} - 8*(a*b*e*m + a*b*e)*e^{(-1/2*(m - 1)*\log(-I*d/e^2) + I*c)*\gamma(1/2*m + 1/2, -I*d*x^2)} + (I*b^2*e*m + I*b^2*e)*e^{(-1/2*(m - 1)*\log(-2*I*d/e^2) + 2*I*c)*\gamma(1/2*m + 1/2, -2*I*d*x^2)})/(d*m + d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^2 + c) + a)^2 (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)^2*(e*x)^m, x)

maple [F] time = 0.69, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^2 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x)^m*(a+b*sin(d*x^2+c))^2,x)`

[Out] `int((e*x)^m*(a+b*sin(d*x^2+c))^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ex)^{m+1} a^2}{e(m+1)} + \frac{b^2 e^m x x^m - (b^2 e^m m + b^2 e^m) \int x^m \cos(2 dx^2 + 2c) dx + 4(abe^m m + abe^m) \int x^m \sin(dx^2 + c) dx}{2(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)^m*(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")`

[Out] `(e*x)^(m+1)*a^2/(e*(m+1)) + 1/2*(b^2*e^m*x*x^m - (b^2*e^m*m + b^2*e^m)*integrate(x^m*cos(2*d*x^2 + 2*c), x) + 4*(a*b*e^m*m + a*b*e^m)*integrate(x^m*sin(d*x^2 + c), x))/(m+1)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex)^m (a + b \sin(dx^2 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x)^m*(a + b*sin(c + d*x^2))^2,x)`

[Out] `int((e*x)^m*(a + b*sin(c + d*x^2))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^2))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)**m*(a+b*sin(d*x**2+c))**2,x)`

[Out] `Integral((e*x)**m*(a + b*sin(c + d*x**2))**2, x)`

3.54 $\int (ex)^m (a + b \sin(c + dx^2)) dx$

Optimal. Leaf size=134

$$\frac{a(ex)^{m+1}}{e(m+1)} + \frac{ibe^{ic}(-idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, -idx^2\right)}{4e} - \frac{ibe^{-ic}(idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, idx^2\right)}{4e}$$

[Out] a*(e*x)^(1+m)/e/(1+m)+1/4*I*b*exp(I*c)*(e*x)^(1+m)*(-I*d*x^2)^(-1/2-1/2*m)*GAMMA(1/2+1/2*m,-I*d*x^2)/e-1/4*I*b*(e*x)^(1+m)*(I*d*x^2)^(-1/2-1/2*m)*GAMMA(1/2+1/2*m,I*d*x^2)/e/exp(I*c)

Rubi [A] time = 0.12, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {14, 3389, 2218}

$$\frac{ibe^{ic}(-idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, -idx^2\right)}{4e} - \frac{ibe^{-ic}(idx^2)^{\frac{1}{2}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{2}, idx^2\right)}{4e} + \frac{a(ex)^{m+1}}{e(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^2]),x]

[Out] (a*(e*x)^(1 + m))/(e*(1 + m)) + ((I/4)*b*E^(I*c)*(e*x)^(1 + m)*((-I)*d*x^2)^((-1 - m)/2)*Gamma[(1 + m)/2, (-I)*d*x^2])/e - ((I/4)*b*(e*x)^(1 + m)*(I*d*x^2)^((-1 - m)/2)*Gamma[(1 + m)/2, I*d*x^2))/(e*E^(I*c))

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I) +

$d \cdot I \cdot x^n$, x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int (ex)^m (a + b \sin(c + dx^2)) dx &= \int (a(ex)^m + b(ex)^m \sin(c + dx^2)) dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + b \int (ex)^m \sin(c + dx^2) dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + \frac{1}{2}(ib) \int e^{-ic-idx^2} (ex)^m dx - \frac{1}{2}(ib) \int e^{ic+idx^2} (ex)^m dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + \frac{ibe^{ic}(ex)^{1+m} (-idx^2)^{\frac{1}{2}(-1-m)} \Gamma\left(\frac{1+m}{2}, -idx^2\right)}{4e} - \frac{ibe^{-ic}(ex)^{1+m} (idx^2)^{\frac{1}{2}}}{4} \end{aligned}$$

Mathematica [A] time = 1.51, size = 149, normalized size = 1.11

$$\frac{x (d^2 x^4)^{\frac{1}{2}(-m-1)} (ex)^m \left(4a (d^2 x^4)^{\frac{m+1}{2}} - ib(m+1)(\cos(c) - i \sin(c)) (-idx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, idx^2\right) + ib(m+1)(\cos(c) + i \sin(c)) (-idx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, -idx^2\right) \right)}{4(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^2]),x]

[Out] (x*(e*x)^m*(d^2*x^4)^((-1 - m)/2)*(4*a*(d^2*x^4)^((1 + m)/2) - I*b*(1 + m)*((-I)*d*x^2)^((1 + m)/2)*Gamma[(1 + m)/2, I*d*x^2]*(Cos[c] - I*Sin[c]) + I*b*(1 + m)*(I*d*x^2)^((1 + m)/2)*Gamma[(1 + m)/2, (-I)*d*x^2]*(Cos[c] + I*Sin[c]))/(4*(1 + m))

fricas [A] time = 0.78, size = 98, normalized size = 0.73

$$\frac{4 (ex)^m dx - (bem + be)e^{\left(-\frac{1}{2}(m-1)\log\left(\frac{id}{e^2}\right) - ic\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, idx^2\right) - (bem + be)e^{\left(-\frac{1}{2}(m-1)\log\left(-\frac{id}{e^2}\right) + ic\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, -idx^2\right)}{4(dm + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] 1/4*(4*(e*x)^m*a*d*x - (b*e*m + b*e)*e^(-1/2*(m - 1)*log(I*d/e^2) - I*c)*gamma(1/2*m + 1/2, I*d*x^2) - (b*e*m + b*e)*e^(-1/2*(m - 1)*log(-I*d/e^2) + I*c)*gamma(1/2*m + 1/2, -I*d*x^2))/(d*m + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^2 + c) + a) (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate((b*sin(d*x^2 + c) + a)*(e*x)^m, x)

maple [F] time = 0.26, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^2 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^2+c)),x)

[Out] int((e*x)^m*(a+b*sin(d*x^2+c)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$be^m \int x^m \sin(dx^2 + c) dx + \frac{(ex)^{m+1} a}{e(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] b*e^m*integrate(x^m*sin(d*x^2 + c), x) + (e*x)^(m + 1)*a/(e*(m + 1))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (ex)^m (a + b \sin(dx^2 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^2)),x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^2)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(a+b*sin(d*x**2+c)),x)

[Out] Integral((e*x)**m*(a + b*sin(c + d*x**2)), x)

$$3.55 \quad \int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{(ex)^m}{a+b \sin(c+dx^2)}, x\right)$$

[Out] Unintegrable((e*x)^m/(a+b*sin(d*x^2+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m/(a + b*Sin[c + d*x^2]), x]

[Out] Defer[Int] [(e*x)^m/(a + b*Sin[c + d*x^2]), x]

Rubi steps

$$\int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx = \int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx$$

Mathematica [A] time = 0.39, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{a+b \sin(c+dx^2)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m/(a + b*Sin[c + d*x^2]), x]

[Out] Integrate[(e*x)^m/(a + b*Sin[c + d*x^2]), x]

fricas [A] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(ex)^m}{b \sin(dx^2 + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c)),x, algorithm="fricas")

[Out] integral((e*x)^m/(b*sin(d*x^2 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c)),x, algorithm="giac")

[Out] integrate((e*x)^m/(b*sin(d*x^2 + c) + a), x)

maple [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a+b*sin(d*x^2+c)),x)

[Out] int((e*x)^m/(a+b*sin(d*x^2+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{b \sin(dx^2 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c)),x, algorithm="maxima")

[Out] integrate((e*x)^m/(b*sin(d*x^2 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex)^m}{a + b \sin(dx^2 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a + b*sin(c + d*x^2)),x)

```
[Out] int((e*x)^m/(a + b*sin(c + d*x^2)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(ex)^m}{a + b \sin(c + dx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m/(a+b*sin(d*x**2+c)),x)
```

```
[Out] Integral((e*x)**m/(a + b*sin(c + d*x**2)), x)
```


$$3.56 \quad \int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx$$

Optimal. Leaf size=23

$$\text{Int} \left(\frac{(ex)^m}{(a+b \sin(c+dx^2))^2}, x \right)$$

[Out] Unintegrable((e*x)^m/(a+b*sin(d*x^2+c))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m/(a + b*Sin[c + d*x^2])^2,x]

[Out] Defer[Int] [(e*x)^m/(a + b*Sin[c + d*x^2])^2, x]

Rubi steps

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx = \int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx$$

Mathematica [A] time = 0.91, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^2))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m/(a + b*Sin[c + d*x^2])^2,x]

[Out] Integrate[(e*x)^m/(a + b*Sin[c + d*x^2])^2, x]

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(ex)^m}{b^2 \cos(dx^2 + c)^2 - 2ab \sin(dx^2 + c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c))^2,x, algorithm="fricas")

[Out] integral(-(e*x)^m/(b^2*cos(d*x^2 + c)^2 - 2*a*b*sin(d*x^2 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(b \sin(dx^2 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c))^2,x, algorithm="giac")

[Out] integrate((e*x)^m/(b*sin(d*x^2 + c) + a)^2, x)

maple [A] time = 0.54, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a+b*sin(d*x^2+c))^2,x)

[Out] int((e*x)^m/(a+b*sin(d*x^2+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^2+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex)^m}{(a + b \sin(dx^2 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*x)^m/(a + b*sin(c + d*x^2))^2,x)
```

```
[Out] int((e*x)^m/(a + b*sin(c + d*x^2))^2, x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a + b \sin(c + dx^2))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m/(a+b*sin(d*x**2+c))**2,x)
```

```
[Out] Integral((e*x)**m/(a + b*sin(c + d*x**2))**2, x)
```

3.57 $\int x^5 (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=44

$$\frac{ax^6}{6} + \frac{b \sin(c + dx^3)}{3d^2} - \frac{bx^3 \cos(c + dx^3)}{3d}$$

[Out] $1/6*a*x^6-1/3*b*x^3*\cos(d*x^3+c)/d+1/3*b*\sin(d*x^3+c)/d^2$

Rubi [A] time = 0.05, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3379, 3296, 2637}

$$\frac{ax^6}{6} + \frac{b \sin(c + dx^3)}{3d^2} - \frac{bx^3 \cos(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] `Int[x^5*(a + b*Sin[c + d*x^3]),x]`

[Out] $(a*x^6)/6 - (b*x^3*\text{Cos}[c + d*x^3])/(3*d) + (b*\text{Sin}[c + d*x^3])/(3*d^2)$

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
```

m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
 \int x^5 (a + b \sin(c + dx^3)) dx &= \int (ax^5 + bx^5 \sin(c + dx^3)) dx \\
 &= \frac{ax^6}{6} + b \int x^5 \sin(c + dx^3) dx \\
 &= \frac{ax^6}{6} + \frac{1}{3} b \text{Subst} \left(\int x \sin(c + dx) dx, x, x^3 \right) \\
 &= \frac{ax^6}{6} - \frac{bx^3 \cos(c + dx^3)}{3d} + \frac{b \text{Subst} \left(\int \cos(c + dx) dx, x, x^3 \right)}{3d} \\
 &= \frac{ax^6}{6} - \frac{bx^3 \cos(c + dx^3)}{3d} + \frac{b \sin(c + dx^3)}{3d^2}
 \end{aligned}$$

Mathematica [A] time = 0.01, size = 44, normalized size = 1.00

$$\frac{ax^6}{6} + \frac{b \sin(c + dx^3)}{3d^2} - \frac{bx^3 \cos(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[x^5*(a + b*Sin[c + d*x^3]),x]

[Out] (a*x^6)/6 - (b*x^3*Cos[c + d*x^3])/(3*d) + (b*Sin[c + d*x^3])/(3*d^2)

fricas [A] time = 0.65, size = 40, normalized size = 0.91

$$\frac{ad^2x^6 - 2bdx^3 \cos(dx^3 + c) + 2b \sin(dx^3 + c)}{6d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] 1/6*(a*d^2*x^6 - 2*b*d*x^3*cos(d*x^3 + c) + 2*b*sin(d*x^3 + c))/d^2

giac [A] time = 0.36, size = 61, normalized size = 1.39

$$\frac{\frac{((dx^3+c)^2 - 2(dx^3+c)c)a}{d} - \frac{2(dx^3 \cos(dx^3+c) - \sin(dx^3+c))b}{d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] 1/6*(((d*x^3 + c)^2 - 2*(d*x^3 + c)*c)*a/d - 2*(d*x^3*cos(d*x^3 + c) - sin(d*x^3 + c))*b/d)/d

maple [A] time = 0.07, size = 67, normalized size = 1.52

$$\frac{x^6 a d^2 - 4x^3 b d \left(\cos^2 \left(\frac{d x^3}{2} + \frac{c}{2} \right) \right) + 2x^3 b d + 4 \sin \left(\frac{d x^3}{2} + \frac{c}{2} \right) b \cos \left(\frac{d x^3}{2} + \frac{c}{2} \right)}{6d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*sin(d*x^3+c)),x)

[Out] 1/6*(x^6*a*d^2-4*x^3*b*d*cos(1/2*d*x^3+1/2*c)^2+2*x^3*b*d+4*sin(1/2*d*x^3+1/2*c)*b*cos(1/2*d*x^3+1/2*c))/d^2

maxima [A] time = 0.33, size = 37, normalized size = 0.84

$$\frac{1}{6} a x^6 - \frac{(d x^3 \cos(d x^3 + c) - \sin(d x^3 + c)) b}{3 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] 1/6*a*x^6 - 1/3*(d*x^3*cos(d*x^3 + c) - sin(d*x^3 + c))*b/d^2

mupad [B] time = 0.17, size = 38, normalized size = 0.86

$$\frac{a x^6}{6} + \frac{\frac{b \sin(d x^3 + c)}{3} - \frac{b d x^3 \cos(d x^3 + c)}{3}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a + b*sin(c + d*x^3)),x)

[Out] (a*x^6)/6 + ((b*sin(c + d*x^3))/3 - (b*d*x^3*cos(c + d*x^3))/3)/d^2

sympy [A] time = 3.53, size = 49, normalized size = 1.11

$$\begin{cases} \frac{a x^6}{6} - \frac{b x^3 \cos(c + d x^3)}{3 d} + \frac{b \sin(c + d x^3)}{3 d^2} & \text{for } d \neq 0 \\ \frac{x^6 (a + b \sin(c))}{6} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**5*(a+b*sin(d*x**3+c)),x)
```

```
[Out] Piecewise((a*x**6/6 - b*x**3*cos(c + d*x**3)/(3*d) + b*sin(c + d*x**3)/(3*d  
**2), Ne(d, 0)), (x**6*(a + b*sin(c))/6, True))
```

3.58 $\int x^2 (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=25

$$\frac{ax^3}{3} - \frac{b \cos(c + dx^3)}{3d}$$

[Out] 1/3*a*x^3-1/3*b*cos(d*x^3+c)/d

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {14, 3379, 2638}

$$\frac{ax^3}{3} - \frac{b \cos(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*Sin[c + d*x^3]),x]

[Out] (a*x^3)/3 - (b*Cos[c + d*x^3])/(3*d)

Rule 14

```
Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_) + (b_.)*(v_)] /; FreeQ[{a, b}, x] && InverseFunctionQ[v]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int x^2 (a + b \sin(c + dx^3)) dx &= \int (ax^2 + bx^2 \sin(c + dx^3)) dx \\
 &= \frac{ax^3}{3} + b \int x^2 \sin(c + dx^3) dx \\
 &= \frac{ax^3}{3} + \frac{1}{3} b \text{Subst} \left(\int \sin(c + dx) dx, x, x^3 \right) \\
 &= \frac{ax^3}{3} - \frac{b \cos(c + dx^3)}{3d}
 \end{aligned}$$

Mathematica [A] time = 0.02, size = 41, normalized size = 1.64

$$\frac{ax^3}{3} + \frac{b \sin(c) \sin(dx^3)}{3d} - \frac{b \cos(c) \cos(dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*Sin[c + d*x^3]),x]

[Out] (a*x^3)/3 - (b*Cos[c]*Cos[d*x^3])/(3*d) + (b*Sin[c]*Sin[d*x^3])/(3*d)

fricas [A] time = 0.77, size = 23, normalized size = 0.92

$$\frac{adx^3 - b \cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] 1/3*(a*d*x^3 - b*cos(d*x^3 + c))/d

giac [A] time = 0.44, size = 26, normalized size = 1.04

$$\frac{(dx^3 + c)a - b \cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] 1/3*((d*x^3 + c)*a - b*cos(d*x^3 + c))/d

maple [A] time = 0.01, size = 27, normalized size = 1.08

$$\frac{a(dx^3 + c) - b \cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+b*sin(d*x^3+c)),x)`

[Out] `1/3/d*(a*(d*x^3+c)-b*cos(d*x^3+c))`

maxima [A] time = 0.32, size = 21, normalized size = 0.84

$$\frac{1}{3}ax^3 - \frac{b \cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*sin(d*x^3+c)),x, algorithm="maxima")`

[Out] `1/3*a*x^3 - 1/3*b*cos(d*x^3 + c)/d`

mupad [B] time = 4.66, size = 21, normalized size = 0.84

$$\frac{ax^3}{3} - \frac{b \cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*sin(c + d*x^3)),x)`

[Out] `(a*x^3)/3 - (b*cos(c + d*x^3))/(3*d)`

sympy [A] time = 0.52, size = 31, normalized size = 1.24

$$\begin{cases} \frac{ax^3}{3} - \frac{b \cos(c+dx^3)}{3d} & \text{for } d \neq 0 \\ \frac{x^3(a+b \sin(c))}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*sin(d*x**3+c)),x)`

[Out] `Piecewise((a*x**3/3 - b*cos(c + d*x**3)/(3*d), Ne(d, 0)), (x**3*(a + b*sin(c))/3, True))`

$$3.59 \quad \int \frac{a+b \sin(c+dx^3)}{x} dx$$

Optimal. Leaf size=31

$$a \log(x) + \frac{1}{3}b \sin(c) \text{Ci}(dx^3) + \frac{1}{3}b \cos(c) \text{Si}(dx^3)$$

[Out] a*ln(x)+1/3*b*cos(c)*Si(d*x^3)+1/3*b*Ci(d*x^3)*sin(c)

Rubi [A] time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3377, 3376, 3375}

$$a \log(x) + \frac{1}{3}b \sin(c) \text{CosIntegral}(dx^3) + \frac{1}{3}b \cos(c) \text{Si}(dx^3)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x,x]

[Out] a*Log[x] + (b*CosIntegral[d*x^3]*Sin[c])/3 + (b*Cos[c]*SinIntegral[d*x^3])/3

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[SinIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[CosIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]

Rule 3377

Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] /; FreeQ[{c, d, n}, x]

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin(c + dx^3)}{x} dx &= \int \left(\frac{a}{x} + \frac{b \sin(c + dx^3)}{x} \right) dx \\
&= a \log(x) + b \int \frac{\sin(c + dx^3)}{x} dx \\
&= a \log(x) + (b \cos(c)) \int \frac{\sin(dx^3)}{x} dx + (b \sin(c)) \int \frac{\cos(dx^3)}{x} dx \\
&= a \log(x) + \frac{1}{3} b \text{Ci}(dx^3) \sin(c) + \frac{1}{3} b \cos(c) \text{Si}(dx^3)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 29, normalized size = 0.94

$$a \log(x) + \frac{1}{3} b (\sin(c) \text{Ci}(dx^3) + \cos(c) \text{Si}(dx^3))$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x,x]

[Out] a*Log[x] + (b*(CosIntegral[d*x^3]*Sin[c] + Cos[c]*SinIntegral[d*x^3]))/3

fricas [A] time = 0.70, size = 38, normalized size = 1.23

$$\frac{1}{3} b \cos(c) \text{Si}(dx^3) + a \log(x) + \frac{1}{6} (b \text{Ci}(dx^3) + b \text{Ci}(-dx^3)) \sin(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x,x, algorithm="fricas")

[Out] 1/3*b*cos(c)*sin_integral(d*x^3) + a*log(x) + 1/6*(b*cos_integral(d*x^3) + b*cos_integral(-d*x^3))*sin(c)

giac [A] time = 0.41, size = 32, normalized size = 1.03

$$\frac{1}{3} b \text{Ci}(dx^3) \sin(c) + \frac{1}{3} b \cos(c) \text{Si}(dx^3) + \frac{1}{3} a \log(dx^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x,x, algorithm="giac")

[Out] $\frac{1}{3}b\cos_integral(dx^3)\sin(c) + \frac{1}{3}b\cos(c)\sin_integral(dx^3) + \frac{1}{3}a\log(dx^3)$

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^3+c))/x,x)`

[Out] `int((a+b*sin(d*x^3+c))/x,x)`

maxima [C] time = 0.43, size = 50, normalized size = 1.61

$$-\frac{1}{6} \left((i \operatorname{Ei}(i dx^3) - i \operatorname{Ei}(-i dx^3)) \cos(c) - (\operatorname{Ei}(i dx^3) + \operatorname{Ei}(-i dx^3)) \sin(c) \right) b + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^3+c))/x,x, algorithm="maxima")`

[Out] `-1/6*((I*Ei(I*d*x^3) - I*Ei(-I*d*x^3))*cos(c) - (Ei(I*d*x^3) + Ei(-I*d*x^3))*sin(c))*b + a*log(x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$a \ln(x) + \frac{b \sin(c) \operatorname{cosint}(dx^3)}{3} + \frac{b \cos(c) \operatorname{sinint}(dx^3)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^3))/x,x)`

[Out] `a*log(x) + (b*sin(c)*cosint(d*x^3))/3 + (b*cos(c)*sinint(d*x^3))/3`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**3+c))/x,x)`

[Out] `Integral((a + b*sin(c + d*x**3))/x, x)`

$$3.60 \quad \int \frac{a+b \sin(c+dx^3)}{x^4} dx$$

Optimal. Leaf size=53

$$-\frac{a}{3x^3} + \frac{1}{3}bd \cos(c)\text{Ci}(dx^3) - \frac{1}{3}bd \sin(c)\text{Si}(dx^3) - \frac{b \sin(c+dx^3)}{3x^3}$$

[Out] $-1/3*a/x^3+1/3*b*d*\text{Ci}(d*x^3)*\cos(c)-1/3*b*d*\text{Si}(d*x^3)*\sin(c)-1/3*b*\sin(d*x^3+c)/x^3$

Rubi [A] time = 0.10, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {14, 3379, 3297, 3303, 3299, 3302}

$$-\frac{a}{3x^3} + \frac{1}{3}bd \cos(c)\text{CosIntegral}(dx^3) - \frac{1}{3}bd \sin(c)\text{Si}(dx^3) - \frac{b \sin(c+dx^3)}{3x^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x^4,x]

[Out] $-a/(3*x^3) + (b*d*\text{Cos}[c]*\text{CosIntegral}[d*x^3])/3 - (b*\text{Sin}[c + d*x^3])/(3*x^3) - (b*d*\text{Sin}[c]*\text{SinIntegral}[d*x^3])/3$

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int \frac{a + b \sin(c + dx^3)}{x^4} dx &= \int \left(\frac{a}{x^4} + \frac{b \sin(c + dx^3)}{x^4} \right) dx \\
 &= -\frac{a}{3x^3} + b \int \frac{\sin(c + dx^3)}{x^4} dx \\
 &= -\frac{a}{3x^3} + \frac{1}{3} b \operatorname{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, x^3 \right) \\
 &= -\frac{a}{3x^3} - \frac{b \sin(c + dx^3)}{3x^3} + \frac{1}{3} (bd) \operatorname{Subst} \left(\int \frac{\cos(c + dx)}{x} dx, x, x^3 \right) \\
 &= -\frac{a}{3x^3} - \frac{b \sin(c + dx^3)}{3x^3} + \frac{1}{3} (bd \cos(c)) \operatorname{Subst} \left(\int \frac{\cos(dx)}{x} dx, x, x^3 \right) - \frac{1}{3} (bd \sin(c)) S \\
 &= -\frac{a}{3x^3} + \frac{1}{3} bd \cos(c) \operatorname{Ci}(dx^3) - \frac{b \sin(c + dx^3)}{3x^3} - \frac{1}{3} bd \sin(c) \operatorname{Si}(dx^3)
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 48, normalized size = 0.91

$$\frac{a - bdx^3 \cos(c) \operatorname{Ci}(dx^3) + bdx^3 \sin(c) \operatorname{Si}(dx^3) + b \sin(c + dx^3)}{3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x^4,x]

[Out] -1/3*(a - b*d*x^3*Cos[c]*CosIntegral[d*x^3] + b*Sin[c + d*x^3] + b*d*x^3*Sin[c]*SinIntegral[d*x^3])/x^3

fricas [A] time = 0.66, size = 65, normalized size = 1.23

$$\frac{2bdx^3 \sin(c) \operatorname{Si}(dx^3) - (bdx^3 \operatorname{Ci}(dx^3) + bdx^3 \operatorname{Ci}(-dx^3)) \cos(c) + 2b \sin(dx^3 + c) + 2a}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^4,x, algorithm="fricas")

[Out] -1/6*(2*b*d*x^3*sin(c)*sin_integral(d*x^3) - (b*d*x^3*cos_integral(d*x^3) + b*d*x^3*cos_integral(-d*x^3))*cos(c) + 2*b*sin(d*x^3 + c) + 2*a)/x^3

giac [B] time = 0.59, size = 99, normalized size = 1.87

$$\frac{(dx^3 + c)bd^2 \cos(c) \operatorname{Ci}(dx^3) - bcd^2 \cos(c) \operatorname{Ci}(dx^3) - (dx^3 + c)bd^2 \sin(c) \operatorname{Si}(dx^3) + bcd^2 \sin(c) \operatorname{Si}(dx^3) - bd^2 \sin(dx^3 + c)}{3d^2x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^4,x, algorithm="giac")

[Out] 1/3*((d*x^3 + c)*b*d^2*cos(c)*cos_integral(d*x^3) - b*c*d^2*cos(c)*cos_integral(d*x^3) - (d*x^3 + c)*b*d^2*sin(c)*sin_integral(d*x^3) + b*c*d^2*sin(c)*sin_integral(d*x^3) - b*d^2*sin(d*x^3 + c) - a*d^2)/(d^2*x^3)

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))/x^4,x)

[Out] int((a+b*sin(d*x^3+c))/x^4,x)

maxima [C] time = 0.43, size = 57, normalized size = 1.08

$$\frac{1}{6} \left((\Gamma(-1, idx^3) + \Gamma(-1, -idx^3)) \cos(c) - (i\Gamma(-1, idx^3) - i\Gamma(-1, -idx^3)) \sin(c) \right) bd - \frac{a}{3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^4,x, algorithm="maxima")

[Out] 1/6*((gamma(-1, I*d*x^3) + gamma(-1, -I*d*x^3))*cos(c) - (I*gamma(-1, I*d*x^3) - I*gamma(-1, -I*d*x^3))*sin(c))*b*d - 1/3*a/x^3

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + b \sin(dx^3 + c)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))/x^4,x)

[Out] int((a + b*sin(c + d*x^3))/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))/x**4,x)

[Out] Integral((a + b*sin(c + d*x**3))/x**4, x)

3.61 $\int x^4 (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=112

$$\frac{ax^5}{5} - \frac{bx^2 \cos(c + dx^3)}{3d} - \frac{be^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{be^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}}$$

[Out] $1/5*a*x^5-1/3*b*x^2*\cos(d*x^3+c)/d-1/9*b*\exp(I*c)*x^2*\text{GAMMA}(2/3,-I*d*x^3)/d/(-I*d*x^3)^{(2/3)}-1/9*b*x^2*\text{GAMMA}(2/3,I*d*x^3)/d/\exp(I*c)/(I*d*x^3)^{(2/3)}$

Rubi [A] time = 0.09, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3385, 3390, 2218}

$$-\frac{be^{ic}x^2\text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{be^{-ic}x^2\text{Gamma}\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}} + \frac{ax^5}{5} - \frac{bx^2 \cos(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] Int[x^4*(a + b*Sin[c + d*x^3]),x]

[Out] $(a*x^5)/5 - (b*x^2*\text{Cos}[c + d*x^3])/(3*d) - (b*E^{(I*c)}*x^2*\text{Gamma}[2/3, (-I)*d*x^3])/(9*d*((-I)*d*x^3)^{(2/3)}) - (b*x^2*\text{Gamma}[2/3, I*d*x^3])/(9*d*E^{(I*c)}*(I*d*x^3)^{(2/3)})$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n)*Log[F])])/(f*n*(-(b*(c + d*x)^(n)*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3385

Int[((e_)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)]^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&

IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3390

Int[Cos[(c_.) + (d_.)*(x_)^(n_.)]*((e_.)*(x_)^(m_.), x_Symbol] := Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
 \int x^4 (a + b \sin(c + dx^3)) dx &= \int (ax^4 + bx^4 \sin(c + dx^3)) dx \\
 &= \frac{ax^5}{5} + b \int x^4 \sin(c + dx^3) dx \\
 &= \frac{ax^5}{5} - \frac{bx^2 \cos(c + dx^3)}{3d} + \frac{(2b) \int x \cos(c + dx^3) dx}{3d} \\
 &= \frac{ax^5}{5} - \frac{bx^2 \cos(c + dx^3)}{3d} + \frac{b \int e^{-ic - idx^3} x dx}{3d} + \frac{b \int e^{ic + idx^3} x dx}{3d} \\
 &= \frac{ax^5}{5} - \frac{bx^2 \cos(c + dx^3)}{3d} - \frac{be^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{9d (-idx^3)^{2/3}} - \frac{be^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{9d (idx^3)^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.24, size = 124, normalized size = 1.11

$$\frac{dx^8 \left(3 (d^2 x^6)^{2/3} (3adx^3 - 5b \cos(c + dx^3)) - 5b (-idx^3)^{2/3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{2}{3}, idx^3\right) - 5b (idx^3)^{2/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) \right)}{45 (d^2 x^6)^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*Sin[c + d*x^3]),x]

[Out] (d*x^8*(3*(d^2*x^6)^(2/3)*(3*a*d*x^3 - 5*b*Cos[c + d*x^3]) - 5*b*((-I)*d*x^3)^(2/3)*Gamma[2/3, I*d*x^3]*(Cos[c] - I*Sin[c]) - 5*b*(I*d*x^3)^(2/3)*Gamma[2/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]))/(45*(d^2*x^6)^(5/3))

fricas [A] time = 0.71, size = 70, normalized size = 0.62

$$\frac{9ad^2x^5 - 15bdx^2 \cos(dx^3 + c) + 5ib(id)^{\frac{1}{3}} e^{(-ic)} \Gamma\left(\frac{2}{3}, idx^3\right) - 5ib(-id)^{\frac{1}{3}} e^{(ic)} \Gamma\left(\frac{2}{3}, -idx^3\right)}{45d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] $\frac{1}{45}*(9*a*d^2*x^5 - 15*b*d*x^2*\cos(d*x^3 + c) + 5*I*b*(I*d)^{(1/3)}*e^{(-I*c)}*\gamma(2/3, I*d*x^3) - 5*I*b*(-I*d)^{(1/3)}*e^{(I*c)}*\gamma(2/3, -I*d*x^3))/d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)*x^4, x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int x^4 (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*sin(d*x^3+c)),x)

[Out] int(x^4*(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.58, size = 109, normalized size = 0.97

$$\frac{1}{5}ax^5 - \frac{\left(6dx^3 \cos(dx^3 + c) - (dx^3)^{\frac{1}{3}} \left((i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, idx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, -idx^3\right) \right) \cos(c) + ((\sqrt{3} + i)\Gamma\left(\frac{2}{3}\right) \right)}{18d^2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] $\frac{1}{5}a*x^5 - \frac{1}{18}*(6*d*x^3*\cos(d*x^3 + c) - (d*x^3)^{(1/3)}*((I*\sqrt{3} - 1)*\gamma(2/3, I*d*x^3) + (-I*\sqrt{3} - 1)*\gamma(2/3, -I*d*x^3))*\cos(c) + ((\sqrt{3} + I)*\gamma(2/3, I*d*x^3) + (\sqrt{3} - I)*\gamma(2/3, -I*d*x^3))*\sin(c))*b/(d^2*x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^4 (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^4*(a + b*sin(c + d*x^3)),x)
```

```
[Out] int(x^4*(a + b*sin(c + d*x^3)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^4 (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**4*(a+b*sin(d*x**3+c)),x)
```

```
[Out] Integral(x**4*(a + b*sin(c + d*x**3)), x)
```

3.62 $\int x \left(a + b \sin \left(c + dx^3 \right) \right) dx$

Optimal. Leaf size=91

$$\frac{ax^2}{2} + \frac{ibe^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{6(-idx^3)^{2/3}} - \frac{ibe^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{6(idx^3)^{2/3}}$$

[Out] $1/2*a*x^2+1/6*I*b*\exp(I*c)*x^2*\text{GAMMA}(2/3, -I*d*x^3)/(-I*d*x^3)^{(2/3)}-1/6*I*b*x^2*\text{GAMMA}(2/3, I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(2/3)}$

Rubi [A] time = 0.06, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {14, 3389, 2218}

$$\frac{ibe^{ic}x^2\text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{6(-idx^3)^{2/3}} - \frac{ibe^{-ic}x^2\text{Gamma}\left(\frac{2}{3}, idx^3\right)}{6(idx^3)^{2/3}} + \frac{ax^2}{2}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*Sin[c + d*x^3]), x]

[Out] $(a*x^2)/2 + ((I/6)*b*E^{(I*c)}*x^2*\text{Gamma}[2/3, (-I)*d*x^3])/((-I)*d*x^3)^{(2/3)} - ((I/6)*b*x^2*\text{Gamma}[2/3, I*d*x^3])/(E^{(I*c)}*(I*d*x^3)^{(2/3)})$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^((m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int x(a + b \sin(c + dx^3)) dx &= \int (ax + bx \sin(c + dx^3)) dx \\
&= \frac{ax^2}{2} + b \int x \sin(c + dx^3) dx \\
&= \frac{ax^2}{2} + \frac{1}{2}(ib) \int e^{-ic - idx^3} x dx - \frac{1}{2}(ib) \int e^{ic + idx^3} x dx \\
&= \frac{ax^2}{2} + \frac{ibe^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{6(-idx^3)^{2/3}} - \frac{ibe^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{6(idx^3)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 108, normalized size = 1.19

$$\frac{x^2 \left(3a (d^2 x^6)^{2/3} + b (-idx^3)^{2/3} (-\sin(c) - i \cos(c)) \Gamma\left(\frac{2}{3}, idx^3\right) + ib (idx^3)^{2/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) \right)}{6 (d^2 x^6)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*Sin[c + d*x^3]),x]

[Out] (x^2*(3*a*(d^2*x^6)^(2/3) + b*((-I)*d*x^3)^(2/3)*Gamma[2/3, I*d*x^3]*((-I)*Cos[c] - Sin[c]) + I*b*(I*d*x^3)^(2/3)*Gamma[2/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]))/(6*(d^2*x^6)^(2/3))

fricas [A] time = 0.78, size = 53, normalized size = 0.58

$$\frac{3 adx^2 - b(id)^{\frac{1}{3}} e^{(-ic)} \Gamma\left(\frac{2}{3}, idx^3\right) - b(-id)^{\frac{1}{3}} e^{(ic)} \Gamma\left(\frac{2}{3}, -idx^3\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] 1/6*(3*a*d*x^2 - b*(I*d)^(1/3)*e^(-I*c)*gamma(2/3, I*d*x^3) - b*(-I*d)^(1/3)*e^(I*c)*gamma(2/3, -I*d*x^3))/d

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)*x, x)

maple [F] time = 0.11, size = 0, normalized size = 0.00

$$\int x (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*sin(d*x^3+c)),x)

[Out] int(x*(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.54, size = 93, normalized size = 1.02

$$\frac{1}{2} ax^2 - \frac{(dx^3)^{\frac{1}{3}} \left((\sqrt{3} + i)\Gamma\left(\frac{2}{3}, i dx^3\right) + (\sqrt{3} - i)\Gamma\left(\frac{2}{3}, -i dx^3\right) \right) \cos(c) - \left((i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, i dx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, -i dx^3\right) \right) \sin(c)}{12 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] 1/2*a*x^2 - 1/12*(d*x^3)^(1/3)*(((sqrt(3) + I)*gamma(2/3, I*d*x^3) + (sqrt(3) - I)*gamma(2/3, -I*d*x^3))*cos(c) - ((I*sqrt(3) - 1)*gamma(2/3, I*d*x^3) + (-I*sqrt(3) - 1)*gamma(2/3, -I*d*x^3))*sin(c))*b/(d*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*sin(c + d*x^3)),x)

[Out] int(x*(a + b*sin(c + d*x^3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x**3+c)),x)

[Out] Integral(x*(a + b*sin(c + d*x**3)), x)

$$3.63 \quad \int \frac{a+b \sin(c+dx^3)}{x^2} dx$$

Optimal. Leaf size=101

$$-\frac{a}{x} - \frac{b \sin(c+dx^3)}{x} - \frac{be^{ic} dx^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{2(-idx^3)^{2/3}} - \frac{be^{-ic} dx^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{2(idx^3)^{2/3}}$$

[Out] $-a/x - 1/2*b*d*\exp(I*c)*x^2*\text{GAMMA}(2/3, -I*d*x^3)/(-I*d*x^3)^{(2/3)} - 1/2*b*d*x^2*\text{GAMMA}(2/3, I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(2/3)} - b*\sin(d*x^3+c)/x$

Rubi [A] time = 0.08, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3387, 3390, 2218}

$$-\frac{be^{ic} dx^2 \text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{2(-idx^3)^{2/3}} - \frac{be^{-ic} dx^2 \text{Gamma}\left(\frac{2}{3}, idx^3\right)}{2(idx^3)^{2/3}} - \frac{a}{x} - \frac{b \sin(c+dx^3)}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x^2, x]

[Out] $-(a/x) - (b*d*E^{(I*c)*x^2*\text{Gamma}[2/3, (-I)*d*x^3]}/(2*((-I)*d*x^3)^{(2/3)}) - (b*d*x^2*\text{Gamma}[2/3, I*d*x^3])/(2*E^{(I*c)*(I*d*x^3)^{(2/3)}} - (b*\text{Sin}[c + d*x^3])/x$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3387

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(

$e*x)^{(m+n)}*\text{Cos}[c+d*x^n], x], x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1]$

Rule 3390

$\text{Int}[\text{Cos}[(c_.) + (d_.)*(x_)^(n_.)]*((e_.)*(x_))^(m_.), x_Symbol] \ :> \ \text{Dist}[1/2, \text{Int}[(e*x)^m*\text{E}^{-(c*I) - d*I*x^n}, x], x] + \text{Dist}[1/2, \text{Int}[(e*x)^m*\text{E}^{(c*I) + d*I*x^n}, x], x] /; \text{FreeQ}[\{c, d, e, m\}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin(c + dx^3)}{x^2} dx &= \int \left(\frac{a}{x^2} + \frac{b \sin(c + dx^3)}{x^2} \right) dx \\ &= -\frac{a}{x} + b \int \frac{\sin(c + dx^3)}{x^2} dx \\ &= -\frac{a}{x} - \frac{b \sin(c + dx^3)}{x} + (3bd) \int x \cos(c + dx^3) dx \\ &= -\frac{a}{x} - \frac{b \sin(c + dx^3)}{x} + \frac{1}{2}(3bd) \int e^{-ic-idx^3} x dx + \frac{1}{2}(3bd) \int e^{ic+idx^3} x dx \\ &= -\frac{a}{x} - \frac{bde^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{2(-idx^3)^{2/3}} - \frac{bde^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{2(idx^3)^{2/3}} - \frac{b \sin(c + dx^3)}{x} \end{aligned}$$

Mathematica [A] time = 0.21, size = 120, normalized size = 1.19

$$\frac{-2(d^2x^6)^{2/3}(a + b \sin(c + dx^3)) - ib(-idx^3)^{5/3}(\cos(c) - i \sin(c))\Gamma\left(\frac{2}{3}, idx^3\right) + ib(idx^3)^{5/3}(\cos(c) + i \sin(c))\Gamma\left(\frac{2}{3}, -idx^3\right)}{2x(d^2x^6)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x^2,x]

[Out] $((-I)*b*((-I)*d*x^3)^{(5/3)}*\text{Gamma}[2/3, I*d*x^3]*(\text{Cos}[c] - I*\text{Sin}[c]) + I*b*(I*d*x^3)^{(5/3)}*\text{Gamma}[2/3, (-I)*d*x^3]*(\text{Cos}[c] + I*\text{Sin}[c]) - 2*(d^2*x^6)^{(2/3)}*(a + b*\text{Sin}[c + d*x^3]))/(2*x*(d^2*x^6)^{(2/3)})$

fricas [A] time = 0.79, size = 62, normalized size = 0.61

$$\frac{ib(id)^{\frac{1}{3}}xe^{(-ic)}\Gamma\left(\frac{2}{3}, idx^3\right) - ib(-id)^{\frac{1}{3}}xe^{(ic)}\Gamma\left(\frac{2}{3}, -idx^3\right) - 2b \sin(dx^3 + c) - 2a}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^2,x, algorithm="fricas")

[Out] $\frac{1}{2}*(I*b*(I*d)^{(1/3)}*x*e^{(-I*c)}*\gamma(2/3, I*d*x^3) - I*b*(-I*d)^{(1/3)}*x*e^{(I*c)}*\gamma(2/3, -I*d*x^3) - 2*b*\sin(d*x^3 + c) - 2*a)/x$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^3 + c) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)/x^2, x)

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))/x^2,x)

[Out] int((a+b*sin(d*x^3+c))/x^2,x)

maxima [A] time = 0.54, size = 89, normalized size = 0.88

$$\frac{(dx^3)^{\frac{1}{3}} \left((i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, idx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, -idx^3\right) \right) \cos(c) + \left((\sqrt{3} + i)\Gamma\left(-\frac{1}{3}, idx^3\right) + (\sqrt{3} - i)\Gamma\left(-\frac{1}{3}, -idx^3\right) \right) \sin(c)}{12x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^2,x, algorithm="maxima")

[Out] $-1/12*(d*x^3)^{(1/3)}*(((I*\sqrt{3} - 1)*\gamma(-1/3, I*d*x^3) + (-I*\sqrt{3} - 1)*\gamma(-1/3, -I*d*x^3))*\cos(c) + ((\sqrt{3} + I)*\gamma(-1/3, I*d*x^3) + (\sqrt{3} - I)*\gamma(-1/3, -I*d*x^3))*\sin(c))*b/x - a/x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^3 + c)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^3))/x^2,x)`

[Out] `int((a + b*sin(c + d*x^3))/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**3+c))/x**2,x)`

[Out] `Integral((a + b*sin(c + d*x**3))/x**2, x)`

$$3.64 \quad \int \frac{a+b \sin(c+dx^3)}{x^5} dx$$

Optimal. Leaf size=130

$$-\frac{a}{4x^4} - \frac{3ibe^{ic}d^2x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{8(-idx^3)^{2/3}} + \frac{3ibe^{-ic}d^2x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{8(idx^3)^{2/3}} - \frac{3bd \cos(c+dx^3)}{4x} - \frac{b \sin(c+dx^3)}{4x^4}$$

[Out] $-1/4*a/x^4-3/4*b*d*\cos(d*x^3+c)/x-3/8*I*b*d^2*\exp(I*c)*x^2*\text{GAMMA}(2/3,-I*d*x^3)/(-I*d*x^3)^{(2/3)}+3/8*I*b*d^2*x^2*\text{GAMMA}(2/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(2/3)}-1/4*b*\sin(d*x^3+c)/x^4$

Rubi [A] time = 0.10, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {14, 3387, 3388, 3389, 2218}

$$-\frac{3ibe^{ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{8(-idx^3)^{2/3}} + \frac{3ibe^{-ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, idx^3\right)}{8(idx^3)^{2/3}} - \frac{a}{4x^4} - \frac{b \sin(c+dx^3)}{4x^4} - \frac{3bd \cos(c+dx^3)}{4x}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x^5, x]

[Out] $-a/(4*x^4) - (3*b*d*\text{Cos}[c + d*x^3])/(4*x) - (((3*I)/8)*b*d^2*E^{(I*c)}*x^2*\text{Gamma}[2/3, (-I)*d*x^3])/((-I)*d*x^3)^{(2/3)} + (((3*I)/8)*b*d^2*x^2*\text{Gamma}[2/3, I*d*x^3])/(E^{(I*c)}*(I*d*x^3)^{(2/3)}) - (b*\text{Sin}[c + d*x^3])/(4*x^4)$

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(

$e^x)^{(m+n)} \cos[c + d x^n], x], x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1]$

Rule 3388

$\text{Int}[\cos[(c_.) + (d_.) \cdot (x_.)^{(n_)}] \cdot ((e_.) \cdot (x_.)^{(m_)}), x_Symbol] :> \text{Simp}[(e^x)^{(m+1)} \cos[c + d x^n] / (e^{(m+1)}), x] + \text{Dist}[(d \cdot n) / (e^n \cdot (m+1)), \text{Int}[(e^x)^{(m+n)} \sin[c + d x^n], x], x] /; \text{FreeQ}[\{c, d, e\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[m, -1]$

Rule 3389

$\text{Int}[(e^x)^{(m_)} \cdot (x_.)^{(n_)} \cdot \sin[(c_.) + (d_.) \cdot (x_.)^{(n_)}], x_Symbol] :> \text{Dist}[I/2, \text{Int}[(e^x)^m \cdot E^{-(c \cdot I - d \cdot I \cdot x^n)}, x], x] - \text{Dist}[I/2, \text{Int}[(e^x)^m \cdot E^{(c \cdot I + d \cdot I \cdot x^n)}, x], x] /; \text{FreeQ}[\{c, d, e, m\}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin(c + dx^3)}{x^5} dx &= \int \left(\frac{a}{x^5} + \frac{b \sin(c + dx^3)}{x^5} \right) dx \\ &= -\frac{a}{4x^4} + b \int \frac{\sin(c + dx^3)}{x^5} dx \\ &= -\frac{a}{4x^4} - \frac{b \sin(c + dx^3)}{4x^4} + \frac{1}{4}(3bd) \int \frac{\cos(c + dx^3)}{x^2} dx \\ &= -\frac{a}{4x^4} - \frac{3bd \cos(c + dx^3)}{4x} - \frac{b \sin(c + dx^3)}{4x^4} - \frac{1}{4}(9bd^2) \int x \sin(c + dx^3) dx \\ &= -\frac{a}{4x^4} - \frac{3bd \cos(c + dx^3)}{4x} - \frac{b \sin(c + dx^3)}{4x^4} - \frac{1}{8}(9ibd^2) \int e^{-ic - idx^3} x dx + \frac{1}{8}(9ibd^2) \int e^{ic + idx^3} x dx \\ &= -\frac{a}{4x^4} - \frac{3bd \cos(c + dx^3)}{4x} - \frac{3ibd^2 e^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{8(-idx^3)^{2/3}} + \frac{3ibd^2 e^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{8(idx^3)^{2/3}} - \frac{b \sin(c + dx^3)}{4x^4} \end{aligned}$$

Mathematica [A] time = 0.40, size = 143, normalized size = 1.10

$$\frac{-2(d^2 x^6)^{2/3} (a + b \sin(c + dx^3) + 3bdx^3 \cos(c + dx^3)) + 3bd^2 x^6 (idx^3)^{2/3} (\sin(c) - i \cos(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) + 3bd^2 x^6 (idx^3)^{2/3} (\sin(c) + i \cos(c)) \Gamma\left(\frac{2}{3}, idx^3\right)}{8x^4 (d^2 x^6)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x^5,x]

[Out] $(3*b*d^2*x^6*(I*d*x^3)^{(2/3)}*\Gamma[2/3, (-I)*d*x^3]*((-I)*\cos[c] + \sin[c]) + 3*b*d^2*x^6*((-I)*d*x^3)^{(2/3)}*\Gamma[2/3, I*d*x^3]*(I*\cos[c] + \sin[c]) - 2*(d^2*x^6)^{(2/3)}*(a + 3*b*d*x^3*\cos[c + d*x^3] + b*\sin[c + d*x^3])/(8*x^4*(d^2*x^6)^{(2/3)})$

fricas [A] time = 0.63, size = 83, normalized size = 0.64

$$\frac{3 b (i d)^{\frac{1}{3}} dx^4 e^{(-i c)} \Gamma\left(\frac{2}{3}, i dx^3\right) + 3 b (-i d)^{\frac{1}{3}} dx^4 e^{(i c)} \Gamma\left(\frac{2}{3}, -i dx^3\right) - 6 b dx^3 \cos(dx^3 + c) - 2 b \sin(dx^3 + c) - 2 a}{8 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^5,x, algorithm="fricas")

[Out] $1/8*(3*b*(I*d)^{(1/3)}*d*x^4*e^{(-I*c)}*\gamma(2/3, I*d*x^3) + 3*b*(-I*d)^{(1/3)}*d*x^4*e^{(I*c)}*\gamma(2/3, -I*d*x^3) - 6*b*d*x^3*\cos(d*x^3 + c) - 2*b*\sin(d*x^3 + c) - 2*a)/x^4$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^3 + c) + a}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^5,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)/x^5, x)

maple [F] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))/x^5,x)

[Out] int((a+b*sin(d*x^3+c))/x^5,x)

maxima [A] time = 0.57, size = 91, normalized size = 0.70

$$\frac{(dx^3)^{\frac{1}{3}} \left(((\sqrt{3} + i)\Gamma\left(-\frac{4}{3}, i dx^3\right) + (\sqrt{3} - i)\Gamma\left(-\frac{4}{3}, -i dx^3\right)) \cos(c) - ((i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, i dx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, -i dx^3\right)) \right)}{12 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^5,x, algorithm="maxima")

[Out] 1/12*(d*x^3)^(1/3)*(((sqrt(3) + I)*gamma(-4/3, I*d*x^3) + (sqrt(3) - I)*gamma(-4/3, -I*d*x^3))*cos(c) - ((I*sqrt(3) - 1)*gamma(-4/3, I*d*x^3) + (-I*sqrt(3) - 1)*gamma(-4/3, -I*d*x^3))*sin(c))*b*d/x - 1/4*a/x^4

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^3 + c)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))/x^5,x)

[Out] int((a + b*sin(c + d*x^3))/x^5, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))/x**5,x)

[Out] Integral((a + b*sin(c + d*x**3))/x**5, x)

3.65 $\int x^3 (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=106

$$\frac{ax^4}{4} - \frac{bx \cos(c + dx^3)}{3d} - \frac{be^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{18d\sqrt[3]{-idx^3}} - \frac{be^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{18d\sqrt[3]{idx^3}}$$

[Out] $1/4*a*x^4-1/3*b*x*\cos(d*x^3+c)/d-1/18*b*\exp(I*c)*x*\text{GAMMA}(1/3,-I*d*x^3)/d/(-I*d*x^3)^{(1/3)}-1/18*b*x*\text{GAMMA}(1/3,I*d*x^3)/d/\exp(I*c)/(I*d*x^3)^{(1/3)}$

Rubi [A] time = 0.07, antiderivative size = 106, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3385, 3356, 2208}

$$-\frac{be^{ic}x\text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{18d\sqrt[3]{-idx^3}} - \frac{be^{-ic}x\text{Gamma}\left(\frac{1}{3}, idx^3\right)}{18d\sqrt[3]{idx^3}} + \frac{ax^4}{4} - \frac{bx \cos(c + dx^3)}{3d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(a + b*\text{Sin}[c + d*x^3]), x]$

[Out] $(a*x^4)/4 - (b*x*\text{Cos}[c + d*x^3])/(3*d) - (b*E^{(I*c)}*x*\text{Gamma}[1/3, (-I)*d*x^3])/(18*d*((-I)*d*x^3)^{(1/3)}) - (b*x*\text{Gamma}[1/3, I*d*x^3])/(18*d*E^{(I*c)}*(I*d*x^3)^{(1/3)})$

Rule 14

$\text{Int}[(u_*)*((c_*)*(x_*)^{(m_*)}), x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c*x)^m*u, x], x] /;$ FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

$\text{Int}[(F_*)^{((a_*) + (b_)*((c_*) + (d_)*(x_*)^{(n_*)}))}, x_Symbol] \rightarrow -\text{Simp}[(F^a * (c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F])])/(d*n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] /;$ FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3356

$\text{Int}[\text{Cos}[(c_*) + (d_)*((e_*) + (f_)*(x_*)^{(n_*)})], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Int}[E^{-(c*I)} - d*I*(e + f*x)^n], x], x] + \text{Dist}[1/2, \text{Int}[E^{(c*I)} + d*I*(e + f*x)^n], x], x] /;$ FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \sin(c + dx^3)) dx &= \int (ax^3 + bx^3 \sin(c + dx^3)) dx \\
&= \frac{ax^4}{4} + b \int x^3 \sin(c + dx^3) dx \\
&= \frac{ax^4}{4} - \frac{bx \cos(c + dx^3)}{3d} + \frac{b \int \cos(c + dx^3) dx}{3d} \\
&= \frac{ax^4}{4} - \frac{bx \cos(c + dx^3)}{3d} + \frac{b \int e^{-ic - idx^3} dx}{6d} + \frac{b \int e^{ic + idx^3} dx}{6d} \\
&= \frac{ax^4}{4} - \frac{bx \cos(c + dx^3)}{3d} - \frac{be^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{18d \sqrt[3]{-idx^3}} - \frac{be^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{18d \sqrt[3]{idx^3}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 124, normalized size = 1.17

$$\frac{dx^7 \left(3 \sqrt[3]{d^2 x^6} (3adx^3 - 4b \cos(c + dx^3)) - 2b \sqrt[3]{-idx^3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{1}{3}, idx^3\right) - 2b \sqrt[3]{idx^3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{1}{3}, -idx^3\right) \right)}{36 (d^2 x^6)^{4/3}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(a + b*Sin[c + d*x^3]),x]
```

```
[Out] (d*x^7*(3*(d^2*x^6)^(1/3)*(3*a*d*x^3 - 4*b*Cos[c + d*x^3]) - 2*b*((-I)*d*x^
3)^(1/3)*Gamma[1/3, I*d*x^3]*(Cos[c] - I*Sin[c]) - 2*b*(I*d*x^3)^(1/3)*Gamm
a[1/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]))) / (36*(d^2*x^6)^(4/3))
```

fricas [A] time = 0.72, size = 68, normalized size = 0.64

$$\frac{9ad^2x^4 - 12bdx \cos(dx^3 + c) + 2ib(i d)^{\frac{2}{3}} e^{(-ic)} \Gamma\left(\frac{1}{3}, i dx^3\right) - 2ib(-id)^{\frac{2}{3}} e^{(ic)} \Gamma\left(\frac{1}{3}, -i dx^3\right)}{36d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(a+b*sin(d*x^3+c)),x, algorithm="fricas")
```

[Out] $\frac{1}{36}*(9*a*d^2*x^4 - 12*b*d*x*\cos(d*x^3 + c) + 2*I*b*(I*d)^(2/3)*e^(-I*c)*\text{gamma}(1/3, I*d*x^3) - 2*I*b*(-I*d)^(2/3)*e^(I*c)*\text{gamma}(1/3, -I*d*x^3))/d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(d*x^3+c)),x, algorithm="giac")`

[Out] `integrate((b*sin(d*x^3 + c) + a)*x^3, x)`

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int x^3 (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a+b*sin(d*x^3+c)),x)`

[Out] `int(x^3*(a+b*sin(d*x^3+c)),x)`

maxima [A] time = 0.55, size = 110, normalized size = 1.04

$$\frac{\frac{1}{4}ax^4 - \left(12(dx^3)^{\frac{1}{3}}x \cos(dx^3 + c) + \left(\left((\sqrt{3} - i)\Gamma\left(\frac{1}{3}, i dx^3\right) + (\sqrt{3} + i)\Gamma\left(\frac{1}{3}, -i dx^3\right)\right)\cos(c) + \left((-i\sqrt{3} - 1)\Gamma\left(\frac{1}{3}, i dx^3\right) + (i\sqrt{3} + 1)\Gamma\left(\frac{1}{3}, -i dx^3\right)\right)\sin(c)\right)x}{36(dx^3)^{\frac{1}{3}}d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(a+b*sin(d*x^3+c)),x, algorithm="maxima")`

[Out] $\frac{1}{4}a*x^4 - \frac{1}{36}*(12*(d*x^3)^(1/3)*x*\cos(d*x^3 + c) + (((\text{sqrt}(3) - I)*\text{gamma}(1/3, I*d*x^3) + (\text{sqrt}(3) + I)*\text{gamma}(1/3, -I*d*x^3))*\cos(c) + ((-I*\text{sqrt}(3) - 1)*\text{gamma}(1/3, I*d*x^3) + (I*\text{sqrt}(3) - 1)*\text{gamma}(1/3, -I*d*x^3))*\sin(c))*x) * b / ((d*x^3)^(1/3)*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*sin(c + d*x^3)),x)`

```
[Out] int(x^3*(a + b*sin(c + d*x^3)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^3 (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*sin(d*x**3+c)),x)
```

```
[Out] Integral(x**3*(a + b*sin(c + d*x**3)), x)
```

3.66 $\int (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=82

$$ax + \frac{ibe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{6\sqrt[3]{-idx^3}} - \frac{ibe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{6\sqrt[3]{idx^3}}$$

[Out] $a*x + 1/6*I*b*\exp(I*c)*x*\text{GAMMA}(1/3, -I*d*x^3)/(-I*d*x^3)^{(1/3)} - 1/6*I*b*x*\text{GAMMA}(1/3, I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(1/3)}$

Rubi [A] time = 0.03, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3355, 2208}

$$\frac{ibe^{ic}x\text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{6\sqrt[3]{-idx^3}} - \frac{ibe^{-ic}x\text{Gamma}\left(\frac{1}{3}, idx^3\right)}{6\sqrt[3]{idx^3}} + ax$$

Antiderivative was successfully verified.

[In] Int[a + b*Sin[c + d*x^3], x]

[Out] $a*x + ((I/6)*b*E^{(I*c)*x}*Gamma[1/3, (-I)*d*x^3])/((-I)*d*x^3)^{(1/3)} - ((I/6)*b*x*Gamma[1/3, I*d*x^3])/(E^{(I*c)*(I*d*x^3)^{(1/3)})}$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rubi steps

$$\begin{aligned}
\int (a + b \sin(c + dx^3)) dx &= ax + b \int \sin(c + dx^3) dx \\
&= ax + \frac{1}{2}(ib) \int e^{-ic-idx^3} dx - \frac{1}{2}(ib) \int e^{ic+idx^3} dx \\
&= ax + \frac{ib e^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{6\sqrt[3]{-idx^3}} - \frac{ib e^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{6\sqrt[3]{idx^3}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 138, normalized size = 1.68

$$ax - \frac{1}{2}ib \cos(c) \left(\frac{x \Gamma\left(\frac{1}{3}, idx^3\right)}{3\sqrt[3]{idx^3}} - \frac{x \Gamma\left(\frac{1}{3}, -idx^3\right)}{3\sqrt[3]{-idx^3}} \right) + \frac{1}{2}b \sin(c) \left(-\frac{x \Gamma\left(\frac{1}{3}, -idx^3\right)}{3\sqrt[3]{-idx^3}} - \frac{x \Gamma\left(\frac{1}{3}, idx^3\right)}{3\sqrt[3]{idx^3}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*Sin[c + d*x^3],x]

[Out] a*x - (I/2)*b*Cos[c]*(-1/3*(x*Gamma[1/3, (-I)*d*x^3])/((-I)*d*x^3)^(1/3) + (x*Gamma[1/3, I*d*x^3])/(3*(I*d*x^3)^(1/3))) + (b*(-1/3*(x*Gamma[1/3, (-I)*d*x^3])/((-I)*d*x^3)^(1/3) - (x*Gamma[1/3, I*d*x^3])/(3*(I*d*x^3)^(1/3)))*Sin[c])/2

fricas [A] time = 0.69, size = 49, normalized size = 0.60

$$\frac{b (id)^{\frac{2}{3}} e^{(-ic)} \Gamma\left(\frac{1}{3}, idx^3\right) + b (-id)^{\frac{2}{3}} e^{(ic)} \Gamma\left(\frac{1}{3}, -idx^3\right) - 6 adx}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x^3+c),x, algorithm="fricas")

[Out] -1/6*(b*(I*d)^(2/3)*e^(-I*c)*gamma(1/3, I*d*x^3) + b*(-I*d)^(2/3)*e^(I*c)*gamma(1/3, -I*d*x^3) - 6*a*d*x)/d

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int b \sin(dx^3 + c) + a dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x^3+c),x, algorithm="giac")

[Out] integrate(b*sin(d*x^3 + c) + a, x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int a + b \sin(dx^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*sin(d*x^3+c),x)

[Out] int(a+b*sin(d*x^3+c),x)

maxima [A] time = 0.54, size = 85, normalized size = 1.04

$$\frac{\left((-i\sqrt{3} - 1)\Gamma\left(\frac{1}{3}, idx^3\right) + (i\sqrt{3} - 1)\Gamma\left(\frac{1}{3}, -idx^3\right) \right) \cos(c) - \left((\sqrt{3} - i)\Gamma\left(\frac{1}{3}, idx^3\right) + (\sqrt{3} + i)\Gamma\left(\frac{1}{3}, -idx^3\right) \right) \sin(c)}{12 (dx^3)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x^3+c),x, algorithm="maxima")

[Out] 1/12*(((-I*sqrt(3) - 1)*gamma(1/3, I*d*x^3) + (I*sqrt(3) - 1)*gamma(1/3, -I*d*x^3))*cos(c) - ((sqrt(3) - I)*gamma(1/3, I*d*x^3) + (sqrt(3) + I)*gamma(1/3, -I*d*x^3))*sin(c))*b*x/(d*x^3)^(1/3) + a*x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int a + b \sin(dx^3 + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b*sin(c + d*x^3),x)

[Out] int(a + b*sin(c + d*x^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(d*x**3+c),x)

[Out] Integral(a + b*sin(c + d*x**3), x)

$$3.67 \quad \int \frac{a+b \sin(c+dx^3)}{x^3} dx$$

Optimal. Leaf size=101

$$-\frac{a}{2x^2} - \frac{be^{ic} dx \Gamma\left(\frac{1}{3}, -idx^3\right)}{4\sqrt[3]{-idx^3}} - \frac{be^{-ic} dx \Gamma\left(\frac{1}{3}, idx^3\right)}{4\sqrt[3]{idx^3}} - \frac{b \sin(c+dx^3)}{2x^2}$$

[Out] $-1/2*a/x^2-1/4*b*d*\exp(I*c)*x*\text{GAMMA}(1/3,-I*d*x^3)/(-I*d*x^3)^{(1/3)}-1/4*b*d*x*\text{GAMMA}(1/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(1/3)}-1/2*b*\sin(d*x^3+c)/x^2$

Rubi [A] time = 0.05, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {14, 3387, 3356, 2208}

$$-\frac{be^{ic} dx \text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{4\sqrt[3]{-idx^3}} - \frac{be^{-ic} dx \text{Gamma}\left(\frac{1}{3}, idx^3\right)}{4\sqrt[3]{idx^3}} - \frac{a}{2x^2} - \frac{b \sin(c+dx^3)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x^3, x]

[Out] $-a/(2*x^2) - (b*d*E^{(I*c)}*x*\text{Gamma}[1/3, (-I)*d*x^3])/(4*((-I)*d*x^3)^{(1/3)}) - (b*d*x*\text{Gamma}[1/3, I*d*x^3])/(4*E^{(I*c)}*(I*d*x^3)^{(1/3)}) - (b*\text{Sin}[c + d*x^3])/(2*x^2)$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3356

Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))^(n_)], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{a + b \sin(c + dx^3)}{x^3} dx &= \int \left(\frac{a}{x^3} + \frac{b \sin(c + dx^3)}{x^3} \right) dx \\ &= -\frac{a}{2x^2} + b \int \frac{\sin(c + dx^3)}{x^3} dx \\ &= -\frac{a}{2x^2} - \frac{b \sin(c + dx^3)}{2x^2} + \frac{1}{2}(3bd) \int \cos(c + dx^3) dx \\ &= -\frac{a}{2x^2} - \frac{b \sin(c + dx^3)}{2x^2} + \frac{1}{4}(3bd) \int e^{-ic-idx^3} dx + \frac{1}{4}(3bd) \int e^{ic+idx^3} dx \\ &= -\frac{a}{2x^2} - \frac{bde^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{4\sqrt[3]{-idx^3}} - \frac{bde^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{4\sqrt[3]{idx^3}} - \frac{b \sin(c + dx^3)}{2x^2} \end{aligned}$$

Mathematica [A] time = 0.19, size = 120, normalized size = 1.19

$$\frac{-2\sqrt[3]{d^2x^6} (a + b \sin(c + dx^3)) - ib(-idx^3)^{4/3} (\cos(c) - i \sin(c))\Gamma\left(\frac{1}{3}, idx^3\right) + ib(idx^3)^{4/3} (\cos(c) + i \sin(c))\Gamma\left(\frac{1}{3}, -idx^3\right)}{4x^2\sqrt[3]{d^2x^6}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x^3,x]

[Out] ((-I)*b*((-I)*d*x^3)^(4/3)*Gamma[1/3, I*d*x^3]*(Cos[c] - I*Sin[c]) + I*b*(I*d*x^3)^(4/3)*Gamma[1/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) - 2*(d^2*x^6)^(1/3)*(a + b*Sin[c + d*x^3]))/(4*x^2*(d^2*x^6)^(1/3))

fricas [A] time = 0.73, size = 66, normalized size = 0.65

$$\frac{ib(id)^{\frac{2}{3}}x^2e^{(-ic)}\Gamma\left(\frac{1}{3}, idx^3\right) - ib(-id)^{\frac{2}{3}}x^2e^{(ic)}\Gamma\left(\frac{1}{3}, -idx^3\right) - 2b \sin(dx^3 + c) - 2a}{4x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^3,x, algorithm="fricas")

[Out] $\frac{1}{4}*(I*b*(I*d)^{(2/3)}*x^2*e^{(-I*c)}*\gamma(1/3, I*d*x^3) - I*b*(-I*d)^{(2/3)}*x^2*e^{(I*c)}*\gamma(1/3, -I*d*x^3) - 2*b*\sin(d*x^3 + c) - 2*a)/x^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^3 + c) + a}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^3,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)/x^3, x)

maple [F] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))/x^3,x)

[Out] int((a+b*sin(d*x^3+c))/x^3,x)

maxima [A] time = 0.52, size = 90, normalized size = 0.89

$$\frac{(dx^3)^{\frac{2}{3}} \left(\left((\sqrt{3} - i)\Gamma\left(-\frac{2}{3}, i dx^3\right) + (\sqrt{3} + i)\Gamma\left(-\frac{2}{3}, -i dx^3\right) \right) \cos(c) - \left((i\sqrt{3} + 1)\Gamma\left(-\frac{2}{3}, i dx^3\right) + (-i\sqrt{3} + 1)\Gamma\left(-\frac{2}{3}, -i dx^3\right) \right) \sin(c) \right)}{12x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^3,x, algorithm="maxima")

[Out] $\frac{1}{12}*(d*x^3)^{(2/3)}*(((\text{sqrt}(3) - I)*\gamma(-2/3, I*d*x^3) + (\text{sqrt}(3) + I)*\gamma(-2/3, -I*d*x^3))*\cos(c) - ((I*\text{sqrt}(3) + 1)*\gamma(-2/3, I*d*x^3) + (-I*\text{sqrt}(3) + 1)*\gamma(-2/3, -I*d*x^3))*\sin(c))*b/x^2 - 1/2*a/x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^3 + c)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d*x^3))/x^3,x)
```

```
[Out] int((a + b*sin(c + d*x^3))/x^3, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(d*x**3+c))/x**3,x)
```

```
[Out] Integral((a + b*sin(c + d*x**3))/x**3, x)
```

$$3.68 \quad \int \frac{a+b \sin(c+dx^3)}{x^6} dx$$

Optimal. Leaf size=126

$$-\frac{a}{5x^5} - \frac{3ibe^{ic}d^2x\Gamma\left(\frac{1}{3}, -idx^3\right)}{20\sqrt[3]{-idx^3}} + \frac{3ibe^{-ic}d^2x\Gamma\left(\frac{1}{3}, idx^3\right)}{20\sqrt[3]{idx^3}} - \frac{b \sin(c+dx^3)}{5x^5} - \frac{3bd \cos(c+dx^3)}{10x^2}$$

[Out] $-1/5*a/x^5-3/10*b*d*\cos(d*x^3+c)/x^2-3/20*I*b*d^2*\exp(I*c)*x*\text{GAMMA}(1/3,-I*d*x^3)/(-I*d*x^3)^{(1/3)}+3/20*I*b*d^2*x*\text{GAMMA}(1/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(1/3)}-1/5*b*\sin(d*x^3+c)/x^5$

Rubi [A] time = 0.07, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {14, 3387, 3388, 3355, 2208}

$$-\frac{3ibe^{ic}d^2x\text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{20\sqrt[3]{-idx^3}} + \frac{3ibe^{-ic}d^2x\text{Gamma}\left(\frac{1}{3}, idx^3\right)}{20\sqrt[3]{idx^3}} - \frac{a}{5x^5} - \frac{b \sin(c+dx^3)}{5x^5} - \frac{3bd \cos(c+dx^3)}{10x^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])/x^6, x]

[Out] $-a/(5*x^5) - (3*b*d*\text{Cos}[c + d*x^3])/(10*x^2) - (((3*I)/20)*b*d^2*E^{(I*c)}*x*\text{Gamma}[1/3, (-I)*d*x^3])/((-I)*d*x^3)^{(1/3)} + (((3*I)/20)*b*d^2*x*\text{Gamma}[1/3, I*d*x^3])/(E^{(I*c)}*(I*d*x^3)^{(1/3)}) - (b*\text{Sin}[c + d*x^3])/(5*x^5)$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_)^(m_)), x_Symbol] := Simp[((e*x)^(m + 1)*Cos[c + d*x^n])/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin(c + dx^3)}{x^6} dx &= \int \left(\frac{a}{x^6} + \frac{b \sin(c + dx^3)}{x^6} \right) dx \\
&= -\frac{a}{5x^5} + b \int \frac{\sin(c + dx^3)}{x^6} dx \\
&= -\frac{a}{5x^5} - \frac{b \sin(c + dx^3)}{5x^5} + \frac{1}{5}(3bd) \int \frac{\cos(c + dx^3)}{x^3} dx \\
&= -\frac{a}{5x^5} - \frac{3bd \cos(c + dx^3)}{10x^2} - \frac{b \sin(c + dx^3)}{5x^5} - \frac{1}{10}(9bd^2) \int \sin(c + dx^3) dx \\
&= -\frac{a}{5x^5} - \frac{3bd \cos(c + dx^3)}{10x^2} - \frac{b \sin(c + dx^3)}{5x^5} - \frac{1}{20}(9ibd^2) \int e^{-ic - idx^3} dx + \frac{1}{20}(9ibd^2) \int e^{ic + idx^3} dx \\
&= -\frac{a}{5x^5} - \frac{3bd \cos(c + dx^3)}{10x^2} - \frac{3ibd^2 e^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{20\sqrt[3]{-idx^3}} + \frac{3ibd^2 e^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{20\sqrt[3]{idx^3}} - \frac{b \sin(c + dx^3)}{5x^5}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 146, normalized size = 1.16

$$\frac{-2\sqrt[3]{d^2 x^6} (2a + 2b \sin(c + dx^3) + 3bdx^3 \cos(c + dx^3)) + 3bd^2 x^6 \sqrt[3]{idx^3} (\sin(c) - i \cos(c)) \Gamma\left(\frac{1}{3}, -idx^3\right) + 3bd^2 x^6 \sqrt[3]{idx^3} (\sin(c) + i \cos(c)) \Gamma\left(\frac{1}{3}, idx^3\right)}{20x^5 \sqrt[3]{d^2 x^6}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])/x^6, x]

[Out] $(3*b*d^2*x^6*(I*d*x^3)^{(1/3)}*\Gamma[1/3, (-I)*d*x^3]*((-I)*\text{Cos}[c] + \text{Sin}[c]) + 3*b*d^2*x^6*((-I)*d*x^3)^{(1/3)}*\Gamma[1/3, I*d*x^3]*(I*\text{Cos}[c] + \text{Sin}[c]) - 2*(d^2*x^6)^{(1/3)}*(2*a + 3*b*d*x^3*\text{Cos}[c + d*x^3] + 2*b*\text{Sin}[c + d*x^3]))/(20*x^5*(d^2*x^6)^{(1/3)})$

fricas [A] time = 0.85, size = 83, normalized size = 0.66

$$\frac{3b(id)^{\frac{2}{3}}dx^5e^{(-ic)}\Gamma\left(\frac{1}{3}, idx^3\right) + 3b(-id)^{\frac{2}{3}}dx^5e^{(ic)}\Gamma\left(\frac{1}{3}, -idx^3\right) - 6bdx^3\cos(dx^3 + c) - 4b\sin(dx^3 + c) - 4a}{20x^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^3+c))/x^6,x, algorithm="fricas")`

[Out] $1/20*(3*b*(I*d)^{(2/3)}*d*x^5*e^{(-I*c)}*\text{gamma}(1/3, I*d*x^3) + 3*b*(-I*d)^{(2/3)}*d*x^5*e^{(I*c)}*\text{gamma}(1/3, -I*d*x^3) - 6*b*d*x^3*\text{cos}(d*x^3 + c) - 4*b*\text{sin}(d*x^3 + c) - 4*a)/x^5$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin(dx^3 + c) + a}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x^3+c))/x^6,x, algorithm="giac")`

[Out] `integrate((b*sin(d*x^3 + c) + a)/x^6, x)`

maple [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(dx^3 + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(d*x^3+c))/x^6,x)`

[Out] `int((a+b*sin(d*x^3+c))/x^6,x)`

maxima [A] time = 0.54, size = 91, normalized size = 0.72

$$\frac{(dx^3)^{\frac{2}{3}} \left(\left((-i\sqrt{3} - 1) \Gamma\left(-\frac{5}{3}, idx^3\right) + (i\sqrt{3} - 1) \Gamma\left(-\frac{5}{3}, -idx^3\right) \right) \cos(c) - \left((\sqrt{3} - i) \Gamma\left(-\frac{5}{3}, idx^3\right) + (\sqrt{3} + i) \Gamma\left(-\frac{5}{3}, -idx^3\right) \right) \right)}{12x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))/x^6,x, algorithm="maxima")

[Out] $-1/12*(d*x^3)^{(2/3)*(((-I*\sqrt{3}) - 1)*\gamma(-5/3, I*d*x^3) + (I*\sqrt{3}) - 1)*\gamma(-5/3, -I*d*x^3))*\cos(c) - ((\sqrt{3}) - I)*\gamma(-5/3, I*d*x^3) + (\sqrt{3} + I)*\gamma(-5/3, -I*d*x^3))*\sin(c))*b*d/x^2 - 1/5*a/x^5$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin(dx^3 + c)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))/x^6,x)

[Out] int((a + b*sin(c + d*x^3))/x^6, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin(c + dx^3)}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))/x**6,x)

[Out] Integral((a + b*sin(c + d*x**3))/x**6, x)

$$3.69 \quad \int x^5 \left(a + b \sin(c + dx^3) \right)^2 dx$$

Optimal. Leaf size=107

$$\frac{a^2 x^6}{6} + \frac{2ab \sin(c + dx^3)}{3d^2} - \frac{2abx^3 \cos(c + dx^3)}{3d} + \frac{b^2 \sin^2(c + dx^3)}{12d^2} - \frac{b^2 x^3 \sin(c + dx^3) \cos(c + dx^3)}{6d} + \frac{b^2 x^6}{12}$$

[Out] 1/6*a^2*x^6+1/12*b^2*x^6-2/3*a*b*x^3*cos(d*x^3+c)/d+2/3*a*b*sin(d*x^3+c)/d^2-1/6*b^2*x^3*cos(d*x^3+c)*sin(d*x^3+c)/d+1/12*b^2*sin(d*x^3+c)^2/d^2

Rubi [A] time = 0.13, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3379, 3317, 3296, 2637, 3310, 30}

$$\frac{a^2 x^6}{6} + \frac{2ab \sin(c + dx^3)}{3d^2} - \frac{2abx^3 \cos(c + dx^3)}{3d} + \frac{b^2 \sin^2(c + dx^3)}{12d^2} - \frac{b^2 x^3 \sin(c + dx^3) \cos(c + dx^3)}{6d} + \frac{b^2 x^6}{12}$$

Antiderivative was successfully verified.

[In] Int[x^5*(a + b*Sin[c + d*x^3])^2,x]

[Out] (a^2*x^6)/6 + (b^2*x^6)/12 - (2*a*b*x^3*Cos[c + d*x^3])/(3*d) + (2*a*b*Sin[c + d*x^3])/(3*d^2) - (b^2*x^3*Cos[c + d*x^3]*Sin[c + d*x^3])/(6*d) + (b^2*Sin[c + d*x^3]^2)/(12*d^2)

Rule 30

Int[(x_)^(m_.), x_Symbol] :> Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c


```
+ d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
 \int x^5 (a + b \sin(c + dx^3))^2 dx &= \frac{1}{3} \text{Subst} \left(\int x (a + b \sin(c + dx))^2 dx, x, x^3 \right) \\
 &= \frac{1}{3} \text{Subst} \left(\int (a^2 x + 2abx \sin(c + dx) + b^2 x \sin^2(c + dx)) dx, x, x^3 \right) \\
 &= \frac{a^2 x^6}{6} + \frac{1}{3} (2ab) \text{Subst} \left(\int x \sin(c + dx) dx, x, x^3 \right) + \frac{1}{3} b^2 \text{Subst} \left(\int x \sin^2(c + dx) dx, x, x^3 \right) \\
 &= \frac{a^2 x^6}{6} - \frac{2abx^3 \cos(c + dx^3)}{3d} - \frac{b^2 x^3 \cos(c + dx^3) \sin(c + dx^3)}{6d} + \frac{b^2 \sin^2(c + dx^3) x^3}{12d^2} \\
 &= \frac{a^2 x^6}{6} + \frac{b^2 x^6}{12} - \frac{2abx^3 \cos(c + dx^3)}{3d} + \frac{2ab \sin(c + dx^3)}{3d^2} - \frac{b^2 x^3 \cos(c + dx^3) \sin(c + dx^3)}{6d}
 \end{aligned}$$

Mathematica [A] time = 0.29, size = 92, normalized size = 0.86

$$\frac{4a^2 d^2 x^6 + 16ab \sin(c + dx^3) - 16abd x^3 \cos(c + dx^3) - 2b^2 dx^3 \sin(2(c + dx^3)) - b^2 \cos(2(c + dx^3)) + 2b^2 d^2 x^3}{24d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^5*(a + b*Sin[c + d*x^3])^2,x]
```

[Out] $(4a^2d^2x^6 + 2b^2d^2x^6 - 16abd^2x^3\cos[c + dx^3] - b^2\cos[2(c + dx^3)] + 16ab\sin[c + dx^3] - 2b^2d^2x^3\sin[2(c + dx^3)])/(24d^2)$

fricas [A] time = 0.73, size = 84, normalized size = 0.79

$$\frac{(2a^2 + b^2)d^2x^6 - 8abd^2x^3\cos(dx^3 + c) - b^2\cos(dx^3 + c)^2 - 2(b^2d^2x^3\cos(dx^3 + c) - 4ab)\sin(dx^3 + c)}{12d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(dx^3+c))^2,x, algorithm="fricas")

[Out] $1/12*((2a^2 + b^2)*d^2*x^6 - 8*a*b*d*x^3*\cos(dx^3 + c) - b^2*\cos(dx^3 + c)^2 - 2*(b^2*d*x^3*\cos(dx^3 + c) - 4*a*b)*\sin(dx^3 + c))/d^2$

giac [A] time = 0.36, size = 123, normalized size = 1.15

$$\frac{4\left(\frac{(dx^3+c)^2-2(dx^3+c)c}{d}a^2 - \frac{16(dx^3\cos(dx^3+c)-\sin(dx^3+c))ab}{d} - \frac{(2dx^3\sin(2dx^3+2c)-2(dx^3+c)^2+4(dx^3+c)c+\cos(2dx^3+2c))b^2}{d}\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(dx^3+c))^2,x, algorithm="giac")

[Out] $1/24*(4*((dx^3 + c)^2 - 2*(dx^3 + c)*c)*a^2/d - 16*(dx^3*\cos(dx^3 + c) - \sin(dx^3 + c))*a*b/d - (2*dx^3*\sin(2*dx^3 + 2*c) - 2*(dx^3 + c)^2 + 4*(dx^3 + c)*c + \cos(2*dx^3 + 2*c))*b^2/d)/d$

maple [A] time = 0.28, size = 137, normalized size = 1.28

$$\frac{a^2x^6}{6} + \frac{b^2x^6}{6} - \frac{b^2\left(\frac{x^6}{6} + \frac{\frac{1}{6d^2} + \frac{x^3\tan(dx^3+c)}{3d}}{1+\tan^2(dx^3+c)}\right)}{2} - \frac{\frac{8ab\tan\left(\frac{dx^3}{2} + \frac{c}{2}\right)}{3d^2} + \frac{4abx^3}{3d} - \frac{4abx^3\left(\tan^2\left(\frac{dx^3}{2} + \frac{c}{2}\right)\right)}{3d}}{2\left(1 + \tan^2\left(\frac{dx^3}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a+b*sin(dx^3+c))^2,x)

[Out] $1/6*a^2*x^6+1/6*b^2*x^6-1/2*b^2*(1/6*x^6+(1/6/d^2+1/3*x^3/d*\tan(dx^3+c))/(1+\tan(dx^3+c)^2))-1/2*(-8/3*a*b/d^2*\tan(1/2*d*x^3+1/2*c)+4/3/d*a*b*x^3-4/3/d*a*b*x^3*\tan(1/2*d*x^3+1/2*c)^2)/(1+\tan(1/2*d*x^3+1/2*c)^2)$

maxima [A] time = 0.34, size = 87, normalized size = 0.81

$$\frac{1}{6} a^2 x^6 - \frac{2(dx^3 \cos(dx^3 + c) - \sin(dx^3 + c))ab}{3d^2} + \frac{(2d^2x^6 - 2dx^3 \sin(2dx^3 + 2c) - \cos(2dx^3 + 2c))b^2}{24d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/6*a^2*x^6 - 2/3*(d*x^3*cos(d*x^3 + c) - sin(d*x^3 + c))*a*b/d^2 + 1/24*(2*d^2*x^6 - 2*d*x^3*sin(2*d*x^3 + 2*c) - cos(2*d*x^3 + 2*c))*b^2/d^2

mupad [B] time = 0.27, size = 95, normalized size = 0.89

$$\frac{b^2 \cos(dx^3 + c)^2 - 2a^2 d^2 x^6 - b^2 d^2 x^6 - 8ab \sin(dx^3 + c) + 8abd x^3 \cos(dx^3 + c) + 2b^2 d x^3 \cos(dx^3 + c)}{12d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5*(a + b*sin(c + d*x^3))^2,x)

[Out] -(b^2*cos(c + d*x^3)^2 - 2*a^2*d^2*x^6 - b^2*d^2*x^6 - 8*a*b*sin(c + d*x^3) + 8*a*b*d*x^3*cos(c + d*x^3) + 2*b^2*d*x^3*cos(c + d*x^3)*sin(c + d*x^3))/(12*d^2)

sympy [A] time = 6.36, size = 143, normalized size = 1.34

$$\left\{ \begin{array}{l} \frac{a^2 x^6}{6} - \frac{2abx^3 \cos(c+dx^3)}{3d} + \frac{2ab \sin(c+dx^3)}{3d^2} + \frac{b^2 x^6 \sin^2(c+dx^3)}{12} + \frac{b^2 x^6 \cos^2(c+dx^3)}{12} - \frac{b^2 x^3 \sin(c+dx^3) \cos(c+dx^3)}{6d} - \frac{b^2 \cos^2(c+dx^3)}{12d^2} \\ \frac{x^6(a+b \sin(c))^2}{6} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5*(a+b*sin(d*x**3+c))**2,x)

[Out] Piecewise((a**2*x**6/6 - 2*a*b*x**3*cos(c + d*x**3)/(3*d) + 2*a*b*sin(c + d*x**3)/(3*d**2) + b**2*x**6*sin(c + d*x**3)**2/12 + b**2*x**6*cos(c + d*x**3)**2/12 - b**2*x**3*sin(c + d*x**3)*cos(c + d*x**3)/(6*d) - b**2*cos(c + d*x**3)**2/(12*d**2), Ne(d, 0)), (x**6*(a + b*sin(c))**2/6, True))

3.70 $\int x^2 (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=60

$$\frac{1}{6}x^3(2a^2 + b^2) - \frac{2ab \cos(c + dx^3)}{3d} - \frac{b^2 \sin(c + dx^3) \cos(c + dx^3)}{6d}$$

[Out] $1/6*(2*a^2+b^2)*x^3-2/3*a*b*\cos(d*x^3+c)/d-1/6*b^2*\cos(d*x^3+c)*\sin(d*x^3+c)/d$

Rubi [A] time = 0.06, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3379, 2644}

$$\frac{1}{6}x^3(2a^2 + b^2) - \frac{2ab \cos(c + dx^3)}{3d} - \frac{b^2 \sin(c + dx^3) \cos(c + dx^3)}{6d}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*Sin[c + d*x^3])^2,x]

[Out] $((2*a^2 + b^2)*x^3)/6 - (2*a*b*\cos[c + d*x^3])/(3*d) - (b^2*\cos[c + d*x^3]*\sin[c + d*x^3])/(6*d)$

Rule 2644

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^2, x_Symbol] :> Simp[((2*a^2 + b^2)*x)/2, x] + (-Simp[(2*a*b*Cos[c + d*x])/d, x] - Simp[(b^2*Cos[c + d*x]*Sin[c + d*x])/(2*d), x]) /; FreeQ[{a, b, c, d}, x]

Rule 3379

Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int x^2 (a + b \sin(c + dx^3))^2 dx &= \frac{1}{3} \text{Subst} \left(\int (a + b \sin(c + dx))^2 dx, x, x^3 \right) \\ &= \frac{1}{6} (2a^2 + b^2) x^3 - \frac{2ab \cos(c + dx^3)}{3d} - \frac{b^2 \cos(c + dx^3) \sin(c + dx^3)}{6d} \end{aligned}$$

Mathematica [A] time = 0.16, size = 52, normalized size = 0.87

$$\frac{-2(2a^2 + b^2)(c + dx^3) + 8ab \cos(c + dx^3) + b^2 \sin(2(c + dx^3))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*Sin[c + d*x^3])^2,x]

[Out] -1/12*(-2*(2*a^2 + b^2)*(c + d*x^3) + 8*a*b*Cos[c + d*x^3] + b^2*Sin[2*(c + d*x^3)])/d

fricas [A] time = 0.64, size = 53, normalized size = 0.88

$$\frac{(2a^2 + b^2)dx^3 - b^2 \cos(dx^3 + c) \sin(dx^3 + c) - 4ab \cos(dx^3 + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] 1/6*((2*a^2 + b^2)*d*x^3 - b^2*cos(d*x^3 + c)*sin(d*x^3 + c) - 4*a*b*cos(d*x^3 + c))/d

giac [A] time = 0.49, size = 57, normalized size = 0.95

$$\frac{4(dx^3 + c)a^2 + (2dx^3 + 2c - \sin(2dx^3 + 2c))b^2 - 8ab \cos(dx^3 + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] 1/12*(4*(d*x^3 + c)*a^2 + (2*d*x^3 + 2*c - sin(2*d*x^3 + 2*c))*b^2 - 8*a*b*cos(d*x^3 + c))/d

maple [A] time = 0.05, size = 62, normalized size = 1.03

$$\frac{b^2 \left(-\frac{\cos(dx^3+c) \sin(dx^3+c)}{2} + \frac{dx^3}{2} + \frac{c}{2} \right) - 2ab \cos(dx^3 + c) + a^2(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*sin(d*x^3+c))^2,x)

[Out] 1/3/d*(b^2*(-1/2*cos(d*x^3+c)*sin(d*x^3+c)+1/2*d*x^3+1/2*c)-2*a*b*cos(d*x^3+c)+a^2*(d*x^3+c))

maxima [A] time = 0.32, size = 52, normalized size = 0.87

$$\frac{1}{3}a^2x^3 + \frac{(2dx^3 - \sin(2dx^3 + 2c))b^2}{12d} - \frac{2ab\cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*a^2*x^3 + 1/12*(2*d*x^3 - sin(2*d*x^3 + 2*c))*b^2/d - 2/3*a*b*cos(d*x^3 + c)/d

mupad [B] time = 4.72, size = 51, normalized size = 0.85

$$\frac{a^2x^3}{3} + \frac{b^2x^3}{6} - \frac{b^2\sin(2dx^3 + 2c)}{12d} - \frac{2ab\cos(dx^3 + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*sin(c + d*x^3))^2,x)

[Out] (a^2*x^3)/3 + (b^2*x^3)/6 - (b^2*sin(2*c + 2*d*x^3))/(12*d) - (2*a*b*cos(c + d*x^3))/(3*d)

sympy [A] time = 1.09, size = 99, normalized size = 1.65

$$\begin{cases} \frac{a^2x^3}{3} - \frac{2ab\cos(c+dx^3)}{3d} + \frac{b^2x^3\sin^2(c+dx^3)}{6} + \frac{b^2x^3\cos^2(c+dx^3)}{6} - \frac{b^2\sin(c+dx^3)\cos(c+dx^3)}{6d} & \text{for } d \neq 0 \\ \frac{x^3(a+b\sin(c))^2}{3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+b*sin(d*x**3+c))**2,x)

[Out] Piecewise((a**2*x**3/3 - 2*a*b*cos(c + d*x**3)/(3*d) + b**2*x**3*sin(c + d*x**3)**2/6 + b**2*x**3*cos(c + d*x**3)**2/6 - b**2*sin(c + d*x**3)*cos(c + d*x**3)/(6*d), Ne(d, 0)), (x**3*(a + b*sin(c))**2/3, True))

$$3.71 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x} dx$$

Optimal. Leaf size=80

$$\frac{1}{2}(2a^2 + b^2) \log(x) + \frac{2}{3}ab \sin(c) \text{Ci}(dx^3) + \frac{2}{3}ab \cos(c) \text{Si}(dx^3) - \frac{1}{6}b^2 \cos(2c) \text{Ci}(2dx^3) + \frac{1}{6}b^2 \sin(2c) \text{Si}(2dx^3)$$

[Out] $-1/6*b^2*Ci(2*d*x^3)*cos(2*c)+1/2*(2*a^2+b^2)*ln(x)+2/3*a*b*cos(c)*Si(d*x^3)+2/3*a*b*Ci(d*x^3)*sin(c)+1/6*b^2*Si(2*d*x^3)*sin(2*c)$

Rubi [A] time = 0.09, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3403, 6, 3378, 3376, 3375, 3377}

$$\frac{1}{2}(2a^2 + b^2) \log(x) + \frac{2}{3}ab \sin(c) \text{CosIntegral}(dx^3) + \frac{2}{3}ab \cos(c) \text{Si}(dx^3) - \frac{1}{6}b^2 \cos(2c) \text{CosIntegral}(2dx^3) + \frac{1}{6}b^2 \sin(2c) \text{Si}(2dx^3)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x,x]

[Out] $-(b^2*\text{Cos}[2*c]*\text{CosIntegral}[2*d*x^3])/6 + ((2*a^2 + b^2)*\text{Log}[x])/2 + (2*a*b*\text{CosIntegral}[d*x^3]*\text{Sin}[c])/3 + (2*a*b*\text{Cos}[c]*\text{SinIntegral}[d*x^3])/3 + (b^2*\text{Sin}[2*c]*\text{SinIntegral}[2*d*x^3])/6$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_)^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[SinIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[CosIntegral[d*x^n]/n, x] /; FreeQ[{d, n}, x]

Rule 3377

Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] /; FreeQ[{c, d, n}, x]

Rule 3378

```
Int[Cos[(c_) + (d_)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Cos[c], Int[Cos[d*x
^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] /; FreeQ[{c, d, n}, x
]
```

Rule 3403

```
Int[((e_)*(x_)^(m_))*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \sin(c + dx^3))^2}{x} dx &= \int \left(\frac{a^2}{x} + \frac{b^2}{2x} - \frac{b^2 \cos(2c + 2dx^3)}{2x} + \frac{2ab \sin(c + dx^3)}{x} \right) dx \\ &= \int \left(\frac{a^2 + \frac{b^2}{2}}{x} - \frac{b^2 \cos(2c + 2dx^3)}{2x} + \frac{2ab \sin(c + dx^3)}{x} \right) dx \\ &= \frac{1}{2} (2a^2 + b^2) \log(x) + (2ab) \int \frac{\sin(c + dx^3)}{x} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x} dx \\ &= \frac{1}{2} (2a^2 + b^2) \log(x) + (2ab \cos(c)) \int \frac{\sin(dx^3)}{x} dx - \frac{1}{2} (b^2 \cos(2c)) \int \frac{\cos(2dx^3)}{x} dx \\ &= -\frac{1}{6} b^2 \cos(2c) \text{Ci}(2dx^3) + \frac{1}{2} (2a^2 + b^2) \log(x) + \frac{2}{3} ab \text{Ci}(dx^3) \sin(c) + \frac{2}{3} ab \cos(c) \text{Si}(dx^3) \end{aligned}$$

Mathematica [A] time = 0.17, size = 71, normalized size = 0.89

$$\frac{1}{2} (2a^2 + b^2) \log(x) - \frac{1}{6} b (-4a \sin(c) \text{Ci}(dx^3) - 4a \cos(c) \text{Si}(dx^3) + b \cos(2c) \text{Ci}(2dx^3) - b \sin(2c) \text{Si}(2dx^3))$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*SIN[c + d*x^3])^2/x, x]
```

```
[Out] ((2*a^2 + b^2)*Log[x])/2 - (b*(b*COS[2*c]*CosIntegral[2*d*x^3] - 4*a*COSInt
egral[d*x^3]*SIN[c] - 4*a*COS[c]*SinIntegral[d*x^3] - b*SIN[2*c]*SinIntegra
l[2*d*x^3]))/6
```

fricas [A] time = 0.73, size = 95, normalized size = 1.19

$$\frac{1}{6} b^2 \sin(2c) \text{Si}(2dx^3) + \frac{2}{3} ab \cos(c) \text{Si}(dx^3) - \frac{1}{12} (b^2 \text{Ci}(2dx^3) + b^2 \text{Ci}(-2dx^3)) \cos(2c) + \frac{1}{2} (2a^2 + b^2) \log(x) + \frac{1}{3} ab \cos(c) \text{Si}(dx^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x,x, algorithm="fricas")

[Out] $\frac{1}{6}b^2\sin(2c)\sin_integral(2dx^3) + \frac{2}{3}ab\cos(c)\sin_integral(dx^3) - \frac{1}{12}(b^2\cos_integral(2dx^3) + b^2\cos_integral(-2dx^3))\cos(2c) + \frac{1}{2}(2a^2 + b^2)\log(x) + \frac{1}{3}(ab\cos_integral(dx^3) + ab\cos_integral(-dx^3))\sin(c)$

giac [A] time = 0.75, size = 79, normalized size = 0.99

$$-\frac{1}{6}b^2\cos(2c)\text{Ci}(2dx^3) + \frac{2}{3}ab\text{Ci}(dx^3)\sin(c) + \frac{2}{3}ab\cos(c)\text{Si}(dx^3) - \frac{1}{6}b^2\sin(2c)\text{Si}(-2dx^3) + \frac{1}{3}a^2\log(dx^3) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x,x, algorithm="giac")

[Out] $-\frac{1}{6}b^2\cos(2c)\cos_integral(2dx^3) + \frac{2}{3}ab\cos_integral(dx^3)\sin(c) + \frac{2}{3}ab\cos(c)\sin_integral(dx^3) - \frac{1}{6}b^2\sin(2c)\sin_integral(-2dx^3) + \frac{1}{3}a^2\log(dx^3) + \frac{1}{6}b^2\log(dx^3)$

maple [F] time = 0.59, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2/x,x)

[Out] int((a+b*sin(d*x^3+c))^2/x,x)

maxima [C] time = 0.48, size = 108, normalized size = 1.35

$$-\frac{1}{3}((i\text{Ei}(idx^3) - i\text{Ei}(-idx^3))\cos(c) - (\text{Ei}(idx^3) + \text{Ei}(-idx^3))\sin(c))ab - \frac{1}{12}((\text{Ei}(2idx^3) + \text{Ei}(-2idx^3))\cos(2c) + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x,x, algorithm="maxima")

[Out] $-\frac{1}{3}((i\text{Ei}(I*d*x^3) - I\text{Ei}(-I*d*x^3))\cos(c) - (\text{Ei}(I*d*x^3) + \text{Ei}(-I*d*x^3))\sin(c))*a*b - \frac{1}{12}((\text{Ei}(2*I*d*x^3) + \text{Ei}(-2*I*d*x^3))\cos(2c) - (-I\text{Ei}(2*I*d*x^3) + I\text{Ei}(-2*I*d*x^3))\sin(2c) - 6*\log(x))*b^2 + a^2*\log(x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^3))^2/x, x)`

[Out] `int((a + b*sin(c + d*x^3))^2/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**3+c))**2/x, x)`

[Out] `Integral((a + b*sin(c + d*x**3))**2/x, x)`

$$3.72 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x^4} dx$$

Optimal. Leaf size=122

$$-\frac{2a^2 + b^2}{6x^3} + \frac{2}{3}abd \cos(c)\text{Ci}(dx^3) - \frac{2}{3}abd \sin(c)\text{Si}(dx^3) - \frac{2ab \sin(c + dx^3)}{3x^3} + \frac{1}{3}b^2d \sin(2c)\text{Ci}(2dx^3) + \frac{1}{3}b^2d \cos(2c)\text{Si}(2dx^3)$$

[Out] 1/6*(-2*a^2-b^2)/x^3+2/3*a*b*d*Ci(d*x^3)*cos(c)+1/6*b^2*d*cos(2*d*x^3+2*c)/x^3+1/3*b^2*d*cos(2*c)*Si(2*d*x^3)-2/3*a*b*d*Si(d*x^3)*sin(c)+1/3*b^2*d*Ci(2*d*x^3)*sin(2*c)-2/3*a*b*sin(d*x^3+c)/x^3

Rubi [A] time = 0.22, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3403, 6, 3380, 3297, 3303, 3299, 3302, 3379}

$$-\frac{2a^2 + b^2}{6x^3} + \frac{2}{3}abd \cos(c)\text{CosIntegral}(dx^3) - \frac{2}{3}abd \sin(c)\text{Si}(dx^3) - \frac{2ab \sin(c + dx^3)}{3x^3} + \frac{1}{3}b^2d \sin(2c)\text{CosIntegral}(2dx^3) + \frac{1}{3}b^2d \cos(2c)\text{Si}(2dx^3)$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x^4, x]

[Out] -(2*a^2 + b^2)/(6*x^3) + (b^2*cos[2*(c + d*x^3)])/(6*x^3) + (2*a*b*d*cos[c]*CosIntegral[d*x^3])/3 + (b^2*d*cosIntegral[2*d*x^3]*Sin[2*c])/3 - (2*a*b*Sin[c + d*x^3])/(3*x^3) - (2*a*b*d*Sin[c]*SinIntegral[d*x^3])/3 + (b^2*d*cos[2*c]*SinIntegral[2*d*x^3])/3

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^p_.], x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 3297

Int[((c_.) + (d_.)*(x_.))^m_.*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^3))^2}{x^4} dx &= \int \left(\frac{a^2}{x^4} + \frac{b^2}{2x^4} - \frac{b^2 \cos(2c + 2dx^3)}{2x^4} + \frac{2ab \sin(c + dx^3)}{x^4} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^4} - \frac{b^2 \cos(2c + 2dx^3)}{2x^4} + \frac{2ab \sin(c + dx^3)}{x^4} \right) dx \\
&= -\frac{2a^2 + b^2}{6x^3} + (2ab) \int \frac{\sin(c + dx^3)}{x^4} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x^4} dx \\
&= -\frac{2a^2 + b^2}{6x^3} + \frac{1}{3} (2ab) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, x^3 \right) - \frac{1}{6} b^2 \text{Subst} \left(\int \frac{\cos(2c + 2dx)}{x^2} dx, x, x^3 \right) \\
&= -\frac{2a^2 + b^2}{6x^3} + \frac{b^2 \cos(2(c + dx^3))}{6x^3} - \frac{2ab \sin(c + dx^3)}{3x^3} + \frac{1}{3} (2abd) \text{Subst} \left(\int \frac{\cos(c + dx)}{x^2} dx, x, x^3 \right) \\
&= -\frac{2a^2 + b^2}{6x^3} + \frac{b^2 \cos(2(c + dx^3))}{6x^3} - \frac{2ab \sin(c + dx^3)}{3x^3} + \frac{1}{3} (2abd \cos(c)) \text{Subst} \left(\int \frac{\cos(c + dx)}{x^2} dx, x, x^3 \right) \\
&= -\frac{2a^2 + b^2}{6x^3} + \frac{b^2 \cos(2(c + dx^3))}{6x^3} + \frac{2}{3} abd \cos(c) \text{Ci}(dx^3) + \frac{1}{3} b^2 d \text{Ci}(2dx^3) \sin(2c)
\end{aligned}$$

Mathematica [A] time = 0.27, size = 116, normalized size = 0.95

$$\frac{-2a^2 + 4abdx^3 \cos(c) \text{Ci}(dx^3) - 4abdx^3 \sin(c) \text{Si}(dx^3) - 4ab \sin(c + dx^3) + 2b^2 dx^3 \sin(2c) \text{Ci}(2dx^3) + 2b^2 dx^3 \cos(2c) \text{Si}(2dx^3)}{6x^3}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])^2/x^4,x]

[Out] (-2*a^2 - b^2 + b^2*Cos[2*(c + d*x^3)] + 4*a*b*d*x^3*Cos[c]*CosIntegral[d*x^3] + 2*b^2*d*x^3*CosIntegral[2*d*x^3]*Sin[2*c] - 4*a*b*Sin[c + d*x^3] - 4*a*b*d*x^3*Sin[c]*SinIntegral[d*x^3] + 2*b^2*d*x^3*Cos[2*c]*SinIntegral[2*d*x^3])/(6*x^3)

fricas [A] time = 0.67, size = 147, normalized size = 1.20

$$\frac{2b^2 dx^3 \cos(2c) \text{Si}(2dx^3) - 4abdx^3 \sin(c) \text{Si}(dx^3) + 2b^2 \cos(dx^3 + c)^2 - 4ab \sin(dx^3 + c) - 2a^2 - 2b^2 + 2(a^2 + b^2) \cos(c)}{6x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^4,x, algorithm="fricas")

[Out] $\frac{1}{6}(2b^2dx^3\cos(2c)\sin_{\text{integral}}(2dx^3) - 4abdx^3\sin(c)\sin_{\text{integral}}(dx^3) + 2b^2\cos(dx^3 + c)^2 - 4ab\sin(dx^3 + c) - 2a^2 - 2b^2 + 2(a b d x^3 \cos_{\text{integral}}(dx^3) + a b d x^3 \cos_{\text{integral}}(-dx^3))\cos(c) + (b^2 d x^3 \cos_{\text{integral}}(2dx^3) + b^2 d x^3 \cos_{\text{integral}}(-2dx^3))\sin(2c))/x^3$

giac [B] time = 1.24, size = 226, normalized size = 1.85

$$\frac{4(dx^3 + c)abd^2 \cos(c) \text{Ci}(dx^3) - 4abcd^2 \cos(c) \text{Ci}(dx^3) + 2(dx^3 + c)b^2d^2 \text{Ci}(2dx^3) \sin(2c) - 2b^2cd^2 \text{Ci}(2dx^3)}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(dx^3+c))^2/x^4,x, algorithm="giac")`

[Out] $\frac{1}{6}(4(dx^3 + c)abd^2\cos(c)\cos_{\text{integral}}(dx^3) - 4abcd^2\cos(c)\cos_{\text{integral}}(dx^3) + 2(dx^3 + c)b^2d^2\cos_{\text{integral}}(2dx^3)\sin(2c) - 2b^2cd^2\cos_{\text{integral}}(2dx^3)\sin(2c) - 4(dx^3 + c)abd^2\sin(c)\sin_{\text{integral}}(dx^3) + 4abcd^2\sin(c)\sin_{\text{integral}}(dx^3) - 2(dx^3 + c)b^2d^2\cos(2c)\sin_{\text{integral}}(-2dx^3) + 2b^2cd^2\cos(2c)\sin_{\text{integral}}(-2dx^3) + b^2d^2\cos(2dx^3 + 2c) - 4abd^2\sin(dx^3 + c) - 2a^2d^2 - b^2d^2)/(d^2x^3)$

maple [F] time = 0.67, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(dx^3+c))^2/x^4,x)`

[Out] `int((a+b*sin(dx^3+c))^2/x^4,x)`

maxima [C] time = 0.48, size = 124, normalized size = 1.02

$$\frac{1}{3}((\Gamma(-1, idx^3) + \Gamma(-1, -idx^3))\cos(c) - (i\Gamma(-1, idx^3) - i\Gamma(-1, -idx^3))\sin(c))abd + \frac{(((i\Gamma(-1, 2idx^3) - i\Gamma(-1, -2idx^3))\cos(2c) + (\Gamma(-1, 2idx^3) + \Gamma(-1, -2idx^3))\sin(2c))dx^3 - 1)b^2/x^3 - 1/3a^2/x^3}{x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(dx^3+c))^2/x^4,x, algorithm="maxima")`

[Out] $\frac{1}{3}((\gamma(-1, I dx^3) + \gamma(-1, -I dx^3))\cos(c) - (I\gamma(-1, I dx^3) - I\gamma(-1, -I dx^3))\sin(c))abd + \frac{1}{6}(((I\gamma(-1, 2I dx^3) - I\gamma(-1, -2I dx^3))\cos(2c) + (\gamma(-1, 2I dx^3) + \gamma(-1, -2I dx^3))\sin(2c))dx^3 - 1)b^2/x^3 - 1/3a^2/x^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))^2/x^4, x)

[Out] int((a + b*sin(c + d*x^3))^2/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))**2/x**4, x)

[Out] Integral((a + b*sin(c + d*x**3))**2/x**4, x)

3.73 $\int x^4 (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=249

$$\frac{1}{10}x^5(2a^2 + b^2) - \frac{2abx^2 \cos(c + dx^3)}{3d} - \frac{2abe^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{2abe^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}} - \frac{b^2x^2 \sin(2c + 2dx^3)}{12d} + \frac{ib^2e^{2ic}x^2\Gamma\left(\frac{2}{3}, -2idx^3\right)}{36d^{2/3}(-idx^3)^{2/3}} - \frac{ib^2e^{-2ic}x^2\Gamma\left(\frac{2}{3}, 2idx^3\right)}{36d^{2/3}(idx^3)^{2/3}}$$

[Out] $\frac{1}{10}(2a^2 + b^2)x^5 - \frac{2abx^2 \cos(dx^3 + c)}{3d} - \frac{2abe^{ic}x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{2abe^{-ic}x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}} - \frac{b^2x^2 \sin(2c + 2dx^3)}{12d} + \frac{ib^2e^{2ic}x^2 \Gamma\left(\frac{2}{3}, -2idx^3\right)}{36d^{2/3}(-idx^3)^{2/3}} - \frac{ib^2e^{-2ic}x^2 \Gamma\left(\frac{2}{3}, 2idx^3\right)}{36d^{2/3}(idx^3)^{2/3}}$

Rubi [A] time = 0.21, antiderivative size = 249, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3386, 3389, 2218, 3385, 3390}

$$\frac{2abe^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{2abe^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}} + \frac{ib^2e^{2ic}x^2\Gamma\left(\frac{2}{3}, -2idx^3\right)}{36d^{2/3}(-idx^3)^{2/3}} - \frac{ib^2e^{-2ic}x^2\Gamma\left(\frac{2}{3}, 2idx^3\right)}{36d^{2/3}(idx^3)^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^4(a + b\sin[c + dx^3])^2, x]$

[Out] $\frac{(2a^2 + b^2)x^5}{10} - \frac{(2abx^2 \cos[c + dx^3])}{(3d)} - \frac{(2abx^2 E^{ic} \Gamma\left(\frac{2}{3}, (-i)dx^3\right))}{(9d((-i)dx^3)^{2/3}} - \frac{(2abx^2 E^{-ic} \Gamma\left(\frac{2}{3}, idx^3\right))}{(9dE^{ic}(idx^3)^{2/3})} + \frac{((I/36)*b^2*E^{((2I)*c)}*x^2*\Gamma[2/3, (-2I)*dx^3])}{(2^{(2/3)}*d*((-I)*dx^3)^{(2/3)})} - \frac{((I/36)*b^2*x^2*\Gamma[2/3, (2I)*dx^3])}{(2^{(2/3)}*d*E^{((2I)*c)}*(idx^3)^{(2/3)})} - \frac{(b^2*x^2*\sin[2*c + 2*dx^3])}{(12*d)}$

Rule 6

$\text{Int}[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^{(p_.)}, x_Symbol] \text{ :> } \text{Int}[u*((a + b)*v + w)^p, x] \text{ /; FreeQ}\{a, b, x\} \ \&\amp; \ \text{!FreeQ}\{v, x\}$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_.))^{(n_.)})*((e_.) + (f_.)*(x_.))^{(m_.)}], x_Symbol] \text{ :> } -\text{Simp}[(F^a*(e + f*x)^{(m + 1)}*\Gamma[(m + 1)/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(f^n*(-(b*(c + d*x)^n*\text{Log}[F]))^{((m + 1)/n)}), x] \text{ /; FreeQ}\{F, a, b, c, d, e, f, m, n\}, x\} \ \&\amp; \ \text{EqQ}[d*e - c*f, 0]$

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(
n - 1)*(e*x)^(m - n + 1)*Sin[c + d*x^n])/(d*n), x] - Dist[(e^n*(m - n + 1))
/(d*n), Int[(e*x)^(m - n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3389

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2,
Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Dist[1/2,
Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int x^4 (a + b \sin(c + dx^3))^2 dx &= \int \left(a^2 x^4 + \frac{b^2 x^4}{2} - \frac{1}{2} b^2 x^4 \cos(2c + 2dx^3) + 2abx^4 \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) x^4 - \frac{1}{2} b^2 x^4 \cos(2c + 2dx^3) + 2abx^4 \sin(c + dx^3) \right) dx \\
&= \frac{1}{10} (2a^2 + b^2) x^5 + (2ab) \int x^4 \sin(c + dx^3) dx - \frac{1}{2} b^2 \int x^4 \cos(2c + 2dx^3) dx \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{2abx^2 \cos(c + dx^3)}{3d} - \frac{b^2 x^2 \sin(2c + 2dx^3)}{12d} + \frac{(4ab) \int x \cos(c + dx^3) dx}{3d} \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{2abx^2 \cos(c + dx^3)}{3d} - \frac{b^2 x^2 \sin(2c + 2dx^3)}{12d} + \frac{(2ab) \int e^{-ic - idx^3} dx}{3d} \\
&= \frac{1}{10} (2a^2 + b^2) x^5 - \frac{2abx^2 \cos(c + dx^3)}{3d} - \frac{2abe^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{9d(-idx^3)^{2/3}} - \frac{2abe^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{9d(idx^3)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.63, size = 339, normalized size = 1.36

$$\frac{dx^8 \left(72a^2 dx^3 (d^2 x^6)^{2/3} - 240ab (d^2 x^6)^{2/3} \cos(c + dx^3) - 80ab (-idx^3)^{2/3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{2}{3}, idx^3\right) - 80ab (idx^3)^{2/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) \right)}{360 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^4*(a + b*Sin[c + d*x^3])^2,x]

[Out] (d*x^8*(72*a^2*d*x^3*(d^2*x^6)^(2/3) + 36*b^2*d*x^3*(d^2*x^6)^(2/3) - 240*a*b*(d^2*x^6)^(2/3)*Cos[c + d*x^3] + (5*I)*2^(1/3)*b^2*(I*d*x^3)^(2/3)*Cos[2*c]*Gamma[2/3, (-2*I)*d*x^3] - (5*I)*2^(1/3)*b^2*((-I)*d*x^3)^(2/3)*Cos[2*c]*Gamma[2/3, (2*I)*d*x^3] - 80*a*b*((-I)*d*x^3)^(2/3)*Gamma[2/3, I*d*x^3]*(Cos[c] - I*Sin[c]) - 80*a*b*(I*d*x^3)^(2/3)*Gamma[2/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) - 5*2^(1/3)*b^2*(I*d*x^3)^(2/3)*Gamma[2/3, (-2*I)*d*x^3]*Sin[2*c] - 5*2^(1/3)*b^2*((-I)*d*x^3)^(2/3)*Gamma[2/3, (2*I)*d*x^3]*Sin[2*c] - 30*b^2*(d^2*x^6)^(2/3)*Sin[2*(c + d*x^3)])/(360*(d^2*x^6)^(5/3))

fricas [A] time = 0.70, size = 150, normalized size = 0.60

$$\frac{36(2a^2 + b^2)d^2x^5 - 60b^2dx^2 \cos(dx^3 + c) \sin(dx^3 + c) - 240abdx^2 \cos(dx^3 + c) - 5b^2(2id)^{\frac{1}{3}} e^{(-2ic)} \Gamma\left(\frac{2}{3}, 2idx^3\right) - 5b^2(2i)^{\frac{1}{3}} e^{(2ic)} \Gamma\left(\frac{2}{3}, -2idx^3\right)}{360 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] 1/360*(36*(2*a^2 + b^2)*d^2*x^5 - 60*b^2*d*x^2*cos(d*x^3 + c)*sin(d*x^3 + c) - 240*a*b*d*x^2*cos(d*x^3 + c) - 5*b^2*(2*I*d)^(1/3)*e^(-2*I*c)*gamma(2/3, 2*I*d*x^3) + 80*I*a*b*(I*d)^(1/3)*e^(-I*c)*gamma(2/3, I*d*x^3) - 80*I*a*b*(-I*d)^(1/3)*e^(I*c)*gamma(2/3, -I*d*x^3) - 5*b^2*(-2*I*d)^(1/3)*e^(2*I*c)*gamma(2/3, -2*I*d*x^3))/d^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^2 x^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2*x^4, x)

maple [F] time = 0.51, size = 0, normalized size = 0.00

$$\int x^4 (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^4*(a+b*sin(d*x^3+c))^2,x)

[Out] int(x^4*(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.58, size = 239, normalized size = 0.96

$$\frac{1}{5} a^2 x^5 - \frac{\left(6 dx^3 \cos(dx^3 + c) - (dx^3)^{\frac{1}{3}} \left((i\sqrt{3} - 1) \Gamma\left(\frac{2}{3}, i dx^3\right) + (-i\sqrt{3} - 1) \Gamma\left(\frac{2}{3}, -i dx^3\right) \right) \cos(c) + ((\sqrt{3} + i) \Gamma\right)}{9 d^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^4*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/5*a^2*x^5 - 1/9*(6*d*x^3*cos(d*x^3 + c) - (d*x^3)^(1/3)*(((I*sqrt(3) - 1)*gamma(2/3, I*d*x^3) + (-I*sqrt(3) - 1)*gamma(2/3, -I*d*x^3))*cos(c) + ((sqrt(3) + I)*gamma(2/3, I*d*x^3) + (sqrt(3) - I)*gamma(2/3, -I*d*x^3))*sin(c)))*a*b/(d^2*x) + 1/720*(72*d^2*x^6 - 60*d*x^3*sin(2*d*x^3 + 2*c) - 2^(1/3)*(d*x^3)^(1/3)*(((5*sqrt(3) + 5*I)*gamma(2/3, 2*I*d*x^3) + (5*sqrt(3) - 5*I)*gamma(2/3, -2*I*d*x^3))*cos(2*c) + 5*((-I*sqrt(3) + 1)*gamma(2/3, 2*I*d*x^3) + (I*sqrt(3) + 1)*gamma(2/3, -2*I*d*x^3))*sin(2*c)))*b^2/(d^2*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^4 (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^4*(a + b*sin(c + d*x^3))^2,x)`

[Out] `int(x^4*(a + b*sin(c + d*x^3))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^4 (a + b \sin(c + dx^3))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**4*(a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral(x**4*(a + b*sin(c + d*x**3))**2, x)`

3.74 $\int x (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=193

$$\frac{1}{4}x^2(2a^2 + b^2) + \frac{iabe^{ic}x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{3(-idx^3)^{2/3}} - \frac{iabe^{-ic}x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{3(idx^3)^{2/3}} + \frac{b^2e^{2ic}x^2\Gamma\left(\frac{2}{3}, -2idx^3\right)}{12 \cdot 2^{2/3}(-idx^3)^{2/3}} + \frac{b^2e^{-2ic}x^2\Gamma\left(\frac{2}{3}, 2idx^3\right)}{12 \cdot 2^{2/3}(idx^3)^{2/3}}$$

[Out] $\frac{1}{4}(2a^2 + b^2)x^2 + \frac{1}{3}Iab\exp(Ic)x^2\text{GAMMA}\left(\frac{2}{3}, -I dx^3\right)/(-I dx^3)^{(2/3)} - \frac{1}{3}Iabx^2\text{GAMMA}\left(\frac{2}{3}, I dx^3\right)/\exp(Ic)/(I dx^3)^{(2/3)} + \frac{1}{24}b^2\exp(2Ic)x^2\text{GAMMA}\left(\frac{2}{3}, -2I dx^3\right)*2^{(1/3)}/(-I dx^3)^{(2/3)} + \frac{1}{24}b^2x^2\text{GAMMA}\left(\frac{2}{3}, 2I dx^3\right)*2^{(1/3)}/\exp(2Ic)/(I dx^3)^{(2/3)}$

Rubi [A] time = 0.14, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3403, 6, 3390, 2218, 3389}

$$\frac{iabe^{ic}x^2\text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{3(-idx^3)^{2/3}} - \frac{iabe^{-ic}x^2\text{Gamma}\left(\frac{2}{3}, idx^3\right)}{3(idx^3)^{2/3}} + \frac{b^2e^{2ic}x^2\text{Gamma}\left(\frac{2}{3}, -2idx^3\right)}{12 \cdot 2^{2/3}(-idx^3)^{2/3}} + \frac{b^2e^{-2ic}x^2\text{Gamma}\left(\frac{2}{3}, 2idx^3\right)}{12 \cdot 2^{2/3}(idx^3)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*Sin[c + d*x^3])^2,x]

[Out] $\frac{(2a^2 + b^2)x^2}{4} + \frac{(I/3)abE^{Ic}x^2\text{Gamma}\left[\frac{2}{3}, (-I)dx^3\right]}{((-I)dx^3)^{(2/3)} - ((I/3)abx^2\text{Gamma}\left[\frac{2}{3}, I dx^3\right])/(E^{Ic}(I dx^3)^{(2/3)})} + \frac{b^2E^{(2I)c}x^2\text{Gamma}\left[\frac{2}{3}, (-2I)dx^3\right]}{(12 \cdot 2^{(2/3)}((-I)dx^3)^{(2/3)})} + \frac{b^2x^2\text{Gamma}\left[\frac{2}{3}, (2I)dx^3\right]}{(12 \cdot 2^{(2/3)}E^{(2I)c}(I dx^3)^{(2/3)})}$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_)^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

```
Int[((e._)*(x._))^(m._)*Sin[(c._) + (d._)*(x._)^(n.)], x_Symbol] := Dist[I/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c._) + (d._)*(x._)^(n.)]*((e._)*(x._))^(m.), x_Symbol] := Dist[1/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e._)*(x._))^(m._)*((a._) + (b._)*Sin[(c._) + (d._)*(x._)^(n.)])^(p.), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int x (a + b \sin(c + dx^3))^2 dx &= \int \left(a^2 x + \frac{b^2 x}{2} - \frac{1}{2} b^2 x \cos(2c + 2dx^3) + 2abx \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) x - \frac{1}{2} b^2 x \cos(2c + 2dx^3) + 2abx \sin(c + dx^3) \right) dx \\
&= \frac{1}{4} (2a^2 + b^2) x^2 + (2ab) \int x \sin(c + dx^3) dx - \frac{1}{2} b^2 \int x \cos(2c + 2dx^3) dx \\
&= \frac{1}{4} (2a^2 + b^2) x^2 + (iab) \int e^{-ic - idx^3} x dx - (iab) \int e^{ic + idx^3} x dx - \frac{1}{4} b^2 \int e^{-2ic - 2idx^3} x dx \\
&= \frac{1}{4} (2a^2 + b^2) x^2 + \frac{iabe^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{3(-idx^3)^{2/3}} - \frac{iabe^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{3(idx^3)^{2/3}} + \frac{b^2 e^{2ic} x^2 \Gamma\left(\frac{2}{3}, -2idx^3\right)}{12 \cdot 2^{2/3} (-idx^3)^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 283, normalized size = 1.47

$$x^2 \left(12a^2 (d^2 x^6)^{2/3} - 8iab (-idx^3)^{2/3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{2}{3}, idx^3\right) + 8iab (idx^3)^{2/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) + \right.$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(a + b*SIN[c + d*x^3])^2,x]
```

```
[Out] (x^2*(12*a^2*(d^2*x^6)^(2/3) + 6*b^2*(d^2*x^6)^(2/3) + 2^(1/3)*b^2*(I*d*x^3)^(2/3)*Cos[2*c]*Gamma[2/3, (-2*I)*d*x^3] + 2^(1/3)*b^2*((-I)*d*x^3)^(2/3)*Cos[2*c]*Gamma[2/3, (2*I)*d*x^3] - (8*I)*a*b*((-I)*d*x^3)^(2/3)*Gamma[2/3, I*d*x^3]*(Cos[c] - I*Sin[c]) + (8*I)*a*b*(I*d*x^3)^(2/3)*Gamma[2/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) + I*2^(1/3)*b^2*(I*d*x^3)^(2/3)*Gamma[2/3, (-2*I)*d*x^3]*Sin[2*c] - I*2^(1/3)*b^2*((-I)*d*x^3)^(2/3)*Gamma[2/3, (2*I)*d*x^3]*Sin[2*c]))/(24*(d^2*x^6)^(2/3))
```

fricas [A] time = 0.86, size = 107, normalized size = 0.55

$$\frac{-ib^2(2id)^{\frac{1}{3}}e^{(-2ic)}\Gamma\left(\frac{2}{3}, 2idx^3\right) - 8ab(id)^{\frac{1}{3}}e^{(-ic)}\Gamma\left(\frac{2}{3}, idx^3\right) - 8ab(-id)^{\frac{1}{3}}e^{(ic)}\Gamma\left(\frac{2}{3}, -idx^3\right) + ib^2(-2id)^{\frac{1}{3}}e^{(2ic)}\Gamma\left(\frac{2}{3}, -idx^3\right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")
```

```
[Out] 1/24*(-I*b^2*(2*I*d)^(1/3)*e^(-2*I*c)*gamma(2/3, 2*I*d*x^3) - 8*a*b*(I*d)^(1/3)*e^(-I*c)*gamma(2/3, I*d*x^3) - 8*a*b*(-I*d)^(1/3)*e^(I*c)*gamma(2/3, -I*d*x^3) + I*b^2*(-2*I*d)^(1/3)*e^(2*I*c)*gamma(2/3, -2*I*d*x^3) + 6*(2*a^2 + b^2)*d*x^2)/d
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^2 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+b*sin(d*x^3+c))^2,x, algorithm="giac")
```

```
[Out] integrate((b*sin(d*x^3 + c) + a)^2*x, x)
```

maple [F] time = 0.52, size = 0, normalized size = 0.00

$$\int x (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(a+b*sin(d*x^3+c))^2,x)
```

```
[Out] int(x*(a+b*sin(d*x^3+c))^2,x)
```

maxima [A] time = 0.57, size = 199, normalized size = 1.03

$$\frac{1}{2} a^2 x^2 - \frac{(dx^3)^{\frac{1}{3}} \left(((\sqrt{3} + i)\Gamma\left(\frac{2}{3}, idx^3\right) + (\sqrt{3} - i)\Gamma\left(\frac{2}{3}, -idx^3\right)) \cos(c) - ((i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, idx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, -idx^3\right)) \right)}{6 dx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{2}a^2x^2 - \frac{1}{6}(dx^3)^{1/3}(((\sqrt{3} + I)\gamma(2/3, Idx^3) + (\sqrt{3} - I)\gamma(2/3, -Idx^3))\cos(c) - ((I\sqrt{3} - 1)\gamma(2/3, Idx^3) + (-I\sqrt{3} - 1)\gamma(2/3, -Idx^3))\sin(c))ab/(dx) + \frac{1}{48}(12dx^3 - 2^{1/3})(dx^3)^{1/3}(((I\sqrt{3} - 1)\gamma(2/3, 2Idx^3) + (-I\sqrt{3} - 1)\gamma(2/3, -2Idx^3))\cos(2c) + ((\sqrt{3} + I)\gamma(2/3, 2Idx^3) + (\sqrt{3} - I)\gamma(2/3, -2Idx^3))\sin(2c))b^2/(dx)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x(a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*sin(c + d*x^3))^2,x)

[Out] int(x*(a + b*sin(c + d*x^3))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a + b \sin(c + dx^3))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(d*x**3+c))**2,x)

[Out] Integral(x*(a + b*sin(c + d*x**3))**2, x)

$$3.75 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x^2} dx$$

Optimal. Leaf size=231

$$\frac{-2a^2 - b^2}{2x} - \frac{2ab \sin(c + dx^3)}{x} - \frac{abe^{ic} dx^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{(-idx^3)^{2/3}} - \frac{abe^{-ic} dx^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{(idx^3)^{2/3}} + \frac{b^2 \cos(2c + 2dx^3)}{2x} + \frac{ib^2 e^{2ic} dx^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{2^{2/3} (-idx^3)^{2/3}}$$

[Out] 1/2*(-2*a^2-b^2)/x+1/2*b^2*cos(2*d*x^3+2*c)/x-a*b*d*exp(I*c)*x^2*GAMMA(2/3, -I*d*x^3)/(-I*d*x^3)^(2/3)-a*b*d*x^2*GAMMA(2/3, I*d*x^3)/exp(I*c)/(I*d*x^3)^(2/3)+1/4*I*b^2*d*exp(2*I*c)*x^2*GAMMA(2/3, -2*I*d*x^3)*2^(1/3)/(-I*d*x^3)^(2/3)-1/4*I*b^2*d*x^2*GAMMA(2/3, 2*I*d*x^3)*2^(1/3)/exp(2*I*c)/(I*d*x^3)^(2/3)-2*a*b*sin(d*x^3+c)/x

Rubi [A] time = 0.19, antiderivative size = 229, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3388, 3389, 2218, 3387, 3390}

$$\frac{abe^{ic} dx^2 \text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{(-idx^3)^{2/3}} - \frac{abe^{-ic} dx^2 \text{Gamma}\left(\frac{2}{3}, idx^3\right)}{(idx^3)^{2/3}} + \frac{ib^2 e^{2ic} dx^2 \text{Gamma}\left(\frac{2}{3}, -2idx^3\right)}{2^{2/3} (-idx^3)^{2/3}} - \frac{ib^2 e^{-2ic} dx^2 \text{Gamma}\left(\frac{2}{3}, 2idx^3\right)}{2^{2/3} (idx^3)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x^2, x]

[Out] -(2*a^2 + b^2)/(2*x) + (b^2*Cos[2*c + 2*d*x^3])/(2*x) - (a*b*d*E^(I*c)*x^2*Gamma[2/3, (-I)*d*x^3])/((-I)*d*x^3)^(2/3) - (a*b*d*x^2*Gamma[2/3, I*d*x^3])/(E^(I*c)*(I*d*x^3)^(2/3)) + ((I/2)*b^2*d*E^((2*I)*c)*x^2*Gamma[2/3, (-2*I)*d*x^3])/(2^(2/3)*((-I)*d*x^3)^(2/3)) - ((I/2)*b^2*d*x^2*Gamma[2/3, (2*I)*d*x^3])/(2^(2/3)*E^((2*I)*c)*(I*d*x^3)^(2/3)) - (2*a*b*Sin[c + d*x^3])/x

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^p, x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_), x_Symbol] :> Simp[((e*x)^(m + 1)*Cos[c + d*x^n])/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3389

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^3))^2}{x^2} dx &= \int \left(\frac{a^2}{x^2} + \frac{b^2}{2x^2} - \frac{b^2 \cos(2c + 2dx^3)}{2x^2} + \frac{2ab \sin(c + dx^3)}{x^2} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^2} - \frac{b^2 \cos(2c + 2dx^3)}{2x^2} + \frac{2ab \sin(c + dx^3)}{x^2} \right) dx \\
&= -\frac{2a^2 + b^2}{2x} + (2ab) \int \frac{\sin(c + dx^3)}{x^2} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x^2} dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{2x} - \frac{2ab \sin(c + dx^3)}{x} + (6abd) \int x \cos(c + dx^3) dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{2x} - \frac{2ab \sin(c + dx^3)}{x} + (3abd) \int e^{-ic - idx^3} x dx + (3abd) \int e^{ic + idx^3} x dx \\
&= -\frac{2a^2 + b^2}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{2x} - \frac{abde^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{(-idx^3)^{2/3}} - \frac{abde^{-ic} x^2 \Gamma\left(\frac{2}{3}, idx^3\right)}{(idx^3)^{2/3}} + \dots
\end{aligned}$$

Mathematica [A] time = 0.59, size = 332, normalized size = 1.44

$$-4a^2 (d^2 x^6)^{2/3} - 8ab (d^2 x^6)^{2/3} \sin(c + dx^3) - 4iab (-idx^3)^{5/3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{2}{3}, idx^3\right) + 4iab (idx^3)^{5/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])^2/x^2,x]

[Out] $(-4a^2(d^2x^6)^{2/3} - 2b^2(d^2x^6)^{2/3} + 2b^2(d^2x^6)^{2/3}\cos[2(c + dx^3)] + 2^{1/3}b^2(I dx^3)^{5/3}\cos[2c]\Gamma[2/3, (-2I)dx^3] + 2^{1/3}b^2((-I)dx^3)^{5/3}\cos[2c]\Gamma[2/3, (2I)dx^3] - (4I)a^2b((-I)dx^3)^{5/3}\Gamma[2/3, I dx^3](\cos[c] - I\sin[c]) + (4I)a^2b(I dx^3)^{5/3}\Gamma[2/3, (-I)dx^3](\cos[c] + I\sin[c]) + I2^{1/3}b^2(I dx^3)^{5/3}\Gamma[2/3, (-2I)dx^3]\sin[2c] - I2^{1/3}b^2((-I)dx^3)^{5/3}\Gamma[2/3, (2I)dx^3]\sin[2c] - 8a^2b(d^2x^6)^{2/3}\sin[c + dx^3])/(4x(d^2x^6)^{2/3})$

fricas [A] time = 0.64, size = 131, normalized size = 0.57

$$\frac{b^2 (2i d)^{1/3} x e^{(-2ic)} \Gamma\left(\frac{2}{3}, 2i dx^3\right) - 4iab (id)^{1/3} x e^{(-ic)} \Gamma\left(\frac{2}{3}, i dx^3\right) + 4iab (-id)^{1/3} x e^{(ic)} \Gamma\left(\frac{2}{3}, -i dx^3\right) + b^2 (-2id)^{1/3} x e^{(ic)} \Gamma\left(\frac{2}{3}, -i dx^3\right)}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^2,x, algorithm="fricas")

[Out] $-1/4*(b^2*(2*I*d)^{(1/3)}*x*e^{(-2*I*c)}*\gamma(2/3, 2*I*d*x^3) - 4*I*a*b*(I*d)^{(1/3)}*x*e^{(-I*c)}*\gamma(2/3, I*d*x^3) + 4*I*a*b*(-I*d)^{(1/3)}*x*e^{(I*c)}*\gamma(2/3, -I*d*x^3) + b^2*(-2*I*d)^{(1/3)}*x*e^{(2*I*c)}*\gamma(2/3, -2*I*d*x^3) - 4*b^2*\cos(d*x^3 + c)^2 + 8*a*b*\sin(d*x^3 + c) + 4*a^2 + 4*b^2)/x$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^3 + c) + a)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2/x^2, x)

maple [F] time = 0.63, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2/x^2,x)

[Out] int((a+b*sin(d*x^3+c))^2/x^2,x)

maxima [A] time = 0.58, size = 187, normalized size = 0.81

$$\frac{(dx^3)^{\frac{1}{3}} \left(\left((i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, idx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, -idx^3\right) \right) \cos(c) + \left((\sqrt{3} + i)\Gamma\left(-\frac{1}{3}, idx^3\right) + (\sqrt{3} - i)\Gamma\left(-\frac{1}{3}, -idx^3\right) \right) \sin(c) \right)}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^2,x, algorithm="maxima")

[Out] $-1/6*(d*x^3)^{(1/3)}*(((I*\sqrt{3} - 1)*\gamma(-1/3, I*d*x^3) + (-I*\sqrt{3} - 1)*\gamma(-1/3, -I*d*x^3))*\cos(c) + ((\sqrt{3} + I)*\gamma(-1/3, I*d*x^3) + (\sqrt{3} - I)*\gamma(-1/3, -I*d*x^3))*\sin(c))*a*b/x + 1/24*(2^{(1/3)}*(d*x^3)^{(1/3)}*(((\sqrt{3} + I)*\gamma(-1/3, 2*I*d*x^3) + (\sqrt{3} - I)*\gamma(-1/3, -2*I*d*x^3))*\cos(2*c) - ((I*\sqrt{3} - 1)*\gamma(-1/3, 2*I*d*x^3) + (-I*\sqrt{3} - 1)*\gamma(-1/3, -2*I*d*x^3))*\sin(2*c)) - 12)*b^2/x - a^2/x$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))^2/x^2,x)

[Out] int((a + b*sin(c + d*x^3))^2/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))**2/x**2,x)

[Out] Integral((a + b*sin(c + d*x**3))**2/x**2, x)

$$3.76 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x^5} dx$$

Optimal. Leaf size=285

$$\frac{-2a^2 - b^2}{8x^4} - \frac{3iabe^{ic}d^2x^2\Gamma\left(\frac{2}{3}, -idx^3\right)}{4(-idx^3)^{2/3}} + \frac{3iabe^{-ic}d^2x^2\Gamma\left(\frac{2}{3}, idx^3\right)}{4(idx^3)^{2/3}} - \frac{3abd \cos(c + dx^3)}{2x} - \frac{ab \sin(c + dx^3)}{2x^4} - \frac{3b^2e^{2ic}d^2x^2\Gamma\left(\frac{2}{3}, -2idx^3\right)}{4 \cdot 2^{2/3}(-idx^3)^{2/3}}$$

[Out] $1/8*(-2*a^2-b^2)/x^4-3/2*a*b*d*\cos(d*x^3+c)/x+1/8*b^2*\cos(2*d*x^3+2*c)/x^4-3/4*I*a*b*d^2*\exp(I*c)*x^2*\text{GAMMA}(2/3,-I*d*x^3)/(-I*d*x^3)^{(2/3)}+3/4*I*a*b*d^2*x^2*\text{GAMMA}(2/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(2/3)}-3/8*b^2*d^2*\exp(2*I*c)*x^2*\text{GAMMA}(2/3,-2*I*d*x^3)*2^{(1/3)}/(-I*d*x^3)^{(2/3)}-3/8*b^2*d^2*x^2*\text{GAMMA}(2/3,2*I*d*x^3)*2^{(1/3)}/\exp(2*I*c)/(I*d*x^3)^{(2/3)}-1/2*a*b*\sin(d*x^3+c)/x^4-3/4*b^2*d*\sin(2*d*x^3+2*c)/x$

Rubi [A] time = 0.24, antiderivative size = 283, normalized size of antiderivative = 0.99, number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3388, 3387, 3390, 2218, 3389}

$$-\frac{3iabe^{ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, -idx^3\right)}{4(-idx^3)^{2/3}} + \frac{3iabe^{-ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, idx^3\right)}{4(idx^3)^{2/3}} - \frac{3b^2e^{2ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, -2idx^3\right)}{4 \cdot 2^{2/3}(-idx^3)^{2/3}} - \frac{3b^2e^{-2ic}d^2x^2\text{Gamma}\left(\frac{2}{3}, 2idx^3\right)}{4 \cdot 2^{2/3}(idx^3)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x^5, x]

[Out] $-(2*a^2 + b^2)/(8*x^4) - (3*a*b*d*\text{Cos}[c + d*x^3])/(2*x) + (b^2*\text{Cos}[2*c + 2*d*x^3])/(8*x^4) - (((3*I)/4)*a*b*d^2*E^{(I*c)*x^2*\text{Gamma}[2/3, (-I)*d*x^3]})/((-I)*d*x^3)^{(2/3)} + (((3*I)/4)*a*b*d^2*x^2*\text{Gamma}[2/3, I*d*x^3])/(E^{(I*c)*(I*d*x^3)^{(2/3)}}) - (3*b^2*d^2*E^{((2*I)*c)*x^2*\text{Gamma}[2/3, (-2*I)*d*x^3]})/(4*2^{(2/3)}*((-I)*d*x^3)^{(2/3)}) - (3*b^2*d^2*x^2*\text{Gamma}[2/3, (2*I)*d*x^3])/(4*2^{(2/3)}*E^{((2*I)*c)*(I*d*x^3)^{(2/3)})} - (a*b*\text{Sin}[c + d*x^3])/(2*x^4) - (3*b^2*d*\text{Sin}[2*c + 2*d*x^3])/(4*x)$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_.))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x

$$\int \frac{(e^x)^n \log[F]}{(f^n (-b(c + dx)^n \log[F]))^{(m+1)/n}} dx /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x \} \&\& \text{EqQ}[d \cdot e - c \cdot f, 0]$$

Rule 3387

$$\text{Int}[(e^x)^m \sin[c + dx^n] + (d^x)^n, x_Symbol] \rightarrow \text{Simp}[(e^x)^{m+1} \sin[c + dx^n] / (e^{m+1}), x] - \text{Dist}[d^n / (e^{m+1}), \text{Int}[(e^x)^{m+n} \cos[c + dx^n], x], x] /; \text{FreeQ}\{c, d, e\}, x \} \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1]$$

Rule 3388

$$\text{Int}[\cos[c + dx^n] (e^x)^m, x_Symbol] \rightarrow \text{Simp}[(e^x)^{m+1} \cos[c + dx^n] / (e^{m+1}), x] + \text{Dist}[d^n / (e^{m+1}), \text{Int}[(e^x)^{m+n} \sin[c + dx^n], x], x] /; \text{FreeQ}\{c, d, e\}, x \} \&\& \text{IGtQ}[n, 0] \&\& \text{LtQ}[m, -1]$$

Rule 3389

$$\text{Int}[(e^x)^m \sin[c + dx^n], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e^x)^m E^{-(c+dx^n)}], x] - \text{Dist}[I/2, \text{Int}[(e^x)^m E^{c+dx^n}], x] /; \text{FreeQ}\{c, d, e, m\}, x \} \&\& \text{IGtQ}[n, 0]$$

Rule 3390

$$\text{Int}[\cos[c + dx^n] (e^x)^m, x_Symbol] \rightarrow \text{Dist}[1/2, \text{Int}[(e^x)^m E^{-(c+dx^n)}], x] + \text{Dist}[1/2, \text{Int}[(e^x)^m E^{c+dx^n}], x] /; \text{FreeQ}\{c, d, e, m\}, x \} \&\& \text{IGtQ}[n, 0]$$

Rule 3403

$$\text{Int}[(e^x)^m ((a + b \sin[c + dx^n])^p)^n, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(e^x)^m (a + b \sin[c + dx^n])^p], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x \} \&\& \text{IGtQ}[p, 1] \&\& \text{IGtQ}[n, 0]$$

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^3))^2}{x^5} dx &= \int \left(\frac{a^2}{x^5} + \frac{b^2}{2x^5} - \frac{b^2 \cos(2c + 2dx^3)}{2x^5} + \frac{2ab \sin(c + dx^3)}{x^5} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^5} - \frac{b^2 \cos(2c + 2dx^3)}{2x^5} + \frac{2ab \sin(c + dx^3)}{x^5} \right) dx \\
&= -\frac{2a^2 + b^2}{8x^4} + (2ab) \int \frac{\sin(c + dx^3)}{x^5} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x^5} dx \\
&= -\frac{2a^2 + b^2}{8x^4} + \frac{b^2 \cos(2c + 2dx^3)}{8x^4} - \frac{ab \sin(c + dx^3)}{2x^4} + \frac{1}{2} (3abd) \int \frac{\cos(c + dx^3)}{x^2} dx \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{3abd \cos(c + dx^3)}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{8x^4} - \frac{ab \sin(c + dx^3)}{2x^4} - \frac{3b^2 d \sin(c + dx^3)}{2x^2} \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{3abd \cos(c + dx^3)}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{8x^4} - \frac{ab \sin(c + dx^3)}{2x^4} - \frac{3b^2 d \sin(c + dx^3)}{2x^2} \\
&= -\frac{2a^2 + b^2}{8x^4} - \frac{3abd \cos(c + dx^3)}{2x} + \frac{b^2 \cos(2c + 2dx^3)}{8x^4} - \frac{3iab d^2 e^{ic} x^2 \Gamma\left(\frac{2}{3}, -idx^3\right)}{4(-idx^3)^{2/3}} + \dots
\end{aligned}$$

Mathematica [A] time = 2.53, size = 292, normalized size = 1.02

$$2a^2 + 6iab (idx^3)^{2/3} \sqrt[3]{d^2 x^6} (\cos(c) + i \sin(c)) \Gamma\left(\frac{2}{3}, -idx^3\right) + 4ab \sin(c + dx^3) + 12abd x^3 \cos(c + dx^3) + 6iab (ia$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])^2/x^5,x]

[Out]
$$-1/8*(2*a^2 + b^2 + 12*a*b*d*x^3*\cos[c + d*x^3] - b^2*\cos[2*(c + d*x^3)] - 3*2^{1/3}*b^2*(I*d*x^3)^{4/3}*\cos[2*c]*\Gamma[2/3, (2*I)*d*x^3] + (6*I)*a*b*(I*d*x^3)^{4/3}*\Gamma[2/3, I*d*x^3]*(\cos[c] - I*\sin[c]) + (6*I)*a*b*(I*d*x^3)^{2/3}*(d^2*x^6)^{1/3}*\Gamma[2/3, (-I)*d*x^3]*(\cos[c] + I*\sin[c]) - 3*2^{1/3}*b^2*((-I)*d*x^3)^{4/3}*\Gamma[2/3, (-2*I)*d*x^3]*(\cos[2*c] + I*\sin[2*c]) + (3*I)*2^{1/3}*b^2*(I*d*x^3)^{4/3}*\Gamma[2/3, (2*I)*d*x^3]*\sin[2*c] + 4*a*b*\sin[c + d*x^3] + 6*b^2*d*x^3*\sin[2*(c + d*x^3)])/x^4$$

fricas [A] time = 0.67, size = 180, normalized size = 0.63

$$3ib^2(2id)^{1/3} dx^4 e^{(-2ic)} \Gamma\left(\frac{2}{3}, 2i dx^3\right) + 6ab(id)^{1/3} dx^4 e^{(-ic)} \Gamma\left(\frac{2}{3}, i dx^3\right) + 6ab(-id)^{1/3} dx^4 e^{(ic)} \Gamma\left(\frac{2}{3}, -i dx^3\right) - 3ib^2(-2i$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^5,x, algorithm="fricas")

[Out] $\frac{1}{8}*(3*I*b^2*(2*I*d)^{(1/3)}*d*x^4*e^{(-2*I*c)}*\text{gamma}(2/3, 2*I*d*x^3) + 6*a*b*(I*d)^{(1/3)}*d*x^4*e^{(-I*c)}*\text{gamma}(2/3, I*d*x^3) + 6*a*b*(-I*d)^{(1/3)}*d*x^4*e^{(I*c)}*\text{gamma}(2/3, -I*d*x^3) - 3*I*b^2*(-2*I*d)^{(1/3)}*d*x^4*e^{(2*I*c)}*\text{gamma}(2/3, -2*I*d*x^3) - 12*a*b*d*x^3*\cos(d*x^3 + c) + 2*b^2*\cos(d*x^3 + c)^2 - 2*a^2 - 2*b^2 - 4*(3*b^2*d*x^3*\cos(d*x^3 + c) + a*b)*\sin(d*x^3 + c))/x^4$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^3 + c) + a)^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^5,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2/x^5, x)

maple [F] time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2/x^5,x)

[Out] int((a+b*sin(d*x^3+c))^2/x^5,x)

maxima [A] time = 0.60, size = 198, normalized size = 0.69

$$\frac{(dx^3)^{\frac{1}{3}} \left(\left((\sqrt{3} + i)\Gamma\left(-\frac{4}{3}, i dx^3\right) + (\sqrt{3} - i)\Gamma\left(-\frac{4}{3}, -i dx^3\right) \right) \cos(c) - \left((i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, i dx^3\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, -i dx^3\right) \right) \right)}{6x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^5,x, algorithm="maxima")

[Out] $\frac{1}{6}*(d*x^3)^{(1/3)}*(((\text{sqrt}(3) + I)*\text{gamma}(-4/3, I*d*x^3) + (\text{sqrt}(3) - I)*\text{gamma}(-4/3, -I*d*x^3))*\cos(c) - ((I*\text{sqrt}(3) - 1)*\text{gamma}(-4/3, I*d*x^3) + (-I*\text{sqrt}(3) - 1)*\text{gamma}(-4/3, -I*d*x^3))*\sin(c))*a*b*d/x - 1/24*(2^{(1/3)}*(d*x^3)^{(1/3)}*(2*((-I*\text{sqrt}(3) + 1)*\text{gamma}(-4/3, 2*I*d*x^3) + (I*\text{sqrt}(3) + 1)*\text{gamma}(-4/3, -2*I*d*x^3))*\cos(2*c) - ((2*\text{sqrt}(3) + 2*I)*\text{gamma}(-4/3, 2*I*d*x^3) + (2*s$

```

qrt(3) - 2*I)*gamma(-4/3, -2*I*d*x^3))*sin(2*c))*d*x^3 + 3)*b^2/x^4 - 1/4*a
^2/x^4

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d*x^3))^2/x^5, x)
```

```
[Out] int((a + b*sin(c + d*x^3))^2/x^5, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x^5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(d*x**3+c))*2/x**5, x)
```

```
[Out] Integral((a + b*sin(c + d*x**3))*2/x**5, x)
```

3.77 $\int x^3 (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=237

$$\frac{1}{8}x^4(2a^2 + b^2) - \frac{2abx \cos(c + dx^3)}{3d} - \frac{abe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{9d\sqrt[3]{-idx^3}} - \frac{abe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{9d\sqrt[3]{idx^3}} - \frac{b^2x \sin(2c + 2dx^3)}{12d} + \frac{ib^2e^{2ic}x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{72\sqrt[3]{2}d\sqrt[3]{-idx^3}}$$

[Out] $\frac{1}{8}(2a^2 + b^2)x^4 - \frac{2abx \cos(dx^3 + c)}{3d} - \frac{abe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{9d\sqrt[3]{-idx^3}} - \frac{abe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{9d\sqrt[3]{idx^3}} - \frac{b^2x \sin(2c + 2dx^3)}{12d} + \frac{ib^2e^{2ic}x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{72\sqrt[3]{2}d\sqrt[3]{-idx^3}}$

Rubi [A] time = 0.15, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3386, 3355, 2208, 3385, 3356}

$$\frac{abe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{9d\sqrt[3]{-idx^3}} - \frac{abe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{9d\sqrt[3]{idx^3}} + \frac{ib^2e^{2ic}x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{72\sqrt[3]{2}d\sqrt[3]{-idx^3}} - \frac{ib^2e^{-2ic}x\Gamma\left(\frac{1}{3}, 2idx^3\right)}{72\sqrt[3]{2}d\sqrt[3]{idx^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3(a + b\sin[c + dx^3])^2, x]$

[Out] $\frac{((2a^2 + b^2)x^4)/8 - (2abx \cos[c + dx^3])/(3d) - (abx E^{ic} \Gamma[1/3, (-I)dx^3])/(9d \sqrt[3]{-idx^3}) - (abx E^{-ic} \Gamma[1/3, idx^3])/(9d \sqrt[3]{idx^3}) + ((I/72)b^2 E^{2ic} \Gamma[1/3, -2idx^3])/(2 \sqrt[3]{2} d \sqrt[3]{-idx^3}) - ((I/72)b^2 E^{-2ic} \Gamma[1/3, 2idx^3])/(2 \sqrt[3]{2} d \sqrt[3]{idx^3})}{(12d)}$

Rule 6

$\text{Int}[(u_.) * ((w_.) + (a_.) * (v_.) + (b_.) * (v_))^{(p_.)}, x_Symbol] \rightarrow \text{Int}[u * ((a + b)v + w)^p, x] /; \text{FreeQ}\{a, b, x\} \ \&\& \ !\text{FreeQ}[v, x]$

Rule 2208

$\text{Int}[(F_.)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_))^{(n_)}), x_Symbol] \rightarrow -\text{Simp}[(F^{a + b(c + dx) \Gamma[1/n, -(b(c + dx)^n \text{Log}[F])]} / (d^n * (-(b(c + dx)^n \text{Log}[F]))^{(1/n)}), x] /; \text{FreeQ}\{F, a, b, c, d, n\}, x] \ \&\& \ !\text{IntegerQ}[2/n]$

Rule 3355

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]
```

Rule 3356

```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]
```

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Sin[c + d*x^n])/(d*n), x] - Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_))^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \sin(c + dx^3))^2 dx &= \int \left(a^2 x^3 + \frac{b^2 x^3}{2} - \frac{1}{2} b^2 x^3 \cos(2c + 2dx^3) + 2abx^3 \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) x^3 - \frac{1}{2} b^2 x^3 \cos(2c + 2dx^3) + 2abx^3 \sin(c + dx^3) \right) dx \\
&= \frac{1}{8} (2a^2 + b^2) x^4 + (2ab) \int x^3 \sin(c + dx^3) dx - \frac{1}{2} b^2 \int x^3 \cos(2c + 2dx^3) dx \\
&= \frac{1}{8} (2a^2 + b^2) x^4 - \frac{2abx \cos(c + dx^3)}{3d} - \frac{b^2 x \sin(2c + 2dx^3)}{12d} + \frac{(2ab) \int \cos(c + dx^3) dx}{3d} \\
&= \frac{1}{8} (2a^2 + b^2) x^4 - \frac{2abx \cos(c + dx^3)}{3d} - \frac{b^2 x \sin(2c + 2dx^3)}{12d} + \frac{(ab) \int e^{-ic - idx^3} dx}{3d} \\
&= \frac{1}{8} (2a^2 + b^2) x^4 - \frac{2abx \cos(c + dx^3)}{3d} - \frac{abe^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{9d \sqrt[3]{-idx^3}} - \frac{abe^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{9d \sqrt[3]{idx^3}}
\end{aligned}$$

Mathematica [A] time = 0.58, size = 339, normalized size = 1.43

$$\frac{dx^7 \left(36a^2 dx^3 \sqrt[3]{d^2 x^6} - 96ab \sqrt[3]{d^2 x^6} \cos(c + dx^3) - 16ab \sqrt[3]{-idx^3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{1}{3}, idx^3\right) - 16ab \sqrt[3]{idx^3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{1}{3}, -idx^3\right) \right)}{144 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*Sin[c + d*x^3])^2,x]

[Out] (d*x^7*(36*a^2*d*x^3*(d^2*x^6)^(1/3) + 18*b^2*d*x^3*(d^2*x^6)^(1/3) - 96*a*b*(d^2*x^6)^(1/3)*Cos[c + d*x^3] + I*2^(2/3)*b^2*(I*d*x^3)^(1/3)*Cos[2*c]*Gamma[1/3, (-2*I)*d*x^3] - I*2^(2/3)*b^2*((-I)*d*x^3)^(1/3)*Cos[2*c]*Gamma[1/3, (2*I)*d*x^3] - 16*a*b*((-I)*d*x^3)^(1/3)*Gamma[1/3, I*d*x^3]*(Cos[c] - I*Sin[c]) - 16*a*b*(I*d*x^3)^(1/3)*Gamma[1/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) - 2^(2/3)*b^2*(I*d*x^3)^(1/3)*Gamma[1/3, (-2*I)*d*x^3]*Sin[2*c] - 2^(2/3)*b^2*((-I)*d*x^3)^(1/3)*Gamma[1/3, (2*I)*d*x^3]*Sin[2*c] - 12*b^2*(d^2*x^6)^(1/3)*Sin[2*(c + d*x^3)]))/(144*(d^2*x^6)^(4/3))

fricas [A] time = 0.93, size = 146, normalized size = 0.62

$$\frac{18(2a^2 + b^2)d^2x^4 - 24b^2dx \cos(dx^3 + c) \sin(dx^3 + c) - 96abdx \cos(dx^3 + c) - b^2(2id)^{\frac{2}{3}} e^{(-2ic)} \Gamma\left(\frac{1}{3}, 2idx^3\right) + b^2(2i)^{\frac{2}{3}} e^{(2ic)} \Gamma\left(\frac{1}{3}, -2idx^3\right)}{144d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] 1/144*(18*(2*a^2 + b^2)*d^2*x^4 - 24*b^2*d*x*cos(d*x^3 + c)*sin(d*x^3 + c) - 96*a*b*d*x*cos(d*x^3 + c) - b^2*(2*I*d)^(2/3)*e^(-2*I*c)*gamma(1/3, 2*I*d*x^3) + 16*I*a*b*(I*d)^(2/3)*e^(-I*c)*gamma(1/3, I*d*x^3) - 16*I*a*b*(-I*d)^(2/3)*e^(I*c)*gamma(1/3, -I*d*x^3) - b^2*(-2*I*d)^(2/3)*e^(2*I*c)*gamma(1/3, -2*I*d*x^3))/d^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^2 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2*x^3, x)

maple [F] time = 0.49, size = 0, normalized size = 0.00

$$\int x^3 (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*sin(d*x^3+c))^2,x)

[Out] int(x^3*(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.58, size = 240, normalized size = 1.01

$$\frac{1}{4} a^2 x^4 - \frac{2^{\frac{2}{3}} \left(\left((i\sqrt{3} + 1) \Gamma\left(\frac{1}{3}, 2i dx^3\right) + (-i\sqrt{3} + 1) \Gamma\left(\frac{1}{3}, -2i dx^3\right) \right) \cos(2c) + \left((\sqrt{3} - i) \Gamma\left(\frac{1}{3}, 2i dx^3\right) + (\sqrt{3} + i) \Gamma\left(\frac{1}{3}, -2i dx^3\right) \right) \sin(2c) \right)}{288 (dx^3)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/4*a^2*x^4 - 1/288*2^(2/3)*(((I*sqrt(3) + 1)*gamma(1/3, 2*I*d*x^3) + (-I*sqrt(3) + 1)*gamma(1/3, -2*I*d*x^3))*cos(2*c) + ((sqrt(3) - I)*gamma(1/3, 2*I*d*x^3) + (sqrt(3) + I)*gamma(1/3, -2*I*d*x^3))*sin(2*c))*x - 6*2^(1/3)*(3*d*x^4 - 2*x*sin(2*d*x^3 + 2*c))*(d*x^3)^(1/3)*b^2/((d*x^3)^(1/3)*d) - 1/18*(12*(d*x^3)^(1/3)*x*cos(d*x^3 + c) + ((sqrt(3) - I)*gamma(1/3, I*d*x^3) + (sqrt(3) + I)*gamma(1/3, -I*d*x^3))*cos(c) + ((-I*sqrt(3) - 1)*gamma(1/3, I*d*x^3) + (I*sqrt(3) - 1)*gamma(1/3, -I*d*x^3))*sin(c))*x)*a*b/((d*x^3)^(1/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + b*sin(c + d*x^3))^2,x)`

[Out] `int(x^3*(a + b*sin(c + d*x^3))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a + b \sin(c + dx^3))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral(x**3*(a + b*sin(c + d*x**3))**2, x)`

3.78 $\int (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=183

$$\frac{1}{2}x(2a^2 + b^2) + \frac{iabe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{3\sqrt[3]{-idx^3}} - \frac{iabe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{3\sqrt[3]{idx^3}} + \frac{b^2e^{2ic}x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{12\sqrt[3]{2}\sqrt[3]{-idx^3}} + \frac{b^2e^{-2ic}x\Gamma\left(\frac{1}{3}, 2idx^3\right)}{12\sqrt[3]{2}\sqrt[3]{idx^3}}$$

[Out] 1/2*(2*a^2+b^2)*x+1/3*I*a*b*exp(I*c)*x*GAMMA(1/3,-I*d*x^3)/(-I*d*x^3)^(1/3)-1/3*I*a*b*x*GAMMA(1/3,I*d*x^3)/exp(I*c)/(I*d*x^3)^(1/3)+1/24*b^2*exp(2*I*c)*x*GAMMA(1/3,-2*I*d*x^3)*2^(2/3)/(-I*d*x^3)^(1/3)+1/24*b^2*x*GAMMA(1/3,2*I*d*x^3)*2^(2/3)/exp(2*I*c)/(I*d*x^3)^(1/3)

Rubi [A] time = 0.07, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3357, 3356, 2208, 3355}

$$\frac{iabe^{ic}x\Gamma\left(\frac{1}{3}, -idx^3\right)}{3\sqrt[3]{-idx^3}} - \frac{iabe^{-ic}x\Gamma\left(\frac{1}{3}, idx^3\right)}{3\sqrt[3]{idx^3}} + \frac{b^2e^{2ic}x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{12\sqrt[3]{2}\sqrt[3]{-idx^3}} + \frac{b^2e^{-2ic}x\Gamma\left(\frac{1}{3}, 2idx^3\right)}{12\sqrt[3]{2}\sqrt[3]{idx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2,x]

[Out] ((2*a^2 + b^2)*x)/2 + ((I/3)*a*b*E^(I*c)*x*Gamma[1/3, (-I)*d*x^3])/((-I)*d*x^3)^(1/3) - ((I/3)*a*b*x*Gamma[1/3, I*d*x^3])/((E^(I*c)*(I*d*x^3)^(1/3)) + (b^2*E^((2*I)*c)*x*Gamma[1/3, (-2*I)*d*x^3])/(12*2^(1/3)*((-I)*d*x^3)^(1/3)) + (b^2*x*Gamma[1/3, (2*I)*d*x^3])/(12*2^(1/3)*E^((2*I)*c)*(I*d*x^3)^(1/3))

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_))), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3356


```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]
```

Rule 3357

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(a + b*SIN[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 1] && IGtQ[n, 1]
```

Rubi steps

$$\begin{aligned} \int (a + b \sin(c + dx^3))^2 dx &= \int \left(a^2 + \frac{b^2}{2} - \frac{1}{2} b^2 \cos(2c + 2dx^3) + 2ab \sin(c + dx^3) \right) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (2ab) \int \sin(c + dx^3) dx - \frac{1}{2} b^2 \int \cos(2c + 2dx^3) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (iab) \int e^{-ic - idx^3} dx - (iab) \int e^{ic + idx^3} dx - \frac{1}{4} b^2 \int e^{-2ic - 2idx^3} dx - \\ &= \frac{1}{2} (2a^2 + b^2) x + \frac{iabe^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{3\sqrt[3]{-idx^3}} - \frac{iabe^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{3\sqrt[3]{idx^3}} + \frac{b^2 e^{2ic} x \Gamma\left(\frac{1}{3}, -2idx^3\right)}{12\sqrt[3]{2} \sqrt[3]{-idx^3}} \end{aligned}$$

Mathematica [A] time = 0.27, size = 281, normalized size = 1.54

$$x \left(24a^2 \sqrt[3]{d^2 x^6} - 8iab \sqrt[3]{-idx^3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{1}{3}, idx^3\right) + 8iab \sqrt[3]{idx^3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{1}{3}, -idx^3\right) + 2^{2/3} b^2 c \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Sin[c + d*x^3])^2, x]
```

```
[Out] (x*(24*a^2*(d^2*x^6)^(1/3) + 12*b^2*(d^2*x^6)^(1/3) + 2^(2/3)*b^2*(I*d*x^3)^(1/3)*Cos[2*c]*Gamma[1/3, (-2*I)*d*x^3] + 2^(2/3)*b^2*((-I)*d*x^3)^(1/3)*Cos[2*c]*Gamma[1/3, (2*I)*d*x^3] - (8*I)*a*b*((-I)*d*x^3)^(1/3)*Gamma[1/3, I*d*x^3]*(Cos[c] - I*Sin[c]) + (8*I)*a*b*(I*d*x^3)^(1/3)*Gamma[1/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) + I*2^(2/3)*b^2*(I*d*x^3)^(1/3)*Gamma[1/3, (-2*I)*d*x^3]*Sin[2*c] - I*2^(2/3)*b^2*((-I)*d*x^3)^(1/3)*Gamma[1/3, (2*I)*d*x^3]*Sin[2*c]))/(24*(d^2*x^6)^(1/3))
```

fricas [A] time = 0.89, size = 105, normalized size = 0.57

$$-i b^2 (2i d)^{\frac{2}{3}} e^{(-2ic) \Gamma\left(\frac{1}{3}, 2i dx^3\right)} - 8 ab (id)^{\frac{2}{3}} e^{(-ic) \Gamma\left(\frac{1}{3}, idx^3\right)} - 8 ab (-id)^{\frac{2}{3}} e^{(ic) \Gamma\left(\frac{1}{3}, -idx^3\right)} + i b^2 (-2id)^{\frac{2}{3}} e^{(2ic) \Gamma\left(\frac{1}{3}, -2idx^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{24}*(-I*b^2*(2*I*d)^{(2/3)}*e^{(-2*I*c)}*\gamma(1/3, 2*I*d*x^3) - 8*a*b*(I*d)^{(2/3)}*e^{(-I*c)}*\gamma(1/3, I*d*x^3) - 8*a*b*(-I*d)^{(2/3)}*e^{(I*c)}*\gamma(1/3, -I*d*x^3) + I*b^2*(-2*I*d)^{(2/3)}*e^{(2*I*c)}*\gamma(1/3, -2*I*d*x^3) + 12*(2*a^2 + b^2)*d*x)/d$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2, x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2,x)

[Out] int((a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.57, size = 192, normalized size = 1.05

$$\frac{\left(\left((-i\sqrt{3} - 1)\Gamma\left(\frac{1}{3}, i dx^3\right) + (i\sqrt{3} - 1)\Gamma\left(\frac{1}{3}, -i dx^3\right) \right) \cos(c) - \left((\sqrt{3} - i)\Gamma\left(\frac{1}{3}, i dx^3\right) + (\sqrt{3} + i)\Gamma\left(\frac{1}{3}, -i dx^3\right) \right) \sin(c) \right)}{6 (dx^3)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] $\frac{1}{6} * \left(\left((-I*\sqrt{3} - 1)*\gamma(1/3, I*d*x^3) + (I*\sqrt{3} - 1)*\gamma(1/3, -I*d*x^3) \right) * \cos(c) - \left((\sqrt{3} - I)*\gamma(1/3, I*d*x^3) + (\sqrt{3} + I)*\gamma(1/3, -I*d*x^3) \right) * \sin(c) \right) * a*b*x / (d*x^3)^{(1/3)} + \frac{1}{48} * 2^{(2/3)} * \left(\left((\sqrt{3} - I)*\gamma(1/3, 2*I*d*x^3) + (\sqrt{3} + I)*\gamma(1/3, -2*I*d*x^3) \right) * \cos(2*c) + \left((-I*\sqrt{3} - 1)*\gamma(1/3, 2*I*d*x^3) + (I*\sqrt{3} - 1)*\gamma(1/3, -2*I*d*x^3) \right) * \sin(2*c) \right) * x + 12 * 2^{(1/3)} * (d*x^3)^{(1/3)} * x * b^2 / (d*x^3)^{(1/3)} + a^2 * x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*x^3))^2,x)`

[Out] `int((a + b*sin(c + d*x^3))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (a + b \sin(c + dx^3))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral((a + b*sin(c + d*x**3))**2, x)`

$$3.79 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x^3} dx$$

Optimal. Leaf size=227

$$\frac{-2a^2 - b^2}{4x^2} - \frac{abe^{ic} dx \Gamma\left(\frac{1}{3}, -idx^3\right)}{2\sqrt[3]{-idx^3}} - \frac{abe^{-ic} dx \Gamma\left(\frac{1}{3}, idx^3\right)}{2\sqrt[3]{idx^3}} - \frac{ab \sin(c + dx^3)}{x^2} + \frac{ib^2 e^{2ic} dx \Gamma\left(\frac{1}{3}, -2idx^3\right)}{4\sqrt[3]{2} \sqrt[3]{-idx^3}} - \frac{ib^2 e^{-2ic} dx \Gamma\left(\frac{1}{3}, 2idx^3\right)}{4\sqrt[3]{2} \sqrt[3]{idx^3}}$$

[Out] $1/4*(-2*a^2-b^2)/x^2+1/4*b^2*\cos(2*d*x^3+2*c)/x^2-1/2*a*b*d*\exp(I*c)*x*\text{GAMMA}(1/3,-I*d*x^3)/(-I*d*x^3)^{(1/3)}-1/2*a*b*d*x*\text{GAMMA}(1/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(1/3)}+1/8*I*b^2*d*\exp(2*I*c)*x*\text{GAMMA}(1/3,-2*I*d*x^3)*2^{(2/3)}/(-I*d*x^3)^{(1/3)}-1/8*I*b^2*d*x*\text{GAMMA}(1/3,2*I*d*x^3)*2^{(2/3)}/\exp(2*I*c)/(I*d*x^3)^{(1/3)}-a*b*\sin(d*x^3+c)/x^2$

Rubi [A] time = 0.13, antiderivative size = 225, normalized size of antiderivative = 0.99, number of steps used = 11, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3388, 3355, 2208, 3387, 3356}

$$-\frac{abe^{ic} dx \text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{2\sqrt[3]{-idx^3}} - \frac{abe^{-ic} dx \text{Gamma}\left(\frac{1}{3}, idx^3\right)}{2\sqrt[3]{idx^3}} + \frac{ib^2 e^{2ic} dx \text{Gamma}\left(\frac{1}{3}, -2idx^3\right)}{4\sqrt[3]{2} \sqrt[3]{-idx^3}} - \frac{ib^2 e^{-2ic} dx \text{Gamma}\left(\frac{1}{3}, 2idx^3\right)}{4\sqrt[3]{2} \sqrt[3]{idx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x^3,x]

[Out] $-(2*a^2 + b^2)/(4*x^2) + (b^2*\text{Cos}[2*c + 2*d*x^3])/(4*x^2) - (a*b*d*\text{E}^{(I*c)}*x*\text{Gamma}[1/3, (-I)*d*x^3])/(2*((-I)*d*x^3)^{(1/3)}) - (a*b*d*x*\text{Gamma}[1/3, I*d*x^3])/(2*\text{E}^{(I*c)}*(I*d*x^3)^{(1/3)}) + ((I/4)*b^2*d*\text{E}^{((2*I)*c)}*x*\text{Gamma}[1/3, (-2*I)*d*x^3])/(2^{(1/3)}*((-I)*d*x^3)^{(1/3)}) - ((I/4)*b^2*d*x*\text{Gamma}[1/3, (2*I)*d*x^3])/(2^{(1/3)}*\text{E}^{((2*I)*c)}*(I*d*x^3)^{(1/3)}) - (a*b*\text{Sin}[c + d*x^3])/x^2$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]
```

Rule 3356

```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_), x_Symbol] := Simp[((e*x)^(m + 1)*Cos[c + d*x^n]/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_))^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^3))^2}{x^3} dx &= \int \left(\frac{a^2}{x^3} + \frac{b^2}{2x^3} - \frac{b^2 \cos(2c + 2dx^3)}{2x^3} + \frac{2ab \sin(c + dx^3)}{x^3} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^3} - \frac{b^2 \cos(2c + 2dx^3)}{2x^3} + \frac{2ab \sin(c + dx^3)}{x^3} \right) dx \\
&= -\frac{2a^2 + b^2}{4x^2} + (2ab) \int \frac{\sin(c + dx^3)}{x^3} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x^3} dx \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2c + 2dx^3)}{4x^2} - \frac{ab \sin(c + dx^3)}{x^2} + (3abd) \int \cos(c + dx^3) dx + \frac{1}{2} (3abd) \int e^{-ic - idx^3} dx + \frac{1}{2} (3abd) \int e^{ic + idx^3} dx \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2c + 2dx^3)}{4x^2} - \frac{ab \sin(c + dx^3)}{x^2} + \frac{1}{2} (3abd) \int e^{-ic - idx^3} dx + \frac{1}{2} (3abd) \int e^{ic + idx^3} dx \\
&= -\frac{2a^2 + b^2}{4x^2} + \frac{b^2 \cos(2c + 2dx^3)}{4x^2} - \frac{abde^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{2\sqrt[3]{-idx^3}} - \frac{abde^{-ic} x \Gamma\left(\frac{1}{3}, idx^3\right)}{2\sqrt[3]{idx^3}} + \frac{ib^2}{2} \frac{e^{ic} \Gamma\left(\frac{1}{3}, idx^3\right) - e^{-ic} \Gamma\left(\frac{1}{3}, -idx^3\right)}{\sqrt[3]{idx^3}}
\end{aligned}$$

Mathematica [A] time = 0.56, size = 332, normalized size = 1.46

$$\frac{-4a^2 \sqrt[3]{d^2 x^6} - 8ab \sqrt[3]{d^2 x^6} \sin(c + dx^3) - 4iab (-idx^3)^{4/3} (\cos(c) - i \sin(c)) \Gamma\left(\frac{1}{3}, idx^3\right) + 4iab (idx^3)^{4/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{1}{3}, -idx^3\right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])^2/x^3,x]

[Out] (-4*a^2*(d^2*x^6)^(1/3) - 2*b^2*(d^2*x^6)^(1/3) + 2*b^2*(d^2*x^6)^(1/3)*Cos[2*(c + d*x^3)] + 2^(2/3)*b^2*(I*d*x^3)^(4/3)*Cos[2*c]*Gamma[1/3, (-2*I)*d*x^3] + 2^(2/3)*b^2*((-I)*d*x^3)^(4/3)*Cos[2*c]*Gamma[1/3, (2*I)*d*x^3] - (4*I)*a*b*((-I)*d*x^3)^(4/3)*Gamma[1/3, I*d*x^3]*(Cos[c] - I*Sin[c]) + (4*I)*a*b*(I*d*x^3)^(4/3)*Gamma[1/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]) + I*2^(2/3)*b^2*(I*d*x^3)^(4/3)*Gamma[1/3, (-2*I)*d*x^3]*Sin[2*c] - I*2^(2/3)*b^2*((-I)*d*x^3)^(4/3)*Gamma[1/3, (2*I)*d*x^3]*Sin[2*c] - 8*a*b*(d^2*x^6)^(1/3)*Sin[c + d*x^3])/(8*x^2*(d^2*x^6)^(1/3))

fricas [A] time = 0.85, size = 139, normalized size = 0.61

$$\frac{b^2 (2i d)^{\frac{2}{3}} x^2 e^{(-2ic)} \Gamma\left(\frac{1}{3}, 2i dx^3\right) - 4i ab (i d)^{\frac{2}{3}} x^2 e^{(-ic)} \Gamma\left(\frac{1}{3}, i dx^3\right) + 4i ab (-i d)^{\frac{2}{3}} x^2 e^{(ic)} \Gamma\left(\frac{1}{3}, -i dx^3\right) + b^2 (-2i d)^{\frac{2}{3}} x^2 e^{ic} \Gamma\left(\frac{1}{3}, -2i dx^3\right)}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^3,x, algorithm="fricas")

[Out] $-1/8*(b^2*(2*I*d)^{(2/3)}*x^2*e^{(-2*I*c)}*\gamma(1/3, 2*I*d*x^3) - 4*I*a*b*(I*d)^{(2/3)}*x^2*e^{(-I*c)}*\gamma(1/3, I*d*x^3) + 4*I*a*b*(-I*d)^{(2/3)}*x^2*e^{(I*c)}*\gamma(1/3, -I*d*x^3) + b^2*(-2*I*d)^{(2/3)}*x^2*e^{(2*I*c)}*\gamma(1/3, -2*I*d*x^3) - 4*b^2*\cos(d*x^3 + c)^2 + 8*a*b*\sin(d*x^3 + c) + 4*a^2 + 4*b^2)/x^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^3 + c) + a)^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^3,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2/x^3, x)

maple [F] time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2/x^3,x)

[Out] int((a+b*sin(d*x^3+c))^2/x^3,x)

maxima [A] time = 0.59, size = 188, normalized size = 0.83

$$\frac{(dx^3)^{\frac{2}{3}} \left((\sqrt{3} - i)\Gamma\left(-\frac{2}{3}, i dx^3\right) + (\sqrt{3} + i)\Gamma\left(-\frac{2}{3}, -i dx^3\right) \right) \cos(c) - \left((i\sqrt{3} + 1)\Gamma\left(-\frac{2}{3}, i dx^3\right) + (-i\sqrt{3} + 1)\Gamma\left(-\frac{2}{3}, -i dx^3\right) \right) \sin(c)}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^3,x, algorithm="maxima")

[Out] $1/6*(d*x^3)^{(2/3)}*(((\sqrt{3} - I)*\gamma(-2/3, I*d*x^3) + (\sqrt{3} + I)*\gamma(-2/3, -I*d*x^3))*\cos(c) - ((I*\sqrt{3} + 1)*\gamma(-2/3, I*d*x^3) + (-I*\sqrt{3} + 1)*\gamma(-2/3, -I*d*x^3))*\sin(c))*a*b/x^2 - 1/24*(2^{(2/3)}*(d*x^3)^{(2/3)}*(((-I*\sqrt{3} - 1)*\gamma(-2/3, 2*I*d*x^3) + (I*\sqrt{3} - 1)*\gamma(-2/3, -2*I*d*x^3))*\cos(2*c) - ((\sqrt{3} - I)*\gamma(-2/3, 2*I*d*x^3) + (\sqrt{3} + I)*\gamma(-2/3, -2*I*d*x^3))*\sin(2*c)) + 6)*b^2/x^2 - 1/2*a^2/x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))^2/x^3, x)

[Out] int((a + b*sin(c + d*x^3))^2/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))**2/x**3, x)

[Out] Integral((a + b*sin(c + d*x**3))**2/x**3, x)

$$3.80 \quad \int \frac{(a+b \sin(c+dx^3))^2}{x^6} dx$$

Optimal. Leaf size=277

$$\frac{-2a^2 - b^2}{10x^5} - \frac{3iabe^{ic}d^2x\Gamma\left(\frac{1}{3}, -idx^3\right)}{10\sqrt[3]{-idx^3}} + \frac{3iabe^{-ic}d^2x\Gamma\left(\frac{1}{3}, idx^3\right)}{10\sqrt[3]{idx^3}} - \frac{2ab \sin(c + dx^3)}{5x^5} - \frac{3abd \cos(c + dx^3)}{5x^2} - \frac{3b^2e^{2ic}d^2x\Gamma\left(\frac{1}{3}, -2idx^3\right)}{10\sqrt[3]{-idx^3}}$$

[Out] $1/10*(-2*a^2-b^2)/x^5-3/5*a*b*d*\cos(d*x^3+c)/x^2+1/10*b^2*\cos(2*d*x^3+2*c)/x^5-3/10*I*a*b*d^2*\exp(I*c)*x*\text{GAMMA}(1/3,-I*d*x^3)/(-I*d*x^3)^{(1/3)}+3/10*I*a*b*d^2*x*\text{GAMMA}(1/3,I*d*x^3)/\exp(I*c)/(I*d*x^3)^{(1/3)}-3/20*b^2*d^2*\exp(2*I*c)*x*\text{GAMMA}(1/3,-2*I*d*x^3)*2^{(2/3)}/(-I*d*x^3)^{(1/3)}-3/20*b^2*d^2*x*\text{GAMMA}(1/3,2*I*d*x^3)*2^{(2/3)}/\exp(2*I*c)/(I*d*x^3)^{(1/3)}-2/5*a*b*\sin(d*x^3+c)/x^5-3/10*b^2*d*\sin(2*d*x^3+2*c)/x^2$

Rubi [A] time = 0.18, antiderivative size = 275, normalized size of antiderivative = 0.99, number of steps used = 13, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3403, 6, 3388, 3387, 3356, 2208, 3355}

$$\frac{3iabe^{ic}d^2x\text{Gamma}\left(\frac{1}{3}, -idx^3\right)}{10\sqrt[3]{-idx^3}} + \frac{3iabe^{-ic}d^2x\text{Gamma}\left(\frac{1}{3}, idx^3\right)}{10\sqrt[3]{idx^3}} - \frac{3b^2e^{2ic}d^2x\text{Gamma}\left(\frac{1}{3}, -2idx^3\right)}{10\sqrt[3]{2}\sqrt[3]{-idx^3}} - \frac{3b^2e^{-2ic}d^2x\text{Gamma}\left(\frac{1}{3}, 2idx^3\right)}{10\sqrt[3]{2}\sqrt[3]{idx^3}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*x^3])^2/x^6, x]

[Out] $-(2*a^2 + b^2)/(10*x^5) - (3*a*b*d*\text{Cos}[c + d*x^3])/(5*x^2) + (b^2*\text{Cos}[2*c + 2*d*x^3])/(10*x^5) - (((3*I)/10)*a*b*d^2*\text{E}^{(I*c)*x*\text{Gamma}[1/3, (-I)*d*x^3]})/((-I)*d*x^3)^{(1/3)} + (((3*I)/10)*a*b*d^2*x*\text{Gamma}[1/3, I*d*x^3])/(E^{(I*c)*(I*d*x^3)^{(1/3)}}) - (3*b^2*d^2*\text{E}^{((2*I)*c)*x*\text{Gamma}[1/3, (-2*I)*d*x^3]})/(10*2^{(1/3)}*((-I)*d*x^3)^{(1/3)}) - (3*b^2*d^2*x*\text{Gamma}[1/3, (2*I)*d*x^3])/(10*2^{(1/3)}*\text{E}^{((2*I)*c)*(I*d*x^3)^{(1/3)}}) - (2*a*b*\text{Sin}[c + d*x^3])/(5*x^5) - (3*b^2*d*\text{Sin}[2*c + 2*d*x^3])/(10*x^2)$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_.)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F

]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3356

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3388

Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_), x_Symbol] :> Simp[((e*x)^(m + 1)*Cos[c + d*x^n])/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3403

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_))]^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \sin(c + dx^3))^2}{x^6} dx &= \int \left(\frac{a^2}{x^6} + \frac{b^2}{2x^6} - \frac{b^2 \cos(2c + 2dx^3)}{2x^6} + \frac{2ab \sin(c + dx^3)}{x^6} \right) dx \\
&= \int \left(\frac{a^2 + \frac{b^2}{2}}{x^6} - \frac{b^2 \cos(2c + 2dx^3)}{2x^6} + \frac{2ab \sin(c + dx^3)}{x^6} \right) dx \\
&= -\frac{2a^2 + b^2}{10x^5} + (2ab) \int \frac{\sin(c + dx^3)}{x^6} dx - \frac{1}{2} b^2 \int \frac{\cos(2c + 2dx^3)}{x^6} dx \\
&= -\frac{2a^2 + b^2}{10x^5} + \frac{b^2 \cos(2c + 2dx^3)}{10x^5} - \frac{2ab \sin(c + dx^3)}{5x^5} + \frac{1}{5} (6abd) \int \frac{\cos(c + dx^3)}{x^3} dx \\
&= -\frac{2a^2 + b^2}{10x^5} - \frac{3abd \cos(c + dx^3)}{5x^2} + \frac{b^2 \cos(2c + 2dx^3)}{10x^5} - \frac{2ab \sin(c + dx^3)}{5x^5} - \frac{3b^2 \cos(c + dx^3)}{5x^2} \\
&= -\frac{2a^2 + b^2}{10x^5} - \frac{3abd \cos(c + dx^3)}{5x^2} + \frac{b^2 \cos(2c + 2dx^3)}{10x^5} - \frac{2ab \sin(c + dx^3)}{5x^5} - \frac{3b^2 \cos(c + dx^3)}{5x^2} \\
&= -\frac{2a^2 + b^2}{10x^5} - \frac{3abd \cos(c + dx^3)}{5x^2} + \frac{b^2 \cos(2c + 2dx^3)}{10x^5} - \frac{3iab d^2 e^{ic} x \Gamma\left(\frac{1}{3}, -idx^3\right)}{10\sqrt[3]{-idx^3}} + \dots
\end{aligned}$$

Mathematica [A] time = 2.46, size = 294, normalized size = 1.06

$$4a^2 + 6iab\sqrt[3]{idx^3} (d^2x^6)^{2/3} (\cos(c) + i \sin(c)) \Gamma\left(\frac{1}{3}, -idx^3\right) + 8ab \sin(c + dx^3) + 12abdx^3 \cos(c + dx^3) + 6iab$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d*x^3])^2/x^6,x]

[Out]
$$-1/20*(4*a^2 + 2*b^2 + 12*a*b*d*x^3*\cos[c + d*x^3] - 2*b^2*\cos[2*(c + d*x^3)]) - 3*2^{(2/3)}*b^2*(I*d*x^3)^{(5/3)}*\cos[2*c]*\Gamma[1/3, (2*I)*d*x^3] + (6*I)*a*b*(I*d*x^3)^{(5/3)}*\Gamma[1/3, I*d*x^3]*(\cos[c] - I*\sin[c]) + (6*I)*a*b*(I*d*x^3)^{(1/3)}*(d^2*x^6)^{(2/3)}*\Gamma[1/3, (-I)*d*x^3]*(\cos[c] + I*\sin[c]) - 3*2^{(2/3)}*b^2*((-I)*d*x^3)^{(5/3)}*\Gamma[1/3, (-2*I)*d*x^3]*(\cos[2*c] + I*\sin[2*c]) + (3*I)*2^{(2/3)}*b^2*(I*d*x^3)^{(5/3)}*\Gamma[1/3, (2*I)*d*x^3]*\sin[2*c] + 8*a*b*\sin[c + d*x^3] + 6*b^2*d*x^3*\sin[2*(c + d*x^3)]/x^5$$

fricas [A] time = 0.76, size = 181, normalized size = 0.65

$$3i b^2 (2i d)^{\frac{2}{3}} dx^5 e^{(-2ic)} \Gamma\left(\frac{1}{3}, 2i dx^3\right) + 6 ab (i d)^{\frac{2}{3}} dx^5 e^{(-ic)} \Gamma\left(\frac{1}{3}, i dx^3\right) + 6 ab (-i d)^{\frac{2}{3}} dx^5 e^{(ic)} \Gamma\left(\frac{1}{3}, -i dx^3\right) - 3i b^2 (-2i d)^{\frac{2}{3}} dx^5 e^{(ic)} \Gamma\left(\frac{1}{3}, -i dx^3\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^6,x, algorithm="fricas")

[Out] $\frac{1}{20}*(3*I*b^2*(2*I*d)^{(2/3)}*d*x^5*e^{(-2*I*c)}*\gamma(1/3, 2*I*d*x^3) + 6*a*b*(I*d)^{(2/3)}*d*x^5*e^{(-I*c)}*\gamma(1/3, I*d*x^3) + 6*a*b*(-I*d)^{(2/3)}*d*x^5*e^{(I*c)}*\gamma(1/3, -I*d*x^3) - 3*I*b^2*(-2*I*d)^{(2/3)}*d*x^5*e^{(2*I*c)}*\gamma(1/3, -2*I*d*x^3) - 12*a*b*d*x^3*\cos(d*x^3 + c) + 4*b^2*\cos(d*x^3 + c)^2 - 4*a^2 - 4*b^2 - 4*(3*b^2*d*x^3*\cos(d*x^3 + c) + 2*a*b)*\sin(d*x^3 + c))/x^5$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \sin(dx^3 + c) + a)^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^6,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2/x^6, x)

maple [F] time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(d*x^3+c))^2/x^6,x)

[Out] int((a+b*sin(d*x^3+c))^2/x^6,x)

maxima [A] time = 0.59, size = 197, normalized size = 0.71

$$\frac{(dx^3)^{\frac{2}{3}} \left(\left((-i\sqrt{3} - 1)\Gamma\left(-\frac{5}{3}, i dx^3\right) + (i\sqrt{3} - 1)\Gamma\left(-\frac{5}{3}, -i dx^3\right) \right) \cos(c) - \left((\sqrt{3} - i)\Gamma\left(-\frac{5}{3}, i dx^3\right) + (\sqrt{3} + i)\Gamma\left(-\frac{5}{3}, -i dx^3\right) \right) \sin(c) \right)}{6x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x^3+c))^2/x^6,x, algorithm="maxima")

[Out] $-1/6*(d*x^3)^{(2/3)}*(((-I*\sqrt{3} - 1)*\gamma(-5/3, I*d*x^3) + (I*\sqrt{3} - 1)*\gamma(-5/3, -I*d*x^3))*\cos(c) - ((\sqrt{3} - I)*\gamma(-5/3, I*d*x^3) + (\sqrt{3} + I)*\gamma(-5/3, -I*d*x^3))*\sin(c))*a*b*d/x^2 - 1/60*(2)^{(2/3)}*(d*x^3)^{(2/3)}*(((5*\sqrt{3} - 5*I)*\gamma(-5/3, 2*I*d*x^3) + (5*\sqrt{3} + 5*I)*\gamma(-5/3, -2*I*d*x^3))*\cos(2*c) + 5*((-I*\sqrt{3} - 1)*\gamma(-5/3, 2*I*d*x^3) + (I*\sqrt{3} + 1)*\gamma(-5/3, -2*I*d*x^3))*\sin(2*c))$

$(I\sqrt{3} - 1)\gamma(-5/3, -2I dx^3)\sin(2c)dx^3 + 6b^2/x^5 - 1/5a^2/x^5$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(a + b \sin(dx^3 + c))^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d*x^3))^2/x^6, x)

[Out] int((a + b*sin(c + d*x^3))^2/x^6, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \sin(c + dx^3))^2}{x^6} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(d*x**3+c))**2/x**6, x)

[Out] Integral((a + b*sin(c + d*x**3))**2/x**6, x)

$$3.81 \quad \int \frac{x^5}{a+b \sin(c+dx^3)} dx$$

Optimal. Leaf size=245

$$-\frac{\operatorname{Li}_2\left(\frac{ibe^{i(dx^3+c)}}{a-\sqrt{a^2-b^2}}\right)}{3d^2\sqrt{a^2-b^2}} + \frac{\operatorname{Li}_2\left(\frac{ibe^{i(dx^3+c)}}{a+\sqrt{a^2-b^2}}\right)}{3d^2\sqrt{a^2-b^2}} - \frac{ix^3 \log\left(1 - \frac{ibe^{i(dx^3+c)}}{a-\sqrt{a^2-b^2}}\right)}{3d\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{i(dx^3+c)}}{\sqrt{a^2-b^2}+a}\right)}{3d\sqrt{a^2-b^2}}$$

[Out] $-1/3*I*x^3*\ln(1-I*b*\exp(I*(d*x^3+c)))/(a-(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}$
 $+1/3*I*x^3*\ln(1-I*b*\exp(I*(d*x^3+c)))/(a+(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}$
 $-1/3*polylog(2,I*b*\exp(I*(d*x^3+c)))/(a-(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)}$
 $+1/3*polylog(2,I*b*\exp(I*(d*x^3+c)))/(a+(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.50, antiderivative size = 245, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3379, 3323, 2264, 2190, 2279, 2391}

$$-\frac{\operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}}\right)}{3d^2\sqrt{a^2-b^2}} + \frac{\operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a}\right)}{3d^2\sqrt{a^2-b^2}} - \frac{ix^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}}\right)}{3d\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a}\right)}{3d\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x^5/(a + b*Sin[c + d*x^3]),x]

[Out] $((-I/3)*x^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x^3))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(\operatorname{Sqrt}[a^2 - b^2]*d) + ((I/3)*x^3*\operatorname{Log}[1 - (I*b*E^{(I*(c + d*x^3))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(\operatorname{Sqrt}[a^2 - b^2]*d) - \operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x^3))})/(a - \operatorname{Sqrt}[a^2 - b^2])]/(3*\operatorname{Sqrt}[a^2 - b^2]*d^2) + \operatorname{PolyLog}[2, (I*b*E^{(I*(c + d*x^3))})/(a + \operatorname{Sqrt}[a^2 - b^2])]/(3*\operatorname{Sqrt}[a^2 - b^2]*d^2)$

Rule 2190

Int[(((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^(n_))), x_Symbol] :> Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2264

Int[(((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_))), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[

```
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3323

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Sy
mbol] :> Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int \frac{x^5}{a + b \sin(c + dx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^3 \right) \\
&= \frac{2}{3} \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^3 \right) \\
&= -\frac{(2ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{2a-2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^3 \right)}{3\sqrt{a^2-b^2}} + \frac{(2ib) \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{2a+2\sqrt{a^2-b^2}-2ibe^{i(c+dx)}} dx, x, x^3 \right)}{3\sqrt{a^2-b^2}} \\
&= -\frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} + \frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a+\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} + \frac{i \text{Subst} \left(\int \log \left(1 - \frac{2ibe^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}} \right) dx, x, x^3 \right)}{3\sqrt{a^2-b^2} d} \\
&= -\frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} + \frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a+\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} + \frac{\text{Subst} \left(\int \frac{\log \left(1 - \frac{2ibx}{2a-2\sqrt{a^2-b^2}} \right)}{x} dx, x, x^3 \right)}{3\sqrt{a^2-b^2} d^2} \\
&= -\frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} + \frac{ix^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a+\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d} - \frac{\text{Li}_2 \left(\frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d^2} + \frac{\text{Li}_2 \left(\frac{ibe^{i(c+dx^3)}}{a+\sqrt{a^2-b^2}} \right)}{3\sqrt{a^2-b^2} d^2}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 188, normalized size = 0.77

$$\frac{-\text{Li}_2 \left(-\frac{ibe^{i(dx^3+c)}}{\sqrt{a^2-b^2}-a} \right) + \text{Li}_2 \left(\frac{ibe^{i(dx^3+c)}}{a+\sqrt{a^2-b^2}} \right) - idx^3 \left(\log \left(1 + \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}-a} \right) - \log \left(1 - \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a} \right) \right)}{3d^2\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(a + b*Sin[c + d*x^3]),x]

[Out] ((-I)*d*x^3*(Log[1 + (I*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])]) - Log[1 - (I*b*E^(I*(c + d*x^3)))/(a + Sqrt[a^2 - b^2])]) - PolyLog[2, ((-I)*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])] + PolyLog[2, (I*b*E^(I*(c + d*x^3)))/(a + Sqrt[a^2 - b^2])])/(3*Sqrt[a^2 - b^2]*d^2)

fricas [B] time = 1.08, size = 1053, normalized size = 4.30

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^3+c)),x, algorithm="fricas")


```
[Out] -1/12*(2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x^3 + c) + 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) + 2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(2*b*cos(d*x^3 + c) - 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x^3 + c) + 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - 2*b*c*sqrt(-(a^2 - b^2)/b^2)*log(-2*b*cos(d*x^3 + c) - 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*I*b*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) - 2*(b*d*x^3 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d*x^3 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - 2*(b*d*x^3 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + 2*(b*d*x^3 + b*c)*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)))/((a^2 - b^2)*d^2)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^5/(a+b*sin(d*x^3+c)),x, algorithm="giac")
```

```
[Out] integrate(x^5/(b*sin(d*x^3 + c) + a), x)
```

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{x^5}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^5/(a+b*sin(d*x^3+c)),x)
```

[Out] `int(x^5/(a+b*sin(d*x^3+c)),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^5/(a+b*sin(d*x^3+c)),x, algorithm="maxima")`

[Out] `integrate(x^5/(b*sin(d*x^3 + c) + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^5/(a + b*sin(c + d*x^3)),x)`

[Out] `int(x^5/(a + b*sin(c + d*x^3)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{a + b \sin(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**5/(a+b*sin(d*x**3+c)),x)`

[Out] `Integral(x**5/(a + b*sin(c + d*x**3)), x)`

$$3.82 \quad \int \frac{x^2}{a+b \sin(c+dx^3)} dx$$

Optimal. Leaf size=51

$$\frac{2 \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx^3)\right)+b}{\sqrt{a^2-b^2}} \right)}{3d\sqrt{a^2-b^2}}$$

[Out] $2/3*\arctan((b+a*\tan(1/2*d*x^3+1/2*c))/(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.08, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3379, 2660, 618, 204}

$$\frac{2 \tan^{-1} \left(\frac{a \tan\left(\frac{1}{2}(c+dx^3)\right)+b}{\sqrt{a^2-b^2}} \right)}{3d\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b*Sin[c + d*x^3]),x]

[Out] (2*ArcTan[(b + a*Tan[(c + d*x^3)/2])/Sqrt[a^2 - b^2]])/(3*Sqrt[a^2 - b^2]*d)

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] := Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c}, x] && NeQ[b^2 - 4*a*c, 0]

Rule 2660

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + 2*b*e*x + a*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{x^2}{a + b \sin(c + dx^3)} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{1}{a + b \sin(c + dx)} dx, x, x^3 \right) \\ &= \frac{2 \text{Subst} \left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan \left(\frac{1}{2} (c + dx^3) \right) \right)}{3d} \\ &= -\frac{4 \text{Subst} \left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan \left(\frac{1}{2} (c + dx^3) \right) \right)}{3d} \\ &= \frac{2 \tan^{-1} \left(\frac{b + a \tan \left(\frac{1}{2} (c + dx^3) \right)}{\sqrt{a^2 - b^2}} \right)}{3\sqrt{a^2 - b^2} d} \end{aligned}$$

Mathematica [A] time = 0.12, size = 51, normalized size = 1.00

$$\frac{2 \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2} (c + dx^3) \right) + b}{\sqrt{a^2 - b^2}} \right)}{3d\sqrt{a^2 - b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*Sin[c + d*x^3]),x]

[Out] (2*ArcTan[(b + a*Tan[(c + d*x^3)/2])/Sqrt[a^2 - b^2]])/(3*Sqrt[a^2 - b^2]*d)

fricas [A] time = 0.56, size = 208, normalized size = 4.08

$$\left[\frac{\sqrt{-a^2 + b^2} \log \left(\frac{(2a^2 - b^2) \cos(dx^3 + c)^2 - 2ab \sin(dx^3 + c) - a^2 - b^2 + 2(a \cos(dx^3 + c) \sin(dx^3 + c) + b \cos(dx^3 + c)) \sqrt{-a^2 + b^2}}{b^2 \cos(dx^3 + c)^2 - 2ab \sin(dx^3 + c) - a^2 - b^2} \right)}{6(a^2 - b^2)d}, -\frac{\arctan \left(-\frac{a}{\sqrt{a^2 - b^2}} \right)}{3\sqrt{a^2 - b^2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out]
$$\frac{-1/6*\sqrt{-a^2 + b^2}*\log(((2*a^2 - b^2)*\cos(d*x^3 + c))^2 - 2*a*b*\sin(d*x^3 + c) - a^2 - b^2 + 2*(a*\cos(d*x^3 + c)*\sin(d*x^3 + c) + b*\cos(d*x^3 + c))*\sqrt{-a^2 + b^2}))/((a^2 - b^2)*d), -1/3*\arctan(-(a*\sin(d*x^3 + c) + b)/(\sqrt{a^2 - b^2}*\cos(d*x^3 + c)))/(\sqrt{a^2 - b^2}*d)}$$

giac [A] time = 0.48, size = 64, normalized size = 1.25

$$\frac{2 \left(\pi \left\lfloor \frac{dx^3+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx^3 + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right) \right)}{3 \sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out]
$$2/3*(\pi*\operatorname{floor}(1/2*(d*x^3 + c)/\pi + 1/2)*\operatorname{sgn}(a) + \arctan((a*\tan(1/2*d*x^3 + 1/2*c) + b)/\sqrt{a^2 - b^2}))/(\sqrt{a^2 - b^2}*d)$$

maple [A] time = 0.05, size = 49, normalized size = 0.96

$$\frac{2 \arctan \left(\frac{2a \tan \left(\frac{dx^3}{2} + \frac{c}{2} \right) + 2b}{2\sqrt{a^2 - b^2}} \right)}{3d\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(d*x^3+c)),x)

[Out]
$$2/3/d/(a^2-b^2)^{(1/2)}*\arctan(1/2*(2*a*\tan(1/2*d*x^3+1/2*c)+2*b)/(a^2-b^2)^{(1/2)})$$

maxima [B] time = 30.56, size = 8078, normalized size = 158.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out]
$$1/3*\arctan^2(-2*(4*(a^2*b^4 - b^6)*\cos(d*x^3 + 2*c))^4*\cos(c)*\sin(c) - 4*(a^2*b^4 - b^6)*\cos(c)*\sin(d*x^3 + 2*c))^4*\sin(c) - 4*((a^3*b^3 - a*b^5)*\cos(c))^4$$

$$\begin{aligned}
& 3 + 3*(a^3*b^3 - a*b^5)*\cos(c)*\sin(c)^2*\cos(d*x^3 + 2*c)^3 - 4*(3*(a^3*b^3 \\
& - a*b^5)*\cos(c)^2*\sin(c) + (a^3*b^3 - a*b^5)*\sin(c)^3 + ((a^2*b^4 - b^6)*\cos(c)^2 \\
& - (a^2*b^4 - b^6)*\sin(c)^2)*\cos(d*x^3 + 2*c))*\sin(d*x^3 + 2*c)^3 + \\
& 4*((4*a^4*b^2 - 5*a^2*b^4 + b^6)*\cos(c)^3*\sin(c) + (4*a^4*b^2 - 5*a^2*b^4 + \\
& b^6)*\cos(c)*\sin(c)^3)*\cos(d*x^3 + 2*c)^2 - 4*((4*a^4*b^2 - 5*a^2*b^4 + b^6 \\
&)*\cos(c)^3*\sin(c) + (4*a^4*b^2 - 5*a^2*b^4 + b^6)*\cos(c)*\sin(c)^3 + 3*((a^3 \\
& *b^3 - a*b^5)*\cos(c)^3 - (a^3*b^3 - a*b^5)*\cos(c)*\sin(c)^2)*\cos(d*x^3 + 2*c \\
&))*\sin(d*x^3 + 2*c)^2 - 4*((2*a^5*b - 3*a^3*b^3 + a*b^5)*\cos(c)^5 + 2*(2*a^5 \\
& *b - 3*a^3*b^3 + a*b^5)*\cos(c)^3*\sin(c)^2 + (2*a^5*b - 3*a^3*b^3 + a*b^5)* \\
& \cos(c)*\sin(c)^4)*\cos(d*x^3 + 2*c) - 4*((2*a^5*b - 3*a^3*b^3 + a*b^5)*\cos(c) \\
& ^4*\sin(c) + 2*(2*a^5*b - 3*a^3*b^3 + a*b^5)*\cos(c)^2*\sin(c)^3 + (2*a^5*b - \\
& 3*a^3*b^3 + a*b^5)*\sin(c)^5 + ((a^2*b^4 - b^6)*\cos(c)^2 - (a^2*b^4 - b^6)*\sin(c)^2)* \\
& \cos(d*x^3 + 2*c)^3 - 3*((a^3*b^3 - a*b^5)*\cos(c)^2*\sin(c) - (a^3*b^3 \\
& - a*b^5)*\sin(c)^3)*\cos(d*x^3 + 2*c)^2 + ((4*a^4*b^2 - 5*a^2*b^4 + b^6)*\cos(c)^4 \\
& - (4*a^4*b^2 - 5*a^2*b^4 + b^6)*\sin(c)^4)*\cos(d*x^3 + 2*c))*\sin(d*x^3 \\
& + 2*c) + (b^5*\cos(d*x^3 + 2*c))^5*\cos(c) - 4*a*b^4*\cos(d*x^3 + 2*c)^4*\cos \\
& (c)*\sin(c) + b^5*\sin(d*x^3 + 2*c)^5*\sin(c) + (b^5*\cos(d*x^3 + 2*c))*\cos(c) + \\
& 4*a*b^4*\cos(c)*\sin(c))*\sin(d*x^3 + 2*c)^4 + 2*((2*a^2*b^3 - b^5)*\cos(c)^3 \\
& + 3*(2*a^2*b^3 - b^5)*\cos(c)*\sin(c)^2)*\cos(d*x^3 + 2*c)^3 + 2*(b^5*\cos(d*x^3 \\
& + 2*c)^2*\sin(c) + 3*(2*a^2*b^3 - b^5)*\cos(c)^2*\sin(c) + (2*a^2*b^3 - b^5) \\
& *\sin(c)^3 + 2*(a*b^4*\cos(c)^2 - a*b^4*\sin(c)^2)*\cos(d*x^3 + 2*c))*\sin(d*x^3 \\
& + 2*c)^3 - 4*((4*a^3*b^2 - 3*a*b^4)*\cos(c)^3*\sin(c) + (4*a^3*b^2 - 3*a*b^4) \\
&)*\cos(c)*\sin(c)^3)*\cos(d*x^3 + 2*c)^2 + 2*(b^5*\cos(d*x^3 + 2*c))^3*\cos(c) + \\
& 2*(4*a^3*b^2 - 3*a*b^4)*\cos(c)^3*\sin(c) + 2*(4*a^3*b^2 - 3*a*b^4)*\cos(c)*\sin(c)^3 \\
& + 3*((2*a^2*b^3 - b^5)*\cos(c)^3 - (2*a^2*b^3 - b^5)*\cos(c)*\sin(c)^2) \\
& *\cos(d*x^3 + 2*c))*\sin(d*x^3 + 2*c)^2 + ((8*a^4*b - 8*a^2*b^3 + b^5)*\cos(c) \\
& ^5 + 2*(8*a^4*b - 8*a^2*b^3 + b^5)*\cos(c)^3*\sin(c)^2 + (8*a^4*b - 8*a^2*b^3 \\
& + b^5)*\cos(c)*\sin(c)^4)*\cos(d*x^3 + 2*c) + (b^5*\cos(d*x^3 + 2*c))^4*\sin(c) \\
& + (8*a^4*b - 8*a^2*b^3 + b^5)*\cos(c)^4*\sin(c) + 2*(8*a^4*b - 8*a^2*b^3 + b^5) \\
& *\cos(c)^2*\sin(c)^3 + (8*a^4*b - 8*a^2*b^3 + b^5)*\sin(c)^5 + 4*(a*b^4*\cos(c) \\
& ^2 - a*b^4*\sin(c)^2)*\cos(d*x^3 + 2*c)^3 - 6*((2*a^2*b^3 - b^5)*\cos(c)^2*\sin(c) \\
& - (2*a^2*b^3 - b^5)*\sin(c)^3)*\cos(d*x^3 + 2*c)^2 + 4*((4*a^3*b^2 - 3*a \\
& *b^4)*\cos(c)^4 - (4*a^3*b^2 - 3*a*b^4)*\sin(c)^4)*\cos(d*x^3 + 2*c))*\sin(d*x^3 \\
& + 2*c))*\sqrt{a^2 - b^2})/(b^6*\cos(d*x^3 + 2*c)^6 + 6*a*b^5*\cos(c)*\sin(d*x^3 \\
& + 2*c)^5 + b^6*\sin(d*x^3 + 2*c)^6 - 6*a*b^5*\cos(d*x^3 + 2*c)^5*\sin(c) + \\
& (32*a^6 - 48*a^4*b^2 + 18*a^2*b^4 - b^6)*\cos(c)^6 + 3*(32*a^6 - 48*a^4*b^2 \\
& + 18*a^2*b^4 - b^6)*\cos(c)^4*\sin(c)^2 + 3*(32*a^6 - 48*a^4*b^2 + 18*a^2*b^4 \\
& - b^6)*\cos(c)^2*\sin(c)^4 + (32*a^6 - 48*a^4*b^2 + 18*a^2*b^4 - b^6)*\sin(c) \\
&)^6 + 3*((2*a^2*b^4 - b^6)*\cos(c)^2 + 5*(2*a^2*b^4 - b^6)*\sin(c)^2)*\cos(d*x^3 \\
& + 2*c)^4 + 3*(b^6*\cos(d*x^3 + 2*c)^2 - 2*a*b^5*\cos(d*x^3 + 2*c)*\sin(c) + \\
& 5*(2*a^2*b^4 - b^6)*\cos(c)^2 + (2*a^2*b^4 - b^6)*\sin(c)^2)*\sin(d*x^3 + 2*c) \\
&)^4 - 4*(3*(4*a^3*b^3 - 3*a*b^5)*\cos(c)^2*\sin(c) + 5*(4*a^3*b^3 - 3*a*b^5)* \\
& \sin(c)^3)*\cos(d*x^3 + 2*c)^3 + 4*(3*a*b^5*\cos(d*x^3 + 2*c)^2*\cos(c) + 5*(4*a \\
& ^3*b^3 - 3*a*b^5)*\cos(c)^3 - 6*(2*a^2*b^4 - b^6)*\cos(d*x^3 + 2*c))*\cos(c)*\sin(c) \\
& + 3*(4*a^3*b^3 - 3*a*b^5)*\cos(c)*\sin(c)^2)*\sin(d*x^3 + 2*c)^3 + 3*((8
\end{aligned}$$

$$\begin{aligned}
& a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^4 + 6(8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^2 \sin(c)^2 + 5(8 a^4 b^2 - 8 a^2 b^4 + b^6) \sin(c)^4 \cos(dx^3 + 2c)^2 + 3(b^6 \cos(dx^3 + 2c)^4 - 4 a b^5 \cos(dx^3 + 2c)^3 \sin(c) + 5(8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^4 + 6(8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^2 \sin(c)^2 + (8 a^4 b^2 - 8 a^2 b^4 + b^6) \sin(c)^4 + 6((2 a^2 b^4 - b^6) \cos(c)^2 + (2 a^2 b^4 - b^6) \sin(c)^2) \cos(dx^3 + 2c)^2 - 4(3(4 a^3 b^3 - 3 a b^5) \cos(c)^2 \sin(c) + (4 a^3 b^3 - 3 a b^5) \sin(c)^3) \cos(dx^3 + 2c) \sin(dx^3 + 2c)^2 - 6((16 a^5 b - 20 a^3 b^3 + 5 a b^5) \cos(c)^4 \sin(c) + 2(16 a^5 b - 20 a^3 b^3 + 5 a b^5) \cos(c)^2 \sin(c)^3 + (16 a^5 b - 20 a^3 b^3 + 5 a b^5) \sin(c)^5) \cos(dx^3 + 2c) + 6(a b^5 \cos(dx^3 + 2c)^4 \cos(c) + (16 a^5 b - 20 a^3 b^3 + 5 a b^5) \cos(c)^5 - 4(2 a^2 b^4 - b^6) \cos(dx^3 + 2c)^3 \cos(c) \sin(c) + 2(16 a^5 b - 20 a^3 b^3 + 5 a b^5) \cos(c)^3 \sin(c)^2 + (16 a^5 b - 20 a^3 b^3 + 5 a b^5) \cos(c) \sin(c)^4 + 2((4 a^3 b^3 - 3 a b^5) \cos(c)^3 + 3(4 a^3 b^3 - 3 a b^5) \cos(c) \sin(c)^2) \cos(dx^3 + 2c)^2 - 4((8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^3 \sin(c) + (8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c) \sin(c)^3) \cos(dx^3 + 2c) \sin(dx^3 + 2c) - 2(3 b^5 \cos(c) \sin(dx^3 + 2c)^5 - 3 b^5 \cos(dx^3 + 2c)^5 \sin(c) + (16 a^5 - 16 a^3 b^2 + 3 a b^4) \cos(c)^6 + 3(16 a^5 - 16 a^3 b^2 + 3 a b^4) \cos(c)^4 \sin(c)^2 + 3(16 a^5 - 16 a^3 b^2 + 3 a b^4) \cos(c)^2 \sin(c)^4 + (16 a^5 - 16 a^3 b^2 + 3 a b^4) \sin(c)^6 + 3(a b^4 \cos(c)^2 + 5 a b^4 \sin(c)^2) \cos(dx^3 + 2c)^4 + 3(5 a b^4 \cos(c)^2 - b^5 \cos(dx^3 + 2c) \sin(c) + a b^4 \sin(c)^2) \sin(dx^3 + 2c)^4 - 2(3(4 a^2 b^3 - b^5) \cos(c)^2 \sin(c) + 5(4 a^2 b^3 - b^5) \sin(c)^3) \cos(dx^3 + 2c)^3 + 2(3 b^5 \cos(dx^3 + 2c)^2 \cos(c) - 12 a b^4 \cos(dx^3 + 2c) \cos(c) \sin(c) + 5(4 a^2 b^3 - b^5) \cos(c)^3 + 3(4 a^2 b^3 - b^5) \cos(c) \sin(c)^2) \sin(dx^3 + 2c)^3 + 6((2 a^3 b^2 - a b^4) \cos(c)^4 + 6(2 a^3 b^2 - a b^4) \cos(c)^2 \sin(c)^2 + 5(2 a^3 b^2 - a b^4) \sin(c)^4) \cos(dx^3 + 2c)^2 - 6(b^5 \cos(dx^3 + 2c)^3 \sin(c) - 5(2 a^3 b^2 - a b^4) \cos(c)^4 - 6(2 a^3 b^2 - a b^4) \cos(c)^2 \sin(c)^2 - (2 a^3 b^2 - a b^4) \sin(c)^4 - 3(a b^4 \cos(c)^2 + a b^4 \sin(c)^2) \cos(dx^3 + 2c)^2 + (3(4 a^2 b^3 - b^5) \cos(c)^2 \sin(c) + (4 a^2 b^3 - b^5) \sin(c)^3) \cos(dx^3 + 2c) \sin(dx^3 + 2c)^2 - 3((16 a^4 b - 12 a^2 b^3 + b^5) \cos(c)^4 \sin(c) + 2(16 a^4 b - 12 a^2 b^3 + b^5) \cos(c)^2 \sin(c)^3 + (16 a^4 b - 12 a^2 b^3 + b^5) \sin(c)^5) \cos(dx^3 + 2c) + 3(b^5 \cos(dx^3 + 2c)^4 \cos(c) - 8 a b^4 \cos(dx^3 + 2c)^3 \cos(c) \sin(c) + (16 a^4 b - 12 a^2 b^3 + b^5) \cos(c)^5 + 2(16 a^4 b - 12 a^2 b^3 + b^5) \cos(c)^3 \sin(c)^2 + (16 a^4 b - 12 a^2 b^3 + b^5) \cos(c) \sin(c)^4 + 2((4 a^2 b^3 - b^5) \cos(c)^3 + 3(4 a^2 b^3 - b^5) \cos(c) \sin(c)^2) \cos(dx^3 + 2c)^2 - 16((2 a^3 b^2 - a b^4) \cos(c)^3 \sin(c) + (2 a^3 b^2 - a b^4) \cos(c) \sin(c)^3) \cos(dx^3 + 2c) \sin(dx^3 + 2c) \sqrt{a^2 - b^2}), (b^6 \cos(dx^3 + 2c)^6 + 6 a b^5 \cos(c) \sin(dx^3 + 2c)^5 + b^6 \sin(dx^3 + 2c)^6 - 6 a b^5 \cos(dx^3 + 2c)^5 \sin(c) + (8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^6 + 3(8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^4 \sin(c)^2 + 3(8 a^4 b^2 - 8 a^2 b^4 + b^6) \cos(c)^2 \sin(c)^4 + (8 a^4 b^2 - 8 a^2 b^4 + b^6) \sin(c)^6 + ((4 a^2 b^4 - b^6) \cos(c)^2 + 5(4 a^2 b^4 - b^6) \sin(c)^2) \cos(dx^3 + 2c)^4 + (3 b^6 \cos(dx^3 + 2c)^2 - 6 a b^5 \cos(dx^3 + 2c) \sin(c) + 5(4 a^2 b^4
\end{aligned}$$

$$\begin{aligned}
&^4 - b^6) \cos(c)^2 + (4a^2b^4 - b^6) \sin(c)^2 \sin(dx^3 + 2c)^4 - 4(3(2a^3b^3 - ab^5) \cos(c)^2 \sin(c) + 5(2a^3b^3 - ab^5) \sin(c)^3) \cos(dx^3 + 2c)^3 + 4(3a^2b^5 \cos(dx^3 + 2c)^2 \cos(c) + 5(2a^3b^3 - ab^5) \cos(c)^3 - 2(4a^2b^4 - b^6) \cos(dx^3 + 2c) \cos(c) \sin(c) + 3(2a^3b^3 - ab^5) \cos(c) \sin(c)^2) \sin(dx^3 + 2c)^3 + ((8a^4b^2 - 4a^2b^4 - b^6) \cos(c)^4 + 6(8a^4b^2 - 4a^2b^4 - b^6) \cos(c)^2 \sin(c)^2 + 5(8a^4b^2 - 4a^2b^4 - b^6) \sin(c)^4) \cos(dx^3 + 2c)^2 + (3b^6 \cos(dx^3 + 2c)^4 - 12ab^5 \cos(dx^3 + 2c)^3 \sin(c) + 5(8a^4b^2 - 4a^2b^4 - b^6) \cos(c)^4 + 6(8a^4b^2 - 4a^2b^4 - b^6) \cos(c)^2 \sin(c)^2 + (8a^4b^2 - 4a^2b^4 - b^6) \sin(c)^4 + 6((4a^2b^4 - b^6) \cos(c)^2 + (4a^2b^4 - b^6) \sin(c)^2) \cos(dx^3 + 2c)^2 - 12(3(2a^3b^3 - ab^5) \cos(c)^2 \sin(c) + (2a^3b^3 - ab^5) \sin(c)^3) \cos(dx^3 + 2c)) \sin(dx^3 + 2c)^2 - 2((8a^5b - 5a^2b^5) \cos(c)^4 \sin(c) + 2(8a^5b - 5a^2b^5) \cos(c)^2 \sin(c)^3 + (8a^5b - 5a^2b^5) \sin(c)^5) \cos(dx^3 + 2c) + 2(3a^2b^5 \cos(dx^3 + 2c)^4 \cos(c) + (8a^5b - 5a^2b^5) \cos(c)^5 - 4(4a^2b^4 - b^6) \cos(dx^3 + 2c)^3 \cos(c) \sin(c) + 2(8a^5b - 5a^2b^5) \cos(c)^3 \sin(c)^2 + (8a^5b - 5a^2b^5) \cos(c) \sin(c)^4 + 6((2a^3b^3 - ab^5) \cos(c)^3 + 3(2a^3b^3 - ab^5) \cos(c) \sin(c)^2) \cos(dx^3 + 2c)^2 - 4((8a^4b^2 - 4a^2b^4 - b^6) \cos(c)^3 \sin(c) + (8a^4b^2 - 4a^2b^4 - b^6) \cos(c) \sin(c)^3) \cos(dx^3 + 2c)) \sin(dx^3 + 2c) - 4(b^5 \cos(c) \sin(dx^3 + 2c)^5 - b^5 \cos(dx^3 + 2c)^5 \sin(c) + (2a^3b^2 - ab^4) \cos(c)^6 + 3(2a^3b^2 - ab^4) \cos(c)^4 \sin(c)^2 + 3(2a^3b^2 - ab^4) \cos(c)^2 \sin(c)^4 + (2a^3b^2 - ab^4) \sin(c)^6 + (ab^4 \cos(c)^2 + 5a^2b^4 \sin(c)^2) \cos(dx^3 + 2c)^4 + (5a^2b^4 \cos(c)^2 - b^5 \cos(dx^3 + 2c) \sin(c) + ab^4 \sin(c)^2) \sin(dx^3 + 2c)^4 - 2(3a^2b^3 \cos(c)^2 \sin(c) + 5a^2b^3 \sin(c)^3) \cos(dx^3 + 2c)^3 + 2(b^5 \cos(dx^3 + 2c)^2 \cos(c) + 5a^2b^3 \cos(c)^3 - 4a^2b^4 \cos(dx^3 + 2c) \cos(c) \sin(c) + 3a^2b^3 \cos(c) \sin(c)^2) \sin(dx^3 + 2c)^3 + 2(a^3b^2 \cos(c)^4 + 6a^3b^2 \cos(c)^2 \sin(c)^2 + 5a^3b^2 \sin(c)^4) \cos(dx^3 + 2c)^2 + 2(5a^3b^2 \cos(c)^4 - b^5 \cos(dx^3 + 2c)^3 \sin(c) + 6a^3b^2 \cos(c)^2 \sin(c)^2 + a^3b^2 \sin(c)^4 + 3(a^2b^4 \cos(c)^2 + ab^4 \sin(c)^2) \cos(dx^3 + 2c)^2 - 3(3a^2b^3 \cos(c)^2 \sin(c) + a^2b^3 \sin(c)^3) \cos(dx^3 + 2c)) \sin(dx^3 + 2c)^2 - ((4a^4b + 2a^2b^3 - b^5) \cos(c)^4 \sin(c) + 2(4a^4b + 2a^2b^3 - b^5) \cos(c)^2 \sin(c)^3 + (4a^4b + 2a^2b^3 - b^5) \sin(c)^5) \cos(dx^3 + 2c) + (b^5 \cos(dx^3 + 2c)^4 \cos(c) - 8a^2b^4 \cos(dx^3 + 2c)^3 \cos(c) \sin(c) + (4a^4b + 2a^2b^3 - b^5) \cos(c)^5 + 2(4a^4b + 2a^2b^3 - b^5) \cos(c)^3 \sin(c)^2 + (4a^4b + 2a^2b^3 - b^5) \cos(c) \sin(c)^4 + 6(a^2b^3 \cos(c)^3 + 3a^2b^3 \cos(c) \sin(c)^2) \cos(dx^3 + 2c)^2 - 16(a^3b^2 \cos(c)^3 \sin(c) + a^3b^2 \cos(c) \sin(c)^3) \cos(dx^3 + 2c)) \sin(dx^3 + 2c)) \sqrt{a^2 - b^2}) / (b^6 \cos(dx^3 + 2c)^6 + 6a^2b^5 \cos(c) \sin(dx^3 + 2c)^5 + b^6 \sin(dx^3 + 2c)^6 - 6a^2b^5 \cos(dx^3 + 2c)^5 \sin(c) + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^6 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^4 \sin(c)^2 + 3(32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \cos(c)^2 \sin(c)^4 + (32a^6 - 48a^4b^2 + 18a^2b^4 - b^6) \sin(c)^6 + 3((2a^2b^4 - b^6) \cos(c)^2 + 5(2a^2b^4 - b^6) \sin(c)^2) \cos(dx^3 + 2c)^4 + 3(b^6 \cos
\end{aligned}$$

$$\begin{aligned}
& (d*x^3 + 2*c)^2 - 2*a*b^5*\cos(d*x^3 + 2*c)*\sin(c) + 5*(2*a^2*b^4 - b^6)*\cos \\
& (c)^2 + (2*a^2*b^4 - b^6)*\sin(c)^2*\sin(d*x^3 + 2*c)^4 - 4*(3*(4*a^3*b^3 - \\
& 3*a*b^5)*\cos(c)^2*\sin(c) + 5*(4*a^3*b^3 - 3*a*b^5)*\sin(c)^3*\cos(d*x^3 + 2* \\
& c)^3 + 4*(3*a*b^5*\cos(d*x^3 + 2*c)^2*\cos(c) + 5*(4*a^3*b^3 - 3*a*b^5)*\cos(c) \\
&)^3 - 6*(2*a^2*b^4 - b^6)*\cos(d*x^3 + 2*c)*\cos(c)*\sin(c) + 3*(4*a^3*b^3 - 3 \\
& *a*b^5)*\cos(c)*\sin(c)^2*\sin(d*x^3 + 2*c)^3 + 3*((8*a^4*b^2 - 8*a^2*b^4 + b \\
& ^6)*\cos(c)^4 + 6*(8*a^4*b^2 - 8*a^2*b^4 + b^6)*\cos(c)^2*\sin(c)^2 + 5*(8*a^4 \\
& *b^2 - 8*a^2*b^4 + b^6)*\sin(c)^4)*\cos(d*x^3 + 2*c)^2 + 3*(b^6*\cos(d*x^3 + 2 \\
& *c)^4 - 4*a*b^5*\cos(d*x^3 + 2*c)^3*\sin(c) + 5*(8*a^4*b^2 - 8*a^2*b^4 + b^6) \\
& *\cos(c)^4 + 6*(8*a^4*b^2 - 8*a^2*b^4 + b^6)*\cos(c)^2*\sin(c)^2 + (8*a^4*b^2 \\
& - 8*a^2*b^4 + b^6)*\sin(c)^4 + 6*((2*a^2*b^4 - b^6)*\cos(c)^2 + (2*a^2*b^4 - \\
& b^6)*\sin(c)^2)*\cos(d*x^3 + 2*c)^2 - 4*(3*(4*a^3*b^3 - 3*a*b^5)*\cos(c)^2*\sin \\
& (c) + (4*a^3*b^3 - 3*a*b^5)*\sin(c)^3)*\cos(d*x^3 + 2*c))*\sin(d*x^3 + 2*c)^2 \\
& - 6*((16*a^5*b - 20*a^3*b^3 + 5*a*b^5)*\cos(c)^4*\sin(c) + 2*(16*a^5*b - 20*a \\
& ^3*b^3 + 5*a*b^5)*\cos(c)^2*\sin(c)^3 + (16*a^5*b - 20*a^3*b^3 + 5*a*b^5)*\sin \\
& (c)^5)*\cos(d*x^3 + 2*c) + 6*(a*b^5*\cos(d*x^3 + 2*c)^4*\cos(c) + (16*a^5*b - \\
& 20*a^3*b^3 + 5*a*b^5)*\cos(c)^5 - 4*(2*a^2*b^4 - b^6)*\cos(d*x^3 + 2*c)^3*\cos \\
& (c)*\sin(c) + 2*(16*a^5*b - 20*a^3*b^3 + 5*a*b^5)*\cos(c)^3*\sin(c)^2 + (16*a^ \\
& 5*b - 20*a^3*b^3 + 5*a*b^5)*\cos(c)*\sin(c)^4 + 2*((4*a^3*b^3 - 3*a*b^5)*\cos(\\
& c)^3 + 3*(4*a^3*b^3 - 3*a*b^5)*\cos(c)*\sin(c)^2)*\cos(d*x^3 + 2*c)^2 - 4*((8 \\
& a^4*b^2 - 8*a^2*b^4 + b^6)*\cos(c)^3*\sin(c) + (8*a^4*b^2 - 8*a^2*b^4 + b^6)* \\
& \cos(c)*\sin(c)^3)*\cos(d*x^3 + 2*c))*\sin(d*x^3 + 2*c) - 2*(3*b^5*\cos(c)*\sin(d \\
& *x^3 + 2*c)^5 - 3*b^5*\cos(d*x^3 + 2*c)^5*\sin(c) + (16*a^5 - 16*a^3*b^2 + 3* \\
& a*b^4)*\cos(c)^6 + 3*(16*a^5 - 16*a^3*b^2 + 3*a*b^4)*\cos(c)^4*\sin(c)^2 + 3*(\\
& 16*a^5 - 16*a^3*b^2 + 3*a*b^4)*\cos(c)^2*\sin(c)^4 + (16*a^5 - 16*a^3*b^2 + 3 \\
& *a*b^4)*\sin(c)^6 + 3*(a*b^4*\cos(c)^2 + 5*a*b^4*\sin(c)^2)*\cos(d*x^3 + 2*c)^4 \\
& + 3*(5*a*b^4*\cos(c)^2 - b^5*\cos(d*x^3 + 2*c)*\sin(c) + a*b^4*\sin(c)^2)*\sin(\\
& d*x^3 + 2*c)^4 - 2*(3*(4*a^2*b^3 - b^5)*\cos(c)^2*\sin(c) + 5*(4*a^2*b^3 - b^ \\
& 5)*\sin(c)^3)*\cos(d*x^3 + 2*c)^3 + 2*(3*b^5*\cos(d*x^3 + 2*c)^2*\cos(c) - 12*a \\
& *b^4*\cos(d*x^3 + 2*c)*\cos(c)*\sin(c) + 5*(4*a^2*b^3 - b^5)*\cos(c)^3 + 3*(4*a \\
& ^2*b^3 - b^5)*\cos(c)*\sin(c)^2)*\sin(d*x^3 + 2*c)^3 + 6*((2*a^3*b^2 - a*b^4)* \\
& \cos(c)^4 + 6*(2*a^3*b^2 - a*b^4)*\cos(c)^2*\sin(c)^2 + 5*(2*a^3*b^2 - a*b^4)* \\
& \sin(c)^4)*\cos(d*x^3 + 2*c)^2 - 6*(b^5*\cos(d*x^3 + 2*c)^3*\sin(c) - 5*(2*a^3* \\
& b^2 - a*b^4)*\cos(c)^4 - 6*(2*a^3*b^2 - a*b^4)*\cos(c)^2*\sin(c)^2 - (2*a^3*b^ \\
& 2 - a*b^4)*\sin(c)^4 - 3*(a*b^4*\cos(c)^2 + a*b^4*\sin(c)^2)*\cos(d*x^3 + 2*c)^ \\
& 2 + (3*(4*a^2*b^3 - b^5)*\cos(c)^2*\sin(c) + (4*a^2*b^3 - b^5)*\sin(c)^3)*\cos(\\
& d*x^3 + 2*c))*\sin(d*x^3 + 2*c)^2 - 3*((16*a^4*b - 12*a^2*b^3 + b^5)*\cos(c)^ \\
& 4*\sin(c) + 2*(16*a^4*b - 12*a^2*b^3 + b^5)*\cos(c)^2*\sin(c)^3 + (16*a^4*b - \\
& 12*a^2*b^3 + b^5)*\sin(c)^5)*\cos(d*x^3 + 2*c) + 3*(b^5*\cos(d*x^3 + 2*c)^4*co \\
& s(c) - 8*a*b^4*\cos(d*x^3 + 2*c)^3*\cos(c)*\sin(c) + (16*a^4*b - 12*a^2*b^3 + \\
& b^5)*\cos(c)^5 + 2*(16*a^4*b - 12*a^2*b^3 + b^5)*\cos(c)^3*\sin(c)^2 + (16*a^4 \\
& *b - 12*a^2*b^3 + b^5)*\cos(c)*\sin(c)^4 + 2*((4*a^2*b^3 - b^5)*\cos(c)^3 + 3* \\
& (4*a^2*b^3 - b^5)*\cos(c)*\sin(c)^2)*\cos(d*x^3 + 2*c)^2 - 16*((2*a^3*b^2 - a* \\
& b^4)*\cos(c)^3*\sin(c) + (2*a^3*b^2 - a*b^4)*\cos(c)*\sin(c)^3)*\cos(d*x^3 + 2*c) \\
&))*\sin(d*x^3 + 2*c))*\sqrt{a^2 - b^2}})/(\sqrt{a^2 - b^2}*d)
\end{aligned}$$

mupad [B] time = 6.52, size = 136, normalized size = 2.67

$$\frac{\ln\left(-x^2 e^{dx^3} e^{ci} 2i - \frac{2x^2(b^{1i+a} e^{dx^3} e^{ci})}{\sqrt{a+b} \sqrt{b-a}}\right) - \ln\left(-x^2 e^{dx^3} e^{ci} 2i + \frac{2x^2(b^{1i+a} e^{dx^3} e^{ci})}{\sqrt{a+b} \sqrt{b-a}}\right)}{3d \sqrt{a+b} \sqrt{b-a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*sin(c + d*x^3)),x)`

[Out] $-(\log(-x^2 \exp(dx^3) \exp(ci) 2i - (2x^2(b^{1i+a} \exp(dx^3) \exp(ci)))) / ((a+b)^{1/2} (b-a)^{1/2})) - \log((2x^2(b^{1i+a} \exp(dx^3) \exp(ci))) / ((a+b)^{1/2} (b-a)^{1/2})) - x^2 \exp(dx^3) \exp(ci) 2i) / (3d(a+b)^{1/2} (b-a)^{1/2})$

sympy [A] time = 18.16, size = 202, normalized size = 3.96

$$\left\{ \begin{array}{ll} \frac{2\sqrt{b^2}}{3b^2d \tan\left(\frac{c}{2} + \frac{dx^3}{2}\right) - 3bd\sqrt{b^2}} & \text{for } a = -\sqrt{b^2} \\ \frac{2\sqrt{b^2}}{3b^2d \tan\left(\frac{c}{2} + \frac{dx^3}{2}\right) + 3bd\sqrt{b^2}} & \text{for } a = \sqrt{b^2} \\ \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^3}{2}\right)\right)}{3bd} & \text{for } a = 0 \\ \frac{x^3}{3(a+b \sin(c))} & \text{for } d = 0 \\ \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^3}{2}\right) + \frac{b}{a} - \frac{\sqrt{-a^2+b^2}}{a}\right)}{3d\sqrt{-a^2+b^2}} - \frac{\log\left(\tan\left(\frac{c}{2} + \frac{dx^3}{2}\right) + \frac{b}{a} + \frac{\sqrt{-a^2+b^2}}{a}\right)}{3d\sqrt{-a^2+b^2}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*sin(d*x**3+c)),x)`

[Out] `Piecewise((2*sqrt(b**2)/(3*b**2*d*tan(c/2 + d*x**3/2) - 3*b*d*sqrt(b**2)), Eq(a, -sqrt(b**2))), (-2*sqrt(b**2)/(3*b**2*d*tan(c/2 + d*x**3/2) + 3*b*d*sqrt(b**2)), Eq(a, sqrt(b**2))), (log(tan(c/2 + d*x**3/2))/(3*b*d), Eq(a, 0)), (x**3/(3*(a + b*sin(c))), Eq(d, 0)), (log(tan(c/2 + d*x**3/2) + b/a - sqrt(-a**2 + b**2)/a)/(3*d*sqrt(-a**2 + b**2)) - log(tan(c/2 + d*x**3/2) + b/a + sqrt(-a**2 + b**2)/a)/(3*d*sqrt(-a**2 + b**2)), True))`

$$3.83 \quad \int \frac{1}{x(a+b \sin(c+dx^3))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x(a+b \sin(c+dx^3))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*x^3])), x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*x^3])), x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+dx^3))} dx = \int \frac{1}{x(a+b \sin(c+dx^3))} dx$$

Mathematica [A] time = 0.44, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sin(c+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*x^3])), x]

[Out] Integrate[1/(x*(a + b*Sin[c + d*x^3])), x]

fricas [A] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx \sin(dx^3 + c) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(1/(b*x*sin(d*x^3 + c) + a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*sin(d*x^3+c)),x)

[Out] int(1/x/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*sin(c + d*x^3))),x)

[Out] int(1/(x*(a + b*sin(c + d*x^3))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(c + dx^3))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x**3+c)),x)

[Out] Integral(1/(x*(a + b*sin(c + d*x**3))), x)

$$3.84 \quad \int \frac{1}{x^4(a+b \sin(cx+dx^3))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^4(a+b \sin(cx+dx^3))}, x\right)$$

[Out] Unintegrable(1/x^4/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^4(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^4*(a + b*Sin[c + d*x^3])), x]

[Out] Defer[Int][1/(x^4*(a + b*Sin[c + d*x^3])), x]

Rubi steps

$$\int \frac{1}{x^4(a+b \sin(cx+dx^3))} dx = \int \frac{1}{x^4(a+b \sin(cx+dx^3))} dx$$

Mathematica [A] time = 0.46, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^4*(a + b*Sin[c + d*x^3])), x]

[Out] Integrate[1/(x^4*(a + b*Sin[c + d*x^3])), x]

fricas [A] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^4 \sin(dx^3 + c) + ax^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(1/(b*x^4*sin(d*x^3 + c) + a*x^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^4), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(a+b*sin(d*x^3+c)),x)

[Out] int(1/x^4/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^4), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^4 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*sin(c + d*x^3))),x)

[Out] int(1/(x^4*(a + b*sin(c + d*x^3))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \sin(c + dx^3))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**4/(a+b*sin(d*x**3+c)),x)

[Out] Integral(1/(x**4*(a + b*sin(c + d*x**3))), x)

$$3.85 \quad \int \frac{x}{a+b \sin(c+dx^3)} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{x}{a+b \sin(c+dx^3)}, x\right)$$

[Out] Unintegrable(x/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{a+b \sin(c+dx^3)} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*Sin[c + d*x^3]), x]

[Out] Defer[Int][x/(a + b*Sin[c + d*x^3]), x]

Rubi steps

$$\int \frac{x}{a+b \sin(c+dx^3)} dx = \int \frac{x}{a+b \sin(c+dx^3)} dx$$

Mathematica [A] time = 0.61, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b \sin(c+dx^3)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*Sin[c + d*x^3]), x]

[Out] Integrate[x/(a + b*Sin[c + d*x^3]), x]

fricas [A] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{b \sin(dx^3 + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(x/(b*sin(d*x^3 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(x/(b*sin(d*x^3 + c) + a), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(d*x^3+c)),x)

[Out] int(x/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(x/(b*sin(d*x^3 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{x}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*sin(c + d*x^3)),x)

[Out] int(x/(a + b*sin(c + d*x^3)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \sin(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x**3+c)),x)

[Out] Integral(x/(a + b*sin(c + d*x**3)), x)

$$3.86 \quad \int \frac{1}{x^2(a+b \sin(cx+dx^3))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^2(a+b \sin(cx+dx^3))}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*x^3])), x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*x^3])), x]

Rubi steps

$$\int \frac{1}{x^2(a+b \sin(cx+dx^3))} dx = \int \frac{1}{x^2(a+b \sin(cx+dx^3))} dx$$

Mathematica [A] time = 0.33, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*x^3])), x]

[Out] Integrate[1/(x^2*(a + b*Sin[c + d*x^3])), x]

fricas [A] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^2 \sin(dx^3 + c) + ax^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(1/(b*x^2*sin(d*x^3 + c) + a*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^2), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(d*x^3+c)),x)

[Out] int(1/x^2/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^2*(a + b*sin(c + d*x^3))),x)

[Out] int(1/(x^2*(a + b*sin(c + d*x^3))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(c + dx^3))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**2/(a+b*sin(d*x**3+c)),x)

[Out] Integral(1/(x**2*(a + b*sin(c + d*x**3))), x)

$$3.87 \quad \int \frac{1}{a+b \sin(c+dx^3)} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{a+b \sin(c+dx^3)}, x\right)$$

[Out] Unintegrable(1/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b \sin(c+dx^3)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*x^3])^(-1), x]

[Out] Defer[Int] [(a + b*Sin[c + d*x^3])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sin(c+dx^3)} dx = \int \frac{1}{a+b \sin(c+dx^3)} dx$$

Mathematica [A] time = 0.02, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \sin(c+dx^3)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*x^3])^(-1), x]

[Out] Integrate[(a + b*Sin[c + d*x^3])^(-1), x]

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b \sin(dx^3 + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(1/(b*sin(d*x^3 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(1/(b*sin(d*x^3 + c) + a), x)

maple [A] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(d*x^3+c)),x)

[Out] int(1/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(1/(b*sin(d*x^3 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d*x^3)),x)

[Out] int(1/(a + b*sin(c + d*x^3)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x**3+c)),x)

[Out] Integral(1/(a + b*sin(c + d*x**3)), x)

$$3.88 \quad \int \frac{1}{x^3(a+b \sin(cx+dx^3))} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^3(a+b \sin(cx+dx^3))}, x\right)$$

[Out] Unintegrable(1/x^3/(a+b*sin(d*x^3+c)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^3(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^3*(a + b*Sin[c + d*x^3])), x]

[Out] Defer[Int][1/(x^3*(a + b*Sin[c + d*x^3])), x]

Rubi steps

$$\int \frac{1}{x^3(a+b \sin(cx+dx^3))} dx = \int \frac{1}{x^3(a+b \sin(cx+dx^3))} dx$$

Mathematica [A] time = 0.37, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3(a+b \sin(cx+dx^3))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^3*(a + b*Sin[c + d*x^3])), x]

[Out] Integrate[1/(x^3*(a + b*Sin[c + d*x^3])), x]

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx^3 \sin(dx^3 + c) + ax^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral(1/(b*x^3*sin(d*x^3 + c) + a*x^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^3), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(a+b*sin(d*x^3+c)),x)

[Out] int(1/x^3/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)*x^3), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^3 (a + b \sin(dx^3 + c))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^3*(a + b*sin(c + d*x^3))),x)

[Out] int(1/(x^3*(a + b*sin(c + d*x^3))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^3))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x**3/(a+b*sin(d*x**3+c)),x)

[Out] Integral(1/(x**3*(a + b*sin(c + d*x**3))), x)

$$3.89 \quad \int \frac{x^5}{(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=324

$$\frac{a \operatorname{Li}_2\left(\frac{ibe^{i(dx^3+c)}}{a-\sqrt{a^2-b^2}}\right)}{3d^2(a^2-b^2)^{3/2}} + \frac{a \operatorname{Li}_2\left(\frac{ibe^{i(dx^3+c)}}{a+\sqrt{a^2-b^2}}\right)}{3d^2(a^2-b^2)^{3/2}} - \frac{\log(a+b \sin(c+dx^3))}{3d^2(a^2-b^2)} - \frac{iax^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}}\right)}{3d(a^2-b^2)^{3/2}} + \frac{iax^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a}\right)}{3d(a^2-b^2)^{3/2}}$$

[Out] $-1/3*\ln(a+b*\sin(d*x^3+c))/(a^2-b^2)/d^2-1/3*I*a*x^3*\ln(1-I*b*\exp(I*(d*x^3+c)))/(a-(a^2-b^2)^{(1/2)})/(a^2-b^2)^{(3/2)}/d+1/3*I*a*x^3*\ln(1-I*b*\exp(I*(d*x^3+c)))/(a+(a^2-b^2)^{(1/2)})/(a^2-b^2)^{(3/2)}/d-1/3*a*\operatorname{polylog}(2,I*b*\exp(I*(d*x^3+c)))/(a-(a^2-b^2)^{(1/2)})/(a^2-b^2)^{(3/2)}/d^2+1/3*a*\operatorname{polylog}(2,I*b*\exp(I*(d*x^3+c)))/(a+(a^2-b^2)^{(1/2)})/(a^2-b^2)^{(3/2)}/d^2+1/3*b*x^3*\cos(d*x^3+c)/(a^2-b^2)/d/(a+b*\sin(d*x^3+c))$

Rubi [A] time = 0.59, antiderivative size = 324, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3379, 3324, 3323, 2264, 2190, 2279, 2391, 2668, 31}

$$\frac{a \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}}\right)}{3d^2(a^2-b^2)^{3/2}} + \frac{a \operatorname{PolyLog}\left(2, \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a}\right)}{3d^2(a^2-b^2)^{3/2}} - \frac{\log(a+b \sin(c+dx^3))}{3d^2(a^2-b^2)} - \frac{iax^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{a-\sqrt{a^2-b^2}}\right)}{3d(a^2-b^2)^{3/2}} + \frac{iax^3 \log\left(1 - \frac{ibe^{i(c+dx^3)}}{\sqrt{a^2-b^2}+a}\right)}{3d(a^2-b^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[x^5/(a + b*Sin[c + d*x^3])^2,x]

[Out] $((-I/3)*a*x^3*\operatorname{Log}[1 - (I*b*E^{I*(c + d*x^3)})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(a^2 - b^2)^{(3/2)*d} + ((I/3)*a*x^3*\operatorname{Log}[1 - (I*b*E^{I*(c + d*x^3)})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(a^2 - b^2)^{(3/2)*d} - \operatorname{Log}[a + b*\operatorname{Sin}[c + d*x^3]]/(3*(a^2 - b^2)*d^2) - (a*\operatorname{PolyLog}[2, (I*b*E^{I*(c + d*x^3)})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(3*(a^2 - b^2)^{(3/2)*d^2}) + (a*\operatorname{PolyLog}[2, (I*b*E^{I*(c + d*x^3)})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(3*(a^2 - b^2)^{(3/2)*d^2}) + (b*x^3*\operatorname{Cos}[c + d*x^3])/(3*(a^2 - b^2)*d*(a + b*\operatorname{Sin}[c + d*x^3]))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n-1), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2190

```
Int[(((F_)^((g_)*(e_) + (f_)*(x_)))^(n_))*((c_) + (d_)*(x_))^(m_)]/
((a_) + (b_)*((F_)^((g_)*(e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp
[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a]]/(b*f*g*n*Log[F]), x] - Di
st[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)
))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]
```

Rule 2264

```
Int[((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2279

```
Int[Log[(a_) + (b_)*((F_)^((e_)*((c_) + (d_)*(x_)))^(n_))], x_Symbol]
:= Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_)*((d_) + (e_)*(x_)^(n_))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2668

```
Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)]^(m
_)), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/
2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p
- 1)/2] && NeQ[a^2 - b^2, 0]
```

Rule 3323

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Sy
mbol] := Dist[2, Int[((c + d*x)^m*E^(I*(e + f*x)))/(I*b + 2*a*E^(I*(e + f*x
)) - I*b*E^(2*I*(e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 3324

```
Int[((c_) + (d_)*(x_))^(m_)/((a_) + (b_)*sin[(e_) + (f_)*(x_)]^2, x_
Symbol] := Simp[(b*(c + d*x)^m*Cos[e + f*x])/(f*(a^2 - b^2)*(a + b*Sin[e +
f*x])), x] + (Dist[a/(a^2 - b^2), Int[(c + d*x)^m/(a + b*Sin[e + f*x]), x],
x] - Dist[(b*d*m)/(f*(a^2 - b^2)), Int[((c + d*x)^(m - 1)*Cos[e + f*x])/(a
```

+ b*Sin[e + f*x]), x], x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && IGtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
 \int \frac{x^5}{(a + b \sin(c + dx^3))^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{x}{(a + b \sin(c + dx))^2} dx, x, x^3 \right) \\
 &= \frac{bx^3 \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} + \frac{a \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^3 \right)}{3(a^2 - b^2)} - \frac{b \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^3 \right)}{3(a^2 - b^2)} \\
 &= \frac{bx^3 \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} + \frac{(2a) \text{Subst} \left(\int \frac{e^{i(c+dx)} x}{ib + 2ae^{i(c+dx)} - ibe^{2i(c+dx)}} dx, x, x^3 \right)}{3(a^2 - b^2)} \\
 &= -\frac{\log(a + b \sin(c + dx^3))}{3(a^2 - b^2)d^2} + \frac{bx^3 \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} - \frac{(2iab) \text{Subst} \left(\int \frac{x}{a + b \sin(c + dx)} dx, x, x^3 \right)}{3(a^2 - b^2)} \\
 &= -\frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a - \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} + \frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a + \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^3))}{3(a^2 - b^2)d^2} \\
 &= -\frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a - \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} + \frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a + \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^3))}{3(a^2 - b^2)d^2} \\
 &= -\frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a - \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} + \frac{iax^3 \log \left(1 - \frac{ibe^{i(c+dx^3)}}{a + \sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} - \frac{\log(a + b \sin(c + dx^3))}{3(a^2 - b^2)d^2}
 \end{aligned}$$

Mathematica [A] time = 0.98, size = 302, normalized size = 0.93

$$\frac{-\frac{a \operatorname{Li}_2\left(-\frac{i b e^{i(dx^3+c)}}{\sqrt{a^2-b^2-a}}\right)}{(a^2-b^2)^{3/2}} + \frac{a \operatorname{Li}_2\left(\frac{i b e^{i(dx^3+c)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}} - \frac{i a d x^3 \log\left(1+\frac{i b e^{i(c+d x^3)}}{\sqrt{a^2-b^2-a}}\right)}{(a^2-b^2)^{3/2}} + \frac{i a d x^3 \log\left(1-\frac{i b e^{i(c+d x^3)}}{\sqrt{a^2-b^2+a}}\right)}{(a^2-b^2)^{3/2}} - \frac{\log(a+b \sin(c+d x^3))}{a^2-b^2} + \frac{b d x^3 \cos(c+d x^3)}{(a^2-b^2)(a+b \sin(c+d x^3))}}{3d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^5/(a + b*Sin[c + d*x^3])^2,x]

[Out] (((-I)*a*d*x^3*Log[1 + (I*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (I*a*d*x^3*Log[1 - (I*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) - Log[a + b*Sin[c + d*x^3]]/(a^2 - b^2) - (a*PolyLog[2, ((-I)*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (a*PolyLog[2, (I*b*E^(I*(c + d*x^3)))/(-a + Sqrt[a^2 - b^2])])/(a^2 - b^2)^(3/2) + (b*d*x^3*Cos[c + d*x^3])/((a^2 - b^2)*(a + b*Sin[c + d*x^3])))/(3*d^2)

fricas [B] time = 1.23, size = 1517, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] 1/6*(2*(a^2*b - b^3)*d*x^3*cos(d*x^3 + c) + (I*a*b^2*sin(d*x^3 + c) + I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-I*a*b^2*sin(d*x^3 + c) - I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (-I*a*b^2*sin(d*x^3 + c) - I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (I*a*b^2*sin(d*x^3 + c) + I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b + 1) + (I*a*b^2*sin(d*x^3 + c) + I*a^2*b)*sqrt(-(a^2 - b^2)/b^2)*dilog(-1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b - (a^2*b*d*x^3 + a^2*b*c + (a*b^2*d*x^3 + a*b^2*c)*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^2*b*d*x^3 + a^2*b*c + (a*b^2*d*x^3 + a*b^2*c)*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) - I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a^2*b*d*x^3 + a^2*b*c + (a*b^2*d*x^3 + a*b^2*c)*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) + 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) + (a^2*b*d*x^3 + a^2*b*c + (a*b^2*d*x^3 + a*b^2*c)*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b)

+ I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^2*b*d*x^3 + a^2*b*c + (a*b^2*d*x^3 + a*b^2*c)*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2)*log(1/2*(-2*I*a*cos(d*x^3 + c) + 2*a*sin(d*x^3 + c) - 2*(b*cos(d*x^3 + c) + I*b*sin(d*x^3 + c))*sqrt(-(a^2 - b^2)/b^2) + 2*b)/b) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^3 + c) + (a*b^2*c*sin(d*x^3 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*x^3 + c) + 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^3 + c) + (a*b^2*c*sin(d*x^3 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(2*b*cos(d*x^3 + c) - 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^3 + c) - (a*b^2*c*sin(d*x^3 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x^3 + c) + 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) + 2*I*a) - (a^3 - a*b^2 + (a^2*b - b^3)*sin(d*x^3 + c) - (a*b^2*c*sin(d*x^3 + c) + a^2*b*c)*sqrt(-(a^2 - b^2)/b^2))*log(-2*b*cos(d*x^3 + c) - 2*I*b*sin(d*x^3 + c) + 2*b*sqrt(-(a^2 - b^2)/b^2) - 2*I*a))/((a^4*b - 2*a^2*b^3 + b^5)*d^2*sin(d*x^3 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(b \sin(dx^3 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(x^5/(b*sin(d*x^3 + c) + a)^2, x)

maple [F] time = 1.34, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a+b*sin(d*x^3+c))^2,x)

[Out] int(x^5/(a+b*sin(d*x^3+c))^2,x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^5/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^5}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^5/(a + b*sin(c + d*x^3))^2,x)

[Out] int(x^5/(a + b*sin(c + d*x^3))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^5}{(a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**5/(a+b*sin(d*x**3+c))**2,x)

[Out] Integral(x**5/(a + b*sin(c + d*x**3))**2, x)

$$3.90 \quad \int \frac{x^2}{(a+b \sin(cx+dx^3))^2} dx$$

Optimal. Leaf size=94

$$\frac{2a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(cx+dx^3) \right) + b}{\sqrt{a^2-b^2}} \right)}{3d(a^2-b^2)^{3/2}} + \frac{b \cos(cx+dx^3)}{3d(a^2-b^2)(a+b \sin(cx+dx^3))}$$

[Out] $2/3*a*\arctan((b+a*\tan(1/2*d*x^3+1/2*c))/(a^2-b^2)^{(1/2)})/(a^2-b^2)^{(3/2)}/d+1/3*b*\cos(d*x^3+c)/(a^2-b^2)/d/(a+b*\sin(d*x^3+c))$

Rubi [A] time = 0.11, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3379, 2664, 12, 2660, 618, 204}

$$\frac{2a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(cx+dx^3) \right) + b}{\sqrt{a^2-b^2}} \right)}{3d(a^2-b^2)^{3/2}} + \frac{b \cos(cx+dx^3)}{3d(a^2-b^2)(a+b \sin(cx+dx^3))}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b*Sin[c + d*x^3])^2,x]

[Out] $(2*a*ArcTan[(b + a*Tan[(c + d*x^3)/2])/Sqrt[a^2 - b^2]])/(3*(a^2 - b^2)^{(3/2)*d} + (b*Cos[c + d*x^3])/(3*(a^2 - b^2)*d*(a + b*Sin[c + d*x^3]))$

Rule 12

Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 204

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> -Simp[ArcTan[(Rt[-b, 2]*x)/Rt[-a, 2]]/(Rt[-a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && PosQ[a/b] && (LtQ[a, 0] || LtQ[b, 0])

Rule 618

Int[((a_.) + (b_.)*(x_) + (c_.)*(x_)^2)^(-1), x_Symbol] :> Dist[-2, Subst[Int[1/Simp[b^2 - 4*a*c - x^2, x], x], x, b + 2*c*x], x] /; FreeQ[{a, b, c},

$x] \&\& \text{NeQ}[b^2 - 4*a*c, 0]$

Rule 2660

$\text{Int}[(a_.) + (b_.)\sin[(c_.) + (d_.)x]^{-1}, x_Symbol] \rightarrow \text{With}[\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + 2*b*e*x + a*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2664

$\text{Int}[(a_.) + (b_.)\sin[(c_.) + (d_.)x]^{n_}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(a + b*\text{Sin}[c + d*x])^{n+1})/(d*(n+1)*(a^2 - b^2)), x] + \text{Dist}[1/((n+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[c + d*x])^{n+1}*\text{Simp}[a*(n+1) - b*(n+2)*\text{Sin}[c + d*x], x], x], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

Rule 3379

$\text{Int}[x^{m_}*(a_.) + (b_.)\sin[(c_.) + (d_.)x]^{n_}]^{p_}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*\text{Sin}[c + d*x])^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]] \&\& (\text{EqQ}[p, 1] \parallel \text{EqQ}[m, n-1] \parallel (\text{IntegerQ}[p] \&\& \text{GtQ}[\text{Simplify}[(m+1)/n], 0]))$

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + b \sin(c + dx^3))^2} dx &= \frac{1}{3} \text{Subst} \left(\int \frac{1}{(a + b \sin(c + dx))^2} dx, x, x^3 \right) \\
&= \frac{b \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} + \frac{\text{Subst} \left(\int \frac{a}{a + b \sin(c + dx)} dx, x, x^3 \right)}{3(a^2 - b^2)} \\
&= \frac{b \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} + \frac{a \text{Subst} \left(\int \frac{1}{a + b \sin(c + dx)} dx, x, x^3 \right)}{3(a^2 - b^2)} \\
&= \frac{b \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} + \frac{(2a) \text{Subst} \left(\int \frac{1}{a + 2bx + ax^2} dx, x, \tan \left(\frac{1}{2}(c + dx^3) \right) \right)}{3(a^2 - b^2)d} \\
&= \frac{b \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))} - \frac{(4a) \text{Subst} \left(\int \frac{1}{-4(a^2 - b^2) - x^2} dx, x, 2b + 2a \tan \left(\frac{1}{2}(c + dx^3) \right) \right)}{3(a^2 - b^2)d} \\
&= \frac{2a \tan^{-1} \left(\frac{b + a \tan \left(\frac{1}{2}(c + dx^3) \right)}{\sqrt{a^2 - b^2}} \right)}{3(a^2 - b^2)^{3/2}d} + \frac{b \cos(c + dx^3)}{3(a^2 - b^2)d(a + b \sin(c + dx^3))}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 91, normalized size = 0.97

$$\frac{2a \tan^{-1} \left(\frac{a \tan \left(\frac{1}{2}(c + dx^3) \right) + b}{\sqrt{a^2 - b^2}} \right)}{\sqrt{a^2 - b^2}} + \frac{b \cos(c + dx^3)}{a + b \sin(c + dx^3)}$$

$$3d(a - b)(a + b)$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*Sin[c + d*x^3])^2,x]

[Out] ((2*a*ArcTan[(b + a*Tan[(c + d*x^3)/2])/Sqrt[a^2 - b^2]])/Sqrt[a^2 - b^2] + (b*Cos[c + d*x^3])/(a + b*Sin[c + d*x^3]))/(3*(a - b)*(a + b)*d)

fricas [A] time = 0.62, size = 366, normalized size = 3.89

$$\left[\frac{(ab \sin(dx^3 + c) + a^2)\sqrt{-a^2 + b^2} \log \left(-\frac{(2a^2 - b^2) \cos(dx^3 + c)^2 - 2ab \sin(dx^3 + c) - a^2 - b^2 - 2(a \cos(dx^3 + c) \sin(dx^3 + c) + b \cos(dx^3 + c))}{b^2 \cos(dx^3 + c)^2 - 2ab \sin(dx^3 + c) - a^2 - b^2} \right)}{6 \left((a^4b - 2a^2b^3 + b^5)d \sin(dx^3 + c) + (a^5 - 2a^3b^2 + ab^4)d \right)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] [1/6*((a*b*sin(d*x^3 + c) + a^2)*sqrt(-a^2 + b^2)*log(-((2*a^2 - b^2)*cos(d*x^3 + c)^2 - 2*a*b*sin(d*x^3 + c) - a^2 - b^2 - 2*(a*cos(d*x^3 + c)*sin(d*x^3 + c) + b*cos(d*x^3 + c))*sqrt(-a^2 + b^2))/(b^2*cos(d*x^3 + c)^2 - 2*a*b*sin(d*x^3 + c) - a^2 - b^2)) + 2*(a^2*b - b^3)*cos(d*x^3 + c))/((a^4*b - 2*a^2*b^3 + b^5)*d*sin(d*x^3 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d), -1/3*((a*b*sin(d*x^3 + c) + a^2)*sqrt(a^2 - b^2)*arctan(-(a*sin(d*x^3 + c) + b)/(sqrt(a^2 - b^2)*cos(d*x^3 + c)))) - (a^2*b - b^3)*cos(d*x^3 + c))/((a^4*b - 2*a^2*b^3 + b^5)*d*sin(d*x^3 + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d)]

giac [A] time = 1.89, size = 146, normalized size = 1.55

$$\frac{2 \left(\pi \left[\frac{dx^3+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(a) + \arctan \left(\frac{a \tan \left(\frac{1}{2} dx^3 + \frac{1}{2} c \right) + b}{\sqrt{a^2 - b^2}} \right) \right) a}{3 (a^2 d - b^2 d) \sqrt{a^2 - b^2}} + \frac{2 \left(b^2 \tan \left(\frac{1}{2} dx^3 + \frac{1}{2} c \right) + ab \right)}{3 (a^3 d - ab^2 d) \left(a \tan \left(\frac{1}{2} dx^3 + \frac{1}{2} c \right) + 2 b \tan \left(\frac{1}{2} dx^3 + \frac{1}{2} c \right) \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] 2/3*(pi*floor(1/2*(d*x^3 + c)/pi + 1/2)*sgn(a) + arctan((a*tan(1/2*d*x^3 + 1/2*c) + b)/sqrt(a^2 - b^2)))*a/((a^2*d - b^2*d)*sqrt(a^2 - b^2)) + 2/3*(b^2*tan(1/2*d*x^3 + 1/2*c) + a*b)/((a^3*d - a*b^2*d)*(a*tan(1/2*d*x^3 + 1/2*c)^2 + 2*b*tan(1/2*d*x^3 + 1/2*c) + a))

maple [A] time = 0.10, size = 167, normalized size = 1.78

$$\frac{2b^2 \tan \left(\frac{dx^3}{2} + \frac{c}{2} \right)}{3d \left(a \left(\tan^2 \left(\frac{dx^3}{2} + \frac{c}{2} \right) \right) + 2 \tan \left(\frac{dx^3}{2} + \frac{c}{2} \right) b + a \right) a (a^2 - b^2)} + \frac{2b}{3d \left(a \left(\tan^2 \left(\frac{dx^3}{2} + \frac{c}{2} \right) \right) + 2 \tan \left(\frac{dx^3}{2} + \frac{c}{2} \right) b + a \right) (a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(d*x^3+c))^2,x)

[Out] 2/3/d/(a*tan(1/2*d*x^3+1/2*c)^2+2*tan(1/2*d*x^3+1/2*c)*b+a)*b^2/a/(a^2-b^2)*tan(1/2*d*x^3+1/2*c)+2/3/d/(a*tan(1/2*d*x^3+1/2*c)^2+2*tan(1/2*d*x^3+1/2*c)*b+a)*b/(a^2-b^2)+2/3/d*a/(a^2-b^2)^(3/2)*arctan(1/2*(2*a*tan(1/2*d*x^3+1/2*c)+2*b)/(a^2-b^2)^(1/2))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [B] time = 4.95, size = 186, normalized size = 1.98

$$\frac{\frac{2b}{a^2-b^2} + \frac{2b^2 \tan\left(\frac{dx^3}{2} + \frac{c}{2}\right)}{a(a^2-b^2)}}{d \left(3a \tan\left(\frac{dx^3}{2} + \frac{c}{2}\right)^2 + 6b \tan\left(\frac{dx^3}{2} + \frac{c}{2}\right) + 3a \right)} + \frac{2a \operatorname{atan} \left(\frac{3(a^2-b^2) \left(\frac{2a^2 \tan\left(\frac{dx^3}{2} + \frac{c}{2}\right)}{3(a+b)^{3/2}(a-b)^{3/2}} + \frac{2a(3a^2b-3b^3)}{9(a+b)^{3/2}(a^2-b^2)(a-b)^{3/2}} \right)}{2a} \right)}{3d(a+b)^{3/2}(a-b)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*sin(c + d*x^3))^2,x)

[Out] ((2*b)/(a^2 - b^2) + (2*b^2*tan(c/2 + (d*x^3)/2))/(a*(a^2 - b^2)))/(d*(3*a + 3*a*tan(c/2 + (d*x^3)/2)^2 + 6*b*tan(c/2 + (d*x^3)/2))) + (2*a*atan((3*(a^2 - b^2)*((2*a^2*tan(c/2 + (d*x^3)/2))/(3*(a + b)^(3/2)*(a - b)^(3/2)) + (2*a*(3*a^2*b - 3*b^3))/(9*(a + b)^(3/2)*(a^2 - b^2)*(a - b)^(3/2)))))/(2*a))/(3*d*(a + b)^(3/2)*(a - b)^(3/2))

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*sin(d*x**3+c))**2,x)

[Out] Timed out

$$3.91 \quad \int \frac{1}{x(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x(a+b \sin(c+dx^3))^2}, x \right)$$

[Out] Unintegrable(1/x/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*x^3])^2),x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*x^3])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+dx^3))^2} dx = \int \frac{1}{x(a+b \sin(c+dx^3))^2} dx$$

Mathematica [A] time = 11.04, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*x^3])^2),x]

[Out] Integrate[1/(x*(a + b*Sin[c + d*x^3])^2), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2x \cos(dx^3 + c)^2 - 2abx \sin(dx^3 + c) - (a^2 + b^2)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x*cos(d*x^3 + c)^2 - 2*a*b*x*sin(d*x^3 + c) - (a^2 + b^2)*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)^2*x), x)

maple [A] time = 1.09, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*sin(d*x^3+c))^2,x)

[Out] int(1/x/(a+b*sin(d*x^3+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*sin(c + d*x^3))^2),x)

[Out] `int(1/(x*(a + b*sin(c + d*x^3))^2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral(1/(x*(a + b*sin(c + d*x**3))**2), x)`

$$3.92 \quad \int \frac{1}{x^4(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x^4 (a + b \sin (c + dx^3))^2}, x \right)$$

[Out] Unintegrable(1/x^4/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^4 (a + b \sin (c + dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^4*(a + b*Sin[c + d*x^3])^2),x]

[Out] Defer[Int][1/(x^4*(a + b*Sin[c + d*x^3])^2), x]

Rubi steps

$$\int \frac{1}{x^4 (a + b \sin (c + dx^3))^2} dx = \int \frac{1}{x^4 (a + b \sin (c + dx^3))^2} dx$$

Mathematica [A] time = 13.37, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \sin (c + dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^4*(a + b*Sin[c + d*x^3])^2),x]

[Out] Integrate[1/(x^4*(a + b*Sin[c + d*x^3])^2), x]

fricas [A] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 x^4 \cos(dx^3 + c)^2 - 2 ab x^4 \sin(dx^3 + c) - (a^2 + b^2) x^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^4*cos(d*x^3 + c)^2 - 2*a*b*x^4*sin(d*x^3 + c) - (a^2 + b^2)*x^4), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)^2 x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)^2*x^4), x)

maple [A] time = 1.15, size = 0, normalized size = 0.00

$$\int \frac{1}{x^4 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^4/(a+b*sin(d*x^3+c))^2,x)

[Out] int(1/x^4/(a+b*sin(d*x^3+c))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^4/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^4 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x^4*(a + b*sin(c + d*x^3))^2),x)

```
[Out] int(1/(x^4*(a + b*sin(c + d*x^3))^2), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x^4 (a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**4/(a+b*sin(d*x**3+c))**2,x)
```

```
[Out] Integral(1/(x**4*(a + b*sin(c + d*x**3))**2), x)
```

$$3.93 \quad \int \frac{x}{(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=19

$$\text{Int} \left(\frac{x}{(a+b \sin(c+dx^3))^2}, x \right)$$

[Out] Unintegrable(x/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*Sin[c + d*x^3])^2,x]

[Out] Defer[Int][x/(a + b*Sin[c + d*x^3])^2, x]

Rubi steps

$$\int \frac{x}{(a+b \sin(c+dx^3))^2} dx = \int \frac{x}{(a+b \sin(c+dx^3))^2} dx$$

Mathematica [A] time = 7.32, size = 0, normalized size = 0.00

$$\int \frac{x}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*Sin[c + d*x^3])^2,x]

[Out] Integrate[x/(a + b*Sin[c + d*x^3])^2, x]

fricas [A] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{x}{b^2 \cos(dx^3+c)^2 - 2ab \sin(dx^3+c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-x/(b^2*cos(d*x^3 + c)^2 - 2*a*b*sin(d*x^3 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(b \sin(dx^3 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(x/(b*sin(d*x^3 + c) + a)^2, x)

maple [A] time = 1.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(d*x^3+c))^2,x)

[Out] int(x/(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*(4*a*b*cos(d*x^3)*cos(c) + 2*b^2*cos(2*c)*sin(2*d*x^3) + 2*b^2*cos(2*d*x^3)*sin(2*c) - 4*a*b*sin(d*x^3)*sin(c) + 2*(a*b*cos(2*d*x^3)*cos(2*c) - 2*a^2*cos(c)*sin(d*x^3) - a*b*sin(2*d*x^3)*sin(2*c) - 2*a^2*cos(d*x^3)*sin(c) - a*b*cos(d*x^3 + c) - 3*((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x + 2*(2*(a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x*cos(d*x^3) - (a^2*b^2 - b^4)*d*x*cos(2*c) - 2*((a^3*b - a*b^3)*cos(2*c)*cos(c) +

```

(a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x*sin(d*x^3))*cos(2*d*x^3) + 2*(2*((a^3*
b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x*cos(d*x^3
) + 2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d
*x*sin(d*x^3) + (a^2*b^2 - b^4)*d*x*sin(2*c))*sin(2*d*x^3))*integrate(-2/3*
(2*a*b*cos(d*x^3)*cos(c) + b^2*cos(2*c)*sin(2*d*x^3) + b^2*cos(2*d*x^3)*sin
(2*c) - 2*a*b*sin(d*x^3)*sin(c) - (a*b - (3*a*b*d*x^3*sin(2*c) + a*b*cos(2*
c))*cos(2*d*x^3) - 2*(3*a^2*d*x^3*cos(c) - a^2*sin(c))*cos(d*x^3) - (3*a*b*
d*x^3*cos(2*c) - a*b*sin(2*c))*sin(2*d*x^3) + 2*(3*a^2*d*x^3*sin(c) + a^2*cos
(c))*sin(d*x^3))*cos(d*x^3 + c) + (3*a*b*d*x^3 - (3*a*b*d*x^3*cos(2*c) -
a*b*sin(2*c))*cos(2*d*x^3) + 2*(3*a^2*d*x^3*sin(c) + a^2*cos(c))*cos(d*x^3)
+ (3*a*b*d*x^3*sin(2*c) + a*b*cos(2*c))*sin(2*d*x^3) + 2*(3*a^2*d*x^3*cos(c)
- a^2*sin(c))*sin(d*x^3))*sin(d*x^3 + c))/(((a^2*b^2 - b^4)*cos(2*c)^2 +
(a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)
^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(
2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^
3)*d*x^2*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*
sin(c)^2)*d*x^2*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*cos(d*x^3)*sin(c) +
(a^2*b^2 - b^4)*d*x^2 + 2*(2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*
b^3)*cos(2*c)*sin(c))*d*x^2*cos(d*x^3) - (a^2*b^2 - b^4)*d*x^2*cos(2*c) - 2
*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x^2*
sin(d*x^3))*cos(2*d*x^3) + 2*(2*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b -
a*b^3)*sin(2*c)*sin(c))*d*x^2*cos(d*x^3) + 2*((a^3*b - a*b^3)*cos(c)*sin(2
*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x^2*sin(d*x^3) + (a^2*b^2 - b^4)*d
*x^2*sin(2*c))*sin(2*d*x^3)), x) + 2*(2*a^2*cos(d*x^3)*cos(c) + a*b*cos(2*c
)*sin(2*d*x^3) + a*b*cos(2*d*x^3)*sin(2*c) - 2*a^2*sin(d*x^3)*sin(c))*sin(d
*x^3 + c))/(((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x*c
os(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x
*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d
*x*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x*cos(c)*sin(d*x^3) + 4*((a^4 - a^2
*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x*sin(d*x^3)^2 + 4*(a^3*b - a*
b^3)*d*x*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x + 2*(2*((a^3*b - a*b^3)*co
s(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x*cos(d*x^3) - (a^2*b^2
- b^4)*d*x*cos(2*c) - 2*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*
sin(2*c)*sin(c))*d*x*sin(d*x^3))*cos(2*d*x^3) + 2*(2*((a^3*b - a*b^3)*cos(
2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x*cos(d*x^3) + 2*((a^3*b -
a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x*sin(d*x^3) +
(a^2*b^2 - b^4)*d*x*sin(2*c))*sin(2*d*x^3))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{x}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(x/(a + b*sin(c + d*x^3))^2,x)
```

```
[Out] int(x/(a + b*sin(c + d*x^3))^2, x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x}{(a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*sin(d*x**3+c))**2,x)
```

```
[Out] Integral(x/(a + b*sin(c + d*x**3))**2, x)
```

$$3.94 \quad \int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x^2(a+b \sin(c+dx^3))^2}, x\right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*x^3])^2),x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*x^3])^2), x]

Rubi steps

$$\int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx = \int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx$$

Mathematica [A] time = 11.68, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*x^3])^2),x]

[Out] Integrate[1/(x^2*(a + b*Sin[c + d*x^3])^2), x]

fricas [A] time = 0.61, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{1}{b^2x^2 \cos(dx^3+c)^2 - 2abx^2 \sin(dx^3+c) - (a^2+b^2)x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^2*cos(d*x^3 + c)^2 - 2*a*b*x^2*sin(d*x^3 + c) - (a^2 + b^2)*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)^2*x^2), x)

maple [A] time = 1.25, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(d*x^3+c))^2,x)

[Out] int(1/x^2/(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*(4*a*b*cos(d*x^3)*cos(c) + 2*b^2*cos(2*c)*sin(2*d*x^3) + 2*b^2*cos(2*d*x^3)*sin(2*c) - 4*a*b*sin(d*x^3)*sin(c) + 2*(a*b*cos(2*d*x^3)*cos(2*c) - 2*a^2*cos(c)*sin(d*x^3) - a*b*sin(2*d*x^3)*sin(2*c) - 2*a^2*cos(d*x^3)*sin(c) - a*b*cos(d*x^3 + c) - 3*((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^4*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^4*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^4*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^4*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^4*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^4*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x^4 + 2*(2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(

$c)) * d * x^4 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^4 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^4 * \sin(d * x^3)) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^4 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^4 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^4 * \sin(2 * c)) * \sin(2 * d * x^3)) * \int (-2/3 * (8 * a * b * \cos(d * x^3) * \cos(c) + 4 * b^2 * \cos(2 * c) * \sin(2 * d * x^3) + 4 * b^2 * \cos(2 * d * x^3) * \sin(2 * c) - 8 * a * b * \sin(d * x^3) * \sin(c) - (4 * a * b - (3 * a * b * d * x^3 * \sin(2 * c) + 4 * a * b * \cos(2 * c))) * \cos(2 * d * x^3) - 2 * (3 * a^2 * d * x^3 * \cos(c) - 4 * a^2 * \sin(c)) * \cos(d * x^3) - (3 * a * b * d * x^3 * \cos(2 * c) - 4 * a * b * \sin(2 * c)) * \sin(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \sin(c) + 4 * a^2 * \cos(c)) * \sin(d * x^3)) * \cos(d * x^3 + c) + (3 * a * b * d * x^3 - (3 * a * b * d * x^3 * \cos(2 * c) - 4 * a * b * \sin(2 * c))) * \cos(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \sin(c) + 4 * a^2 * \cos(c)) * \cos(d * x^3) + (3 * a * b * d * x^3 * \sin(2 * c) + 4 * a * b * \cos(2 * c)) * \sin(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \cos(c) - 4 * a^2 * \sin(c)) * \sin(d * x^3)) * \sin(d * x^3 + c)) / (((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^5 * \cos(2 * d * x^3)^2 + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^5 * \cos(d * x^3)^2 + ((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^5 * \sin(2 * d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^5 * \cos(c) * \sin(d * x^3) + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^5 * \sin(d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^5 * \cos(d * x^3) * \sin(c) + (a^2 * b^2 - b^4) * d * x^5 + 2 * (2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^5 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^5 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3)) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^5 * \sin(2 * c)) * \sin(2 * d * x^3)), x) + 2 * (2 * a^2 * \cos(d * x^3) * \cos(c) + a * b * \cos(2 * c) * \sin(2 * d * x^3) + a * b * \cos(2 * d * x^3) * \sin(2 * c) - 2 * a^2 * \sin(d * x^3) * \sin(c)) * \sin(d * x^3 + c)) / (((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^4 * \cos(2 * d * x^3)^2 + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^4 * \cos(d * x^3)^2 + ((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^4 * \sin(2 * d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^4 * \cos(c) * \sin(d * x^3) + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^4 * \sin(d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^4 * \cos(d * x^3) * \sin(c) + (a^2 * b^2 - b^4) * d * x^4 + 2 * (2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^4 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^4 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^4 * \sin(d * x^3)) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^4 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^4 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^4 * \sin(2 * c)) * \sin(2 * d * x^3))$

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^2 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^2*(a + b*sin(c + d*x^3))^2), x)`

[Out] `int(1/(x^2*(a + b*sin(c + d*x^3))^2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 (a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**2/(a+b*sin(d*x**3+c))**2, x)`

[Out] `Integral(1/(x**2*(a + b*sin(c + d*x**3))**2), x)`

$$3.95 \quad \int \frac{1}{(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{(a+b \sin(c+dx^3))^2}, x \right)$$

[Out] Unintegrable(1/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*x^3])^(-2),x]

[Out] Defer[Int] [(a + b*Sin[c + d*x^3])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b \sin(c+dx^3))^2} dx = \int \frac{1}{(a+b \sin(c+dx^3))^2} dx$$

Mathematica [A] time = 9.13, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*x^3])^(-2),x]

[Out] Integrate[(a + b*Sin[c + d*x^3])^(-2), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 \cos(dx^3+c)^2 - 2ab \sin(dx^3+c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*cos(d*x^3 + c)^2 - 2*a*b*sin(d*x^3 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^(-2), x)

maple [A] time = 1.03, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(d*x^3+c))^2,x)

[Out] int(1/(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*(4*a*b*cos(d*x^3)*cos(c) + 2*b^2*cos(2*c)*sin(2*d*x^3) + 2*b^2*cos(2*d*x^3)*sin(2*c) - 4*a*b*sin(d*x^3)*sin(c) + 2*(a*b*cos(2*d*x^3)*cos(2*c) - 2*a^2*cos(c)*sin(d*x^3) - a*b*sin(2*d*x^3)*sin(2*c) - 2*a^2*cos(d*x^3)*sin(c) - a*b*cos(d*x^3 + c) - 3*((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x^2 + 2*(2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x^2*cos(d*x^3) - (a^2*b^2 - b^4)*d*x^2*cos(2*c) - 2*((a^3*b - a*b^3)*

```

cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x^2*sin(d*x^3))*cos(2*
d*x^3) + 2*(2*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*s
in(c))*d*x^2*cos(d*x^3) + 2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b
^3)*cos(2*c)*sin(c))*d*x^2*sin(d*x^3) + (a^2*b^2 - b^4)*d*x^2*sin(2*c))*sin
(2*d*x^3))*integrate(-2/3*(4*a*b*cos(d*x^3)*cos(c) + 2*b^2*cos(2*c)*sin(2*d
*x^3) + 2*b^2*cos(2*d*x^3)*sin(2*c) - 4*a*b*sin(d*x^3)*sin(c) - (2*a*b - (3
*a*b*d*x^3*sin(2*c) + 2*a*b*cos(2*c))*cos(2*d*x^3) - 2*(3*a^2*d*x^3*cos(c)
- 2*a^2*sin(c))*cos(d*x^3) - (3*a*b*d*x^3*cos(2*c) - 2*a*b*sin(2*c))*sin(2*
d*x^3) + 2*(3*a^2*d*x^3*sin(c) + 2*a^2*cos(c))*sin(d*x^3))*cos(d*x^3 + c) +
(3*a*b*d*x^3 - (3*a*b*d*x^3*cos(2*c) - 2*a*b*sin(2*c))*cos(2*d*x^3) + 2*(3
*a^2*d*x^3*sin(c) + 2*a^2*cos(c))*cos(d*x^3) + (3*a*b*d*x^3*sin(2*c) + 2*a*
b*cos(2*c))*sin(2*d*x^3) + 2*(3*a^2*d*x^3*cos(c) - 2*a^2*sin(c))*sin(d*x^3)
)*sin(d*x^3 + c))/(((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2
)*d*x^3*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(
c)^2)*d*x^3*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*si
n(2*c)^2)*d*x^3*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^3*cos(c)*sin(d*x^3)
+ 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^3*sin(d*x^3)^
2 + 4*(a^3*b - a*b^3)*d*x^3*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x^3 + 2*(
2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x^3
*cos(d*x^3) - (a^2*b^2 - b^4)*d*x^3*cos(2*c) - 2*((a^3*b - a*b^3)*cos(2*c)*
cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x^3*sin(d*x^3))*cos(2*d*x^3) +
2*(2*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*
x^3*cos(d*x^3) + 2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2
*c)*sin(c))*d*x^3*sin(d*x^3) + (a^2*b^2 - b^4)*d*x^3*sin(2*c))*sin(2*d*x^3)
), x) + 2*(2*a^2*cos(d*x^3)*cos(c) + a*b*cos(2*c)*sin(2*d*x^3) + a*b*cos(2*
d*x^3)*sin(2*c) - 2*a^2*sin(d*x^3)*sin(c))*sin(d*x^3 + c))/(((a^2*b^2 - b^4
)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*cos(2*d*x^3)^2 + 4*((a^4 -
a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*cos(d*x^3)^2 + ((a^2*b
^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*sin(2*d*x^3)^2 + 4
*(a^3*b - a*b^3)*d*x^2*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a
^4 - a^2*b^2)*sin(c)^2)*d*x^2*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*cos(d*
x^3)*sin(c) + (a^2*b^2 - b^4)*d*x^2 + 2*(2*((a^3*b - a*b^3)*cos(c)*sin(2*c)
- (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x^2*cos(d*x^3) - (a^2*b^2 - b^4)*d*x^
2*cos(2*c) - 2*((a^3*b - a*b^3)*cos(2*c)*cos(c) + (a^3*b - a*b^3)*sin(2*c)*
sin(c))*d*x^2*sin(d*x^3))*cos(2*d*x^3) + 2*(2*((a^3*b - a*b^3)*cos(2*c)*cos
(c) + (a^3*b - a*b^3)*sin(2*c)*sin(c))*d*x^2*cos(d*x^3) + 2*((a^3*b - a*b^3
)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(c))*d*x^2*sin(d*x^3) + (a^
2*b^2 - b^4)*d*x^2*sin(2*c))*sin(2*d*x^3))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*sin(c + d*x^3))^2,x)`

[Out] `int(1/(a + b*sin(c + d*x^3))^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral((a + b*sin(c + d*x**3))**(-2), x)`

$$3.96 \quad \int \frac{1}{x^3(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{x^3 (a + b \sin(c + dx^3))^2}, x \right)$$

[Out] Unintegrable(1/x^3/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^3 (a + b \sin(c + dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^3*(a + b*Sin[c + d*x^3])^2),x]

[Out] Defer[Int][1/(x^3*(a + b*Sin[c + d*x^3])^2), x]

Rubi steps

$$\int \frac{1}{x^3 (a + b \sin(c + dx^3))^2} dx = \int \frac{1}{x^3 (a + b \sin(c + dx^3))^2} dx$$

Mathematica [A] time = 12.83, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^3*(a + b*Sin[c + d*x^3])^2),x]

[Out] Integrate[1/(x^3*(a + b*Sin[c + d*x^3])^2), x]

fricas [A] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 x^3 \cos(dx^3 + c)^2 - 2 a b x^3 \sin(dx^3 + c) - (a^2 + b^2) x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^3*cos(d*x^3 + c)^2 - 2*a*b*x^3*sin(d*x^3 + c) - (a^2 + b^2)*x^3), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \sin(dx^3 + c) + a)^2 x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin(d*x^3 + c) + a)^2*x^3), x)

maple [A] time = 1.10, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^3/(a+b*sin(d*x^3+c))^2,x)

[Out] int(1/x^3/(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^3/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*(4*a*b*cos(d*x^3)*cos(c) + 2*b^2*cos(2*c)*sin(2*d*x^3) + 2*b^2*cos(2*d*x^3)*sin(2*c) - 4*a*b*sin(d*x^3)*sin(c) + 2*(a*b*cos(2*d*x^3)*cos(2*c) - 2*a^2*cos(c)*sin(d*x^3) - a*b*sin(2*d*x^3)*sin(2*c) - 2*a^2*cos(d*x^3)*sin(c) - a*b*cos(d*x^3 + c) - 3*((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^5*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^5*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^5*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^5*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^5*sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^5*cos(d*x^3)*sin(c) + (a^2*b^2 - b^4)*d*x^5 + 2*(2*((a^3*b - a*b^3)*cos(c)*sin(2*c) - (a^3*b - a*b^3)*cos(2*c)*sin(

$c) * d * x^5 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^5 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^5 * \sin(2 * c) * \sin(2 * d * x^3)) * \text{integrate}(-2/3 * (10 * a * b * \cos(d * x^3) * \cos(c) + 5 * b^2 * \cos(2 * c) * \sin(2 * d * x^3) + 5 * b^2 * \cos(2 * d * x^3) * \sin(2 * c) - 10 * a * b * \sin(d * x^3) * \sin(c) - (5 * a * b - (3 * a * b * d * x^3 * \sin(2 * c) + 5 * a * b * \cos(2 * c))) * \cos(2 * d * x^3) - 2 * (3 * a^2 * d * x^3 * \cos(c) - 5 * a^2 * \sin(c)) * \cos(d * x^3) - (3 * a * b * d * x^3 * \cos(2 * c) - 5 * a * b * \sin(2 * c)) * \sin(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \sin(c) + 5 * a^2 * \cos(c)) * \sin(d * x^3)) * \cos(d * x^3 + c) + (3 * a * b * d * x^3 - (3 * a * b * d * x^3 * \cos(2 * c) - 5 * a * b * \sin(2 * c))) * \cos(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \sin(c) + 5 * a^2 * \cos(c)) * \cos(d * x^3) + (3 * a * b * d * x^3 * \sin(2 * c) + 5 * a * b * \cos(2 * c)) * \sin(2 * d * x^3) + 2 * (3 * a^2 * d * x^3 * \cos(c) - 5 * a^2 * \sin(c)) * \sin(d * x^3)) * \sin(d * x^3 + c) / (((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^6 * \cos(2 * d * x^3)^2 + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^6 * \cos(d * x^3)^2 + ((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^6 * \sin(2 * d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^6 * \cos(c) * \sin(d * x^3) + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^6 * \sin(d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^6 * \cos(d * x^3) * \sin(c) + (a^2 * b^2 - b^4) * d * x^6 + 2 * (2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^6 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^6 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^6 * \sin(d * x^3) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^6 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^6 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^6 * \sin(2 * c)) * \sin(2 * d * x^3)), x) + 2 * (2 * a^2 * \cos(d * x^3) * \cos(c) + a * b * \cos(2 * c) * \sin(2 * d * x^3) + a * b * \cos(2 * d * x^3) * \sin(2 * c) - 2 * a^2 * \sin(d * x^3) * \sin(c)) * \sin(d * x^3 + c) / (((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^5 * \cos(2 * d * x^3)^2 + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^5 * \cos(d * x^3)^2 + ((a^2 * b^2 - b^4) * \cos(2 * c)^2 + (a^2 * b^2 - b^4) * \sin(2 * c)^2) * d * x^5 * \sin(2 * d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^5 * \cos(c) * \sin(d * x^3) + 4 * ((a^4 - a^2 * b^2) * \cos(c)^2 + (a^4 - a^2 * b^2) * \sin(c)^2) * d * x^5 * \sin(d * x^3)^2 + 4 * (a^3 * b - a * b^3) * d * x^5 * \cos(d * x^3) * \sin(c) + (a^2 * b^2 - b^4) * d * x^5 + 2 * (2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^5 * \cos(d * x^3) - (a^2 * b^2 - b^4) * d * x^5 * \cos(2 * c) - 2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3) * \cos(2 * d * x^3) + 2 * (2 * ((a^3 * b - a * b^3) * \cos(2 * c) * \cos(c) + (a^3 * b - a * b^3) * \sin(2 * c) * \sin(c)) * d * x^5 * \cos(d * x^3) + 2 * ((a^3 * b - a * b^3) * \cos(c) * \sin(2 * c) - (a^3 * b - a * b^3) * \cos(2 * c) * \sin(c)) * d * x^5 * \sin(d * x^3) + (a^2 * b^2 - b^4) * d * x^5 * \sin(2 * c)) * \sin(2 * d * x^3))$

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x^3 (a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x^3*(a + b*sin(c + d*x^3))^2), x)`

[Out] `int(1/(x^3*(a + b*sin(c + d*x^3))^2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x^3 (a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x**3/(a+b*sin(d*x**3+c))**2, x)`

[Out] `Integral(1/(x**3*(a + b*sin(c + d*x**3))**2), x)`

$$3.97 \quad \int (ex)^m (a + b \sin(c + dx^3))^p dx$$

Optimal. Leaf size=23

$$\text{Int}\left((ex)^m (a + b \sin(c + dx^3))^p, x\right)$$

[Out] Unintegrable((e*x)^m*(a+b*sin(d*x^3+c))^p,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m (a + b \sin(c + dx^3))^p dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^3])^p,x]

[Out] Defer[Int][(e*x)^m*(a + b*Sin[c + d*x^3])^p, x]

Rubi steps

$$\int (ex)^m (a + b \sin(c + dx^3))^p dx = \int (ex)^m (a + b \sin(c + dx^3))^p dx$$

Mathematica [A] time = 0.88, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^3))^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^3])^p,x]

[Out] Integrate[(e*x)^m*(a + b*Sin[c + d*x^3])^p, x]

fricas [A] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left((ex)^m (b \sin(dx^3 + c) + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^p,x, algorithm="fricas")

[Out] integral((e*x)^m*(b*sin(d*x^3 + c) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^3 + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^p,x, algorithm="giac")

[Out] integrate((e*x)^m*(b*sin(d*x^3 + c) + a)^p, x)

maple [A] time = 0.84, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^3 + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^3+c))^p,x)

[Out] int((e*x)^m*(a+b*sin(d*x^3+c))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^3 + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^p,x, algorithm="maxima")

[Out] integrate((e*x)^m*(b*sin(d*x^3 + c) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (ex)^m (a + b \sin(dx^3 + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^3))^p,x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^3))^p, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^3))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(a+b*sin(d*x**3+c))**p,x)

[Out] Integral((e*x)**m*(a + b*sin(c + d*x**3))**p, x)

3.98 $\int (ex)^m \left(a + b \sin \left(c + dx^3 \right) \right)^3 dx$

Optimal. Leaf size=442

$$\frac{ibe^{ic} (4a^2 + b^2) (-idx^3)^{\frac{1}{3}(-m-1)} (ex)^{m+1} \Gamma\left(\frac{m+1}{3}, -idx^3\right)}{8e} - \frac{ibe^{-ic} (4a^2 + b^2) (idx^3)^{\frac{1}{3}(-m-1)} (ex)^{m+1} \Gamma\left(\frac{m+1}{3}, idx^3\right)}{8e} + a \left(2a^2 + 3b^2\right) (ex)^m \sin\left(c + dx^3\right)$$

[Out] $\frac{1}{2} a (2 a^2 + 3 b^2) (e x)^{(1+m)} / (1+m) + \frac{1}{8} I b (4 a^2 + b^2) \exp(I c) (e x)^{(1+m)} (-I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, -I d x^3) / e - \frac{1}{8} I b (4 a^2 + b^2) (e x)^{(1+m)} (I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, I d x^3) / e / \exp(I c) + (-7/3-1/3 m) a b^2 \exp(2 I c) (e x)^{(1+m)} (-I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, -2 I d x^3) / e + 2^{(-7/3-1/3 m)} a b^2 (e x)^{(1+m)} (I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, 2 I d x^3) / e / \exp(2 I c) - \frac{1}{8} I^3 (-4/3-1/3 m) b^3 \exp(3 I c) (e x)^{(1+m)} (-I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, -3 I d x^3) / e + \frac{1}{8} I^3 (-4/3-1/3 m) b^3 (e x)^{(1+m)} (I d x^3)^{(-1/3-1/3 m)} \text{GAMMA}(1/3+1/3 m, 3 I d x^3) / e / \exp(3 I c)$

Rubi [A] time = 0.41, antiderivative size = 442, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3403, 6, 3390, 2218, 3389}

$$\frac{ibe^{ic} (4a^2 + b^2) (-idx^3)^{\frac{1}{3}(-m-1)} (ex)^{m+1} \text{Gamma}\left(\frac{m+1}{3}, -idx^3\right)}{8e} - \frac{ibe^{-ic} (4a^2 + b^2) (idx^3)^{\frac{1}{3}(-m-1)} (ex)^{m+1} \text{Gamma}\left(\frac{m+1}{3}, idx^3\right)}{8e} + a (2a^2 + 3b^2) (ex)^m \sin(c + dx^3)$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^3])^3,x]

[Out] $(a (2 a^2 + 3 b^2) (e x)^{(1+m)}) / (2 e (1+m)) + ((I/8) b (4 a^2 + b^2) E^{I c} (e x)^{(1+m)} ((-I) d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, (-I) d x^3] / e - ((I/8) b (4 a^2 + b^2) (e x)^{(1+m)} (I d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, I d x^3]) / (e E^{I c}) + (2^{(-7/3-m/3)} a b^2 E^{(2 I) c} (e x)^{(1+m)} ((-I) d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, (-2 I) d x^3]) / e + (2^{(-7/3-m/3)} a b^2 (e x)^{(1+m)} (I d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, (2 I) d x^3]) / (e E^{(2 I) c}) - ((I/8) I^3 (-4/3-m/3) b^3 E^{(3 I) c} (e x)^{(1+m)} ((-I) d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, (-3 I) d x^3]) / e + ((I/8) I^3 (-4/3-m/3) b^3 (e x)^{(1+m)} (I d x^3)^{((-1-m)/3)} \text{Gamma}[(1+m)/3, (3 I) d x^3]) / (e E^{(3 I) c})$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_) + (b_.)*(v_))^(p_.), x_Symbol] := Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n)*Log[F])])]/(f*n*(-(b*(c + d*x)^(n)*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]
```

Rule 3389

```
Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_)^(m_.), x_Symbol] := Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (ex)^m (a + b \sin(c + dx^3))^3 dx &= \int \left(a^3(ex)^m + \frac{3}{2}ab^2(ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^3) + 3a^2b(ex)^m \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^3 + \frac{3ab^2}{2} \right) (ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^3) + 3a^2b(ex)^m \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^3 + \frac{3ab^2}{2} \right) (ex)^m - \frac{3}{2}ab^2(ex)^m \cos(2c + 2dx^3) + \left(3a^2b + \frac{3b^3}{4} \right) (ex)^m \sin(c + dx^3) \right) dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} - \frac{1}{2}(3ab^2) \int (ex)^m \cos(2c + 2dx^3) dx - \frac{1}{4}b^3 \int (ex)^m \sin(c + dx^3) dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} - \frac{1}{4}(3ab^2) \int e^{-2ic-2idx^3} (ex)^m dx - \frac{1}{4}(3ab^2) \int e^{2ic+2idx^3} (ex)^m dx \\
&= \frac{a(2a^2 + 3b^2)(ex)^{1+m}}{2e(1+m)} + \frac{ib(4a^2 + b^2)e^{ic}(ex)^{1+m}(-idx^3)^{\frac{1}{3}(-1-m)} \Gamma\left(\frac{1+m}{3}, -idx^3\right)}{8e}
\end{aligned}$$

Mathematica [A] time = 12.02, size = 373, normalized size = 0.84

$$\frac{1}{24}ix(ex)^m \left(3be^{ic} (4a^2 + b^2) (-idx^3)^{-\frac{m}{3}-\frac{1}{3}} \Gamma\left(\frac{m+1}{3}, -idx^3\right) - 3be^{-ic} (4a^2 + b^2) (idx^3)^{-\frac{m}{3}-\frac{1}{3}} \Gamma\left(\frac{m+1}{3}, idx^3\right) - \frac{12ia}{24} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^3])^3,x]

[Out] (I/24)*x*(e*x)^m*(((12*I)*a*(2*a^2 + 3*b^2))/(1 + m) + 3*b*(4*a^2 + b^2)*E^(I*c)*((-I)*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, (-I)*d*x^3] - (3*b*(4*a^2 + b^2)*(I*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, I*d*x^3])/E^(I*c) - (3*I)*2^(2/3 - m/3)*a*b^2*E^((2*I)*c)*((-I)*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, (-2*I)*d*x^3] - ((3*I)*2^(2/3 - m/3)*a*b^2*(I*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, (2*I)*d*x^3])/E^((2*I)*c) - 3^(-1/3 - m/3)*b^3*E^((3*I)*c)*((-I)*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, (-3*I)*d*x^3] + (3^(-1/3 - m/3)*b^3*(I*d*x^3)^(-1/3 - m/3)*Gamma[(1 + m)/3, (3*I)*d*x^3])/E^((3*I)*c))

fricas [A] time = 0.94, size = 345, normalized size = 0.78

$$36(2a^3 + 3ab^2)(ex)^m dx + (b^3e^2m + b^3e^2)e^{\left(-\frac{1}{3}(m-2)\log\left(\frac{3id}{e^3}\right) - 3ic\right)} \Gamma\left(\frac{1}{3}m + \frac{1}{3}, 3id x^3\right) + (-9iab^2e^2m - 9iab^2e^2)e^{\left(-\frac{1}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^3,x, algorithm="fricas")

[Out] 1/72*(36*(2*a^3 + 3*a*b^2)*(e*x)^m*d*x + (b^3*e^2*m + b^3*e^2)*e^(-1/3*(m - 2)*log(3*I*d/e^3) - 3*I*c)*gamma(1/3*m + 1/3, 3*I*d*x^3) + (-9*I*a*b^2*e^2*m - 9*I*a*b^2*e^2)*e^(-1/3*(m - 2)*log(2*I*d/e^3) - 2*I*c)*gamma(1/3*m + 1/3, 2*I*d*x^3) - 9*((4*a^2*b + b^3)*e^2*m + (4*a^2*b + b^3)*e^2)*e^(-1/3*(m - 2)*log(I*d/e^3) - I*c)*gamma(1/3*m + 1/3, I*d*x^3) - 9*((4*a^2*b + b^3)*e^2*m + (4*a^2*b + b^3)*e^2)*e^(-1/3*(m - 2)*log(-I*d/e^3) + I*c)*gamma(1/3*m + 1/3, -I*d*x^3) + (9*I*a*b^2*e^2*m + 9*I*a*b^2*e^2)*e^(-1/3*(m - 2)*log(-2*I*d/e^3) + 2*I*c)*gamma(1/3*m + 1/3, -2*I*d*x^3) + (b^3*e^2*m + b^3*e^2)*e^(-1/3*(m - 2)*log(-3*I*d/e^3) + 3*I*c)*gamma(1/3*m + 1/3, -3*I*d*x^3))/(d*m + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^3 (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^3,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^3*(e*x)^m, x)

maple [F] time = 0.62, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^3 + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^3+c))^3,x)

[Out] int((e*x)^m*(a+b*sin(d*x^3+c))^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{((4a^2b+b^3)e^m m \cos(c) + (4a^2b+b^3)e^m \cos(c)) dx^4 x^m \Gamma\left(\frac{1}{6}m + \frac{2}{3}\right) {}_1F_2\left(\frac{1}{6}m + \frac{2}{3}; -\frac{1}{4}d^2x^6\right)}{2\Gamma\left(\frac{1}{6}m + \frac{5}{3}\right)} + 12ab^2e^m x x^m + \frac{((4a^2b+b^3)e^m m \cos(c) + (4a^2b+b^3)e^m \cos(c)) dx^4 x^m \Gamma\left(\frac{1}{6}m + \frac{2}{3}\right) {}_1F_2\left(\frac{1}{6}m + \frac{2}{3}; -\frac{1}{4}d^2x^6\right)}{2\Gamma\left(\frac{1}{6}m + \frac{5}{3}\right)}$$

$$\frac{(ex)^{m+1} a^3}{e(m+1)} + \frac{((4a^2b+b^3)e^m m \cos(c) + (4a^2b+b^3)e^m \cos(c)) dx^4 x^m \Gamma\left(\frac{1}{6}m + \frac{2}{3}\right) {}_1F_2\left(\frac{1}{6}m + \frac{2}{3}; -\frac{1}{4}d^2x^6\right)}{2\Gamma\left(\frac{1}{6}m + \frac{5}{3}\right)} + 12ab^2e^m x x^m + \frac{((4a^2b+b^3)e^m m \cos(c) + (4a^2b+b^3)e^m \cos(c)) dx^4 x^m \Gamma\left(\frac{1}{6}m + \frac{2}{3}\right) {}_1F_2\left(\frac{1}{6}m + \frac{2}{3}; -\frac{1}{4}d^2x^6\right)}{2\Gamma\left(\frac{1}{6}m + \frac{5}{3}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^3,x, algorithm="maxima")

[Out] (e*x)^(m + 1)*a^3/(e*(m + 1)) + 1/8*(12*a*b^2*e^m*x*x^m - 12*(a*b^2*e^m*m + a*b^2*e^m)*integrate(x^m*cos(2*d*x^3 + 2*c), x) + 3*((4*a^2*b + b^3)*e^m*m *sin(c) + (4*a^2*b + b^3)*e^m*sin(c))*integrate(x^m*cos(d*x^3), x) - 2*(b^3 *e^m*m + b^3*e^m)*integrate(x^m*sin(3*d*x^3 + 3*c), x) + 3*((4*a^2*b + b^3) *e^m*m + (4*a^2*b + b^3)*e^m)*integrate(x^m*sin(d*x^3 + c), x) + 3*((4*a^2*b + b^3)*e^m*m*cos(c) + (4*a^2*b + b^3)*e^m*cos(c))*integrate(x^m*sin(d*x^3), x))/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex)^m (a + b \sin(dx^3 + c))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^3))^3,x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^3))^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^3))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m*(a+b*sin(d*x**3+c))**3,x)
```

```
[Out] Integral((e*x)**m*(a + b*sin(c + d*x**3))**3, x)
```

3.99 $\int (ex)^m (a + b \sin(c + dx^3))^2 dx$

Optimal. Leaf size=285

$$\frac{(2a^2 + b^2)(ex)^{m+1}}{2e(m+1)} + \frac{iabe^{ic}(-idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, -idx^3\right)}{3e} - \frac{iabe^{-ic}(idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, idx^3\right)}{3e} + \dots$$

[Out] $1/2*(2*a^2+b^2)*(e*x)^{(1+m)}/e/(1+m)+1/3*I*a*b*\exp(I*c)*(e*x)^{(1+m)*(-I*d*x^3)^{-1/3-1/3*m}}*GAMMA(1/3+1/3*m,-I*d*x^3)/e-1/3*I*a*b*(e*x)^{(1+m)*(I*d*x^3)^{-1/3-1/3*m}}*GAMMA(1/3+1/3*m,I*d*x^3)/e/\exp(I*c)+1/3*2^{(-7/3-1/3*m)}*b^2*\exp(2*I*c)*(e*x)^{(1+m)*(-I*d*x^3)^{-1/3-1/3*m}}*GAMMA(1/3+1/3*m,-2*I*d*x^3)/e+1/3*2^{(-7/3-1/3*m)}*b^2*(e*x)^{(1+m)*(I*d*x^3)^{-1/3-1/3*m}}*GAMMA(1/3+1/3*m,2*I*d*x^3)/e/\exp(2*I*c)$

Rubi [A] time = 0.23, antiderivative size = 285, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3403, 6, 3390, 2218, 3389}

$$\frac{iabe^{ic}(-idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, -idx^3\right)}{3e} - \frac{iabe^{-ic}(idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, idx^3\right)}{3e} + \dots$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*SIN[c + d*x^3])^2,x]

[Out] $((2*a^2 + b^2)*(e*x)^{(1 + m)})/(2*e*(1 + m)) + ((I/3)*a*b*E^{(I*c)}*(e*x)^{(1 + m)*((-I)*d*x^3)^{(-1 - m)/3}}*\Gamma((1 + m)/3, (-I)*d*x^3))/e - ((I/3)*a*b*(e*x)^{(1 + m)*(I*d*x^3)^{(-1 - m)/3}}*\Gamma((1 + m)/3, I*d*x^3))/(e*E^{(I*c)}) + (2^{(-7/3 - m/3)}*b^2*E^{(2*I)*c}*(e*x)^{(1 + m)*((-I)*d*x^3)^{(-1 - m)/3}}*\Gamma((1 + m)/3, (-2*I)*d*x^3))/(3*e) + (2^{(-7/3 - m/3)}*b^2*(e*x)^{(1 + m)*(I*d*x^3)^{(-1 - m)/3}}*\Gamma((1 + m)/3, (2*I)*d*x^3))/(3*e*E^{(2*I)*c})$

Rule 6

Int[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^(p_.), x_Symbol] :> Int[u*((a + b)*v + w)^p, x] /; FreeQ[{a, b}, x] && !FreeQ[v, x]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Dist[1/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rubi steps

$$\begin{aligned}
\int (ex)^m (a + b \sin(c + dx^3))^2 dx &= \int \left(a^2(ex)^m + \frac{1}{2}b^2(ex)^m - \frac{1}{2}b^2(ex)^m \cos(2c + 2dx^3) + 2ab(ex)^m \sin(c + dx^3) \right) dx \\
&= \int \left(\left(a^2 + \frac{b^2}{2} \right) (ex)^m - \frac{1}{2}b^2(ex)^m \cos(2c + 2dx^3) + 2ab(ex)^m \sin(c + dx^3) \right) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + (2ab) \int (ex)^m \sin(c + dx^3) dx - \frac{1}{2}b^2 \int (ex)^m \cos(2c + 2dx^3) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + (iab) \int e^{-ic-idx^3} (ex)^m dx - (iab) \int e^{ic+idx^3} (ex)^m dx - \frac{1}{4}b^2 \int (ex)^m \cos(2c + 2dx^3) dx \\
&= \frac{(2a^2 + b^2)(ex)^{1+m}}{2e(1+m)} + \frac{iabe^{ic}(ex)^{1+m} (-idx^3)^{\frac{1}{3}(-1-m)} \Gamma\left(\frac{1+m}{3}, -idx^3\right)}{3e} - \frac{iabe^{-ic}(ex)^{1+m} (idx^3)^{\frac{1}{3}(-1-m)} \Gamma\left(\frac{1+m}{3}, idx^3\right)}{3e}
\end{aligned}$$

Mathematica [A] time = 6.67, size = 556, normalized size = 1.95

$$\frac{1}{2^{\frac{1}{3}(-m-7)}} x (d^2 x^6)^{\frac{1}{3}(-m-1)} (ex)^m \left(3a^2 2^{\frac{m+7}{3}} (d^2 x^6)^{\frac{m+1}{3}} - iab 2^{\frac{m+7}{3}} (m+1)(\cos(c) - i \sin(c)) (-idx^3)^{\frac{m+1}{3}} \Gamma\left(\frac{m+1}{3}, idx^3\right) \right) +$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*sin[c + d*x^3])^2,x]

[Out] $(2^{((-7 - m)/3)} * x * (e*x)^m * (d^2*x^6)^{((-1 - m)/3)} * (3*2^{((7 + m)/3)} * a^2 * (d^2*x^6)^{((1 + m)/3)} + 3*2^{((4 + m)/3)} * b^2 * (d^2*x^6)^{((1 + m)/3)} + b^2 * (I*d*x^3)^{((1 + m)/3)} * \text{Cos}[2*c] * \text{Gamma}[(1 + m)/3, (-2*I)*d*x^3] + b^2 * m * (I*d*x^3)^{((1 + m)/3)} * \text{Cos}[2*c] * \text{Gamma}[(1 + m)/3, (-2*I)*d*x^3] + b^2 * ((-I)*d*x^3)^{((1 + m)/3)} * \text{Cos}[2*c] * \text{Gamma}[(1 + m)/3, (2*I)*d*x^3] + b^2 * m * ((-I)*d*x^3)^{((1 + m)/3)} * \text{Cos}[2*c] * \text{Gamma}[(1 + m)/3, (2*I)*d*x^3] - I * 2^{((7 + m)/3)} * a * b * (1 + m) * ((-I)*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, I*d*x^3] * (\text{Cos}[c] - I*\text{Sin}[c]) + I * 2^{((7 + m)/3)} * a * b * (1 + m) * (I*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, (-I)*d*x^3] * (\text{Cos}[c] + I*\text{Sin}[c]) + I * b^2 * (I*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, (-2*I)*d*x^3] * \text{Sin}[2*c] + I * b^2 * m * (I*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, (-2*I)*d*x^3] * \text{Sin}[2*c] - I * b^2 * ((-I)*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, (2*I)*d*x^3] * \text{Sin}[2*c] - I * b^2 * m * ((-I)*d*x^3)^{((1 + m)/3)} * \text{Gamma}[(1 + m)/3, (2*I)*d*x^3] * \text{Sin}[2*c])) / (3*(1 + m))$

fricas [A] time = 0.71, size = 214, normalized size = 0.75

$$12(2a^2 + b^2)(ex)^m dx + (-ib^2e^2m - ib^2e^2)e^{\left(-\frac{1}{3}(m-2)\log\left(\frac{2id}{e^3}\right) - 2ic\right)} \Gamma\left(\frac{1}{3}m + \frac{1}{3}, 2idx^3\right) - 8(abe^2m + abe^2)e^{\left(-\frac{1}{3}(m-2)\log\left(\frac{2id}{e^3}\right) - 2ic\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] $\frac{1}{24} * (12 * (2 * a^2 + b^2) * (e*x)^m * d*x + (-I * b^2 * e^2 * m - I * b^2 * e^2) * e^{(-1/3 * (m - 2) * \log(2 * I * d / e^3) - 2 * I * c)} * \text{gamma}(1/3 * m + 1/3, 2 * I * d * x^3) - 8 * (a * b * e^2 * m + a * b * e^2) * e^{(-1/3 * (m - 2) * \log(I * d / e^3) - I * c)} * \text{gamma}(1/3 * m + 1/3, I * d * x^3) - 8 * (a * b * e^2 * m + a * b * e^2) * e^{(-1/3 * (m - 2) * \log(-I * d / e^3) + I * c)} * \text{gamma}(1/3 * m + 1/3, -I * d * x^3) + (I * b^2 * e^2 * m + I * b^2 * e^2) * e^{(-1/3 * (m - 2) * \log(-2 * I * d / e^3) + 2 * I * c)} * \text{gamma}(1/3 * m + 1/3, -2 * I * d * x^3)) / (d * m + d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a)^2 (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)^2*(e*x)^m, x)

maple [F] time = 0.70, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x)^m*(a+b*sin(d*x^3+c))^2,x)`

[Out] `int((e*x)^m*(a+b*sin(d*x^3+c))^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(ex)^{m+1} a^2}{e(m+1)} + \frac{b^2 e^m x x^m - (b^2 e^m m + b^2 e^m) \int x^m \cos(2 dx^3 + 2c) dx + 4(abe^m m + abe^m) \int x^m \sin(dx^3 + c) dx}{2(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)^m*(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")`

[Out] `(e*x)^(m+1)*a^2/(e*(m+1)) + 1/2*(b^2*e^m*x*x^m - (b^2*e^m*m + b^2*e^m)*integrate(x^m*cos(2*d*x^3 + 2*c), x) + 4*(a*b*e^m*m + a*b*e^m)*integrate(x^m*sin(d*x^3 + c), x))/(m+1)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (ex)^m (a + b \sin(dx^3 + c))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x)^m*(a + b*sin(c + d*x^3))^2,x)`

[Out] `int((e*x)^m*(a + b*sin(c + d*x^3))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^3))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)**m*(a+b*sin(d*x**3+c))**2,x)`

[Out] `Integral((e*x)**m*(a + b*sin(c + d*x**3))**2, x)`

3.100 $\int (ex)^m (a + b \sin(c + dx^3)) dx$

Optimal. Leaf size=134

$$\frac{a(ex)^{m+1}}{e(m+1)} + \frac{ibe^{ic}(-idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, -idx^3\right)}{6e} - \frac{ibe^{-ic}(idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\Gamma\left(\frac{m+1}{3}, idx^3\right)}{6e}$$

[Out] a*(e*x)^(1+m)/e/(1+m)+1/6*I*b*exp(I*c)*(e*x)^(1+m)*(-I*d*x^3)^(-1/3-1/3*m)*GAMMA(1/3+1/3*m,-I*d*x^3)/e-1/6*I*b*(e*x)^(1+m)*(I*d*x^3)^(-1/3-1/3*m)*GAMMA(1/3+1/3*m,I*d*x^3)/e/exp(I*c)

Rubi [A] time = 0.10, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {14, 3389, 2218}

$$\frac{ibe^{ic}(-idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\text{Gamma}\left(\frac{m+1}{3}, -idx^3\right)}{6e} - \frac{ibe^{-ic}(idx^3)^{\frac{1}{3}(-m-1)}(ex)^{m+1}\text{Gamma}\left(\frac{m+1}{3}, idx^3\right)}{6e} + \frac{a(ex)^{m+1}}{e(m+1)}$$

Antiderivative was successfully verified.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^3]),x]

[Out] (a*(e*x)^(1 + m))/(e*(1 + m)) + ((I/6)*b*E^(I*c)*(e*x)^(1 + m)*((-I)*d*x^3)^((-1 - m)/3)*Gamma[(1 + m)/3, (-I)*d*x^3])/e - ((I/6)*b*(e*x)^(1 + m)*(I*d*x^3)^((-1 - m)/3)*Gamma[(1 + m)/3, I*d*x^3])/ (e*E^(I*c))

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2218

Int[(F_)^((a_.) + (b_)*((c_.) + (d_)*(x_))^(n_))*((e_.) + (f_)*(x_))^(m_.) , x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

Int[((e_)*(x_))^(m_)*Sin[(c_.) + (d_)*(x_)]^(n_)] , x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +

$d \cdot I \cdot x^n$, x , x /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int (ex)^m (a + b \sin(c + dx^3)) dx &= \int (a(ex)^m + b(ex)^m \sin(c + dx^3)) dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + b \int (ex)^m \sin(c + dx^3) dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + \frac{1}{2}(ib) \int e^{-ic-idx^3} (ex)^m dx - \frac{1}{2}(ib) \int e^{ic+idx^3} (ex)^m dx \\ &= \frac{a(ex)^{1+m}}{e(1+m)} + \frac{ibe^{ic}(ex)^{1+m} (-idx^3)^{\frac{1}{3}(-1-m)} \Gamma\left(\frac{1+m}{3}, -idx^3\right)}{6e} - \frac{ibe^{-ic}(ex)^{1+m} (idx^3)^{\frac{1}{3}}}{6} \end{aligned}$$

Mathematica [A] time = 1.59, size = 149, normalized size = 1.11

$$\frac{x (d^2 x^6)^{\frac{1}{3}(-m-1)} (ex)^m \left(6a (d^2 x^6)^{\frac{m+1}{3}} - ib(m+1)(\cos(c) - i \sin(c)) (-idx^3)^{\frac{m+1}{3}} \Gamma\left(\frac{m+1}{3}, idx^3\right) + ib(m+1)(\cos(c) + i \sin(c)) (-idx^3)^{\frac{m+1}{3}} \Gamma\left(\frac{m+1}{3}, -idx^3\right) \right)}{6(m+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^3]),x]

[Out] (x*(e*x)^m*(d^2*x^6)^((-1 - m)/3)*(6*a*(d^2*x^6)^((1 + m)/3) - I*b*(1 + m)*((-I)*d*x^3)^((1 + m)/3)*Gamma[(1 + m)/3, I*d*x^3]*(Cos[c] - I*Sin[c]) + I*b*(1 + m)*(I*d*x^3)^((1 + m)/3)*Gamma[(1 + m)/3, (-I)*d*x^3]*(Cos[c] + I*Sin[c]))/(6*(1 + m))

fricas [A] time = 0.70, size = 106, normalized size = 0.79

$$\frac{6 (ex)^m adx - (be^2m + be^2)e^{\left(-\frac{1}{3}(m-2)\log\left(\frac{id}{e^3}\right) - ic\right)} \Gamma\left(\frac{1}{3}m + \frac{1}{3}, idx^3\right) - (be^2m + be^2)e^{\left(-\frac{1}{3}(m-2)\log\left(-\frac{id}{e^3}\right) + ic\right)} \Gamma\left(\frac{1}{3}m + \frac{1}{3}, -idx^3\right)}{6(dm + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] 1/6*(6*(e*x)^m*a*d*x - (b*e^2*m + b*e^2)*e^(-1/3*(m - 2)*log(I*d/e^3) - I*c)*gamma(1/3*m + 1/3, I*d*x^3) - (b*e^2*m + b*e^2)*e^(-1/3*(m - 2)*log(-I*d/e^3) + I*c)*gamma(1/3*m + 1/3, -I*d*x^3))/(d*m + d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(dx^3 + c) + a) (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate((b*sin(d*x^3 + c) + a)*(e*x)^m, x)

maple [F] time = 0.28, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(d*x^3+c)),x)

[Out] int((e*x)^m*(a+b*sin(d*x^3+c)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$be^m \int x^m \sin(dx^3 + c) dx + \frac{(ex)^{m+1} a}{e(m+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] b*e^m*integrate(x^m*sin(d*x^3 + c), x) + (e*x)^(m + 1)*a/(e*(m + 1))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (ex)^m (a + b \sin(dx^3 + c)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^3)),x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^3)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(a+b*sin(d*x**3+c)),x)

[Out] Integral((e*x)**m*(a + b*sin(c + d*x**3)), x)

$$3.101 \quad \int \frac{(ex)^m}{a+b \sin(c+dx^3)} dx$$

Optimal. Leaf size=23

$$\text{Int} \left(\frac{(ex)^m}{a + b \sin(c + dx^3)}, x \right)$$

[Out] Unintegrable((e*x)^m/(a+b*sin(d*x^3+c)),x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(ex)^m}{a + b \sin(c + dx^3)} dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m/(a + b*Sin[c + d*x^3]),x]

[Out] Defer[Int] [(e*x)^m/(a + b*Sin[c + d*x^3]), x]

Rubi steps

$$\int \frac{(ex)^m}{a + b \sin(c + dx^3)} dx = \int \frac{(ex)^m}{a + b \sin(c + dx^3)} dx$$

Mathematica [A] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{a + b \sin(c + dx^3)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m/(a + b*Sin[c + d*x^3]),x]

[Out] Integrate[(e*x)^m/(a + b*Sin[c + d*x^3]), x]

fricas [A] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(ex)^m}{b \sin(dx^3 + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c)),x, algorithm="fricas")

[Out] integral((e*x)^m/(b*sin(d*x^3 + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c)),x, algorithm="giac")

[Out] integrate((e*x)^m/(b*sin(d*x^3 + c) + a), x)

maple [A] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a+b*sin(d*x^3+c)),x)

[Out] int((e*x)^m/(a+b*sin(d*x^3+c)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{b \sin(dx^3 + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c)),x, algorithm="maxima")

[Out] integrate((e*x)^m/(b*sin(d*x^3 + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex)^m}{a + b \sin(dx^3 + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a + b*sin(c + d*x^3)),x)

```
[Out] int((e*x)^m/(a + b*sin(c + d*x^3)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{(ex)^m}{a + b \sin(c + dx^3)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m/(a+b*sin(d*x**3+c)),x)
```

```
[Out] Integral((e*x)**m/(a + b*sin(c + d*x**3)), x)
```

$$3.102 \quad \int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx$$

Optimal. Leaf size=23

$$\text{Int} \left(\frac{(ex)^m}{(a+b \sin(c+dx^3))^2}, x \right)$$

[Out] Unintegrable((e*x)^m/(a+b*sin(d*x^3+c))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m/(a + b*Sin[c + d*x^3])^2,x]

[Out] Defer[Int] [(e*x)^m/(a + b*Sin[c + d*x^3])^2, x]

Rubi steps

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx = \int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx$$

Mathematica [A] time = 1.01, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a+b \sin(c+dx^3))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m/(a + b*Sin[c + d*x^3])^2,x]

[Out] Integrate[(e*x)^m/(a + b*Sin[c + d*x^3])^2, x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{(ex)^m}{b^2 \cos(dx^3 + c)^2 - 2ab \sin(dx^3 + c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c))^2,x, algorithm="fricas")

[Out] integral(-(e*x)^m/(b^2*cos(d*x^3 + c)^2 - 2*a*b*sin(d*x^3 + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(b \sin(dx^3 + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c))^2,x, algorithm="giac")

[Out] integrate((e*x)^m/(b*sin(d*x^3 + c) + a)^2, x)

maple [A] time = 0.54, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a+b*sin(d*x^3+c))^2,x)

[Out] int((e*x)^m/(a+b*sin(d*x^3+c))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m/(a+b*sin(d*x^3+c))^2,x, algorithm="maxima")

[Out] 1/3*(4*a*b*e^m*x^m*cos(d*x^3)*cos(c) + 2*b^2*e^m*x^m*cos(2*c)*sin(2*d*x^3) + 2*b^2*e^m*x^m*cos(2*d*x^3)*sin(2*c) - 4*a*b*e^m*x^m*sin(d*x^3)*sin(c) + 2*(a*b*e^m*x^m*cos(2*d*x^3)*cos(2*c) - 2*a^2*e^m*x^m*cos(c)*sin(d*x^3) - a*b*e^m*x^m*sin(2*d*x^3)*sin(2*c) - 2*a^2*e^m*x^m*cos(d*x^3)*sin(c) - a*b*e^m*x^m*cos(d*x^3 + c) - 3*((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*cos(d*x^3)^2 + ((a^2*b^2 - b^4)*cos(2*c)^2 + (a^2*b^2 - b^4)*sin(2*c)^2)*d*x^2*sin(2*d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*cos(c)*sin(d*x^3) + 4*((a^4 - a^2*b^2)*cos(c)^2 + (a^4 - a^2*b^2)*sin(c)^2)*d*x^2*sin(d

$$\begin{aligned}
& x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*\cos(d*x^3)*\sin(c) + (a^2*b^2 - b^4)*d*x^2 \\
& + 2*(2*((a^3*b - a*b^3)*\cos(c)*\sin(2*c) - (a^3*b - a*b^3)*\cos(2*c)*\sin(c)) \\
& *d*x^2*\cos(d*x^3) - (a^2*b^2 - b^4)*d*x^2*\cos(2*c) - 2*((a^3*b - a*b^3)*\cos \\
& (2*c)*\cos(c) + (a^3*b - a*b^3)*\sin(2*c)*\sin(c))*d*x^2*\sin(d*x^3))*\cos(2*d*x \\
& ^3) + 2*(2*((a^3*b - a*b^3)*\cos(2*c)*\cos(c) + (a^3*b - a*b^3)*\sin(2*c)*\sin(\\
& c))*d*x^2*\cos(d*x^3) + 2*((a^3*b - a*b^3)*\cos(c)*\sin(2*c) - (a^3*b - a*b^3) \\
& *\cos(2*c)*\sin(c))*d*x^2*\sin(d*x^3) + (a^2*b^2 - b^4)*d*x^2*\sin(2*c))*\sin(2* \\
& d*x^3))*\integrate(2/3*((b^2*e^m*\sin(2*c) - 2*b^2*e^m*\sin(2*c))*x^m*\cos(2* \\
& d*x^3) + 2*(a*b*e^m*\cos(c) - 2*a*b*e^m*\cos(c))*x^m*\cos(d*x^3) + (b^2*e^m* \\
& m*\cos(2*c) - 2*b^2*e^m*\cos(2*c))*x^m*\sin(2*d*x^3) - 2*(a*b*e^m*\sin(c) - 2 \\
& *a*b*e^m*\sin(c))*x^m*\sin(d*x^3) - ((3*a*b*d*e^m*x^3*\sin(2*c) - a*b*e^m*m*\co \\
& s(2*c) + 2*a*b*e^m*\cos(2*c))*x^m*\cos(2*d*x^3) + 2*(3*a^2*d*e^m*x^3*\cos(c) + \\
& a^2*e^m*m*\sin(c) - 2*a^2*e^m*\sin(c))*x^m*\cos(d*x^3) + (3*a*b*d*e^m*x^3*\cos \\
& (2*c) + a*b*e^m*m*\sin(2*c) - 2*a*b*e^m*\sin(2*c))*x^m*\sin(2*d*x^3) - 2*(3*a^ \\
& 2*d*e^m*x^3*\sin(c) - a^2*e^m*m*\cos(c) + 2*a^2*e^m*\cos(c))*x^m*\sin(d*x^3) + \\
& (a*b*e^m*m - 2*a*b*e^m)*x^m)*\cos(d*x^3 + c) - (3*a*b*d*e^m*x^3*x^m - (3*a*b \\
& *d*e^m*x^3*\cos(2*c) + a*b*e^m*m*\sin(2*c) - 2*a*b*e^m*\sin(2*c))*x^m*\cos(2*d* \\
& x^3) + 2*(3*a^2*d*e^m*x^3*\sin(c) - a^2*e^m*m*\cos(c) + 2*a^2*e^m*\cos(c))*x^m \\
& *\cos(d*x^3) + (3*a*b*d*e^m*x^3*\sin(2*c) - a*b*e^m*m*\cos(2*c) + 2*a*b*e^m*\co \\
& s(2*c))*x^m*\sin(2*d*x^3) + 2*(3*a^2*d*e^m*x^3*\cos(c) + a^2*e^m*m*\sin(c) - 2 \\
& *a^2*e^m*\sin(c))*x^m*\sin(d*x^3))*\sin(d*x^3 + c))/(((a^2*b^2 - b^4)*\cos(2*c) \\
& ^2 + (a^2*b^2 - b^4)*\sin(2*c)^2)*d*x^3*\cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)* \\
& \cos(c)^2 + (a^4 - a^2*b^2)*\sin(c)^2)*d*x^3*\cos(d*x^3)^2 + ((a^2*b^2 - b^4)* \\
& \cos(2*c)^2 + (a^2*b^2 - b^4)*\sin(2*c)^2)*d*x^3*\sin(2*d*x^3)^2 + 4*(a^3*b - \\
& a*b^3)*d*x^3*\cos(c)*\sin(d*x^3) + 4*((a^4 - a^2*b^2)*\cos(c)^2 + (a^4 - a^2*b^ \\
& ^2)*\sin(c)^2)*d*x^3*\sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^3*\cos(d*x^3)*\sin(c \\
&) + (a^2*b^2 - b^4)*d*x^3 + 2*(2*((a^3*b - a*b^3)*\cos(c)*\sin(2*c) - (a^3*b \\
& - a*b^3)*\cos(2*c)*\sin(c))*d*x^3*\cos(d*x^3) - (a^2*b^2 - b^4)*d*x^3*\cos(2*c) \\
& - 2*((a^3*b - a*b^3)*\cos(2*c)*\cos(c) + (a^3*b - a*b^3)*\sin(2*c)*\sin(c))*d* \\
& x^3*\sin(d*x^3))*\cos(2*d*x^3) + 2*(2*((a^3*b - a*b^3)*\cos(2*c)*\cos(c) + (a^3 \\
& *b - a*b^3)*\sin(2*c)*\sin(c))*d*x^3*\cos(d*x^3) + 2*((a^3*b - a*b^3)*\cos(c)*\ \\
& \sin(2*c) - (a^3*b - a*b^3)*\cos(2*c)*\sin(c))*d*x^3*\sin(d*x^3) + (a^2*b^2 - b^ \\
& 4)*d*x^3*\sin(2*c))*\sin(2*d*x^3)), x) + 2*(2*a^2*e^m*x^m*\cos(d*x^3)*\cos(c) + \\
& a*b*e^m*x^m*\cos(2*c)*\sin(2*d*x^3) + a*b*e^m*x^m*\cos(2*d*x^3)*\sin(2*c) - 2* \\
& a^2*e^m*x^m*\sin(d*x^3)*\sin(c))*\sin(d*x^3 + c))/(((a^2*b^2 - b^4)*\cos(2*c)^2 \\
& + (a^2*b^2 - b^4)*\sin(2*c)^2)*d*x^2*\cos(2*d*x^3)^2 + 4*((a^4 - a^2*b^2)*\co \\
& s(c)^2 + (a^4 - a^2*b^2)*\sin(c)^2)*d*x^2*\cos(d*x^3)^2 + ((a^2*b^2 - b^4)*\co \\
& s(2*c)^2 + (a^2*b^2 - b^4)*\sin(2*c)^2)*d*x^2*\sin(2*d*x^3)^2 + 4*(a^3*b - a* \\
& b^3)*d*x^2*\cos(c)*\sin(d*x^3) + 4*((a^4 - a^2*b^2)*\cos(c)^2 + (a^4 - a^2*b^2 \\
&)*\sin(c)^2)*d*x^2*\sin(d*x^3)^2 + 4*(a^3*b - a*b^3)*d*x^2*\cos(d*x^3)*\sin(c) \\
& + (a^2*b^2 - b^4)*d*x^2 + 2*(2*((a^3*b - a*b^3)*\cos(c)*\sin(2*c) - (a^3*b - \\
& a*b^3)*\cos(2*c)*\sin(c))*d*x^2*\cos(d*x^3) - (a^2*b^2 - b^4)*d*x^2*\cos(2*c) - \\
& 2*((a^3*b - a*b^3)*\cos(2*c)*\cos(c) + (a^3*b - a*b^3)*\sin(2*c)*\sin(c))*d*x^ \\
& 2*\sin(d*x^3))*\cos(2*d*x^3) + 2*(2*((a^3*b - a*b^3)*\cos(2*c)*\cos(c) + (a^3*b \\
& - a*b^3)*\sin(2*c)*\sin(c))*d*x^2*\cos(d*x^3) + 2*((a^3*b - a*b^3)*\cos(c)*\sin
\end{aligned}$$

$(2*c) - (a^3*b - a*b^3)*\cos(2*c)*\sin(c))*d*x^2*\sin(d*x^3) + (a^2*b^2 - b^4)*d*x^2*\sin(2*c))*\sin(2*d*x^3))$

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(ex)^m}{(a + b \sin(dx^3 + c))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m/(a + b*sin(c + d*x^3))^2,x)

[Out] int((e*x)^m/(a + b*sin(c + d*x^3))^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(ex)^m}{(a + b \sin(c + dx^3))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m/(a+b*sin(d*x**3+c))**2,x)

[Out] Integral((e*x)**m/(a + b*sin(c + d*x**3))**2, x)

3.103 $\int x^2 \sin\left(a + \frac{b}{x}\right) dx$

Optimal. Leaf size=78

$$\frac{1}{6}b^3 \cos(a) \operatorname{Ci}\left(\frac{b}{x}\right) - \frac{1}{6}b^3 \sin(a) \operatorname{Si}\left(\frac{b}{x}\right) - \frac{1}{6}b^2 x \sin\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) + \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right)$$

[Out] $1/6*b^3*\operatorname{Ci}(b/x)*\cos(a)+1/6*b*x^2*\cos(a+b/x)-1/6*b^3*\operatorname{Si}(b/x)*\sin(a)-1/6*b^2*x*\sin(a+b/x)+1/3*x^3*\sin(a+b/x)$

Rubi [A] time = 0.13, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3379, 3297, 3303, 3299, 3302}

$$\frac{1}{6}b^3 \cos(a) \operatorname{CosIntegral}\left(\frac{b}{x}\right) - \frac{1}{6}b^3 \sin(a) \operatorname{Si}\left(\frac{b}{x}\right) - \frac{1}{6}b^2 x \sin\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) + \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2*\operatorname{Sin}[a + b/x], x]$

[Out] $(b*x^2*\operatorname{Cos}[a + b/x])/6 + (b^3*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/x])/6 - (b^2*x*\operatorname{Sin}[a + b/x])/6 + (x^3*\operatorname{Sin}[a + b/x])/3 - (b^3*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/x])/6$

Rule 3297

$\operatorname{Int}[\left((c_.) + (d_.)*(x_.)\right)^{(m_.)}*\operatorname{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[\left((c + d*x)^{(m+1)}*\operatorname{Sin}[e + f*x]\right)/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/\left((c_.) + (d_.)*(x_.)\right), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/\left((c_.) + (d_.)*(x_.)\right), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x^2 \sin\left(a + \frac{b}{x}\right) dx &= -\text{Subst}\left(\int \frac{\sin(a + bx)}{x^4} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) - \frac{1}{3}b \text{Subst}\left(\int \frac{\cos(a + bx)}{x^3} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) + \frac{1}{6}b^2 \text{Subst}\left(\int \frac{\sin(a + bx)}{x^2} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right) - \frac{1}{6}b^2x \sin\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) + \frac{1}{6}b^3 \text{Subst}\left(\int \frac{\cos(a + bx)}{x} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right) - \frac{1}{6}b^2x \sin\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) + \frac{1}{6}(b^3 \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{6}bx^2 \cos\left(a + \frac{b}{x}\right) + \frac{1}{6}b^3 \cos(a) \text{Ci}\left(\frac{b}{x}\right) - \frac{1}{6}b^2x \sin\left(a + \frac{b}{x}\right) + \frac{1}{3}x^3 \sin\left(a + \frac{b}{x}\right) - \frac{1}{6}b^3 \sin(a)
\end{aligned}$$

Mathematica [A] time = 0.08, size = 70, normalized size = 0.90

$$\frac{1}{6} \left(b^3 \cos(a) \text{Ci}\left(\frac{b}{x}\right) - b^3 \sin(a) \text{Si}\left(\frac{b}{x}\right) + x \left(b^2 \left(-\sin\left(a + \frac{b}{x}\right) \right) + 2x^2 \sin\left(a + \frac{b}{x}\right) + bx \cos\left(a + \frac{b}{x}\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*Sin[a + b/x], x]
```

```
[Out] (b^3*Cos[a]*CosIntegral[b/x] + x*(b*x*Cos[a + b/x] - b^2*Sin[a + b/x] + 2*x
^2*Sin[a + b/x]) - b^3*Sin[a]*SinIntegral[b/x])/6
```

fricas [A] time = 0.55, size = 79, normalized size = 1.01

$$-\frac{1}{6}b^3 \sin(a) \operatorname{Si}\left(\frac{b}{x}\right) + \frac{1}{6}bx^2 \cos\left(\frac{ax+b}{x}\right) + \frac{1}{12}\left(b^3 \operatorname{Ci}\left(\frac{b}{x}\right) + b^3 \operatorname{Ci}\left(-\frac{b}{x}\right)\right) \cos(a) - \frac{1}{6}(b^2x - 2x^3) \sin\left(\frac{ax+b}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b/x),x, algorithm="fricas")

[Out] -1/6*b^3*sin(a)*sin_integral(b/x) + 1/6*b*x^2*cos((a*x + b)/x) + 1/12*(b^3*cos_integral(b/x) + b^3*cos_integral(-b/x))*cos(a) - 1/6*(b^2*x - 2*x^3)*sin((a*x + b)/x)

giac [B] time = 0.47, size = 400, normalized size = 5.13

$$a^3b^4 \cos(a) \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right) + a^3b^4 \sin(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right) - \frac{3(ax+b)a^2b^4 \cos(a) \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right)}{x} - \frac{3(ax+b)a^2b^4 \sin(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right)}{x} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b/x),x, algorithm="giac")

[Out] 1/6*(a^3*b^4*cos(a)*cos_integral(-a + (a*x + b)/x) + a^3*b^4*sin(a)*sin_integral(a - (a*x + b)/x) - 3*(a*x + b)*a^2*b^4*cos(a)*cos_integral(-a + (a*x + b)/x)/x - 3*(a*x + b)*a^2*b^4*sin(a)*sin_integral(a - (a*x + b)/x)/x + 3*(a*x + b)^2*a*b^4*cos(a)*cos_integral(-a + (a*x + b)/x)/x^2 + a^2*b^4*sin((a*x + b)/x) + 3*(a*x + b)^2*a*b^4*sin(a)*sin_integral(a - (a*x + b)/x)/x^2 + a*b^4*cos((a*x + b)/x) - (a*x + b)^3*b^4*cos(a)*cos_integral(-a + (a*x + b)/x)/x^3 - 2*(a*x + b)*a*b^4*sin((a*x + b)/x)/x - (a*x + b)^3*b^4*sin(a)*sin_integral(a - (a*x + b)/x)/x^3 - (a*x + b)*b^4*cos((a*x + b)/x)/x - 2*b^4*sin((a*x + b)/x) + (a*x + b)^2*b^4*sin((a*x + b)/x)/x^2)/((a^3 - 3*(a*x + b)*a^2/x + 3*(a*x + b)^2*a/x^2 - (a*x + b)^3/x^3)*b)

maple [A] time = 0.03, size = 73, normalized size = 0.94

$$-b^3 \left(-\frac{\sin\left(a + \frac{b}{x}\right)x^3}{3b^3} - \frac{\cos\left(a + \frac{b}{x}\right)x^2}{6b^2} + \frac{\sin\left(a + \frac{b}{x}\right)x}{6b} + \frac{\operatorname{Si}\left(\frac{b}{x}\right)\sin(a)}{6} - \frac{\operatorname{Ci}\left(\frac{b}{x}\right)\cos(a)}{6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(a+b/x),x)

[Out] -b^3*(-1/3*sin(a+b/x)*x^3/b^3-1/6*cos(a+b/x)*x^2/b^2+1/6*sin(a+b/x)*x/b+1/6*Si(b/x)*sin(a)-1/6*Ci(b/x)*cos(a))

maxima [C] time = 0.44, size = 86, normalized size = 1.10

$$\frac{1}{12} \left(\left(\operatorname{Ei} \left(\frac{ib}{x} \right) + \operatorname{Ei} \left(-\frac{ib}{x} \right) \right) \cos(a) + \left(i \operatorname{Ei} \left(\frac{ib}{x} \right) - i \operatorname{Ei} \left(-\frac{ib}{x} \right) \right) \sin(a) \right) b^3 + \frac{1}{6} b x^2 \cos \left(\frac{ax+b}{x} \right) - \frac{1}{6} (b^2 x - 2 x^3) \sin \left(\frac{ax+b}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b/x),x, algorithm="maxima")

[Out] 1/12*((Ei(I*b/x) + Ei(-I*b/x))*cos(a) + (I*Ei(I*b/x) - I*Ei(-I*b/x))*sin(a)) * b^3 + 1/6*b*x^2*cos((a*x + b)/x) - 1/6*(b^2*x - 2*x^3)*sin((a*x + b)/x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sin \left(a + \frac{b}{x} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(a + b/x),x)

[Out] int(x^2*sin(a + b/x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sin \left(a + \frac{b}{x} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*sin(a+b/x),x)

[Out] Integral(x**2*sin(a + b/x), x)

3.104 $\int x \sin\left(a + \frac{b}{x}\right) dx$

Optimal. Leaf size=60

$$\frac{1}{2}b^2 \sin(a) \text{Ci}\left(\frac{b}{x}\right) + \frac{1}{2}b^2 \cos(a) \text{Si}\left(\frac{b}{x}\right) + \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \cos\left(a + \frac{b}{x}\right)$$

[Out] $\frac{1}{2}b^2 \sin(a) \cos(a+b/x) + \frac{1}{2}b^2 \cos(a) \text{Si}(b/x) + \frac{1}{2}b^2 \text{Ci}(b/x) \sin(a) + \frac{1}{2}x^2 \sin(a+b/x) + \frac{1}{2}bx \cos(a+b/x)$

Rubi [A] time = 0.10, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3379, 3297, 3303, 3299, 3302}

$$\frac{1}{2}b^2 \sin(a) \text{CosIntegral}\left(\frac{b}{x}\right) + \frac{1}{2}b^2 \cos(a) \text{Si}\left(\frac{b}{x}\right) + \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \cos\left(a + \frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] Int[x*Sin[a + b/x], x]

[Out] $(b*x*\text{Cos}[a + b/x])/2 + (b^2*\text{CosIntegral}[b/x]*\text{Sin}[a])/2 + (x^2*\text{Sin}[a + b/x])/2 + (b^2*\text{Cos}[a]*\text{SinIntegral}[b/x])/2$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned}
\int x \sin\left(a + \frac{b}{x}\right) dx &= -\text{Subst}\left(\int \frac{\sin(a + bx)}{x^3} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) - \frac{1}{2}b \text{Subst}\left(\int \frac{\cos(a + bx)}{x^2} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}bx \cos\left(a + \frac{b}{x}\right) + \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) + \frac{1}{2}b^2 \text{Subst}\left(\int \frac{\sin(a + bx)}{x} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}bx \cos\left(a + \frac{b}{x}\right) + \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) + \frac{1}{2}(b^2 \cos(a)) \text{Subst}\left(\int \frac{\sin(bx)}{x} dx, x, \frac{1}{x}\right) + \frac{1}{2}(b^2 \sin(a)) \\
&= \frac{1}{2}bx \cos\left(a + \frac{b}{x}\right) + \frac{1}{2}b^2 \text{Ci}\left(\frac{b}{x}\right) \sin(a) + \frac{1}{2}x^2 \sin\left(a + \frac{b}{x}\right) + \frac{1}{2}b^2 \cos(a) \text{Si}\left(\frac{b}{x}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 52, normalized size = 0.87

$$\frac{1}{2} \left(b^2 \sin(a) \text{Ci}\left(\frac{b}{x}\right) + b^2 \cos(a) \text{Si}\left(\frac{b}{x}\right) + x \left(x \sin\left(a + \frac{b}{x}\right) + b \cos\left(a + \frac{b}{x}\right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x*Sin[a + b/x], x]
```

```
[Out] (b^2*CosIntegral[b/x]*Sin[a] + x*(b*Cos[a + b/x] + x*Sin[a + b/x]) + b^2*Cos[a]*SinIntegral[b/x])/2
```

fricas [A] time = 0.60, size = 69, normalized size = 1.15

$$\frac{1}{2} b^2 \cos(a) \text{Si}\left(\frac{b}{x}\right) + \frac{1}{2} bx \cos\left(\frac{ax + b}{x}\right) + \frac{1}{2} x^2 \sin\left(\frac{ax + b}{x}\right) + \frac{1}{4} \left(b^2 \text{Ci}\left(\frac{b}{x}\right) + b^2 \text{Ci}\left(-\frac{b}{x}\right) \right) \sin(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x),x, algorithm="fricas")

[Out] $\frac{1}{2}b^2\cos(a)\sin_integral(b/x) + \frac{1}{2}b*x\cos((a*x + b)/x) + \frac{1}{2}x^2\sin((a*x + b)/x) + \frac{1}{4}(b^2\cos_integral(b/x) + b^2\cos_integral(-b/x))*\sin(a)$

giac [B] time = 0.71, size = 251, normalized size = 4.18

$$\frac{a^2b^3 \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right) \sin(a) - a^2b^3 \cos(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right) - \frac{2(ax+b)ab^3 \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right) \sin(a)}{x} + \frac{2(ax+b)ab^3 \cos(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right)}{x} - ab}{2\left(a^2 - \frac{2(ax+b)a}{x} + \frac{(ax+b)^2}{x^2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x),x, algorithm="giac")

[Out] $\frac{1}{2}(a^2b^3\cos_integral(-a + (a*x + b)/x)*\sin(a) - a^2b^3\cos(a)*\sin_integral(a - (a*x + b)/x) - 2*(a*x + b)*a*b^3\cos_integral(-a + (a*x + b)/x)*\sin(a)/x + 2*(a*x + b)*a*b^3\cos(a)*\sin_integral(a - (a*x + b)/x)/x - a*b^3\cos((a*x + b)/x) + (a*x + b)^2*b^3\cos_integral(-a + (a*x + b)/x)*\sin(a)/x^2 - (a*x + b)^2*b^3\cos(a)*\sin_integral(a - (a*x + b)/x)/x^2 + (a*x + b)*b^3\cos((a*x + b)/x)/x + b^3\sin((a*x + b)/x))/((a^2 - 2*(a*x + b)*a/x + (a*x + b)^2/x^2)*b)$

maple [A] time = 0.03, size = 57, normalized size = 0.95

$$-b^2 \left(-\frac{\sin\left(a + \frac{b}{x}\right)x^2}{2b^2} - \frac{\cos\left(a + \frac{b}{x}\right)x}{2b} - \frac{\cos(a) \operatorname{Si}\left(\frac{b}{x}\right)}{2} - \frac{\operatorname{Ci}\left(\frac{b}{x}\right) \sin(a)}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(a+b/x),x)

[Out] $-b^2*(-1/2*\sin(a+b/x)*x^2/b^2-1/2*\cos(a+b/x)*x/b-1/2*\cos(a)*\operatorname{Si}(b/x)-1/2*\operatorname{Ci}(b/x)*\sin(a))$

maxima [C] time = 0.39, size = 76, normalized size = 1.27

$$\frac{1}{4} \left(\left(-i \operatorname{Ei}\left(\frac{ib}{x}\right) + i \operatorname{Ei}\left(-\frac{ib}{x}\right) \right) \cos(a) + \left(\operatorname{Ei}\left(\frac{ib}{x}\right) + \operatorname{Ei}\left(-\frac{ib}{x}\right) \right) \sin(a) \right) b^2 + \frac{1}{2} b x \cos\left(\frac{ax+b}{x}\right) + \frac{1}{2} x^2 \sin\left(\frac{ax+b}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x),x, algorithm="maxima")

[Out] $\frac{1}{4} * ((-I * Ei(I * b/x) + I * Ei(-I * b/x)) * \cos(a) + (Ei(I * b/x) + Ei(-I * b/x)) * \sin(a)) * b^2 + \frac{1}{2} * b * x * \cos((a * x + b)/x) + \frac{1}{2} * x^2 * \sin((a * x + b)/x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \sin\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(a + b/x),x)`

[Out] `int(x*sin(a + b/x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sin\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b/x),x)`

[Out] `Integral(x*sin(a + b/x), x)`

3.105 $\int \sin\left(a + \frac{b}{x}\right) dx$

Optimal. Leaf size=32

$$-b \cos(a) \operatorname{Ci}\left(\frac{b}{x}\right) + b \sin(a) \operatorname{Si}\left(\frac{b}{x}\right) + x \sin\left(a + \frac{b}{x}\right)$$

[Out] $-b \operatorname{Ci}(b/x) \cos(a) + b \operatorname{Si}(b/x) \sin(a) + x \sin(a + b/x)$

Rubi [A] time = 0.07, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3361, 3297, 3303, 3299, 3302}

$$-b \cos(a) \operatorname{CosIntegral}\left(\frac{b}{x}\right) + b \sin(a) \operatorname{Si}\left(\frac{b}{x}\right) + x \sin\left(a + \frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/x], x]$

[Out] $-(b \operatorname{Cos}[a] \operatorname{CosIntegral}[b/x]) + x \operatorname{Sin}[a + b/x] + b \operatorname{Sin}[a] \operatorname{SinIntegral}[b/x]$

Rule 3297

$\operatorname{Int}[(c + d \cdot x) + (d \cdot x)^m \sin[e + f \cdot x], x_Symbol] \rightarrow \operatorname{Simp}[(c + d \cdot x)^{m+1} \operatorname{Sin}[e + f \cdot x] / (d \cdot (m + 1)), x] - \operatorname{Dist}[f / (d \cdot (m + 1)), \operatorname{Int}[(c + d \cdot x)^{m+1} \operatorname{Cos}[e + f \cdot x], x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \ \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[e + f \cdot x] / ((c + d \cdot x)^m), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f \cdot x] / d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \ \operatorname{EqQ}[d \cdot e - c \cdot f, 0]$

Rule 3302

$\operatorname{Int}[\sin[e + f \cdot x] / ((c + d \cdot x)^m), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f \cdot x] / d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f, x\} \ \&\& \ \operatorname{EqQ}[d \cdot (e - \pi/2) - c \cdot f, 0]$

Rule 3303

$\operatorname{Int}[\sin[e + f \cdot x] / ((c + d \cdot x)^m), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d \cdot e - c \cdot f) / d], \operatorname{Int}[\operatorname{Sin}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d \cdot e - c \cdot f) / d], \operatorname{Int}[\operatorname{Cos}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f, x\} \ \&\&$

NeQ[d*e - c*f, 0]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.))]^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{x}\right) dx &= -\text{Subst}\left(\int \frac{\sin(a + bx)}{x^2} dx, x, \frac{1}{x}\right) \\ &= x \sin\left(a + \frac{b}{x}\right) - b \text{Subst}\left(\int \frac{\cos(a + bx)}{x} dx, x, \frac{1}{x}\right) \\ &= x \sin\left(a + \frac{b}{x}\right) - (b \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, \frac{1}{x}\right) + (b \sin(a)) \text{Subst}\left(\int \frac{\sin(bx)}{x} dx, x, \frac{1}{x}\right) \\ &= -b \cos(a) \text{Ci}\left(\frac{b}{x}\right) + x \sin\left(a + \frac{b}{x}\right) + b \sin(a) \text{Si}\left(\frac{b}{x}\right) \end{aligned}$$

Mathematica [A] time = 0.03, size = 32, normalized size = 1.00

$$-b \cos(a) \text{Ci}\left(\frac{b}{x}\right) + b \sin(a) \text{Si}\left(\frac{b}{x}\right) + x \sin\left(a + \frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x], x]

[Out] -(b*Cos[a]*CosIntegral[b/x]) + x*Sin[a + b/x] + b*Sin[a]*SinIntegral[b/x]

fricas [A] time = 0.61, size = 45, normalized size = 1.41

$$b \sin(a) \text{Si}\left(\frac{b}{x}\right) - \frac{1}{2} \left(b \text{Ci}\left(\frac{b}{x}\right) + b \text{Ci}\left(-\frac{b}{x}\right) \right) \cos(a) + x \sin\left(\frac{ax + b}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x), x, algorithm="fricas")

[Out] b*sin(a)*sin_integral(b/x) - 1/2*(b*cos_integral(b/x) + b*cos_integral(-b/x))*cos(a) + x*sin((a*x + b)/x)

giac [B] time = 0.46, size = 132, normalized size = 4.12

$$\frac{ab^2 \cos(a) \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right) + ab^2 \sin(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right) - \frac{(ax+b)b^2 \cos(a) \operatorname{Ci}\left(-a + \frac{ax+b}{x}\right)}{x} - \frac{(ax+b)b^2 \sin(a) \operatorname{Si}\left(a - \frac{ax+b}{x}\right)}{x} + b^2 \sin\left(a - \frac{ax+b}{x}\right)}{\left(a - \frac{ax+b}{x}\right)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x),x, algorithm="giac")

[Out] $-(a*b^2*\cos(a)*\cos_integral(-a + (a*x + b)/x) + a*b^2*\sin(a)*\sin_integral(a - (a*x + b)/x) - (a*x + b)*b^2*\cos(a)*\cos_integral(-a + (a*x + b)/x)/x - (a*x + b)*b^2*\sin(a)*\sin_integral(a - (a*x + b)/x)/x + b^2*\sin((a*x + b)/x)) / ((a - (a*x + b)/x)*b)$

maple [A] time = 0.03, size = 38, normalized size = 1.19

$$-b \left(-\frac{\sin\left(a + \frac{b}{x}\right)x}{b} - \operatorname{Si}\left(\frac{b}{x}\right)\sin(a) + \operatorname{Ci}\left(\frac{b}{x}\right)\cos(a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x),x)

[Out] $-b*(-\sin(a+b/x)*x/b - \operatorname{Si}(b/x)*\sin(a) + \operatorname{Ci}(b/x)*\cos(a))$

maxima [C] time = 0.38, size = 58, normalized size = 1.81

$$-\frac{1}{2} \left(\left(\operatorname{Ei}\left(\frac{ib}{x}\right) + \operatorname{Ei}\left(-\frac{ib}{x}\right) \right) \cos(a) - \left(-i \operatorname{Ei}\left(\frac{ib}{x}\right) + i \operatorname{Ei}\left(-\frac{ib}{x}\right) \right) \sin(a) \right) b + x \sin\left(\frac{ax+b}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x),x, algorithm="maxima")

[Out] $-1/2*((\operatorname{Ei}(I*b/x) + \operatorname{Ei}(-I*b/x))*\cos(a) - (-I*\operatorname{Ei}(I*b/x) + I*\operatorname{Ei}(-I*b/x))*\sin(a))*b + x*\sin((a*x + b)/x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \sin\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/x), x)
```

```
[Out] int(sin(a + b/x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sin\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/x), x)
```

```
[Out] Integral(sin(a + b/x), x)
```

$$3.106 \quad \int \frac{\sin\left(a + \frac{b}{x}\right)}{x} dx$$

Optimal. Leaf size=21

$$\sin(a) \left(-\text{Ci}\left(\frac{b}{x}\right) \right) - \cos(a) \text{Si}\left(\frac{b}{x}\right)$$

[Out] $-\cos(a) * \text{Si}(b/x) - \text{Ci}(b/x) * \sin(a)$

Rubi [A] time = 0.03, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3377, 3376, 3375}

$$\sin(a) \left(-\text{CosIntegral}\left(\frac{b}{x}\right) \right) - \cos(a) \text{Si}\left(\frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/x]/x, x]`

[Out] `-(CosIntegral[b/x]*Sin[a]) - Cos[a]*SinIntegral[b/x]`

Rule 3375

`Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]`

Rule 3376

`Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]`

Rule 3377

`Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]`

Rubi steps

$$\begin{aligned}\int \frac{\sin\left(a + \frac{b}{x}\right)}{x} dx &= \cos(a) \int \frac{\sin\left(\frac{b}{x}\right)}{x} dx + \sin(a) \int \frac{\cos\left(\frac{b}{x}\right)}{x} dx \\ &= -\text{Ci}\left(\frac{b}{x}\right) \sin(a) - \cos(a) \text{Si}\left(\frac{b}{x}\right)\end{aligned}$$

Mathematica [A] time = 0.05, size = 21, normalized size = 1.00

$$\sin(a) \left(-\text{Ci}\left(\frac{b}{x}\right)\right) - \cos(a) \text{Si}\left(\frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]/x,x]

[Out] -(CosIntegral[b/x]*Sin[a]) - Cos[a]*SinIntegral[b/x]

fricas [A] time = 0.64, size = 29, normalized size = 1.38

$$-\frac{1}{2} \left(\text{Ci}\left(\frac{b}{x}\right) + \text{Ci}\left(-\frac{b}{x}\right) \right) \sin(a) - \cos(a) \text{Si}\left(\frac{b}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x,x, algorithm="fricas")

[Out] -1/2*(cos_integral(b/x) + cos_integral(-b/x))*sin(a) - cos(a)*sin_integral(b/x)

giac [A] time = 0.42, size = 42, normalized size = 2.00

$$\frac{b \text{Ci}\left(-a + \frac{ax+b}{x}\right) \sin(a) - b \cos(a) \text{Si}\left(a - \frac{ax+b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x,x, algorithm="giac")

[Out] -(b*cos_integral(-a + (a*x + b)/x)*sin(a) - b*cos(a)*sin_integral(a - (a*x + b)/x))/b

maple [A] time = 0.03, size = 22, normalized size = 1.05

$$-\cos(a) \text{Si}\left(\frac{b}{x}\right) - \text{Ci}\left(\frac{b}{x}\right) \sin(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/x)/x,x)`

[Out] $-\cos(a)*\text{Si}(b/x)-\text{Ci}(b/x)*\sin(a)$

maxima [C] time = 0.36, size = 43, normalized size = 2.05

$$\frac{1}{2} \left(i \text{Ei} \left(\frac{ib}{x} \right) - i \text{Ei} \left(-\frac{ib}{x} \right) \right) \cos(a) - \frac{1}{2} \left(\text{Ei} \left(\frac{ib}{x} \right) + \text{Ei} \left(-\frac{ib}{x} \right) \right) \sin(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)/x,x, algorithm="maxima")`

[Out] $1/2*(I*\text{Ei}(I*b/x) - I*\text{Ei}(-I*b/x))*\cos(a) - 1/2*(\text{Ei}(I*b/x) + \text{Ei}(-I*b/x))*\sin(a)$

mupad [F] time = 0.00, size = -1, normalized size = -0.05

$$-\sin(a) \cos\text{int} \left(\frac{b}{x} \right) - \cos(a) \sin\text{int} \left(\frac{b}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x)/x,x)`

[Out] $-\sin(a)*\cos\text{int}(b/x) - \cos(a)*\sin\text{int}(b/x)$

sympy [A] time = 1.15, size = 17, normalized size = 0.81

$$-\sin(a) \text{Ci} \left(\frac{b}{x} \right) - \cos(a) \text{Si} \left(\frac{b}{x} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)/x,x)`

[Out] $-\sin(a)*\text{Ci}(b/x) - \cos(a)*\text{Si}(b/x)$

$$3.107 \quad \int \frac{\sin\left(a + \frac{b}{x}\right)}{x^2} dx$$

Optimal. Leaf size=12

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

[Out] cos(a+b/x)/b

Rubi [A] time = 0.01, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3379, 2638}

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]/x^2,x]

[Out] Cos[a + b/x]/b

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{x}\right)}{x^2} dx &= -\text{Subst}\left(\int \sin(a + bx) dx, x, \frac{1}{x}\right) \\ &= \frac{\cos\left(a + \frac{b}{x}\right)}{b} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]/x^2,x]

[Out] Cos[a + b/x]/b

fricas [A] time = 0.82, size = 14, normalized size = 1.17

$$\frac{\cos\left(\frac{ax+b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^2,x, algorithm="fricas")

[Out] cos((a*x + b)/x)/b

giac [A] time = 0.43, size = 14, normalized size = 1.17

$$\frac{\cos\left(\frac{ax+b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^2,x, algorithm="giac")

[Out] cos((a*x + b)/x)/b

maple [A] time = 0.01, size = 13, normalized size = 1.08

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)/x^2,x)

[Out] cos(a+b/x)/b

maxima [A] time = 0.30, size = 12, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^2,x, algorithm="maxima")

[Out] cos(a + b/x)/b

mupad [B] time = 4.53, size = 12, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)/x^2,x)

[Out] cos(a + b/x)/b

sympy [A] time = 1.21, size = 14, normalized size = 1.17

$$\begin{cases} \frac{\cos\left(a + \frac{b}{x}\right)}{b} & \text{for } b \neq 0 \\ -\frac{\sin(a)}{x} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x**2,x)

[Out] Piecewise((cos(a + b/x)/b, Ne(b, 0)), (-sin(a)/x, True))

$$3.108 \quad \int \frac{\sin\left(a + \frac{b}{x}\right)}{x^3} dx$$

Optimal. Leaf size=29

$$\frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2}$$

[Out] cos(a+b/x)/b/x-sin(a+b/x)/b^2

Rubi [A] time = 0.02, antiderivative size = 29, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3379, 3296, 2637}

$$\frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]/x^3,x]

[Out] Cos[a + b/x]/(b*x) - Sin[a + b/x]/b^2

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^3} dx &= -\text{Subst}\left(\int x \sin(a + bx) dx, x, \frac{1}{x}\right) \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\text{Subst}\left(\int \cos(a + bx) dx, x, \frac{1}{x}\right)}{b} \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 29, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]/x^3,x]

[Out] Cos[a + b/x]/(b*x) - Sin[a + b/x]/b^2

fricas [A] time = 0.50, size = 33, normalized size = 1.14

$$\frac{b \cos\left(\frac{ax+b}{x}\right) - x \sin\left(\frac{ax+b}{x}\right)}{b^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^3,x, algorithm="fricas")

[Out] (b*cos((a*x + b)/x) - x*sin((a*x + b)/x))/(b^2*x)

giac [A] time = 1.59, size = 48, normalized size = 1.66

$$-\frac{a \cos\left(\frac{ax+b}{x}\right) - \frac{(ax+b) \cos\left(\frac{ax+b}{x}\right)}{x} + \sin\left(\frac{ax+b}{x}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^3,x, algorithm="giac")

[Out] -(a*cos((a*x + b)/x) - (a*x + b)*cos((a*x + b)/x)/x + sin((a*x + b)/x))/b^2

maple [A] time = 0.03, size = 42, normalized size = 1.45

$$\frac{\sin\left(a + \frac{b}{x}\right) - \left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right) + a \cos\left(a + \frac{b}{x}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/x)/x^3,x)`

[Out] `-1/b^2*(sin(a+b/x)-(a+b/x)*cos(a+b/x)+a*cos(a+b/x))`

maxima [C] time = 0.36, size = 50, normalized size = 1.72

$$\frac{\left(i\Gamma\left(2, \frac{ib}{x}\right) - i\Gamma\left(2, -\frac{ib}{x}\right)\right) \cos(a) + \left(\Gamma\left(2, \frac{ib}{x}\right) + \Gamma\left(2, -\frac{ib}{x}\right)\right) \sin(a)}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)/x^3,x, algorithm="maxima")`

[Out] `-1/2*((I*gamma(2, I*b/x) - I*gamma(2, -I*b/x))*cos(a) + (gamma(2, I*b/x) + gamma(2, -I*b/x))*sin(a))/b^2`

mupad [B] time = 4.54, size = 29, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x)/x^3,x)`

[Out] `cos(a + b/x)/(b*x) - sin(a + b/x)/b^2`

sympy [A] time = 2.27, size = 29, normalized size = 1.00

$$\begin{cases} \frac{\cos\left(a + \frac{b}{x}\right)}{bx} - \frac{\sin\left(a + \frac{b}{x}\right)}{b^2} & \text{for } b \neq 0 \\ -\frac{\sin(a)}{2x^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)/x**3,x)`

[Out] `Piecewise((cos(a + b/x)/(b*x) - sin(a + b/x)/b**2, Ne(b, 0)), (-sin(a)/(2*x**2), True))`

$$3.109 \quad \int \frac{\sin\left(a + \frac{b}{x}\right)}{x^4} dx$$

Optimal. Leaf size=45

$$-\frac{2 \cos\left(a + \frac{b}{x}\right)}{b^3} - \frac{2 \sin\left(a + \frac{b}{x}\right)}{b^2 x} + \frac{\cos\left(a + \frac{b}{x}\right)}{b x^2}$$

[Out] $-2*\cos(a+b/x)/b^3+\cos(a+b/x)/b/x^2-2*\sin(a+b/x)/b^2/x$

Rubi [A] time = 0.05, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3379, 3296, 2638}

$$-\frac{2 \sin\left(a + \frac{b}{x}\right)}{b^2 x} - \frac{2 \cos\left(a + \frac{b}{x}\right)}{b^3} + \frac{\cos\left(a + \frac{b}{x}\right)}{b x^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]/x^4,x]

[Out] $(-2*\cos[a + b/x])/b^3 + \cos[a + b/x]/(b*x^2) - (2*\sin[a + b/x])/(b^2*x)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^4} dx &= -\text{Subst}\left(\int x^2 \sin(a + bx) dx, x, \frac{1}{x}\right) \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^2} - \frac{2 \text{Subst}\left(\int x \cos(a + bx) dx, x, \frac{1}{x}\right)}{b} \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^2} - \frac{2 \sin\left(a + \frac{b}{x}\right)}{b^2 x} + \frac{2 \text{Subst}\left(\int \sin(a + bx) dx, x, \frac{1}{x}\right)}{b^2} \\
&= -\frac{2 \cos\left(a + \frac{b}{x}\right)}{b^3} + \frac{\cos\left(a + \frac{b}{x}\right)}{bx^2} - \frac{2 \sin\left(a + \frac{b}{x}\right)}{b^2 x}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 38, normalized size = 0.84

$$\frac{(b^2 - 2x^2) \cos\left(a + \frac{b}{x}\right) - 2bx \sin\left(a + \frac{b}{x}\right)}{b^3 x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]/x^4,x]

[Out] ((b^2 - 2*x^2)*Cos[a + b/x] - 2*b*x*Sin[a + b/x])/(b^3*x^2)

fricas [A] time = 0.70, size = 44, normalized size = 0.98

$$\frac{2bx \sin\left(\frac{ax+b}{x}\right) - (b^2 - 2x^2) \cos\left(\frac{ax+b}{x}\right)}{b^3 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^4,x, algorithm="fricas")

[Out] -(2*b*x*sin((a*x + b)/x) - (b^2 - 2*x^2)*cos((a*x + b)/x))/(b^3*x^2)

giac [B] time = 1.15, size = 106, normalized size = 2.36

$$\frac{a^2 \cos\left(\frac{ax+b}{x}\right) - \frac{2(ax+b)a \cos\left(\frac{ax+b}{x}\right)}{x} + 2a \sin\left(\frac{ax+b}{x}\right) + \frac{(ax+b)^2 \cos\left(\frac{ax+b}{x}\right)}{x^2} - \frac{2(ax+b) \sin\left(\frac{ax+b}{x}\right)}{x} - 2 \cos\left(\frac{ax+b}{x}\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^4,x, algorithm="giac")

[Out] $(a^2 \cos((a*x + b)/x) - 2*(a*x + b)*a \cos((a*x + b)/x)/x + 2*a \sin((a*x + b)/x) + (a*x + b)^2 \cos((a*x + b)/x)/x^2 - 2*(a*x + b)*\sin((a*x + b)/x)/x - 2*\cos((a*x + b)/x))/b^3$

maple [B] time = 0.03, size = 95, normalized size = 2.11

$$\frac{-\left(a + \frac{b}{x}\right)^2 \cos\left(a + \frac{b}{x}\right) + 2 \cos\left(a + \frac{b}{x}\right) + 2\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right) - 2a\left(\sin\left(a + \frac{b}{x}\right) - \left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)\right) - a^2 \cos\left(a + \frac{b}{x}\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)/x^4,x)

[Out] $-1/b^3 * (-(a+b/x)^2 * \cos(a+b/x) + 2 * \cos(a+b/x) + 2 * (a+b/x) * \sin(a+b/x) - 2 * a * (\sin(a+b/x) - (a+b/x) * \cos(a+b/x))) - a^2 * \cos(a+b/x)$

maxima [C] time = 0.39, size = 51, normalized size = 1.13

$$\frac{\left(\Gamma\left(3, \frac{ib}{x}\right) + \Gamma\left(3, -\frac{ib}{x}\right)\right) \cos(a) - \left(i\Gamma\left(3, \frac{ib}{x}\right) - i\Gamma\left(3, -\frac{ib}{x}\right)\right) \sin(a)}{2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^4,x, algorithm="maxima")

[Out] $-1/2 * ((\text{gamma}(3, I*b/x) + \text{gamma}(3, -I*b/x)) * \cos(a) - (I * \text{gamma}(3, I*b/x) - I * \text{gamma}(3, -I*b/x)) * \sin(a)) / b^3$

mupad [B] time = 4.63, size = 46, normalized size = 1.02

$$\frac{b^2 \cos\left(a + \frac{b}{x}\right) - 2bx \sin\left(a + \frac{b}{x}\right)}{b^3 x^2} - \frac{2 \cos\left(a + \frac{b}{x}\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)/x^4,x)

[Out] $(b^2 * \cos(a + b/x) - 2 * b * x * \sin(a + b/x)) / (b^3 * x^2) - (2 * \cos(a + b/x)) / b^3$

sympy [A] time = 3.86, size = 46, normalized size = 1.02

$$\begin{cases} \frac{\cos\left(a + \frac{b}{x}\right)}{bx^2} - \frac{2 \sin\left(a + \frac{b}{x}\right)}{b^2 x} - \frac{2 \cos\left(a + \frac{b}{x}\right)}{b^3} & \text{for } b \neq 0 \\ -\frac{\sin(a)}{3x^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/x)/x**4,x)
```

```
[Out] Piecewise((cos(a + b/x)/(b*x**2) - 2*sin(a + b/x)/(b**2*x) - 2*cos(a + b/x)/b**3, Ne(b, 0)), (-sin(a)/(3*x**3), True))
```

$$3.110 \quad \int \frac{\sin\left(a + \frac{b}{x}\right)}{x^5} dx$$

Optimal. Leaf size=61

$$\frac{6 \sin\left(a + \frac{b}{x}\right)}{b^4} - \frac{6 \cos\left(a + \frac{b}{x}\right)}{b^3 x} - \frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2} + \frac{\cos\left(a + \frac{b}{x}\right)}{b x^3}$$

[Out] $\cos(a+b/x)/b/x^3 - 6*\cos(a+b/x)/b^3/x + 6*\sin(a+b/x)/b^4 - 3*\sin(a+b/x)/b^2/x^2$

Rubi [A] time = 0.07, antiderivative size = 61, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3379, 3296, 2637}

$$-\frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2} + \frac{6 \sin\left(a + \frac{b}{x}\right)}{b^4} - \frac{6 \cos\left(a + \frac{b}{x}\right)}{b^3 x} + \frac{\cos\left(a + \frac{b}{x}\right)}{b x^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]/x^5, x]

[Out] $\text{Cos}[a + b/x]/(b*x^3) - (6*\text{Cos}[a + b/x])/(b^3*x) + (6*\text{Sin}[a + b/x])/b^4 - (3*\text{Sin}[a + b/x])/(b^2*x^2)$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_.)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

Int[(x_.)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_.)^(n_.)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m+1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]] && (EqQ[p, 1] || EqQ[m, n-1] || (IntegerQ[p] && GtQ[Simplify[(m+1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{x}\right)}{x^5} dx &= -\text{Subst}\left(\int x^3 \sin(a + bx) dx, x, \frac{1}{x}\right) \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^3} - \frac{3 \text{Subst}\left(\int x^2 \cos(a + bx) dx, x, \frac{1}{x}\right)}{b} \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^3} - \frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2} + \frac{6 \text{Subst}\left(\int x \sin(a + bx) dx, x, \frac{1}{x}\right)}{b^2} \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^3} - \frac{6 \cos\left(a + \frac{b}{x}\right)}{b^3 x} - \frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2} + \frac{6 \text{Subst}\left(\int \cos(a + bx) dx, x, \frac{1}{x}\right)}{b^3} \\
&= \frac{\cos\left(a + \frac{b}{x}\right)}{bx^3} - \frac{6 \cos\left(a + \frac{b}{x}\right)}{b^3 x} + \frac{6 \sin\left(a + \frac{b}{x}\right)}{b^4} - \frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2}
\end{aligned}$$

Mathematica [A] time = 0.00, size = 61, normalized size = 1.00

$$\frac{6 \sin\left(a + \frac{b}{x}\right)}{b^4} - \frac{6 \cos\left(a + \frac{b}{x}\right)}{b^3 x} - \frac{3 \sin\left(a + \frac{b}{x}\right)}{b^2 x^2} + \frac{\cos\left(a + \frac{b}{x}\right)}{b x^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]/x^5,x]

[Out] Cos[a + b/x]/(b*x^3) - (6*Cos[a + b/x])/(b^3*x) + (6*Sin[a + b/x])/b^4 - (3*Sin[a + b/x])/(b^2*x^2)

fricas [A] time = 0.67, size = 52, normalized size = 0.85

$$\frac{(b^3 - 6bx^2) \cos\left(\frac{ax+b}{x}\right) - 3(b^2x - 2x^3) \sin\left(\frac{ax+b}{x}\right)}{b^4 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^5,x, algorithm="fricas")

[Out] ((b^3 - 6*b*x^2)*cos((a*x + b)/x) - 3*(b^2*x - 2*x^3)*sin((a*x + b)/x))/(b^4*x^3)

giac [B] time = 1.15, size = 191, normalized size = 3.13

$$\frac{a^3 \cos\left(\frac{ax+b}{x}\right) - \frac{3(ax+b)a^2 \cos\left(\frac{ax+b}{x}\right)}{x} + 3a^2 \sin\left(\frac{ax+b}{x}\right) - 6a \cos\left(\frac{ax+b}{x}\right) + \frac{3(ax+b)^2 a \cos\left(\frac{ax+b}{x}\right)}{x^2} - \frac{6(ax+b)a \sin\left(\frac{ax+b}{x}\right)}{x} - \frac{(ax+b)^3 \sin\left(\frac{ax+b}{x}\right)}{x^3}}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^5,x, algorithm="giac")

[Out] $-(a^3 \cos((a*x + b)/x) - 3*(a*x + b)*a^2 \cos((a*x + b)/x)/x + 3*a^2 \sin((a*x + b)/x) - 6*a \cos((a*x + b)/x) + 3*(a*x + b)^2 * a \cos((a*x + b)/x)/x^2 - 6*(a*x + b)*a \sin((a*x + b)/x)/x - (a*x + b)^3 \cos((a*x + b)/x)/x^3 + 6*(a*x + b) \cos((a*x + b)/x)/x + 3*(a*x + b)^2 \sin((a*x + b)/x)/x^2 - 6 \sin((a*x + b)/x))/b^4$

maple [B] time = 0.03, size = 165, normalized size = 2.70

$$\frac{-\left(a + \frac{b}{x}\right)^3 \cos\left(a + \frac{b}{x}\right) + 3\left(a + \frac{b}{x}\right)^2 \sin\left(a + \frac{b}{x}\right) - 6 \sin\left(a + \frac{b}{x}\right) + 6\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right) - 3a \left(-\left(a + \frac{b}{x}\right)^2 \cos\left(a + \frac{b}{x}\right) + 2\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right) - \sin\left(a + \frac{b}{x}\right)\right)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)/x^5,x)

[Out] $-1/b^4 * (- (a+b/x)^3 \cos(a+b/x) + 3*(a+b/x)^2 \sin(a+b/x) - 6*\sin(a+b/x) + 6*(a+b/x) \cos(a+b/x) - 3*a * (- (a+b/x)^2 \cos(a+b/x) + 2*\cos(a+b/x) + 2*(a+b/x) \sin(a+b/x)) + 3*a^2 * (\sin(a+b/x) - (a+b/x) \cos(a+b/x)) + a^3 \cos(a+b/x))$

maxima [C] time = 0.42, size = 50, normalized size = 0.82

$$\frac{\left(i \Gamma\left(4, \frac{ib}{x}\right) - i \Gamma\left(4, -\frac{ib}{x}\right)\right) \cos(a) + \left(\Gamma\left(4, \frac{ib}{x}\right) + \Gamma\left(4, -\frac{ib}{x}\right)\right) \sin(a)}{2b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x^5,x, algorithm="maxima")

[Out] $1/2 * ((I * \gamma(4, I * b/x) - I * \gamma(4, -I * b/x)) * \cos(a) + (\gamma(4, I * b/x) + \gamma(4, -I * b/x)) * \sin(a)) / b^4$

mupad [B] time = 4.77, size = 64, normalized size = 1.05

$$\frac{6 \sin\left(a + \frac{b}{x}\right)}{b^4} - \frac{6 b x^2 \cos\left(a + \frac{b}{x}\right) - b^3 \cos\left(a + \frac{b}{x}\right) + 3 b^2 x \sin\left(a + \frac{b}{x}\right)}{b^4 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)/x^5,x)

[Out] $(6*\sin(a + b/x))/b^4 - (6*b*x^2*\cos(a + b/x) - b^3*\cos(a + b/x) + 3*b^2*x*\sin(a + b/x))/(b^4*x^3)$

sympy [A] time = 6.42, size = 61, normalized size = 1.00

$$\begin{cases} \frac{\cos\left(a+\frac{b}{x}\right)}{bx^3} - \frac{3\sin\left(a+\frac{b}{x}\right)}{b^2x^2} - \frac{6\cos\left(a+\frac{b}{x}\right)}{b^3x} + \frac{6\sin\left(a+\frac{b}{x}\right)}{b^4} & \text{for } b \neq 0 \\ -\frac{\sin(a)}{4x^4} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)/x**5,x)

[Out] Piecewise((cos(a + b/x)/(b*x**3) - 3*sin(a + b/x)/(b**2*x**2) - 6*cos(a + b/x)/(b**3*x) + 6*sin(a + b/x)/b**4, Ne(b, 0)), (-sin(a)/(4*x**4), True))

3.111 $\int x^2 \sin^2 \left(a + \frac{b}{x} \right) dx$

Optimal. Leaf size=97

$$\frac{2}{3}b^3 \sin(2a) \operatorname{Ci} \left(\frac{2b}{x} \right) + \frac{2}{3}b^3 \cos(2a) \operatorname{Si} \left(\frac{2b}{x} \right) + \frac{1}{3}b^2 x \cos \left(2 \left(a + \frac{b}{x} \right) \right) - \frac{1}{6}x^3 \cos \left(2 \left(a + \frac{b}{x} \right) \right) + \frac{1}{6}bx^2 \sin \left(2 \left(a + \frac{b}{x} \right) \right) + \frac{x^3}{6}$$

[Out] $\frac{1}{6}x^3 + \frac{1}{3}b^2 x \cos(2a + 2b/x) - \frac{1}{6}x^3 \cos(2a + 2b/x) + \frac{2}{3}b^3 \cos(2a) \operatorname{Si}(2b/x) + \frac{2}{3}b^3 \operatorname{Ci}(2b/x) \sin(2a) + \frac{1}{6}b^2 x^2 \sin(2a + 2b/x)$

Rubi [A] time = 0.17, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.429$, Rules used = {3425, 3380, 3297, 3303, 3299, 3302}

$$\frac{2}{3}b^3 \sin(2a) \operatorname{CosIntegral} \left(\frac{2b}{x} \right) + \frac{2}{3}b^3 \cos(2a) \operatorname{Si} \left(\frac{2b}{x} \right) + \frac{1}{3}b^2 x \cos \left(2 \left(a + \frac{b}{x} \right) \right) + \frac{1}{6}bx^2 \sin \left(2 \left(a + \frac{b}{x} \right) \right) - \frac{1}{6}x^3 \cos \left(2 \left(a + \frac{b}{x} \right) \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^2 \sin[a + b/x]^2, x]$

[Out] $x^3/6 + (b^2 x \cos[2(a + b/x)])/3 - (x^3 \cos[2(a + b/x)])/6 + (2b^3 \operatorname{CosIntegral}[(2b)/x] \sin[2a])/3 + (b x^2 \sin[2(a + b/x)])/6 + (2b^3 \cos[2a] \operatorname{SinIntegral}[(2b)/x])/3$

Rule 3297

$\operatorname{Int}[(c + d x)^m \sin[e + f x], x_Symbol] \rightarrow \operatorname{Simp}[(c + d x)^{m+1} \sin[e + f x] / (d(m+1)), x] - \operatorname{Dist}[f / (d(m+1)), \operatorname{Int}[(c + d x)^{m+1} \cos[e + f x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\operatorname{Int}[\sin[e + f x] / (c + d x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d e - c f, 0]

Rule 3302

$\operatorname{Int}[\sin[e + f x] / (c + d x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d(e - \pi/2) - c f, 0]

Rule 3303


```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3380

```
Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3425

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int x^2 \sin^2\left(a + \frac{b}{x}\right) dx &= \int \left(\frac{x^2}{2} - \frac{1}{2}x^2 \cos\left(2a + \frac{2b}{x}\right)\right) dx \\
&= \frac{x^3}{6} - \frac{1}{2} \int x^2 \cos\left(2a + \frac{2b}{x}\right) dx \\
&= \frac{x^3}{6} + \frac{1}{2} \text{Subst}\left(\int \frac{\cos(2a + 2bx)}{x^4} dx, x, \frac{1}{x}\right) \\
&= \frac{x^3}{6} - \frac{1}{6}x^3 \cos\left(2\left(a + \frac{b}{x}\right)\right) - \frac{1}{3}b \text{Subst}\left(\int \frac{\sin(2a + 2bx)}{x^3} dx, x, \frac{1}{x}\right) \\
&= \frac{x^3}{6} - \frac{1}{6}x^3 \cos\left(2\left(a + \frac{b}{x}\right)\right) + \frac{1}{6}bx^2 \sin\left(2\left(a + \frac{b}{x}\right)\right) - \frac{1}{3}b^2 \text{Subst}\left(\int \frac{\cos(2a + 2bx)}{x^2} dx, x, \frac{1}{x}\right) \\
&= \frac{x^3}{6} + \frac{1}{3}b^2x \cos\left(2\left(a + \frac{b}{x}\right)\right) - \frac{1}{6}x^3 \cos\left(2\left(a + \frac{b}{x}\right)\right) + \frac{1}{6}bx^2 \sin\left(2\left(a + \frac{b}{x}\right)\right) + \frac{1}{3}(2b^3) \text{Subst}\left(\int \frac{\sin(2a + 2bx)}{x} dx, x, \frac{1}{x}\right) \\
&= \frac{x^3}{6} + \frac{1}{3}b^2x \cos\left(2\left(a + \frac{b}{x}\right)\right) - \frac{1}{6}x^3 \cos\left(2\left(a + \frac{b}{x}\right)\right) + \frac{1}{6}bx^2 \sin\left(2\left(a + \frac{b}{x}\right)\right) + \frac{1}{3}(2b^3 \cos(2a) \text{Ci}\left(\frac{2b}{x}\right) - 2b^3 \sin(2a) \text{Si}\left(\frac{2b}{x}\right)) \\
&= \frac{x^3}{6} + \frac{1}{3}b^2x \cos\left(2\left(a + \frac{b}{x}\right)\right) - \frac{1}{6}x^3 \cos\left(2\left(a + \frac{b}{x}\right)\right) + \frac{2}{3}b^3 \text{Ci}\left(\frac{2b}{x}\right) \sin(2a) + \frac{1}{6}bx^2 \sin\left(2\left(a + \frac{b}{x}\right)\right) - \frac{2}{3}b^3 \text{Si}\left(\frac{2b}{x}\right) \cos(2a)
\end{aligned}$$

Mathematica [A] time = 0.18, size = 86, normalized size = 0.89

$$\frac{1}{6} \left(4b^3 \sin(2a) \text{Ci} \left(\frac{2b}{x} \right) + 4b^3 \cos(2a) \text{Si} \left(\frac{2b}{x} \right) + x \left(2b^2 \cos \left(2 \left(a + \frac{b}{x} \right) \right) - x^2 \cos \left(2 \left(a + \frac{b}{x} \right) \right) + bx \sin \left(2 \left(a + \frac{b}{x} \right) \right) \right) + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sin[a + b/x]^2,x]

[Out] (4*b^3*CosIntegral[(2*b)/x]*Sin[2*a] + x*(x^2 + 2*b^2*Cos[2*(a + b/x)] - x^2*Cos[2*(a + b/x)] + b*x*Sin[2*(a + b/x)]) + 4*b^3*Cos[2*a]*SinIntegral[(2*b)/x])/6

fricas [A] time = 0.80, size = 109, normalized size = 1.12

$$\frac{1}{3} bx^2 \cos \left(\frac{ax+b}{x} \right) \sin \left(\frac{ax+b}{x} \right) + \frac{2}{3} b^3 \cos(2a) \text{Si} \left(\frac{2b}{x} \right) - \frac{1}{3} b^2 x + \frac{1}{3} x^3 + \frac{1}{3} (2b^2 x - x^3) \cos \left(\frac{ax+b}{x} \right)^2 + \frac{1}{3} \left(b^3 \text{Ci} \left(\frac{2b}{x} \right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b/x)^2,x, algorithm="fricas")

[Out] 1/3*b*x^2*cos((a*x + b)/x)*sin((a*x + b)/x) + 2/3*b^3*cos(2*a)*sin_integral(2*b/x) - 1/3*b^2*x + 1/3*x^3 + 1/3*(2*b^2*x - x^3)*cos((a*x + b)/x)^2 + 1/3*(b^3*cos_integral(2*b/x) + b^3*cos_integral(-2*b/x))*sin(2*a)

giac [B] time = 1.12, size = 442, normalized size = 4.56

$$\frac{4a^3b^4 \text{Ci} \left(-2a + \frac{2(ax+b)}{x} \right) \sin(2a) - 4a^3b^4 \cos(2a) \text{Si} \left(2a - \frac{2(ax+b)}{x} \right) - \frac{12(ax+b)a^2b^4 \text{Ci} \left(-2a + \frac{2(ax+b)}{x} \right) \sin(2a)}{x} + \frac{12(ax+b)a^2b^4 \cos(2a) \text{Si} \left(2a - \frac{2(ax+b)}{x} \right)}{x} + \dots}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b/x)^2,x, algorithm="giac")

[Out] 1/6*(4*a^3*b^4*cos_integral(-2*a + 2*(a*x + b)/x)*sin(2*a) - 4*a^3*b^4*cos(2*a)*sin_integral(2*a - 2*(a*x + b)/x) - 12*(a*x + b)*a^2*b^4*cos_integral(-2*a + 2*(a*x + b)/x)*sin(2*a)/x + 12*(a*x + b)*a^2*b^4*cos(2*a)*sin_integral(2*a - 2*(a*x + b)/x)/x - 2*a^2*b^4*cos(2*(a*x + b)/x) + 12*(a*x + b)^2*a*b^4*cos_integral(-2*a + 2*(a*x + b)/x)*sin(2*a)/x^2 - 12*(a*x + b)^2*a*b^4*cos(2*a)*sin_integral(2*a - 2*(a*x + b)/x)/x^2 + 4*(a*x + b)*a*b^4*cos(2*(a*x + b)/x)/x - 4*(a*x + b)^3*b^4*cos_integral(-2*a + 2*(a*x + b)/x)*sin(2*a)/x^3 + a*b^4*sin(2*(a*x + b)/x) + 4*(a*x + b)^3*b^4*cos(2*a)*sin_integral(2*a - 2*(a*x + b)/x)/x^3 + b^4*cos(2*(a*x + b)/x) - 2*(a*x + b)^2*b^4*cos(2*(a*x + b)/x) + \dots)

$2*(a*x + b)/x/x^2 - (a*x + b)*b^4*\sin(2*(a*x + b)/x)/x - b^4)/((a^3 - 3*(a*x + b)*a^2/x + 3*(a*x + b)^2*a/x^2 - (a*x + b)^3/x^3)*b)$

maple [A] time = 0.04, size = 96, normalized size = 0.99

$$-b^3 \left(-\frac{x^3}{6b^3} + \frac{\cos\left(2a + \frac{2b}{x}\right)x^3}{6b^3} - \frac{\sin\left(2a + \frac{2b}{x}\right)x^2}{6b^2} - \frac{\cos\left(2a + \frac{2b}{x}\right)x}{3b} - \frac{2\text{Si}\left(\frac{2b}{x}\right)\cos(2a)}{3} - \frac{2\text{Ci}\left(\frac{2b}{x}\right)\sin(2a)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(a+b/x)^2,x)`

[Out] $-b^3*(-1/6*x^3/b^3+1/6*\cos(2*a+2*b/x)*x^3/b^3-1/6*\sin(2*a+2*b/x)*x^2/b^2-1/3*\cos(2*a+2*b/x)*x/b-2/3*\text{Si}(2*b/x)*\cos(2*a)-2/3*\text{Ci}(2*b/x)*\sin(2*a))$

maxima [C] time = 0.45, size = 99, normalized size = 1.02

$$\frac{1}{6} \left(\left(-2i \text{Ei}\left(\frac{2ib}{x}\right) + 2i \text{Ei}\left(-\frac{2ib}{x}\right) \right) \cos(2a) + 2 \left(\text{Ei}\left(\frac{2ib}{x}\right) + \text{Ei}\left(-\frac{2ib}{x}\right) \right) \sin(2a) \right) b^3 + \frac{1}{6} b x^2 \sin\left(\frac{2(ax+b)}{x}\right) + \frac{1}{6} x^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*sin(a+b/x)^2,x, algorithm="maxima")`

[Out] $1/6*((-2*I*Ei(2*I*b/x) + 2*I*Ei(-2*I*b/x))*\cos(2*a) + 2*(Ei(2*I*b/x) + Ei(-2*I*b/x))*\sin(2*a))*b^3 + 1/6*b*x^2*\sin(2*(a*x + b)/x) + 1/6*x^3 + 1/6*(2*b^2*x - x^3)*\cos(2*(a*x + b)/x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \sin\left(a + \frac{b}{x}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(a + b/x)^2,x)`

[Out] `int(x^2*sin(a + b/x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sin^2\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*sin(a+b/x)**2,x)`

[Out] `Integral(x**2*sin(a + b/x)**2, x)`

3.112 $\int x \sin^2 \left(a + \frac{b}{x} \right) dx$

Optimal. Leaf size=65

$$b^2(-\cos(2a))\text{Ci}\left(\frac{2b}{x}\right) + b^2 \sin(2a)\text{Si}\left(\frac{2b}{x}\right) + \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \sin\left(2\left(a + \frac{b}{x}\right)\right)$$

[Out] $-b^2 \text{Ci}(2b/x) \cos(2a) + b^2 \text{Si}(2b/x) \sin(2a) + \frac{1}{2}x^2 \sin^2(a + b/x) + \frac{1}{2}bx \sin(2(a + b/x))$

Rubi [A] time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.667$, Rules used = {3393, 4573, 3373, 3361, 3297, 3303, 3299, 3302}

$$b^2(-\cos(2a))\text{CosIntegral}\left(\frac{2b}{x}\right) + b^2 \sin(2a)\text{Si}\left(\frac{2b}{x}\right) + \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \sin\left(2\left(a + \frac{b}{x}\right)\right)$$

Antiderivative was successfully verified.

[In] Int[x*Sin[a + b/x]^2,x]

[Out] $-(b^2 \cos[2a] \text{CosIntegral}[(2b)/x]) + (x^2 \sin[a + b/x]^2)/2 + (bx \sin[2(a + b/x)])/2 + b^2 \sin[2a] \text{SinIntegral}[(2b)/x]$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3361

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_S
ymbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*SIN[c + d*x])^p, x], x
, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && Integer
Q[1/n]
```

Rule 3373

```
Int[((a_.) + (b_.)*Sin[u_])^(p_.), x_Symbol] := Int[(a + b*SIN[ExpandToSum[
u, x]])^p, x] /; FreeQ[{a, b, p}, x] && BinomialQ[u, x] && !BinomialMatchQ
[u, x]
```

Rule 3393

```
Int[(x_)^(m_.)*Sin[(a_.) + (b_.)*(x_)^(n_)]^(p_), x_Symbol] := Simp[(x^(m +
1)*Sin[a + b*x^n]^p)/(m + 1), x] - Dist[(b*n*p)/(m + 1), Int[SIN[a + b*x^n
]^p - 1]*Cos[a + b*x^n], x], x] /; FreeQ[{a, b}, x] && IGtQ[p, 1] && EqQ[m
+ n, 0] && NeQ[n, 1] && IntegerQ[n]
```

Rule 4573

```
Int[Cos[w_]^(p_.)*(u_.)*Sin[v_]^(p_.), x_Symbol] := Dist[1/2^p, Int[u*SIN[2
*v]^p, x], x] /; EqQ[w, v] && IntegerQ[p]
```

Rubi steps

$$\begin{aligned}
\int x \sin^2\left(a + \frac{b}{x}\right) dx &= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + b \int \cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right) dx \\
&= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}b \int \sin\left(2\left(a + \frac{b}{x}\right)\right) dx \\
&= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}b \int \sin\left(2a + \frac{2b}{x}\right) dx \\
&= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) - \frac{1}{2}b \operatorname{Subst}\left(\int \frac{\sin(2a + 2bx)}{x^2} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \sin\left(2\left(a + \frac{b}{x}\right)\right) - b^2 \operatorname{Subst}\left(\int \frac{\cos(2a + 2bx)}{x} dx, x, \frac{1}{x}\right) \\
&= \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \sin\left(2\left(a + \frac{b}{x}\right)\right) - (b^2 \cos(2a)) \operatorname{Subst}\left(\int \frac{\cos(2bx)}{x} dx, x, \frac{1}{x}\right) + (b^2 \sin(2a)) \operatorname{Subst}\left(\int \frac{\sin(2bx)}{x} dx, x, \frac{1}{x}\right) \\
&= -b^2 \cos(2a) \operatorname{Ci}\left(\frac{2b}{x}\right) + \frac{1}{2}x^2 \sin^2\left(a + \frac{b}{x}\right) + \frac{1}{2}bx \sin\left(2\left(a + \frac{b}{x}\right)\right) + b^2 \sin(2a) \operatorname{Si}\left(\frac{2b}{x}\right)
\end{aligned}$$

Mathematica [A] time = 0.17, size = 65, normalized size = 1.00

$$b^2(-\cos(2a))\operatorname{Ci}\left(\frac{2b}{x}\right) + b^2 \sin(2a)\operatorname{Si}\left(\frac{2b}{x}\right) + \frac{1}{4}x \left(2b \sin\left(2\left(a + \frac{b}{x}\right)\right) + x \left(-\cos\left(2\left(a + \frac{b}{x}\right)\right)\right) + x\right)$$

Antiderivative was successfully verified.

[In] Integrate[x*Sin[a + b/x]^2,x]

[Out] -(b^2*Cos[2*a]*CosIntegral[(2*b)/x]) + (x*(x - x*Cos[2*(a + b/x)] + 2*b*Sin[2*(a + b/x)]))/4 + b^2*Sin[2*a]*SinIntegral[(2*b)/x]

fricas [A] time = 0.53, size = 90, normalized size = 1.38

$$-\frac{1}{2}x^2 \cos\left(\frac{ax+b}{x}\right)^2 + bx \cos\left(\frac{ax+b}{x}\right) \sin\left(\frac{ax+b}{x}\right) + b^2 \sin(2a) \operatorname{Si}\left(\frac{2b}{x}\right) + \frac{1}{2}x^2 - \frac{1}{2}\left(b^2 \operatorname{Ci}\left(\frac{2b}{x}\right) + b^2 \operatorname{Ci}\left(-\frac{2b}{x}\right)\right) \cos(2a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x)^2,x, algorithm="fricas")

[Out] -1/2*x^2*cos((a*x + b)/x)^2 + b*x*cos((a*x + b)/x)*sin((a*x + b)/x) + b^2*sin(2*a)*sin_integral(2*b/x) + 1/2*x^2 - 1/2*(b^2*cos_integral(2*b/x) + b^2*cos_integral(-2*b/x))*cos(2*a)

giac [B] time = 0.37, size = 283, normalized size = 4.35

$$4a^2b^3 \cos(2a) \operatorname{Ci}\left(-2a + \frac{2(ax+b)}{x}\right) + 4a^2b^3 \sin(2a) \operatorname{Si}\left(2a - \frac{2(ax+b)}{x}\right) - \frac{8(ax+b)ab^3 \cos(2a) \operatorname{Ci}\left(-2a + \frac{2(ax+b)}{x}\right)}{x} - \frac{8(ax+b)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x)^2,x, algorithm="giac")

[Out] $-1/4*(4*a^2*b^3*\cos(2*a)*\cos_integral(-2*a + 2*(a*x + b)/x) + 4*a^2*b^3*\sin(2*a)*\sin_integral(2*a - 2*(a*x + b)/x) - 8*(a*x + b)*a*b^3*\cos(2*a)*\cos_integral(-2*a + 2*(a*x + b)/x)/x - 8*(a*x + b)*a*b^3*\sin(2*a)*\sin_integral(2*a - 2*(a*x + b)/x)/x + 4*(a*x + b)^2*b^3*\cos(2*a)*\cos_integral(-2*a + 2*(a*x + b)/x)/x^2 + 2*a*b^3*\sin(2*(a*x + b)/x) + 4*(a*x + b)^2*b^3*\sin(2*a)*\sin_integral(2*a - 2*(a*x + b)/x)/x^2 + b^3*\cos(2*(a*x + b)/x) - 2*(a*x + b)*b^3*\sin(2*(a*x + b)/x)/x - b^3)/((a^2 - 2*(a*x + b)*a/x + (a*x + b)^2/x^2)*b)$

maple [A] time = 0.04, size = 76, normalized size = 1.17

$$-b^2 \left(-\frac{x^2}{4b^2} + \frac{\cos\left(2a + \frac{2b}{x}\right)x^2}{4b^2} - \frac{\sin\left(2a + \frac{2b}{x}\right)x}{2b} - \operatorname{Si}\left(\frac{2b}{x}\right)\sin(2a) + \operatorname{Ci}\left(\frac{2b}{x}\right)\cos(2a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*sin(a+b/x)^2,x)

[Out] $-b^2*(-1/4*x^2/b^2+1/4*\cos(2*a+2*b/x)*x^2/b^2-1/2*\sin(2*a+2*b/x)*x/b-\operatorname{Si}(2*b/x)*\sin(2*a)+\operatorname{Ci}(2*b/x)*\cos(2*a))$

maxima [C] time = 0.39, size = 89, normalized size = 1.37

$$-\frac{1}{4} \left(2 \left(\operatorname{Ei}\left(\frac{2ib}{x}\right) + \operatorname{Ei}\left(-\frac{2ib}{x}\right) \right) \cos(2a) - \left(-2i \operatorname{Ei}\left(\frac{2ib}{x}\right) + 2i \operatorname{Ei}\left(-\frac{2ib}{x}\right) \right) \sin(2a) \right) b^2 - \frac{1}{4} x^2 \cos\left(\frac{2(ax+b)}{x}\right) + \frac{1}{2} x \sin\left(\frac{2(ax+b)}{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*sin(a+b/x)^2,x, algorithm="maxima")

[Out] $-1/4*(2*(\operatorname{Ei}(2*I*b/x) + \operatorname{Ei}(-2*I*b/x))*\cos(2*a) - (-2*I*\operatorname{Ei}(2*I*b/x) + 2*I*\operatorname{Ei}(-2*I*b/x))*\sin(2*a))*b^2 - 1/4*x^2*\cos(2*(a*x + b)/x) + 1/2*b*x*\sin(2*(a*x + b)/x) + 1/4*x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \sin\left(a + \frac{b}{x}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(a + b/x)^2,x)`

[Out] `int(x*sin(a + b/x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sin^2\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b/x)**2,x)`

[Out] `Integral(x*sin(a + b/x)**2, x)`

3.113 $\int \sin^2 \left(a + \frac{b}{x} \right) dx$

Optimal. Leaf size=41

$$-b \sin(2a) \operatorname{Ci} \left(\frac{2b}{x} \right) - b \cos(2a) \operatorname{Si} \left(\frac{2b}{x} \right) + x \sin^2 \left(a + \frac{b}{x} \right)$$

[Out] $-b \cos(2a) \operatorname{Si}(2b/x) - b \operatorname{Ci}(2b/x) \sin(2a) + x \sin(a+b/x)^2$

Rubi [A] time = 0.09, antiderivative size = 41, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3361, 3313, 12, 3303, 3299, 3302}

$$-b \sin(2a) \operatorname{CosIntegral} \left(\frac{2b}{x} \right) - b \cos(2a) \operatorname{Si} \left(\frac{2b}{x} \right) + x \sin^2 \left(a + \frac{b}{x} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/x]^2, x]$

[Out] $-(b \operatorname{CosIntegral}[(2*b)/x] \operatorname{Sin}[2*a]) + x \operatorname{Sin}[a + b/x]^2 - b \operatorname{Cos}[2*a] \operatorname{SinIntegral}[(2*b)/x]$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \&\& \operatorname{!Match} Q[u, (b_*)(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)] / ((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)] / ((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3303

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)] / ((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x] / (c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x] / (c + d*x), x], x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \&\&$

NeQ[d*e - c*f, 0]

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rule 3361

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_S
ymbol] :> Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x
, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && Integer
Q[1/n]
```

Rubi steps

$$\begin{aligned}
 \int \sin^2\left(a + \frac{b}{x}\right) dx &= -\text{Subst}\left(\int \frac{\sin^2(a + bx)}{x^2} dx, x, \frac{1}{x}\right) \\
 &= x \sin^2\left(a + \frac{b}{x}\right) - (2b) \text{Subst}\left(\int \frac{\sin(2a + 2bx)}{2x} dx, x, \frac{1}{x}\right) \\
 &= x \sin^2\left(a + \frac{b}{x}\right) - b \text{Subst}\left(\int \frac{\sin(2a + 2bx)}{x} dx, x, \frac{1}{x}\right) \\
 &= x \sin^2\left(a + \frac{b}{x}\right) - (b \cos(2a)) \text{Subst}\left(\int \frac{\sin(2bx)}{x} dx, x, \frac{1}{x}\right) - (b \sin(2a)) \text{Subst}\left(\int \frac{\cos(2bx)}{x} dx, x, \frac{1}{x}\right) \\
 &= -b \text{Ci}\left(\frac{2b}{x}\right) \sin(2a) + x \sin^2\left(a + \frac{b}{x}\right) - b \cos(2a) \text{Si}\left(\frac{2b}{x}\right)
 \end{aligned}$$

Mathematica [A] time = 0.09, size = 41, normalized size = 1.00

$$-b \sin(2a) \text{Ci}\left(\frac{2b}{x}\right) - b \cos(2a) \text{Si}\left(\frac{2b}{x}\right) + x \sin^2\left(a + \frac{b}{x}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]^2, x]

[Out] -(b*CosIntegral[(2*b)/x]*Sin[2*a]) + x*Sin[a + b/x]^2 - b*Cos[2*a]*SinIntegral[(2*b)/x]

fricas [A] time = 0.70, size = 56, normalized size = 1.37

$$-x \cos\left(\frac{ax+b}{x}\right)^2 - b \cos(2a) \operatorname{Si}\left(\frac{2b}{x}\right) - \frac{1}{2} \left(b \operatorname{Ci}\left(\frac{2b}{x}\right) + b \operatorname{Ci}\left(-\frac{2b}{x}\right) \right) \sin(2a) + x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2,x, algorithm="fricas")

[Out] $-x \cos((a*x + b)/x)^2 - b \cos(2*a) \sin_integral(2*b/x) - 1/2*(b \cos_integral(2*b/x) + b \cos_integral(-2*b/x)) \sin(2*a) + x$

giac [B] time = 0.37, size = 153, normalized size = 3.73

$$\frac{2ab^2 \operatorname{Ci}\left(-2a + \frac{2(ax+b)}{x}\right) \sin(2a) - 2ab^2 \cos(2a) \operatorname{Si}\left(2a - \frac{2(ax+b)}{x}\right) - \frac{2(ax+b)b^2 \operatorname{Ci}\left(-2a + \frac{2(ax+b)}{x}\right) \sin(2a)}{x} + \frac{2(ax+b)b^2 \cos(2a)}{x}}{2\left(a - \frac{ax+b}{x}\right)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2,x, algorithm="giac")

[Out] $-1/2*(2*a*b^2 \cos_integral(-2*a + 2*(a*x + b)/x) \sin(2*a) - 2*a*b^2 \cos(2*a) \sin_integral(2*a - 2*(a*x + b)/x) - 2*(a*x + b)*b^2 \cos_integral(-2*a + 2*(a*x + b)/x) \sin(2*a)/x + 2*(a*x + b)*b^2 \cos(2*a) \sin_integral(2*a - 2*(a*x + b)/x)/x - b^2 \cos(2*(a*x + b)/x) + b^2)/((a - (a*x + b)/x)*b)$

maple [A] time = 0.04, size = 52, normalized size = 1.27

$$-b \left(-\frac{x}{2b} + \frac{\cos\left(2a + \frac{2b}{x}\right)x}{2b} + \operatorname{Si}\left(\frac{2b}{x}\right) \cos(2a) + \operatorname{Ci}\left(\frac{2b}{x}\right) \sin(2a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)^2,x)

[Out] $-b*(-1/2*x/b + 1/2*\cos(2*a + 2*b/x)*x/b + \operatorname{Si}(2*b/x)*\cos(2*a) + \operatorname{Ci}(2*b/x)*\sin(2*a))$

maxima [C] time = 0.41, size = 66, normalized size = 1.61

$$-\frac{1}{2} \left(\left(-i \operatorname{Ei}\left(\frac{2ib}{x}\right) + i \operatorname{Ei}\left(-\frac{2ib}{x}\right) \right) \cos(2a) + \left(\operatorname{Ei}\left(\frac{2ib}{x}\right) + \operatorname{Ei}\left(-\frac{2ib}{x}\right) \right) \sin(2a) \right) b - \frac{1}{2} x \cos\left(\frac{2(ax+b)}{x}\right) + \frac{1}{2} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2,x, algorithm="maxima")

[Out] $-1/2*((-I*Ei(2*I*b/x) + I*Ei(-2*I*b/x))*\cos(2*a) + (Ei(2*I*b/x) + Ei(-2*I*b/x))*\sin(2*a))*b - 1/2*x*\cos(2*(a*x + b)/x) + 1/2*x$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \sin\left(a + \frac{b}{x}\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)^2,x)

[Out] int(sin(a + b/x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin^2\left(a + \frac{b}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)**2,x)

[Out] Integral(sin(a + b/x)**2, x)

$$3.114 \quad \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x} dx$$

Optimal. Leaf size=37

$$\frac{1}{2} \cos(2a) \text{Ci}\left(\frac{2b}{x}\right) - \frac{1}{2} \sin(2a) \text{Si}\left(\frac{2b}{x}\right) + \frac{\log(x)}{2}$$

[Out] 1/2*Ci(2*b/x)*cos(2*a)+1/2*ln(x)-1/2*Si(2*b/x)*sin(2*a)

Rubi [A] time = 0.05, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3425, 3378, 3376, 3375}

$$\frac{1}{2} \cos(2a) \text{CosIntegral}\left(\frac{2b}{x}\right) - \frac{1}{2} \sin(2a) \text{Si}\left(\frac{2b}{x}\right) + \frac{\log(x)}{2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]^2/x, x]

[Out] (Cos[2*a]*CosIntegral[(2*b)/x])/2 + Log[x]/2 - (Sin[2*a]*SinIntegral[(2*b)/x])/2

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3378

Int[Cos[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Dist[Cos[c], Int[Cos[d*x^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] / ; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x} dx &= \int \left(\frac{1}{2x} - \frac{\cos\left(2a + \frac{2b}{x}\right)}{2x} \right) dx \\
&= \frac{\log(x)}{2} - \frac{1}{2} \int \frac{\cos\left(2a + \frac{2b}{x}\right)}{x} dx \\
&= \frac{\log(x)}{2} - \frac{1}{2} \cos(2a) \int \frac{\cos\left(\frac{2b}{x}\right)}{x} dx + \frac{1}{2} \sin(2a) \int \frac{\sin\left(\frac{2b}{x}\right)}{x} dx \\
&= \frac{1}{2} \cos(2a) \text{Ci}\left(\frac{2b}{x}\right) + \frac{\log(x)}{2} - \frac{1}{2} \sin(2a) \text{Si}\left(\frac{2b}{x}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 32, normalized size = 0.86

$$\frac{1}{2} \left(\cos(2a) \text{Ci}\left(\frac{2b}{x}\right) - \sin(2a) \text{Si}\left(\frac{2b}{x}\right) + \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]^2/x, x]

[Out] (Cos[2*a]*CosIntegral[(2*b)/x] + Log[x] - Sin[2*a]*SinIntegral[(2*b)/x])/2

fricas [A] time = 0.63, size = 39, normalized size = 1.05

$$\frac{1}{4} \left(\text{Ci}\left(\frac{2b}{x}\right) + \text{Ci}\left(-\frac{2b}{x}\right) \right) \cos(2a) - \frac{1}{2} \sin(2a) \text{Si}\left(\frac{2b}{x}\right) + \frac{1}{2} \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x, x, algorithm="fricas")

[Out] 1/4*(cos_integral(2*b/x) + cos_integral(-2*b/x))*cos(2*a) - 1/2*sin(2*a)*sin_integral(2*b/x) + 1/2*log(x)

giac [B] time = 0.56, size = 65, normalized size = 1.76

$$\frac{b \cos(2a) \text{Ci}\left(-2a + \frac{2(ax+b)}{x}\right) + b \sin(2a) \text{Si}\left(2a - \frac{2(ax+b)}{x}\right) - b \log\left(-a + \frac{ax+b}{x}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x,x, algorithm="giac")

[Out] $\frac{1}{2}(b\cos(2a)\cos_integral(-2a + 2(a*x + b)/x) + b\sin(2a)\sin_integral(2a - 2(a*x + b)/x) - b\log(-a + (a*x + b)/x))/b$

maple [A] time = 0.04, size = 36, normalized size = 0.97

$$-\frac{\ln\left(\frac{b}{x}\right)}{2} - \frac{\text{Si}\left(\frac{2b}{x}\right)\sin(2a)}{2} + \frac{\text{Ci}\left(\frac{2b}{x}\right)\cos(2a)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)^2/x,x)

[Out] $-1/2*\ln(b/x)-1/2*Si(2*b/x)*\sin(2*a)+1/2*Ci(2*b/x)*\cos(2*a)$

maxima [C] time = 0.43, size = 51, normalized size = 1.38

$$\frac{1}{4}\left(\text{Ei}\left(\frac{2ib}{x}\right) + \text{Ei}\left(-\frac{2ib}{x}\right)\right)\cos(2a) + \frac{1}{4}\left(i\text{Ei}\left(\frac{2ib}{x}\right) - i\text{Ei}\left(-\frac{2ib}{x}\right)\right)\sin(2a) + \frac{1}{2}\log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x,x, algorithm="maxima")

[Out] $1/4*(\text{Ei}(2*I*b/x) + \text{Ei}(-2*I*b/x))*\cos(2*a) + 1/4*(I*\text{Ei}(2*I*b/x) - I*\text{Ei}(-2*I*b/x))*\sin(2*a) + 1/2*\log(x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\sin\left(a + \frac{b}{x}\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)^2/x,x)

[Out] int(sin(a + b/x)^2/x, x)

sympy [A] time = 2.66, size = 31, normalized size = 0.84

$$\frac{\log(x)}{2} - \frac{\sin(2a)\text{Si}\left(\frac{2b}{x}\right)}{2} + \frac{\cos(2a)\text{Ci}\left(\frac{2b}{x}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)**2/x,x)

[Out] $\log(x)/2 - \sin(2*a)*Si(2*b/x)/2 + \cos(2*a)*Ci(2*b/x)/2$

$$3.115 \quad \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^2} dx$$

Optimal. Leaf size=31

$$\frac{\sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{2b} - \frac{1}{2x}$$

[Out] -1/2/x+1/2*cos(a+b/x)*sin(a+b/x)/b

Rubi [A] time = 0.03, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3379, 2635, 8}

$$\frac{\sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{2b} - \frac{1}{2x}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]^2/x^2,x]

[Out] -1/(2*x) + (Cos[a + b/x]*Sin[a + b/x])/(2*b)

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^2} dx &= -\text{Subst}\left(\int \sin^2(a + bx) dx, x, \frac{1}{x}\right) \\
&= \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2b} - \frac{1}{2} \text{Subst}\left(\int 1 dx, x, \frac{1}{x}\right) \\
&= -\frac{1}{2x} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2b}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 32, normalized size = 1.03

$$\frac{\sin\left(2\left(a + \frac{b}{x}\right)\right)}{4b} - \frac{a + \frac{b}{x}}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]^2/x^2,x]

[Out] -1/2*(a + b/x)/b + Sin[2*(a + b/x)]/(4*b)

fricas [A] time = 0.62, size = 34, normalized size = 1.10

$$\frac{x \cos\left(\frac{ax+b}{x}\right) \sin\left(\frac{ax+b}{x}\right) - b}{2bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^2,x, algorithm="fricas")

[Out] 1/2*(x*cos((a*x + b)/x)*sin((a*x + b)/x) - b)/(b*x)

giac [A] time = 0.71, size = 29, normalized size = 0.94

$$-\frac{\frac{2(ax+b)}{x} - \sin\left(\frac{2(ax+b)}{x}\right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^2,x, algorithm="giac")

[Out] -1/4*(2*(a*x + b)/x - sin(2*(a*x + b)/x))/b

maple [A] time = 0.03, size = 34, normalized size = 1.10

$$-\frac{\frac{\cos\left(a+\frac{b}{x}\right)\sin\left(a+\frac{b}{x}\right)}{2} + \frac{a}{2} + \frac{b}{2x}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/x)^2/x^2,x)`

[Out] `-1/b*(-1/2*cos(a+b/x)*sin(a+b/x)+1/2*a+1/2*b/x)`

maxima [A] time = 0.32, size = 25, normalized size = 0.81

$$\frac{x \sin\left(\frac{2(ax+b)}{x}\right) - 2b}{4bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)^2/x^2,x, algorithm="maxima")`

[Out] `1/4*(x*sin(2*(a*x + b)/x) - 2*b)/(b*x)`

mupad [B] time = 4.57, size = 22, normalized size = 0.71

$$\frac{\sin\left(2a + \frac{2b}{x}\right)}{4b} - \frac{1}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x)^2/x^2,x)`

[Out] `sin(2*a + (2*b)/x)/(4*b) - 1/(2*x)`

sympy [A] time = 3.16, size = 262, normalized size = 8.45

$$\left\{ \begin{array}{l} -\frac{b \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right)}{2bx \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 4bx \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 2bx} - \frac{2b \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right)}{2bx \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 4bx \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 2bx} - \frac{b}{2bx \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 4bx \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 2bx} - \frac{1}{2bx \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 4bx \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 2bx} \\ -\frac{\sin^2(a)}{x} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)**2/x**2,x)`

```
[Out] Piecewise((-b*tan(a/2 + b/(2*x))**4/(2*b*x*tan(a/2 + b/(2*x))**4 + 4*b*x*tan(a/2 + b/(2*x))**2 + 2*b*x) - 2*b*tan(a/2 + b/(2*x))**2/(2*b*x*tan(a/2 + b/(2*x))**4 + 4*b*x*tan(a/2 + b/(2*x))**2 + 2*b*x) - b/(2*b*x*tan(a/2 + b/(2*x))**4 + 4*b*x*tan(a/2 + b/(2*x))**2 + 2*b*x) - 2*x*tan(a/2 + b/(2*x))**3/(2*b*x*tan(a/2 + b/(2*x))**4 + 4*b*x*tan(a/2 + b/(2*x))**2 + 2*b*x) + 2*x*tan(a/2 + b/(2*x))/(2*b*x*tan(a/2 + b/(2*x))**4 + 4*b*x*tan(a/2 + b/(2*x))**2 + 2*b*x), Ne(b, 0)), (-sin(a)**2/x, True))
```

$$3.116 \quad \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^3} dx$$

Optimal. Leaf size=51

$$-\frac{\sin^2\left(a + \frac{b}{x}\right)}{4b^2} + \frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{2bx} - \frac{1}{4x^2}$$

[Out] $-1/4/x^2 + 1/2*\cos(a+b/x)*\sin(a+b/x)/b/x - 1/4*\sin(a+b/x)^2/b^2$

Rubi [A] time = 0.04, antiderivative size = 51, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3379, 3310, 30}

$$-\frac{\sin^2\left(a + \frac{b}{x}\right)}{4b^2} + \frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{2bx} - \frac{1}{4x^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]^2/x^3,x]

[Out] $-1/(4*x^2) + (\cos[a + b/x]*\sin[a + b/x])/(2*b*x) - \sin[a + b/x]^2/(4*b^2)$

Rule 30

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sine[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^3} dx &= -\text{Subst}\left(\int x \sin^2(a + bx) dx, x, \frac{1}{x}\right) \\
&= \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{4b^2} - \frac{1}{2} \text{Subst}\left(\int x dx, x, \frac{1}{x}\right) \\
&= -\frac{1}{4x^2} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{4b^2}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 43, normalized size = 0.84

$$\frac{x^2 \cos\left(2\left(a + \frac{b}{x}\right)\right) - 2b\left(b - x \sin\left(2\left(a + \frac{b}{x}\right)\right)\right)}{8b^2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]^2/x^3,x]

[Out] (x^2*Cos[2*(a + b/x)] - 2*b*(b - x*Sin[2*(a + b/x)]))/(8*b^2*x^2)

fricas [A] time = 0.61, size = 60, normalized size = 1.18

$$\frac{2x^2 \cos\left(\frac{ax+b}{x}\right)^2 + 4bx \cos\left(\frac{ax+b}{x}\right) \sin\left(\frac{ax+b}{x}\right) - 2b^2 - x^2}{8b^2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^3,x, algorithm="fricas")

[Out] 1/8*(2*x^2*cos((a*x + b)/x)^2 + 4*b*x*cos((a*x + b)/x)*sin((a*x + b)/x) - 2*b^2 - x^2)/(b^2*x^2)

giac [A] time = 0.71, size = 77, normalized size = 1.51

$$\frac{2a \sin\left(\frac{2(ax+b)}{x}\right) - \frac{4(ax+b)a}{x} - \frac{2(ax+b) \sin\left(\frac{2(ax+b)}{x}\right)}{x} + \frac{2(ax+b)^2}{x^2} - \cos\left(\frac{2(ax+b)}{x}\right)}{8b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^3,x, algorithm="giac")

[Out] $-1/8*(2*a*\sin(2*(a*x + b)/x) - 4*(a*x + b)*a/x - 2*(a*x + b)*\sin(2*(a*x + b)/x)/x + 2*(a*x + b)^2/x^2 - \cos(2*(a*x + b)/x))/b^2$

maple [B] time = 0.04, size = 97, normalized size = 1.90

$$\frac{\left(a + \frac{b}{x}\right) \left(-\frac{\cos\left(\frac{a+b}{x}\right) \sin\left(\frac{a+b}{x}\right)}{2} + \frac{a}{2} + \frac{b}{2x}\right) - \frac{\left(\frac{a+b}{x}\right)^2}{4} + \frac{\left(\sin^2\left(\frac{a+b}{x}\right)\right)}{4} - a \left(-\frac{\cos\left(\frac{a+b}{x}\right) \sin\left(\frac{a+b}{x}\right)}{2} + \frac{a}{2} + \frac{b}{2x}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)^2/x^3,x)

[Out] $-1/b^2*((a+b/x)*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x)-1/4*(a+b/x)^2+1/4*\sin(a+b/x)^2-a*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x))$

maxima [C] time = 0.37, size = 68, normalized size = 1.33

$$\frac{\left(\Gamma\left(2, \frac{2ib}{x}\right) + \Gamma\left(2, -\frac{2ib}{x}\right)\right) \cos(2a) - \left(i\Gamma\left(2, \frac{2ib}{x}\right) - i\Gamma\left(2, -\frac{2ib}{x}\right)\right) \sin(2a)}{16b^2x^2} x^2 - 4b^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^3,x, algorithm="maxima")

[Out] $1/16*((\gamma(2, 2*I*b/x) + \gamma(2, -2*I*b/x))*\cos(2*a) - (I*\gamma(2, 2*I*b/x) - I*\gamma(2, -2*I*b/x))*\sin(2*a))*x^2 - 4*b^2)/(b^2*x^2)$

mupad [B] time = 4.62, size = 41, normalized size = 0.80

$$\frac{\cos\left(2a + \frac{2b}{x}\right)}{8b^2} - \frac{1}{4x^2} + \frac{\sin\left(2a + \frac{2b}{x}\right)}{4bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)^2/x^3,x)

[Out] $\cos(2*a + (2*b)/x)/(8*b^2) - 1/(4*x^2) + \sin(2*a + (2*b)/x)/(4*b*x)$

sympy [A] time = 4.21, size = 391, normalized size = 7.67

$$\left\{ \begin{array}{l} -\frac{b^2 \tan^4\left(\frac{a+b}{2+x}\right)}{4b^2x^2 \tan^4\left(\frac{a+b}{2+x}\right) + 8b^2x^2 \tan^2\left(\frac{a+b}{2+x}\right) + 4b^2x^2} - \frac{2b^2 \tan^2\left(\frac{a+b}{2+x}\right)}{4b^2x^2 \tan^4\left(\frac{a+b}{2+x}\right) + 8b^2x^2 \tan^2\left(\frac{a+b}{2+x}\right) + 4b^2x^2} - \frac{b^2}{4b^2x^2 \tan^4\left(\frac{a+b}{2+x}\right) + 8b^2x^2 \tan^2\left(\frac{a+b}{2+x}\right) + 4b^2x^2} \\ -\frac{\sin^2(a)}{2x^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)**2/x**3,x)`

[Out] `Piecewise((-b**2*tan(a/2 + b/(2*x))**4/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2) - 2*b**2*tan(a/2 + b/(2*x))**2/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2) - b**2/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2) - 4*b*x*tan(a/2 + b/(2*x))**3/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2) + 4*b*x*tan(a/2 + b/(2*x))/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2) - 4*x**2*tan(a/2 + b/(2*x))**2/(4*b**2*x**2*tan(a/2 + b/(2*x))**4 + 8*b**2*x**2*tan(a/2 + b/(2*x))**2 + 4*b**2*x**2), Ne(b, 0)), (-sin(a)**2/(2*x**2), True))`

$$3.117 \quad \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^4} dx$$

Optimal. Leaf size=87

$$-\frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{4b^3} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{2b^2x} + \frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{2bx^2} + \frac{1}{4b^2x} - \frac{1}{6x^3}$$

[Out] $-1/6/x^3 + 1/4/b^2/x - 1/4*\cos(a+b/x)*\sin(a+b/x)/b^3 + 1/2*\cos(a+b/x)*\sin(a+b/x)/b/x^2 - 1/2*\sin(a+b/x)^2/b^2/x$

Rubi [A] time = 0.07, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3379, 3311, 30, 2635, 8}

$$-\frac{\sin^2\left(a + \frac{b}{x}\right)}{2b^2x} - \frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{4b^3} + \frac{\sin\left(a + \frac{b}{x}\right)\cos\left(a + \frac{b}{x}\right)}{2bx^2} + \frac{1}{4b^2x} - \frac{1}{6x^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]^2/x^4, x]

[Out] $-1/(6*x^3) + 1/(4*b^2*x) - (\text{Cos}[a + b/x]*\text{Sin}[a + b/x])/(4*b^3) + (\text{Cos}[a + b/x]*\text{Sin}[a + b/x])/(2*b*x^2) - \text{Sin}[a + b/x]^2/(2*b^2*x)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist


```
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^4} dx &= -\text{Subst}\left(\int x^2 \sin^2(a + bx) dx, x, \frac{1}{x}\right) \\ &= \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^2} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{2b^2x} - \frac{1}{2} \text{Subst}\left(\int x^2 dx, x, \frac{1}{x}\right) + \frac{\text{Subst}\left(\int \sin^2(a + bx) dx, x, \frac{1}{x}\right)}{2b^2} \\ &= -\frac{1}{6x^3} - \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{4b^3} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^2} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{2b^2x} + \frac{\text{Subst}\left(\int 1 dx, x, \frac{1}{x}\right)}{4b^2} \\ &= -\frac{1}{6x^3} + \frac{1}{4b^2x} - \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{4b^3} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^2} - \frac{\sin^2\left(a + \frac{b}{x}\right)}{2b^2x} \end{aligned}$$

Mathematica [A] time = 0.13, size = 54, normalized size = 0.62

$$\frac{-3\left(x^3 - 2b^2x\right) \sin\left(2\left(a + \frac{b}{x}\right)\right) + 6bx^2 \cos\left(2\left(a + \frac{b}{x}\right)\right) - 4b^3}{24b^3x^3}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x]^2/x^4, x]

[Out] (-4*b^3 + 6*b*x^2*Cos[2*(a + b/x)] - 3*(-2*b^2*x + x^3)*Sin[2*(a + b/x)])/(24*b^3*x^3)

fricas [A] time = 0.70, size = 72, normalized size = 0.83

$$\frac{6bx^2 \cos\left(\frac{ax+b}{x}\right)^2 - 2b^3 - 3bx^2 + 3(2b^2x - x^3) \cos\left(\frac{ax+b}{x}\right) \sin\left(\frac{ax+b}{x}\right)}{12b^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^4,x, algorithm="fricas")

[Out] 1/12*(6*b*x^2*cos((a*x + b)/x)^2 - 2*b^3 - 3*b*x^2 + 3*(2*b^2*x - x^3)*cos((a*x + b)/x)*sin((a*x + b)/x))/(b^3*x^3)

giac [A] time = 0.38, size = 153, normalized size = 1.76

$$\frac{6a^2 \sin\left(\frac{2(ax+b)}{x}\right) - \frac{12(ax+b)a^2}{x} - 6a \cos\left(\frac{2(ax+b)}{x}\right) - \frac{12(ax+b)a \sin\left(\frac{2(ax+b)}{x}\right)}{x} + \frac{12(ax+b)^2a}{x^2} + \frac{6(ax+b) \cos\left(\frac{2(ax+b)}{x}\right)}{x} + \frac{6(ax+b)^2 \sin\left(\frac{2(ax+b)}{x}\right)}{x^2}}{24b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^4,x, algorithm="giac")

[Out] 1/24*(6*a^2*sin(2*(a*x + b)/x) - 12*(a*x + b)*a^2/x - 6*a*cos(2*(a*x + b)/x) - 12*(a*x + b)*a*sin(2*(a*x + b)/x)/x + 12*(a*x + b)^2*a/x^2 + 6*(a*x + b)*cos(2*(a*x + b)/x)/x + 6*(a*x + b)^2*sin(2*(a*x + b)/x)/x^2 - 4*(a*x + b)^3/x^3 - 3*sin(2*(a*x + b)/x))/b^3

maple [B] time = 0.07, size = 197, normalized size = 2.26

$$\frac{\left(a + \frac{b}{x}\right)^2 \left(-\frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2} + \frac{a}{2} + \frac{b}{2x}\right) - \frac{\left(a + \frac{b}{x}\right) \left(\cos^2\left(a + \frac{b}{x}\right)\right)}{2} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{4} + \frac{b}{4x} + \frac{a}{4} - \frac{\left(a + \frac{b}{x}\right)^3}{3} - 2a \left(a + \frac{b}{x}\right) \left(-\cos\left(a + \frac{b}{x}\right)\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)^2/x^4,x)

[Out] -1/b^3*((a+b/x)^2*(-1/2*cos(a+b/x)*sin(a+b/x)+1/2*a+1/2*b/x)-1/2*(a+b/x)*cos(a+b/x)^2+1/4*cos(a+b/x)*sin(a+b/x)+1/4*b/x+1/4*a-1/3*(a+b/x)^3-2*a*((a+b/x)*(-1/2*cos(a+b/x)*sin(a+b/x)+1/2*a+1/2*b/x)-1/4*(a+b/x)^2+1/4*sin(a+b/x)^2)+a^2*(-1/2*cos(a+b/x)*sin(a+b/x)+1/2*a+1/2*b/x))

maxima [C] time = 0.39, size = 68, normalized size = 0.78

$$\frac{\left(\left(3i\Gamma\left(3, \frac{2ib}{x}\right) - 3i\Gamma\left(3, -\frac{2ib}{x}\right)\right)\cos(2a) + 3\left(\Gamma\left(3, \frac{2ib}{x}\right) + \Gamma\left(3, -\frac{2ib}{x}\right)\right)\sin(2a)\right)x^3 + 16b^3}{96b^3x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)^2/x^4,x, algorithm="maxima")`

[Out] $-1/96 * (((3 * I * \gamma(3, 2 * I * b/x) - 3 * I * \gamma(3, -2 * I * b/x)) * \cos(2 * a) + 3 * (\gamma(3, 2 * I * b/x) + \gamma(3, -2 * I * b/x)) * \sin(2 * a)) * x^3 + 16 * b^3) / (b^3 * x^3)$

mupad [B] time = 4.70, size = 64, normalized size = 0.74

$$\frac{\frac{bx^2 \cos\left(2a + \frac{2b}{x}\right)}{4} - \frac{b^3}{6} + \frac{b^2 x \sin\left(2a + \frac{2b}{x}\right)}{4}}{b^3 x^3} - \frac{\sin\left(2a + \frac{2b}{x}\right)}{8b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x)^2/x^4,x)`

[Out] $((b * x^2 * \cos(2 * a + (2 * b)/x))/4 - b^3/6 + (b^2 * x * \sin(2 * a + (2 * b)/x))/4) / (b^3 * x^3) - \sin(2 * a + (2 * b)/x) / (8 * b^3)$

sympy [A] time = 5.97, size = 654, normalized size = 7.52

$$\left\{ \begin{array}{l} \frac{2b^3 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right)}{12b^3x^3 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 24b^3x^3 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 12b^3x^3} - \frac{4b^3 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right)}{12b^3x^3 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 24b^3x^3 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 12b^3x^3} - \frac{2b^3}{12b^3x^3 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 24b^3x^3 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 12b^3x^3} \\ - \frac{\sin^2(a)}{3x^3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x)**2/x**4,x)`

[Out] `Piecewise((-2*b**3*tan(a/2 + b/(2*x))**4/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) - 4*b**3*tan(a/2 + b/(2*x))**2/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) - 2*b**3/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) - 12*b**2*x*tan(a/2 + b/(2*x))**3/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) + 12*b**2*x*tan(a/2 + b/(2*x))/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) + 3*b*x**2*tan(a/2 + b/(2*x))**4/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) - 18*b*x**2*tan(a/2 + b/(2*x))**2/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) + 3*b*x**2/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3) + 6*x**3*tan(a/2 + b/(2*x))**3/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3`

```
x**3) - 6*x**3*tan(a/2 + b/(2*x))/(12*b**3*x**3*tan(a/2 + b/(2*x))**4 + 24*  
b**3*x**3*tan(a/2 + b/(2*x))**2 + 12*b**3*x**3), Ne(b, 0)), (-sin(a)**2/(3*  
x**3), True))
```

$$3.118 \quad \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^5} dx$$

Optimal. Leaf size=107

$$\frac{3 \sin^2\left(a + \frac{b}{x}\right)}{8b^4} - \frac{3 \sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{4b^3x} - \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{4b^2x^2} + \frac{\sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{2bx^3} + \frac{3}{8b^2x^2} - \frac{1}{8x^4}$$

[Out] $-1/8/x^4 + 3/8/b^2/x^2 + 1/2*\cos(a+b/x)*\sin(a+b/x)/b/x^3 - 3/4*\cos(a+b/x)*\sin(a+b/x)/b^3/x + 3/8*\sin(a+b/x)^2/b^4 - 3/4*\sin(a+b/x)^2/b^2/x^2$

Rubi [A] time = 0.08, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3379, 3311, 30, 3310}

$$-\frac{3 \sin^2\left(a + \frac{b}{x}\right)}{4b^2x^2} + \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{8b^4} - \frac{3 \sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{4b^3x} + \frac{\sin\left(a + \frac{b}{x}\right) \cos\left(a + \frac{b}{x}\right)}{2bx^3} + \frac{3}{8b^2x^2} - \frac{1}{8x^4}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x]^2/x^5, x]

[Out] $-1/(8*x^4) + 3/(8*b^2*x^2) + (\text{Cos}[a + b/x]*\text{Sin}[a + b/x])/(2*b*x^3) - (3*\text{Cos}[a + b/x]*\text{Sin}[a + b/x])/(4*b^3*x) + (3*\text{Sin}[a + b/x]^2)/(8*b^4) - (3*\text{Sin}[a + b/x]^2)/(4*b^2*x^2)$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3311

Int[((c_) + (d_)*(x_))^(m_)*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[

```
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3379

```
Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^2\left(a + \frac{b}{x}\right)}{x^5} dx &= -\text{Subst}\left(\int x^3 \sin^2(a + bx) dx, x, \frac{1}{x}\right) \\ &= \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^3} - \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{4b^2x^2} - \frac{1}{2} \text{Subst}\left(\int x^3 dx, x, \frac{1}{x}\right) + \frac{3 \text{Subst}\left(\int x \sin^2(a + bx) dx, x, \frac{1}{x}\right)}{2b^2} \\ &= -\frac{1}{8x^4} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^3} - \frac{3 \cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{4b^3x} + \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{8b^4} - \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{4b^2x^2} \\ &= -\frac{1}{8x^4} + \frac{3}{8b^2x^2} + \frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2bx^3} - \frac{3 \cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{4b^3x} + \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{8b^4} - \frac{3 \sin^2\left(a + \frac{b}{x}\right)}{4b^2x^2} \end{aligned}$$

Mathematica [A] time = 0.20, size = 65, normalized size = 0.61

$$\frac{3(x^4 - 2b^2x^2) \cos\left(2\left(a + \frac{b}{x}\right)\right) + 2b\left(\left(3x^3 - 2b^2x\right) \sin\left(2\left(a + \frac{b}{x}\right)\right) + b^3\right)}{16b^4x^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b/x]^2/x^5, x]
```

```
[Out] -1/16*(3*(-2*b^2*x^2 + x^4)*Cos[2*(a + b/x)] + 2*b*(b^3 + (-2*b^2*x + 3*x^3)*Sin[2*(a + b/x)]))/(b^4*x^4)
```

fricas [A] time = 0.50, size = 90, normalized size = 0.84

$$\frac{2b^4 + 6b^2x^2 - 3x^4 - 6(2b^2x^2 - x^4) \cos\left(\frac{ax+b}{x}\right)^2 - 4(2b^3x - 3bx^3) \cos\left(\frac{ax+b}{x}\right) \sin\left(\frac{ax+b}{x}\right)}{16b^4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^5,x, algorithm="fricas")

[Out] $-1/16*(2*b^4 + 6*b^2*x^2 - 3*x^4 - 6*(2*b^2*x^2 - x^4)*\cos((a*x + b)/x)^2 - 4*(2*b^3*x - 3*b*x^3)*\cos((a*x + b)/x)*\sin((a*x + b)/x))/(b^4*x^4)$

giac [B] time = 0.69, size = 255, normalized size = 2.38

$$\frac{4a^3 \sin\left(\frac{2(ax+b)}{x}\right) - \frac{8(ax+b)a^3}{x} - 6a^2 \cos\left(\frac{2(ax+b)}{x}\right) - \frac{12(ax+b)a^2 \sin\left(\frac{2(ax+b)}{x}\right)}{x} + \frac{12(ax+b)^2 a^2}{x^2} + \frac{12(ax+b)a \cos\left(\frac{2(ax+b)}{x}\right)}{x} - 6a}{b^4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^5,x, algorithm="giac")

[Out] $-1/16*(4*a^3*\sin(2*(a*x + b)/x) - 8*(a*x + b)*a^3/x - 6*a^2*\cos(2*(a*x + b)/x) - 12*(a*x + b)*a^2*\sin(2*(a*x + b)/x)/x + 12*(a*x + b)^2*a^2/x^2 + 12*(a*x + b)*a*\cos(2*(a*x + b)/x)/x - 6*a*\sin(2*(a*x + b)/x) + 12*(a*x + b)^2*a*\sin(2*(a*x + b)/x)/x^2 - 8*(a*x + b)^3*a/x^3 - 6*(a*x + b)^2*\cos(2*(a*x + b)/x)/x^2 - 4*(a*x + b)^3*\sin(2*(a*x + b)/x)/x^3 + 6*(a*x + b)*\sin(2*(a*x + b)/x)/x + 2*(a*x + b)^4/x^4 + 3*\cos(2*(a*x + b)/x))/b^4$

maple [B] time = 0.08, size = 334, normalized size = 3.12

$$\frac{\left(a + \frac{b}{x}\right)^3 \left(-\frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2} + \frac{a}{2} + \frac{b}{2x}\right) - \frac{3\left(a + \frac{b}{x}\right)^2 \left(\cos^2\left(a + \frac{b}{x}\right)\right)}{4} + \frac{3\left(a + \frac{b}{x}\right) \left(\frac{\cos\left(a + \frac{b}{x}\right) \sin\left(a + \frac{b}{x}\right)}{2} + \frac{b}{2x} + \frac{a}{2}\right)}{2} - \frac{3\left(a + \frac{b}{x}\right)^2}{8} - \frac{3\left(\sin^2\left(a + \frac{b}{x}\right)\right)}{8}}{b^4 x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x)^2/x^5,x)

[Out] $-1/b^4*((a+b/x)^3*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x)-3/4*(a+b/x)^2*\cos(a+b/x)^2+3/2*(a+b/x)*(1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*b/x+1/2*a)-3/8*(a+b/x)^2-3/8*\sin(a+b/x)^2-3/8*(a+b/x)^4-3*a*((a+b/x)^2*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x)-1/2*(a+b/x)*\cos(a+b/x)^2+1/4*\cos(a+b/x)*\sin(a+b/x)+1/4*b/x+1/4*a-1/3*(a+b/x)^3)+3*a^2*((a+b/x)*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x)-1/4*(a+b/x)^2+1/4*\sin(a+b/x)^2)-a^3*(-1/2*\cos(a+b/x)*\sin(a+b/x)+1/2*a+1/2*b/x))$

maxima [C] time = 0.37, size = 68, normalized size = 0.64

$$\frac{\left(\Gamma\left(4, \frac{2ib}{x}\right) + \Gamma\left(4, -\frac{2ib}{x}\right)\right) \cos(2a) - \left(i\Gamma\left(4, \frac{2ib}{x}\right) - i\Gamma\left(4, -\frac{2ib}{x}\right)\right) \sin(2a)}{64 b^4 x^4} x^4 + 8 b^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)^2/x^5,x, algorithm="maxima")

[Out] $-1/64 * ((\text{gamma}(4, 2*I*b/x) + \text{gamma}(4, -2*I*b/x)) * \cos(2*a) - (I * \text{gamma}(4, 2*I*b/x) - I * \text{gamma}(4, -2*I*b/x)) * \sin(2*a)) * x^4 + 8*b^4 / (b^4 * x^4)$

mupad [B] time = 4.72, size = 84, normalized size = 0.79

$$-\frac{3 \cos\left(2a + \frac{2b}{x}\right)}{16b^4} - \frac{\frac{b^4}{8} - \frac{3b^2x^2 \cos\left(2a + \frac{2b}{x}\right)}{8}}{b^4x^4} + \frac{\frac{3bx^3 \sin\left(2a + \frac{2b}{x}\right)}{8} - \frac{b^3x \sin\left(2a + \frac{2b}{x}\right)}{4}}{b^4x^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x)^2/x^5,x)

[Out] $-(3 * \cos(2*a + (2*b)/x)) / (16*b^4) - (b^4/8 - (3*b^2*x^2 * \cos(2*a + (2*b)/x)) / 8 + (3*b*x^3 * \sin(2*a + (2*b)/x)) / 8 - (b^3*x * \sin(2*a + (2*b)/x)) / 4) / (b^4 * x^4)$

sympy [A] time = 8.21, size = 726, normalized size = 6.79

$$\left\{ \begin{array}{l} \frac{b^4 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right)}{8b^4x^4 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 16b^4x^4 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 8b^4x^4} - \frac{2b^4 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right)}{8b^4x^4 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 16b^4x^4 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 8b^4x^4} - \frac{b^4}{8b^4x^4 \tan^4\left(\frac{a}{2} + \frac{b}{2x}\right) + 16b^4x^4 \tan^2\left(\frac{a}{2} + \frac{b}{2x}\right) + 8b^4x^4} \\ - \frac{\sin^2(a)}{4x^4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x)**2/x**5,x)

[Out] Piecewise((-b**4*tan(a/2 + b/(2*x))**4/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) - 2*b**4*tan(a/2 + b/(2*x))**2/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) - b**4/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) - 8*b**3*x*tan(a/2 + b/(2*x))**3/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) + 8*b**3*x*tan(a/2 + b/(2*x))/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) + 3*b**2*x**2*tan(a/2 + b/(2*x))**4/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) - 18*b**2*x**2*tan(a/2 + b/(2*x))**2/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) + 3*b**2*x**2/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) + 12*b*x**3*tan(a/2 + b/(2*x))**3/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4))


```

/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) - 12*b
*x**3*tan(a/2 + b/(2*x))/(8*b**4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*
tan(a/2 + b/(2*x))**2 + 8*b**4*x**4) + 12*x**4*tan(a/2 + b/(2*x))**2/(8*b**
4*x**4*tan(a/2 + b/(2*x))**4 + 16*b**4*x**4*tan(a/2 + b/(2*x))**2 + 8*b**4*
x**4), Ne(b, 0)), (-sin(a)**2/(4*x**4), True))

```

3.119 $\int \sin\left(a + \frac{b}{x^2}\right) dx$

Optimal. Leaf size=80

$$\sqrt{2\pi} \left(-\sqrt{b}\right) \cos(a) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{x}\right) + \sqrt{2\pi} \sqrt{b} \sin(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{x}\right) + x \sin\left(a + \frac{b}{x^2}\right)$$

[Out] x*sin(a+b/x^2)-cos(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/x)*b^(1/2)*2^(1/2)*Pi^(1/2)+FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/x)*sin(a)*b^(1/2)*2^(1/2)*Pi^(1/2)

Rubi [A] time = 0.06, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3359, 3387, 3354, 3352, 3351}

$$\sqrt{2\pi} \left(-\sqrt{b}\right) \cos(a) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{x}\right) + \sqrt{2\pi} \sqrt{b} \sin(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{x}\right) + x \sin\left(a + \frac{b}{x^2}\right)$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x^2], x]

[Out] -(Sqrt[b]*Sqrt[2*Pi]*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/x]) + Sqrt[b]*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/x]*Sin[a] + x*Ssin[a + b/x^2]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Dist[Cos[c], Int[Cos[d*(e + f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_.), x_Symbol]
:> -Dist[f^(-1), Subst[Int[(a + b*Sin[c + d/x^n])^p/x^2, x], x, 1/(e + f*x)], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol]
:> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x]
/; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{x^2}\right) dx &= -\text{Subst}\left(\int \frac{\sin(a + bx^2)}{x^2} dx, x, \frac{1}{x}\right) \\ &= x \sin\left(a + \frac{b}{x^2}\right) - (2b) \text{Subst}\left(\int \cos(a + bx^2) dx, x, \frac{1}{x}\right) \\ &= x \sin\left(a + \frac{b}{x^2}\right) - (2b \cos(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{x}\right) + (2b \sin(a)) \text{Subst}\left(\int \sin(bx^2) dx, x, \frac{1}{x}\right) \\ &= -\sqrt{b} \sqrt{2\pi} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) + \sqrt{b} \sqrt{2\pi} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) \sin(a) + x \sin\left(a + \frac{b}{x^2}\right) \end{aligned}$$

Mathematica [A] time = 0.14, size = 81, normalized size = 1.01

$$-\sqrt{2\pi} \sqrt{b} \left(\cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) - \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) \right) + x \sin(a) \cos\left(\frac{b}{x^2}\right) + x \cos(a) \sin\left(\frac{b}{x^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x^2], x]

[Out] x*Cos[b/x^2]*Sin[a] - Sqrt[b]*Sqrt[2*Pi]*(Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/x] - FresnelS[(Sqrt[b]*Sqrt[2/Pi])/x]*Sin[a]) + x*Cos[a]*Sin[b/x^2]

fricas [A] time = 0.71, size = 74, normalized size = 0.92

$$-\sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) C\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) + \sqrt{2} \pi \sqrt{\frac{b}{\pi}} S\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) \sin(a) + x \sin\left(\frac{ax^2 + b}{x^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2),x, algorithm="fricas")

[Out] -sqrt(2)*pi*sqrt(b/pi)*cos(a)*fresnel_cos(sqrt(2)*sqrt(b/pi)/x) + sqrt(2)*pi*sqrt(b/pi)*fresnel_sin(sqrt(2)*sqrt(b/pi)/x)*sin(a) + x*sin((a*x^2 + b)/x^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2),x, algorithm="giac")

[Out] integrate(sin(a + b/x^2), x)

maple [A] time = 0.03, size = 59, normalized size = 0.74

$$x \sin\left(a + \frac{b}{x^2}\right) - \sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) - \sin(a) \operatorname{S}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x^2),x)

[Out] x*sin(a+b/x^2)-b^(1/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/x)-sin(a)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/x)

maxima [C] time = 0.39, size = 127, normalized size = 1.59

$$\frac{\sqrt{2} \left(2 \sqrt{2} b x^2 \sqrt{\frac{1}{x^4}} \sin\left(\frac{a x^2 + b}{x^2}\right) + \left((i-1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{i b}{x^2}}\right) - 1 \right) - (i+1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{-i b}{x^2}}\right) - 1 \right) \right) \cos(a) + \left((i+1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{i b}{x^2}}\right) - 1 \right) - (i-1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{-i b}{x^2}}\right) - 1 \right) \right) \sin(a) \right)}{4 b x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2),x, algorithm="maxima")

[Out] 1/4*sqrt(2)*(2*sqrt(2)*b*x^2*sqrt(x^(-4))*sin((a*x^2 + b)/x^2) + (((I - 1)*sqrt(pi)*(erf(sqrt(I*b/x^2)) - 1) - (I + 1)*sqrt(pi)*(erf(sqrt(-I*b/x^2)) - 1))*cos(a) + ((I + 1)*sqrt(pi)*(erf(sqrt(I*b/x^2)) - 1) - (I - 1)*sqrt(pi)*(erf(sqrt(-I*b/x^2)) - 1))*sin(a))*b*(b^2/x^4)^(1/4))*sqrt(x^4)/(b*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x^2), x)`

[Out] `int(sin(a + b/x^2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x**2), x)`

[Out] `Integral(sin(a + b/x**2), x)`

$$3.120 \quad \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x} dx$$

Optimal. Leaf size=25

$$-\frac{1}{2} \sin(a) \text{Ci}\left(\frac{b}{x^2}\right) - \frac{1}{2} \cos(a) \text{Si}\left(\frac{b}{x^2}\right)$$

[Out] $-1/2*\cos(a)*\text{Si}(b/x^2)-1/2*\text{Ci}(b/x^2)*\sin(a)$

Rubi [A] time = 0.03, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3377, 3376, 3375}

$$-\frac{1}{2} \sin(a) \text{CosIntegral}\left(\frac{b}{x^2}\right) - \frac{1}{2} \cos(a) \text{Si}\left(\frac{b}{x^2}\right)$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b/x^2]/x, x]$

[Out] $-(\text{CosIntegral}[b/x^2]*\text{Sin}[a])/2 - (\text{Cos}[a]*\text{SinIntegral}[b/x^2])/2$

Rule 3375

$\text{Int}[\text{Sin}[(d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[d*x^n]/n, x] / ; \text{FreeQ}[\{d, n\}, x]$

Rule 3376

$\text{Int}[\text{Cos}[(d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[d*x^n]/n, x] / ; \text{FreeQ}[\{d, n\}, x]$

Rule 3377

$\text{Int}[\text{Sin}[(c_) + (d_.)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*x^n]/x, x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*x^n]/x, x], x] / ; \text{FreeQ}[\{c, d, n\}, x]$

Rubi steps

$$\begin{aligned}\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x} dx &= \cos(a) \int \frac{\sin\left(\frac{b}{x^2}\right)}{x} dx + \sin(a) \int \frac{\cos\left(\frac{b}{x^2}\right)}{x} dx \\ &= -\frac{1}{2} \text{Ci}\left(\frac{b}{x^2}\right) \sin(a) - \frac{1}{2} \cos(a) \text{Si}\left(\frac{b}{x^2}\right)\end{aligned}$$

Mathematica [A] time = 0.05, size = 25, normalized size = 1.00

$$\frac{1}{2} \left(\sin(a) \left(-\text{Ci}\left(\frac{b}{x^2}\right) \right) - \cos(a) \text{Si}\left(\frac{b}{x^2}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x^2]/x,x]

[Out] $(-(\text{CosIntegral}[b/x^2]*\text{Sin}[a]) - \text{Cos}[a]*\text{SinIntegral}[b/x^2])/2$

fricas [A] time = 0.79, size = 29, normalized size = 1.16

$$-\frac{1}{4} \left(\text{Ci}\left(\frac{b}{x^2}\right) + \text{Ci}\left(-\frac{b}{x^2}\right) \right) \sin(a) - \frac{1}{2} \cos(a) \text{Si}\left(\frac{b}{x^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x,x, algorithm="fricas")

[Out] $-1/4*(\text{cos_integral}(b/x^2) + \text{cos_integral}(-b/x^2))*\text{sin}(a) - 1/2*\text{cos}(a)*\text{sin_integral}(b/x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x,x, algorithm="giac")

[Out] integrate(sin(a + b/x^2)/x, x)

maple [A] time = 0.03, size = 22, normalized size = 0.88

$$-\frac{\cos(a) \text{Si}\left(\frac{b}{x^2}\right)}{2} - \frac{\text{Ci}\left(\frac{b}{x^2}\right) \sin(a)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/x^2)/x,x)`

[Out] $-1/2*\cos(a)*\text{Si}(b/x^2)-1/2*\text{Ci}(b/x^2)*\sin(a)$

maxima [C] time = 0.37, size = 43, normalized size = 1.72

$$\frac{1}{4} \left(i \text{Ei} \left(\frac{ib}{x^2} \right) - i \text{Ei} \left(-\frac{ib}{x^2} \right) \right) \cos(a) - \frac{1}{4} \left(\text{Ei} \left(\frac{ib}{x^2} \right) + \text{Ei} \left(-\frac{ib}{x^2} \right) \right) \sin(a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x^2)/x,x, algorithm="maxima")`

[Out] $1/4*(I*\text{Ei}(I*b/x^2) - I*\text{Ei}(-I*b/x^2))*\cos(a) - 1/4*(\text{Ei}(I*b/x^2) + \text{Ei}(-I*b/x^2))*\sin(a)$

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$-\frac{\sin(a) \operatorname{cosint}\left(\frac{b}{x^2}\right)}{2} - \frac{\cos(a) \operatorname{sinint}\left(\frac{b}{x^2}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x^2)/x,x)`

[Out] $-(\sin(a)*\operatorname{cosint}(b/x^2))/2 - (\cos(a)*\operatorname{sinint}(b/x^2))/2$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x**2)/x,x)`

[Out] `Integral(sin(a + b/x**2)/x, x)`

$$3.121 \quad \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^2} dx$$

Optimal. Leaf size=75

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{\sqrt{b}} - \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{\sqrt{b}}$$

[Out] $-1/2*\cos(a)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/x)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}-1/2*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/x)*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3383, 3353, 3352, 3351}

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{x}\right)}{\sqrt{b}} - \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/x^2]/x^2, x]`

[Out] $-\left(\frac{\text{Sqrt}[\text{Pi}/2] * \text{Cos}[a] * \text{FresnelS}\left[\frac{\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}]}{x}\right]}{\text{Sqrt}[b]}\right) - \left(\frac{\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}\left[\frac{\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}]}{x}\right] * \text{Sin}[a]}{\text{Sqrt}[b]}\right)$

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3353

`Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)^2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]`

Rule 3383

`Int[(x_)^(m_)*Sin[(a_) + (b_)*(x_)^(n_)], x_Symbol] := Dist[2/n, Subst[Int[Sin[a + b*x^2], x], x, x^(n/2)], x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n/2 - 1]`

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^2} dx &= -\text{Subst}\left(\int \sin(a + bx^2) dx, x, \frac{1}{x}\right) \\ &= -\left(\cos(a) \text{Subst}\left(\int \sin(bx^2) dx, x, \frac{1}{x}\right)\right) - \sin(a) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{x}\right) \\ &= -\frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{\sqrt{b}} - \frac{\sqrt{\frac{\pi}{2}} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) \sin(a)}{\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.10, size = 61, normalized size = 0.81

$$\frac{\sqrt{\frac{\pi}{2}} \left(\sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) + \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) \right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] `Integrate[Sin[a + b/x^2]/x^2, x]`

[Out] `-((Sqrt[Pi/2]*(Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/x] + FresnelC[(Sqrt[b]*Sqrt[2/Pi])/x]*Sin[a]))/Sqrt[b])`

fricas [A] time = 0.66, size = 64, normalized size = 0.85

$$\frac{\sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) S\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) + \sqrt{2} \pi \sqrt{\frac{b}{\pi}} C\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) \sin(a)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x^2)/x^2, x, algorithm="fricas")`

[Out] `-1/2*(sqrt(2)*pi*sqrt(b/pi)*cos(a)*fresnel_sin(sqrt(2)*sqrt(b/pi)/x) + sqrt(2)*pi*sqrt(b/pi)*fresnel_cos(sqrt(2)*sqrt(b/pi)/x)*sin(a))/b`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^2,x, algorithm="giac")

[Out] integrate(sin(a + b/x^2)/x^2, x)

maple [A] time = 0.03, size = 47, normalized size = 0.63

$$\frac{\sqrt{2} \sqrt{\pi} \left(\cos(a) S\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) + \sin(a) \operatorname{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) \right)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x^2)/x^2,x)

[Out] $-1/2*2^{(1/2)}*Pi^{(1/2)}/b^{(1/2)}*(\cos(a)*\operatorname{FresnelS}(b^{(1/2)}*2^{(1/2)}/Pi^{(1/2)}/x)+\sin(a)*\operatorname{FresnelC}(b^{(1/2)}*2^{(1/2)}/Pi^{(1/2)}/x))$

maxima [C] time = 0.42, size = 98, normalized size = 1.31

$$\frac{\sqrt{2} \sqrt{x^4} \left((i+1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{ib}{x^2}}\right) - 1 \right) - (i-1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{-ib}{x^2}}\right) - 1 \right) \right) \cos(a) + \left(-(i-1) \sqrt{\pi} \left(\operatorname{erf}\left(\sqrt{\frac{ib}{x^2}}\right) - 1 \right) \right)}{8bx}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^2,x, algorithm="maxima")

[Out] $-1/8*\sqrt{2}*((I + 1)*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b/x^2})) - 1) - (I - 1)*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b/x^2})) - 1)*\cos(a) + (-(I - 1)*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b/x^2})) - 1) + (I + 1)*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b/x^2})) - 1)*\sin(a))*\sqrt{x^4}*(b^2/x^4)^{(1/4)}/(b*x)$

mupad [B] time = 4.80, size = 55, normalized size = 0.73

$$\frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} \sqrt{b}}{x \sqrt{\pi}}\right) \cos(a)}{2\sqrt{b}} - \frac{\sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2} \sqrt{b}}{x \sqrt{\pi}}\right) \sin(a)}{2\sqrt{b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/x^2)/x^2,x)`

[Out] $-\frac{\sqrt{2}\pi^{1/2}\operatorname{fresnels}\left(\frac{\sqrt{2}b^{1/2}}{x\pi^{1/2}}\right)\cos(a)}{2b^{1/2}} - \frac{\sqrt{2}\pi^{1/2}\operatorname{fresnelc}\left(\frac{\sqrt{2}b^{1/2}}{x\pi^{1/2}}\right)\sin(a)}{2b^{1/2}}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/x**2)/x**2,x)`

[Out] `Integral(sin(a + b/x**2)/x**2, x)`

$$3.122 \quad \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^3} dx$$

Optimal. Leaf size=15

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

[Out] 1/2*cos(a+b/x^2)/b

Rubi [A] time = 0.02, antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3379, 2638}

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x^2]/x^3,x]

[Out] Cos[a + b/x^2]/(2*b)

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^3} dx &= -\left(\frac{1}{2} \text{Subst}\left(\int \sin(a + bx) dx, x, \frac{1}{x^2}\right)\right) \\ &= \frac{\cos\left(a + \frac{b}{x^2}\right)}{2b} \end{aligned}$$

Mathematica [A] time = 0.01, size = 15, normalized size = 1.00

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x^2]/x^3,x]

[Out] Cos[a + b/x^2]/(2*b)

fricas [A] time = 0.71, size = 17, normalized size = 1.13

$$\frac{\cos\left(\frac{ax^2+b}{x^2}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^3,x, algorithm="fricas")

[Out] 1/2*cos((a*x^2 + b)/x^2)/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^3,x, algorithm="giac")

[Out] integrate(sin(a + b/x^2)/x^3, x)

maple [A] time = 0.01, size = 14, normalized size = 0.93

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x^2)/x^3,x)

[Out] 1/2*cos(a+b/x^2)/b

maxima [A] time = 0.36, size = 13, normalized size = 0.87

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^3,x, algorithm="maxima")

[Out] 1/2*cos(a + b/x^2)/b

mupad [B] time = 4.67, size = 13, normalized size = 0.87

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x^2)/x^3,x)

[Out] cos(a + b/x^2)/(2*b)

sympy [A] time = 3.53, size = 20, normalized size = 1.33

$$\begin{cases} \frac{\cos\left(a + \frac{b}{x^2}\right)}{2b} & \text{for } b \neq 0 \\ -\frac{\sin(a)}{2x^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x**2)/x**3,x)

[Out] Piecewise((cos(a + b/x**2)/(2*b), Ne(b, 0)), (-sin(a)/(2*x**2), True))

$$3.123 \quad \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx$$

Optimal. Leaf size=97

$$-\frac{\sqrt{\frac{\pi}{2}} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{2b^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{2b^{3/2}} + \frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx}$$

[Out] $1/2*\cos(a+b/x^2)/b/x-1/4*\cos(a)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/x)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}+1/4*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/x)*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}$

Rubi [A] time = 0.06, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3409, 3385, 3354, 3352, 3351}

$$-\frac{\sqrt{\frac{\pi}{2}} \cos(a) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{x}\right)}{2b^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{2b^{3/2}} + \frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/x^2]/x^4, x]

[Out] $\text{Cos}[a + b/x^2]/(2*b*x) - (\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/x])/(2*b^{(3/2)}) + (\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/x]*\text{Sin}[a])/(2*b^{(3/2)})$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3409

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> -Subst[Int[(a + b*Sin[c + d/x^n])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx &= -\text{Subst}\left(\int x^2 \sin(a + bx^2) dx, x, \frac{1}{x}\right) \\ &= \frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx} - \frac{\text{Subst}\left(\int \cos(a + bx^2) dx, x, \frac{1}{x}\right)}{2b} \\ &= \frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx} - \frac{\cos(a) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{x}\right)}{2b} + \frac{\sin(a) \text{Subst}\left(\int \sin(bx^2) dx, x, \frac{1}{x}\right)}{2b} \\ &= \frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx} - \frac{\sqrt{\frac{\pi}{2}} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right)}{2b^{3/2}} + \frac{\sqrt{\frac{\pi}{2}} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) \sin(a)}{2b^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.16, size = 89, normalized size = 0.92

$$\frac{-\sqrt{2\pi} x \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) + \sqrt{2\pi} x \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{x}\right) + 2\sqrt{b} \cos\left(a + \frac{b}{x^2}\right)}{4b^{3/2}x}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/x^2]/x^4,x]

[Out] (2*Sqrt[b]*Cos[a + b/x^2] - Sqrt[2*Pi]*x*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/x] + Sqrt[2*Pi]*x*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/x]*Sin[a])/(4*b^(3/2)*x)

fricas [A] time = 0.64, size = 85, normalized size = 0.88

$$\frac{\sqrt{2} \pi x \sqrt{\frac{b}{\pi}} \cos(a) C\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) - \sqrt{2} \pi x \sqrt{\frac{b}{\pi}} S\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{x}\right) \sin(a) - 2 b \cos\left(\frac{ax^2+b}{x^2}\right)}{4 b^2 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^4,x, algorithm="fricas")

[Out] -1/4*(sqrt(2)*pi*x*sqrt(b/pi)*cos(a)*fresnel_cos(sqrt(2)*sqrt(b/pi)/x) - sqrt(2)*pi*x*sqrt(b/pi)*fresnel_sin(sqrt(2)*sqrt(b/pi)/x)*sin(a) - 2*b*cos((a*x^2 + b)/x^2))/(b^2*x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^4,x, algorithm="giac")

[Out] integrate(sin(a + b/x^2)/x^4, x)

maple [A] time = 0.03, size = 65, normalized size = 0.67

$$\frac{\cos\left(a + \frac{b}{x^2}\right)}{2bx} - \frac{\sqrt{2} \sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) - \sin(a) S\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} x}\right) \right)}{4b^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/x^2)/x^4,x)

[Out] 1/2*cos(a+b/x^2)/b/x-1/4/b^(3/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/x)-sin(a)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/x)

maxima [C] time = 0.40, size = 74, normalized size = 0.76

$$\frac{\sqrt{2} (x^4)^{\frac{3}{2}} \left(\left((i-1) \Gamma\left(\frac{3}{2}, \frac{ib}{x^2}\right) - (i+1) \Gamma\left(\frac{3}{2}, -\frac{ib}{x^2}\right) \right) \cos(a) + \left((i+1) \Gamma\left(\frac{3}{2}, \frac{ib}{x^2}\right) - (i-1) \Gamma\left(\frac{3}{2}, -\frac{ib}{x^2}\right) \right) \sin(a) \right) \left(\frac{b^2}{x^4}\right)^{\frac{3}{4}}}{8 b^3 x^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x^2)/x^4,x, algorithm="maxima")

[Out] $-1/8*\sqrt{2}*(((I - 1)*\text{gamma}(3/2, I*b/x^2) - (I + 1)*\text{gamma}(3/2, -I*b/x^2))*\cos(a) + ((I + 1)*\text{gamma}(3/2, I*b/x^2) - (I - 1)*\text{gamma}(3/2, -I*b/x^2))*\sin(a))*(x^4)^{(3/2)}*(b^2/x^4)^{(3/4)}/(b^3*x^3)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/x^2)/x^4,x)

[Out] int(sin(a + b/x^2)/x^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/x**2)/x**4,x)

[Out] Integral(sin(a + b/x**2)/x**4, x)

$$3.124 \quad \int \frac{\sin(\sqrt{x})}{\sqrt{x}} dx$$

Optimal. Leaf size=8

$$-2 \cos(\sqrt{x})$$

[Out] -2*cos(x^(1/2))

Rubi [A] time = 0.01, antiderivative size = 8, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3379, 2638}

$$-2 \cos(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[x]]/Sqrt[x], x]

[Out] -2*Cos[Sqrt[x]]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int \frac{\sin(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left(\int \sin(x) dx, x, \sqrt{x} \right) \\ &= -2 \cos(\sqrt{x}) \end{aligned}$$

Mathematica [A] time = 0.01, size = 8, normalized size = 1.00

$$-2 \cos(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[x]]/Sqrt[x],x]

[Out] -2*Cos[Sqrt[x]]

fricas [A] time = 0.70, size = 6, normalized size = 0.75

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2))/x^(1/2),x, algorithm="fricas")

[Out] -2*cos(sqrt(x))

giac [A] time = 0.51, size = 6, normalized size = 0.75

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2))/x^(1/2),x, algorithm="giac")

[Out] -2*cos(sqrt(x))

maple [A] time = 0.01, size = 7, normalized size = 0.88

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/2))/x^(1/2),x)

[Out] -2*cos(x^(1/2))

maxima [A] time = 0.31, size = 6, normalized size = 0.75

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2))/x^(1/2),x, algorithm="maxima")

[Out] -2*cos(sqrt(x))

mupad [B] time = 4.57, size = 6, normalized size = 0.75

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(x^(1/2))/x^(1/2),x)
```

```
[Out] -2*cos(x^(1/2))
```

sympy [A] time = 0.32, size = 8, normalized size = 1.00

$$-2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(x**(1/2))/x**(1/2),x)
```

```
[Out] -2*cos(sqrt(x))
```

$$3.125 \quad \int \frac{\sin^3(\sqrt{x})}{\sqrt{x}} dx$$

Optimal. Leaf size=21

$$\frac{2}{3} \cos^3(\sqrt{x}) - 2 \cos(\sqrt{x})$$

[Out] $-2*\cos(x^{(1/2)})+2/3*\cos(x^{(1/2)})^3$

Rubi [A] time = 0.02, antiderivative size = 21, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3379, 2633}

$$\frac{2}{3} \cos^3(\sqrt{x}) - 2 \cos(\sqrt{x})$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[\text{Sqrt}[x]]^3/\text{Sqrt}[x], x]$

[Out] $-2*\text{Cos}[\text{Sqrt}[x]] + (2*\text{Cos}[\text{Sqrt}[x]]^3)/3$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \text{ :> } -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] \text{ /; FreeQ}\{c, d\}, x] \text{ \&\& IGtQ}[(n - 1)/2, 0]$

Rule 3379

$\text{Int}[(x_.)^{(m_.)*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)^{(n_.)])}^{(p_.)}, x_Symbol] \text{ :> } \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sin}[c + d*x])^p}, x], x, x^n], x] \text{ /; FreeQ}\{a, b, c, d, m, n, p\}, x] \text{ \&\& IntegerQ}[\text{Simplify}[(m + 1)/n]] \text{ \&\& (EqQ}[p, 1] \text{ || EqQ}[m, n - 1] \text{ || (IntegerQ}[p] \text{ \&\& GtQ}[\text{Simplify}[(m + 1)/n], 0])]$

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(\sqrt{x})}{\sqrt{x}} dx &= 2 \text{Subst} \left(\int \sin^3(x) dx, x, \sqrt{x} \right) \\ &= - \left(2 \text{Subst} \left(\int (1 - x^2) dx, x, \cos(\sqrt{x}) \right) \right) \\ &= -2 \cos(\sqrt{x}) + \frac{2}{3} \cos^3(\sqrt{x}) \end{aligned}$$

Mathematica [A] time = 0.02, size = 23, normalized size = 1.10

$$\frac{1}{6} \cos(3\sqrt{x}) - \frac{3 \cos(\sqrt{x})}{2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[x]]^3/Sqrt[x], x]

[Out] (-3*Cos[Sqrt[x]])/2 + Cos[3*Sqrt[x]]/6

fricas [A] time = 0.67, size = 15, normalized size = 0.71

$$\frac{2}{3} \cos(\sqrt{x})^3 - 2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2))^3/x^(1/2), x, algorithm="fricas")

[Out] 2/3*cos(sqrt(x))^3 - 2*cos(sqrt(x))

giac [A] time = 0.36, size = 15, normalized size = 0.71

$$\frac{2}{3} \cos(\sqrt{x})^3 - 2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2))^3/x^(1/2), x, algorithm="giac")

[Out] 2/3*cos(sqrt(x))^3 - 2*cos(sqrt(x))

maple [A] time = 0.08, size = 15, normalized size = 0.71

$$\frac{2(2 + \sin^2(\sqrt{x})) \cos(\sqrt{x})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/2))^3/x^(1/2), x)

[Out] -2/3*(2+sin(x^(1/2))^2)*cos(x^(1/2))

maxima [A] time = 0.30, size = 15, normalized size = 0.71

$$\frac{2}{3} \cos(\sqrt{x})^3 - 2 \cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x^(1/2))^3/x^(1/2),x, algorithm="maxima")`

[Out] `2/3*cos(sqrt(x))^3 - 2*cos(sqrt(x))`

mupad [B] time = 4.74, size = 14, normalized size = 0.67

$$\frac{2 \cos(\sqrt{x}) \left(\cos(\sqrt{x})^2 - 3 \right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x^(1/2))^3/x^(1/2),x)`

[Out] `(2*cos(x^(1/2))*(cos(x^(1/2))^2 - 3))/3`

sympy [A] time = 0.92, size = 29, normalized size = 1.38

$$-2 \sin^2(\sqrt{x}) \cos(\sqrt{x}) - \frac{4 \cos^3(\sqrt{x})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x**(1/2))**3/x**(1/2),x)`

[Out] `-2*sin(sqrt(x))**2*cos(sqrt(x)) - 4*cos(sqrt(x))**3/3`

3.126 $\int \sin(\sqrt{x}) dx$

Optimal. Leaf size=22

$$2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x})$$

[Out] 2*sin(x^(1/2))-2*cos(x^(1/2))*x^(1/2)

Rubi [A] time = 0.01, antiderivative size = 22, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 6, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3361, 3296, 2637}

$$2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Int[Sin[Sqrt[x]],x]

[Out] -2*Sqrt[x]*Cos[Sqrt[x]] + 2*Sin[Sqrt[x]]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_S
ymbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x
, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && Integer
Q[1/n]

Rubi steps

$$\begin{aligned}
\int \sin(\sqrt{x}) dx &= 2 \operatorname{Subst}\left(\int x \sin(x) dx, x, \sqrt{x}\right) \\
&= -2\sqrt{x} \cos(\sqrt{x}) + 2 \operatorname{Subst}\left(\int \cos(x) dx, x, \sqrt{x}\right) \\
&= -2\sqrt{x} \cos(\sqrt{x}) + 2 \sin(\sqrt{x})
\end{aligned}$$

Mathematica [A] time = 0.02, size = 22, normalized size = 1.00

$$2 \sin(\sqrt{x}) - 2\sqrt{x} \cos(\sqrt{x})$$

Antiderivative was successfully verified.

[In] Integrate[Sin[Sqrt[x]], x]

[Out] -2*Sqrt[x]*Cos[Sqrt[x]] + 2*Sin[Sqrt[x]]

fricas [A] time = 0.71, size = 16, normalized size = 0.73

$$-2 \sqrt{x} \cos(\sqrt{x}) + 2 \sin(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2)), x, algorithm="fricas")

[Out] -2*sqrt(x)*cos(sqrt(x)) + 2*sin(sqrt(x))

giac [A] time = 0.83, size = 16, normalized size = 0.73

$$-2 \sqrt{x} \cos(\sqrt{x}) + 2 \sin(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/2)), x, algorithm="giac")

[Out] -2*sqrt(x)*cos(sqrt(x)) + 2*sin(sqrt(x))

maple [A] time = 0.02, size = 17, normalized size = 0.77

$$2 \sin(\sqrt{x}) - 2 \cos(\sqrt{x}) \sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/2)), x)

[Out] $2*\sin(x^{(1/2)})-2*\cos(x^{(1/2)})*x^{(1/2)}$

maxima [A] time = 0.47, size = 16, normalized size = 0.73

$$-2\sqrt{x}\cos(\sqrt{x}) + 2\sin(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x^(1/2)),x, algorithm="maxima")`

[Out] $-2*\sqrt{x}*\cos(\sqrt{x}) + 2*\sin(\sqrt{x})$

mupad [B] time = 4.64, size = 16, normalized size = 0.73

$$2\sin(\sqrt{x}) - 2\sqrt{x}\cos(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x^(1/2)),x)`

[Out] $2*\sin(x^{(1/2)}) - 2*x^{(1/2)}*\cos(x^{(1/2)})$

sympy [A] time = 0.30, size = 20, normalized size = 0.91

$$-2\sqrt{x}\cos(\sqrt{x}) + 2\sin(\sqrt{x})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x**(1/2)),x)`

[Out] $-2*\sqrt{x}*\cos(\sqrt{x}) + 2*\sin(\sqrt{x})$

3.127 $\int \sin^2(\sqrt[3]{x}) dx$

Optimal. Leaf size=69

$$-\frac{3}{2}x^{2/3} \sin(\sqrt[3]{x}) \cos(\sqrt[3]{x}) + \frac{x}{2} - \frac{3\sqrt[3]{x}}{4} + \frac{3}{2}\sqrt[3]{x} \sin^2(\sqrt[3]{x}) + \frac{3}{4} \sin(\sqrt[3]{x}) \cos(\sqrt[3]{x})$$

[Out] $-3/4*x^{(1/3)}+1/2*x+3/4*\cos(x^{(1/3)})*\sin(x^{(1/3)})-3/2*x^{(2/3)}*\cos(x^{(1/3)})*\sin(x^{(1/3)})+3/2*x^{(1/3)}*\sin(x^{(1/3)})^2$

Rubi [A] time = 0.04, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3361, 3311, 30, 2635, 8}

$$-\frac{3}{2}x^{2/3} \sin(\sqrt[3]{x}) \cos(\sqrt[3]{x}) + \frac{x}{2} - \frac{3\sqrt[3]{x}}{4} + \frac{3}{2}\sqrt[3]{x} \sin^2(\sqrt[3]{x}) + \frac{3}{4} \sin(\sqrt[3]{x}) \cos(\sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Int[Sin[x^(1/3)]^2,x]

[Out] $(-3*x^{(1/3)})/4 + x/2 + (3*\cos[x^{(1/3)}]*\sin[x^{(1/3)}])/4 - (3*x^{(2/3)}*\cos[x^{(1/3)}]*\sin[x^{(1/3)}])/2 + (3*x^{(1/3)}*\sin[x^{(1/3)}]^2)/2$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m+1)/(m+1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x])*(b*sin[c + d*x])^(n-1)/(d*n), x] + Dist[(b^2*(n-1))/n, Int[(b*sin[c + d*x])^(n-2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(c + d*x)^(m-1)*(b*sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n-1))/n, Int[(c + d*x)^m*(b*sin[e + f*x])^(n-2), x], x] - Dist[(d^2*m*(m-1))/(f^2*n^2), Int[(c + d*x)^(m-2)*(b*sin[e + f*x])^n, x], x])

- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}\int \sin^2(\sqrt[3]{x}) dx &= 3 \operatorname{Subst}\left(\int x^2 \sin^2(x) dx, x, \sqrt[3]{x}\right) \\ &= -\frac{3}{2}x^{2/3} \cos(\sqrt[3]{x}) \sin(\sqrt[3]{x}) + \frac{3}{2}\sqrt[3]{x} \sin^2(\sqrt[3]{x}) + \frac{3}{2} \operatorname{Subst}\left(\int x^2 dx, x, \sqrt[3]{x}\right) - \frac{3}{2} \operatorname{Subst}\left(\int \sin^2(x) dx, x, \sqrt[3]{x}\right) \\ &= \frac{x}{2} + \frac{3}{4} \cos(\sqrt[3]{x}) \sin(\sqrt[3]{x}) - \frac{3}{2}x^{2/3} \cos(\sqrt[3]{x}) \sin(\sqrt[3]{x}) + \frac{3}{2}\sqrt[3]{x} \sin^2(\sqrt[3]{x}) - \frac{3}{4} \operatorname{Subst}\left(\int 1 dx, x, \sqrt[3]{x}\right) \\ &= -\frac{3\sqrt[3]{x}}{4} + \frac{x}{2} + \frac{3}{4} \cos(\sqrt[3]{x}) \sin(\sqrt[3]{x}) - \frac{3}{2}x^{2/3} \cos(\sqrt[3]{x}) \sin(\sqrt[3]{x}) + \frac{3}{2}\sqrt[3]{x} \sin^2(\sqrt[3]{x})\end{aligned}$$

Mathematica [A] time = 0.05, size = 41, normalized size = 0.59

$$\frac{1}{8} \left((3 - 6x^{2/3}) \sin(2\sqrt[3]{x}) + 4x - 6\sqrt[3]{x} \cos(2\sqrt[3]{x}) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x^(1/3)]^2,x]

[Out] (4*x - 6*x^(1/3)*Cos[2*x^(1/3)] + (3 - 6*x^(2/3))*Sin[2*x^(1/3)])/8

fricas [A] time = 0.63, size = 37, normalized size = 0.54

$$-\frac{3}{4} \left(2x^{\frac{2}{3}} - 1 \right) \cos\left(x^{\frac{1}{3}}\right) \sin\left(x^{\frac{1}{3}}\right) - \frac{3}{2} x^{\frac{1}{3}} \cos\left(x^{\frac{1}{3}}\right)^2 + \frac{1}{2} x + \frac{3}{4} x^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^2,x, algorithm="fricas")

[Out] -3/4*(2*x^(2/3) - 1)*cos(x^(1/3))*sin(x^(1/3)) - 3/2*x^(1/3)*cos(x^(1/3))^2 + 1/2*x + 3/4*x^(1/3)

giac [A] time = 0.30, size = 30, normalized size = 0.43

$$-\frac{3}{8} \left(2x^{\frac{2}{3}} - 1 \right) \sin \left(2x^{\frac{1}{3}} \right) - \frac{3}{4} x^{\frac{1}{3}} \cos \left(2x^{\frac{1}{3}} \right) + \frac{1}{2} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^2,x, algorithm="giac")

[Out] -3/8*(2*x^(2/3) - 1)*sin(2*x^(1/3)) - 3/4*x^(1/3)*cos(2*x^(1/3)) + 1/2*x

maple [A] time = 0.06, size = 52, normalized size = 0.75

$$3x^{\frac{2}{3}} \left(-\frac{\cos \left(x^{\frac{1}{3}} \right) \sin \left(x^{\frac{1}{3}} \right)}{2} + \frac{x^{\frac{1}{3}}}{2} \right) - \frac{3x^{\frac{1}{3}} \left(\cos^2 \left(x^{\frac{1}{3}} \right) \right)}{2} + \frac{3 \cos \left(x^{\frac{1}{3}} \right) \sin \left(x^{\frac{1}{3}} \right)}{4} + \frac{3x^{\frac{1}{3}}}{4} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/3))^2,x)

[Out] 3*x^(2/3)*(-1/2*cos(x^(1/3))*sin(x^(1/3))+1/2*x^(1/3))-3/2*x^(1/3)*cos(x^(1/3))^2+3/4*cos(x^(1/3))*sin(x^(1/3))+3/4*x^(1/3)-x

maxima [A] time = 0.44, size = 30, normalized size = 0.43

$$-\frac{3}{8} \left(2x^{\frac{2}{3}} - 1 \right) \sin \left(2x^{\frac{1}{3}} \right) - \frac{3}{4} x^{\frac{1}{3}} \cos \left(2x^{\frac{1}{3}} \right) + \frac{1}{2} x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^2,x, algorithm="maxima")

[Out] -3/8*(2*x^(2/3) - 1)*sin(2*x^(1/3)) - 3/4*x^(1/3)*cos(2*x^(1/3)) + 1/2*x

mupad [B] time = 4.77, size = 34, normalized size = 0.49

$$\frac{x}{2} + \frac{3 \sin \left(2x^{1/3} \right)}{8} - \frac{3x^{1/3} \cos \left(2x^{1/3} \right)}{4} - \frac{3x^{2/3} \sin \left(2x^{1/3} \right)}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/3))^2,x)

[Out] x/2 + (3*sin(2*x^(1/3)))/8 - (3*x^(1/3)*cos(2*x^(1/3)))/4 - (3*x^(2/3)*sin(2*x^(1/3)))/4

sympy [B] time = 1.32, size = 379, normalized size = 5.49

$$\frac{12x^{\frac{2}{3}} \tan^3\left(\frac{\sqrt[3]{x}}{2}\right)}{4 \tan^4\left(\frac{\sqrt[3]{x}}{2}\right) + 8 \tan^2\left(\frac{\sqrt[3]{x}}{2}\right) + 4} - \frac{12x^{\frac{2}{3}} \tan\left(\frac{\sqrt[3]{x}}{2}\right)}{4 \tan^4\left(\frac{\sqrt[3]{x}}{2}\right) + 8 \tan^2\left(\frac{\sqrt[3]{x}}{2}\right) + 4} - \frac{3\sqrt[3]{x} \tan^4\left(\frac{\sqrt[3]{x}}{2}\right)}{4 \tan^4\left(\frac{\sqrt[3]{x}}{2}\right) + 8 \tan^2\left(\frac{\sqrt[3]{x}}{2}\right) + 4} + \frac{18\sqrt[3]{x}}{4 \tan^4\left(\frac{\sqrt[3]{x}}{2}\right) + 8 \tan^2\left(\frac{\sqrt[3]{x}}{2}\right) + 4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x**(1/3))**2,x)

[Out] 12*x**(2/3)*tan(x**(1/3)/2)**3/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) - 12*x**(2/3)*tan(x**(1/3)/2)/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) - 3*x**(1/3)*tan(x**(1/3)/2)**4/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) + 18*x**(1/3)*tan(x**(1/3)/2)**2/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) - 3*x**(1/3)/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) + 2*x*tan(x**(1/3)/2)**4/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) + 4*x*tan(x**(1/3)/2)**2/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) + 2*x/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) - 6*tan(x**(1/3)/2)**3/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4) + 6*tan(x**(1/3)/2)/(4*tan(x**(1/3)/2)**4 + 8*tan(x**(1/3)/2)**2 + 4)

3.128 $\int \sin^3(\sqrt[3]{x}) dx$

Optimal. Leaf size=87

$$-2x^{2/3} \cos(\sqrt[3]{x}) - x^{2/3} \sin^2(\sqrt[3]{x}) \cos(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x}) + 4\sqrt[3]{x} \sin(\sqrt[3]{x}) - \frac{2}{9} \cos^3(\sqrt[3]{x}) + \frac{14}{3} \cos(\sqrt[3]{x})$$

[Out] $14/3*\cos(x^{(1/3)})-2*x^{(2/3)}*\cos(x^{(1/3)})-2/9*\cos(x^{(1/3)})^3+4*x^{(1/3)}*\sin(x^{(1/3)})-x^{(2/3)}*\cos(x^{(1/3)})*\sin(x^{(1/3)})^2+2/3*x^{(1/3)}*\sin(x^{(1/3)})^3$

Rubi [A] time = 0.06, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.625$, Rules used = {3361, 3311, 3296, 2638, 2633}

$$-2x^{2/3} \cos(\sqrt[3]{x}) - x^{2/3} \sin^2(\sqrt[3]{x}) \cos(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x}) + 4\sqrt[3]{x} \sin(\sqrt[3]{x}) - \frac{2}{9} \cos^3(\sqrt[3]{x}) + \frac{14}{3} \cos(\sqrt[3]{x})$$

Antiderivative was successfully verified.

[In] Int[Sin[x^(1/3)]^3,x]

[Out] $(14*\text{Cos}[x^{(1/3)}])/3 - 2*x^{(2/3)}*\text{Cos}[x^{(1/3)}] - (2*\text{Cos}[x^{(1/3)}]^3)/9 + 4*x^{(1/3)}*\text{Sin}[x^{(1/3)}] - x^{(2/3)}*\text{Cos}[x^{(1/3)}]*\text{Sin}[x^{(1/3)}]^2 + (2*x^{(1/3)}*\text{Sin}[x^{(1/3)}]^3)/3$

Rule 2633

Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist

```
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3361

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_.), x_S
ymbol] :> Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*SIN[c + d*x])^p, x], x
, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && Integer
Q[1/n]
```

Rubi steps

$$\begin{aligned}
\int \sin^3(\sqrt[3]{x}) dx &= 3 \operatorname{Subst}\left(\int x^2 \sin^3(x) dx, x, \sqrt[3]{x}\right) \\
&= -x^{2/3} \cos(\sqrt[3]{x}) \sin^2(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x}) - \frac{2}{3} \operatorname{Subst}\left(\int \sin^3(x) dx, x, \sqrt[3]{x}\right) + 2 \operatorname{Subst}\left(\int x \sin^3(x) dx, x, \sqrt[3]{x}\right) \\
&= -2x^{2/3} \cos(\sqrt[3]{x}) - x^{2/3} \cos(\sqrt[3]{x}) \sin^2(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x}) + \frac{2}{3} \operatorname{Subst}\left(\int (1 - x^2) dx, x, \sqrt[3]{x}\right) \\
&= \frac{2}{3} \cos(\sqrt[3]{x}) - 2x^{2/3} \cos(\sqrt[3]{x}) - \frac{2}{9} \cos^3(\sqrt[3]{x}) + 4\sqrt[3]{x} \sin(\sqrt[3]{x}) - x^{2/3} \cos(\sqrt[3]{x}) \sin^2(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x}) \\
&= \frac{14}{3} \cos(\sqrt[3]{x}) - 2x^{2/3} \cos(\sqrt[3]{x}) - \frac{2}{9} \cos^3(\sqrt[3]{x}) + 4\sqrt[3]{x} \sin(\sqrt[3]{x}) - x^{2/3} \cos(\sqrt[3]{x}) \sin^2(\sqrt[3]{x}) + \frac{2}{3} \sqrt[3]{x} \sin^3(\sqrt[3]{x})
\end{aligned}$$

Mathematica [A] time = 0.06, size = 62, normalized size = 0.71

$$\frac{1}{36} \left(-81 \left(x^{2/3} - 2 \right) \cos(\sqrt[3]{x}) + \left(9x^{2/3} - 2 \right) \cos(3\sqrt[3]{x}) - 6\sqrt[3]{x} \left(\sin(3\sqrt[3]{x}) - 27 \sin(\sqrt[3]{x}) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[SIN[x^(1/3)]^3, x]

[Out] (-81*(-2 + x^(2/3))*Cos[x^(1/3)] + (-2 + 9*x^(2/3))*Cos[3*x^(1/3)] - 6*x^(1/3)*(-27*SIN[x^(1/3)] + SIN[3*x^(1/3)]))/36

fricas [A] time = 0.70, size = 51, normalized size = 0.59

$$\frac{1}{9} \left(9x^{\frac{2}{3}} - 2 \right) \cos\left(x^{\frac{1}{3}}\right)^3 - \frac{1}{3} \left(9x^{\frac{2}{3}} - 14 \right) \cos\left(x^{\frac{1}{3}}\right) - \frac{2}{3} \left(x^{\frac{1}{3}} \cos\left(x^{\frac{1}{3}}\right)^2 - 7x^{\frac{1}{3}} \right) \sin\left(x^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^3,x, algorithm="fricas")

[Out] $\frac{1}{9}(9x^{2/3} - 2)\cos(x^{1/3})^3 - \frac{1}{3}(9x^{2/3} - 14)\cos(x^{1/3}) - \frac{2}{3}(x^{1/3}\cos(x^{1/3}))^2 - 7x^{1/3}\sin(x^{1/3})$

giac [A] time = 0.66, size = 47, normalized size = 0.54

$$\frac{1}{36}\left(9x^{\frac{2}{3}} - 2\right)\cos\left(3x^{\frac{1}{3}}\right) - \frac{9}{4}\left(x^{\frac{2}{3}} - 2\right)\cos\left(x^{\frac{1}{3}}\right) - \frac{1}{6}x^{\frac{1}{3}}\sin\left(3x^{\frac{1}{3}}\right) + \frac{9}{2}x^{\frac{1}{3}}\sin\left(x^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^3,x, algorithm="giac")

[Out] $\frac{1}{36}(9x^{2/3} - 2)\cos(3x^{1/3}) - \frac{9}{4}(x^{2/3} - 2)\cos(x^{1/3}) - \frac{1}{6}x^{1/3}\sin(3x^{1/3}) + \frac{9}{2}x^{1/3}\sin(x^{1/3})$

maple [A] time = 0.12, size = 59, normalized size = 0.68

$$-x^{\frac{2}{3}}\left(2 + \sin^2\left(x^{\frac{1}{3}}\right)\right)\cos\left(x^{\frac{1}{3}}\right) + 4\cos\left(x^{\frac{1}{3}}\right) + 4x^{\frac{1}{3}}\sin\left(x^{\frac{1}{3}}\right) + \frac{2x^{\frac{1}{3}}\left(\sin^3\left(x^{\frac{1}{3}}\right)\right)}{3} + \frac{2\left(2 + \sin^2\left(x^{\frac{1}{3}}\right)\right)\cos\left(x^{\frac{1}{3}}\right)}{9}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x^(1/3))^3,x)

[Out] $-x^{2/3}(2 + \sin(x^{1/3}))^2\cos(x^{1/3}) + 4\cos(x^{1/3}) + 4x^{1/3}\sin(x^{1/3}) + \frac{2}{3}x^{1/3}\sin(x^{1/3})^3 + \frac{2}{9}(2 + \sin(x^{1/3}))^2\cos(x^{1/3})$

maxima [A] time = 0.33, size = 47, normalized size = 0.54

$$\frac{1}{36}\left(9x^{\frac{2}{3}} - 2\right)\cos\left(3x^{\frac{1}{3}}\right) - \frac{9}{4}\left(x^{\frac{2}{3}} - 2\right)\cos\left(x^{\frac{1}{3}}\right) - \frac{1}{6}x^{\frac{1}{3}}\sin\left(3x^{\frac{1}{3}}\right) + \frac{9}{2}x^{\frac{1}{3}}\sin\left(x^{\frac{1}{3}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x^(1/3))^3,x, algorithm="maxima")

[Out] $\frac{1}{36}(9x^{2/3} - 2)\cos(3x^{1/3}) - \frac{9}{4}(x^{2/3} - 2)\cos(x^{1/3}) - \frac{1}{6}x^{1/3}\sin(3x^{1/3}) + \frac{9}{2}x^{1/3}\sin(x^{1/3})$

mupad [B] time = 4.78, size = 58, normalized size = 0.67

$$\frac{14\cos(x^{1/3})}{3} - 3x^{2/3}\cos(x^{1/3}) + \frac{14x^{1/3}\sin(x^{1/3})}{3} - \frac{2\cos(x^{1/3})^3}{9} + x^{2/3}\cos(x^{1/3})^3 - \frac{2x^{1/3}\cos(x^{1/3})^2\sin(x^{1/3})}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x^(1/3))^3,x)`

[Out] $(14*\cos(x^{1/3}))/3 - 3*x^{2/3}*\cos(x^{1/3}) + (14*x^{1/3}*\sin(x^{1/3}))/3 - (2*\cos(x^{1/3})^3)/9 + x^{2/3}*\cos(x^{1/3})^3 - (2*x^{1/3}*\cos(x^{1/3})^2*\sin(x^{1/3}))/3$

sympy [A] time = 6.11, size = 80, normalized size = 0.92

$$-\frac{9x^{\frac{2}{3}}\cos(\sqrt[3]{x})}{4} + \frac{x^{\frac{2}{3}}\cos(3\sqrt[3]{x})}{4} + \frac{9\sqrt[3]{x}\sin(\sqrt[3]{x})}{2} - \frac{\sqrt[3]{x}\sin(3\sqrt[3]{x})}{6} + \frac{9\cos(\sqrt[3]{x})}{2} - \frac{\cos(3\sqrt[3]{x})}{18}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x**(1/3))**3,x)`

[Out] $-9*x^{2/3}*\cos(x^{1/3})/4 + x^{2/3}*\cos(3*x^{1/3})/4 + 9*x^{1/3}*\sin(x^{1/3})/2 - x^{1/3}*\sin(3*x^{1/3})/6 + 9*\cos(x^{1/3})/2 - \cos(3*x^{1/3})/18$

3.129 $\int (ex)^m (b \sin(c + dx^n))^p dx$

Optimal. Leaf size=21

$$\text{Int}\left((ex)^m (b \sin(c + dx^n))^p, x\right)$$

[Out] Unintegrable((e*x)^m*(b*sin(c+d*x^n))^p,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m (b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*(b*Sin[c + d*x^n])^p,x]

[Out] Defer[Int] [(e*x)^m*(b*Sin[c + d*x^n])^p, x]

Rubi steps

$$\int (ex)^m (b \sin(c + dx^n))^p dx = \int (ex)^m (b \sin(c + dx^n))^p dx$$

Mathematica [A] time = 1.05, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*(b*Sin[c + d*x^n])^p,x]

[Out] Integrate[(e*x)^m*(b*Sin[c + d*x^n])^p, x]

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left((ex)^m (b \sin(dx^n + c))^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(b*sin(c+d*x^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^m*(b*sin(d*x^n + c))^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(b*sin(c+d*x^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^m*(b*sin(d*x^n + c))^p, x)

maple [A] time = 1.19, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(b*sin(c+d*x^n))^p,x)

[Out] int((e*x)^m*(b*sin(c+d*x^n))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(b*sin(c+d*x^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^m*(b*sin(d*x^n + c))^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int (b \sin(c + dx^n))^p (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sin(c + d*x^n))^p*(e*x)^m,x)

[Out] int((b*sin(c + d*x^n))^p*(e*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \sin(c + dx^n))^p (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(b*sin(c+d*x**n))**p,x)

[Out] Integral((b*sin(c + d*x**n))**p*(e*x)**m, x)

3.130 $\int (ex)^m (a + b \sin(c + dx^n))^p dx$

Optimal. Leaf size=23

$$\text{Int}((ex)^m (a + b \sin(c + dx^n))^p, x)$$

[Out] Unintegrable((e*x)^m*(a+b*sin(c+d*x^n))^p,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*(a + b*Sin[c + d*x^n])^p,x]

[Out] Defer[Int] [(e*x)^m*(a + b*Sin[c + d*x^n])^p, x]

Rubi steps

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx = \int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Mathematica [A] time = 1.46, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*x^n])^p,x]

[Out] Integrate[(e*x)^m*(a + b*Sin[c + d*x^n])^p, x]

fricas [A] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral}((ex)^m (b \sin(dx^n + c) + a)^p, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*x^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^m*(b*sin(d*x^n + c) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*x^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^m*(b*sin(d*x^n + c) + a)^p, x)

maple [A] time = 1.07, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(c+d*x^n))^p,x)

[Out] int((e*x)^m*(a+b*sin(c+d*x^n))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*x^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^m*(b*sin(d*x^n + c) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*x^n))^p,x)

[Out] int((e*x)^m*(a + b*sin(c + d*x^n))^p, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*(a+b*sin(c+d*x**n))**p,x)

[Out] Integral((e*x)**m*(a + b*sin(c + d*x**n))**p, x)

3.131 $\int (ex)^{-1+n} (b \sin(c + dx^n))^p dx$

Optimal. Leaf size=92

$$\frac{x^{-n}(ex)^n \cos(c + dx^n) (b \sin(c + dx^n))^{p+1} {}_2F_1\left(\frac{1}{2}, \frac{p+1}{2}; \frac{p+3}{2}; \sin^2(dx^n + c)\right)}{bden(p+1)\sqrt{\cos^2(c + dx^n)}}$$

[Out] (e*x)^n*cos(c+d*x^n)*hypergeom([1/2, 1/2+1/2*p], [3/2+1/2*p], sin(c+d*x^n)^2) * (b*sin(c+d*x^n))^(1+p)/b/d/e/n/(1+p)/(x^n)/(cos(c+d*x^n)^2)^(1/2)

Rubi [A] time = 0.10, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {3381, 3379, 2643}

$$\frac{x^{-n}(ex)^n \cos(c + dx^n) (b \sin(c + dx^n))^{p+1} {}_2F_1\left(\frac{1}{2}, \frac{p+1}{2}; \frac{p+3}{2}; \sin^2(dx^n + c)\right)}{bden(p+1)\sqrt{\cos^2(c + dx^n)}}$$

Antiderivative was successfully verified.

[In] Int[(e*x)^(-1 + n)*(b*Sin[c + d*x^n])^p,x]

[Out] ((e*x)^n*Cos[c + d*x^n]*Hypergeometric2F1[1/2, (1 + p)/2, (3 + p)/2, Sin[c + d*x^n]^2]*(b*Sin[c + d*x^n])^(1 + p))/(b*d*e*n*(1 + p)*x^n*Sqrt[Cos[c + d*x^n]^2])

Rule 2643

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3381

Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a

+ b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned} \int (ex)^{-1+n} (b \sin(c + dx^n))^p dx &= \frac{(x^{-n}(ex)^n) \int x^{-1+n} (b \sin(c + dx^n))^p dx}{e} \\ &= \frac{(x^{-n}(ex)^n) \text{Subst}\left(\int (b \sin(c + dx))^p dx, x, x^n\right)}{en} \\ &= \frac{x^{-n}(ex)^n \cos(c + dx^n) {}_2F_1\left(\frac{1}{2}, \frac{1+p}{2}; \frac{3+p}{2}; \sin^2(c + dx^n)\right) (b \sin(c + dx^n))^{1+p}}{bden(1+p)\sqrt{\cos^2(c + dx^n)}} \end{aligned}$$

Mathematica [A] time = 0.16, size = 88, normalized size = 0.96

$$\frac{x^{1-n}(ex)^{n-1}\sqrt{\cos^2(c + dx^n)} \tan(c + dx^n) (b \sin(c + dx^n))^p {}_2F_1\left(\frac{1}{2}, \frac{p+1}{2}; \frac{p+3}{2}; \sin^2(dx^n + c)\right)}{dn(p+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(e*x)^(-1 + n)*(b*Sin[c + d*x^n])^p,x]

[Out] (x^(1 - n)*(e*x)^(-1 + n)*Sqrt[Cos[c + d*x^n]^2]*Hypergeometric2F1[1/2, (1 + p)/2, (3 + p)/2, Sin[c + d*x^n]^2]*(b*Sin[c + d*x^n])^p*Tan[c + d*x^n])/(d*n*(1 + p))

fricas [F] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral}\left((ex)^{n-1} (b \sin(dx^n + c))^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(b*sin(c+d*x^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^(n - 1)*(b*sin(d*x^n + c))^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{n-1} (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(b*sin(c+d*x^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^(n - 1)*(b*sin(d*x^n + c))^p, x)

maple [F] time = 1.43, size = 0, normalized size = 0.00

$$\int (ex)^{-1+n} (b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^(-1+n)*(b*sin(c+d*x^n))^p,x)

[Out] int((e*x)^(-1+n)*(b*sin(c+d*x^n))^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{n-1} (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(b*sin(c+d*x^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^(n - 1)*(b*sin(d*x^n + c))^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (b \sin(c + dx^n))^p (ex)^{n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*sin(c + d*x^n))^p*(e*x)^(n - 1),x)

[Out] int((b*sin(c + d*x^n))^p*(e*x)^(n - 1), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**(-1+n)*(b*sin(c+d*x**n))**p,x)

[Out] Timed out

3.132 $\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx$

Optimal. Leaf size=39

$$\frac{x^{-2n}(ex)^{2n}\text{Int}(x^{2n-1}(b \sin(c + dx^n))^p, x)}{e}$$

[Out] $(e*x)^{(2*n)}*Unintegrable(x^{(-1+2*n)}*(b*\sin(c+d*x^n))^p, x)/e/(x^{(2*n)})$

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] $\text{Int}[(e*x)^{(-1 + 2*n)}*(b*\text{Sin}[c + d*x^n])^p, x]$

[Out] $((e*x)^{(2*n)}*\text{Defer}[\text{Int}[x^{(-1 + 2*n)}*(b*\text{Sin}[c + d*x^n])^p, x]])/(e*x^{(2*n)})$

Rubi steps

$$\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx = \frac{(x^{-2n}(ex)^{2n}) \int x^{-1+2n} (b \sin(c + dx^n))^p dx}{e}$$

Mathematica [A] time = 0.93, size = 0, normalized size = 0.00

$$\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(e*x)^{(-1 + 2*n)}*(b*\text{Sin}[c + d*x^n])^p, x]$

[Out] $\text{Integrate}[(e*x)^{(-1 + 2*n)}*(b*\text{Sin}[c + d*x^n])^p, x]$

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}((ex)^{2n-1} (b \sin(dx^n + c))^p, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((e*x)^{(-1+2*n)}*(b*\sin(c+d*x^n))^p, x, \text{algorithm}="fricas")$

[Out] `integral((e*x)^(2*n - 1)*(b*sin(d*x^n + c))^p, x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{2n-1} (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)^(-1+2*n)*(b*sin(c+d*x^n))^p,x, algorithm="giac")`

[Out] `integrate((e*x)^(2*n - 1)*(b*sin(d*x^n + c))^p, x)`

maple [A] time = 1.25, size = 0, normalized size = 0.00

$$\int (ex)^{-1+2n} (b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*x)^(-1+2*n)*(b*sin(c+d*x^n))^p,x)`

[Out] `int((e*x)^(-1+2*n)*(b*sin(c+d*x^n))^p,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{2n-1} (b \sin(dx^n + c))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*x)^(-1+2*n)*(b*sin(c+d*x^n))^p,x, algorithm="maxima")`

[Out] `integrate((e*x)^(2*n - 1)*(b*sin(d*x^n + c))^p, x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.03

$$\int (b \sin(c + dx^n))^p (ex)^{2n-1} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((b*sin(c + d*x^n))^p*(e*x)^(2*n - 1),x)`

[Out] `int((b*sin(c + d*x^n))^p*(e*x)^(2*n - 1), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**(-1+2*n)*(b*sin(c+d*x**n))**p,x)
```

```
[Out] Timed out
```

3.133 $\int (ex)^{-1+n} (a + b \sin(c + dx^n))^p dx$

Optimal. Leaf size=132

$$\frac{\sqrt{2} x^{-n} (ex)^n \cos(c + dx^n) (a + b \sin(c + dx^n))^p \left(\frac{a+b \sin(c+dx^n)}{a+b}\right)^{-p} F_1\left(\frac{1}{2}; \frac{1}{2}, -p; \frac{3}{2}; \frac{1}{2}(1 - \sin(dx^n + c))\right), \frac{b(1-\sin(dx^n))}{a+b}}{\text{den} \sqrt{\sin(c + dx^n) + 1}}$$

[Out] $-(e*x)^n * \text{AppellF1}(1/2, -p, 1/2, 3/2, b*(1-\sin(c+d*x^n))/(a+b), 1/2-1/2*\sin(c+d*x^n)) * \cos(c+d*x^n) * (a+b*\sin(c+d*x^n))^{p*2^{(1/2)}/d/e/n/(x^n)/((a+b*\sin(c+d*x^n))/(a+b))^p}/(1+\sin(c+d*x^n))^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {3381, 3379, 2665, 139, 138}

$$\frac{\sqrt{2} x^{-n} (ex)^n \cos(c + dx^n) (a + b \sin(c + dx^n))^p \left(\frac{a+b \sin(c+dx^n)}{a+b}\right)^{-p} F_1\left(\frac{1}{2}; \frac{1}{2}, -p; \frac{3}{2}; \frac{1}{2}(1 - \sin(dx^n + c))\right), \frac{b(1-\sin(dx^n))}{a+b}}{\text{den} \sqrt{\sin(c + dx^n) + 1}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e*x)^{-1+n}*(a + b*\text{Sin}[c + d*x^n])^p, x]$

[Out] $-\left(\sqrt{2}*(e*x)^n*\text{AppellF1}\left[\frac{1}{2}, \frac{1}{2}, -p, \frac{3}{2}, \frac{(1 - \text{Sin}[c + d*x^n])}{2}, (b*(1 - \text{Sin}[c + d*x^n]))}{(a + b)}\right]*\text{Cos}[c + d*x^n]*(a + b*\text{Sin}[c + d*x^n])^p\right)/(d*e*n*x^n*\text{Sqrt}[1 + \text{Sin}[c + d*x^n]]*((a + b*\text{Sin}[c + d*x^n])/(a + b))^p)$

Rule 138

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] :> \text{Simp}[(a + b*x)^{(m + 1)}*\text{AppellF1}[m + 1, -n, -p, m + 2, -((d*(a + b*x))/(b*c - a*d)), -((f*(a + b*x))/(b*e - a*f))]/(b*(m + 1)*(b/(b*c - a*d))^n*(b/(b*e - a*f))^p), x] /;$ FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b*c - a*d), 0] && GtQ[b/(b*e - a*f), 0] && !(GtQ[d/(d*a - c*b), 0] && GtQ[d/(d*e - c*f), 0] && SimplerQ[c + d*x, a + b*x]) && !(GtQ[f/(f*a - e*b), 0] && GtQ[f/(f*c - e*d), 0] && SimplerQ[e + f*x, a + b*x])

Rule 139

$\text{Int}[(a_ + (b_)*(x_))^{(m_)}*((c_ + (d_)*(x_))^{(n_)}*((e_ + (f_)*(x_))^{(p_)}), x_Symbol] :> \text{Dist}[(e + f*x)^{\text{FracPart}[p]}/((b/(b*e - a*f))^{\text{IntPart}[p]}*((b*(e + f*x))/(b*e - a*f))^{\text{FracPart}[p]}], \text{Int}[(a + b*x)^m*(c + d*x)^n*((b*e)/(b*e - a*f) + (b*f*x)/(b*e - a*f))^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, m, n, p}, x] && !IntegerQ[m] && !IntegerQ[n] && !IntegerQ[p] && GtQ[b/(b

*c - a*d), 0] && !GtQ[b/(b*e - a*f), 0]

Rule 2665

Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Dist[Cos[c + d*x]/(d*Sqrt[1 + Sin[c + d*x]]*Sqrt[1 - Sin[c + d*x]]), Subst[Int[(a + b*x)^n/(Sqrt[1 + x]*Sqrt[1 - x]), x], x, Sin[c + d*x]], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[a^2 - b^2, 0] && !IntegerQ[2*n]

Rule 3379

Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3381

Int[((e)*(x_))^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rubi steps

$$\begin{aligned}
 \int (ex)^{-1+n} (a + b \sin(c + dx^n))^p dx &= \frac{(x^{-n}(ex)^n) \int x^{-1+n} (a + b \sin(c + dx^n))^p dx}{e} \\
 &= \frac{(x^{-n}(ex)^n) \text{Subst}\left(\int (a + b \sin(c + dx))^p dx, x, x^n\right)}{en} \\
 &= \frac{(x^{-n}(ex)^n \cos(c + dx^n)) \text{Subst}\left(\int \frac{(a+bx)^p}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sin(c + dx^n)\right)}{den\sqrt{1 - \sin(c + dx^n)}\sqrt{1 + \sin(c + dx^n)}} \\
 &= \frac{\left(x^{-n}(ex)^n \cos(c + dx^n) (a + b \sin(c + dx^n))^p \left(-\frac{a+b \sin(c+dx^n)}{-a-b}\right)^{-p}\right) \text{Subst}\left(\int \frac{1}{\sqrt{1-x}\sqrt{1+x}} dx, x, \sin(c + dx^n)\right)}{den\sqrt{1 - \sin(c + dx^n)}\sqrt{1 + \sin(c + dx^n)}} \\
 &= -\frac{\sqrt{2} x^{-n}(ex)^n F_1\left(\frac{1}{2}; \frac{1}{2}, -p; \frac{3}{2}; \frac{1}{2}(1 - \sin(c + dx^n)), \frac{b(1 - \sin(c + dx^n))}{a+b}\right) \cos(c + dx^n)}{den\sqrt{1 + \sin(c + dx^n)}}
 \end{aligned}$$

Mathematica [A] time = 0.46, size = 148, normalized size = 1.12

$$\frac{x^{-n}(ex)^n \sec(c + dx^n) \sqrt{-\frac{b(\sin(c+dx^n)-1)}{a+b}} \sqrt{\frac{b(\sin(c+dx^n)+1)}{b-a}} (a + b \sin(c + dx^n))^{p+1} F_1\left(p + 1; \frac{1}{2}, \frac{1}{2}; p + 2; \frac{a+b \sin(dx^n+c)}{a-b}\right)}{bden(p + 1)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*x)^(-1 + n)*(a + b*Sin[c + d*x^n])^p,x]

[Out] ((e*x)^n*AppellF1[1 + p, 1/2, 1/2, 2 + p, (a + b*Sin[c + d*x^n])/(a - b), (a + b*Sin[c + d*x^n])/(a + b)]*Sec[c + d*x^n]*Sqrt[-((b*(-1 + Sin[c + d*x^n]))/(a + b))]*Sqrt[(b*(1 + Sin[c + d*x^n]))/(-a + b)]*(a + b*Sin[c + d*x^n])^(1 + p))/(b*d*e*n*(1 + p)*x^n)

fricas [F] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}((ex)^{n-1} (b \sin(dx^n + c) + a)^p, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(a+b*sin(c+d*x^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^(n - 1)*(b*sin(d*x^n + c) + a)^p, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{n-1} (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(a+b*sin(c+d*x^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^(n - 1)*(b*sin(d*x^n + c) + a)^p, x)

maple [F] time = 1.38, size = 0, normalized size = 0.00

$$\int (ex)^{-1+n} (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^(-1+n)*(a+b*sin(c+d*x^n))^p,x)

[Out] int((e*x)^(-1+n)*(a+b*sin(c+d*x^n))^p,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{n-1} (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+n)*(a+b*sin(c+d*x^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^(n - 1)*(b*sin(d*x^n + c) + a)^p, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (ex)^{n-1} (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^(n - 1)*(a + b*sin(c + d*x^n))^p,x)

[Out] int((e*x)^(n - 1)*(a + b*sin(c + d*x^n))^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**(-1+n)*(a+b*sin(c+d*x**n))**p,x)

[Out] Timed out

$$3.134 \quad \int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx$$

Optimal. Leaf size=41

$$\frac{x^{-2n}(ex)^{2n} \text{Int}\left(x^{2n-1} (a + b \sin(c + dx^n))^p, x\right)}{e}$$

[Out] $(e*x)^{(2*n)}*Unintegrable(x^{(-1+2*n)}*(a+b*\sin(c+d*x^n))^p,x)/e/(x^{(2*n)})$

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] $\text{Int}[(e*x)^{(-1 + 2*n)}*(a + b*\text{Sin}[c + d*x^n])]^p,x]$

[Out] $((e*x)^{(2*n)}*\text{Defer}[\text{Int}[x^{(-1 + 2*n)}*(a + b*\text{Sin}[c + d*x^n])]^p, x])/((e*x)^{(2*n)})$

Rubi steps

$$\int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx = \frac{(x^{-2n}(ex)^{2n}) \int x^{-1+2n} (a + b \sin(c + dx^n))^p dx}{e}$$

Mathematica [A] time = 1.30, size = 0, normalized size = 0.00

$$\int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[(e*x)^{(-1 + 2*n)}*(a + b*\text{Sin}[c + d*x^n])]^p,x]$

[Out] $\text{Integrate}[(e*x)^{(-1 + 2*n)}*(a + b*\text{Sin}[c + d*x^n])]^p, x]$

fricas [A] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left((ex)^{2n-1} (b \sin(dx^n + c) + a)^p, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+2*n)*(a+b*sin(c+d*x^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^(2*n - 1)*(b*sin(d*x^n + c) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{2n-1} (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+2*n)*(a+b*sin(c+d*x^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^(2*n - 1)*(b*sin(d*x^n + c) + a)^p, x)

maple [A] time = 1.14, size = 0, normalized size = 0.00

$$\int (ex)^{-1+2n} (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^(-1+2*n)*(a+b*sin(c+d*x^n))^p,x)

[Out] int((e*x)^(-1+2*n)*(a+b*sin(c+d*x^n))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^{2n-1} (b \sin(dx^n + c) + a)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^(-1+2*n)*(a+b*sin(c+d*x^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^(2*n - 1)*(b*sin(d*x^n + c) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int (ex)^{2n-1} (a + b \sin(c + dx^n))^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^(2*n - 1)*(a + b*sin(c + d*x^n))^p,x)

[Out] int((e*x)^(2*n - 1)*(a + b*sin(c + d*x^n))^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**(-1+2*n)*(a+b*sin(c+d*x**n))**p,x)
```

```
[Out] Timed out
```

$$3.135 \quad \int \frac{\sin(a+bx^n)}{x} dx$$

Optimal. Leaf size=25

$$\frac{\sin(a)\text{Ci}(bx^n)}{n} + \frac{\cos(a)\text{Si}(bx^n)}{n}$$

[Out] $\cos(a)*\text{Si}(b*x^n)/n+\text{Ci}(b*x^n)*\sin(a)/n$

Rubi [A] time = 0.04, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3377, 3376, 3375}

$$\frac{\sin(a)\text{CosIntegral}(bx^n)}{n} + \frac{\cos(a)\text{Si}(bx^n)}{n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*x^n]/x, x]$

[Out] $(\text{CosIntegral}[b*x^n]*\text{Sin}[a])/n + (\text{Cos}[a]*\text{SinIntegral}[b*x^n])/n$

Rule 3375

$\text{Int}[\text{Sin}[(d_.)*(x_)^(n_)]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3376

$\text{Int}[\text{Cos}[(d_.)*(x_)^(n_)]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3377

$\text{Int}[\text{Sin}[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*x^n]/x, x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*x^n]/x, x], x] / ; \text{FreeQ}\{c, d, n\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{\sin(a+bx^n)}{x} dx &= \cos(a) \int \frac{\sin(bx^n)}{x} dx + \sin(a) \int \frac{\cos(bx^n)}{x} dx \\ &= \frac{\text{Ci}(bx^n) \sin(a)}{n} + \frac{\cos(a)\text{Si}(bx^n)}{n} \end{aligned}$$

Mathematica [A] time = 0.07, size = 23, normalized size = 0.92

$$\frac{\sin(a)\text{Ci}(bx^n) + \cos(a)\text{Si}(bx^n)}{n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]/x,x]

[Out] (CosIntegral[b*x^n]*Sin[a] + Cos[a]*SinIntegral[b*x^n])/n

fricas [A] time = 0.66, size = 35, normalized size = 1.40

$$\frac{\text{Ci}(bx^n)\sin(a) + \text{Ci}(-bx^n)\sin(a) + 2\cos(a)\text{Si}(bx^n)}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)/x,x, algorithm="fricas")

[Out] 1/2*(cos_integral(b*x^n)*sin(a) + cos_integral(-b*x^n)*sin(a) + 2*cos(a)*sin_integral(b*x^n))/n

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bx^n + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)/x,x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)/x, x)

maple [A] time = 0.03, size = 24, normalized size = 0.96

$$\frac{\text{Si}(bx^n)\cos(a) + \text{Ci}(bx^n)\sin(a)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)/x,x)

[Out] 1/n*(Si(b*x^n)*cos(a)+Ci(b*x^n)*sin(a))

maxima [C] time = 1.02, size = 91, normalized size = 3.64

$$\frac{\left(i\text{Ei}(ibx^n) - i\text{Ei}(-ibx^n) + i\text{Ei}\left(ibe^{(n\log(x))}\right) - i\text{Ei}\left(-ibe^{(n\log(x))}\right)\right)\cos(a) - \left(\text{Ei}(ibx^n) + \text{Ei}(-ibx^n) + \text{Ei}\left(ibe^{(n\log(x))}\right) + \text{Ei}\left(-ibe^{(n\log(x))}\right)\right)\sin(a)}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)/x,x, algorithm="maxima")

[Out] -1/4*((I*Ei(I*b*x^n) - I*Ei(-I*b*x^n) + I*Ei(I*b*e^(n*conjugate(log(x)))) - I*Ei(-I*b*e^(n*conjugate(log(x)))))*cos(a) - (Ei(I*b*x^n) + Ei(-I*b*x^n) + Ei(I*b*e^(n*conjugate(log(x)))) + Ei(-I*b*e^(n*conjugate(log(x)))))*sin(a))/n

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin(a + bx^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)/x,x)

[Out] int(sin(a + b*x^n)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bx^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x**n)/x,x)

[Out] Integral(sin(a + b*x**n)/x, x)

$$3.136 \quad \int \frac{\sin^2(a+bx^n)}{x} dx$$

Optimal. Leaf size=43

$$-\frac{\cos(2a)\text{Ci}(2bx^n)}{2n} + \frac{\sin(2a)\text{Si}(2bx^n)}{2n} + \frac{\log(x)}{2}$$

[Out] $-1/2*\text{Ci}(2*b*x^n)*\cos(2*a)/n+1/2*\ln(x)+1/2*\text{Si}(2*b*x^n)*\sin(2*a)/n$

Rubi [A] time = 0.06, antiderivative size = 43, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3425, 3378, 3376, 3375}

$$-\frac{\cos(2a)\text{CosIntegral}(2bx^n)}{2n} + \frac{\sin(2a)\text{Si}(2bx^n)}{2n} + \frac{\log(x)}{2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n]^2/x, x]

[Out] $-(\text{Cos}[2*a]*\text{CosIntegral}[2*b*x^n])/(2*n) + \text{Log}[x]/2 + (\text{Sin}[2*a]*\text{SinIntegral}[2*b*x^n])/(2*n)$

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3378

Int[Cos[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] :> Dist[Cos[c], Int[Cos[d*x^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x] / ; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2(a + bx^n)}{x} dx &= \int \left(\frac{1}{2x} - \frac{\cos(2a + 2bx^n)}{2x} \right) dx \\
&= \frac{\log(x)}{2} - \frac{1}{2} \int \frac{\cos(2a + 2bx^n)}{x} dx \\
&= \frac{\log(x)}{2} - \frac{1}{2} \cos(2a) \int \frac{\cos(2bx^n)}{x} dx + \frac{1}{2} \sin(2a) \int \frac{\sin(2bx^n)}{x} dx \\
&= -\frac{\cos(2a)\text{Ci}(2bx^n)}{2n} + \frac{\log(x)}{2} + \frac{\sin(2a)\text{Si}(2bx^n)}{2n}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 37, normalized size = 0.86

$$\frac{-\cos(2a)\text{Ci}(2bx^n) + \sin(2a)\text{Si}(2bx^n) + n \log(x)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]^2/x, x]

[Out] $(-\text{Cos}[2*a]*\text{CosIntegral}[2*b*x^n]) + n*\text{Log}[x] + \text{Sin}[2*a]*\text{SinIntegral}[2*b*x^n])/(2*n)$

fricas [A] time = 0.62, size = 48, normalized size = 1.12

$$\frac{\cos(2a)\text{Ci}(2bx^n) + \cos(2a)\text{Ci}(-2bx^n) - 2n \log(x) - 2\sin(2a)\text{Si}(2bx^n)}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2/x, x, algorithm="fricas")

[Out] $-1/4*(\cos(2*a)*\cos_integral(2*b*x^n) + \cos(2*a)*\cos_integral(-2*b*x^n) - 2*n*\log(x) - 2*\sin(2*a)*\sin_integral(2*b*x^n))/n$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bx^n + a)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2/x, x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)^2/x, x)

maple [A] time = 0.04, size = 45, normalized size = 1.05

$$\frac{\ln(b x^n)}{2n} + \frac{\text{Si}(2b x^n) \sin(2a)}{2n} - \frac{\text{Ci}(2b x^n) \cos(2a)}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)^2/x, x)

[Out] 1/2/n*ln(b*x^n)+1/2*Si(2*b*x^n)*sin(2*a)/n-1/2*Ci(2*b*x^n)*cos(2*a)/n

maxima [C] time = 3.10, size = 100, normalized size = 2.33

$$\frac{\left(\text{Ei}(2i b x^n) + \text{Ei}(-2i b x^n) + \text{Ei}\left(2i b e^{(n \log(x))}\right) + \text{Ei}\left(-2i b e^{(n \log(x))}\right) \right) \cos(2a) - 4n \log(x) - \left(-i \text{Ei}(2i b x^n) + i \text{Ei}(-2i b x^n)\right)}{8n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2/x, x, algorithm="maxima")

[Out] -1/8*((Ei(2*I*b*x^n) + Ei(-2*I*b*x^n) + Ei(2*I*b*e^(n*conjugate(log(x)))) + Ei(-2*I*b*e^(n*conjugate(log(x)))))*cos(2*a) - 4*n*log(x) - (-I*Ei(2*I*b*x^n) + I*Ei(-2*I*b*x^n) - I*Ei(2*I*b*e^(n*conjugate(log(x)))) + I*Ei(-2*I*b*e^(n*conjugate(log(x)))))*sin(2*a))/n

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(a + b x^n)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)^2/x, x)

[Out] int(sin(a + b*x^n)^2/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^2(a + b x^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x**n)**2/x, x)

[Out] Integral(sin(a + b*x**n)**2/x, x)

$$3.137 \quad \int \frac{\sin^3(a+bx^n)}{x} dx$$

Optimal. Leaf size=67

$$\frac{3 \sin(a) \text{Ci}(bx^n)}{4n} - \frac{\sin(3a) \text{Ci}(3bx^n)}{4n} + \frac{3 \cos(a) \text{Si}(bx^n)}{4n} - \frac{\cos(3a) \text{Si}(3bx^n)}{4n}$$

[Out] $3/4*\cos(a)*\text{Si}(b*x^n)/n-1/4*\cos(3*a)*\text{Si}(3*b*x^n)/n+3/4*\text{Ci}(b*x^n)*\sin(a)/n-1/4*\text{Ci}(3*b*x^n)*\sin(3*a)/n$

Rubi [A] time = 0.09, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3425, 3377, 3376, 3375}

$$\frac{3 \sin(a) \text{CosIntegral}(bx^n)}{4n} - \frac{\sin(3a) \text{CosIntegral}(3bx^n)}{4n} + \frac{3 \cos(a) \text{Si}(bx^n)}{4n} - \frac{\cos(3a) \text{Si}(3bx^n)}{4n}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n]^3/x, x]

[Out] $(3*\text{CosIntegral}[b*x^n]*\text{Sin}[a])/(4*n) - (\text{CosIntegral}[3*b*x^n]*\text{Sin}[3*a])/(4*n) + (3*\text{Cos}[a]*\text{SinIntegral}[b*x^n])/(4*n) - (\text{Cos}[3*a]*\text{SinIntegral}[3*b*x^n])/(4*n)$

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3377

Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]

;/ FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^3(a + bx^n)}{x} dx &= \int \left(\frac{3 \sin(a + bx^n)}{4x} - \frac{\sin(3a + 3bx^n)}{4x} \right) dx \\
 &= -\left(\frac{1}{4} \int \frac{\sin(3a + 3bx^n)}{x} dx \right) + \frac{3}{4} \int \frac{\sin(a + bx^n)}{x} dx \\
 &= \frac{1}{4}(3 \cos(a)) \int \frac{\sin(bx^n)}{x} dx - \frac{1}{4} \cos(3a) \int \frac{\sin(3bx^n)}{x} dx + \frac{1}{4}(3 \sin(a)) \int \frac{\cos(bx^n)}{x} dx - \\
 &= \frac{3 \operatorname{Ci}(bx^n) \sin(a)}{4n} - \frac{\operatorname{Ci}(3bx^n) \sin(3a)}{4n} + \frac{3 \cos(a) \operatorname{Si}(bx^n)}{4n} - \frac{\cos(3a) \operatorname{Si}(3bx^n)}{4n}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 54, normalized size = 0.81

$$\frac{3 \sin(a) \operatorname{Ci}(bx^n) - \sin(3a) \operatorname{Ci}(3bx^n) + 3 \cos(a) \operatorname{Si}(bx^n) - \cos(3a) \operatorname{Si}(3bx^n)}{4n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]^3/x,x]

[Out] (3*CosIntegral[b*x^n]*Sin[a] - CosIntegral[3*b*x^n]*Sin[3*a] + 3*Cos[a]*SinIntegral[b*x^n] - Cos[3*a]*SinIntegral[3*b*x^n])/(4*n)

fricas [A] time = 0.90, size = 74, normalized size = 1.10

$$\frac{\operatorname{Ci}(3bx^n) \sin(3a) + \operatorname{Ci}(-3bx^n) \sin(3a) - 3 \operatorname{Ci}(bx^n) \sin(a) - 3 \operatorname{Ci}(-bx^n) \sin(a) + 2 \cos(3a) \operatorname{Si}(3bx^n) - 6 \cos(a) \operatorname{Si}(bx^n)}{8n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3/x,x, algorithm="fricas")

[Out] -1/8*(cos_integral(3*b*x^n)*sin(3*a) + cos_integral(-3*b*x^n)*sin(3*a) - 3*cos_integral(b*x^n)*sin(a) - 3*cos_integral(-b*x^n)*sin(a) + 2*cos(3*a)*sin_integral(3*b*x^n) - 6*cos(a)*sin_integral(b*x^n))/n

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bx^n + a)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3/x,x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)^3/x, x)

maple [A] time = 0.04, size = 52, normalized size = 0.78

$$\frac{-\frac{\text{Si}(3bx^n)\cos(3a)}{4} - \frac{\text{Ci}(3bx^n)\sin(3a)}{4} + \frac{3\text{Si}(bx^n)\cos(a)}{4} + \frac{3\text{Ci}(bx^n)\sin(a)}{4}}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)^3/x,x)

[Out] 1/n*(-1/4*Si(3*b*x^n)*cos(3*a)-1/4*Ci(3*b*x^n)*sin(3*a)+3/4*Si(b*x^n)*cos(a)+3/4*Ci(b*x^n)*sin(a))

maxima [C] time = 3.80, size = 180, normalized size = 2.69

$$\left(i\text{Ei}(3ibx^n) - i\text{Ei}(-3ibx^n) + i\text{Ei}\left(3ibe^{(n\log(x))}\right) - i\text{Ei}\left(-3ibe^{(n\log(x))}\right)\right)\cos(3a) + \left(-3i\text{Ei}(ibx^n) + 3i\text{Ei}(-ibx^n)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3/x,x, algorithm="maxima")

[Out] 1/16*((I*Ei(3*I*b*x^n) - I*Ei(-3*I*b*x^n) + I*Ei(3*I*b*e^(n*conjugate(log(x)))) - I*Ei(-3*I*b*e^(n*conjugate(log(x)))))*cos(3*a) + (-3*I*Ei(I*b*x^n) + 3*I*Ei(-I*b*x^n) - 3*I*Ei(I*b*e^(n*conjugate(log(x)))) + 3*I*Ei(-I*b*e^(n*conjugate(log(x)))))*cos(a) - (Ei(3*I*b*x^n) + Ei(-3*I*b*x^n) + Ei(3*I*b*e^(n*conjugate(log(x)))) + Ei(-3*I*b*e^(n*conjugate(log(x)))))*sin(3*a) + 3*(Ei(I*b*x^n) + Ei(-I*b*x^n) + Ei(I*b*e^(n*conjugate(log(x)))) + Ei(-I*b*e^(n*conjugate(log(x)))))*sin(a))/n

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + bx^n)^3}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)^3/x,x)

[Out] int(sin(a + b*x^n)^3/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^3(a + bx^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*x**n)**3/x,x)
```

```
[Out] Integral(sin(a + b*x**n)**3/x, x)
```

$$3.138 \quad \int \frac{\sin^4(a+bx^n)}{x} dx$$

Optimal. Leaf size=79

$$-\frac{\cos(2a)\text{Ci}(2bx^n)}{2n} + \frac{\cos(4a)\text{Ci}(4bx^n)}{8n} + \frac{\sin(2a)\text{Si}(2bx^n)}{2n} - \frac{\sin(4a)\text{Si}(4bx^n)}{8n} + \frac{3 \log(x)}{8}$$

[Out] $-1/2*\text{Ci}(2*b*x^n)*\cos(2*a)/n+1/8*\text{Ci}(4*b*x^n)*\cos(4*a)/n+3/8*\ln(x)+1/2*\text{Si}(2*b*x^n)*\sin(2*a)/n-1/8*\text{Si}(4*b*x^n)*\sin(4*a)/n$

Rubi [A] time = 0.10, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3425, 3378, 3376, 3375}

$$-\frac{\cos(2a)\text{CosIntegral}(2bx^n)}{2n} + \frac{\cos(4a)\text{CosIntegral}(4bx^n)}{8n} + \frac{\sin(2a)\text{Si}(2bx^n)}{2n} - \frac{\sin(4a)\text{Si}(4bx^n)}{8n} + \frac{3 \log(x)}{8}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n]^4/x, x]

[Out] $-(\text{Cos}[2*a]*\text{CosIntegral}[2*b*x^n])/(2*n) + (\text{Cos}[4*a]*\text{CosIntegral}[4*b*x^n])/(8*n) + (3*\text{Log}[x])/8 + (\text{Sin}[2*a]*\text{SinIntegral}[2*b*x^n])/(2*n) - (\text{Sin}[4*a]*\text{SinIntegral}[4*b*x^n])/(8*n)$

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3378

Int[Cos[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Cos[c], Int[Cos[d*x^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]

;/ FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin^4(a + bx^n)}{x} dx &= \int \left(\frac{3}{8x} - \frac{\cos(2a + 2bx^n)}{2x} + \frac{\cos(4a + 4bx^n)}{8x} \right) dx \\
 &= \frac{3 \log(x)}{8} + \frac{1}{8} \int \frac{\cos(4a + 4bx^n)}{x} dx - \frac{1}{2} \int \frac{\cos(2a + 2bx^n)}{x} dx \\
 &= \frac{3 \log(x)}{8} - \frac{1}{2} \cos(2a) \int \frac{\cos(2bx^n)}{x} dx + \frac{1}{8} \cos(4a) \int \frac{\cos(4bx^n)}{x} dx + \frac{1}{2} \sin(2a) \int \frac{\sin(2bx^n)}{x} dx \\
 &= -\frac{\cos(2a) \text{Ci}(2bx^n)}{2n} + \frac{\cos(4a) \text{Ci}(4bx^n)}{8n} + \frac{3 \log(x)}{8} + \frac{\sin(2a) \text{Si}(2bx^n)}{2n} - \frac{\sin(4a) \text{Si}(4bx^n)}{8n}
 \end{aligned}$$

Mathematica [A] time = 0.12, size = 66, normalized size = 0.84

$$\frac{-4 \cos(2a) \text{Ci}(2bx^n) + \cos(4a) \text{Ci}(4bx^n) + 4 \sin(2a) \text{Si}(2bx^n) - \sin(4a) \text{Si}(4bx^n)}{8n} + \frac{3 \log(x)}{8}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]^4/x,x]

[Out] (3*Log[x])/8 + (-4*Cos[2*a]*CosIntegral[2*b*x^n] + Cos[4*a]*CosIntegral[4*b*x^n] + 4*Sin[2*a]*SinIntegral[2*b*x^n] - Sin[4*a]*SinIntegral[4*b*x^n])/(8*n)

fricas [A] time = 0.90, size = 87, normalized size = 1.10

$$\frac{\cos(4a) \text{Ci}(4bx^n) - 4 \cos(2a) \text{Ci}(2bx^n) - 4 \cos(2a) \text{Ci}(-2bx^n) + \cos(4a) \text{Ci}(-4bx^n) + 6n \log(x) - 2 \sin(2a) \text{Si}(2bx^n) - \sin(4a) \text{Si}(4bx^n)}{16n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^4/x,x, algorithm="fricas")

[Out] 1/16*(cos(4*a)*cos_integral(4*b*x^n) - 4*cos(2*a)*cos_integral(2*b*x^n) - 4*cos(2*a)*cos_integral(-2*b*x^n) + cos(4*a)*cos_integral(-4*b*x^n) + 6*n*log(x) - 2*sin(4*a)*sin_integral(4*b*x^n) + 8*sin(2*a)*sin_integral(2*b*x^n))/n

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bx^n + a)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^4/x,x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)^4/x, x)

maple [A] time = 0.04, size = 77, normalized size = 0.97

$$\frac{3 \ln(b x^n)}{8n} - \frac{\text{Si}(4b x^n) \sin(4a)}{8n} + \frac{\text{Ci}(4b x^n) \cos(4a)}{8n} + \frac{\text{Si}(2b x^n) \sin(2a)}{2n} - \frac{\text{Ci}(2b x^n) \cos(2a)}{2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)^4/x,x)

[Out] 3/8/n*ln(b*x^n)-1/8*Si(4*b*x^n)*sin(4*a)/n+1/8*Ci(4*b*x^n)*cos(4*a)/n+1/2*Si(2*b*x^n)*sin(2*a)/n-1/2*Ci(2*b*x^n)*cos(2*a)/n

maxima [C] time = 1.32, size = 188, normalized size = 2.38

$$\left(\text{Ei}(4i b x^n) + \text{Ei}(-4i b x^n) + \text{Ei}\left(4i b e^{(n \log(x))}\right) + \text{Ei}\left(-4i b e^{(n \log(x))}\right) \right) \cos(4a) - 4 \left(\text{Ei}(2i b x^n) + \text{Ei}(-2i b x^n) + \text{Ei}\left(2i b e^{(n \log(x))}\right) + \text{Ei}\left(-2i b e^{(n \log(x))}\right) \right) \sin(4a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^4/x,x, algorithm="maxima")

[Out] 1/32*((Ei(4*I*b*x^n) + Ei(-4*I*b*x^n) + Ei(4*I*b*e^(n*conjugate(log(x)))) + Ei(-4*I*b*e^(n*conjugate(log(x)))))*cos(4*a) - 4*(Ei(2*I*b*x^n) + Ei(-2*I*b*x^n) + Ei(2*I*b*e^(n*conjugate(log(x)))) + Ei(-2*I*b*e^(n*conjugate(log(x)))))*cos(2*a) + 12*n*log(x) + (I*Ei(4*I*b*x^n) - I*Ei(-4*I*b*x^n) + I*Ei(4*I*b*e^(n*conjugate(log(x)))) - I*Ei(-4*I*b*e^(n*conjugate(log(x)))))*sin(4*a) + (-4*I*Ei(2*I*b*x^n) + 4*I*Ei(-2*I*b*x^n) - 4*I*Ei(2*I*b*e^(n*conjugate(log(x)))) + 4*I*Ei(-2*I*b*e^(n*conjugate(log(x)))))*sin(2*a))/n

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + b x^n)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)^4/x,x)

[Out] int(sin(a + b*x^n)^4/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin^4(a + b x^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*x**n)**4/x,x)
```

```
[Out] Integral(sin(a + b*x**n)**4/x, x)
```

3.139 $\int \sin(a + bx^n) dx$

Optimal. Leaf size=87

$$\frac{ie^{ia}x(-ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia}x(ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, ibx^n\right)}{2n}$$

[Out] $1/2*I*\exp(I*a)*x*\text{GAMMA}(1/n, -I*b*x^n)/n/((-I*b*x^n)^{(1/n)}) - 1/2*I*x*\text{GAMMA}(1/n, I*b*x^n)/\exp(I*a)/n/((I*b*x^n)^{(1/n)})$

Rubi [A] time = 0.03, antiderivative size = 87, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3365, 2208}

$$\frac{ie^{ia}x(-ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia}x(ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, ibx^n\right)}{2n}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n], x]

[Out] $((I/2)*E^{(I*a)*x}*Gamma[n^{(-1)}, (-I)*b*x^n])/(n*((-I)*b*x^n)^{n^{(-1)}}) - ((I/2)*x*Gamma[n^{(-1)}, I*b*x^n])/(E^{(I*a)*n*(I*b*x^n)^{n^{(-1)}}})$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rubi steps

$$\begin{aligned} \int \sin(a + bx^n) dx &= \frac{1}{2}i \int e^{-ia-ibx^n} dx - \frac{1}{2}i \int e^{ia+ibx^n} dx \\ &= \frac{ie^{ia}x(-ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia}x(ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, ibx^n\right)}{2n} \end{aligned}$$

Mathematica [A] time = 0.09, size = 95, normalized size = 1.09

$$\frac{ix \left(b^2 x^{2n}\right)^{-1/n} \left(\cos(a) + i \sin(a)\right) \left(ibx^n\right)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -ibx^n\right) - \left(\cos(a) - i \sin(a)\right) \left(-ibx^n\right)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, ibx^n\right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n], x]

[Out] ((I/2)*x*(-(((I)*b*x^n)^n^(-1))*Gamma[n^(-1), I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^n^(-1)*Gamma[n^(-1), (-I)*b*x^n]*(Cos[a] + I*Sin[a]))/(n*(b^2*x^(2*n))^n^(-1))

fricas [F] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}(\sin(bx^n + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n), x, algorithm="fricas")

[Out] integral(sin(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n), x, algorithm="giac")

[Out] integrate(sin(b*x^n + a), x)

maple [C] time = 0.12, size = 74, normalized size = 0.85

$$x \text{ hypergeom}\left(\left[\frac{1}{2n}\right], \left[\frac{1}{2}, 1 + \frac{1}{2n}\right], -\frac{x^{2n}b^2}{4}\right) \sin(a) + \frac{b x^{1+n} \text{ hypergeom}\left(\left[\frac{1}{2} + \frac{1}{2n}\right], \left[\frac{3}{2}, \frac{3}{2} + \frac{1}{2n}\right], -\frac{x^{2n}b^2}{4}\right) \cos(a)}{1+n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n), x)

[Out] x*hypergeom([1/2/n], [1/2, 1+1/2/n], -1/4*x^(2*n)*b^2)*sin(a)+b/(1+n)*x^(1+n)*hypergeom([1/2+1/2/n], [3/2, 3/2+1/2/n], -1/4*x^(2*n)*b^2)*cos(a)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n),x, algorithm="maxima")

[Out] integrate(sin(b*x^n + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n),x)

[Out] int(sin(a + b*x^n), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(a + bx^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x**n),x)

[Out] Integral(sin(a + b*x**n), x)

3.140 $\int \sin^2(a + bx^n) dx$

Optimal. Leaf size=100

$$\frac{e^{2ia} 2^{-\frac{1}{n}-2} x (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -2ibx^n\right)}{n} + \frac{e^{-2ia} 2^{-\frac{1}{n}-2} x (ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, 2ibx^n\right)}{n} + \frac{x}{2}$$

[Out] $1/2*x+2^{(-2-1/n)*\exp(2*I*a)*x*\text{GAMMA}(1/n, -2*I*b*x^n)/n/((-I*b*x^n)^{(1/n))+2^{(-2-1/n)*x*\text{GAMMA}(1/n, 2*I*b*x^n)/\exp(2*I*a)/n/((I*b*x^n)^{(1/n))}$

Rubi [A] time = 0.07, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3367, 3366, 2208}

$$\frac{e^{2ia} 2^{-\frac{1}{n}-2} x (-ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -2ibx^n\right)}{n} + \frac{e^{-2ia} 2^{-\frac{1}{n}-2} x (ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, 2ibx^n\right)}{n} + \frac{x}{2}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n]^2, x]

[Out] $x/2 + (2^{(-2 - n^{(-1)})} * E^{((2*I)*a)} * x * \text{Gamma}[n^{(-1)}, (-2*I)*b*x^n]) / (n * ((-I) * b * x^n)^{n^{(-1)}}) + (2^{(-2 - n^{(-1)})} * x * \text{Gamma}[n^{(-1)}, (2*I)*b*x^n]) / (E^{((2*I)*a)} * n * (I * b * x^n)^{n^{(-1)}})$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a * (c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3366

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3367

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(a + b*SIN[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[p, 1]

Rubi steps

$$\begin{aligned}
\int \sin^2(a + bx^n) dx &= \int \left(\frac{1}{2} - \frac{1}{2} \cos(2a + 2bx^n) \right) dx \\
&= \frac{x}{2} - \frac{1}{2} \int \cos(2a + 2bx^n) dx \\
&= \frac{x}{2} - \frac{1}{4} \int e^{-2ia-2ibx^n} dx - \frac{1}{4} \int e^{2ia+2ibx^n} dx \\
&= \frac{x}{2} + \frac{2^{-2-\frac{1}{n}} e^{2ia} x (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -2ibx^n\right)}{n} + \frac{2^{-2-\frac{1}{n}} e^{-2ia} x (ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, 2ibx^n\right)}{n}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 94, normalized size = 0.94

$$\frac{x \left(e^{2ia} 2^{-1/n} (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -2ibx^n\right) + e^{-2ia} 2^{-1/n} (ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, 2ibx^n\right) + 2n \right)}{4n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]^2, x]

[Out] (x*(2*n + (E^((2*I)*a))*Gamma[n^(-1), (-2*I)*b*x^n])/(2^n^(-1)*((-I)*b*x^n)^n^(-1)) + Gamma[n^(-1), (2*I)*b*x^n]/(2^n^(-1)*E^((2*I)*a)*(I*b*x^n)^n^(-1)))/(4*n)

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}(-\cos(bx^n + a)^2 + 1, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral(-cos(b*x^n + a)^2 + 1, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(bx^n + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2,x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)^2, x)

maple [F] time = 0.23, size = 0, normalized size = 0.00

$$\int \sin^2(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)^2,x)

[Out] int(sin(a+b*x^n)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2}x - \frac{1}{2} \int \cos(2bx^n + 2a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^2,x, algorithm="maxima")

[Out] 1/2*x - 1/2*integrate(cos(2*b*x^n + 2*a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b x^n)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)^2,x)

[Out] int(sin(a + b*x^n)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin^2(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x**n)**2,x)

[Out] Integral(sin(a + b*x**n)**2, x)

3.141 $\int \sin^3(a + bx^n) dx$

Optimal. Leaf size=187

$$\frac{3ie^{ia}x(-ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ibx^n\right)}{8n} - \frac{ie^{3ia}3^{-1/n}x(-ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, -3ibx^n\right)}{8n} - \frac{3ie^{-ia}x(ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, ibx^n\right)}{8n} + \frac{ie^{-3ia}3^{-1/n}x(ibx^n)^{-1/n}\Gamma\left(\frac{1}{n}, 3ibx^n\right)}{8n}$$

[Out] $\frac{3}{8}I\exp(Ia)x\text{GAMMA}(1/n, -Ib*x^n)/n/((-Ib*x^n)^{(1/n)}) - \frac{3}{8}I\text{GAMMA}(1/n, Ib*x^n)/\exp(Ia)/n/((Ib*x^n)^{(1/n)}) - \frac{1}{8}I\exp(3Ia)x\text{GAMMA}(1/n, -3Ib*x^n)/(3^{(1/n)})/n/((-Ib*x^n)^{(1/n)}) + \frac{1}{8}I\text{GAMMA}(1/n, 3Ib*x^n)/(3^{(1/n)})/\exp(3Ia)/n/((Ib*x^n)^{(1/n)})$

Rubi [A] time = 0.09, antiderivative size = 187, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3367, 3365, 2208}

$$\frac{3ie^{ia}x(-ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, -ibx^n\right)}{8n} - \frac{ie^{3ia}3^{-1/n}x(-ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, -3ibx^n\right)}{8n} - \frac{3ie^{-ia}x(ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, ibx^n\right)}{8n} + \frac{ie^{-3ia}3^{-1/n}x(ibx^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, 3ibx^n\right)}{8n}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*x^n]^3, x]

[Out] $\left(\frac{(3I)/8}{n}E^{Ia}x\text{Gamma}[n^{-1}, (-I)b*x^n]/(n*((-I)b*x^n)^{n^{-1}}) - \left(\frac{(3I)/8}{n}x\text{Gamma}[n^{-1}, Ib*x^n]/(E^{Ia}n*(Ib*x^n)^{n^{-1}}) - \frac{(I/8)E^{(3I)a}x\text{Gamma}[n^{-1}, (-3I)b*x^n]}{(3^{(1/n)})n*((-I)b*x^n)^{n^{-1}}}\right) + \frac{(I/8)x\text{Gamma}[n^{-1}, (3I)b*x^n]}{(3^{(1/n)})E^{(3I)a}n*(Ib*x^n)^{n^{-1}}}\right)$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3367

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(a + b*SIN[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, n, p}, x]

reeQ[{a, b, c, d, e, f, n}, x] && IGtQ[p, 1]

Rubi steps

$$\begin{aligned}
 \int \sin^3(a + bx^n) dx &= \int \left(\frac{3}{4} \sin(a + bx^n) - \frac{1}{4} \sin(3a + 3bx^n) \right) dx \\
 &= -\left(\frac{1}{4} \int \sin(3a + 3bx^n) dx \right) + \frac{3}{4} \int \sin(a + bx^n) dx \\
 &= -\left(\frac{1}{8} i \int e^{-3ia-3ibx^n} dx \right) + \frac{1}{8} i \int e^{3ia+3ibx^n} dx + \frac{3}{8} i \int e^{-ia-ibx^n} dx - \frac{3}{8} i \int e^{ia+ibx^n} dx \\
 &= \frac{3ie^{ia} x (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ibx^n\right)}{8n} - \frac{3ie^{-ia} x (ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, ibx^n\right)}{8n} - \frac{i3^{-1/n} e^{3ia} x (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -3ibx^n\right)}{8n} + \frac{i3^{-1/n} e^{-3ia} x (ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, 3ibx^n\right)}{8n}
 \end{aligned}$$

Mathematica [A] time = 0.29, size = 177, normalized size = 0.95

$$\frac{ie^{-3ia} 3^{-1/n} x (b^2 x^{2n})^{-1/n} \left(e^{2ia} \left(-3^{\frac{1}{n}+1} \right) (-ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, ibx^n\right) + e^{4ia} 3^{\frac{1}{n}+1} (ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -ibx^n\right) - e^{6ia} (ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -3ibx^n\right) + e^{-6ia} (ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, 3ibx^n\right) \right)}{8n}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*x^n]^3, x]

[Out] $\left(\frac{i}{8} x (3^{1+n(-1)}) E^{((4I)a)} (I b x^n)^{n(-1)} \Gamma[n(-1), (-I) b x^n] - 3^{1+n(-1)} E^{((2I)a)} ((-I) b x^n)^{n(-1)} \Gamma[n(-1), I b x^n] \right) - E^{((6I)a)} (I b x^n)^{n(-1)} \Gamma[n(-1), (-3I) b x^n] + ((-I) b x^n)^{n(-1)} \Gamma[n(-1), (3I) b x^n] \left. \right) / (3^{n(-1)} E^{((3I)a)} n (b^2 x^{2n})^{n(-1)})$

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left(-(\cos(bx^n + a))^2 - 1 \right) \sin(bx^n + a), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3, x, algorithm="fricas")

[Out] integral(-(cos(b*x^n + a))^2 - 1)*sin(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3,x, algorithm="giac")

[Out] integrate(sin(b*x^n + a)^3, x)

maple [F] time = 0.60, size = 0, normalized size = 0.00

$$\int \sin^3(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*x^n)^3,x)

[Out] int(sin(a+b*x^n)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x^n)^3,x, algorithm="maxima")

[Out] integrate(sin(b*x^n + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b x^n)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*x^n)^3,x)

[Out] int(sin(a + b*x^n)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin^3(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*x**n)**3,x)

[Out] Integral(sin(a + b*x**n)**3, x)

3.142 $\int x^m \sin(a + bx^n) dx$

Optimal. Leaf size=109

$$\frac{ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, ibx^n\right)}{2n}$$

[Out] $1/2*I*\exp(I*a)*x^{(1+m)*GAMMA((1+m)/n, -I*b*x^n)/n/((-I*b*x^n)^{((1+m)/n)})-1/2$
 $*I*x^{(1+m)*GAMMA((1+m)/n, I*b*x^n)/\exp(I*a)/n/((I*b*x^n)^{((1+m)/n)})$

Rubi [A] time = 0.08, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3423, 2218}

$$\frac{ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, ibx^n\right)}{2n}$$

Antiderivative was successfully verified.

[In] Int[x^m*Sin[a + b*x^n], x]

[Out] $((I/2)*E^{(I*a)*x^{(1+m)*Gamma[(1+m)/n, (-I)*b*x^n]}/(n*((-I)*b*x^n)^{((1+m)/n)}) - ((I/2)*x^{(1+m)*Gamma[(1+m)/n, I*b*x^n]}/(E^{(I*a)*n*(I*b*x^n)^{((1+m)/n)})$

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^n))*((e_) + (f_)*(x_)^m), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3423

Int[((e_)*(x_)^m)*Sin[(c_) + (d_)*(x_)^n], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rubi steps

$$\int x^m \sin(a + bx^n) dx = \frac{1}{2}i \int e^{-ia-ibx^n} x^m dx - \frac{1}{2}i \int e^{ia+ibx^n} x^m dx$$

$$= \frac{ie^{ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, -ibx^n\right)}{2n} - \frac{ie^{-ia} x^{1+m} (ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, ibx^n\right)}{2n}$$

Mathematica [A] time = 0.22, size = 118, normalized size = 1.08

$$\frac{ix^{m+1} (b^2 x^{2n})^{-\frac{m+1}{n}} \left((\cos(a) + i \sin(a)) (ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (-ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*Sin[a + b*x^n],x]

[Out] ((I/2)*x^(1 + m)*(-((-I)*b*x^n)^((1 + m)/n)*Gamma[(1 + m)/n, I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^((1 + m)/n)*Gamma[(1 + m)/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))/(n*(b^2*x^(2*n))^((1 + m)/n))

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\text{integral}(x^m \sin(bx^n + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n),x, algorithm="fricas")

[Out] integral(x^m*sin(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n),x, algorithm="giac")

[Out] integrate(x^m*sin(b*x^n + a), x)

maple [C] time = 0.15, size = 110, normalized size = 1.01

$$\frac{x^{1+m} \text{hypergeom}\left(\left[\frac{m}{2n} + \frac{1}{2n}\right], \left[\frac{1}{2}, 1 + \frac{m}{2n} + \frac{1}{2n}\right], -\frac{x^{2n} b^2}{4}\right) \sin(a)}{1+m} + \frac{b x^{n+m+1} \text{hypergeom}\left(\left[\frac{1}{2} + \frac{m}{2n} + \frac{1}{2n}\right], \left[\frac{3}{2}, \frac{3}{2} + \frac{m}{2n}\right]\right)}{n+m+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*sin(a+b*x^n),x)`

[Out] $\frac{1}{(1+m)}x^{(1+m)}\operatorname{hypergeom}\left(\left[\frac{1}{2}/n*m+1/2/n\right],\left[\frac{1}{2},1+1/2/n*m+1/2/n\right],-1/4*x^{(2*n)}*b^2\right)*\sin(a)+\frac{b}{(n+m+1)}x^{(n+m+1)}\operatorname{hypergeom}\left(\left[\frac{1}{2}+1/2/n*m+1/2/n\right],\left[\frac{3}{2},3/2+1/2/n*m+1/2/n\right],-1/4*x^{(2*n)}*b^2\right)*\cos(a)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*sin(a+b*x^n),x, algorithm="maxima")`

[Out] `integrate(x^m*sin(b*x^n + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \sin(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*sin(a + b*x^n),x)`

[Out] `int(x^m*sin(a + b*x^n), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(a + bx^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*sin(a+b*x**n),x)`

[Out] `Integral(x**m*sin(a + b*x**n), x)`

3.143 $\int x^m \sin^2(a + bx^n) dx$

Optimal. Leaf size=139

$$\frac{e^{2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (-ibx^n)^{-\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -2ibx^n\right)}{n} + \frac{e^{-2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (ibx^n)^{-\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, 2ibx^n\right)}{n} + \frac{x^{m+1}}{2(m+1)}$$

[Out] $1/2*x^{(1+m)/(1+m)+\exp(2*I*a)*x^{(1+m)*\text{GAMMA}((1+m)/n, -2*I*b*x^n)/(2^{((1+m+2*n)/n)})/n/((-I*b*x^n)^{((1+m)/n)})+x^{(1+m)*\text{GAMMA}((1+m)/n, 2*I*b*x^n)/(2^{((1+m+2*n)/n)})/\exp(2*I*a)/n/((I*b*x^n)^{((1+m)/n)})$

Rubi [A] time = 0.17, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3425, 3424, 2218}

$$\frac{e^{2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (-ibx^n)^{-\frac{m+1}{n}} \text{Gamma}\left(\frac{m+1}{n}, -2ibx^n\right)}{n} + \frac{e^{-2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (ibx^n)^{-\frac{m+1}{n}} \text{Gamma}\left(\frac{m+1}{n}, 2ibx^n\right)}{n} + \frac{x^{m+1}}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[x^m*Sin[a + b*x^n]^2,x]

[Out] $x^{(1+m)/(2*(1+m))} + (E^{((2*I)*a)*x^{(1+m)*\text{Gamma}[(1+m)/n, (-2*I)*b*x^n]})/(2^{((1+m+2*n)/n)*n*((-I)*b*x^n)^{((1+m)/n)}) + (x^{(1+m)*\text{Gamma}[(1+m)/n, (2*I)*b*x^n]})/(2^{((1+m+2*n)/n)*E^{((2*I)*a)*n*(I*b*x^n)^{((1+m)/n)})$

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^n))*((e_) + (f_)*(x_)^m), x_Symbol] := -Simp[(F^a*(e + f*x)^(m+1)*Gamma[(m+1)/n, -(b*(c + d*x)^n)*Log[F]])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m+1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_) + (d_)*(x_)^n]*((e_)*(x_)^m), x_Symbol] := Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

Int[((e_)*(x_)^m)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^n])^p, x_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]

;/ FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int x^m \sin^2(a + bx^n) dx &= \int \left(\frac{x^m}{2} - \frac{1}{2} x^m \cos(2a + 2bx^n) \right) dx \\
 &= \frac{x^{1+m}}{2(1+m)} - \frac{1}{2} \int x^m \cos(2a + 2bx^n) dx \\
 &= \frac{x^{1+m}}{2(1+m)} - \frac{1}{4} \int e^{-2ia-2ibx^n} x^m dx - \frac{1}{4} \int e^{2ia+2ibx^n} x^m dx \\
 &= \frac{x^{1+m}}{2(1+m)} + \frac{2^{-\frac{1+m+2n}{n}} e^{2ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, -2ibx^n\right)}{n} + \frac{2^{-\frac{1+m+2n}{n}} e^{-2ia} x^{1+m} (ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, 2ibx^n\right)}{n}
 \end{aligned}$$

Mathematica [A] time = 0.54, size = 129, normalized size = 0.93

$$\frac{x^{m+1} \left(e^{2ia} (m+1) 2^{-\frac{m+1}{n}} (-ibx^n)^{-\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -2ibx^n\right) + e^{-2ia} (m+1) 2^{-\frac{m+1}{n}} (ibx^n)^{-\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, 2ibx^n\right) + 2n \right)}{4(m+1)n}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*Sin[a + b*x^n]^2,x]

[Out] (x^(1+m)*(2*n + (E^((2*I)*a)*(1+m)*Gamma[(1+m)/n, (-2*I)*b*x^n]))/(2^((1+m)/n)*((-I)*b*x^n)^((1+m)/n)) + ((1+m)*Gamma[(1+m)/n, (2*I)*b*x^n])/(2^((1+m)/n)*E^((2*I)*a)*(I*b*x^n)^((1+m)/n)))/(4*(1+m)*n)

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}(-x^m \cos(bx^n + a)^2 + x^m, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n)^2,x, algorithm="fricas")

[Out] integral(-x^m*cos(b*x^n + a)^2 + x^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(bx^n + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*xⁿ)²,x, algorithm="giac")

[Out] integrate(x^m*sin(b*xⁿ + a)², x)

maple [F] time = 0.23, size = 0, normalized size = 0.00

$$\int x^m (\sin^2(a + b x^n)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*sin(a+b*xⁿ)²,x)

[Out] int(x^m*sin(a+b*xⁿ)²,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{xx^m - (m + 1) \int x^m \cos(2bx^n + 2a) dx}{2(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*xⁿ)²,x, algorithm="maxima")

[Out] 1/2*(x*x^m - (m + 1)*integrate(x^m*cos(2*b*xⁿ + 2*a), x))/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \sin(a + b x^n)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*sin(a + b*xⁿ)²,x)

[Out] int(x^m*sin(a + b*xⁿ)², x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin^2(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*sin(a+b*x**n)**2,x)

[Out] Integral(x**m*sin(a + b*x**n)**2, x)

3.144 $\int x^m \sin^3(a + bx^n) dx$

Optimal. Leaf size=237

$$\frac{3ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{8n} - \frac{3ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, ibx^n\right)}{8n} - \frac{ie^{3ia}3^{-\frac{m+1}{n}}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{8n}$$

[Out] $3/8*I*\exp(I*a)*x^{(1+m)*GAMMA((1+m)/n, -I*b*x^n)/n/((-I*b*x^n)^{((1+m)/n)})-3/8*I*x^{(1+m)*GAMMA((1+m)/n, I*b*x^n)/\exp(I*a)/n/((I*b*x^n)^{((1+m)/n)})-1/8*I*\exp(3*I*a)*x^{(1+m)*GAMMA((1+m)/n, -3*I*b*x^n)/(3^{((1+m)/n)})/n/((-I*b*x^n)^{((1+m)/n)})+1/8*I*x^{(1+m)*GAMMA((1+m)/n, 3*I*b*x^n)/(3^{((1+m)/n)})/\exp(3*I*a)/n/((I*b*x^n)^{((1+m)/n)})$

Rubi [A] time = 0.24, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3425, 3423, 2218}

$$\frac{3ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{8n} - \frac{3ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, ibx^n\right)}{8n} - \frac{ie^{3ia}3^{-\frac{m+1}{n}}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}}\Gamma\left(\frac{m+1}{n}, -ibx^n\right)}{8n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^m*\text{Sin}[a + b*x^n]^3, x]$

[Out] $((3*I)/8)*E^{I*a}*x^{(1+m)*Gamma[(1+m)/n, (-I)*b*x^n]/(n*((-I)*b*x^n)^{((1+m)/n)}) - ((3*I)/8)*x^{(1+m)*Gamma[(1+m)/n, I*b*x^n]/(E^{I*a}*n*(I*b*x^n)^{((1+m)/n)}) - (I/8)*E^{(3*I)*a}*x^{(1+m)*Gamma[(1+m)/n, (-3*I)*b*x^n]/(3^{((1+m)/n)*n*((-I)*b*x^n)^{((1+m)/n)}) + ((I/8)*x^{(1+m)*Gamma[(1+m)/n, (3*I)*b*x^n]/(3^{((1+m)/n)*E^{(3*I)*a}*n*(I*b*x^n)^{((1+m)/n)})$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.)})*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] \rightarrow -\text{Simp}[(F^a*(e + f*x)^{(m+1)}*\Gamma[(m+1)/n, -(b*(c + d*x))^n*\text{Log}[F]])/(f*n*(-(b*(c + d*x))^n*\text{Log}[F]))^{((m+1)/n)}, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3423

$\text{Int}[(e_.)*(x_))^{(m_.)*\text{Sin}[(c_.) + (d_.)*(x_)]^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e*x)^m*\text{E}^{-(c*I) - d*I*x^n}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m*\text{E}^{(c*I) + d*I*x^n}, x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 3425

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned} \int x^m \sin^3(a + bx^n) dx &= \int \left(\frac{3}{4} x^m \sin(a + bx^n) - \frac{1}{4} x^m \sin(3a + 3bx^n) \right) dx \\ &= -\left(\frac{1}{4} \int x^m \sin(3a + 3bx^n) dx \right) + \frac{3}{4} \int x^m \sin(a + bx^n) dx \\ &= -\left(\frac{1}{8} i \int e^{-3ia-3ibx^n} x^m dx \right) + \frac{1}{8} i \int e^{3ia+3ibx^n} x^m dx + \frac{3}{8} i \int e^{-ia-ibx^n} x^m dx - \frac{3}{8} i \int e^{ia+ibx^n} x^m dx \\ &= \frac{3ie^{ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, -ibx^n\right)}{8n} - \frac{3ie^{-ia} x^{1+m} (ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, ibx^n\right)}{8n} - \frac{i3^{-\frac{1+m}{n}} e^{3ia} x^{1+m} (ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, ibx^n\right)}{8n} + \frac{i3^{\frac{1+m}{n}} e^{-3ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \Gamma\left(\frac{1+m}{n}, -ibx^n\right)}{8n} \end{aligned}$$

Mathematica [A] time = 0.60, size = 225, normalized size = 0.95

$$\frac{ie^{-3ia} 3^{-\frac{m+1}{n}} x^{m+1} (b^2 x^{2n})^{-\frac{m+1}{n}} \left(e^{2ia} \left(-3^{\frac{m+n+1}{n}} \right) (-ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, ibx^n\right) + e^{4ia} 3^{\frac{m+n+1}{n}} (ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -ibx^n\right) - e^{6ia} \left(-3^{\frac{m+n+1}{n}} \right) (-ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -ibx^n\right) + e^{8ia} 3^{\frac{m+n+1}{n}} (ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, ibx^n\right) \right)}{8n}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*SIN[a + b*x^n]^3,x]

[Out] ((I/8)*x^(1+m)*(3^((1+m+n)/n)*E^((4*I)*a)*(I*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, (-I)*b*x^n] - 3^((1+m+n)/n)*E^((2*I)*a)*((-I)*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, I*b*x^n] - E^((6*I)*a)*(I*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, (-3*I)*b*x^n] + ((-I)*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, (3*I)*b*x^n))/((3^((1+m)/n)*E^((3*I)*a)*n*(b^2*x^(2*n))^((1+m)/n))

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(x^m \cos(bx^n + a)^2 - x^m\right) \sin(bx^n + a), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n)^3,x, algorithm="fricas")

[Out] integral(-(x^m*cos(b*x^n + a)^2 - x^m)*sin(b*x^n + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n)^3,x, algorithm="giac")

[Out] integrate(x^m*sin(b*x^n + a)^3, x)

maple [F] time = 0.48, size = 0, normalized size = 0.00

$$\int x^m (\sin^3(a + bx^n)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*sin(a+b*x^n)^3,x)

[Out] int(x^m*sin(a+b*x^n)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*sin(a+b*x^n)^3,x, algorithm="maxima")

[Out] integrate(x^m*sin(b*x^n + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^m \sin(a + bx^n)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*sin(a + b*x^n)^3,x)

[Out] int(x^m*sin(a + b*x^n)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sin^3(a + bx^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*sin(a+b*x**n)**3,x)

[Out] Integral(x**m*sin(a + b*x**n)**3, x)

3.145 $\int x^{-1+2n} \sin(a + bx^n) dx$

Optimal. Leaf size=35

$$\frac{\sin(a + bx^n)}{b^2n} - \frac{x^n \cos(a + bx^n)}{bn}$$

[Out] $-x^n \cos(a + bx^n) / b / n + \sin(a + bx^n) / b^2 / n$

Rubi [A] time = 0.03, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3379, 3296, 2637}

$$\frac{\sin(a + bx^n)}{b^2n} - \frac{x^n \cos(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] `Int[x^(-1 + 2*n)*Sin[a + b*x^n], x]`

[Out] $-(x^n \cos[a + b*x^n]) / (b*n) + \sin[a + b*x^n] / (b^2*n)$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m * Cos[e + f*x]) / f, x] + Dist[(d*m) / f, Int[(c + d*x)^(m - 1) * Cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3379

`Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol`
`] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p`
`, x], x, x^n], x] /;` `FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(`
`m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(`
`m + 1)/n], 0))`

Rubi steps

$$\begin{aligned} \int x^{-1+2n} \sin(a + bx^n) dx &= \frac{\text{Subst}\left(\int x \sin(a + bx) dx, x, x^n\right)}{n} \\ &= -\frac{x^n \cos(a + bx^n)}{bn} + \frac{\text{Subst}\left(\int \cos(a + bx) dx, x, x^n\right)}{bn} \\ &= -\frac{x^n \cos(a + bx^n)}{bn} + \frac{\sin(a + bx^n)}{b^2 n} \end{aligned}$$

Mathematica [A] time = 0.07, size = 30, normalized size = 0.86

$$\frac{\sin(a + bx^n) - bx^n \cos(a + bx^n)}{b^2 n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 + 2*n)*Sin[a + b*xⁿ], x]

[Out] $(-(b*x^n*\text{Cos}[a + b*x^n]) + \text{Sin}[a + b*x^n])/(b^2*n)$

fricas [A] time = 0.67, size = 32, normalized size = 0.91

$$-\frac{bx^n \cos(bx^n + a) - \sin(bx^n + a)}{b^2 n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+2*n)*sin(a+b*xⁿ), x, algorithm="fricas")

[Out] $-(b*x^n*\text{cos}(b*x^n + a) - \text{sin}(b*x^n + a))/(b^2*n)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{2n-1} \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+2*n)*sin(a+b*xⁿ), x, algorithm="giac")

[Out] integrate(x^(2*n - 1)*sin(b*xⁿ + a), x)

maple [A] time = 0.03, size = 44, normalized size = 1.26

$$\frac{\sin(a + bx^n) - (a + bx^n) \cos(a + bx^n) + a \cos(a + bx^n)}{nb^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(-1+2*n)*sin(a+b*x^n),x)`

[Out] `1/n/b^2*(sin(a+b*x^n)-(a+b*x^n)*cos(a+b*x^n)+a*cos(a+b*x^n))`

maxima [A] time = 0.37, size = 32, normalized size = 0.91

$$-\frac{bx^n \cos(bx^n + a) - \sin(bx^n + a)}{b^2 n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1+2*n)*sin(a+b*x^n),x, algorithm="maxima")`

[Out] `-(b*x^n*cos(b*x^n + a) - sin(b*x^n + a))/(b^2*n)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int x^{2n-1} \sin(a + b x^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(2*n - 1)*sin(a + b*x^n),x)`

[Out] `int(x^(2*n - 1)*sin(a + b*x^n), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(-1+2*n)*sin(a+b*x**n),x)`

[Out] Timed out

3.146 $\int x^{-1+2n} \cos(a + bx^n) dx$

Optimal. Leaf size=34

$$\frac{\cos(a + bx^n)}{b^2n} + \frac{x^n \sin(a + bx^n)}{bn}$$

[Out] $\cos(a+b*x^n)/b^2/n+x^n*\sin(a+b*x^n)/b/n$

Rubi [A] time = 0.03, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3380, 3296, 2638}

$$\frac{\cos(a + bx^n)}{b^2n} + \frac{x^n \sin(a + bx^n)}{bn}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 + 2*n)}*\text{Cos}[a + b*x^n], x]$

[Out] $\text{Cos}[a + b*x^n]/(b^2*n) + (x^n*\text{Sin}[a + b*x^n])/(b*n)$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 3380

$\text{Int}[((a_.) + \text{Cos}[(c_.) + (d_.)*(x_.)^{(n_.)}]*(b_.))^{(p_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)}*(a + b*\text{Cos}[c + d*x])^p, x], x, x^n], x] /; \text{FreeQ}[\{a, b, c, d, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m+1)/n]] \&\& (\text{EqQ}[p, 1] \parallel \text{EqQ}[m, n-1] \parallel (\text{IntegerQ}[p] \&\& \text{GtQ}[\text{Simplify}[(m+1)/n], 0]))$

Rubi steps

$$\begin{aligned} \int x^{-1+2n} \cos(a + bx^n) dx &= \frac{\text{Subst}\left(\int x \cos(a + bx) dx, x, x^n\right)}{n} \\ &= \frac{x^n \sin(a + bx^n)}{bn} - \frac{\text{Subst}\left(\int \sin(a + bx) dx, x, x^n\right)}{bn} \\ &= \frac{\cos(a + bx^n)}{b^2n} + \frac{x^n \sin(a + bx^n)}{bn} \end{aligned}$$

Mathematica [A] time = 0.07, size = 29, normalized size = 0.85

$$\frac{bx^n \sin(a + bx^n) + \cos(a + bx^n)}{b^2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 + 2*n)*Cos[a + b*xⁿ], x]

[Out] (Cos[a + b*xⁿ] + b*xⁿ*Sin[a + b*xⁿ])/(b²*n)

fricas [A] time = 0.77, size = 29, normalized size = 0.85

$$\frac{bx^n \sin(bx^n + a) + \cos(bx^n + a)}{b^2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+2*n)*cos(a+b*xⁿ), x, algorithm="fricas")

[Out] (b*xⁿ*sin(b*xⁿ + a) + cos(b*xⁿ + a))/(b²*n)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{2n-1} \cos(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+2*n)*cos(a+b*xⁿ), x, algorithm="giac")

[Out] integrate(x^(2*n - 1)*cos(b*xⁿ + a), x)

maple [A] time = 0.04, size = 44, normalized size = 1.29

$$\frac{\cos(a + bx^n) + (a + bx^n) \sin(a + bx^n) - a \sin(a + bx^n)}{nb^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(-1+2*n)*cos(a+b*x^n),x)`

[Out] `1/n/b^2*(cos(a+b*x^n)+(a+b*x^n)*sin(a+b*x^n)-a*sin(a+b*x^n))`

maxima [A] time = 0.41, size = 29, normalized size = 0.85

$$\frac{bx^n \sin(bx^n + a) + \cos(bx^n + a)}{b^2n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1+2*n)*cos(a+b*x^n),x, algorithm="maxima")`

[Out] `(b*x^n*sin(b*x^n + a) + cos(b*x^n + a))/(b^2*n)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int x^{2n-1} \cos(a + bx^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(2*n - 1)*cos(a + b*x^n),x)`

[Out] `int(x^(2*n - 1)*cos(a + b*x^n), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(-1+2*n)*cos(a+b*x**n),x)`

[Out] Timed out

3.147 $\int x^{-1-n} \sin(a + bx^n) dx$

Optimal. Leaf size=46

$$\frac{b \cos(a) \text{Ci}(bx^n)}{n} - \frac{b \sin(a) \text{Si}(bx^n)}{n} - \frac{x^{-n} \sin(a + bx^n)}{n}$$

[Out] $b \cdot \text{Ci}(b \cdot x^n) \cdot \cos(a) / n - b \cdot \text{Si}(b \cdot x^n) \cdot \sin(a) / n - \sin(a + b \cdot x^n) / n / (x^n)$

Rubi [A] time = 0.09, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3379, 3297, 3303, 3299, 3302}

$$\frac{b \cos(a) \text{CosIntegral}(bx^n)}{n} - \frac{b \sin(a) \text{Si}(bx^n)}{n} - \frac{x^{-n} \sin(a + bx^n)}{n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 - n)} \cdot \text{Sin}[a + b \cdot x^n], x]$

[Out] $(b \cdot \text{Cos}[a] \cdot \text{CosIntegral}[b \cdot x^n]) / n - \text{Sin}[a + b \cdot x^n] / (n \cdot x^n) - (b \cdot \text{Sin}[a] \cdot \text{SinIntegral}[b \cdot x^n]) / n$

Rule 3297

$\text{Int}[(c + d \cdot x)^m \cdot \sin(e + f \cdot x), x] \rightarrow \text{Simp}[(c + d \cdot x)^{m+1} \cdot \text{Sin}[e + f \cdot x] / (d \cdot (m+1)), x] - \text{Dist}[f / (d \cdot (m+1)), \text{Int}[(c + d \cdot x)^m \cdot \text{Cos}[e + f \cdot x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\sin(e + f \cdot x) / (c + d \cdot x), x] \rightarrow \text{Simp}[\text{SinIntegral}[e + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot e - c \cdot f, 0]

Rule 3302

$\text{Int}[\sin(e + f \cdot x) / (c + d \cdot x), x] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f \cdot x] / d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d \cdot (e - \text{Pi}/2) - c \cdot f, 0]

Rule 3303

$\text{Int}[\sin(e + f \cdot x) / (c + d \cdot x), x] \rightarrow \text{Dist}[\text{Cos}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Sin}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] + \text{Dist}[\text{Sin}[(d \cdot e - c \cdot f) / d], \text{Int}[\text{Cos}[(c \cdot f) / d + f \cdot x] / (c + d \cdot x), x], x] /;$ FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol]
  :-> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rubi steps

$$\begin{aligned} \int x^{-1-n} \sin(a + bx^n) dx &= \frac{\text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, x^n\right)}{n} \\ &= -\frac{x^{-n} \sin(a + bx^n)}{n} + \frac{b \text{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, x^n\right)}{n} \\ &= -\frac{x^{-n} \sin(a + bx^n)}{n} + \frac{(b \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, x^n\right)}{n} - \frac{(b \sin(a)) \text{Subst}\left(\int \frac{\sin(bx)}{x} dx, x, x^n\right)}{n} \\ &= \frac{b \cos(a) \text{Ci}(bx^n)}{n} - \frac{x^{-n} \sin(a + bx^n)}{n} - \frac{b \sin(a) \text{Si}(bx^n)}{n} \end{aligned}$$

Mathematica [A] time = 0.08, size = 47, normalized size = 1.02

$$\frac{x^{-n} (b \cos(a) x^n \text{Ci}(bx^n) - b \sin(a) x^n \text{Si}(bx^n) - \sin(a + bx^n))}{n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - n)*Sin[a + b*x^n], x]

[Out] (b*x^n*Cos[a]*CosIntegral[b*x^n] - Sin[a + b*x^n] - b*x^n*Sin[a]*SinIntegral[b*x^n])/(n*x^n)

fricas [A] time = 0.78, size = 62, normalized size = 1.35

$$\frac{bx^n \cos(a) \text{Ci}(bx^n) + bx^n \cos(a) \text{Ci}(-bx^n) - 2bx^n \sin(a) \text{Si}(bx^n) - 2 \sin(bx^n + a)}{2nx^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-n)*sin(a+b*x^n), x, algorithm="fricas")

[Out] $\frac{1}{2}(b*x^n*\cos(a)*\cos_integral(b*x^n) + b*x^n*\cos(a)*\cos_integral(-b*x^n) - 2*b*x^n*\sin(a)*\sin_integral(b*x^n) - 2*\sin(b*x^n + a))/(n*x^n)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1-n)*sin(a+b*x^n),x, algorithm="giac")`

[Out] `integrate(x^(-n - 1)*sin(b*x^n + a), x)`

maple [A] time = 0.03, size = 44, normalized size = 0.96

$$\frac{b \left(-\frac{\sin(a+bx^n)x^{-n}}{b} - \text{Si}(bx^n) \sin(a) + \text{Ci}(bx^n) \cos(a) \right)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(-1-n)*sin(a+b*x^n),x)`

[Out] `1/n*b*(-sin(a+b*x^n)/(x^n)/b-Si(b*x^n)*sin(a)+Ci(b*x^n)*cos(a))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1-n)*sin(a+b*x^n),x, algorithm="maxima")`

[Out] `integrate(x^(-n - 1)*sin(b*x^n + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin(a + bx^n)}{x^{n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*x^n)/x^(n + 1),x)`

[Out] `int(sin(a + b*x^n)/x^(n + 1), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(a + bx^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-1-n)*sin(a+b*x**n),x)
```

```
[Out] Integral(x**(-n - 1)*sin(a + b*x**n), x)
```

3.148 $\int x^{-1-n} \sin^2(a + bx^n) dx$

Optimal. Leaf size=67

$$\frac{b \sin(2a) \text{Ci}(2bx^n)}{n} + \frac{b \cos(2a) \text{Si}(2bx^n)}{n} + \frac{x^{-n} \cos(2(a + bx^n))}{2n} - \frac{x^{-n}}{2n}$$

[Out] $-1/2/n/(x^n)+1/2*\cos(2*a+2*b*x^n)/n/(x^n)+b*\cos(2*a)*\text{Si}(2*b*x^n)/n+b*\text{Ci}(2*b*x^n)*\sin(2*a)/n$

Rubi [A] time = 0.12, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3425, 3380, 3297, 3303, 3299, 3302}

$$\frac{b \sin(2a) \text{CosIntegral}(2bx^n)}{n} + \frac{b \cos(2a) \text{Si}(2bx^n)}{n} + \frac{x^{-n} \cos(2(a + bx^n))}{2n} - \frac{x^{-n}}{2n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1-n)}*\text{Sin}[a + b*x^n]^2, x]$

[Out] $-1/(2*n*x^n) + \text{Cos}[2*(a + b*x^n)]/(2*n*x^n) + (b*\text{CosIntegral}[2*b*x^n]*\text{Sin}[2*a])/n + (b*\text{Cos}[2*a]*\text{SinIntegral}[2*b*x^n])/n$

Rule 3297

$\text{Int}[(c + d*x)^m*\text{sin}[(e + f*x)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{m+1}*\text{Sin}[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{m+1}*\text{Cos}[e + f*x], x], x] /;$ $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\text{sin}[(e + f*x)]/((c + d*x)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\text{sin}[(e + f*x)]/((c + d*x)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\text{sin}[(e + f*x)]/((c + d*x)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)$

)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3380

Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.)^(p_.)*(x_)^(m_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int x^{-1-n} \sin^2(a + bx^n) dx &= \int \left(\frac{x^{-1-n}}{2} - \frac{1}{2} x^{-1-n} \cos(2a + 2bx^n) \right) dx \\
 &= -\frac{x^{-n}}{2n} - \frac{1}{2} \int x^{-1-n} \cos(2a + 2bx^n) dx \\
 &= -\frac{x^{-n}}{2n} - \frac{\text{Subst}\left(\int \frac{\cos(2a+2bx)}{x^2} dx, x, x^n\right)}{2n} \\
 &= -\frac{x^{-n}}{2n} + \frac{x^{-n} \cos(2(a + bx^n))}{2n} + \frac{b \text{Subst}\left(\int \frac{\sin(2a+2bx)}{x} dx, x, x^n\right)}{n} \\
 &= -\frac{x^{-n}}{2n} + \frac{x^{-n} \cos(2(a + bx^n))}{2n} + \frac{(b \cos(2a)) \text{Subst}\left(\int \frac{\sin(2bx)}{x} dx, x, x^n\right)}{n} + \frac{(b \sin(2a))}{n} \\
 &= -\frac{x^{-n}}{2n} + \frac{x^{-n} \cos(2(a + bx^n))}{2n} + \frac{b \text{Ci}(2bx^n) \sin(2a)}{n} + \frac{b \cos(2a) \text{Si}(2bx^n)}{n}
 \end{aligned}$$

Mathematica [A] time = 0.14, size = 58, normalized size = 0.87

$$\frac{x^{-n} (2b \sin(2a)x^n \text{Ci}(2bx^n) + 2b \cos(2a)x^n \text{Si}(2bx^n) + \cos(2(a + bx^n)) - 1)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - n)*Sin[a + b*xⁿ]²,x]

[Out] (-1 + Cos[2*(a + b*xⁿ)] + 2*b*xⁿ*CosIntegral[2*b*xⁿ]*Sin[2*a] + 2*b*xⁿ*Cos[2*a]*SinIntegral[2*b*xⁿ])/(2*n*xⁿ)

fricas [A] time = 0.59, size = 73, normalized size = 1.09

$$\frac{bx^n \operatorname{Ci}(2bx^n) \sin(2a) + bx^n \operatorname{Ci}(-2bx^n) \sin(2a) + 2bx^n \cos(2a) \operatorname{Si}(2bx^n) + 2 \cos(bx^n + a)^2 - 2}{2nx^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)²,x, algorithm="fricas")

[Out] 1/2*(b*xⁿ*cos_integral(2*b*xⁿ)*sin(2*a) + b*xⁿ*cos_integral(-2*b*xⁿ)*sin(2*a) + 2*b*xⁿ*cos(2*a)*sin_integral(2*b*xⁿ) + 2*cos(b*xⁿ + a)² - 2)/(n*xⁿ)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(bx^n + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)²,x, algorithm="giac")

[Out] integrate(x^(-n - 1)*sin(b*xⁿ + a)², x)

maple [A] time = 0.08, size = 66, normalized size = 0.99

$$\frac{x^{-n}}{2n} - \frac{b \left(-\frac{\cos(2a+2bx^n)x^{-n}}{2b} - \operatorname{Si}(2bx^n) \cos(2a) - \operatorname{Ci}(2bx^n) \sin(2a) \right)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)²,x)

[Out] -1/2/n/(xⁿ) - 1/n*b*(-1/2*cos(2*a+2*b*xⁿ)/(xⁿ)/b - Si(2*b*xⁿ)*cos(2*a) - Ci(2*b*xⁿ)*sin(2*a))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{nx^n \int \frac{\cos(2bx^n+2a)}{xx^n} dx + 1}{2nx^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)²,x, algorithm="maxima")

[Out] -1/2*(n*xⁿ*integrate(cos(2*b*xⁿ + 2*a)/(x*xⁿ), x) + 1)/(n*xⁿ)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + b x^n)^2}{x^{n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*xⁿ)²/x^(n + 1),x)

[Out] int(sin(a + b*xⁿ)²/x^(n + 1), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^{**(-1-n)}*sin(a+b*x^{**n})^{**2},x)

[Out] Timed out

3.149 $\int x^{-1-n} \sin^3(a + bx^n) dx$

Optimal. Leaf size=113

$$\frac{3b \cos(a) \text{Ci}(bx^n)}{4n} - \frac{3b \cos(3a) \text{Ci}(3bx^n)}{4n} - \frac{3b \sin(a) \text{Si}(bx^n)}{4n} + \frac{3b \sin(3a) \text{Si}(3bx^n)}{4n} - \frac{3x^{-n} \sin(a + bx^n)}{4n} + \frac{x^{-n} \sin(3(a + bx^n))}{4n}$$

[Out] $\frac{3}{4} b \text{Ci}(b x^n) \cos(a) / n - \frac{3}{4} b \text{Ci}(3 b x^n) \cos(3 a) / n - \frac{3}{4} b \text{Si}(b x^n) \sin(a) / n + \frac{3}{4} b \text{Si}(3 b x^n) \sin(3 a) / n - \frac{3}{4} \sin(a + b x^n) / n / (x^n) + \frac{1}{4} \sin(3(a + b x^n)) / n / (x^n)$

Rubi [A] time = 0.21, antiderivative size = 113, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3425, 3379, 3297, 3303, 3299, 3302}

$$\frac{3b \cos(a) \text{CosIntegral}(bx^n)}{4n} - \frac{3b \cos(3a) \text{CosIntegral}(3bx^n)}{4n} - \frac{3b \sin(a) \text{Si}(bx^n)}{4n} + \frac{3b \sin(3a) \text{Si}(3bx^n)}{4n} - \frac{3x^{-n} \sin(a + bx^n)}{4n} + \frac{x^{-n} \sin(3(a + bx^n))}{4n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 - n)} \text{Sin}[a + b x^n]^3, x]$

[Out] $\frac{(3 b \cos[a] \text{CosIntegral}[b x^n])}{(4 n)} - \frac{(3 b \cos[3 a] \text{CosIntegral}[3 b x^n])}{(4 n)} - \frac{(3 \sin[a + b x^n])}{(4 n x^n)} + \frac{\sin[3(a + b x^n)]}{(4 n x^n)} - \frac{(3 b \sin[a] \text{SinIntegral}[b x^n])}{(4 n)} + \frac{(3 b \sin[3 a] \text{SinIntegral}[3 b x^n])}{(4 n)}$

Rule 3297

$\text{Int}[\frac{(c + d x)^m \sin[e + f x]}{(c + d x)^{m+1}}, x] := \text{Simp}[\frac{\sin[e + f x]}{d}, x] - \text{Dist}[\frac{f}{d(m+1)}, \text{Int}[\frac{(c + d x)^m \cos[e + f x]}{(c + d x)^{m+1}}, x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\frac{\sin[e + f x]}{(c + d x)}, x] := \text{Simp}[\frac{\sin[e + f x]}{d}, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d e - c f, 0]

Rule 3302

$\text{Int}[\frac{\sin[e + f x]}{(c + d x)}, x] := \text{Simp}[\frac{\cos[e - \pi/2 + f x]}{d}, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d(e - \pi/2) - c f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3425

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int x^{-1-n} \sin^3(a + bx^n) dx &= \int \left(\frac{3}{4} x^{-1-n} \sin(a + bx^n) - \frac{1}{4} x^{-1-n} \sin(3a + 3bx^n) \right) dx \\
&= -\left(\frac{1}{4} \int x^{-1-n} \sin(3a + 3bx^n) dx \right) + \frac{3}{4} \int x^{-1-n} \sin(a + bx^n) dx \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(3a+3bx)}{x^2} dx, x, x^n\right)}{4n} + \frac{3 \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, x^n\right)}{4n} \\
&= -\frac{3x^{-n} \sin(a + bx^n)}{4n} + \frac{x^{-n} \sin(3(a + bx^n))}{4n} + \frac{(3b) \text{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, x^n\right)}{4n} - \frac{(3b) \text{Subst}\left(\int \frac{\cos(3a+3bx)}{x} dx, x, x^n\right)}{4n} \\
&= -\frac{3x^{-n} \sin(a + bx^n)}{4n} + \frac{x^{-n} \sin(3(a + bx^n))}{4n} + \frac{(3b \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, x^n\right)}{4n} - \frac{(3b \cos(3a)) \text{Subst}\left(\int \frac{\cos(3bx)}{x} dx, x, x^n\right)}{4n} \\
&= \frac{3b \cos(a) \text{Ci}(bx^n)}{4n} - \frac{3b \cos(3a) \text{Ci}(3bx^n)}{4n} - \frac{3x^{-n} \sin(a + bx^n)}{4n} + \frac{x^{-n} \sin(3(a + bx^n))}{4n}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 95, normalized size = 0.84

$$\frac{x^{-n} (3b \cos(a)x^n \text{Ci}(bx^n) - 3b \cos(3a)x^n \text{Ci}(3bx^n) - 3b \sin(a)x^n \text{Si}(bx^n) + 3b \sin(3a)x^n \text{Si}(3bx^n) - 3 \sin(a + bx^n))}{4n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - n)*Sin[a + b*xⁿ]³,x]

[Out] (3*b*xⁿ*Cos[a]*CosIntegral[b*xⁿ] - 3*b*xⁿ*Cos[3*a]*CosIntegral[3*b*xⁿ] - 3*Sin[a + b*xⁿ] + Sin[3*(a + b*xⁿ)] - 3*b*xⁿ*Sin[a]*SinIntegral[b*xⁿ] + 3*b*xⁿ*Sin[3*a]*SinIntegral[3*b*xⁿ])/(4*n*xⁿ)

fricas [A] time = 0.84, size = 127, normalized size = 1.12

$$\frac{3bx^n \cos(3a) \operatorname{Ci}(3bx^n) - 3bx^n \cos(a) \operatorname{Ci}(bx^n) - 3bx^n \cos(a) \operatorname{Ci}(-bx^n) + 3bx^n \cos(3a) \operatorname{Ci}(-3bx^n) - 6bx^n \sin(a) \operatorname{Si}(bx^n) + 6bx^n \sin(3a) \operatorname{Si}(3bx^n)}{8nx^n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)³,x, algorithm="fricas")

[Out] -1/8*(3*b*xⁿ*cos(3*a)*cos_integral(3*b*xⁿ) - 3*b*xⁿ*cos(a)*cos_integral(b*xⁿ) - 3*b*xⁿ*cos(a)*cos_integral(-b*xⁿ) + 3*b*xⁿ*cos(3*a)*cos_integral(-3*b*xⁿ) - 6*b*xⁿ*sin(3*a)*sin_integral(3*b*xⁿ) + 6*b*xⁿ*sin(a)*sin_integral(b*xⁿ) - 8*(cos(b*xⁿ + a)² - 1)*sin(b*xⁿ + a))/(n*xⁿ)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)³,x, algorithm="giac")

[Out] integrate(x^(-n - 1)*sin(b*xⁿ + a)³, x)

maple [A] time = 0.05, size = 99, normalized size = 0.88

$$\frac{3b \left(-\frac{\sin(a+bx^n)x^{-n}}{b} - \operatorname{Si}(bx^n) \sin(a) + \operatorname{Ci}(bx^n) \cos(a) \right)}{4n} - \frac{3b \left(-\frac{\sin(3a+3bx^n)x^{-n}}{3b} - \operatorname{Si}(3bx^n) \sin(3a) + \operatorname{Ci}(3bx^n) \cos(3a) \right)}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)³,x)

[Out] 3/4/n*b*(-sin(a+b*xⁿ)/(xⁿ)/b-Si(b*xⁿ)*sin(a)+Ci(b*xⁿ)*cos(a))-3/4/n*b*(-1/3*sin(3*a+3*b*xⁿ)/(xⁿ)/b-Si(3*b*xⁿ)*sin(3*a)+Ci(3*b*xⁿ)*cos(3*a))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-n-1} \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x⁽⁻¹⁻ⁿ⁾*sin(a+b*xⁿ)³,x, algorithm="maxima")

[Out] integrate(x^(-n - 1)*sin(b*xⁿ + a)³, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + b x^n)^3}{x^{n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*xⁿ)³/x^(n + 1),x)

[Out] int(sin(a + b*xⁿ)³/x^(n + 1), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^{**(-1-n)}*sin(a+b*x^{**n})^{**3},x)

[Out] Timed out

3.150 $\int x^{-1-2n} \sin(a + bx^n) dx$

Optimal. Leaf size=78

$$\frac{b^2 \sin(a) \text{Ci}(bx^n)}{2n} - \frac{b^2 \cos(a) \text{Si}(bx^n)}{2n} - \frac{x^{-2n} \sin(a + bx^n)}{2n} - \frac{bx^{-n} \cos(a + bx^n)}{2n}$$

[Out] $-1/2*b*\cos(a+b*x^n)/n/(x^n)-1/2*b^2*\cos(a)*\text{Si}(b*x^n)/n-1/2*b^2*\text{Ci}(b*x^n)*\sin(a)/n-1/2*\sin(a+b*x^n)/n/(x^{(2*n)})$

Rubi [A] time = 0.11, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3379, 3297, 3303, 3299, 3302}

$$\frac{b^2 \sin(a) \text{CosIntegral}(bx^n)}{2n} - \frac{b^2 \cos(a) \text{Si}(bx^n)}{2n} - \frac{x^{-2n} \sin(a + bx^n)}{2n} - \frac{bx^{-n} \cos(a + bx^n)}{2n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 - 2*n)}*\text{Sin}[a + b*x^n], x]$

[Out] $-(b*\text{Cos}[a + b*x^n])/(2*n*x^n) - (b^2*\text{CosIntegral}[b*x^n]*\text{Sin}[a])/(2*n) - \text{Sin}[a + b*x^n]/(2*n*x^{(2*n)}) - (b^2*\text{Cos}[a]*\text{SinIntegral}[b*x^n])/(2*n)$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*\text{Sin}[e + f*x]}/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)*\text{Cos}[e + f*x]}, x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) - c*f, 0]

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)$

)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3379

Int[(x_)^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))

Rubi steps

$$\begin{aligned} \int x^{-1-2n} \sin(a + bx^n) dx &= \frac{\text{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, x^n\right)}{n} \\ &= -\frac{x^{-2n} \sin(a + bx^n)}{2n} + \frac{b \text{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, x^n\right)}{2n} \\ &= -\frac{bx^{-n} \cos(a + bx^n)}{2n} - \frac{x^{-2n} \sin(a + bx^n)}{2n} - \frac{b^2 \text{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, x^n\right)}{2n} \\ &= -\frac{bx^{-n} \cos(a + bx^n)}{2n} - \frac{x^{-2n} \sin(a + bx^n)}{2n} - \frac{(b^2 \cos(a)) \text{Subst}\left(\int \frac{\sin(bx)}{x} dx, x, x^n\right)}{2n} \\ &= -\frac{bx^{-n} \cos(a + bx^n)}{2n} - \frac{b^2 \text{Ci}(bx^n) \sin(a)}{2n} - \frac{x^{-2n} \sin(a + bx^n)}{2n} - \frac{b^2 \cos(a) \text{Si}(bx^n)}{2n} \end{aligned}$$

Mathematica [A] time = 0.13, size = 68, normalized size = 0.87

$$\frac{x^{-2n} \left(b^2 \sin(a) x^{2n} \text{Ci}(bx^n) + b^2 \cos(a) x^{2n} \text{Si}(bx^n) + \sin(a + bx^n) + bx^n \cos(a + bx^n) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - 2*n)*Sin[a + b*x^n], x]

[Out] -1/2*(b*x^n*Cos[a + b*x^n] + b^2*x^(2*n)*CosIntegral[b*x^n]*Sin[a] + Sin[a + b*x^n] + b^2*x^(2*n)*Cos[a]*SinIntegral[b*x^n])/(n*x^(2*n))

fricas [A] time = 0.78, size = 90, normalized size = 1.15

$$\frac{b^2 x^{2n} \text{Ci}(bx^n) \sin(a) + b^2 x^{2n} \text{Ci}(-bx^n) \sin(a) + 2 b^2 x^{2n} \cos(a) \text{Si}(bx^n) + 2 bx^n \cos(bx^n + a) + 2 \sin(bx^n + a)}{4 n x^{2n}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*xⁿ),x, algorithm="fricas")

[Out] -1/4*(b²*x^(2*n)*cos_integral(b*xⁿ)*sin(a) + b²*x^(2*n)*cos_integral(-b*xⁿ)*sin(a) + 2*b²*x^(2*n)*cos(a)*sin_integral(b*xⁿ) + 2*b*xⁿ*cos(b*xⁿ + a) + 2*sin(b*xⁿ + a))/(n*x^(2*n))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-2n-1} \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*xⁿ),x, algorithm="giac")

[Out] integrate(x^(-2*n - 1)*sin(b*xⁿ + a), x)

maple [A] time = 0.03, size = 65, normalized size = 0.83

$$\frac{b^2 \left(-\frac{\sin(a+bx^n)x^{-2n}}{2b^2} - \frac{\cos(a+bx^n)x^{-n}}{2b} - \frac{\text{Si}(bx^n)\cos(a)}{2} - \frac{\text{Ci}(bx^n)\sin(a)}{2} \right)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-1-2*n)*sin(a+b*xⁿ),x)

[Out] 1/n*b²*(-1/2*sin(a+b*xⁿ)/(xⁿ)²/b²-1/2*cos(a+b*xⁿ)/(xⁿ)/b-1/2*Si(b*xⁿ)*cos(a)-1/2*Ci(b*xⁿ)*sin(a))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-2n-1} \sin(bx^n + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*xⁿ),x, algorithm="maxima")

[Out] integrate(x^(-2*n - 1)*sin(b*xⁿ + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + bx^n)}{x^{2n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*x^n)/x^(2*n + 1),x)
```

```
[Out] int(sin(a + b*x^n)/x^(2*n + 1), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-1-2*n)*sin(a+b*x**n),x)
```

```
[Out] Timed out
```

3.151 $\int x^{-1-2n} \sin^2(a + bx^n) dx$

Optimal. Leaf size=95

$$\frac{b^2 \cos(2a) \text{Ci}(2bx^n)}{n} - \frac{b^2 \sin(2a) \text{Si}(2bx^n)}{n} - \frac{bx^{-n} \sin(2(a + bx^n))}{2n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} - \frac{x^{-2n}}{4n}$$

[Out] $-1/4/n/(x^{(2*n)})+b^2*Ci(2*b*x^n)*cos(2*a)/n+1/4*cos(2*a+2*b*x^n)/n/(x^{(2*n)})-b^2*Si(2*b*x^n)*sin(2*a)/n-1/2*b*sin(2*a+2*b*x^n)/n/(x^n)$

Rubi [A] time = 0.15, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3425, 3380, 3297, 3303, 3299, 3302}

$$\frac{b^2 \cos(2a) \text{CosIntegral}(2bx^n)}{n} - \frac{b^2 \sin(2a) \text{Si}(2bx^n)}{n} - \frac{bx^{-n} \sin(2(a + bx^n))}{2n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} - \frac{x^{-2n}}{4n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 - 2*n)}*\text{Sin}[a + b*x^n]^2, x]$

[Out] $-1/(4*n*x^{(2*n)}) + \text{Cos}[2*(a + b*x^n)]/(4*n*x^{(2*n)}) + (b^2*\text{Cos}[2*a]*\text{CosIntegral}[2*b*x^n])/n - (b*\text{Sin}[2*(a + b*x^n)])/(2*n*x^n) - (b^2*\text{Sin}[2*a]*\text{SinIntegral}[2*b*x^n])/n$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}*\text{Sin}[e + f*x]/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) - c*f, 0]

Rule 3303

$\text{Int}[\text{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)$

)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3380

Int[((a_.) + Cos[(c_.) + (d_.)*(x_)^(n_)])*(b_.))^(p_.)*(x_)^(m_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Cos[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))

Rule 3425

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rubi steps

$$\begin{aligned}
 \int x^{-1-2n} \sin^2(a + bx^n) dx &= \int \left(\frac{1}{2} x^{-1-2n} - \frac{1}{2} x^{-1-2n} \cos(2a + 2bx^n) \right) dx \\
 &= -\frac{x^{-2n}}{4n} - \frac{1}{2} \int x^{-1-2n} \cos(2a + 2bx^n) dx \\
 &= -\frac{x^{-2n}}{4n} - \frac{\text{Subst}\left(\int \frac{\cos(2a+2bx)}{x^3} dx, x, x^n\right)}{2n} \\
 &= -\frac{x^{-2n}}{4n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} + \frac{b \text{Subst}\left(\int \frac{\sin(2a+2bx)}{x^2} dx, x, x^n\right)}{2n} \\
 &= -\frac{x^{-2n}}{4n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} - \frac{bx^{-n} \sin(2(a + bx^n))}{2n} + \frac{b^2 \text{Subst}\left(\int \frac{\cos(2a+2bx)}{x} dx, x, x^n\right)}{n} \\
 &= -\frac{x^{-2n}}{4n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} - \frac{bx^{-n} \sin(2(a + bx^n))}{2n} + \frac{(b^2 \cos(2a)) \text{Subst}\left(\int \frac{\cos(2a+2bx)}{x} dx, x, x^n\right)}{n} \\
 &= -\frac{x^{-2n}}{4n} + \frac{x^{-2n} \cos(2(a + bx^n))}{4n} + \frac{b^2 \cos(2a) \text{Ci}(2bx^n)}{n} - \frac{bx^{-n} \sin(2(a + bx^n))}{2n} - \frac{b^2 \sin(2a) \text{Si}(2bx^n)}{n}
 \end{aligned}$$

Mathematica [A] time = 0.18, size = 82, normalized size = 0.86

$$\frac{x^{-2n} \left(4b^2 \cos(2a)x^{2n} \text{Ci}(2bx^n) - 4b^2 \sin(2a)x^{2n} \text{Si}(2bx^n) - 2bx^n \sin(2(a + bx^n)) + \cos(2(a + bx^n)) - 1 \right)}{4n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - 2*n)*Sin[a + b*xⁿ]²,x]

[Out] (-1 + Cos[2*(a + b*xⁿ)] + 4*b²*x^(2*n)*Cos[2*a]*CosIntegral[2*b*xⁿ] - 2*b*xⁿ*Sin[2*(a + b*xⁿ)] - 4*b²*x^(2*n)*Sin[2*a]*SinIntegral[2*b*xⁿ])/(4*n*x^(2*n))

fricas [A] time = 0.77, size = 107, normalized size = 1.13

$$\frac{b^2 x^{2n} \cos(2a) \operatorname{Ci}(2bx^n) + b^2 x^{2n} \cos(2a) \operatorname{Ci}(-2bx^n) - 2b^2 x^{2n} \sin(2a) \operatorname{Si}(2bx^n) - 2bx^n \cos(bx^n + a) \sin(bx^n)}{2nx^{2n}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*xⁿ)²,x, algorithm="fricas")

[Out] 1/2*(b²*x^(2*n)*cos(2*a)*cos_integral(2*b*xⁿ) + b²*x^(2*n)*cos(2*a)*cos_integral(-2*b*xⁿ) - 2*b²*x^(2*n)*sin(2*a)*sin_integral(2*b*xⁿ) - 2*b*xⁿ*cos(b*xⁿ + a)*sin(b*xⁿ + a) + cos(b*xⁿ + a)² - 1)/(n*x^(2*n))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-2n-1} \sin(bx^n + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*xⁿ)²,x, algorithm="giac")

[Out] integrate(x^(-2*n - 1)*sin(b*xⁿ + a)², x)

maple [A] time = 0.07, size = 89, normalized size = 0.94

$$-\frac{x^{-2n}}{4n} - \frac{2b^2 \left(-\frac{x^{-2n} \cos(2a+2bx^n)}{8b^2} + \frac{\sin(2a+2bx^n)x^{-n}}{4b} + \frac{\operatorname{Si}(2bx^n) \sin(2a)}{2} - \frac{\operatorname{Ci}(2bx^n) \cos(2a)}{2} \right)}{n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-1-2*n)*sin(a+b*xⁿ)²,x)

[Out] -1/4/n/(xⁿ)²-2/n*b²*(-1/8/(xⁿ)²/b²*cos(2*a+2*b*xⁿ)+1/4*sin(2*a+2*b*xⁿ)/(xⁿ)/b+1/2*Si(2*b*xⁿ)*sin(2*a)-1/2*Ci(2*b*xⁿ)*cos(2*a)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{2nx^{2n} \int \frac{\cos(2bx^n+2a)}{xx^{2n}} dx + 1}{4nx^{2n}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1-2*n)*sin(a+b*x^n)^2,x, algorithm="maxima")`

[Out] `-1/4*(2*n*x^(2*n)*integrate(cos(2*b*x^n + 2*a)/(x*x^(2*n)), x) + 1)/(n*x^(2*n))`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + bx^n)^2}{x^{2n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*x^n)^2/x^(2*n + 1),x)`

[Out] `int(sin(a + b*x^n)^2/x^(2*n + 1), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(-1-2*n)*sin(a+b*x**n)**2,x)`

[Out] Timed out

3.152 $\int x^{-1-2n} \sin^3(a + bx^n) dx$

Optimal. Leaf size=165

$$-\frac{3b^2 \sin(a) \text{Ci}(bx^n)}{8n} + \frac{9b^2 \sin(3a) \text{Ci}(3bx^n)}{8n} - \frac{3b^2 \cos(a) \text{Si}(bx^n)}{8n} + \frac{9b^2 \cos(3a) \text{Si}(3bx^n)}{8n} - \frac{3x^{-2n} \sin(a + bx^n)}{8n} + \frac{x^{-2n}}{8n}$$

[Out] $-3/8*b*\cos(a+b*x^n)/n/(x^n)+3/8*b*\cos(3*a+3*b*x^n)/n/(x^n)-3/8*b^2*\cos(a)*\text{Si}(b*x^n)/n+9/8*b^2*\cos(3*a)*\text{Si}(3*b*x^n)/n-3/8*b^2*\text{Ci}(b*x^n)*\sin(a)/n+9/8*b^2*\text{Ci}(3*b*x^n)*\sin(3*a)/n-3/8*\sin(a+b*x^n)/n/(x^{(2*n)})+1/8*\sin(3*a+3*b*x^n)/n/(x^{(2*n)})$

Rubi [A] time = 0.26, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3425, 3379, 3297, 3303, 3299, 3302}

$$-\frac{3b^2 \sin(a) \text{CosIntegral}(bx^n)}{8n} + \frac{9b^2 \sin(3a) \text{CosIntegral}(3bx^n)}{8n} - \frac{3b^2 \cos(a) \text{Si}(bx^n)}{8n} + \frac{9b^2 \cos(3a) \text{Si}(3bx^n)}{8n} - \frac{3x^{-2n} \sin(a + bx^n)}{8n} + \frac{x^{-2n}}{8n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 - 2*n)}*\text{Sin}[a + b*x^n]^3, x]$

[Out] $(-3*b*\text{Cos}[a + b*x^n])/(8*n*x^n) + (3*b*\text{Cos}[3*(a + b*x^n)])/(8*n*x^n) - (3*b^2*\text{CosIntegral}[b*x^n]*\text{Sin}[a])/(8*n) + (9*b^2*\text{CosIntegral}[3*b*x^n]*\text{Sin}[3*a])/(8*n) - (3*\text{Sin}[a + b*x^n])/(8*n*x^{(2*n)}) + \text{Sin}[3*(a + b*x^n)]/(8*n*x^{(2*n)}) - (3*b^2*\text{Cos}[a]*\text{SinIntegral}[b*x^n])/(8*n) + (9*b^2*\text{Cos}[3*a]*\text{SinIntegral}[3*b*x^n])/(8*n)$

Rule 3297

$\text{Int}[(c + d*x)^m*\sin[(e + f*x)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{m+1}*\text{Sin}[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^m*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\text{Int}[\sin[(e + f*x)]/(c + d*x), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

$\text{Int}[\sin[(e + f*x)]/(c + d*x), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*(e - \text{Pi}/2) -

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3425

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rubi steps

$$\begin{aligned}
\int x^{-1-2n} \sin^3(a + bx^n) dx &= \int \left(\frac{3}{4} x^{-1-2n} \sin(a + bx^n) - \frac{1}{4} x^{-1-2n} \sin(3a + 3bx^n) \right) dx \\
&= -\left(\frac{1}{4} \int x^{-1-2n} \sin(3a + 3bx^n) dx \right) + \frac{3}{4} \int x^{-1-2n} \sin(a + bx^n) dx \\
&= -\frac{\text{Subst}\left(\int \frac{\sin(3a+3bx)}{x^3} dx, x, x^n\right)}{4n} + \frac{3 \text{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, x^n\right)}{4n} \\
&= -\frac{3x^{-2n} \sin(a + bx^n)}{8n} + \frac{x^{-2n} \sin(3(a + bx^n))}{8n} + \frac{(3b) \text{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, x^n\right)}{8n} \\
&= -\frac{3bx^{-n} \cos(a + bx^n)}{8n} + \frac{3bx^{-n} \cos(3(a + bx^n))}{8n} - \frac{3x^{-2n} \sin(a + bx^n)}{8n} + \frac{x^{-2n} \sin(3(a + bx^n))}{8n} \\
&= -\frac{3bx^{-n} \cos(a + bx^n)}{8n} + \frac{3bx^{-n} \cos(3(a + bx^n))}{8n} - \frac{3x^{-2n} \sin(a + bx^n)}{8n} + \frac{x^{-2n} \sin(3(a + bx^n))}{8n} \\
&= -\frac{3bx^{-n} \cos(a + bx^n)}{8n} + \frac{3bx^{-n} \cos(3(a + bx^n))}{8n} - \frac{3b^2 \text{Ci}(bx^n) \sin(a)}{8n} + \frac{9b^2 \text{Ci}(3bx^n) \sin(3a)}{8n}
\end{aligned}$$

Mathematica [A] time = 0.30, size = 141, normalized size = 0.85

$$\frac{x^{-2n} \left(-3b^2 \sin(a)x^{2n} \text{Ci}(bx^n) + 9b^2 \sin(3a)x^{2n} \text{Ci}(3bx^n) - 3b^2 \cos(a)x^{2n} \text{Si}(bx^n) + 9b^2 \cos(3a)x^{2n} \text{Si}(3bx^n) - 3 \sin(a) \right)}{8n}$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 - 2*n)*Sin[a + b*x^n]^3,x]

[Out] (-3*b*x^n*Cos[a + b*x^n] + 3*b*x^n*Cos[3*(a + b*x^n)] - 3*b^2*x^(2*n)*CosIntegral[b*x^n]*Sin[a] + 9*b^2*x^(2*n)*CosIntegral[3*b*x^n]*Sin[3*a] - 3*Sin[a + b*x^n] + Sin[3*(a + b*x^n)] - 3*b^2*x^(2*n)*Cos[a]*SinIntegral[b*x^n] + 9*b^2*x^(2*n)*Cos[3*a]*SinIntegral[3*b*x^n])/(8*n*x^(2*n))

fricas [A] time = 0.80, size = 183, normalized size = 1.11

$$\frac{24 bx^n \cos(bx^n + a)^3 + 9 b^2 x^{2n} \text{Ci}(3 bx^n) \sin(3 a) + 9 b^2 x^{2n} \text{Ci}(-3 bx^n) \sin(3 a) - 3 b^2 x^{2n} \text{Ci}(bx^n) \sin(a) - 3 b^2 x^{2n} \text{Ci}(3 bx^n) \sin(3 a)}{8n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1-2*n)*sin(a+b*x^n)^3,x, algorithm="fricas")

[Out] $1/16*(24*b*x^n*\cos(b*x^n + a)^3 + 9*b^2*x^{(2*n)}*\cos_integral(3*b*x^n)*\sin(3*a) + 9*b^2*x^{(2*n)}*\cos_integral(-3*b*x^n)*\sin(3*a) - 3*b^2*x^{(2*n)}*\cos_integral(b*x^n)*\sin(a) - 3*b^2*x^{(2*n)}*\cos_integral(-b*x^n)*\sin(a) + 18*b^2*x^{(2*n)}*\cos(3*a)*\sin_integral(3*b*x^n) - 6*b^2*x^{(2*n)}*\cos(a)*\sin_integral(b*x^n) - 24*b*x^n*\cos(b*x^n + a) + 8*(\cos(b*x^n + a)^2 - 1)*\sin(b*x^n + a))/(n*x^{(2*n)})$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-2n-1} \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1-2*n)*sin(a+b*x^n)^3,x, algorithm="giac")`

[Out] `integrate(x^(-2*n - 1)*sin(b*x^n + a)^3, x)`

maple [A] time = 0.05, size = 144, normalized size = 0.87

$$\frac{3b^2 \left(-\frac{\sin(a+bx^n)x^{-2n}}{2b^2} - \frac{\cos(a+bx^n)x^{-n}}{2b} - \frac{\text{Si}(bx^n)\cos(a)}{2} - \frac{\text{Ci}(bx^n)\sin(a)}{2} \right)}{4n} - \frac{9b^2 \left(-\frac{\sin(3a+3bx^n)x^{-2n}}{18b^2} - \frac{\cos(3a+3bx^n)x^{-n}}{6b} - \frac{\text{Si}(3bx^n)}{2} \right)}{4n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(-1-2*n)*sin(a+b*x^n)^3,x)`

[Out] $3/4/n*b^2*(-1/2*\sin(a+b*x^n)/(x^n)^2/b^2-1/2*\cos(a+b*x^n)/(x^n)/b-1/2*\text{Si}(b*x^n)*\cos(a)-1/2*\text{Ci}(b*x^n)*\sin(a))-9/4/n*b^2*(-1/18*\sin(3*a+3*b*x^n)/(x^n)^2/b^2-1/6*\cos(3*a+3*b*x^n)/(x^n)/b-1/2*\text{Si}(3*b*x^n)*\cos(3*a)-1/2*\text{Ci}(3*b*x^n)*\sin(3*a))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{-2n-1} \sin(bx^n + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(-1-2*n)*sin(a+b*x^n)^3,x, algorithm="maxima")`

[Out] `integrate(x^(-2*n - 1)*sin(b*x^n + a)^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + bx^n)^3}{x^{2n+1}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*x^n)^3/x^(2*n + 1),x)
```

```
[Out] int(sin(a + b*x^n)^3/x^(2*n + 1), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(-1-2*n)*sin(a+b*x**n)**3,x)
```

```
[Out] Timed out
```

3.153 $\int (e + fx)^3 \sin(b(c + dx)^2) dx$

Optimal. Leaf size=223

$$\frac{3\sqrt{\frac{\pi}{2}} f^2 (de - cf) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right)}{2b^{3/2} d^4} + \frac{f^3 \sin(b(c + dx)^2)}{2b^2 d^4} - \frac{3f^2 (c + dx)(de - cf) \cos(b(c + dx)^2)}{2bd^4} + \frac{\sqrt{\frac{\pi}{2}} (de - cf)}{2bd^4}$$

[Out] $-3/2*f*(-c*f+d*e)^2*\cos(b*(d*x+c)^2)/b/d^4-3/2*f^2*(-c*f+d*e)*(d*x+c)*\cos(b*(d*x+c)^2)/b/d^4-1/2*f^3*(d*x+c)^2*\cos(b*(d*x+c)^2)/b/d^4+1/2*f^3*\sin(b*(d*x+c)^2)/b^2/d^4+3/4*f^2*(-c*f+d*e)*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^4+1/2*(-c*f+d*e)^3*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^4/b^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 223, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3433, 3351, 3379, 2638, 3385, 3352, 3296, 2637}

$$\frac{3\sqrt{\frac{\pi}{2}} f^2 (de - cf) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} (c + dx)\right)}{2b^{3/2} d^4} + \frac{f^3 \sin(b(c + dx)^2)}{2b^2 d^4} - \frac{3f^2 (c + dx)(de - cf) \cos(b(c + dx)^2)}{2bd^4} + \frac{\sqrt{\frac{\pi}{2}} (de - cf)}{2bd^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^3*\text{Sin}[b*(c + d*x)^2], x]$

[Out] $(-3*f*(d*e - c*f)^2*\text{Cos}[b*(c + d*x)^2])/(2*b*d^4) - (3*f^2*(d*e - c*f)*(c + d*x)*\text{Cos}[b*(c + d*x)^2])/(2*b*d^4) - (f^3*(c + d*x)^2*\text{Cos}[b*(c + d*x)^2])/(2*b*d^4) + (3*f^2*(d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(2*b^{(3/2)}*d^4) + ((d*e - c*f)^3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(\text{Sqrt}[b]*d^4) + (f^3*\text{Sin}[b*(c + d*x)^2])/(2*b^2*d^4)$

Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[$

$e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.) * ((e_.) + (f_.) * (x_.)^2)], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelS}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f*x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.) * ((e_.) + (f_.) * (x_.)^2)], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f*x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3379

$\text{Int}[(x_.)^{(m_.)} * ((a_.) + (b_.) * \text{Sin}[(c_.) + (d_.) * (x_.)^{(n_.)}])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1) * (a + b * \text{Sin}[c + d*x])^p}], x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{EqQ}[m, n - 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{GtQ}[\text{Simplify}[(m + 1)/n], 0]))$

Rule 3385

$\text{Int}[(e_.) * (x_.)^{(m_.)} * \text{Sin}[(c_.) + (d_.) * (x_.)^{(n_.)}], x_Symbol] \rightarrow -\text{Simp}[(e^{(n - 1)} * (e*x)^{(m - n + 1)} * \text{Cos}[c + d*x^n]) / (d*n), x] + \text{Dist}[(e^n * (m - n + 1)) / (d*n), \text{Int}[(e*x)^{(m - n)} * \text{Cos}[c + d*x^n], x], x] /; \text{FreeQ}\{c, d, e\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[n, m + 1]$

Rule 3433

$\text{Int}[(g_.) + (h_.) * (x_.)^{(m_.)} * ((a_.) + (b_.) * \text{Sin}[(c_.) + (d_.) * ((e_.) + (f_.) * (x_.)^{(n_.)}])^{(p_.)}, x_Symbol] \rightarrow \text{Module}\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{(m + 1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b * \text{Sin}[c + d*x^{(k*n)}])^p, x^{(k - 1)} * (f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^{(1/k)], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int (e + fx)^3 \sin(b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int \left(d^3 e^3 \left(1 - \frac{cf(3d^2 e^2 - 3cdef + c^2 f^2)}{d^3 e^3}\right) \sin(bx^2) + 3d^2 e^2 f \left(1 + \frac{cf(-2de + cf)}{d^2 e^2}\right) x\right)}{d^4} \\
&= \frac{f^3 \text{Subst}\left(\int x^3 \sin(bx^2) dx, x, c + dx\right)}{d^4} + \frac{(3f^2(de - cf)) \text{Subst}\left(\int x^2 \sin(bx^2) dx, x, c + dx\right)}{d^4} \\
&= -\frac{3f^2(de - cf)(c + dx) \cos(b(c + dx)^2)}{2bd^4} + \frac{(de - cf)^3 \sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d^4} \\
&= -\frac{3f(de - cf)^2 \cos(b(c + dx)^2)}{2bd^4} - \frac{3f^2(de - cf)(c + dx) \cos(b(c + dx)^2)}{2bd^4} - \frac{f^3 \cos(b(c + dx)^2)}{2bd^4} \\
&= -\frac{3f(de - cf)^2 \cos(b(c + dx)^2)}{2bd^4} - \frac{3f^2(de - cf)(c + dx) \cos(b(c + dx)^2)}{2bd^4} - \frac{f^3 \cos(b(c + dx)^2)}{2bd^4}
\end{aligned}$$

Mathematica [A] time = 1.08, size = 173, normalized size = 0.78

$$\frac{4\sqrt{2\pi} b^{3/2} (de - cf)^3 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) - 4bf \cos(b(c + dx)^2) (c^2 f^2 - cdf(3e + fx) + d^2(3e^2 + 3efx + f^2 x^2))}{8b^2 d^4}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^3*Sin[b*(c + d*x)^2], x]

[Out] (-4*b*f*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))*Cos[b*(c + d*x)^2] - 6*Sqrt[b]*f^2*(-(d*e) + c*f)*Sqrt[2*Pi]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)] + 4*b^(3/2)*(d*e - c*f)^3*Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)] + 4*f^3*Sin[b*(c + d*x)^2])/(8*b^2*d^4)

fricas [A] time = 0.71, size = 255, normalized size = 1.14

$$2df^3 \sin(bd^2x^2 + 2bcdx + bc^2) + 3\sqrt{2}\pi(def^2 - cf^3)\sqrt{\frac{bd^2}{\pi}} C\left(\frac{\sqrt{2}\sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) + 2\sqrt{2}\pi(bd^3e^3 - 3bcd^2e^2f + 3bd^2e^2f^2 - 3cd^2ef^2 + c^2d^2f^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(b*(d*x+c)^2), x, algorithm="fricas")

[Out] 1/4*(2*d*f^3*sin(b*d^2*x^2 + 2*b*c*d*x + b*c^2) + 3*sqrt(2)*pi*(d*e*f^2 - c*f^3)*sqrt(b*d^2/pi)*fresnel_cos(sqrt(2)*sqrt(b*d^2/pi)*(d*x + c)/d) + 2*sq

$$\text{rt}(2)*\pi*(b*d^3*e^3 - 3*b*c*d^2*e^2*f + 3*b*c^2*d*e*f^2 - b*c^3*f^3)*\text{sqrt}(b*d^2/\pi)*\text{fresnel_sin}(\text{sqrt}(2)*\text{sqrt}(b*d^2/\pi)*(d*x + c)/d) - 2*(b*d^3*f^3*x^2 + 3*b*d^3*e^2*f - 3*b*c*d^2*e*f^2 + b*c^2*d*f^3 + (3*b*d^3*e*f^2 - b*c*d^2*f^3)*x)*\text{cos}(b*d^2*x^2 + 2*b*c*d*x + b*c^2)/(b^2*d^5)$$

giac [C] time = 0.73, size = 1023, normalized size = 4.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(b*(d*x+c)^2),x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/4*I*\text{sqrt}(2)*\text{sqrt}(\pi)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e^3/(\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)) + 1/4*I*\text{sqrt}(2)*\text{sqrt}(\pi)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e^3/(\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)) - 1/4*(-3*I*\text{sqrt}(2)*\text{sqrt}(\pi)*c*f*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e^2/(\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)) + 3*f*e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2 + 2)/(b*d))/d} - 1/4*(3*I*\text{sqrt}(2)*\text{sqrt}(\pi)*c*f*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e^2/(\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)) + 3*f*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2 + 2)/(b*d))/d} - 1/8*(I*\text{sqrt}(2)*\text{sqrt}(\pi)*(6*b*c^2*f^2 - 3*I*f^2)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e/(\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*b) + 2*I*(d*f^2*(-3*I*x - 3*I*c/d) + 6*I*c*f^2) * e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2 + 1)/(b*d))/d^2} - 1/8*(-I*\text{sqrt}(2)*\text{sqrt}(\pi)*(6*b*c^2*f^2 + 3*I*f^2)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d)) * e/(\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*b) + 2*I*(d*f^2*(-3*I*x - 3*I*c/d) + 6*I*c*f^2) * e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2 + 1)/(b*d))/d^2} + 1/8*(\text{sqrt}(2)*\text{sqrt}(\pi)*(2*I*b*c^3*f^3 + 3*c*f^3)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d))/(\text{sqrt}(b*d^2)*(I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*b) - 2*(b*d^2*f^3*(x + c/d)^2 - 3*b*c*d*f^3*(x + c/d) + 3*b*c^2*f^3 - I*f^3) * e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)/(b^2*d))/d^3} + 1/8*(\text{sqrt}(2)*\text{sqrt}(\pi)*(-2*I*b*c^3*f^3 + 3*c*f^3)*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*(x + c/d))/(\text{sqrt}(b*d^2)*(-I*b*d^2/\text{sqrt}(b^2*d^4) + 1)*b) - 2*(b*d^2*f^3*(x + c/d)^2 - 3*b*c*d*f^3*(x + c/d) + 3*b*c^2*f^3 + I*f^3) * e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)/(b^2*d))/d^3) \end{aligned}$$

maple [B] time = 0.03, size = 586, normalized size = 2.63

$$\frac{f^3 x^2 \cos(d^2 x^2 b + 2cdxb + b^2 c^2)}{2d^2 b} - \frac{f^3 c \left(\frac{x \cos(d^2 x^2 b + 2cdxb + b^2 c^2)}{2d^2 b} - \frac{c \sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2}(b d^2 x + bcd)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2d \sqrt{d^2 b}} \right)}{d} + \frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2}(b d^2 x + bcd)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2d \sqrt{d^2 b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin((d*x+c)^2*b),x)

[Out] $-1/2*f^3/d^2/b*x^2*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-f^3*c/d*(-1/2/d^2/b*x*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-c/d*(-1/2/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-1/2*c/d*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))+1/4/d^2/b*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))+f^3/d^2/b*(1/2/d^2/b*\sin(b*d^2*x^2+2*b*c*d*x+b*c^2)-1/2*c/d*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))-3/2*e*f^2/d^2/b*x*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-3*e*f^2*c/d*(-1/2/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-1/2*c/d*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))+3/4*e*f^2/d^2/b*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))-3/2*e^2*f/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-3/2*e^2*f*c/d*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))+1/2*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*e^3*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))$

maxima [C] time = 2.28, size = 972, normalized size = 4.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(b*(d*x+c)^2),x, algorithm="maxima")

[Out] $1/8*\sqrt{2}*\sqrt{\pi}*e^3*((I + 1)*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{I*b})) + (I - 1)*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{-I*b}))/(\sqrt{b}*d) - 3/8*(2*d*x*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) - \sqrt{b*d^2*x^2 + 2*b*c*d*x + b*c^2})*(- (I + 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2}) - 1) + (I - 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2}) - 1))*c + 2*c*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})*e^2*f/(b*d^3*x + b*c*d^2) + 3/8*(4*b*c*d*x*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)}$

```

+ e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) + 4*b*c^2*(e^(I*b*d^2*x^2 + 2*I
*b*c*d*x + I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - sqrt(b*d^
2*x^2 + 2*b*c*d*x + b*c^2)*((-I + 1)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*d^2*x^
2 + 2*I*b*c*d*x + I*b*c^2)) - 1) + (I - 1)*sqrt(2)*sqrt(pi)*(erf(sqrt(-I*b*
d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*b*c^2 - (I - 1)*sqrt(2)*gamma(3/2,
I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + (I + 1)*sqrt(2)*gamma(3/2, -I*b*d^2*
x^2 - 2*I*b*c*d*x - I*b*c^2))*e^f^2/(b^2*d^4*x + b^2*c*d^3) - 1/16*(12*b*c
^3*(e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b*c*d*x
- I*b*c^2)) + (12*b*c^2*(e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + e^(-I*b
*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 4*I*gamma(2, I*b*d^2*x^2 + 2*I*b*c*d*x
+ I*b*c^2) + 4*I*gamma(2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*d*x - c*(
4*I*gamma(2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - 4*I*gamma(2, -I*b*d^2*x
^2 - 2*I*b*c*d*x - I*b*c^2)) - 2*((-I + 1)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*
d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)) - 1) + (I - 1)*sqrt(2)*sqrt(pi)*(erf(sqrt
(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*b*c^3 + (-3*I - 3)*sqrt(2)*g
amma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + (3*I + 3)*sqrt(2)*gamma(3/
2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*c)*sqrt(b*d^2*x^2 + 2*b*c*d*x + b
*c^2))*f^3/(b^2*d^5*x + b^2*c*d^4)

```

mupad [B] time = 4.71, size = 231, normalized size = 1.04

$$\frac{f^3 \sin(b(c+dx)^2) \cos(b(c+dx)^2) (c^2 f^3 - 3cde f^2 + 3d^2 e^2 f)}{2b^2 d^4} - \frac{f^3 x^2 \cos(b(c+dx)^2)}{2bd^2} + \frac{x \cos(b(c+dx)^2)}{2b^2 d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*(c + d*x)^2)*(e + f*x)^3,x)

[Out] (f^3*sin(b*(c + d*x)^2))/(2*b^2*d^4) - (cos(b*(c + d*x)^2)*(c^2*f^3 + 3*d^2
*e^2*f - 3*c*d*e*f^2))/(2*b*d^4) - (f^3*x^2*cos(b*(c + d*x)^2))/(2*b*d^2) +
(x*cos(b*(c + d*x)^2)*(c*f^3 - 3*d*e*f^2))/(2*b*d^3) - (2^(1/2)*pi^(1/2)*f
resnels((2^(1/2)*b^(1/2)*(c + d*x))/pi^(1/2))*(c^3*f^3 - d^3*e^3 + 3*c*d^2*
e^2*f - 3*c^2*d*e*f^2))/(2*b^(1/2)*d^4) - (2^(1/2)*pi^(1/2)*fresnelc((2^(1/
2)*b^(1/2)*(c + d*x))/pi^(1/2))*(3*c*f^3 - 3*d*e*f^2))/(4*b^(3/2)*d^4)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^3 \sin(bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(b*(d*x+c)**2),x)

[Out] Integral((e + f*x)**3*sin(b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)

3.154 $\int (e + fx)^2 \sin(b(c + dx)^2) dx$

Optimal. Leaf size=150

$$\frac{\sqrt{\frac{\pi}{2}} f^2 C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^3} + \frac{\sqrt{\frac{\pi}{2}}(de - cf)^2 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^3} - \frac{f(de - cf) \cos(b(c + dx)^2)}{bd^3} - \frac{f^2(c + dx) \cos(b(c + dx)^2)}{2bd^3}$$

[Out] $-f*(-c*f+d*e)*\cos(b*(d*x+c)^2)/b/d^3-1/2*f^2*(d*x+c)*\cos(b*(d*x+c)^2)/b/d^3+1/4*f^2*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^3+1/2*(-c*f+d*e)^2*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^3/b^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3433, 3351, 3379, 2638, 3385, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} f^2 \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b}(c + dx)\right)}{2b^{3/2}d^3} + \frac{\sqrt{\frac{\pi}{2}}(de - cf)^2 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^3} - \frac{f(de - cf) \cos(b(c + dx)^2)}{bd^3} - \frac{f^2(c + dx) \cos(b(c + dx)^2)}{2bd^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Sin}[b*(c + d*x)^2], x]$

[Out] $-((f*(d*e - c*f)*\text{Cos}[b*(c + d*x)^2])/(b*d^3)) - (f^2*(c + d*x)*\text{Cos}[b*(c + d*x)^2])/(2*b*d^3) + (f^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(2*b^{(3/2)}*d^3) + ((d*e - c*f)^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(\text{Sqrt}[b]*d^3)$

Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
  := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p,
    x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
  && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*
  (e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n),
  Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0]
  && LtQ[n, m + 1]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)
  *(x_)^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]},
  Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p,
    x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /;
  FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int (e + fx)^2 \sin(b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de+cf)}{d^2 e^2}\right) \sin(bx^2) + 2def \left(1 - \frac{cf}{de}\right) x \sin(bx^2) + f^2 x^2 \sin(bx^2)\right) dx, x, c + dx\right)}{d^3} \\
 &= \frac{f^2 \text{Subst}\left(\int x^2 \sin(bx^2) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin(bx^2) dx, x, c + dx\right)}{d^3} \\
 &= -\frac{f^2(c + dx) \cos(b(c + dx)^2)}{2bd^3} + \frac{(de - cf)^2 \sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d^3} + \frac{f^2 \text{Subst}\left(\int x^2 \sin(bx^2) dx, x, c + dx\right)}{d^3} \\
 &= -\frac{f(de - cf) \cos(b(c + dx)^2)}{bd^3} - \frac{f^2(c + dx) \cos(b(c + dx)^2)}{2bd^3} + \frac{f^2 \sqrt{\frac{\pi}{2}} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2} d^3}
 \end{aligned}$$

Mathematica [A] time = 0.65, size = 117, normalized size = 0.78

$$\frac{2\sqrt{2\pi} b(de - cf)^2 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) - 2\sqrt{b} f \cos(b(c + dx)^2)(-cf + 2de + dfx) + \sqrt{2\pi} f^2 C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{4b^{3/2} d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[b*(c + d*x)^2], x]

[Out] $(-2*\sqrt{b}*f*(2*d*e - c*f + d*f*x)*\cos[b*(c + d*x)^2] + f^2*\sqrt{2*\pi}*\operatorname{FresnelC}[\sqrt{b}*\sqrt{2/\pi}*(c + d*x)] + 2*b*(d*e - c*f)^2*\sqrt{2*\pi}*\operatorname{FresnelS}[\sqrt{b}*\sqrt{2/\pi}*(c + d*x)])/(4*b^{(3/2)}*d^3)$

fricas [A] time = 0.71, size = 162, normalized size = 1.08

$$\frac{\sqrt{2}\pi\sqrt{\frac{bd^2}{\pi}}f^2C\left(\frac{\sqrt{2}\sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) + 2\sqrt{2}\pi(bd^2e^2 - 2bcdef + bc^2f^2)\sqrt{\frac{bd^2}{\pi}}S\left(\frac{\sqrt{2}\sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) - 2(bd^2f^2x + 2bd^2e)}{4b^2d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(b*(d*x+c)^2), x, algorithm="fricas")

[Out] $1/4*(\sqrt{2}*\pi*\sqrt{b*d^2/\pi}*f^2*\operatorname{fresnel_cos}(\sqrt{2}*\sqrt{b*d^2/\pi}*(d*x + c)/d) + 2*\sqrt{2}*\pi*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*\sqrt{b*d^2/\pi}*\operatorname{fresnel_sin}(\sqrt{2}*\sqrt{b*d^2/\pi}*(d*x + c)/d) - 2*(b*d^2*f^2*x + 2*b*d^2*e*f - b*c*d*f^2)*\cos(b*d^2*x^2 + 2*b*c*d*x + b*c^2))/(b^2*d^4)$

giac [C] time = 1.11, size = 669, normalized size = 4.46

$$\frac{i\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)\left(x+\frac{c}{d}\right)\right)e^2}{4\sqrt{bd^2}\left(\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)} + \frac{i\sqrt{2}\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(-\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)\left(x+\frac{c}{d}\right)\right)e^2}{4\sqrt{bd^2}\left(-\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(b*(d*x+c)^2), x, algorithm="giac")

[Out] $-1/4*I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))*e^2/(\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)) + 1/4*I*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))*e^2/(\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)) - 1/2*(-I*\sqrt{2}*\sqrt{\pi})*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))*e/(\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)) + f*e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2 + 1)/(b*d)}/d - 1/2*(I*\sqrt{2}*\sqrt{\pi})*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))*e/(\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)) + f*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2 + 1)/(b*d)}/d - 1/8*(I*\sqrt{2}*\sqrt{\pi})*(2*b*c^2*f^2 - I*f^2)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))*e^2/(\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1))$

$$(b*d^2)*(I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d))/(\sqrt{b*d^2}*(I*b*d^2/\sqrt{b^2*d^4} + 1)*b) + 2*I*(d*f^2*(-I*x - I*c/d) + 2*I*c*f^2)*e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)/(b*d)}/d^2 - 1/8*(-I*\sqrt{2}*\sqrt{\pi}*(2*b*c^2*f^2 + I*f^2)*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)*(x + c/d)))/(\sqrt{b*d^2}*(-I*b*d^2/\sqrt{b^2*d^4} + 1)*b) + 2*I*(d*f^2*(-I*x - I*c/d) + 2*I*c*f^2)*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)/(b*d)}/d^2$$

maple [B] time = 0.03, size = 291, normalized size = 1.94

$$\frac{f^2 x \cos(d^2 x^2 b + 2 c d x b + b c^2)}{2 d^2 b} - \frac{f^2 c \left(-\frac{\cos(d^2 x^2 b + 2 c d x b + b c^2)}{2 d^2 b} - \frac{c \sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2}(b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2 d \sqrt{d^2 b}} \right)}{d} + \frac{f^2 \sqrt{2} \sqrt{\pi} \operatorname{FresnelC}\left(\frac{\sqrt{2}(b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{4 d^2 b \sqrt{d^2 b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*sin((d*x+c)^2*b),x)`

[Out] $-1/2*f^2/d^2/b*x*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-f^2*c/d*(-1/2/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-1/2*c/d*2^{(1/2)}*\Pi^{(1/2)}/(d^2*b)^{(1/2)}*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))+1/4*f^2/d^2/b*2^{(1/2)}*\Pi^{(1/2)}/(d^2*b)^{(1/2)}*\operatorname{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))-e*f/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2)-e*f*c/d*2^{(1/2)}*\Pi^{(1/2)}/(d^2*b)^{(1/2)}*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))+1/2*2^{(1/2)}*\Pi^{(1/2)}/(d^2*b)^{(1/2)}*e^2*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))$

maxima [C] time = 1.61, size = 564, normalized size = 3.76

$$\frac{\sqrt{2} \sqrt{\pi} e^2 \left((i+1) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{i b}}\right) + (i-1) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{-i b}}\right) \right)}{8 \sqrt{b} d} - \frac{\left(2 d x \left(e^{(i b d^2 x^2 + 2 i b c d x + i b c^2)} + e^{(-i b d^2 x^2 - 2 i b c d x - i b c^2)} \right) - \sqrt{b d^2} \right)}{8 \sqrt{b} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(b*(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/8*\sqrt{2}*\sqrt{\pi}*e^2*((I + 1)*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{I*b}) + (I - 1)*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{-I*b}))/(\sqrt{b}*d) - 1/4*(2*d*x*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) - \sqrt{b*d^2*x^2 + 2*b*c*d*x + b*c^2}*(-(I + 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2}) - 1) + (I - 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2}) - 1))*c + 2*c*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}))*e*f/(b*d^3*x + b*c*d^2) + 1/8*(4*b*c*d*x*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) + 4*b*c^2*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}))$

$*c*d*x + I*b*c^2) + e^{(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)} - \sqrt{b*d^2*x^2 + 2*b*c*d*x + b*c^2} * ((-I + 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2}) - 1) + (I - 1)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2}) - 1)) * b*c^2 - (I - 1)*\sqrt{2}*\gamma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + (I + 1)*\sqrt{2}*\gamma(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) * f^2 / (b^2*d^4*x + b^2*c*d^3)$

mupad [B] time = 0.19, size = 136, normalized size = 0.91

$$\frac{\cos(b(c+dx)^2) (cf^2 - 2def)}{2bd^3} - \frac{f^2 x \cos(b(c+dx)^2)}{2bd^2} + \frac{\sqrt{2} f^2 \sqrt{\pi} C\left(\frac{\sqrt{2} \sqrt{b} (c+dx)}{\sqrt{\pi}}\right)}{4b^{3/2} d^3} + \frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} \sqrt{b} (c+dx)}{\sqrt{\pi}}\right)}{2bd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b*(c + d*x)^2)*(e + f*x)^2,x)`

[Out] $(\cos(b*(c + d*x)^2)*(c*f^2 - 2*d*e*f))/(2*b*d^3) - (f^2*x*\cos(b*(c + d*x)^2))/(2*b*d^2) + (2^{(1/2)}*f^2*\pi^{(1/2)}*\operatorname{fresnelc}((2^{(1/2)}*b^{(1/2)}*(c + d*x))/\pi^{(1/2)}))/(4*b^{(3/2)}*d^3) + (2^{(1/2)}*\pi^{(1/2)}*\operatorname{fresnels}((2^{(1/2)}*b^{(1/2)}*(c + d*x))/\pi^{(1/2)})*(c^2*f^2 + d^2*e^2 - 2*c*d*e*f))/(2*b^{(1/2)}*d^3)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin(bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**2*sin(b*(d*x+c)**2),x)`

[Out] `Integral((e + f*x)**2*sin(b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)`

3.155 $\int (e + fx) \sin(b(c + dx)^2) dx$

Optimal. Leaf size=69

$$\frac{\sqrt{\frac{\pi}{2}}(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^2} - \frac{f \cos(b(c + dx)^2)}{2bd^2}$$

[Out] $-1/2*f*\cos(b*(d*x+c)^2)/b/d^2+1/2*(-c*f+d*e)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^2/b^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 69, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3433, 3351, 3379, 2638}

$$\frac{\sqrt{\frac{\pi}{2}}(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^2} - \frac{f \cos(b(c + dx)^2)}{2bd^2}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[b*(c + d*x)^2], x]

[Out] $-(f*\text{Cos}[b*(c + d*x)^2])/(2*b*d^2) + ((d*e - c*f)*\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*(c + d*x)])/(\text{Sqrt}[b]*d^2)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3433


```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int (e + fx) \sin(b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin(bx^2) + fx \sin(bx^2)\right) dx, x, c + dx\right)}{d^2} \\
 &= \frac{f \text{Subst}\left(\int x \sin(bx^2) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin(bx^2) dx, x, c + dx\right)}{d^2} \\
 &= \frac{(de - cf) \sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right)}{\sqrt{b} d^2} + \frac{f \text{Subst}\left(\int \sin(bx) dx, x, (c + dx)^2\right)}{2d^2} \\
 &= -\frac{f \cos(b(c + dx)^2)}{2bd^2} + \frac{(de - cf) \sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right)}{\sqrt{b} d^2}
 \end{aligned}$$

Mathematica [A] time = 0.19, size = 66, normalized size = 0.96

$$\frac{\sqrt{2\pi} \sqrt{b} (de - cf) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right) - f \cos(b(c + dx)^2)}{2bd^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[b*(c + d*x)^2], x]

[Out] $(-(f \cos[b(c + d x)^2]) + \text{Sqrt}[b] * (d e - c f) * \text{Sqrt}[2 * \text{Pi}] * \text{FresnelS}[\text{Sqrt}[b] * \text{Sqrt}[2 / \text{Pi}] * (c + d x)]) / (2 * b * d^2)$

fricas [A] time = 0.63, size = 80, normalized size = 1.16

$$\frac{\sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} (de - cf) S\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}} (dx+c)}{d}\right) - df \cos(bd^2x^2 + 2bcdx + bc^2)}{2bd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(b*(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{2} \cdot (\sqrt{2} \cdot \pi \cdot \sqrt{b \cdot d^2 / \pi}) \cdot (d \cdot e - c \cdot f) \cdot \text{fresnel_sin}(\sqrt{2} \cdot \sqrt{b \cdot d^2 / \pi}) \cdot (d \cdot x + c) / d - d \cdot f \cdot \cos(b \cdot d^2 \cdot x^2 + 2 \cdot b \cdot c \cdot d \cdot x + b \cdot c^2) / (b \cdot d^3)$

giac [C] time = 0.93, size = 367, normalized size = 5.32

$$\frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b d^2} \left(\frac{i b d^2}{\sqrt{b^2 d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right) e}{4 \sqrt{b d^2} \left(\frac{i b d^2}{\sqrt{b^2 d^4}} + 1\right)} + \frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b d^2} \left(-\frac{i b d^2}{\sqrt{b^2 d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right) e}{4 \sqrt{b d^2} \left(-\frac{i b d^2}{\sqrt{b^2 d^4}} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(b*(d*x+c)^2),x, algorithm="giac")

[Out] $-1/4 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot \operatorname{erf}\left(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d^2} \cdot \left(I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right) \cdot \left(x + c/d\right)\right) \cdot e / \left(\sqrt{b \cdot d^2} \cdot \left(I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right)\right) + 1/4 \cdot I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot \operatorname{erf}\left(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d^2} \cdot \left(-I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right) \cdot \left(x + c/d\right)\right) \cdot e / \left(\sqrt{b \cdot d^2} \cdot \left(-I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right)\right) - 1/4 \cdot \left(-I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot c \cdot f \cdot \operatorname{erf}\left(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d^2} \cdot \left(I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right) \cdot \left(x + c/d\right)\right) / \left(\sqrt{b \cdot d^2} \cdot \left(I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right)\right) + f \cdot e^{\left(-I \cdot b \cdot d^2 \cdot x^2 - 2 \cdot I \cdot b \cdot c \cdot d \cdot x - I \cdot b \cdot c^2\right)} / (b \cdot d)\right) / d - 1/4 \cdot \left(I \cdot \sqrt{2} \cdot \sqrt{\pi} \cdot c \cdot f \cdot \operatorname{erf}\left(-1/2 \cdot \sqrt{2} \cdot \sqrt{b \cdot d^2} \cdot \left(-I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right) \cdot \left(x + c/d\right)\right) / \left(\sqrt{b \cdot d^2} \cdot \left(-I \cdot b \cdot d^2 / \sqrt{b^2 \cdot d^4} + 1\right)\right) + f \cdot e^{\left(I \cdot b \cdot d^2 \cdot x^2 + 2 \cdot I \cdot b \cdot c \cdot d \cdot x + I \cdot b \cdot c^2\right)} / (b \cdot d)\right) / d$

maple [B] time = 0.02, size = 120, normalized size = 1.74

$$\frac{f \cos\left(d^2 x^2 b + 2 c d x b + b c^2\right)}{2 d^2 b} - \frac{f c \sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2 d \sqrt{d^2 b}} + \frac{\sqrt{2} \sqrt{\pi} e S\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2 \sqrt{d^2 b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin((d*x+c)^2*b),x)

[Out] $-1/2 \cdot f / d^2 / b \cdot \cos(b \cdot d^2 \cdot x^2 + 2 \cdot b \cdot c \cdot d \cdot x + b \cdot c^2) - 1/2 \cdot f \cdot c / d \cdot 2^{(1/2)} \cdot \pi^{(1/2)} / (d^2 \cdot b)^{(1/2)} \cdot \text{FresnelS}\left(2^{(1/2)} / \pi^{(1/2)} / (d^2 \cdot b)^{(1/2)} \cdot (b \cdot d^2 \cdot x + b \cdot c \cdot d)\right) + 1/2 \cdot 2^{(1/2)} \cdot \pi^{(1/2)} / (d^2 \cdot b)^{(1/2)} \cdot e \cdot \text{FresnelS}\left(2^{(1/2)} / \pi^{(1/2)} / (d^2 \cdot b)^{(1/2)} \cdot (b \cdot d^2 \cdot x + b \cdot c \cdot d)\right)$

maxima [C] time = 0.86, size = 271, normalized size = 3.93

$$\frac{\sqrt{2} \sqrt{\pi} e \left((i+1) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{i b}}\right) + (i-1) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{-i b}}\right) \right)}{8 \sqrt{b} d} - \frac{\left(2 d x \left(e^{(i b d^2 x^2 + 2 i b c d x + i b c^2)} + e^{(-i b d^2 x^2 - 2 i b c d x - i b c^2)} \right) - \sqrt{b d^2 x} \right)}{8 \sqrt{b} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(b*(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{8}\sqrt{2}\sqrt{\pi}e((I+1)\operatorname{erf}(\frac{I*b*d*x+I*b*c}{\sqrt{I*b}})+ (I-1)\operatorname{erf}(\frac{I*b*d*x+I*b*c}{\sqrt{-I*b}}))/(\sqrt{b}*d) - \frac{1}{8}(2*d*x*(e^{I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2}) + e^{-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2}) - \sqrt{b*d^2*x^2+2*b*c*d*x+b*c^2}*(-(I+1)\sqrt{2}\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2})-1) + (I-1)\sqrt{2}\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2})-1))*c + 2*c*(e^{I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2}) + e^{-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2}))*f/(b*d^3*x + b*c*d^2)$

mupad [B] time = 0.11, size = 58, normalized size = 0.84

$$\frac{f \cos(b(c+dx)^2)}{2bd^2} - \frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} \sqrt{b}(c+dx)}{\sqrt{\pi}}\right) (cf - de)}{2\sqrt{b} d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*(c+d*x)^2)*(e+f*x),x)

[Out] $-(f*\cos(b*(c+d*x)^2))/(2*b*d^2) - (2^{(1/2)}*\pi^{(1/2)}*\operatorname{fresnels}((2^{(1/2)}*b^{(1/2)}*(c+d*x))/\pi^{(1/2)})*(c*f-d*e))/(2*b^{(1/2)}*d^2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin(bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(b*(d*x+c)**2),x)

[Out] Integral((e + f*x)*sin(b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)

3.156 $\int \sin(b(c + dx)^2) dx$

Optimal. Leaf size=39

$$\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

[Out] 1/2*FresnelS((d*x+c)*b^(1/2)*2^(1/2)/Pi^(1/2))*2^(1/2)*Pi^(1/2)/d/b^(1/2)

Rubi [A] time = 0.01, antiderivative size = 39, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {3351}

$$\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

Antiderivative was successfully verified.

[In] Int[Sin[b*(c + d*x)^2], x]

[Out] (Sqrt[Pi/2]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)])/(Sqrt[b]*d)

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\int \sin(b(c + dx)^2) dx = \frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

Mathematica [A] time = 0.02, size = 39, normalized size = 1.00

$$\frac{\sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[b*(c + d*x)^2], x]

[Out] $(\sqrt{\pi/2} \text{FresnelS}[\sqrt{b} \sqrt{2/\pi} (c + d*x)]) / (\sqrt{b} * d)$

fricas [A] time = 0.74, size = 45, normalized size = 1.15

$$\frac{\sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} S\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}} (dx+c)}{d}\right)}{2bd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/2 * \sqrt{2} * \pi * \sqrt{b*d^2/\pi} * \text{fresnel_sin}(\sqrt{2} * \sqrt{b*d^2/\pi} * (d*x + c) / d) / (b*d^2)$

giac [C] time = 0.90, size = 143, normalized size = 3.67

$$\frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right)}{4 \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)} + \frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right)}{4 \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*(d*x+c)^2),x, algorithm="giac")`

[Out] $-1/4 * I * \sqrt{2} * \sqrt{\pi} * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{b*d^2} * (I * b*d^2 / \sqrt{b^2*d^4} + 1) * (x + c/d)) / (\sqrt{b*d^2} * (I * b*d^2 / \sqrt{b^2*d^4} + 1)) + 1/4 * I * \sqrt{2} * \sqrt{\pi} * \operatorname{erf}(-1/2 * \sqrt{2} * \sqrt{b*d^2} * (-I * b*d^2 / \sqrt{b^2*d^4} + 1) * (x + c/d)) / (\sqrt{b*d^2} * (-I * b*d^2 / \sqrt{b^2*d^4} + 1))$

maple [A] time = 0.02, size = 42, normalized size = 1.08

$$\frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} (b d^2 x + bcd)}{\sqrt{\pi} \sqrt{d^2 b}}\right)}{2\sqrt{d^2 b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin((d*x+c)^2*b),x)`

[Out] $1/2 * 2^{(1/2)} * \pi^{(1/2)} / (d^2 * b)^{(1/2)} * \text{FresnelS}(2^{(1/2)} / \pi^{(1/2)} / (d^2 * b)^{(1/2)} * (b*d^2*x + b*c*d))$

maxima [C] time = 0.37, size = 53, normalized size = 1.36

$$\frac{\sqrt{2} \sqrt{\pi} \left((i+1) \operatorname{erf}\left(\frac{ibdx+ibc}{\sqrt{ib}}\right) + (i-1) \operatorname{erf}\left(\frac{ibdx+ibc}{\sqrt{-ib}}\right) \right)}{8 \sqrt{b} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2),x, algorithm="maxima")

[Out] $\frac{1}{8}\sqrt{2}\sqrt{\pi}\left((I+1)\operatorname{erf}\left(\frac{I*b*d*x+I*b*c}{\sqrt{I*b}}\right)+(I-1)\operatorname{erf}\left(\frac{I*b*d*x+I*b*c}{\sqrt{-I*b}}\right)\right)/(\sqrt{b}*d)$

mupad [B] time = 0.08, size = 41, normalized size = 1.05

$$\frac{\sqrt{2} \sqrt{\pi} S\left(\frac{\sqrt{2} b d \sqrt{\frac{1}{b d^2}} (c+d x)}{\sqrt{\pi}}\right) \sqrt{\frac{1}{b d^2}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*(c + d*x)^2),x)

[Out] $(2^{(1/2)}*\pi^{(1/2)}*\operatorname{fresnels}((2^{(1/2)}*b*d*(1/(b*d^2))^{(1/2)}*(c + d*x))/\pi^{(1/2)})*(1/(b*d^2))^{(1/2)})/2$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(b(c + dx)^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)**2),x)

[Out] Integral(sin(b*(c + d*x)**2), x)

$$3.157 \quad \int \frac{\sin(b(c+dx)^2)}{e+fx} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sin(b(c+dx)^2)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(b*(d*x+c)^2)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(b(c+dx)^2)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[b*(c + d*x)^2]/(e + f*x), x]

[Out] Defer[Int][Sin[b*(c + d*x)^2]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin(b(c+dx)^2)}{e+fx} dx = \int \frac{\sin(b(c+dx)^2)}{e+fx} dx$$

Mathematica [A] time = 5.32, size = 0, normalized size = 0.00

$$\int \frac{\sin(b(c+dx)^2)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[b*(c + d*x)^2]/(e + f*x), x]

[Out] Integrate[Sin[b*(c + d*x)^2]/(e + f*x), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin(bd^2x^2 + 2bcdx + bc^2)}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin(b*d^2*x^2 + 2*b*c*d*x + b*c^2)/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^2*b)/(f*x + e), x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((d*x+c)^2*b)/(f*x+e),x)

[Out] int(sin((d*x+c)^2*b)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^2*b)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin(b(c+dx)^2)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b*(c + d*x)^2)/(e + f*x),x)

[Out] `int(sin(b*(c + d*x)^2)/(e + f*x), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bc^2 + 2bcdx + bd^2x^2)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*(d*x+c)**2)/(f*x+e), x)`

[Out] `Integral(sin(b*c**2 + 2*b*c*d*x + b*d**2*x**2)/(e + f*x), x)`

$$3.158 \quad \int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{\sin(b(c+dx)^2)}{(e+fx)^2}, x \right)$$

[Out] Unintegrable(sin(b*(d*x+c)^2)/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[b*(c + d*x)^2]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[b*(c + d*x)^2]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx = \int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$$

Mathematica [A] time = 10.01, size = 0, normalized size = 0.00

$$\int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[b*(c + d*x)^2]/(e + f*x)^2,x]

[Out] Integrate[Sin[b*(c + d*x)^2]/(e + f*x)^2, x]

fricas [A] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin(bd^2x^2 + 2bcdx + bc^2)}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin(b*d^2*x^2 + 2*b*c*d*x + b*c^2)/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin((d*x + c)^2*b)/(f*x + e)^2, x)

maple [A] time = 0.28, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin((d*x+c)^2*b)/(f*x+e)^2,x)

[Out] int(sin((d*x+c)^2*b)/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^2*b)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin(b(c+dx)^2)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b*(c + d*x)^2)/(e + f*x)^2,x)`

[Out] `int(sin(b*(c + d*x)^2)/(e + f*x)^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(bc^2 + 2bcdx + bd^2x^2)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b*(d*x+c)**2)/(f*x+e)**2,x)`

[Out] `Integral(sin(b*c**2 + 2*b*c*d*x + b*d**2*x**2)/(e + f*x)**2, x)`

$$3.159 \quad \int (e + fx)^3 \sin\left(\frac{b}{(c+dx)^2}\right) dx$$

Optimal. Leaf size=337

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 (de - cf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^4} + \frac{b^2 f^3 \text{Si}\left(\frac{b}{(c+dx)^2}\right)}{4d^4} - \frac{3bf(de - cf)^2 \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{2d^4} + \frac{f^2 (c + dx)^3 (de - cf) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^4}$$

[Out] $-3/2*b*f*(-c*f+d*e)^2*Ci(b/(d*x+c)^2)/d^4+2*b*f^2*(-c*f+d*e)*(d*x+c)*cos(b/(d*x+c)^2)/d^4+1/4*b*f^3*(d*x+c)^2*cos(b/(d*x+c)^2)/d^4+1/4*b^2*f^3*Si(b/(d*x+c)^2)/d^4+(-c*f+d*e)^3*(d*x+c)*sin(b/(d*x+c)^2)/d^4+3/2*f*(-c*f+d*e)^2*(d*x+c)^2*sin(b/(d*x+c)^2)/d^4+f^2*(-c*f+d*e)*(d*x+c)^3*sin(b/(d*x+c)^2)/d^4+1/4*f^3*(d*x+c)^4*sin(b/(d*x+c)^2)/d^4+2*b^(3/2)*f^2*(-c*f+d*e)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*2^(1/2)*Pi^(1/2)/d^4-(-c*f+d*e)^3*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*Pi^(1/2)/d^4$

Rubi [A] time = 0.42, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {3433, 3359, 3387, 3352, 3379, 3297, 3302, 3409, 3388, 3351, 3299}

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 (de - cf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^4} + \frac{b^2 f^3 \text{Si}\left(\frac{b}{(c+dx)^2}\right)}{4d^4} - \frac{3bf(de - cf)^2 \text{CosIntegral}\left(\frac{b}{(c+dx)^2}\right)}{2d^4} + \frac{f^2 (c + dx)^3 (de - cf) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^4}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^3*Sin[b/(c + d*x)^2], x]

[Out] $(2*b*f^2*(d*e - c*f)*(c + d*x)*Cos[b/(c + d*x)^2])/d^4 + (b*f^3*(c + d*x)^2 *Cos[b/(c + d*x)^2])/(4*d^4) - (3*b*f*(d*e - c*f)^2 *CosIntegral[b/(c + d*x)^2])/(2*d^4) - (Sqrt[b]*(d*e - c*f)^3 *Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]) /d^4 + (2*b^(3/2)*f^2*(d*e - c*f)*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]) /d^4 + ((d*e - c*f)^3*(c + d*x)*Sin[b/(c + d*x)^2]) /d^4 + (3*f*(d*e - c*f)^2*(c + d*x)^2 *Sin[b/(c + d*x)^2]) /d^4 + (f^2*(d*e - c*f)*(c + d*x)^3 *Sin[b/(c + d*x)^2]) /d^4 + (f^3*(c + d*x)^4 *Sin[b/(c + d*x)^2]) /d^4 + (b^2*f^3 *SinIntegral[b/(c + d*x)^2]) /d^4$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))n])p, x_Symbol] := -Dist[f-1, Subst[Int[(a + b*SIN[c + d/xn])p/x2, x], x, 1/(e + f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3379

```
Int[(x_)m*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)n])p, x_Symbol] := Dist[1/n, Subst[Int[x(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])p, x], x, xn], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_.)*(x_))m*Sin[(c_.) + (d_.)*(x_)n], x_Symbol] := Simp[((e*x)m + 1*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1)), Int[(e*x)m + n*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_)^(m_)), x_Symbol] := Simp[((e*x)^(m + 1)*Cos[c + d*x^n]/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3409

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := -Subst[Int[(a + b*Sin[c + d/x^n])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^3 \sin\left(\frac{b}{(c + dx)^2}\right) dx &= \frac{\text{Subst}\left(\int \left(d^3 e^3 \left(1 - \frac{cf(3d^2 e^2 - 3cdef + c^2 f^2)}{d^3 e^3}\right) \sin\left(\frac{b}{x^2}\right) + 3d^2 e^2 f \left(1 + \frac{cf(-2de + cf)}{d^2 e^2}\right) x \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^4} \\
&= \frac{f^3 \text{Subst}\left(\int x^3 \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^4} + \frac{(3f^2(de - cf)) \text{Subst}\left(\int x^2 \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^4} \\
&= -\frac{f^3 \text{Subst}\left(\int \frac{\sin(bx)}{x^3} dx, x, \frac{1}{(c+dx)^2}\right)}{2d^4} - \frac{(3f^2(de - cf)) \text{Subst}\left(\int \frac{\sin(bx^2)}{x^4} dx, x, \frac{1}{c+dx}\right)}{d^4} \\
&= \frac{(de - cf)^3(c + dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^4} + \frac{3f(de - cf)^2(c + dx)^2 \sin\left(\frac{b}{(c+dx)^2}\right)}{2d^4} + \frac{f^2(de - cf)(c + dx)^3 \sin\left(\frac{b}{(c+dx)^2}\right)}{d^4} \\
&= \frac{2bf^2(de - cf)(c + dx) \cos\left(\frac{b}{(c+dx)^2}\right)}{d^4} + \frac{bf^3(c + dx)^2 \cos\left(\frac{b}{(c+dx)^2}\right)}{4d^4} - \frac{3bf(de - cf)(c + dx)^3 \cos\left(\frac{b}{(c+dx)^2}\right)}{2d^4} \\
&= \frac{2bf^2(de - cf)(c + dx) \cos\left(\frac{b}{(c+dx)^2}\right)}{d^4} + \frac{bf^3(c + dx)^2 \cos\left(\frac{b}{(c+dx)^2}\right)}{4d^4} - \frac{3bf(de - cf)(c + dx)^3 \cos\left(\frac{b}{(c+dx)^2}\right)}{2d^4}
\end{aligned}$$

Mathematica [A] time = 0.93, size = 440, normalized size = 1.31

$$8\sqrt{2\pi} b^{3/2} d e f^2 S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right) - 8\sqrt{2\pi} b^{3/2} c f^3 S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right) + b^2 f^3 \text{Si}\left(\frac{b}{(c+dx)^2}\right) + c^4 (-f^3) \sin\left(\frac{b}{(c+dx)^2}\right) + 4c^3 d e f^2 \sin\left(\frac{b}{(c+dx)^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^3*Sin[b/(c + d*x)^2], x]

[Out] (8*b*c*d*e*f^2*Cos[b/(c + d*x)^2] - 7*b*c^2*f^3*Cos[b/(c + d*x)^2] + 8*b*d^2*e*f^2*x*Cos[b/(c + d*x)^2] - 6*b*c*d*f^3*x*Cos[b/(c + d*x)^2] + b*d^2*f^3*x^2*Cos[b/(c + d*x)^2] - 6*b*f*(d*e - c*f)^2*CosIntegral[b/(c + d*x)^2] - 4*Sqrt[b]*(d*e - c*f)^3*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)] + 8*b^(3/2)*d*e*f^2*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)] - 8*b^(3/2)*c*f^3*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)] + 4*c*d^3*e^3*Sin[b/(c + d*x)^2] - 6*c^2*d^2*e^2*f*Sin[b/(c + d*x)^2] + 4*c^3*d*e*f^2*Sin[b/(c + d*x)^2] - c^4*f^3*Sin[b/(c + d*x)^2] + 4*d^4*e^3*x*Sin[b/(c + d*x)^2] + 6*d^4*e^2*f*x^2*Sin[b/(c + d*x)^2] + 4*d^4*e*f^2*x^3*Sin[b/(c + d*x)^2] + d^4*f^3*x^4*Sin[b/(c + d*x)^2] + b^2*f^3*SinIntegral[b/(c + d*x)^2])/(4*d^4)

fricas [A] time = 0.75, size = 449, normalized size = 1.33

$$b^2 f^3 \operatorname{Si}\left(\frac{b}{d^2 x^2 + 2cdx + c^2}\right) - 4\sqrt{2}\pi(d^4 e^3 - 3cd^3 e^2 f + 3c^2 d^2 e f^2 - c^3 d f^3) \sqrt{\frac{b}{\pi d^2}} \operatorname{C}\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) + 8\sqrt{2}\pi(bd^2 e f^2 - bcd^2 e^2 f + b^2 d^2 e^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(b/(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4}*(b^2*f^3*\sin_integral(b/(d^2*x^2 + 2*c*d*x + c^2)) - 4*\sqrt{2}*\pi*(d^4*e^3 - 3*c*d^3*e^2*f + 3*c^2*d^2*e*f^2 - c^3*d*f^3)*\sqrt{b/(\pi*d^2)}*\operatorname{fresnel_cos}(\sqrt{2}*d*\sqrt{b/(\pi*d^2)})/(d*x + c)) + 8*\sqrt{2}*\pi*(b*d^2*e*f^2 - b*c*d*f^3)*\sqrt{b/(\pi*d^2)}*\operatorname{fresnel_sin}(\sqrt{2}*d*\sqrt{b/(\pi*d^2)})/(d*x + c)) + (b*d^2*f^3*x^2 + 8*b*c*d*e*f^2 - 7*b*c^2*f^3 + 2*(4*b*d^2*e*f^2 - 3*b*c*d*f^3)*x)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)) - 3*(b*d^2*e^2*f - 2*b*c*d*e*f^2 + b*c^2*f^3)*\cos_integral(b/(d^2*x^2 + 2*c*d*x + c^2)) - 3*(b*d^2*e^2*f - 2*b*c*d*e*f^2 + b*c^2*f^3)*\cos_integral(-b/(d^2*x^2 + 2*c*d*x + c^2)) + (d^4*f^3*x^4 + 4*d^4*e*f^2*x^3 + 6*d^4*e^2*f*x^2 + 4*d^4*e^3*x + 4*c*d^3*e^3 - 6*c^2*d^2*e^2*f + 4*c^3*d*e*f^2 - c^4*f^3)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)))/d^4$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^3 \sin\left(\frac{b}{(dx + c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(b/(d*x+c)^2),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin(b/(d*x + c)^2), x)

maple [A] time = 0.03, size = 365, normalized size = 1.08

$$-\left(c^3 f^3 - 3c^2 d e f^2 + 3c d^2 e^2 f - d^3 e^3\right) (dx + c) \sin\left(\frac{b}{(dx+c)^2}\right) + \left(c^3 f^3 - 3c^2 d e f^2 + 3c d^2 e^2 f - d^3 e^3\right) \sqrt{b} \sqrt{2} \sqrt{\pi} \operatorname{Ei}\left(\frac{\sqrt{2}d\sqrt{b}}{dx+c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(b/(d*x+c)^2),x)

```
[Out] 1/d^4*(-(c^3*f^3-3*c^2*d*e*f^2+3*c*d^2*e^2*f-d^3*e^3)*(d*x+c)*sin(b/(d*x+c)^2)+(c^3*f^3-3*c^2*d*e*f^2+3*c*d^2*e^2*f-d^3*e^3)*b^(1/2)*2^(1/2)*Pi^(1/2)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))-1/2*(-3*c^2*f^3+6*c*d*e*f^2-3*d^2*e^2*f)*(d*x+c)^2*sin(b/(d*x+c)^2)+1/2*(-3*c^2*f^3+6*c*d*e*f^2-3*d^2*e^2*f)*b*Ci(b/(d*x+c)^2)-1/3*(3*c*f^3-3*d*e*f^2)*(d*x+c)^3*sin(b/(d*x+c)^2)+2/3*(3*c*f^3-3*d*e*f^2)*b*(-(d*x+c)*cos(b/(d*x+c)^2)-b^(1/2)*2^(1/2)*Pi^(1/2)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c)))+1/4*f^3*(d*x+c)^4*sin(b/(d*x+c)^2)-1/2*f^3*b*(-1/2*(d*x+c)^2*cos(b/(d*x+c)^2)-1/2*b*Si(b/(d*x+c)^2)))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\left(\frac{4c^3ef^2 \sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{d^3} - \frac{3c^4f^3 \sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{d^4} - 2 \int -\frac{2(3(bd^3e^2f-2bcd^2ef^2+bc^2df^3)x^2+2(bd^3e^3-3bc^2def^2+2bc^3f^3)x) \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{2(d^5x^3+3cd^4x^2+3c^2d^4x+c^3d^3)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^3*sin(b/(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] -1/4*(4*d^3*integrate(1/4*((4*b*c^3*d*e*f^2 - 3*b*c^4*f^3 - 6*(b*d^4*e^2*f - 2*b*c*d^3*e*f^2 + b*c^2*d^2*f^3)*x)^2 - 4*(b*d^4*e^3 - 3*b*c^2*d^2*e*f^2 + 2*b*c^3*d*f^3)*x)*cos(b/(d^2*x^2 + 2*c*d*x + c^2)) + (b^2*d^2*f^3*x^2 + 2*(4*b^2*d^2*e*f^2 - 3*b^2*c*d*f^3)*x)*sin(b/(d^2*x^2 + 2*c*d*x + c^2)))/(d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3), x) + 4*d^3*integrate(1/4*((4*b*c^3*d*e*f^2 - 3*b*c^4*f^3 - 6*(b*d^4*e^2*f - 2*b*c*d^3*e*f^2 + b*c^2*d^2*f^3)*x)^2 - 4*(b*d^4*e^3 - 3*b*c^2*d^2*e*f^2 + 2*b*c^3*d*f^3)*x)*cos(b/(d^2*x^2 + 2*c*d*x + c^2)) + (b^2*d^2*f^3*x^2 + 2*(4*b^2*d^2*e*f^2 - 3*b^2*c*d*f^3)*x)*sin(b/(d^2*x^2 + 2*c*d*x + c^2)))/((d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)*cos(b/(d^2*x^2 + 2*c*d*x + c^2))^2 + (d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)*sin(b/(d^2*x^2 + 2*c*d*x + c^2))^2), x) - (b*d*f^3*x^2 + 2*(4*b*d*e*f^2 - 3*b*c*f^3)*x)*cos(b/(d^2*x^2 + 2*c*d*x + c^2)) - (d^3*f^3*x^4 + 4*d^3*e*f^2*x^3 + 6*d^3*e^2*f*x^2 + 4*d^3*e^3*x)*sin(b/(d^2*x^2 + 2*c*d*x + c^2))/d^3
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(\frac{b}{(c+dx)^2}\right) (e+fx)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(b/(c+d*x)^2)*(e+f*x)^3,x)
```

```
[Out] int(sin(b/(c+d*x)^2)*(e+f*x)^3, x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**3*sin(b/(d*x+c)**2),x)

[Out] Timed out

$$3.160 \quad \int (e + fx)^2 \sin\left(\frac{b}{(c+dx)^2}\right) dx$$

Optimal. Leaf size=233

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{3d^3} - \frac{bf(de - cf) \operatorname{Ci}\left(\frac{b}{(c+dx)^2}\right)}{d^3} - \frac{\sqrt{2\pi} \sqrt{b} (de - cf)^2 C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^3} + \frac{f(c + dx)^2 (de - cf) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^3}$$

[Out] $-b*f*(-c*f+d*e)*\operatorname{Ci}(b/(d*x+c)^2)/d^3+2/3*b*f^2*(d*x+c)*\cos(b/(d*x+c)^2)/d^3+(-c*f+d*e)^2*(d*x+c)*\sin(b/(d*x+c)^2)/d^3+f*(-c*f+d*e)*(d*x+c)^2*\sin(b/(d*x+c)^2)/d^3+1/3*f^2*(d*x+c)^3*\sin(b/(d*x+c)^2)/d^3+2/3*b^{(3/2)}*f^2*\operatorname{FresnelS}(b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)/(d*x+c)})^2^{(1/2)}*\pi^{(1/2)}/d^3-(-c*f+d*e)^2*\operatorname{FresnelC}(b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)/(d*x+c)})*b^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}/d^3$

Rubi [A] time = 0.25, antiderivative size = 233, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 10, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.556$, Rules used = {3433, 3359, 3387, 3352, 3379, 3297, 3302, 3409, 3388, 3351}

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{3d^3} - \frac{bf(de - cf) \operatorname{CosIntegral}\left(\frac{b}{(c+dx)^2}\right)}{d^3} - \frac{\sqrt{2\pi} \sqrt{b} (de - cf)^2 \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{c+dx}\right)}{d^3} + \frac{f(c + dx)^2 (de - cf) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^2*\operatorname{Sin}[b/(c + d*x)^2], x]$

[Out] $(2*b*f^2*(c + d*x)*\operatorname{Cos}[b/(c + d*x)^2])/(3*d^3) - (b*f*(d*e - c*f)*\operatorname{CosIntegral}[b/(c + d*x)^2])/d^3 - (\operatorname{Sqrt}[b]*(d*e - c*f)^2*\operatorname{Sqrt}[2*\pi]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\pi])/(c + d*x)])/d^3 + (2*b^{(3/2)}*f^2*\operatorname{Sqrt}[2*\pi]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\pi])/(c + d*x)])/d^3 + ((d*e - c*f)^2*(c + d*x)*\operatorname{Sin}[b/(c + d*x)^2])/d^3 + (f*(d*e - c*f)*(c + d*x)^2*\operatorname{Sin}[b/(c + d*x)^2])/d^3 + (f^2*(c + d*x)^3*\operatorname{Sin}[b/(c + d*x)^2])/d^3$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3302

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*(e - \pi/2) -$

c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3359

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))ⁿ])^p, x_Symbol] := -Dist[f⁻¹, Subst[Int[(a + b*Sin[c + d/xⁿ])^p/x², x], x, 1/(e + f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]

Rule 3379

Int[(x_)^m*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)ⁿ])^p, x_Symbol] := Dist[1/n, Subst[Int[x^{(Simplify[(m + 1)/n] - 1)}*(a + b*Sin[c + d*x])^p, x], x, xⁿ], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3387

Int[((e_.)*(x_))^m*Sin[(c_.) + (d_.)*(x_)ⁿ], x_Symbol] := Simp[((e*x)^{m + 1}*Sin[c + d*xⁿ]/(e*(m + 1)), x] - Dist[(d*n)/(eⁿ*(m + 1)), Int[(e*x)^{m + n}*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3388

Int[Cos[(c_.) + (d_.)*(x_)ⁿ]*((e_.)*(x_))^m, x_Symbol] := Simp[((e*x)^{m + 1}*Cos[c + d*xⁿ]/(e*(m + 1)), x] + Dist[(d*n)/(eⁿ*(m + 1)), Int[(e*x)^{m + n}*Sin[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3409

Int[(x_)^m*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)ⁿ])^p, x_Symbol] := -Subst[Int[(a + b*Sin[c + d/xⁿ])^p/x^{m + 2}, x], x, 1/x] /; FreeQ[{a

, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int (e + fx)^2 \sin\left(\frac{b}{(c + dx)^2}\right) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de + cf)}{d^2 e^2}\right) \sin\left(\frac{b}{x^2}\right) + 2def \left(1 - \frac{cf}{de}\right) x \sin\left(\frac{b}{x^2}\right) + f^2 x^2 \sin\left(\frac{b}{x^2}\right)\right) dx, x, c + dx}{d^3} \\
 &= \frac{f^2 \text{Subst}\left(\int x^2 \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^3} \\
 &= -\frac{f^2 \text{Subst}\left(\int \frac{\sin(bx^2)}{x^4} dx, x, \frac{1}{c + dx}\right)}{d^3} - \frac{(f(de - cf)) \text{Subst}\left(\int \frac{\sin(bx)}{x^2} dx, x, \frac{1}{(c + dx)^2}\right)}{d^3} \\
 &= \frac{(de - cf)^2 (c + dx) \sin\left(\frac{b}{(c + dx)^2}\right)}{d^3} + \frac{f(de - cf)(c + dx)^2 \sin\left(\frac{b}{(c + dx)^2}\right)}{d^3} + \frac{f^2 (c + dx) \cos\left(\frac{b}{(c + dx)^2}\right)}{3d^3} \\
 &= \frac{2bf^2 (c + dx) \cos\left(\frac{b}{(c + dx)^2}\right)}{3d^3} - \frac{bf(de - cf) \text{Ci}\left(\frac{b}{(c + dx)^2}\right)}{d^3} - \frac{\sqrt{b} (de - cf)^2 \sqrt{2\pi} C\left(\frac{\sqrt{b}}{c + dx}\right)}{d^3} \\
 &= \frac{2bf^2 (c + dx) \cos\left(\frac{b}{(c + dx)^2}\right)}{3d^3} - \frac{bf(de - cf) \text{Ci}\left(\frac{b}{(c + dx)^2}\right)}{d^3} - \frac{\sqrt{b} (de - cf)^2 \sqrt{2\pi} C\left(\frac{\sqrt{b}}{c + dx}\right)}{d^3}
 \end{aligned}$$

Mathematica [A] time = 0.51, size = 265, normalized size = 1.14

$$2\sqrt{2\pi} b^{3/2} f^2 S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c + dx}\right) + c^3 f^2 \sin\left(\frac{b}{(c + dx)^2}\right) - 3c^2 def \sin\left(\frac{b}{(c + dx)^2}\right) + 3bf(cf - de) \text{Ci}\left(\frac{b}{(c + dx)^2}\right) + 3d^3 e^2 x \sin\left(\frac{b}{(c + dx)^2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[b/(c + d*x)^2],x]

[Out] $(2*b*c*f^2*\text{Cos}[b/(c + d*x)^2] + 2*b*d*f^2*x*\text{Cos}[b/(c + d*x)^2] + 3*b*f*(-(d*e) + c*f)*\text{CosIntegral}[b/(c + d*x)^2] - 3*\text{Sqrt}[b]*(d*e - c*f)^2*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi])/(c + d*x)] + 2*b^{(3/2)}*f^2*\text{Sqrt}[2*Pi]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi])/(c + d*x)] + 3*c*d^2*e^2*\text{Sin}[b/(c + d*x)^2] - 3*c^2*d*e*f*\text{Sin}[b/(c + d*x)^2] + c^3*f^2*\text{Sin}[b/(c + d*x)^2] + 3*d^3*e^2*x*\text{Sin}[b/(c + d*x)^2] + 3*d^3*e*f*x^2*\text{Sin}[b/(c + d*x)^2] + d^3*f^2*x^3*\text{Sin}[b/(c + d*x)^2])/(3*d^3)$

fricas [A] time = 0.81, size = 300, normalized size = 1.29

$$4\sqrt{2}\pi bdf^2\sqrt{\frac{b}{\pi d^2}}S\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) - 6\sqrt{2}\pi(d^3e^2 - 2cd^2ef + c^2df^2)\sqrt{\frac{b}{\pi d^2}}C\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) + 4(bdf^2x + bcf^2)\cos\left(\frac{b}{(dx+c)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(b/(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/6*(4*\text{sqrt}(2)*\pi*b*d*f^2*\text{sqrt}(b/(\pi*d^2))*\text{fresnel_sin}(\text{sqrt}(2)*d*\text{sqrt}(b/(\pi*d^2)))/(d*x + c) - 6*\text{sqrt}(2)*\pi*(d^3*e^2 - 2*c*d^2*e*f + c^2*d*f^2)*\text{sqrt}(b/(\pi*d^2))*\text{fresnel_cos}(\text{sqrt}(2)*d*\text{sqrt}(b/(\pi*d^2)))/(d*x + c) + 4*(b*d*f^2*x + b*c*f^2)*\text{cos}(b/(d^2*x^2 + 2*c*d*x + c^2)) - 3*(b*d*e*f - b*c*f^2)*\text{cos_integral}(b/(d^2*x^2 + 2*c*d*x + c^2)) - 3*(b*d*e*f - b*c*f^2)*\text{cos_integral}(-b/(d^2*x^2 + 2*c*d*x + c^2)) + 2*(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*\text{sin}(b/(d^2*x^2 + 2*c*d*x + c^2)))/d^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(\frac{b}{(dx + c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(b/(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((f*x + e)^2*sin(b/(d*x + c)^2), x)`

maple [A] time = 0.03, size = 225, normalized size = 0.97

$$-(c^2f^2 - 2cdef + d^2e^2)(dx + c)\sin\left(\frac{b}{(dx+c)^2}\right) + (c^2f^2 - 2cdef + d^2e^2)\sqrt{b}\sqrt{2}\sqrt{\pi}\text{FresnelC}\left(\frac{\sqrt{b}\sqrt{2}}{\sqrt{\pi}(dx+c)}\right) - \frac{(-2)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(b/(d*x+c)^2),x)

[Out] $-1/d^3*(-(c^2*f^2-2*c*d*e*f+d^2*e^2)*(d*x+c)*\sin(b/(d*x+c)^2)+(c^2*f^2-2*c*d*e*f+d^2*e^2)*b^{(1/2)}*2^{(1/2)}*\Pi^{(1/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\Pi^{(1/2)}/(d*x+c))-1/2*(-2*c*f^2+2*d*e*f)*(d*x+c)^2*\sin(b/(d*x+c)^2)+1/2*(-2*c*f^2+2*d*e*f)*b*\text{Ci}(b/(d*x+c)^2)-1/3*f^2*(d*x+c)^3*\sin(b/(d*x+c)^2)+2/3*f^2*b*(-(d*x+c)*\cos(b/(d*x+c)^2)-b^{(1/2)}*2^{(1/2)}*\Pi^{(1/2)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\Pi^{(1/2)}/(d*x+c))))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$2bf^2x \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right) + \frac{\left(\frac{c^3f^2 \sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{d^3} - 2 \int \frac{2b^2f^2x \sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right) - 3((bd^2ef-bcdf^2)x^2+(bd^2e^2-bc^2f^2)x) \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{2(d^4x^3+3cd^3x^2+3c^2d^2x+c^3d)} dx\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(b/(d*x+c)^2),x, algorithm="maxima")

[Out] $1/3*(2*b*f^2*x*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)) - 3*d^2*\integrate(1/3*(2*b^2*d*f^2*x*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)) + (b*c^3*f^2 - 3*(b*d^3*e*f - b*c*d^2*f^2))*x^2 - 3*(b*d^3*e^2 - b*c^2*d*f^2)*x)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)))/(d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2), x) - 3*d^2*\integrate(1/3*(2*b^2*d*f^2*x*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)) + (b*c^3*f^2 - 3*(b*d^3*e*f - b*c*d^2*f^2))*x^2 - 3*(b*d^3*e^2 - b*c^2*d*f^2)*x)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)))/((d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)))^2 + (d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2))^2), x) + (d^2*f^2*x^3 + 3*d^2*e*f*x^2 + 3*d^2*e^2*x)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2))/d^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(\frac{b}{(c+dx)^2}\right) (e+fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(c + d*x)^2)*(e + f*x)^2,x)

[Out] int(sin(b/(c + d*x)^2)*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e+fx)^2 \sin\left(\frac{b}{c^2+2cdx+d^2x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*sin(b/(d*x+c)**2),x)
```

```
[Out] Integral((e + f*x)**2*sin(b/(c**2 + 2*c*d*x + d**2*x**2)), x)
```

3.161 $\int (e + fx) \sin\left(\frac{b}{(c+dx)^2}\right) dx$

Optimal. Leaf size=120

$$\frac{bf\text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{\sqrt{2\pi}\sqrt{b}(de - cf)\text{C}\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^2} + \frac{(c+dx)(de - cf)\sin\left(\frac{b}{(c+dx)^2}\right)}{d^2} + \frac{f(c+dx)^2\sin\left(\frac{b}{(c+dx)^2}\right)}{2d^2}$$

[Out] $-1/2*b*f*Ci(b/(d*x+c)^2)/d^2+(-c*f+d*e)*(d*x+c)*sin(b/(d*x+c)^2)/d^2+1/2*f*(d*x+c)^2*sin(b/(d*x+c)^2)/d^2-(-c*f+d*e)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*Pi^(1/2)/d^2$

Rubi [A] time = 0.13, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.438$, Rules used = {3433, 3359, 3387, 3352, 3379, 3297, 3302}

$$\frac{bf\text{CosIntegral}\left(\frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{\sqrt{2\pi}\sqrt{b}(de - cf)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}}{c+dx}\right)}{d^2} + \frac{(c+dx)(de - cf)\sin\left(\frac{b}{(c+dx)^2}\right)}{d^2} + \frac{f(c+dx)^2\sin\left(\frac{b}{(c+dx)^2}\right)}{2d^2}$$

Antiderivative was successfully verified.

[In] `Int[(e + f*x)*Sin[b/(c + d*x)^2], x]`

[Out] $-(b*f*\text{CosIntegral}[b/(c + d*x)^2])/(2*d^2) - (\text{Sqrt}[b]*(d*e - c*f)*\text{Sqrt}[2*Pi]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi])/(c + d*x)])/d^2 + ((d*e - c*f)*(c + d*x)*\text{Sin}[b/(c + d*x)^2])/d^2 + (f*(c + d*x)^2*\text{Sin}[b/(c + d*x)^2])/(2*d^2)$

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3352

```
Int[Cos[(d_.)*(e_.) + (f_.)*(x_)]^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)]^(n_))]^(p_.), x_Symbol] := -Dist[f^(-1), Subst[Int[(a + b*Sin[c + d/x^n])^p/x^2, x], x, 1/(e + f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)]^(n_))]^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin\left(\frac{b}{(c + dx)^2}\right) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin\left(\frac{b}{x^2}\right) + fx \sin\left(\frac{b}{x^2}\right)\right) dx, x, c + dx\right)}{d^2} \\
&= \frac{f \text{Subst}\left(\int x \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin\left(\frac{b}{x^2}\right) dx, x, c + dx\right)}{d^2} \\
&= -\frac{f \text{Subst}\left(\int \frac{\sin(bx)}{x^2} dx, x, \frac{1}{(c+dx)^2}\right)}{2d^2} - \frac{(de - cf) \text{Subst}\left(\int \frac{\sin(bx^2)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d^2} \\
&= \frac{(de - cf)(c + dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^2} + \frac{f(c + dx)^2 \sin\left(\frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{(bf) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, \frac{1}{c+dx}\right)}{2d^2} \\
&= -\frac{bf \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{\sqrt{b}(de - cf)\sqrt{2\pi} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^2} + \frac{(de - cf)(c + dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.29, size = 95, normalized size = 0.79

$$\frac{bf \text{Ci}\left(\frac{b}{(c+dx)^2}\right) + 2\sqrt{2\pi} \sqrt{b}(de - cf) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right) + (c + dx) \sin\left(\frac{b}{(c+dx)^2}\right)(cf - 2de - dfx)}{2d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[b/(c + d*x)^2], x]

[Out] -1/2*(b*f*CosIntegral[b/(c + d*x)^2] + 2*Sqrt[b]*(d*e - c*f)*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)] + (c + d*x)*(-2*d*e + c*f - d*f*x)*Sin[b/(c + d*x)^2])/d^2

fricas [A] time = 0.70, size = 155, normalized size = 1.29

$$\frac{4\sqrt{2}\pi(d^2e - cdf)\sqrt{\frac{b}{\pi d^2}} C\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) + bf \text{Ci}\left(\frac{b}{d^2x^2+2cdx+c^2}\right) + bf \text{Ci}\left(-\frac{b}{d^2x^2+2cdx+c^2}\right) - 2(d^2fx^2 + 2d^2ex + 2cdx + c^2) \sin\left(\frac{b}{(c+dx)^2}\right)}{4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(b/(d*x+c)^2), x, algorithm="fricas")

[Out] $-1/4*(4*\sqrt{2}*\pi*(d^2*e - c*d*f)*\sqrt{b/(\pi*d^2)}*\text{fresnel_cos}(\sqrt{2}*d*\sqrt{b/(\pi*d^2)})/(d*x + c) + b*f*\text{cos_integral}(b/(d^2*x^2 + 2*c*d*x + c^2)) + b*f*\text{cos_integral}(-b/(d^2*x^2 + 2*c*d*x + c^2)) - 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)))/d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(\frac{b}{(dx + c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(b/(d*x+c)^2),x, algorithm="giac")`

[Out] `integrate((f*x + e)*sin(b/(d*x + c)^2), x)`

maple [A] time = 0.03, size = 101, normalized size = 0.84

$$\frac{- (cf - de) (dx + c) \sin\left(\frac{b}{(dx+c)^2}\right) + (cf - de) \sqrt{b} \sqrt{2} \sqrt{\pi} \text{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} (dx+c)}\right) + \frac{f(dx+c)^2 \sin\left(\frac{b}{(dx+c)^2}\right)}{2} - \frac{fb \text{Ci}\left(\frac{b}{(dx+c)^2}\right)}{2}}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(b/(d*x+c)^2),x)`

[Out] $1/d^2*(-(c*f-d*e)*(d*x+c)*\sin(b/(d*x+c)^2)+(c*f-d*e)*b^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}/(d*x+c))+1/2*f*(d*x+c)^2*\sin(b/(d*x+c)^2)-1/2*f*b*\text{Ci}(b/(d*x+c)^2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} (fx^2 + 2ex) \sin\left(\frac{b}{d^2x^2 + 2cdx + c^2}\right) + \int \frac{(bdfx^2 + 2bdex) \cos\left(\frac{b}{d^2x^2 + 2cdx + c^2}\right)}{2(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3)} dx + \int \frac{1}{2\left(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(b/(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/2*(f*x^2 + 2*e*x)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)) + \text{integrate}(1/2*(b*d*f*x^2 + 2*b*d*e*x)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2))/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + \text{integrate}(1/2*(b*d*f*x^2 + 2*b*d*e*x)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2))/((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2)))^2 + (d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2)))^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(\frac{b}{(c+dx)^2}\right) (e+fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b/(c + d*x)^2)*(e + f*x),x)`

[Out] `int(sin(b/(c + d*x)^2)*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e+fx) \sin\left(\frac{b}{c^2+2cdx+d^2x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(b/(d*x+c)**2),x)`

[Out] `Integral((e + f*x)*sin(b/(c**2 + 2*c*d*x + d**2*x**2)), x)`

$$3.162 \quad \int \sin\left(\frac{b}{(c+dx)^2}\right) dx$$

Optimal. Leaf size=60

$$\frac{(c+dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d} - \frac{\sqrt{2\pi} \sqrt{b} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d}$$

[Out] (d*x+c)*sin(b/(d*x+c)^2)/d-FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*Pi^(1/2)/d

Rubi [A] time = 0.03, antiderivative size = 60, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3359, 3387, 3352}

$$\frac{(c+dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d} - \frac{\sqrt{2\pi} \sqrt{b} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[b/(c + d*x)^2], x]

[Out] -((Sqrt[b]*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)])/d) + ((c + d*x)*Sin[b/(c + d*x)^2])/d

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3359

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^{(n_)]])^(p_), x_Symbol] := -Dist[f⁽⁻¹⁾, Subst[Int[(a + b*SIN[c + d/xⁿ])^p/x², x], x, 1/(e + f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]}

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^{(n_)]], x_Symbol] := Simp[((e*x)^(m+1)*Sin[c + d*xⁿ]/(e*(m+1)), x] - Dist[(d*n)/(eⁿ*(m+1)), Int[(e*x)^(m+n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&}

LtQ[m, -1]

Rubi steps

$$\begin{aligned}
\int \sin\left(\frac{b}{(c+dx)^2}\right) dx &= -\frac{\text{Subst}\left(\int \frac{\sin(bx^2)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d} \\
&= \frac{(c+dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d} - \frac{(2b) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{c+dx}\right)}{d} \\
&= -\frac{\sqrt{b} \sqrt{2\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d} + \frac{(c+dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.03, size = 60, normalized size = 1.00

$$\frac{(c+dx) \sin\left(\frac{b}{(c+dx)^2}\right)}{d} - \frac{\sqrt{2\pi} \sqrt{b} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[b/(c + d*x)^2], x]

[Out] -((Sqrt[b]*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)])/d) + ((c + d*x)*Sin[b/(c + d*x)^2])/d

fricas [A] time = 0.66, size = 73, normalized size = 1.22

$$-\frac{\sqrt{2} \pi d \sqrt{\frac{b}{\pi d^2}} C\left(\frac{\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) - (dx+c) \sin\left(\frac{b}{d^2 x^2 + 2cdx + c^2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2), x, algorithm="fricas")

[Out] -(sqrt(2)*pi*d*sqrt(b/(pi*d^2))*fresnel_cos(sqrt(2)*d*sqrt(b/(pi*d^2)))/(d*x + c)) - (d*x + c)*sin(b/(d^2*x^2 + 2*c*d*x + c^2))/d

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(\frac{b}{(dx+c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2),x, algorithm="giac")

[Out] integrate(sin(b/(d*x + c)^2), x)

maple [A] time = 0.03, size = 52, normalized size = 0.87

$$\frac{-(dx+c)\sin\left(\frac{b}{(dx+c)^2}\right) + \sqrt{b}\sqrt{2}\sqrt{\pi}\operatorname{FresnelC}\left(\frac{\sqrt{b}\sqrt{2}}{\sqrt{\pi}(dx+c)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(d*x+c)^2),x)

[Out] $-1/d*(-(d*x+c)*\sin(b/(d*x+c)^2)+b^{(1/2)}*2^{(1/2)}*\pi^{(1/2)}*\operatorname{FresnelC}(b^{(1/2)}*2^{(1/2)}/\pi^{(1/2)}/(d*x+c)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$bd \int \frac{x \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3} dx + bd \int \frac{x \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3) \cos\left(\frac{b}{d^2x^2+2cdx+c^2}\right)^2 + (d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3) \sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2),x, algorithm="maxima")

[Out] $b*d*\operatorname{integrate}(x*\cos(b/(d^2*x^2 + 2*c*d*x + c^2))/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + b*d*\operatorname{integrate}(x*\cos(b/(d^2*x^2 + 2*c*d*x + c^2))/((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\cos(b/(d^2*x^2 + 2*c*d*x + c^2))^2 + (d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\sin(b/(d^2*x^2 + 2*c*d*x + c^2))^2), x) + x*\sin(b/(d^2*x^2 + 2*c*d*x + c^2))$

mupad [B] time = 5.20, size = 52, normalized size = 0.87

$$\frac{\sin\left(\frac{b}{(c+dx)^2}\right)(c+dx)}{d} - \frac{\sqrt{2}\sqrt{b}\sqrt{\pi}C\left(\frac{\sqrt{2}\sqrt{b}}{\sqrt{\pi}(c+dx)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(b/(c + d*x)^2),x)`

[Out] $(\sin(b/(c + d*x)^2)*(c + d*x))/d - (2^{(1/2)}*b^{(1/2)}*\pi^{(1/2)}*\text{fresnelc}((2^{(1/2)}*b^{(1/2)})/(\pi^{(1/2)}*(c + d*x))))/d$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(\frac{b}{(c + dx)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(b/(d*x+c)**2),x)`

[Out] `Integral(sin(b/(c + d*x)**2), x)`

$$3.163 \quad \int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(b/(d*x+c)^2)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[b/(c + d*x)^2]/(e + f*x), x]

[Out] Defer[Int][Sin[b/(c + d*x)^2]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx = \int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Mathematica [A] time = 1.56, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[b/(c + d*x)^2]/(e + f*x), x]

[Out] Integrate[Sin[b/(c + d*x)^2]/(e + f*x), x]

fricas [A] time = 0.54, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{b}{d^2 x^2 + 2cdx + c^2} \right)}{fx + e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin(b/(d^2*x^2 + 2*c*d*x + c^2))/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(\frac{b}{(dx+c)^2} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(b/(d*x + c)^2)/(f*x + e), x)

maple [A] time = 0.34, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(\frac{b}{(dx+c)^2} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(d*x+c)^2)/(f*x+e),x)

[Out] int(sin(b/(d*x+c)^2)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(\frac{b}{(dx+c)^2} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(b/(d*x + c)^2)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(c + d*x)^2)/(e + f*x), x)

[Out] int(sin(b/(c + d*x)^2)/(e + f*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{c^2+2cdx+d^2x^2}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)**2)/(f*x+e), x)

[Out] Integral(sin(b/(c**2 + 2*c*d*x + d**2*x**2))/(e + f*x), x)

$$3.164 \quad \int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(b/(d*x+c)^2)/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[b/(c + d*x)^2]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[b/(c + d*x)^2]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx = \int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Mathematica [A] time = 19.89, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[b/(c + d*x)^2]/(e + f*x)^2,x]

[Out] Integrate[Sin[b/(c + d*x)^2]/(e + f*x)^2, x]

fricas [A] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left(\frac{b}{d^2x^2+2cdx+c^2}\right)}{f^2x^2+2efx+e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin(b/(d^2*x^2 + 2*c*d*x + c^2))/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{(dx+c)^2}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin(b/(d*x + c)^2)/(f*x + e)^2, x)

maple [A] time = 0.60, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{(dx+c)^2}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(d*x+c)^2)/(f*x+e)^2,x)

[Out] int(sin(b/(d*x+c)^2)/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{b}{(dx+c)^2}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(b/(d*x + c)^2)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin\left(\frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(b/(c + d*x)^2)/(e + f*x)^2,x)

[Out] int(sin(b/(c + d*x)^2)/(e + f*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(b/(d*x+c)**2)/(f*x+e)**2,x)

[Out] Timed out

3.165 $\int (e + fx)^3 \sin(a + b(c + dx)^2) dx$

Optimal. Leaf size=341

$$\frac{3\sqrt{\frac{\pi}{2}} f^2 \cos(a)(de - cf)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^4} - \frac{3\sqrt{\frac{\pi}{2}} f^2 \sin(a)(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^4} + \frac{f^3 \sin(a + b(c + dx)^2)}{2b^2d^4}$$

[Out] $-3/2*f*(-c*f+d*e)^2*\cos(a+b*(d*x+c)^2)/b/d^4-3/2*f^2*(-c*f+d*e)*(d*x+c)*\cos(a+b*(d*x+c)^2)/b/d^4-1/2*f^3*(d*x+c)^2*\cos(a+b*(d*x+c)^2)/b/d^4+1/2*f^3*\sin(a+b*(d*x+c)^2)/b^2/d^4+3/4*f^2*(-c*f+d*e)*\cos(a)*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^4-3/4*f^2*(-c*f+d*e)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^4+1/2*(-c*f+d*e)^3*\cos(a)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^4/b^{(1/2)}+1/2*(-c*f+d*e)^3*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^4/b^{(1/2)}$

Rubi [A] time = 0.57, antiderivative size = 341, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3433, 3353, 3352, 3351, 3379, 2638, 3385, 3354, 3296, 2637}

$$\frac{3\sqrt{\frac{\pi}{2}} f^2 \cos(a)(de - cf)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{b}(c + dx)\right)}{2b^{3/2}d^4} - \frac{3\sqrt{\frac{\pi}{2}} f^2 \sin(a)(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^4} + \frac{f^3 \sin(a + b(c + dx)^2)}{2b^2d^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^3*\text{Sin}[a + b*(c + d*x)^2], x]$

[Out] $(-3*f*(d*e - c*f)^2*\text{Cos}[a + b*(c + d*x)^2])/(2*b*d^4) - (3*f^2*(d*e - c*f)*(c + d*x)*\text{Cos}[a + b*(c + d*x)^2])/(2*b*d^4) - (f^3*(c + d*x)^2*\text{Cos}[a + b*(c + d*x)^2])/(2*b*d^4) + (3*f^2*(d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(2*b^{(3/2)}*d^4) + ((d*e - c*f)^3*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(\text{Sqrt}[b]*d^4) + ((d*e - c*f)^3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a])/(\text{Sqrt}[b]*d^4) - (3*f^2*(d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a])/((2*b^{(3/2)}*d^4) + (f^3*\text{Sin}[a + b*(c + d*x)^2])/(2*b^2*d^4)$

Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)^2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)^2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
```

IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^3 \sin(a + b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int d^3 e^3 \left(1 - \frac{cf(3d^2 e^2 - 3cdef + c^2 f^2)}{d^3 e^3}\right) \sin(a + bx^2) + 3d^2 e^2 f \left(1 + \frac{cf(-2c^2 d^2 + c^2 f^2)}{d^2 e^2}\right) \cos(a + bx^2) dx, x, c + dx\right)}{d^4} \\ &= \frac{f^3 \text{Subst}\left(\int x^3 \sin(a + bx^2) dx, x, c + dx\right)}{d^4} + \frac{(3f^2(de - cf)) \text{Subst}\left(\int x^2 \cos(a + bx^2) dx, x, c + dx\right)}{d^4} \\ &= -\frac{3f^2(de - cf)(c + dx) \cos(a + b(c + dx)^2)}{2bd^4} + \frac{f^3 \text{Subst}\left(\int x \sin(a + bx) dx, x, c + dx\right)}{2d^4} \\ &= -\frac{3f(de - cf)^2 \cos(a + b(c + dx)^2)}{2bd^4} - \frac{3f^2(de - cf)(c + dx) \cos(a + b(c + dx)^2)}{2bd^4} \\ &= -\frac{3f(de - cf)^2 \cos(a + b(c + dx)^2)}{2bd^4} - \frac{3f^2(de - cf)(c + dx) \cos(a + b(c + dx)^2)}{2bd^4} \end{aligned}$$

Mathematica [A] time = 3.03, size = 218, normalized size = 0.64

$$\frac{-4bf(c^2 f^2 - cdf(3e + fx) + d^2(3e^2 + 3efx + f^2 x^2)) \cos(a + b(c + dx)^2) + 2\sqrt{2\pi} \sqrt{b}(de - cf)C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{(8b^2 d^4)}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^3*Sin[a + b*(c + d*x)^2],x]

[Out] (-4*b*f*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))*Cos[a + b*(c + d*x)^2] + 2*sqrt[b]*(d*e - c*f)*sqrt[2*Pi]*FresnelS[sqrt[b]*sqrt[2/Pi]*(c + d*x)]*(2*b*(d*e - c*f)^2*cos[a] - 3*f^2*Sin[a]) + 2*sqrt[b]*(d*e - c*f)*sqrt[2*Pi]*FresnelC[sqrt[b]*sqrt[2/Pi]*(c + d*x)]*(3*f^2*cos[a] + 2*b*(d*e - c*f)^2*Sin[a]) + 4*f^3*Sin[a + b*(c + d*x)^2]/(8*b^2*d^4)

fricas [A] time = 0.68, size = 328, normalized size = 0.96

$$2df^3 \sin(bd^2x^2 + 2bcdx + bc^2 + a) + \sqrt{2} \left(3\pi(def^2 - cf^3) \cos(a) + 2\pi(bd^3e^3 - 3bcd^2e^2f + 3bc^2def^2 - bc^3f^3) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{4} * (2 * d * f^3 * \sin(b * d^2 * x^2 + 2 * b * c * d * x + b * c^2 + a) + \sqrt{2} * (3 * \pi * (d * e * f^2 - c * f^3) * \cos(a) + 2 * \pi * (b * d^3 * e^3 - 3 * b * c * d^2 * e^2 * f + 3 * b * c^2 * d * e * f^2 - b * c^3 * f^3) * \sin(a)) * \sqrt{b * d^2 / \pi} * \text{fresnel_cos}(\sqrt{2} * \sqrt{b * d^2 / \pi} * (d * x + c) / d) + \sqrt{2} * (2 * \pi * (b * d^3 * e^3 - 3 * b * c * d^2 * e^2 * f + 3 * b * c^2 * d * e * f^2 - b * c^3 * f^3) * \cos(a) - 3 * \pi * (d * e * f^2 - c * f^3) * \sin(a)) * \sqrt{b * d^2 / \pi} * \text{fresnel_sin}(\sqrt{2} * \sqrt{b * d^2 / \pi} * (d * x + c) / d) - 2 * (b * d^3 * f^3 * x^2 + 3 * b * d^3 * e^2 * f - 3 * b * c * d^2 * e * f^2 + b * c^2 * d * f^3 + (3 * b * d^3 * e * f^2 - b * c * d^2 * f^3) * x) * \cos(b * d^2 * x^2 + 2 * b * c * d * x + b * c^2 + a)) / (b^2 * d^5)$

giac [C] time = 0.99, size = 1073, normalized size = 3.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{4} * I * \sqrt{2} * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(I * a + 3) / (\sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1)} - 1/4 * I * \sqrt{2} * \sqrt{\pi} * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(-I * a + 3) / (\sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1)} - 1/4 * (3 * I * \sqrt{2} * \sqrt{\pi} * c * f * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(I * a + 2) / (\sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1)} + 3 * f * e^{(I * b * d^2 * x^2 + 2 * I * b * c * d * x + I * b * c^2 + I * a + 2) / (b * d)} / d - 1/4 * (-3 * I * \sqrt{2} * \sqrt{\pi} * c * f * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(-I * a + 2) / (\sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1)} + 3 * f * e^{(-I * b * d^2 * x^2 - 2 * I * b * c * d * x - I * b * c^2 - I * a + 2) / (b * d)} / d - 1/8 * (-I * \sqrt{2} * \sqrt{\pi}) * (6 * b * c^2 * f^2 + 3 * I * f^2) * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(I * a + 1) / (\sqrt{b * d^2}) * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1) * b} + 2 * I * (d * f^2 * (-3 * I * x - 3 * I * c / d) + 6 * I * c * f^2) * e^{(I * b * d^2 * x^2 + 2 * I * b * c * d * x + I * b * c^2 + I * a + 1) / (b * d)} / d^2 - 1/8 * (I * \sqrt{2} * \sqrt{\pi}) * (6 * b * c^2 * f^2 - 3 * I * f^2) * \text{erf}(-1/2 * \sqrt{2} * \sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1) * (x + c / d)) * e^{(-I * a + 1) / (\sqrt{b * d^2}) * (I * b * d^2 / \sqrt{b^2 * d^4} + 1) * b} + 2 * I * (d * f^2 * (-3 * I * x - 3 * I * c / d) + 6 * I * c * f^2) * e^{(-I * b * d^2 * x^2 - 2 * I * b * c * d * x - I * b * c^2 - I * a + 1) / (b * d)} / d^2 + 1/8 * (\sqrt{2} * \sqrt{\pi}) * (-2 * I * b * c^3 * f^3 + 3 * c * f^3)$

$$\begin{aligned} &^3) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(-\frac{Ibd^2}{\sqrt{b^2d^4}} + 1\right)(x + c/d)\right) e^{(Ia)/(\sqrt{bd^2}\left(-\frac{Ibd^2}{\sqrt{b^2d^4}} + 1\right)b) - 2(bd^2f^3(x + c/d)^2 - 3b^2c^2f^3(x + c/d) + 3b^2c^2f^3 + If^3)} \\ &e^{(Ibd^2x^2 + 2Ib^2c^2d^2x + I^2b^2c^2 + Ia)/(b^2d)} / d^3 + \frac{1}{8}(\sqrt{2}\sqrt{\pi})(2Ib^2c^3f^3 + 3c^2f^3) \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(\frac{Ibd^2}{\sqrt{b^2d^4}} + 1\right)(x + c/d)\right) \\ &e^{(-Ia)/(\sqrt{bd^2}\left(\frac{Ibd^2}{\sqrt{b^2d^4}} + 1\right)b) - 2(bd^2f^3(x + c/d)^2 - 3b^2c^2d^2f^3(x + c/d) + 3b^2c^2f^3 - If^3)} \\ &e^{(-Ibd^2x^2 - 2Ib^2c^2d^2x - I^2b^2c^2 - Ia)/(b^2d)} / d^3 \end{aligned}$$

maple [B] time = 0.03, size = 1248, normalized size = 3.66

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (fx+e)^3 \sin(a+(dx+c)^2b), x$

[Out]
$$\begin{aligned} &-\frac{1}{2}f^3/d^2/bx^2 \cos(bd^2x^2+2b^2cdx+b^2c^2+a) - f^3c/d \left(-\frac{1}{2}/d^2/b^2x^2 \cos(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{1}{2}c/d^2 \right. \\ &\left. \frac{1}{2}\right) \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) - \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &+ \frac{1}{4}/d^2/b^2 \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) + \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &+ f^3/d^2/b \left(\frac{1}{2}/d^2/b \sin(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{1}{2}c/d^2 \right) \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) + \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &- \frac{3}{2}f^2e/d^2/bx^2 \cos(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{3}{2}f^2e/d^2/b \left(-\frac{1}{2}/d^2/b \cos(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{1}{2}c/d^2 \right) \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \\ &\left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) - \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &+ \frac{3}{4}f^2e/d^2/b^2 \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) + \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &- \frac{3}{2}e^2f/d^2/b \cos(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{3}{2}e^2f/d^2/b \left(\frac{1}{2}/d^2/b \sin(bd^2x^2+2b^2cdx+b^2c^2+a) - \frac{1}{2}c/d^2 \right) \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} \\ &\left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) - \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \\ &+ \frac{1}{2}2^{(1/2)} \operatorname{Pi}^{(1/2)} / (d^2b)^{(1/2)} e^3 \left(\cos\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelS}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) - \sin\left(\frac{b^2c^2d^2-d^2b^2(b^2c^2+a)}{d^2/b}\right) \operatorname{FresnelC}\left(2^{(1/2)}/\operatorname{Pi}^{(1/2)}/(d^2b)^{(1/2)}(bd^2x+b^2cd)\right) \right) \end{aligned}$$

maxima [C] time = 3.97, size = 1815, normalized size = 5.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^2),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/8*\sqrt{2}*\sqrt{\pi)*((-I + 1)*\cos(a) + (I - 1)*\sin(a))*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{I*b}) \\ & + (-I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((I*b*d*x + I*b*c)/\sqrt{-I*b})) \\ & *e^3/(\sqrt{b}*d) - 3/4096*((1024*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (1024*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 1024*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*d*x + 2*\sqrt{b*d^2*x^2 + 2*b*c*d*x + b*c^2}*(((256*I + 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2})) - 1) - (256*I - 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2})) - 1))*\cos(a) + (-256*I - 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2})) - 1) + (256*I + 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2})) - 1))*\sin(a))*c + (1024*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (1024*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 1024*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*c)*e^2*f/(b*d^3*x + b*c*d^2) + 3/4096*((2048*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (2048*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 2048*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*b*c*d*x + (2048*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (2048*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 2048*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*b*c^2 + 2*\sqrt{b*d^2*x^2 + 2*b*c*d*x + b*c^2}*(((256*I + 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2})) - 1) - (256*I - 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2})) - 1))*\cos(a) + (-256*I - 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2})) - 1) + (256*I + 256)*\sqrt{2}*\sqrt{\pi})* \\ & (\operatorname{erf}(\sqrt{-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2})) - 1))*\sin(a))*b*c^2 + ((256*I - 256)*\sqrt{2})* \\ & \operatorname{gamma}(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - (256*I + 256)*\sqrt{2})* \\ & \operatorname{gamma}(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*\cos(a) + ((256*I + 256)*\sqrt{2})* \\ & \operatorname{gamma}(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - (256*I - 256)*\sqrt{2})* \\ & \operatorname{gamma}(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*\sin(a))*e*f^2/(b^2*d^4*x + b^2*c*d^3) - 1/4096*((3072*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (3072*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 3072*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*b*c^3 + ((3072*(e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} + e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)})) \\ & *\cos(a) + (3072*I*e^{(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)} - 3072*I*e^{-(I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)}) \\ & *\sin(a))*b*c^2 + (-1024*I*\operatorname{gamma}(2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + 1024*I*\operatorname{gamma}(2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))) \end{aligned}$$

```
*x - I*b*c^2))*cos(a) - 1024*(gamma(2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)
+ gamma(2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*d*x + ((-1024*I*
gamma(2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + 1024*I*gamma(2, -I*b*d^2*x^
2 - 2*I*b*c*d*x - I*b*c^2))*cos(a) - 1024*(gamma(2, I*b*d^2*x^2 + 2*I*b*c*d
*x + I*b*c^2) + gamma(2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*c +
2*(((256*I + 256)*sqrt(2)*sqrt(pi))*(erf(sqrt(I*b*d^2*x^2 + 2*I*b*c*d*x +
I*b*c^2)) - 1) - (256*I - 256)*sqrt(2)*sqrt(pi))*(erf(sqrt(-I*b*d^2*x^2 - 2*
I*b*c*d*x - I*b*c^2)) - 1))*cos(a) + (-256*I - 256)*sqrt(2)*sqrt(pi)*(erf(
sqrt(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)) - 1) + (256*I + 256)*sqrt(2)*sqr
t(pi)*(erf(sqrt(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*sin(a))*b*c^3
+ (((768*I - 768)*sqrt(2)*gamma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) -
(768*I + 768)*sqrt(2)*gamma(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*co
s(a) + ((768*I + 768)*sqrt(2)*gamma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^
2) - (768*I - 768)*sqrt(2)*gamma(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)
)*sin(a))*c)*sqrt(b*d^2*x^2 + 2*b*c*d*x + b*c^2))*f^3/(b^2*d^5*x + b^2*c*d^
4)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^2) (e + fx)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^2)*(e + f*x)^3,x)
```

```
[Out] int(sin(a + b*(c + d*x)^2)*(e + f*x)^3, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^3 \sin(a + bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**3*sin(a+b*(d*x+c)**2),x)
```

```
[Out] Integral((e + f*x)**3*sin(a + b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)
```

3.166 $\int (e + fx)^2 \sin(a + b(c + dx)^2) dx$

Optimal. Leaf size=256

$$\frac{\sqrt{\frac{\pi}{2}} f^2 \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^3} - \frac{\sqrt{\frac{\pi}{2}} f^2 \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^3} + \frac{\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)^2 C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^3} +$$

[Out] $-f*(-c*f+d*e)*\cos(a+b*(d*x+c)^2)/b/d^3-1/2*f^2*(d*x+c)*\cos(a+b*(d*x+c)^2)/b/d^3+1/4*f^2*\cos(a)*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^3-1/4*f^2*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^3+1/2*(-c*f+d*e)^2*\cos(a)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^3/b^{(1/2)}+1/2*(-c*f+d*e)^2*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^3/b^{(1/2)}$

Rubi [A] time = 0.34, antiderivative size = 256, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3433, 3353, 3352, 3351, 3379, 2638, 3385, 3354}

$$\frac{\sqrt{\frac{\pi}{2}} f^2 \cos(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b}(c + dx)\right)}{2b^{3/2}d^3} - \frac{\sqrt{\frac{\pi}{2}} f^2 \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{2b^{3/2}d^3} + \frac{\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)^2 \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b}(c + dx)\right)}{\sqrt{b}d^3} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Sin}[a + b*(c + d*x)^2], x]$

[Out] $-\left(\frac{f*(d*e - c*f)*\text{Cos}[a + b*(c + d*x)^2]}{(2*b*d^3)} - \frac{f^2*(c + d*x)*\text{Cos}[a + b*(c + d*x)^2]}{(2*b*d^3)} + \frac{f^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]}{(2*b^{(3/2)}*d^3)} + \frac{(d*e - c*f)^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]}{(\text{Sqrt}[b]*d^3)} + \frac{(d*e - c*f)^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a]}{(\text{Sqrt}[b]*d^3)} - \frac{f^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a]}{(2*b^{(3/2)}*d^3)}\right)$

Rule 2638

$\text{Int}[\text{sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352


```
Int[Cos[(d_.)*(e_.) + (f_.)*(x_)^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_)^2)], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)^2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_)^2)], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3385

```
Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin(a + b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de+cf)}{d^2 e^2}\right) \sin(a + bx^2) + 2def \left(1 - \frac{cf}{de}\right) x \sin(a + bx^2)\right) dx, x, c + dx\right)}{d^3} \\
&= \frac{f^2 \text{Subst}\left(\int x^2 \sin(a + bx^2) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin(a + bx^2) dx, x, c + dx\right)}{d^3} \\
&= -\frac{f^2(c + dx) \cos(a + b(c + dx)^2)}{2bd^3} + \frac{f^2 \text{Subst}\left(\int \cos(a + bx^2) dx, x, c + dx\right)}{2bd^3} \\
&= -\frac{f(de - cf) \cos(a + b(c + dx)^2)}{bd^3} - \frac{f^2(c + dx) \cos(a + b(c + dx)^2)}{2bd^3} + \frac{(de - cf) \sin(a + b(c + dx)^2)}{2bd^3} \\
&= -\frac{f(de - cf) \cos(a + b(c + dx)^2)}{bd^3} - \frac{f^2(c + dx) \cos(a + b(c + dx)^2)}{2bd^3} + \frac{f^2 \sqrt{\frac{2}{\pi}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}}(c + dx)\right)}{2bd^3}
\end{aligned}$$

Mathematica [A] time = 1.83, size = 151, normalized size = 0.59

$$\frac{2\sqrt{2\pi} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) \left(2b \sin(a)(de - cf)^2 + f^2 \cos(a)\right) + 2\sqrt{2\pi} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) \left(2b \cos(a)(de - cf)^2 - f^2 \sin(a)\right)}{8b^{3/2}d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^2], x]

[Out] (-4*Sqrt[b]*f*(2*d*e - c*f + d*f*x)*Cos[a + b*(c + d*x)^2] + 2*Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)]*(2*b*(d*e - c*f)^2*Cos[a] - f^2*Sin[a]) + 2*Sqrt[2*Pi]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)]*(f^2*Cos[a] + 2*b*(d*e - c*f)^2*Sin[a]))/(8*b^(3/2)*d^3)

fricas [A] time = 0.79, size = 208, normalized size = 0.81

$$\sqrt{2} \left(\pi f^2 \cos(a) + 2\pi (bd^2 e^2 - 2bcdef + bc^2 f^2) \sin(a) \right) \sqrt{\frac{bd^2}{\pi}} C\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) - \sqrt{2} \left(\pi f^2 \sin(a) - 2\pi (bd^2 e^2 - 2bcdef + bc^2 f^2) \cos(a) \right) \sqrt{\frac{bd^2}{\pi}} S\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right)$$

4 b^2 a

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^2), x, algorithm="fricas")

[Out] 1/4*(sqrt(2)*(pi*f^2*cos(a) + 2*pi*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sin(a))*sqrt(b*d^2/pi)*fresnel_cos(sqrt(2)*sqrt(b*d^2/pi)*(d*x + c)/d) - sqrt(2)*(pi*f^2*sin(a) - 2*pi*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*cos(a))*sqrt(b*d^2/pi)*fresnel_s(sqrt(2)*sqrt(b*d^2/pi)*(d*x + c)/d)

$(2) * (\pi * f^2 * \sin(a) - 2 * \pi * (b * d^2 * e^2 - 2 * b * c * d * e * f + b * c^2 * f^2) * \cos(a)) * \sqrt{\pi} * \operatorname{erf}\left(\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * \sqrt{\pi} * \operatorname{erf}\left(\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(ia+2)} - 2 * (b * d^2 * f^2 * x + 2 * b * d^2 * e * f - b * c * d * f^2) * \cos(b * d^2 * x^2 + 2 * b * c * d * x + b * c^2 + a) / (b^2 * d^4)$

giac [C] time = 1.05, size = 705, normalized size = 2.75

$$\frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) e^{(ia+2)}}{4 \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)} - \frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) e^{(-ia+2)}}{4 \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^2),x, algorithm="giac")

[Out] $\frac{1}{4} * I * \sqrt{\pi} * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(I * a + 2)} / (\sqrt{bd^2} * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1)) - \frac{1}{4} * I * \sqrt{\pi} * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(-I * a + 2)} / (\sqrt{bd^2} * (I * b * d^2 / \sqrt{b^2 * d^4} + 1)) - \frac{1}{2} * (I * \sqrt{\pi} * c * f * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(I * a + 1)} / (\sqrt{bd^2} * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1)) + f * e^{(I * b * d^2 * x^2 + 2 * I * b * c * d * x + I * b * c^2 + I * a + 1)} / (b * d)) / d - \frac{1}{2} * (-I * \sqrt{\pi} * c * f * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(-I * a + 1)} / (\sqrt{bd^2} * (I * b * d^2 / \sqrt{b^2 * d^4} + 1)) + f * e^{(-I * b * d^2 * x^2 - 2 * I * b * c * d * x - I * b * c^2 - I * a + 1)} / (b * d)) / d - \frac{1}{8} * (-I * \sqrt{\pi} * (2 * b * c^2 * f^2 + I * f^2) * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(I * a)} / (\sqrt{bd^2} * (-I * b * d^2 / \sqrt{b^2 * d^4} + 1)) * b + 2 * I * (d * f^2 * (-I * x - I * c / d) + 2 * I * c * f^2) * e^{(I * b * d^2 * x^2 + 2 * I * b * c * d * x + I * b * c^2 + I * a)} / (b * d)) / d^2 - \frac{1}{8} * (I * \sqrt{\pi} * (2 * b * c^2 * f^2 - I * f^2) * \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)\right) * e^{(-I * a)} / (\sqrt{bd^2} * (I * b * d^2 / \sqrt{b^2 * d^4} + 1)) * b + 2 * I * (d * f^2 * (-I * x - I * c / d) + 2 * I * c * f^2) * e^{(-I * b * d^2 * x^2 - 2 * I * b * c * d * x - I * b * c^2 - I * a)} / (b * d)) / d^2$

maple [B] time = 0.03, size = 669, normalized size = 2.61

$$\frac{f^2 x \cos(d^2 x^2 b + 2 c d x b + b c^2 + a)}{2 d^2 b} - \frac{f^2 c \left(-\frac{\cos(d^2 x^2 b + 2 c d x b + b c^2 + a)}{2 d^2 b} - \frac{c \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{b^2 c^2 d^2 - d^2 b (b c^2 + a)}{d^2 b}\right) S\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right) - \sin\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right) \right)}{2 d \sqrt{d^2 b}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+(d*x+c)^2*b),x)

```
[Out] -1/2*f^2/d^2/b*x*cos(b*d^2*x^2+2*b*c*d*x+b*c^2+a)-f^2*c/d*(-1/2/d^2/b*cos(b
*d^2*x^2+2*b*c*d*x+b*c^2+a)-1/2*c/d*2^(1/2)*Pi^(1/2)/(d^2*b)^(1/2)*(cos((b^
2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelS(2^(1/2)/Pi^(1/2)/(d^2*b)^(1/2)*
(b*d^2*x+b*c*d))-sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelC(2^(1/2)/P
i^(1/2)/(d^2*b)^(1/2)*(b*d^2*x+b*c*d))))+1/4*f^2/d^2/b*2^(1/2)*Pi^(1/2)/(d^
2*b)^(1/2)*(cos((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelC(2^(1/2)/Pi^(1
/2)/(d^2*b)^(1/2)*(b*d^2*x+b*c*d))+sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)
)*FresnelS(2^(1/2)/Pi^(1/2)/(d^2*b)^(1/2)*(b*d^2*x+b*c*d))-e*f/d^2/b*cos(b*
d^2*x^2+2*b*c*d*x+b*c^2+a)-e*f*c/d*2^(1/2)*Pi^(1/2)/(d^2*b)^(1/2)*(cos((b^2
*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelS(2^(1/2)/Pi^(1/2)/(d^2*b)^(1/2)*(b
*d^2*x+b*c*d))-sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelC(2^(1/2)/Pi
^(1/2)/(d^2*b)^(1/2)*(b*d^2*x+b*c*d))))+1/2*2^(1/2)*Pi^(1/2)/(d^2*b)^(1/2)*e
^2*(cos((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelS(2^(1/2)/Pi^(1/2)/(d^2
*b)^(1/2)*(b*d^2*x+b*c*d))-sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*Fresnel
C(2^(1/2)/Pi^(1/2)/(d^2*b)^(1/2)*(b*d^2*x+b*c*d))))
```

maxima [C] time = 2.28, size = 1034, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^2),x, algorithm="maxima")
```

```
[Out] -1/8*sqrt(2)*sqrt(pi)*((-I + 1)*cos(a) + (I - 1)*sin(a))*erf((I*b*d*x + I*
b*c)/sqrt(I*b)) + (-I - 1)*cos(a) + (I + 1)*sin(a))*erf((I*b*d*x + I*b*c)/
sqrt(-I*b)))*e^2/(sqrt(b)*d) - 1/2048*((1024*(e^(I*b*d^2*x^2 + 2*I*b*c*d*x
+ I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*cos(a) + (1024*I*e^(
I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - 1024*I*e^(-I*b*d^2*x^2 - 2*I*b*c*d*x
- I*b*c^2))*sin(a))*d*x + 2*sqrt(b*d^2*x^2 + 2*b*c*d*x + b*c^2)*(((256*I +
256)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)) - 1)
- (256*I - 256)*sqrt(2)*sqrt(pi)*(erf(sqrt(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*
b*c^2)) - 1))*cos(a) + (-256*I - 256)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*d^2*x
^2 + 2*I*b*c*d*x + I*b*c^2)) - 1) + (256*I + 256)*sqrt(2)*sqrt(pi)*(erf(sqr
t(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*sin(a))*c + (1024*(e^(I*b*d^
2*x^2 + 2*I*b*c*d*x + I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*
cos(a) + (1024*I*e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - 1024*I*e^(-I*b*d
^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*c)*e*f/(b*d^3*x + b*c*d^2) + 1/409
6*((2048*(e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b
*c*d*x - I*b*c^2))*cos(a) + (2048*I*e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)
- 2048*I*e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*b*c*d*x + (2048
*(e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) + e^(-I*b*d^2*x^2 - 2*I*b*c*d*x -
I*b*c^2))*cos(a) + (2048*I*e^(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - 2048*
I*e^(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*b*c^2 + 2*sqrt(b*d^2*x^
2 + 2*b*c*d*x + b*c^2)*(((256*I + 256)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*d^2*
x^2 + 2*I*b*c*d*x + I*b*c^2)) - 1) - (256*I - 256)*sqrt(2)*sqrt(pi)*(erf(sq
```

```

rt(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*cos(a) + (-(256*I - 256)*sqrt(2)*sqrt(pi)*(erf(sqrt(I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2)) - 1) + (256*I + 256)*sqrt(2)*sqrt(pi)*(erf(sqrt(-I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2)) - 1))*sin(a))*b*c^2 + ((256*I - 256)*sqrt(2)*gamma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - (256*I + 256)*sqrt(2)*gamma(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*cos(a) + ((256*I + 256)*sqrt(2)*gamma(3/2, I*b*d^2*x^2 + 2*I*b*c*d*x + I*b*c^2) - (256*I - 256)*sqrt(2)*gamma(3/2, -I*b*d^2*x^2 - 2*I*b*c*d*x - I*b*c^2))*sin(a))*f^2/(b^2*d^4*x + b^2*c*d^3)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^2) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^2)*(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^2)*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin(a + bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b*(d*x+c)**2),x)

[Out] Integral((e + f*x)**2*sin(a + b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)

3.167 $\int (e + fx) \sin(a + b(c + dx)^2) dx$

Optimal. Leaf size=122

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^2} + \frac{\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^2} - \frac{f \cos(a + b(c + dx)^2)}{2bd^2}$$

[Out] $-1/2*f*\cos(a+b*(d*x+c)^2)/b/d^2+1/2*(-c*f+d*e)*\cos(a)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^2/b^{(1/2)}+1/2*(-c*f+d*e)*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^2/b^{(1/2)}$

Rubi [A] time = 0.18, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3433, 3353, 3352, 3351, 3379, 2638}

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{b}(c + dx)\right)}{\sqrt{b}d^2} + \frac{\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b}d^2} - \frac{f \cos(a + b(c + dx)^2)}{2bd^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)*\text{Sin}[a + b*(c + d*x)^2], x]$

[Out] $-(f*\text{Cos}[a + b*(c + d*x)^2])/(2*b*d^2) + ((d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(\text{Sqrt}[b]*d^2) + ((d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a])/(\text{Sqrt}[b]*d^2)$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f, x\}$

Rule 3353

```
Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])p
, x], x, xn], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominat
or[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*xk
*(k*n)])p, x^(k - 1)*(f*g - e*h + h*xk)m, x], x], x, (e + f*x)^(1/k)], x]
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (e + fx) \sin(a + b(c + dx)^2) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin(a + bx^2) + fx \sin(a + bx^2)\right) dx, x, c + dx\right)}{d^2} \\ &= \frac{f \text{Subst}\left(\int x \sin(a + bx^2) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin(a + bx^2) dx, x, c + dx\right)}{d^2} \\ &= \frac{f \text{Subst}\left(\int \sin(a + bx) dx, x, (c + dx)^2\right)}{2d^2} + \frac{((de - cf) \cos(a)) \text{Subst}\left(\int \sin(a + bx^2) dx, x, c + dx\right)}{d^2} \\ &= -\frac{f \cos(a + b(c + dx)^2)}{2bd^2} + \frac{(de - cf) \sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right)}{\sqrt{b} d^2} + \frac{(de - cf) \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right)}{\sqrt{b} d^2} \end{aligned}$$

Mathematica [A] time = 0.60, size = 114, normalized size = 0.93

$$\frac{\sqrt{2\pi} \sqrt{b} \sin(a)(de - cf)C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right) + \sqrt{2\pi} \sqrt{b} \cos(a)(de - cf)S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} (c + dx)\right) - f \cos(a + b(c + dx)^2)}{2bd^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^2], x]
```

[Out] $(-f \cos[a + b(c + dx)^2]) + \sqrt{b}(de - cf) \sqrt{2\pi} \cos[a] \text{FresnelS}[\sqrt{b} \sqrt{2/\pi}(c + dx)] + \sqrt{b}(de - cf) \sqrt{2\pi} \text{FresnelC}[\sqrt{b} \sqrt{2/\pi}(c + dx)] \sin[a] / (2bd^2)$

fricas [A] time = 0.67, size = 131, normalized size = 1.07

$$\frac{\sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} (de - cf) \cos(a) S\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}} (dx+c)}{d}\right) + \sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} (de - cf) C\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}} (dx+c)}{d}\right) \sin(a) - df \cos(bd^2x^2 + 2bxc + c^2 + a)}{2bd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^2),x, algorithm="fricas")`

[Out] $1/2 * (\sqrt{2} * \pi * \sqrt{bd^2/\pi}) * (de - cf) * \cos(a) * \text{fresnel_sin}(\sqrt{2} * \sqrt{bd^2/\pi} * (d*x + c)/d) + \sqrt{2} * \pi * \sqrt{bd^2/\pi} * (de - cf) * \text{fresnel_cos}(\sqrt{2} * \sqrt{bd^2/\pi} * (d*x + c)/d) * \sin(a) - df * \cos(bd^2x^2 + 2bxc + c^2 + a) / (bd^3)$

giac [C] time = 0.72, size = 389, normalized size = 3.19

$$\frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right) e^{(ia+1)}}{4 \sqrt{bd^2} \left(-\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)} - \frac{i \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right) \left(x + \frac{c}{d}\right)\right) e^{(-ia+1)}}{4 \sqrt{bd^2} \left(\frac{ibd^2}{\sqrt{b^2d^4}} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^2),x, algorithm="giac")`

[Out] $1/4 * I * \sqrt{2} * \sqrt{\pi} * \operatorname{erf}\left(-1/2 * \sqrt{2} * \sqrt{bd^2} * \left(-I * bd^2 / \sqrt{b^2d^4} + 1\right) * \left(x + c/d\right)\right) * e^{(I * a + 1)} / \left(\sqrt{bd^2} * \left(-I * bd^2 / \sqrt{b^2d^4} + 1\right)\right) - 1/4 * I * \sqrt{2} * \sqrt{\pi} * \operatorname{erf}\left(-1/2 * \sqrt{2} * \sqrt{bd^2} * \left(I * bd^2 / \sqrt{b^2d^4} + 1\right) * \left(x + c/d\right)\right) * e^{(-I * a + 1)} / \left(\sqrt{bd^2} * \left(I * bd^2 / \sqrt{b^2d^4} + 1\right)\right) - 1/4 * \left(I * \sqrt{2} * \sqrt{\pi} * cf * \operatorname{erf}\left(-1/2 * \sqrt{2} * \sqrt{bd^2} * \left(-I * bd^2 / \sqrt{b^2d^4} + 1\right) * \left(x + c/d\right)\right) * e^{(I * a)} / \left(\sqrt{bd^2} * \left(-I * bd^2 / \sqrt{b^2d^4} + 1\right)\right) + f * e^{(I * bd^2 * x^2 + 2 * I * b * c * dx + I * b * c^2 + I * a)} / (bd)\right) / d - 1/4 * \left(-I * \sqrt{2} * \sqrt{\pi} * cf * \operatorname{erf}\left(-1/2 * \sqrt{2} * \sqrt{bd^2} * \left(I * bd^2 / \sqrt{b^2d^4} + 1\right) * \left(x + c/d\right)\right) * e^{(-I * a)} / \left(\sqrt{bd^2} * \left(I * bd^2 / \sqrt{b^2d^4} + 1\right)\right) + f * e^{(-I * bd^2 * x^2 - 2 * I * b * c * dx - I * b * c^2 - I * a)} / (bd)\right) / d$

maple [B] time = 0.03, size = 309, normalized size = 2.53

$$\frac{f \cos(d^2x^2b + 2cdxb + bc^2 + a)}{2d^2b} - \frac{fc \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{b^2c^2d^2 - d^2b(b^2c^2 + a)}{d^2b}\right) S\left(\frac{\sqrt{2}(bd^2x + bcd)}{\sqrt{\pi} \sqrt{d^2b}}\right) - \sin\left(\frac{b^2c^2d^2 - d^2b(b^2c^2 + a)}{d^2b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2}(bd^2x + bcd)}{\sqrt{\pi} \sqrt{d^2b}}\right) \right)}{2d\sqrt{d^2b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+(d*x+c)^2*b),x)`

[Out]
$$-1/2*f/d^2/b*\cos(b*d^2*x^2+2*b*c*d*x+b*c^2+a)-1/2*f*c/d*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*(\cos((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))-\sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))+1/2*2^{(1/2)}*Pi^{(1/2)}/(d^2*b)^{(1/2)}*e*(\cos((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d))-\sin((b^2*c^2*d^2-d^2*b*(b*c^2+a))/d^2/b)*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(d^2*b)^{(1/2)}*(b*d^2*x+b*c*d)))$$

maxima [C] time = 1.22, size = 481, normalized size = 3.94

$$\frac{\sqrt{2}\sqrt{\pi}\left((-i+1)\cos(a)+(i-1)\sin(a)\operatorname{erf}\left(\frac{ibdx+ibc}{\sqrt{ib}}\right)+(-i-1)\cos(a)+(i+1)\sin(a)\operatorname{erf}\left(\frac{ibdx+ibc}{\sqrt{-ib}}\right)\right)e}{8\sqrt{b}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^2),x, algorithm="maxima")`

[Out]
$$-1/8*\sqrt{2}*\sqrt{\pi}*((-I+1)*\cos(a)+(I-1)*\sin(a))*\operatorname{erf}((I*b*d*x+I*b*c)/\sqrt{I*b})+(-I-1)*\cos(a)+(I+1)*\sin(a))*\operatorname{erf}((I*b*d*x+I*b*c)/\sqrt{-I*b}))*e/(\sqrt{b}*d)-1/4096*((1024*(e^{(I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2)}+e^{(-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2)})*\cos(a)+(1024*I*e^{(I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2)}-1024*I*e^{(-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2)})*\sin(a))*d*x+2*\sqrt{b*d^2*x^2+2*b*c*d*x+b*c^2})*(((256*I+256)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2}))-1)-(256*I-256)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2}))-1))*\cos(a)+(-(256*I-256)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2}))-1)+(256*I+256)*\sqrt{2}*\sqrt{\pi}*(\operatorname{erf}(\sqrt{-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2}))-1))*\sin(a))*c+(1024*(e^{(I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2)}+e^{(-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2)})*\cos(a)+(1024*I*e^{(I*b*d^2*x^2+2*I*b*c*d*x+I*b*c^2)}-1024*I*e^{(-I*b*d^2*x^2-2*I*b*c*d*x-I*b*c^2)})*\sin(a))*c)*f/(b*d^3*x+b*c*d^2)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b(c + dx)^2) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^2)*(e + f*x),x)`

[Out] `int(sin(a + b*(c + d*x)^2)*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin(a + bc^2 + 2bcdx + bd^2x^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)**2),x)

[Out] Integral((e + f*x)*sin(a + b*c**2 + 2*b*c*d*x + b*d**2*x**2), x)

3.168 $\int \sin(a + b(c + dx)^2) dx$

Optimal. Leaf size=83

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d} + \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

[Out] $1/2*\cos(a)*\text{FresnelS}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d/b^{(1/2)}+1/2*\text{FresnelC}((d*x+c)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d/b^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3353, 3352, 3351}

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b}(c + dx)\right)}{\sqrt{b} d} + \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{b} d}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*(c + d*x)^2], x]`

[Out] $(\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)])/(\text{Sqrt}[b]*d) + (\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)]*\text{Sin}[a])/(\text{Sqrt}[b]*d)$

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/ (f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3353

`Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]`

Rubi steps

$$\int \sin(a + b(c + dx)^2) dx = \cos(a) \int \sin(b(c + dx)^2) dx + \sin(a) \int \cos(b(c + dx)^2) dx$$

$$= \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right)}{\sqrt{bd}} + \frac{\sqrt{\frac{\pi}{2}} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) \sin(a)}{\sqrt{bd}}$$

Mathematica [A] time = 0.07, size = 67, normalized size = 0.81

$$\frac{\sqrt{\frac{\pi}{2}} \left(\sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) + \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}}(c + dx)\right) \right)}{\sqrt{bd}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^2], x]

[Out] (Sqrt[Pi/2]*(Cos[a]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)] + FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)]*Sin[a]))/(Sqrt[b]*d)

fricas [A] time = 0.76, size = 89, normalized size = 1.07

$$\frac{\sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} \cos(a) S\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) + \sqrt{2} \pi \sqrt{\frac{bd^2}{\pi}} C\left(\frac{\sqrt{2} \sqrt{\frac{bd^2}{\pi}}(dx+c)}{d}\right) \sin(a)}{2bd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2), x, algorithm="fricas")

[Out] 1/2*(sqrt(2)*pi*sqrt(b*d^2/pi)*cos(a)*fresnel_sin(sqrt(2)*sqrt(b*d^2/pi)*(d*x + c)/d) + sqrt(2)*pi*sqrt(b*d^2/pi)*fresnel_cos(sqrt(2)*sqrt(b*d^2/pi)*(d*x + c)/d)*sin(a))/(b*d^2)

giac [C] time = 0.74, size = 151, normalized size = 1.82

$$\frac{i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(-\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)\left(x+\frac{c}{d}\right)\right)e^{ia}}{4\sqrt{bd^2}\left(-\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)} - \frac{i\sqrt{2}\sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2}\sqrt{2}\sqrt{bd^2}\left(\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)\left(x+\frac{c}{d}\right)\right)e^{-ia}}{4\sqrt{bd^2}\left(\frac{ibd^2}{\sqrt{b^2d^4}}+1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2), x, algorithm="giac")

[Out] $\frac{1}{4} I \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b d^2}\right) \sqrt{b d^2} \left(-I \sqrt{b d^2} / \sqrt{b^2 d^4} + 1\right) (x + c/d) e^{I a} / \left(\sqrt{b d^2} \left(-I \sqrt{b d^2} / \sqrt{b^2 d^4} + 1\right)\right) - \frac{1}{4} I \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} \sqrt{b d^2}\right) \sqrt{b d^2} \left(I \sqrt{b d^2} / \sqrt{b^2 d^4} + 1\right) (x + c/d) e^{-I a} / \left(\sqrt{b d^2} \left(I \sqrt{b d^2} / \sqrt{b^2 d^4} + 1\right)\right)$

maple [B] time = 0.03, size = 136, normalized size = 1.64

$$\frac{\sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{b^2 c^2 d^2 - d^2 b (b c^2 + a)}{d^2 b}\right) S\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right) - \sin\left(\frac{b^2 c^2 d^2 - d^2 b (b c^2 + a)}{d^2 b}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} (b d^2 x + b c d)}{\sqrt{\pi} \sqrt{d^2 b}}\right) \right)}{2 \sqrt{d^2 b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+(d*x+c)^2*b),x)`

[Out] $\frac{1}{2} 2^{(1/2)} \pi^{(1/2)} / (d^2 b)^{(1/2)} \left(\cos\left(\frac{b^2 c^2 d^2 - d^2 b (b c^2 + a)}{d^2 b}\right) \operatorname{FresnelS}\left(2^{(1/2)} \pi^{(1/2)} / (d^2 b)^{(1/2)} (b d^2 x + b c d)\right) - \sin\left(\frac{b^2 c^2 d^2 - d^2 b (b c^2 + a)}{d^2 b}\right) \operatorname{FresnelC}\left(2^{(1/2)} \pi^{(1/2)} / (d^2 b)^{(1/2)} (b d^2 x + b c d)\right) \right)$

maxima [C] time = 0.51, size = 69, normalized size = 0.83

$$\frac{\sqrt{2} \sqrt{\pi} \left(-(i+1) \cos(a) + (i-1) \sin(a) \right) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{i b}}\right) + \left(-(i-1) \cos(a) + (i+1) \sin(a) \right) \operatorname{erf}\left(\frac{i b d x + i b c}{\sqrt{-i b}}\right)}{8 \sqrt{b d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^2),x, algorithm="maxima")`

[Out] $\frac{-1/8 \sqrt{2} \sqrt{\pi} \left(-(I+1) \cos(a) + (I-1) \sin(a) \right) \operatorname{erf}\left(\frac{I \sqrt{b} d x + I \sqrt{b} c}{\sqrt{I \sqrt{b}}}\right) + \left(-(I-1) \cos(a) + (I+1) \sin(a) \right) \operatorname{erf}\left(\frac{I \sqrt{b} d x + I \sqrt{b} c}{\sqrt{-I \sqrt{b}}}\right)}{\sqrt{b} d}$

mupad [B] time = 0.05, size = 95, normalized size = 1.14

$$\frac{\sqrt{2} \sqrt{\pi} \cos(a) S\left(\frac{\sqrt{2} \sqrt{\frac{1}{b d^2}} (b x d^2 + b c d)}{\sqrt{\pi}}\right) \sqrt{\frac{1}{b d^2}}}{2} + \frac{\sqrt{2} \sqrt{\pi} \sin(a) C\left(\frac{\sqrt{2} \sqrt{\frac{1}{b d^2}} (b x d^2 + b c d)}{\sqrt{\pi}}\right) \sqrt{\frac{1}{b d^2}}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^2),x)`

[Out] $\frac{2^{(1/2)} \pi^{(1/2)} \cos(a) \operatorname{fresnels}\left(2^{(1/2)} \pi^{(1/2)} / (b d^2)^{(1/2)} (b c d + b d^2 x)\right) / \pi^{(1/2)} + \left(2^{(1/2)} \pi^{(1/2)} \sin(a) \operatorname{fresnelc}\left(2^{(1/2)} \pi^{(1/2)} / (b d^2)^{(1/2)} (b c d + b d^2 x)\right) / \pi^{(1/2)}\right) / 2}{2}$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(a + b(c + dx)^2) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**2),x)

[Out] Integral(sin(a + b*(c + d*x)**2), x)

$$3.169 \quad \int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^2)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^2)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^2]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^2]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx = \int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx$$

Mathematica [A] time = 15.12, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^2)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^2]/(e + f*x), x]

[Out] Integrate[Sin[a + b*(c + d*x)^2]/(e + f*x), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin(bd^2x^2 + 2bcdx + bc^2 + a)}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin(b*d^2*x^2 + 2*b*c*d*x + b*c^2 + a)/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b + a)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^2*b + a)/(f*x + e), x)

maple [A] time = 0.19, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + (dx+c)^2 b)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+(d*x+c)^2*b)/(f*x+e),x)

[Out] int(sin(a+(d*x+c)^2*b)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^2 b + a)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^2*b + a)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin(a + b(c + dx)^2)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^2)/(e + f*x),x)

[Out] `int(sin(a + b*(c + d*x)^2)/(e + f*x), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc^2 + 2bcdx + bd^2x^2)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**2)/(f*x+e), x)`

[Out] `Integral(sin(a + b*c**2 + 2*b*c*d*x + b*d**2*x**2)/(e + f*x), x)`

$$3.170 \quad \int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^2)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^2)/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^2]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^2]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx = \int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx$$

Mathematica [A] time = 25.61, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^2)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^2]/(e + f*x)^2,x]

[Out] Integrate[Sin[a + b*(c + d*x)^2]/(e + f*x)^2, x]

fricas [A] time = 0.45, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin(bd^2x^2 + 2bcdx + bc^2 + a)}{f^2x^2 + 2efx + e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin(b*d^2*x^2 + 2*b*c*d*x + b*c^2 + a)/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.29, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + (dx + c)^2 b)}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+(d*x+c)^2*b)/(f*x+e)^2,x)

[Out] int(sin(a+(d*x+c)^2*b)/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^2 b + a)}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^2)/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^2*b + a)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin(a + b(c + dx)^2)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^2)/(e + f*x)^2,x)`

[Out] `int(sin(a + b*(c + d*x)^2)/(e + f*x)^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc^2 + 2bcdx + bd^2x^2)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**2)/(f*x+e)**2,x)`

[Out] `Integral(sin(a + b*c**2 + 2*b*c*d*x + b*d**2*x**2)/(e + f*x)**2, x)`

3.171 $\int (e + fx)^3 \sin(a + b(c + dx)^3) dx$

Optimal. Leaf size=434

$$\frac{f^2(de - cf) \cos(a + b(c + dx)^3)}{bd^4} + \frac{ie^{ia} f(c + dx)^2 (de - cf)^2 \Gamma\left(\frac{2}{3}, -ib(c + dx)^3\right)}{2d^4 (-ib(c + dx)^3)^{2/3}} - \frac{ie^{-ia} f(c + dx)^2 (de - cf)^2 \Gamma\left(\frac{2}{3}, ib(c + dx)^3\right)}{2d^4 (ib(c + dx)^3)^{2/3}}$$

[Out] $-f^2(-c*f+d*e)*\cos(a+b*(d*x+c)^3)/b/d^4-1/3*f^3*(d*x+c)*\cos(a+b*(d*x+c)^3)/b/d^4-1/18*\exp(I*a)*f^3*(d*x+c)*\text{GAMMA}(1/3,-I*b*(d*x+c)^3)/b/d^4/(-I*b*(d*x+c)^3)^{(1/3)}+1/6*I*\exp(I*a)*(-c*f+d*e)^3*(d*x+c)*\text{GAMMA}(1/3,-I*b*(d*x+c)^3)/d^4/(-I*b*(d*x+c)^3)^{(1/3)}-1/18*f^3*(d*x+c)*\text{GAMMA}(1/3,I*b*(d*x+c)^3)/b/d^4/\exp(I*a)/(I*b*(d*x+c)^3)^{(1/3)}-1/6*I*(-c*f+d*e)^3*(d*x+c)*\text{GAMMA}(1/3,I*b*(d*x+c)^3)/d^4/\exp(I*a)/(I*b*(d*x+c)^3)^{(1/3)}+1/2*I*\exp(I*a)*f*(-c*f+d*e)^2*(d*x+c)^2*\text{GAMMA}(2/3,-I*b*(d*x+c)^3)/d^4/(-I*b*(d*x+c)^3)^{(2/3)}-1/2*I*f*(-c*f+d*e)^2*(d*x+c)^2*\text{GAMMA}(2/3,I*b*(d*x+c)^3)/d^4/\exp(I*a)/(I*b*(d*x+c)^3)^{(2/3)}$

Rubi [A] time = 0.44, antiderivative size = 434, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {3433, 3355, 2208, 3389, 2218, 3379, 2638, 3385, 3356}

$$\frac{ie^{ia} f(c + dx)^2 (de - cf)^2 \text{Gamma}\left(\frac{2}{3}, -ib(c + dx)^3\right)}{2d^4 (-ib(c + dx)^3)^{2/3}} - \frac{ie^{-ia} f(c + dx)^2 (de - cf)^2 \text{Gamma}\left(\frac{2}{3}, ib(c + dx)^3\right)}{2d^4 (ib(c + dx)^3)^{2/3}} + \frac{ie^{ia}(c + dx)^3}{d^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^3*\text{Sin}[a + b*(c + d*x)^3], x]$

[Out] $-((f^2*(d*e - c*f)*\text{Cos}[a + b*(c + d*x)^3])/(b*d^4)) - (f^3*(c + d*x)*\text{Cos}[a + b*(c + d*x)^3])/(3*b*d^4) - (E^{(I*a)*f^3*(c + d*x)*\text{Gamma}[1/3, (-I)*b*(c + d*x)^3]})/(18*b*d^4*((-I)*b*(c + d*x)^3)^{(1/3)}) + ((I/6)*E^{(I*a)*f^3*(c + d*x)*\text{Gamma}[1/3, (-I)*b*(c + d*x)^3]})/(d^4*((-I)*b*(c + d*x)^3)^{(1/3)}) - (f^3*(c + d*x)*\text{Gamma}[1/3, I*b*(c + d*x)^3])/(18*b*d^4*E^{(I*a)*f^3*(c + d*x)*\text{Gamma}[1/3, I*b*(c + d*x)^3]}) - ((I/6)*(d*e - c*f)^3*(c + d*x)*\text{Gamma}[1/3, I*b*(c + d*x)^3])/(d^4*E^{(I*a)*f^3*(c + d*x)*\text{Gamma}[1/3, I*b*(c + d*x)^3]}) + ((I/2)*E^{(I*a)*f^2*(c + d*x)^2*\text{Gamma}[2/3, (-I)*b*(c + d*x)^3]})/(d^4*((-I)*b*(c + d*x)^3)^{(2/3)}) - ((I/2)*f^2*(d*e - c*f)^2*(c + d*x)^2*\text{Gamma}[2/3, I*b*(c + d*x)^3])/(d^4*E^{(I*a)*f^2*(c + d*x)^2*\text{Gamma}[2/3, I*b*(c + d*x)^3]})$

Rule 2208

$\text{Int}[(F_.)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^n)}, x_Symbol] \rightarrow -\text{Simp}[(F^a * (c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d*n*(-(b*(c + d*x)^n*\text{Log}[F$

]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_)))*((e_.) + (f_.)*(x_)^(m_.)), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n*Log[F])])]/(f*n*(-(b*(c + d*x)^(n*Log[F])))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3356

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3385

Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3389

Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +

$d*I*x^n), x], x] /; \text{FreeQ}[\{c, d, e, m\}, x] \ \&\& \ \text{IGtQ}[n, 0]$

Rule 3433

$\text{Int}[(g_.) + (h_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.)^{(n_.)})]^{(p_.)}), x_Symbol] \rightarrow \text{Module}[\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{(m+1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x^{(k*n)}]]^{(p)}, x^{(k-1)}*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^{(1/k)}], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int (e + fx)^3 \sin(a + b(c + dx)^3) dx &= \frac{\text{Subst}\left(\int \left(d^3 e^3 \left(1 - \frac{cf(3d^2 e^2 - 3cdef + c^2 f^2)}{d^3 e^3}\right) \sin(a + bx^3) + 3d^2 e^2 f \left(1 + \frac{cf(-2a)}{d^2}\right)\right) dx, x, c + dx}{d^4} \\ &= \frac{f^3 \text{Subst}\left(\int x^3 \sin(a + bx^3) dx, x, c + dx\right)}{d^4} + \frac{(3f^2(de - cf)) \text{Subst}\left(\int x^2 \sin(a + bx^3) dx, x, c + dx\right)}{d^4} \\ &= -\frac{f^3(c + dx) \cos(a + b(c + dx)^3)}{3bd^4} + \frac{f^3 \text{Subst}\left(\int \cos(a + bx^3) dx, x, c + dx\right)}{3bd^4} \\ &= -\frac{f^2(de - cf) \cos(a + b(c + dx)^3)}{bd^4} - \frac{f^3(c + dx) \cos(a + b(c + dx)^3)}{3bd^4} + \frac{ie^{ia}}{3bd^4} \\ &= -\frac{f^2(de - cf) \cos(a + b(c + dx)^3)}{bd^4} - \frac{f^3(c + dx) \cos(a + b(c + dx)^3)}{3bd^4} - \frac{ie^{ia}}{3bd^4} \end{aligned}$$

Mathematica [F] time = 132.80, size = 0, normalized size = 0.00

$$\int (e + fx)^3 \sin(a + b(c + dx)^3) dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^3*Sin[a + b*(c + d*x)^3], x]

[Out] Integrate[(e + f*x)^3*Sin[a + b*(c + d*x)^3], x]

fricas [A] time = 0.71, size = 425, normalized size = 0.98

$$\frac{(3bd^3e^3 - 9bcd^2e^2f + 9bc^2def^2 - 3bc^3f^3 - if^3)(ibd^3)^{\frac{2}{3}}e^{(-ia)}\Gamma\left(\frac{1}{3}, ibd^3x^3 + 3ibcd^2x^2 + 3ibc^2dx + ibc^3\right) + (e + fx)^3 \sin(a + b(c + dx)^3)}{3bd^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^3),x, algorithm="fricas")

[Out]
$$-1/18*((3*b*d^3*e^3 - 9*b*c*d^2*e^2*f + 9*b*c^2*d*e*f^2 - 3*b*c^3*f^3 - I*f^3)*(I*b*d^3)^{(2/3)}*e^{(-I*a)}*\text{gamma}(1/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + (3*b*d^3*e^3 - 9*b*c*d^2*e^2*f + 9*b*c^2*d*e*f^2 - 3*b*c^3*f^3 + I*f^3)*(-I*b*d^3)^{(2/3)}*e^{(I*a)}*\text{gamma}(1/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3) + 9*(b*d^3*e^2*f - 2*b*c*d^2*e*f^2 + b*c^2*d*f^3)*(I*b*d^3)^{(1/3)}*e^{(-I*a)}*\text{gamma}(2/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + 9*(b*d^3*e^2*f - 2*b*c*d^2*e*f^2 + b*c^2*d*f^3)*(-I*b*d^3)^{(1/3)}*e^{(I*a)}*\text{gamma}(2/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3) + 6*(b*d^3*f^3*x + 3*b*d^3*e*f^2 - 2*b*c*d^2*f^3)*\cos(b*d^3*x^3 + 3*b*c*d^2*x^2 + 3*b*c^2*d*x + b*c^3 + a))/(b^2*d^6)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^3 \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^3),x, algorithm="giac")

[Out] integrate((f*x + e)^3*sin((d*x + c)^3*b + a), x)

maple [F] time = 0.28, size = 0, normalized size = 0.00

$$\int (fx + e)^3 \sin(a + (dx + c)^3 b) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^3*sin(a+(d*x+c)^3*b),x)

[Out] int((f*x+e)^3*sin(a+(d*x+c)^3*b),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^3 \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^3*sin(a+b*(d*x+c)^3),x, algorithm="maxima")

[Out] integrate((f*x + e)^3*sin((d*x + c)^3*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^3) (e + fx)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^3)*(e + f*x)^3,x)`

[Out] `int(sin(a + b*(c + d*x)^3)*(e + f*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^3 \sin(a + bc^3 + 3bc^2dx + 3bcd^2x^2 + bd^3x^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**3*sin(a+b*(d*x+c)**3),x)`

[Out] `Integral((e + f*x)**3*sin(a + b*c**3 + 3*b*c**2*d*x + 3*b*c*d**2*x**2 + b*d**3*x**3), x)`

3.172 $\int (e + fx)^2 \sin(a + b(c + dx)^3) dx$

Optimal. Leaf size=280

$$\frac{ie^{ia} f(c + dx)^2 (de - cf) \Gamma\left(\frac{2}{3}, -ib(c + dx)^3\right)}{3d^3 (-ib(c + dx)^3)^{2/3}} - \frac{ie^{-ia} f(c + dx)^2 (de - cf) \Gamma\left(\frac{2}{3}, ib(c + dx)^3\right)}{3d^3 (ib(c + dx)^3)^{2/3}} + \frac{ie^{ia} (c + dx) (de - cf)^2 \Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d^3 \sqrt[3]{-ib(c + dx)^3}}$$

[Out] $-1/3*f^2*\cos(a+b*(d*x+c)^3)/b/d^3+1/6*I*\exp(I*a)*(-c*f+d*e)^2*(d*x+c)*\text{GAMMA}(1/3,-I*b*(d*x+c)^3)/d^3/(-I*b*(d*x+c)^3)^{(1/3)}-1/6*I*(-c*f+d*e)^2*(d*x+c)*\text{GAMMA}(1/3,I*b*(d*x+c)^3)/d^3/\exp(I*a)/(I*b*(d*x+c)^3)^{(1/3)}+1/3*I*\exp(I*a)*f*(-c*f+d*e)*(d*x+c)^2*\text{GAMMA}(2/3,-I*b*(d*x+c)^3)/d^3/(-I*b*(d*x+c)^3)^{(2/3)}-1/3*I*f*(-c*f+d*e)*(d*x+c)^2*\text{GAMMA}(2/3,I*b*(d*x+c)^3)/d^3/\exp(I*a)/(I*b*(d*x+c)^3)^{(2/3)}$

Rubi [A] time = 0.28, antiderivative size = 280, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {3433, 3355, 2208, 3389, 2218, 3379, 2638}

$$\frac{ie^{ia} f(c + dx)^2 (de - cf) \text{Gamma}\left(\frac{2}{3}, -ib(c + dx)^3\right)}{3d^3 (-ib(c + dx)^3)^{2/3}} - \frac{ie^{-ia} f(c + dx)^2 (de - cf) \text{Gamma}\left(\frac{2}{3}, ib(c + dx)^3\right)}{3d^3 (ib(c + dx)^3)^{2/3}} + \frac{ie^{ia} (c + dx) (de - cf)^2 \text{Gamma}\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d^3 \sqrt[3]{-ib(c + dx)^3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Sin}[a + b*(c + d*x)^3], x]$

[Out] $-(f^2*\text{Cos}[a + b*(c + d*x)^3])/(3*b*d^3) + ((I/6)*E^{(I*a)}*(d*e - c*f)^2*(c + d*x)*\text{Gamma}[1/3, (-I)*b*(c + d*x)^3])/(d^3*((-I)*b*(c + d*x)^3)^{(1/3)}) - ((I/6)*(d*e - c*f)^2*(c + d*x)*\text{Gamma}[1/3, I*b*(c + d*x)^3])/(d^3*E^{(I*a)}*(I*b*(c + d*x)^3)^{(1/3)}) + ((I/3)*E^{(I*a)}*f*(d*e - c*f)*(c + d*x)^2*\text{Gamma}[2/3, (-I)*b*(c + d*x)^3])/(d^3*((-I)*b*(c + d*x)^3)^{(2/3)}) - ((I/3)*f*(d*e - c*f)*(c + d*x)^2*\text{Gamma}[2/3, I*b*(c + d*x)^3])/(d^3*E^{(I*a)}*(I*b*(c + d*x)^3)^{(2/3)})$

Rule 2208

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.))}, x_Symbol] := -\text{Simp}[(F^a*(c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d^n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] /; \text{FreeQ}[\{F, a, b, c, d, n\}, x] \&\amp; \text{!IntegerQ}[2/n]$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.))}*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] := -\text{Simp}[(F^a*(e + f*x)^{(m + 1)}*\text{Gamma}[(m + 1)/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d^n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] /; \text{FreeQ}[\{F, a, b, c, d, n, m\}, x] \&\amp; \text{!IntegerQ}[2/n]$

$$\int \frac{(f^n \log[F])}{(f^n (-b(c + dx)^n \log[F]))^{(m+1)/n}}, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$$

Rule 2638

$$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}\{c, d\}, x]$$

Rule 3355

$$\text{Int}[\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] - \text{Dist}[I/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \text{IGtQ}[n, 2]$$

Rule 3379

$$\text{Int}[(x_.)^{(m_.)*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)^{(n_.)})}^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)*(a + b*\text{Sin}[c + d*x])^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x] \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m+1)/n]] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{EqQ}[m, n-1] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{GtQ}[\text{Simplify}[(m+1)/n], 0]))$$

Rule 3389

$$\text{Int}[(e_.)*(x_.)^{(m_.)*\text{Sin}[(c_.) + (d_.)*(x_.)^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e*x)^m * E^{-(c*I) - d*I*x^n}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m * E^{(c*I + d*I*x^n)}, x], x] /; \text{FreeQ}\{c, d, e, m\}, x] \ \&\& \ \text{IGtQ}[n, 0]$$

Rule 3433

$$\text{Int}[(g_.) + (h_.)*(x_.))^{(m_.)*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)})}^{(p_.)}, x_Symbol] \rightarrow \text{Module}\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{(m+1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x^{(k*n)}])^p, x^{(k-1)*(f*g - e*h + h*x^k)^m}, x], x], x, (e + f*x)^{(1/k)}], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[m, 0]$$

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin(a + b(c + dx)^3) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de+cf)}{d^2 e^2}\right) \sin(a + bx^3) + 2def \left(1 - \frac{cf}{de}\right) x \sin(a + bx^3)\right) dx, x, c + dx\right)}{d^3} \\
&= \frac{f^2 \text{Subst}\left(\int x^2 \sin(a + bx^3) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin(a + bx^3) dx, x, c + dx\right)}{d^3} \\
&= \frac{f^2 \text{Subst}\left(\int \sin(a + bx) dx, x, (c + dx)^3\right)}{3d^3} + \frac{(if(de - cf)) \text{Subst}\left(\int e^{-ia-ibx^3} dx, x, (c + dx)^3\right)}{d^3} \\
&= -\frac{f^2 \cos(a + b(c + dx)^3)}{3bd^3} + \frac{ie^{ia}(de - cf)^2(c + dx)\Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d^3 \sqrt[3]{-ib(c + dx)^3}} - \frac{ie^{-ia}}{3d^3}
\end{aligned}$$

Mathematica [F] time = 53.04, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin(a + b(c + dx)^3) dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^3], x]

[Out] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^3], x]

fricas [A] time = 0.68, size = 319, normalized size = 1.14

$$2d^2f^2 \cos(bd^3x^3 + 3bcd^2x^2 + 3bc^2dx + bc^3 + a) + (ibd^3)^{\frac{2}{3}}(d^2e^2 - 2cdef + c^2f^2)e^{(-ia)}\Gamma\left(\frac{1}{3}, ibd^3x^3 + 3ibcd^2x^2 + 3ibc^2dx + ibc^3 + a\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^3), x, algorithm="fricas")

[Out] $-1/6*(2*d^2*f^2*\cos(b*d^3*x^3 + 3*b*c*d^2*x^2 + 3*b*c^2*d*x + b*c^3 + a) + (I*b*d^3)^{(2/3)}*(d^2*e^2 - 2*c*d*e*f + c^2*f^2)*e^{(-I*a)}*\gamma(1/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + (-I*b*d^3)^{(2/3)}*(d^2*e^2 - 2*c*d*e*f + c^2*f^2)*e^{(I*a)}*\gamma(1/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3) + 2*(I*b*d^3)^{(1/3)}*(d^2*e*f - c*d*f^2)*e^{(-I*a)}*\gamma(2/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + 2*(-I*b*d^3)^{(1/3)}*(d^2*e*f - c*d*f^2)*e^{(I*a)}*\gamma(2/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3))/(b*d^5)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^3),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin((d*x + c)^3*b + a), x)

maple [F] time = 0.22, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin(a + (dx + c)^3 b) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+(d*x+c)^3*b),x)

[Out] int((f*x+e)^2*sin(a+(d*x+c)^3*b),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^3),x, algorithm="maxima")

[Out] integrate((f*x + e)^2*sin((d*x + c)^3*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^3) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^3)*(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^3)*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin(a + bc^3 + 3bc^2dx + 3bcd^2x^2 + bd^3x^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b*(d*x+c)**3),x)

[Out] Integral((e + f*x)**2*sin(a + b*c**3 + 3*b*c**2*d*x + 3*b*c*d**2*x**2 + b*d**3*x**3), x)

3.173 $\int (e + fx) \sin(a + b(c + dx)^3) dx$

Optimal. Leaf size=235

$$\frac{ie^{ia}(c+dx)(de-cf)\Gamma\left(\frac{1}{3}, -ib(c+dx)^3\right)}{6d^2\sqrt[3]{-ib(c+dx)^3}} - \frac{ie^{-ia}(c+dx)(de-cf)\Gamma\left(\frac{1}{3}, ib(c+dx)^3\right)}{6d^2\sqrt[3]{ib(c+dx)^3}} + \frac{ie^{ia}f(c+dx)^2\Gamma\left(\frac{2}{3}, -ib(c+dx)^3\right)}{6d^2(-ib(c+dx)^3)^{2/3}}$$

[Out] $\frac{1}{6}I*\exp(I*a)*(-c*f+d*e)*(d*x+c)*\text{GAMMA}(1/3, -I*b*(d*x+c)^3)/d^2/(-I*b*(d*x+c)^3)^{(1/3)} - \frac{1}{6}I*(-c*f+d*e)*(d*x+c)*\text{GAMMA}(1/3, I*b*(d*x+c)^3)/d^2/\exp(I*a)/(I*b*(d*x+c)^3)^{(1/3)} + \frac{1}{6}I*\exp(I*a)*f*(d*x+c)^2*\text{GAMMA}(2/3, -I*b*(d*x+c)^3)/d^2/(-I*b*(d*x+c)^3)^{(2/3)} - \frac{1}{6}I*f*(d*x+c)^2*\text{GAMMA}(2/3, I*b*(d*x+c)^3)/d^2/\exp(I*a)/(I*b*(d*x+c)^3)^{(2/3)}$

Rubi [A] time = 0.19, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3433, 3355, 2208, 3389, 2218}

$$\frac{ie^{ia}(c+dx)(de-cf)\text{Gamma}\left(\frac{1}{3}, -ib(c+dx)^3\right)}{6d^2\sqrt[3]{-ib(c+dx)^3}} - \frac{ie^{-ia}(c+dx)(de-cf)\text{Gamma}\left(\frac{1}{3}, ib(c+dx)^3\right)}{6d^2\sqrt[3]{ib(c+dx)^3}} + \frac{ie^{ia}f(c+dx)^2\text{Gamma}\left(\frac{2}{3}, -ib(c+dx)^3\right)}{6d^2(-ib(c+dx)^3)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[a + b*(c + d*x)^3], x]

[Out] $\left(\frac{I}{6}\right)*E^{(I*a)}*(d*e - c*f)*(c + d*x)*\text{Gamma}\left[\frac{1}{3}, (-I)*b*(c + d*x)^3\right]/(d^2*(-I)*b*(c + d*x)^3)^{(1/3)} - \left(\frac{I}{6}\right)*(d*e - c*f)*(c + d*x)*\text{Gamma}\left[\frac{1}{3}, I*b*(c + d*x)^3\right]/(d^2*E^{(I*a)}*(I*b*(c + d*x)^3)^{(1/3)} + \left(\frac{I}{6}\right)*E^{(I*a)}*f*(c + d*x)^2*\text{Gamma}\left[\frac{2}{3}, (-I)*b*(c + d*x)^3\right]/(d^2*(-I)*b*(c + d*x)^3)^{(2/3)} - \left(\frac{I}{6}\right)*f*(c + d*x)^2*\text{Gamma}\left[\frac{2}{3}, I*b*(c + d*x)^3\right]/(d^2*E^{(I*a)}*(I*b*(c + d*x)^3)^{(2/3)}$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F,

a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3389

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rule 3433

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (e + fx) \sin(a + b(c + dx)^3) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin(a + bx^3) + fx \sin(a + bx^3)\right) dx, x, c + dx\right)}{d^2} \\ &= \frac{f \text{Subst}\left(\int x \sin(a + bx^3) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin(a + bx^3) dx, x, c + dx\right)}{d^2} \\ &= \frac{(if) \text{Subst}\left(\int e^{-ia-ibx^3} x dx, x, c + dx\right)}{2d^2} - \frac{(if) \text{Subst}\left(\int e^{ia+ibx^3} x dx, x, c + dx\right)}{2d^2} \\ &= \frac{ie^{ia}(de - cf)(c + dx)\Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d^2\sqrt[3]{-ib(c + dx)^3}} - \frac{ie^{-ia}(de - cf)(c + dx)\Gamma\left(\frac{1}{3}, ib(c + dx)^3\right)}{6d^2\sqrt[3]{ib(c + dx)^3}} \end{aligned}$$

Mathematica [F] time = 46.01, size = 0, normalized size = 0.00

$$\int (e + fx) \sin(a + b(c + dx)^3) dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^3], x]

[Out] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^3], x]

fricas [A] time = 0.68, size = 225, normalized size = 0.96

$$\frac{(ibd^3)^{\frac{1}{3}} dfe^{(-ia)}\Gamma\left(\frac{2}{3}, ibd^3x^3 + 3ibcd^2x^2 + 3ibc^2dx + ibc^3\right) + (-ibd^3)^{\frac{1}{3}} dfe^{(ia)}\Gamma\left(\frac{2}{3}, -ibd^3x^3 - 3ibcd^2x^2 - 3ibc^2dx - ibc^3\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^3), x, algorithm="fricas")

[Out]
$$-1/6*((I*b*d^3)^{(1/3)}*d*f*e^{(-I*a)}*\gamma(2/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + (-I*b*d^3)^{(1/3)}*d*f*e^{(I*a)}*\gamma(2/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3) + (I*b*d^3)^{(2/3)}*(d*e - c*f)*e^{(-I*a)}*\gamma(1/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + (-I*b*d^3)^{(2/3)}*(d*e - c*f)*e^{(I*a)}*\gamma(1/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3))/(b*d^4)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^3), x, algorithm="giac")

[Out] integrate((f*x + e)*sin((d*x + c)^3*b + a), x)

maple [F] time = 0.19, size = 0, normalized size = 0.00

$$\int (fx + e) \sin(a + (dx + c)^3 b) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(a+(d*x+c)^3*b), x)

[Out] int((f*x+e)*sin(a+(d*x+c)^3*b), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^3),x, algorithm="maxima")

[Out] integrate((f*x + e)*sin((d*x + c)^3*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^3) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^3)*(e + f*x),x)

[Out] int(sin(a + b*(c + d*x)^3)*(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin(a + bc^3 + 3bc^2dx + 3bcd^2x^2 + bd^3x^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)**3),x)

[Out] Integral((e + f*x)*sin(a + b*c**3 + 3*b*c**2*d*x + 3*b*c*d**2*x**2 + b*d**3*x**3), x)

3.174 $\int \sin(a + b(c + dx)^3) dx$

Optimal. Leaf size=107

$$\frac{ie^{ia}(c + dx)\Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d\sqrt[3]{-ib(c + dx)^3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{1}{3}, ib(c + dx)^3\right)}{6d\sqrt[3]{ib(c + dx)^3}}$$

[Out] 1/6*I*exp(I*a)*(d*x+c)*GAMMA(1/3, -I*b*(d*x+c)^3)/d/(-I*b*(d*x+c)^3)^(1/3)-1/6*I*(d*x+c)*GAMMA(1/3, I*b*(d*x+c)^3)/d/exp(I*a)/(I*b*(d*x+c)^3)^(1/3)

Rubi [A] time = 0.03, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3355, 2208}

$$\frac{ie^{ia}(c + dx)\Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d\sqrt[3]{-ib(c + dx)^3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{1}{3}, ib(c + dx)^3\right)}{6d\sqrt[3]{ib(c + dx)^3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^3], x]

[Out] ((I/6)*E^(I*a)*(c + d*x)*Gamma[1/3, (-I)*b*(c + d*x)^3])/(d*((-I)*b*(c + d*x)^3)^(1/3)) - ((I/6)*(c + d*x)*Gamma[1/3, I*b*(c + d*x)^3])/(d*E^(I*a)*(I*b*(c + d*x)^3)^(1/3))

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-b*(c + d*x)^n*Log[F]))^(1/n), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3355

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rubi steps

$$\int \sin(a + b(c + dx)^3) dx = \frac{1}{2}i \int e^{-ia - ib(c+dx)^3} dx - \frac{1}{2}i \int e^{ia + ib(c+dx)^3} dx$$

$$= \frac{ie^{ia}(c + dx)\Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right)}{6d\sqrt[3]{-ib(c + dx)^3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{1}{3}, ib(c + dx)^3\right)}{6d\sqrt[3]{ib(c + dx)^3}}$$

Mathematica [A] time = 0.02, size = 115, normalized size = 1.07

$$\frac{i(c + dx) \left((\cos(a) + i \sin(a)) \sqrt[3]{ib(c + dx)^3} \Gamma\left(\frac{1}{3}, -ib(c + dx)^3\right) - (\cos(a) - i \sin(a)) \sqrt[3]{-ib(c + dx)^3} \Gamma\left(\frac{1}{3}, ib(c + dx)^3\right) \right)}{6d\sqrt[3]{b^2(c + dx)^6}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^3], x]

[Out] ((I/6)*(c + d*x)*(-(((-I)*b*(c + d*x)^3)^(1/3)*Gamma[1/3, I*b*(c + d*x)^3]*(Cos[a] - I*Sin[a])) + (I*b*(c + d*x)^3)^(1/3)*Gamma[1/3, (-I)*b*(c + d*x)^3]*(Cos[a] + I*Sin[a]))) / (d*(b^2*(c + d*x)^6)^(1/3))

fricas [A] time = 0.61, size = 107, normalized size = 1.00

$$\frac{(ibd^3)^{\frac{2}{3}} e^{-ia} \Gamma\left(\frac{1}{3}, ibd^3x^3 + 3ibcd^2x^2 + 3ibc^2dx + ibc^3\right) + (-ibd^3)^{\frac{2}{3}} e^{ia} \Gamma\left(\frac{1}{3}, -ibd^3x^3 - 3ibcd^2x^2 - 3ibc^2dx + ibc^3\right)}{6bd^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3), x, algorithm="fricas")

[Out] -1/6*((I*b*d^3)^(2/3)*e^(-I*a)*gamma(1/3, I*b*d^3*x^3 + 3*I*b*c*d^2*x^2 + 3*I*b*c^2*d*x + I*b*c^3) + (-I*b*d^3)^(2/3)*e^(I*a)*gamma(1/3, -I*b*d^3*x^3 - 3*I*b*c*d^2*x^2 - 3*I*b*c^2*d*x - I*b*c^3)) / (b*d^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin((dx + c)^3b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3), x, algorithm="giac")

[Out] integrate(sin((d*x + c)^3*b + a), x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int \sin(a + (dx + c)^3 b) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+(d*x+c)^3*b), x)

[Out] int(sin(a+(d*x+c)^3*b), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin((dx + c)^3 b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3), x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^3*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b(c + dx)^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^3), x)

[Out] int(sin(a + b*(c + d*x)^3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(a + b(c + dx)^3) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**3), x)

[Out] Integral(sin(a + b*(c + d*x)**3), x)

$$3.175 \quad \int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^3)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^3)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^3]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^3]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx = \int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx$$

Mathematica [A] time = 63.04, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^3)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^3]/(e + f*x), x]

[Out] Integrate[Sin[a + b*(c + d*x)^3]/(e + f*x), x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin(bd^3x^3 + 3bcd^2x^2 + 3bc^2dx + bc^3 + a)}{fx + e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin(b*d^3*x^3 + 3*b*c*d^2*x^2 + 3*b*c^2*d*x + b*c^3 + a)/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^3 b + a)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^3*b + a)/(f*x + e), x)

maple [A] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + (dx+c)^3 b)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+(d*x+c)^3*b)/(f*x+e),x)

[Out] int(sin(a+(d*x+c)^3*b)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx+c)^3 b + a)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^3*b + a)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin(a + b(c + dx)^3)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^3)/(e + f*x), x)`

[Out] `int(sin(a + b*(c + d*x)^3)/(e + f*x), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc^3 + 3bc^2dx + 3bcd^2x^2 + bd^3x^3)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**3)/(f*x+e), x)`

[Out] `Integral(sin(a + b*c**3 + 3*b*c**2*d*x + 3*b*c*d**2*x**2 + b*d**3*x**3)/(e + f*x), x)`

$$3.176 \quad \int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^3)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^3)/(f*x+e)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^3]/(e + f*x)^2, x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^3]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx = \int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx$$

Mathematica [A] time = 130.65, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^3)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^3]/(e + f*x)^2, x]

[Out] Integrate[Sin[a + b*(c + d*x)^3]/(e + f*x)^2, x]

fricas [A] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin(bd^3x^3 + 3bcd^2x^2 + 3bc^2dx + bc^3 + a)}{f^2x^2 + 2efx + e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin(b*d^3*x^3 + 3*b*c*d^2*x^2 + 3*b*c^2*d*x + b*c^3 + a)/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e)^2,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.24, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + (dx + c)^3 b)}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+(d*x+c)^3*b)/(f*x+e)^2,x)

[Out] int(sin(a+(d*x+c)^3*b)/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^3 b + a)}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^3)/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^3*b + a)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin(a + b(c + dx)^3)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^3)/(e + f*x)^2,x)`

[Out] `int(sin(a + b*(c + d*x)^3)/(e + f*x)^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc^3 + 3bc^2dx + 3bcd^2x^2 + bd^3x^3)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**3)/(f*x+e)**2,x)`

[Out] `Integral(sin(a + b*c**3 + 3*b*c**2*d*x + 3*b*c*d**2*x**2 + b*d**3*x**3)/(e + f*x)**2, x)`

$$3.177 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right) dx$$

Optimal. Leaf size=371

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 \sin(a) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{3d^3} + \frac{2\sqrt{2\pi} b^{3/2} f^2 \cos(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{3d^3} - \frac{bf \cos(a)(de - cf) \operatorname{Ci}\left(\frac{b}{(c+dx)^2}\right)}{d^3} - \frac{\sqrt{2\pi} \sqrt{b} \cos(a)}{d^3}$$

[Out] $-b*f*(-c*f+d*e)*\operatorname{Ci}(b/(d*x+c)^2)*\cos(a)/d^3+2/3*b*f^2*(d*x+c)*\cos(a+b/(d*x+c)^2)/d^3+b*f*(-c*f+d*e)*\operatorname{Si}(b/(d*x+c)^2)*\sin(a)/d^3+(-c*f+d*e)^2*(d*x+c)*\sin(a+b/(d*x+c)^2)/d^3+f*(-c*f+d*e)*(d*x+c)^2*\sin(a+b/(d*x+c)^2)/d^3+1/3*f^2*(d*x+c)^3*\sin(a+b/(d*x+c)^2)/d^3+2/3*b^(3/2)*f^2*\cos(a)*\operatorname{FresnelS}(b^(1/2)*2^(1/2)/\operatorname{Pi}^(1/2)/(d*x+c))*2^(1/2)*\operatorname{Pi}^(1/2)/d^3+2/3*b^(3/2)*f^2*\operatorname{FresnelC}(b^(1/2)*2^(1/2)/\operatorname{Pi}^(1/2)/(d*x+c))*\sin(a)*2^(1/2)*\operatorname{Pi}^(1/2)/d^3-(-c*f+d*e)^2*\cos(a)*\operatorname{FresnelC}(b^(1/2)*2^(1/2)/\operatorname{Pi}^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*\operatorname{Pi}^(1/2)/d^3+(-c*f+d*e)^2*\operatorname{FresnelS}(b^(1/2)*2^(1/2)/\operatorname{Pi}^(1/2)/(d*x+c))*\sin(a)*b^(1/2)*2^(1/2)*\operatorname{Pi}^(1/2)/d^3$

Rubi [A] time = 0.48, antiderivative size = 371, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 14, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.700$, Rules used = {3433, 3359, 3387, 3354, 3352, 3351, 3379, 3297, 3303, 3299, 3302, 3409, 3388, 3353}

$$\frac{2\sqrt{2\pi} b^{3/2} f^2 \sin(a) \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{c+dx}\right)}{3d^3} + \frac{2\sqrt{2\pi} b^{3/2} f^2 \cos(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{3d^3} - \frac{bf \cos(a)(de - cf) \operatorname{CosIntegral}\left(\frac{b}{(c+dx)^2}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^2*\operatorname{Sin}[a + b/(c + d*x)^2], x]$

[Out] $(2*b*f^2*(c + d*x)*\operatorname{Cos}[a + b/(c + d*x)^2])/(3*d^3) - (b*f*(d*e - c*f)*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^2])/d^3 - (\operatorname{Sqrt}[b]*(d*e - c*f)^2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Cos}[a]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\operatorname{Pi}])/(c + d*x)])/d^3 + (2*b^(3/2)*f^2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{Cos}[a]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\operatorname{Pi}])/(c + d*x)])/d^3 + (2*b^(3/2)*f^2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\operatorname{Pi}])/(c + d*x)]*\operatorname{Sin}[a])/d^3 + (\operatorname{Sqrt}[b]*(d*e - c*f)^2*\operatorname{Sqrt}[2*\operatorname{Pi}]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/\operatorname{Pi}])/(c + d*x)]*\operatorname{Sin}[a])/d^3 + ((d*e - c*f)^2*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^2])/d^3 + (f*(d*e - c*f)*(c + d*x)^2*\operatorname{Sin}[a + b/(c + d*x)^2])/d^3 + (f^2*(c + d*x)^3*\operatorname{Sin}[a + b/(c + d*x)^2])/d^3 + (b*f*(d*e - c*f)*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^2])/d^3$

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol]
:> -Dist[f^(-1), Subst[Int[(a + b*Sin[c + d/x^n])^p/x^2, x], x, 1/(e + f*x)], x]
;/; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
:> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x]
;/; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)], x_Symbol]
:> Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x]
;/; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_.)]*((e_.)*(x_))^(m_.), x_Symbol]
:> Simp[((e*x)^(m + 1)*Cos[c + d*x^n]/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x]
;/; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3409

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
:> -Subst[Int[(a + b*Sin[c + d/x^n])^p/x^(m + 2), x], x, 1/x]
;/; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol]
:> Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x]
;/; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin\left(a + \frac{b}{(c + dx)^2}\right) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de+cf)}{d^2 e^2}\right) \sin\left(a + \frac{b}{x^2}\right) + 2def\left(1 - \frac{cf}{de}\right) x \sin\left(a + \frac{b}{x^2}\right)\right) dx, x, c + dx}{d^3} \\
&= \frac{f^2 \text{Subst}\left(\int x^2 \sin\left(a + \frac{b}{x^2}\right) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin\left(a + \frac{b}{x^2}\right) dx, x, c + dx\right)}{d^3} \\
&= -\frac{f^2 \text{Subst}\left(\int \frac{\sin(a+bx^2)}{x^4} dx, x, \frac{1}{c+dx}\right)}{d^3} - \frac{(f(de - cf)) \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d^3} \\
&= \frac{(de - cf)^2 (c + dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^3} + \frac{f(de - cf)(c + dx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^3} \\
&= \frac{2bf^2(c + dx) \cos\left(a + \frac{b}{(c+dx)^2}\right)}{3d^3} + \frac{(de - cf)^2 (c + dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^3} + \frac{f(de - cf)(c + dx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^3} \\
&= \frac{2bf^2(c + dx) \cos\left(a + \frac{b}{(c+dx)^2}\right)}{3d^3} - \frac{bf(de - cf) \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{d^3} - \frac{\sqrt{b}(de - cf) \text{Si}\left(\frac{b}{(c+dx)^2}\right)}{d^3} \\
&= \frac{2bf^2(c + dx) \cos\left(a + \frac{b}{(c+dx)^2}\right)}{3d^3} - \frac{bf(de - cf) \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{d^3} - \frac{\sqrt{b}(de - cf) \text{Si}\left(\frac{b}{(c+dx)^2}\right)}{d^3}
\end{aligned}$$

Mathematica [A] time = 1.54, size = 467, normalized size = 1.26

$$2\sqrt{2\pi} b^{3/2} f^2 \cos(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right) + c^3 f^2 \sin\left(a + \frac{b}{(c+dx)^2}\right) - 3c^2 def \sin\left(a + \frac{b}{(c+dx)^2}\right) + 3\sqrt{2\pi} \sqrt{b} c^2 f^2 \sin(a) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b/(c + d*x)^2], x]

[Out] (2*b*c*f^2*Cos[a + b/(c + d*x)^2] + 2*b*d*f^2*x*Cos[a + b/(c + d*x)^2] + 3*b*f*(-(d*e) + c*f)*Cos[a]*CosIntegral[b/(c + d*x)^2] + 2*b^(3/2)*f^2*Sqrt[2*Pi]*Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)] + 3*Sqrt[b]*d^2*e^2*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*Sin[a] - 6*Sqrt[b]*c*d*e*f*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*Sin[a] + 3*Sqrt[b]*c^2*f^2*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*Sin[a] + Sqrt[b]*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*(-3*(d*e - c*f)^2*Cos[a] + 2*b*f^2*Sin[a]) + 3*c*d^2*e^2*Sin[a + b/(c + d*x)^2] - 3*c^2*d*e*f*Sin[a + b/(c + d*x)^2])

$$\frac{a + b/(c + dx)^2 + c^3 f^2 \sin[a + b/(c + dx)^2] + 3d^3 e^2 x \sin[a + b/(c + dx)^2] + 3d^3 e f x^2 \sin[a + b/(c + dx)^2] + d^3 f^2 x^3 \sin[a + b/(c + dx)^2] + 3b d e f \sin[a] \operatorname{SinIntegral}[b/(c + dx)^2] - 3b c f^2 \operatorname{SinIntegral}[b/(c + dx)^2]}{(3d^3)}$$

fricas [A] time = 0.86, size = 430, normalized size = 1.16

$$2\sqrt{2} \left(2\pi b d f^2 \sin(a) - 3\pi (d^3 e^2 - 2cd^2 e f + c^2 d f^2) \cos(a) \right) \sqrt{\frac{b}{\pi d^2}} C \left(\frac{\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}}{dx+c} \right) + 2\sqrt{2} \left(2\pi b d f^2 \cos(a) + 3\pi (d^3 e^2 - 2cd^2 e f + c^2 d f^2) \sin(a) \right) \sqrt{\frac{b}{\pi d^2}} S \left(\frac{\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}}{dx+c} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^2),x, algorithm="fricas")

[Out] $\frac{1}{6} \cdot (2\sqrt{2} \cdot (2\pi b d f^2 \sin(a) - 3\pi (d^3 e^2 - 2cd^2 e f + c^2 d f^2) \cos(a)) \sqrt{\frac{b}{\pi d^2}} \operatorname{fresnel_cos}(\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}) / (d x + c) + 2\sqrt{2} \cdot (2\pi b d f^2 \cos(a) + 3\pi (d^3 e^2 - 2cd^2 e f + c^2 d f^2) \sin(a)) \sqrt{\frac{b}{\pi d^2}} \operatorname{fresnel_sin}(\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}) / (d x + c) + 6 \cdot (b d e f - b c f^2) \sin(a) \operatorname{sin_integral}(b / (d^2 x^2 + 2 c d x + c^2)) - 3 \cdot ((b d e f - b c f^2) \cos_integral(b / (d^2 x^2 + 2 c d x + c^2)) + (b d e f - b c f^2) \cos_integral(-b / (d^2 x^2 + 2 c d x + c^2))) \cos(a) + 4 \cdot (b d f^2 x + b c f^2) \cos((a d^2 x^2 + 2 a c d x + a c^2 + b) / (d^2 x^2 + 2 c d x + c^2)) + 2 \cdot (d^3 f^2 x^3 + 3 d^3 e f x^2 + 3 d^3 e^2 x + 3 c d^2 e^2 - 3 c^2 d e f + c^3 f^2) \sin((a d^2 x^2 + 2 a c d x + a c^2 + b) / (d^2 x^2 + 2 c d x + c^2))) / d^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^2),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(a + b/(d*x + c)^2), x)

maple [A] time = 0.04, size = 302, normalized size = 0.81

$$-(c^2 f^2 - 2cdef + d^2 e^2) (dx + c) \sin\left(a + \frac{b}{(dx+c)^2}\right) + (c^2 f^2 - 2cdef + d^2 e^2) \sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{\sqrt{b}}{\sqrt{\pi}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b/(d*x+c)^2),x)

[Out] $-1/d^3*(-(c^2*f^2-2*c*d*e*f+d^2*e^2)*(d*x+c)*\sin(a+b/(d*x+c)^2)+(c^2*f^2-2*c*d*e*f+d^2*e^2)*b^{1/2}*2^{1/2}*Pi^{1/2}*(\cos(a)*\text{FresnelC}(b^{1/2}*2^{1/2}/Pi^{1/2}/(d*x+c))-\sin(a)*\text{FresnelS}(b^{1/2}*2^{1/2}/Pi^{1/2}/(d*x+c)))-1/2*(-2*c*f^2+2*d*e*f)*(d*x+c)^2*\sin(a+b/(d*x+c)^2)+(-2*c*f^2+2*d*e*f)*b*(1/2*\cos(a)*\text{Ci}(b/(d*x+c)^2)-1/2*\sin(a)*\text{Si}(b/(d*x+c)^2)))-1/3*f^2*(d*x+c)^3*\sin(a+b/(d*x+c)^2)+2/3*f^2*b*(-(d*x+c)*\cos(a+b/(d*x+c)^2)-b^{1/2}*2^{1/2}*Pi^{1/2}*(\cos(a)*\text{FresnelS}(b^{1/2}*2^{1/2}/Pi^{1/2}/(d*x+c))+\sin(a)*\text{FresnelC}(b^{1/2}*2^{1/2}/Pi^{1/2}/(d*x+c))))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$2bf^2x \cos\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right) + \left(\frac{c^3f^2 \sin\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)}{d^3} - 2 \int \frac{2b^2f^2x \sin\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right) - 3((bd^2ef-bcdf^2)x^2+(bd^2e^2-bc^2f^2)x + c^2d^2e^2 - bc^2d^2f^2)}{2(d^4x^3+3cd^3x^2+3c^2d^2x+c^3d)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^2),x, algorithm="maxima")

[Out] $1/3*(2*b*f^2*x*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) - 3*d^2*\integrate(1/3*(2*b^2*d*f^2*x*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) + (b*c^3*f^2 - 3*(b*d^3*e*f - b*c*d^2*f^2)*x^2 - 3*(b*d^3*e^2 - b*c^2*d*f^2)*x)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)))/(d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2), x) - 3*d^2*\integrate(1/3*(2*b^2*d*f^2*x*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) + (b*c^3*f^2 - 3*(b*d^3*e*f - b*c*d^2*f^2)*x^2 - 3*(b*d^3*e^2 - b*c^2*d*f^2)*x)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)))/(d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))^2 + (d^5*x^3 + 3*c*d^4*x^2 + 3*c^2*d^3*x + c^3*d^2)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))^2), x) + (d^2*f^2*x^3 + 3*d^2*e*f*x^2 + 3*d^2*e^2*x)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)))/d^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^2}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^2)*(e + f*x)^2,x)

[Out] `int(sin(a + b/(c + d*x)^2)*(e + f*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + \frac{b}{c^2 + 2cdx + d^2x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**2*sin(a+b/(d*x+c)**2), x)`

[Out] `Integral((e + f*x)**2*sin(a + b/(c**2 + 2*c*d*x + d**2*x**2)), x)`

$$3.178 \quad \int (e + fx) \sin \left(a + \frac{b}{(c+dx)^2} \right) dx$$

Optimal. Leaf size=198

$$\frac{bf \cos(a) \operatorname{Ci} \left(\frac{b}{(c+dx)^2} \right)}{2d^2} - \frac{\sqrt{2\pi} \sqrt{b} \cos(a)(de - cf) C \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx} \right)}{d^2} + \frac{\sqrt{2\pi} \sqrt{b} \sin(a)(de - cf) S \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx} \right)}{d^2} + \frac{(c + dx)(de - cf)}{d^2}$$

[Out] $-1/2*b*f*Ci(b/(d*x+c)^2)*cos(a)/d^2+1/2*b*f*Si(b/(d*x+c)^2)*sin(a)/d^2+(-c*f+d*e)*(d*x+c)*sin(a+b/(d*x+c)^2)/d^2+1/2*f*(d*x+c)^2*sin(a+b/(d*x+c)^2)/d^2-(-c*f+d*e)*cos(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*Pi^(1/2)/d^2+(-c*f+d*e)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*sin(a)*b^(1/2)*2^(1/2)*Pi^(1/2)/d^2$

Rubi [A] time = 0.26, antiderivative size = 198, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 11, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.611$, Rules used = {3433, 3359, 3387, 3354, 3352, 3351, 3379, 3297, 3303, 3299, 3302}

$$\frac{bf \cos(a) \operatorname{CosIntegral} \left(\frac{b}{(c+dx)^2} \right)}{2d^2} - \frac{\sqrt{2\pi} \sqrt{b} \cos(a)(de - cf) \operatorname{FresnelC} \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{c+dx} \right)}{d^2} + \frac{\sqrt{2\pi} \sqrt{b} \sin(a)(de - cf) S \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx} \right)}{d^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Sin}[a + b/(c + d*x)^2], x]$

[Out] $-(b*f*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^2])/(2*d^2) - (\operatorname{Sqrt}[b]*(d*e - c*f)*\operatorname{Sqrt}[2*Pi]*\operatorname{Cos}[a]*\operatorname{FresnelC}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi])/(c + d*x)])/d^2 + (\operatorname{Sqrt}[b]*(d*e - c*f)*\operatorname{Sqrt}[2*Pi]*\operatorname{FresnelS}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[2/Pi])/(c + d*x)]*\operatorname{Sin}[a])/d^2 + ((d*e - c*f)*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^2])/d^2 + (f*(c + d*x)^2*\operatorname{Sin}[a + b/(c + d*x)^2])/(2*d^2) + (b*f*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^2])/(2*d^2)$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^(m_)*\operatorname{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^(m + 1)*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^(m + 1)*\operatorname{Cos}[e + f*x], x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x] \ \&\& \ \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))n])p, x_Symbol] := -Dist[f-1, Subst[Int[(a + b*Sin[c + d/xn])p/x2, x], x, 1/(e + f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3379

```
Int[(x_)m*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)n])p, x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])p, x], x, xn], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int (e + fx) \sin\left(a + \frac{b}{(c + dx)^2}\right) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin\left(a + \frac{b}{x^2}\right) + fx \sin\left(a + \frac{b}{x^2}\right)\right) dx, x, c + dx\right)}{d^2} \\
 &= \frac{f \text{Subst}\left(\int x \sin\left(a + \frac{b}{x^2}\right) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin\left(a + \frac{b}{x^2}\right) dx, x, c + dx\right)}{d^2} \\
 &= -\frac{f \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \frac{1}{(c+dx)^2}\right)}{2d^2} - \frac{(de - cf) \text{Subst}\left(\int \frac{\sin(a+bx^2)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d^2} \\
 &= \frac{(de - cf)(c + dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^2} + \frac{f(c + dx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{(bf) \text{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, \frac{1}{c+dx}\right)}{d^2} \\
 &= \frac{(de - cf)(c + dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d^2} + \frac{f(c + dx)^2 \sin\left(a + \frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{(bf) \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{2d^2} \\
 &= -\frac{bf \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^2}\right)}{2d^2} - \frac{\sqrt{b}(de - cf)\sqrt{2\pi} \cos(a) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d^2} + \frac{\sqrt{b}(de - cf)}{d^2}
 \end{aligned}$$

Mathematica [A] time = 0.79, size = 242, normalized size = 1.22

$$c^2(-f) \sin\left(a + \frac{b}{(c+dx)^2}\right) - bf \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^2}\right) + 2d^2 ex \sin\left(a + \frac{b}{(c+dx)^2}\right) + d^2 f x^2 \sin\left(a + \frac{b}{(c+dx)^2}\right) - 2\sqrt{2\pi} \sqrt{b} \cos(a) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{c+dx}\right) + \sqrt{b}(de - cf)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b/(c + d*x)^2],x]

[Out] $(-(b*f*\text{Cos}[a]*\text{CosIntegral}[b/(c + d*x)^2]) - 2*\text{Sqrt}[b]*(d*e - c*f)*\text{Sqrt}[2*\text{Pi}] * \text{Cos}[a]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)] + 2*\text{Sqrt}[b]*d*e*\text{Sqrt}[2*\text{Pi}] * \text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x])* \text{Sin}[a] - 2*\text{Sqrt}[b]*c*f*\text{Sqrt}[2*\text{Pi}] * \text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x])* \text{Sin}[a] + 2*c*d*e*\text{Sin}[a + b/(c + d*x)^2] - c^2*f*\text{Sin}[a + b/(c + d*x)^2] + 2*d^2*e*x*\text{Sin}[a + b/(c + d*x)^2] + d^2*f*x^2*\text{Sin}[a + b/(c + d*x)^2] + b*f*\text{Sin}[a]*\text{SinIntegral}[b/(c + d*x)^2])/ (2*d^2)$

fricas [A] time = 0.83, size = 260, normalized size = 1.31

$$4\sqrt{2}\pi(d^2e - cdf)\sqrt{\frac{b}{\pi d^2}} \cos(a) C\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) - 4\sqrt{2}\pi(d^2e - cdf)\sqrt{\frac{b}{\pi d^2}} S\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) \sin(a) - 2bf \sin(a) \text{Si}\left(\frac{\sqrt{2}d\sqrt{\frac{b}{\pi d^2}}}{dx+c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^2),x, algorithm="fricas")

[Out] $-1/4*(4*\text{sqrt}(2)*\text{pi}*(d^2*e - c*d*f)*\text{sqrt}(b/(\text{pi}*d^2))*\text{cos}(a)*\text{fresnel_cos}(\text{sqrt}(2)*d*\text{sqrt}(b/(\text{pi}*d^2)))/(d*x + c) - 4*\text{sqrt}(2)*\text{pi}*(d^2*e - c*d*f)*\text{sqrt}(b/(\text{pi}*d^2))*\text{fresnel_sin}(\text{sqrt}(2)*d*\text{sqrt}(b/(\text{pi}*d^2)))/(d*x + c))*\text{sin}(a) - 2*b*f*\text{sin}(a)*\text{sin_integral}(b/(d^2*x^2 + 2*c*d*x + c^2)) + (b*f*\text{cos_integral}(b/(d^2*x^2 + 2*c*d*x + c^2)) + b*f*\text{cos_integral}(-b/(d^2*x^2 + 2*c*d*x + c^2)))*\text{cos}(a) - 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e - c^2*f)*\text{sin}((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)))/d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + \frac{b}{(dx + c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^2),x, algorithm="giac")

[Out] integrate((f*x + e)*sin(a + b/(d*x + c)^2), x)

maple [A] time = 0.04, size = 150, normalized size = 0.76

$$-(cf - de)(dx + c) \sin\left(a + \frac{b}{(dx+c)^2}\right) + (cf - de) \sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) \text{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} (dx+c)}\right) - \sin(a) S\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} (dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b/(d*x+c)^2),x)`

[Out] $1/d^2*(-(c*f-d*e)*(d*x+c)*\sin(a+b/(d*x+c)^2)+(c*f-d*e)*b^{1/2}*2^{1/2}*\text{Pi}^{1/2}*(\cos(a)*\text{FresnelC}(b^{1/2}*2^{1/2}/\text{Pi}^{1/2}/(d*x+c))-\sin(a)*\text{FresnelS}(b^{1/2}*2^{1/2}/\text{Pi}^{1/2}/(d*x+c)))+1/2*f*(d*x+c)^2*\sin(a+b/(d*x+c)^2)-f*b*(1/2*\cos(a)*\text{Ci}(b/(d*x+c)^2)-1/2*\sin(a)*\text{Si}(b/(d*x+c)^2))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2}(fx^2 + 2ex) \sin\left(\frac{ad^2x^2 + 2acdx + ac^2 + b}{d^2x^2 + 2cdx + c^2}\right) + \int \frac{(bdfx^2 + 2bdex) \cos\left(\frac{ad^2x^2 + 2acdx + ac^2 + b}{d^2x^2 + 2cdx + c^2}\right)}{2(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3)} dx + \int \frac{1}{2(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)^2),x, algorithm="maxima")`

[Out] $1/2*(f*x^2 + 2*e*x)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) + \text{integrate}(1/2*(b*d*f*x^2 + 2*b*d*e*x)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + \text{integrate}(1/2*(b*d*f*x^2 + 2*b*d*e*x)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))/((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))^2 + (d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))^2), x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^2}\right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^2)*(e + f*x),x)`

[Out] `int(sin(a + b/(c + d*x)^2)*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{c^2 + 2cdx + d^2x^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)**2),x)`

[Out] `Integral((e + f*x)*sin(a + b/(c**2 + 2*c*d*x + d**2*x**2)), x)`

$$3.179 \quad \int \sin\left(a + \frac{b}{(c+dx)^2}\right) dx$$

Optimal. Leaf size=105

$$-\frac{\sqrt{2\pi} \sqrt{b} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d} + \frac{\sqrt{2\pi} \sqrt{b} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d}$$

[Out] (d*x+c)*sin(a+b/(d*x+c)^2)/d-cos(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*b^(1/2)*2^(1/2)*Pi^(1/2)/d+FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c))*sin(a)*b^(1/2)*2^(1/2)*Pi^(1/2)/d

Rubi [A] time = 0.07, antiderivative size = 105, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3359, 3387, 3354, 3352, 3351}

$$-\frac{\sqrt{2\pi} \sqrt{b} \cos(a) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{c+dx}\right)}{d} + \frac{\sqrt{2\pi} \sqrt{b} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^2], x]

[Out] -((Sqrt[b]*Sqrt[2*Pi]*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)])/d) + (Sqrt[b]*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*Sin[a])/d + (c + d*x)*Sin[a + b/(c + d*x)^2])/d

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_)) ^2], x_Symbol] :> Dist[Cos[c], Int[Cos[d*(e + f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3359

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)]^(p_.), x_Symbol]
:> -Dist[f^(-1), Subst[Int[(a + b*Sin[c + d/x^n])^p/x^2, x], x, 1/(e + f*x)], x]
/; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] && EqQ[n, -2]
```

Rule 3387

```
Int[((e_.)*(x_.))^(m_)*Sin[(c_.) + (d_.)*(x_.)^(n_.)], x_Symbol]
:> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x]
/; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{(c+dx)^2}\right) dx &= -\frac{\text{Subst}\left(\int \frac{\sin(a+bx^2)}{x^2} dx, x, \frac{1}{c+dx}\right)}{d} \\ &= \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d} - \frac{(2b) \text{Subst}\left(\int \cos(a+bx^2) dx, x, \frac{1}{c+dx}\right)}{d} \\ &= \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d} - \frac{(2b \cos(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{c+dx}\right)}{d} + \frac{(2b \sin(a))}{d} \\ &= -\frac{\sqrt{b} \sqrt{2\pi} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right)}{d} + \frac{\sqrt{b} \sqrt{2\pi} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right) \sin(a)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d} \end{aligned}$$

Mathematica [A] time = 0.17, size = 100, normalized size = 0.95

$$\frac{\sqrt{2\pi} (-\sqrt{b}) \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right) + \sqrt{2\pi} \sqrt{b} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{c+dx}\right) + (c+dx) \sin\left(a + \frac{b}{(c+dx)^2}\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b/(c + d*x)^2], x]
```

```
[Out] (-(Sqrt[b]*Sqrt[2*Pi]*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]) + Sqrt[b]*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)]*Sin[a + (c + d*x)*Sin[a + b/(c + d*x)^2])/d
```


fricas [A] time = 0.77, size = 137, normalized size = 1.30

$$\frac{\sqrt{2} \pi d \sqrt{\frac{b}{\pi d^2}} \cos(a) C\left(\frac{\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) - \sqrt{2} \pi d \sqrt{\frac{b}{\pi d^2}} S\left(\frac{\sqrt{2} d \sqrt{\frac{b}{\pi d^2}}}{dx+c}\right) \sin(a) - (dx+c) \sin\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2),x, algorithm="fricas")

[Out] $-(\sqrt{2} \pi d \sqrt{b/(\pi d^2)} \cos(a) \text{fresnel_cos}(\sqrt{2} d \sqrt{b/(\pi d^2)}) / (d x + c)) - \sqrt{2} \pi d \sqrt{b/(\pi d^2)} \text{fresnel_sin}(\sqrt{2} d \sqrt{b/(\pi d^2)}) / (d x + c) \sin(a) - (d x + c) \sin((a d^2 x^2 + 2 a c d x + a c^2 + b) / (d^2 x^2 + 2 c d x + c^2)) / d$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx+c)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^2), x)

maple [A] time = 0.04, size = 80, normalized size = 0.76

$$\frac{-(dx+c) \sin\left(a + \frac{b}{(dx+c)^2}\right) + \sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) \text{FresnelC}\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} (dx+c)}\right) - \sin(a) S\left(\frac{\sqrt{b} \sqrt{2}}{\sqrt{\pi} (dx+c)}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^2),x)

[Out] $-1/d * (-(d*x+c) * \sin(a+b/(d*x+c)^2) + b^{(1/2)} * 2^{(1/2)} * \pi^{(1/2)} * (\cos(a) * \text{FresnelC}(b^{(1/2)} * 2^{(1/2)} / \pi^{(1/2)} / (d*x+c)) - \sin(a) * \text{FresnelS}(b^{(1/2)} * 2^{(1/2)} / \pi^{(1/2)} / (d*x+c))))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$bd \int \frac{x \cos\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3} dx + bd \int \frac{x \cos\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)}{\left(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3\right) \cos\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)^2 + \left(d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2),x, algorithm="maxima")

[Out] b*d*integrate(x*cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3), x) + b*d*integrate(x*cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))/((d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)))^2 + (d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)*sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))^2), x) + x*sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^2),x)

[Out] int(sin(a + b/(c + d*x)^2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^2}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**2),x)

[Out] Integral(sin(a + b/(c + d*x)**2), x)

$$3.180 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^2)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^2]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^2]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Mathematica [A] time = 5.12, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^2]/(e + f*x), x]

[Out] Integrate[Sin[a + b/(c + d*x)^2]/(e + f*x), x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left(\frac{ad^2x^2+2acdx+ac^2+b}{d^2x^2+2cdx+c^2}\right)}{fx+e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) / (f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^2}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^2)/(f*x + e), x)

maple [A] time = 0.38, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^2}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^2)/(f*x+e),x)

[Out] int(sin(a+b/(d*x+c)^2)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^2}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^2)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^2)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^2)/(e + f*x), x)

[Out] int(sin(a + b/(c + d*x)^2)/(e + f*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{c^2+2cdx+d^2x^2}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**2)/(f*x+e), x)

[Out] Integral(sin(a + b/(c**2 + 2*c*d*x + d**2*x**2))/(e + f*x), x)

$$3.181 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^2]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^2]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Mathematica [A] time = 25.28, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^2]/(e + f*x)^2,x]

[Out] Integrate[Sin[a + b/(c + d*x)^2]/(e + f*x)^2, x]

fricas [A] time = 0.76, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{ad^2x^2 + 2acdx + ac^2 + b}{d^2x^2 + 2cdx + c^2} \right)}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="fricas")`

[Out] `integral(sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + b)/(d^2*x^2 + 2*c*d*x + c^2)) / (f^2*x^2 + 2*e*f*x + e^2), x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^2} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="giac")`

[Out] `integrate(sin(a + b/(d*x + c)^2)/(f*x + e)^2, x)`

maple [A] time = 0.52, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^2} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x)`

[Out] `int(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^2} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^2)/(f*x+e)^2,x, algorithm="maxima")`

[Out] integrate(sin(a + b/(d*x + c)^2)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^2}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^2)/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^2)/(e + f*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**2)/(f*x+e)**2,x)

[Out] Timed out

$$3.182 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^3}\right) dx$$

Optimal. Leaf size=330

$$\frac{bf^2 \cos(a) \operatorname{Ci}\left(\frac{b}{(c+dx)^3}\right)}{3d^3} - \frac{ie^{ia} f(c+dx)^2 \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (de - cf) \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} + \frac{ie^{-ia} f(c+dx)^2 \left(\frac{ib}{(c+dx)^3}\right)^{2/3} (de - cf) \Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^3}\right)}{3d^3}$$

[Out] $-1/3*b*f^2*Ci(b/(d*x+c)^3)*cos(a)/d^3-1/3*I*exp(I*a)*f*(-c*f+d*e)*(-I*b/(d*x+c)^3)^{(2/3)}*(d*x+c)^2*GAMMA(-2/3,-I*b/(d*x+c)^3)/d^3+1/3*I*f*(-c*f+d*e)*(I*b/(d*x+c)^3)^{(2/3)}*(d*x+c)^2*GAMMA(-2/3,I*b/(d*x+c)^3)/d^3/exp(I*a)-1/6*I*exp(I*a)*(-c*f+d*e)^2*(-I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*GAMMA(-1/3,-I*b/(d*x+c)^3)/d^3+1/6*I*(-c*f+d*e)^2*(I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*GAMMA(-1/3,I*b/(d*x+c)^3)/d^3/exp(I*a)+1/3*b*f^2*Si(b/(d*x+c)^3)*sin(a)/d^3+1/3*f^2*(d*x+c)^3*sin(a+b/(d*x+c)^3)/d^3$

Rubi [A] time = 0.30, antiderivative size = 330, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3433, 3365, 2208, 3423, 2218, 3379, 3297, 3303, 3299, 3302}

$$\frac{ie^{ia} f(c+dx)^2 \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (de - cf) \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} + \frac{ie^{-ia} f(c+dx)^2 \left(\frac{ib}{(c+dx)^3}\right)^{2/3} (de - cf) \Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^3}\right)}{3d^3}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*Sin[a + b/(c + d*x)^3], x]

[Out] $-(b*f^2*\cos[a]*\operatorname{CosIntegral}[b/(c+d*x)^3])/(3*d^3) - ((I/3)*E^{(I*a)}*f*(d*e - c*f)*(((-I)*b)/(c+d*x)^3)^{(2/3)}*(c+d*x)^2*\Gamma[-2/3, ((-I)*b)/(c+d*x)^3])/d^3 + ((I/3)*f*(d*e - c*f)*((I*b)/(c+d*x)^3)^{(2/3)}*(c+d*x)^2*\Gamma[-2/3, (I*b)/(c+d*x)^3])/(d^3*E^{(I*a)}) - ((I/6)*E^{(I*a)}*(d*e - c*f)^2*(((-I)*b)/(c+d*x)^3)^{(1/3)}*(c+d*x)*\Gamma[-1/3, ((-I)*b)/(c+d*x)^3])/d^3 + ((I/6)*(d*e - c*f)^2*((I*b)/(c+d*x)^3)^{(1/3)}*(c+d*x)*\Gamma[-1/3, (I*b)/(c+d*x)^3])/(d^3*E^{(I*a)}) + (f^2*(c+d*x)^3*\sin[a + b/(c+d*x)^3])/(3*d^3) + (b*f^2*\sin[a]*\operatorname{SinIntegral}[b/(c+d*x)^3])/(3*d^3)$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c+d*x)*Gamma[1/n, -(b*(c+d*x)^n*Log[F]])]/(d^n*(-(b*(c+d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n*Log[F]))]/(f*n*(-(b*(c + d*x)^(n*Log[F]))^(m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3365

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)]^(n_))^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3423

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2,
  Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +
  d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominat
or[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^
(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x]
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^2 \sin\left(a + \frac{b}{(c + dx)^3}\right) dx &= \frac{\text{Subst}\left(\int \left(d^2 e^2 \left(1 + \frac{cf(-2de+cf)}{d^2 e^2}\right) \sin\left(a + \frac{b}{x^3}\right) + 2def \left(1 - \frac{cf}{de}\right) x \sin\left(a + \frac{b}{x^3}\right)\right) dx, x, c + dx}{d^3} \\ &= \frac{f^2 \text{Subst}\left(\int x^2 \sin\left(a + \frac{b}{x^3}\right) dx, x, c + dx\right)}{d^3} + \frac{(2f(de - cf)) \text{Subst}\left(\int x \sin\left(a + \frac{b}{x^3}\right) dx, x, c + dx\right)}{d^3} \\ &= \frac{f^2 \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \frac{1}{(c+dx)^3}\right)}{3d^3} + \frac{(if(de - cf)) \text{Subst}\left(\int e^{-ia - \frac{ib}{x^3}} x dx, x, \frac{1}{(c+dx)^3}\right)}{d^3} \\ &= \frac{ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} + \frac{ie^{-ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} \\ &= \frac{ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} + \frac{ie^{-ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} \\ &= \frac{bf^2 \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^3}\right)}{3d^3} - \frac{ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} + \frac{ie^{-ia} f(de - cf) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{3d^3} \end{aligned}$$

Mathematica [A] time = 2.65, size = 405, normalized size = 1.23

$$\frac{3b f (de - cf) \left((\cos(a) - i \sin(a)) \sqrt[3]{-\frac{ib}{(c+dx)^3}} \Gamma\left(\frac{1}{3}, \frac{ib}{(c+dx)^3}\right) + (\cos(a) + i \sin(a)) \sqrt[3]{\frac{ib}{(c+dx)^3}} \Gamma\left(\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right) \right)}{2(c+dx) \sqrt[3]{\frac{b^2}{(c+dx)^6}}} + \frac{3b (de - cf)^2 \left((\cos(a) - i \sin(a)) \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} \Gamma\left(\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right) + (\cos(a) + i \sin(a)) \left(\frac{ib}{(c+dx)^3}\right)^{2/3} \Gamma\left(\frac{2}{3}, \frac{ib}{(c+dx)^3}\right) \right)}{2(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e + f*x)^2*Sin[a + b/(c + d*x)^3], x]

[Out]
$$\begin{aligned} & ((3*b*f*(d*e - c*f)*(((-I)*b)/(c + d*x)^3)^{1/3}*Gamma[1/3, (I*b)/(c + d*x)^3]*(Cos[a] - I*Sin[a]) + ((I*b)/(c + d*x)^3)^{1/3}*Gamma[1/3, ((-I)*b)/(c + d*x)^3]*(Cos[a] + I*Sin[a]))/(2*(b^2/(c + d*x)^6)^{1/3}*(c + d*x)) + (3*b*(d*e - c*f)^2*(((-I)*b)/(c + d*x)^3)^{2/3}*Gamma[2/3, (I*b)/(c + d*x)^3]*(Cos[a] - I*Sin[a]) + ((I*b)/(c + d*x)^3)^{2/3}*Gamma[2/3, ((-I)*b)/(c + d*x)^3]*(Cos[a] + I*Sin[a]))/(2*(b^2/(c + d*x)^6)^{2/3}*(c + d*x)^2) + (c + d*x)*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))*Cos[b/(c + d*x)^3]*Sin[a] + (c + d*x)*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))*Cos[a]*Sin[b/(c + d*x)^3] - b*f^2*(Cos[a]*CosIntegral[b/(c + d*x)^3] - Sin[a]*SinIntegral[b/(c + d*x)^3])/(3*d^3) \end{aligned}$$

fricas [A] time = 0.69, size = 488, normalized size = 1.48

$$\frac{bf^2 \operatorname{Ei}\left(\frac{ib}{d^3x^3+3cd^2x^2+3c^2dx+c^3}\right) e^{ia} + bf^2 \operatorname{Ei}\left(-\frac{ib}{d^3x^3+3cd^2x^2+3c^2dx+c^3}\right) e^{-ia} - (-3id^3ef + 3icd^2f^2)\left(\frac{ib}{d^3}\right)^{\frac{2}{3}} e^{-ia} \Gamma\left(\frac{1}{3}, \frac{ib}{d^3}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^3), x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/6*(b*f^2*\operatorname{Ei}(I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))*e^{I*a} + b*f^2*\operatorname{Ei}(-I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))*e^{-I*a} - (-3*I*d^3*e*f + 3*I*c*d^2*f^2)*(I*b/d^3)^{2/3}*e^{-I*a}*gamma(1/3, I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) - (3*I*d^3*e*f - 3*I*c*d^2*f^2)*(-I*b/d^3)^{2/3}*e^{I*a}*gamma(1/3, -I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) - (-3*I*d^3*e^2 + 6*I*c*d^2*e*f - 3*I*c^2*d*f^2)*(I*b/d^3)^{1/3}*e^{-I*a}*gamma(2/3, I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) - (3*I*d^3*e^2 - 6*I*c*d^2*e*f + 3*I*c^2*d*f^2)*(-I*b/d^3)^{1/3}*e^{I*a}*gamma(2/3, -I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) - 2*(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e^2 - 3*c^2*d*e*f + c^3*f^2)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)))/d^3 \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^3), x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(a + b/(d*x + c)^3), x)

maple [F] time = 0.44, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b/(d*x+c)^3),x)

[Out] int((f*x+e)^2*sin(a+b/(d*x+c)^3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{3} (f^2x^3 + 3efx^2 + 3e^2x) \sin\left(\frac{ad^3x^3 + 3acd^2x^2 + 3ac^2dx + ac^3 + b}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3}\right) + \int \frac{(bdf^2x^3 + 3bdefx^2 + 3bde^2x) \cos\left(\frac{a}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3}\right)}{2(d^4x^4 + 4cd^3x^3 + 6c^2d^2x^2 + 4c^3dx + c^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^3),x, algorithm="maxima")

[Out] 1/3*(f^2*x^3 + 3*e*f*x^2 + 3*e^2*x)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + integrate(1/2*(b*d*f^2*x^3 + 3*b*d*e*f*x^2 + 3*b*d*e^2*x)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4), x) + integrate(1/2*(b*d*f^2*x^3 + 3*b*d*e*f*x^2 + 3*b*d*e^2*x)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/((d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)))^2 + (d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^3}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^3)*(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^3)*(e + f*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b/(d*x+c)**3),x)

[Out] Timed out

3.183 $\int (e + fx) \sin\left(a + \frac{b}{(c+dx)^3}\right) dx$

Optimal. Leaf size=235

$$\frac{ie^{ia}(c+dx)\sqrt[3]{-\frac{ib}{(c+dx)^3}}(de-cf)\Gamma\left(-\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d^2} + \frac{ie^{-ia}(c+dx)\sqrt[3]{\frac{ib}{(c+dx)^3}}(de-cf)\Gamma\left(-\frac{1}{3}, \frac{ib}{(c+dx)^3}\right)}{6d^2} - \frac{ie^{ia}f(c+dx)^2}{6d^2}$$

[Out] $-1/6*I*\exp(I*a)*f*(-I*b/(d*x+c)^3)^{(2/3)}*(d*x+c)^2*\text{GAMMA}(-2/3, -I*b/(d*x+c)^3)/d^2 + 1/6*I*f*(I*b/(d*x+c)^3)^{(2/3)}*(d*x+c)^2*\text{GAMMA}(-2/3, I*b/(d*x+c)^3)/d^2 - \exp(I*a) - 1/6*I*\exp(I*a)*(-c*f+d*e)*(-I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*\text{GAMMA}(-1/3, -I*b/(d*x+c)^3)/d^2 + 1/6*I*(-c*f+d*e)*(I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*\text{GAMMA}(-1/3, I*b/(d*x+c)^3)/d^2 - \exp(I*a)$

Rubi [A] time = 0.15, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3433, 3365, 2208, 3423, 2218}

$$\frac{ie^{ia}(c+dx)\sqrt[3]{-\frac{ib}{(c+dx)^3}}(de-cf)\text{Gamma}\left(-\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d^2} + \frac{ie^{-ia}(c+dx)\sqrt[3]{\frac{ib}{(c+dx)^3}}(de-cf)\text{Gamma}\left(-\frac{1}{3}, \frac{ib}{(c+dx)^3}\right)}{6d^2} - \frac{ie^{ia}f(c+dx)^2}{6d^2}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[a + b/(c + d*x)^3], x]

[Out] $((-I/6)*E^{(I*a)}*f*(((-I)*b)/(c + d*x)^3)^{(2/3)}*(c + d*x)^2*\text{Gamma}[-2/3, ((-I)*b)/(c + d*x)^3])/d^2 + ((I/6)*f*((I*b)/(c + d*x)^3)^{(2/3)}*(c + d*x)^2*\text{Gamma}[-2/3, (I*b)/(c + d*x)^3])/d^2 - \exp(I*a) - ((I/6)*E^{(I*a)}*(d*e - c*f)*(((I)*b)/(c + d*x)^3)^{(1/3)}*(c + d*x)*\text{Gamma}[-1/3, ((I)*b)/(c + d*x)^3])/d^2 + ((I/6)*(d*e - c*f)*((I*b)/(c + d*x)^3)^{(1/3)}*(c + d*x)*\text{Gamma}[-1/3, (I*b)/(c + d*x)^3])/d^2 - \exp(I*a)$

Rule 2208

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F])])/(d^n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f^n*(-(b*(c + d*x)^n*Log[F]))^(m + 1)/n), x] /; FreeQ[{F,

$a, b, c, d, e, f, m, n\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3365

$\text{Int}[\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^{\wedge}(n_)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[E^{-(c*I)} - d*I*(e + f*x)^{\wedge}n], x], x] - \text{Dist}[I/2, \text{Int}[E^{(c*I)} + d*I*(e + f*x)^{\wedge}n], x], x] /; \text{FreeQ}\{c, d, e, f, n\}, x]$

Rule 3423

$\text{Int}[(e_.)*(x_))^{\wedge}(m_.)*\text{Sin}[(c_.) + (d_.)*(x_))^{\wedge}(n_)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e*x)^{\wedge}m*E^{-(c*I)} - d*I*x^{\wedge}n], x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^{\wedge}m*E^{(c*I)} + d*I*x^{\wedge}n], x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 3433

$\text{Int}[(g_.) + (h_.)*(x_))^{\wedge}(m_.)*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^{\wedge}(n_)])^{\wedge}(p_.)], x_Symbol] \rightarrow \text{Module}\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{\wedge}(m + 1), \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x^{\wedge}(k*n)])^{\wedge}p, x^{\wedge}(k - 1)*(f*g - e*h + h*x^{\wedge}k)^{\wedge}m], x], x, (e + f*x)^{\wedge}(1/k)], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int (e + fx) \sin\left(a + \frac{b}{(c + dx)^3}\right) dx &= \frac{\text{Subst}\left(\int \left(de\left(1 - \frac{cf}{de}\right) \sin\left(a + \frac{b}{x^3}\right) + fx \sin\left(a + \frac{b}{x^3}\right)\right) dx, x, c + dx\right)}{d^2} \\ &= \frac{f \text{Subst}\left(\int x \sin\left(a + \frac{b}{x^3}\right) dx, x, c + dx\right)}{d^2} + \frac{(de - cf) \text{Subst}\left(\int \sin\left(a + \frac{b}{x^3}\right) dx, x, c + dx\right)}{d^2} \\ &= \frac{(if) \text{Subst}\left(\int e^{-ia - \frac{ib}{x^3}} x dx, x, c + dx\right)}{2d^2} - \frac{(if) \text{Subst}\left(\int e^{ia + \frac{ib}{x^3}} x dx, x, c + dx\right)}{2d^2} + \\ &= -\frac{ie^{ia} f \left(-\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d^2} + \frac{ie^{-ia} f \left(\frac{ib}{(c+dx)^3}\right)^{2/3} (c + dx)^2 \Gamma\left(\frac{2}{3}, \frac{ib}{(c+dx)^3}\right)}{6d^2} \end{aligned}$$

Mathematica [B] time = 2.35, size = 700, normalized size = 2.98

$$\frac{f \sin(a)(dx - c)(c + dx) \cos\left(\frac{b}{(c+dx)^3}\right)}{2d^2} + \frac{f \cos(a)(dx - c)(c + dx) \sin\left(\frac{b}{(c+dx)^3}\right)}{2d^2} + \frac{3bf \left(\frac{1}{2} \cos(a) \left(\frac{\Gamma\left(\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{3(c+dx) \sqrt[3]{-\frac{ib}{(c+dx)^3}}} + \dots \right) \right)}{2d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b/(c + d*x)^3], x]

[Out] (e*(c + d*x)*Cos[b/(c + d*x)^3]*Sin[a])/d + (f*(-c + d*x)*(c + d*x)*Cos[b/(c + d*x)^3]*Sin[a])/(2*d^2) + (3*b*f*((Cos[a]*(Gamma[1/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(1/3)*(c + d*x)) + Gamma[1/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(1/3)*(c + d*x))/2 + (I/2)*(Gamma[1/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(1/3)*(c + d*x)) - Gamma[1/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(1/3)*(c + d*x))*Sin[a])/(2*d^2) + (3*b*e*((Cos[a]*(Gamma[2/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2) + Gamma[2/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2))/2 + (I/2)*(Gamma[2/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2) - Gamma[2/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2))*Sin[a])/d - (3*b*c*f*((Cos[a]*(Gamma[2/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2) + Gamma[2/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2))/2 + (I/2)*(Gamma[2/3, ((-I)*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2) - Gamma[2/3, (I*b)/(c + d*x)^3])/3*(((I)*b)/(c + d*x)^3)^(2/3)*(c + d*x)^2))*Sin[a])/d^2 + (e*(c + d*x)*Cos[a]*Sin[b/(c + d*x)^3])/d + (f*(-c + d*x)*(c + d*x)*Cos[a]*Sin[b/(c + d*x)^3])/(2*d^2)

fricas [A] time = 0.78, size = 321, normalized size = 1.37

$$\frac{-i d^2 f \left(\frac{ib}{d^3}\right)^{\frac{2}{3}} e^{(-ia)} \Gamma\left(\frac{1}{3}, \frac{ib}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}\right) + i d^2 f \left(-\frac{ib}{d^3}\right)^{\frac{2}{3}} e^{(ia)} \Gamma\left(\frac{1}{3}, -\frac{ib}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}\right) + (-2i d^2 e + 2i cdf)}{2d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^3), x, algorithm="fricas")

[Out] 1/4*(-I*d^2*f*(I*b/d^3)^(2/3)*e^(-I*a)*gamma(1/3, I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + I*d^2*f*(-I*b/d^3)^(2/3)*e^(I*a)*gamma(1/3, -I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + (-2*I*d^2*e + 2*I*c*d*f)*(I*b/d^3)^(1/3)*e^(-I*a)*gamma(2/3, I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + (2*I*d^2*e - 2*I*c*d*f)*(-I*b/d^3)^(1/3)*e^(I*a)*gamma(2/3, -I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + 2*(d^2*f*x^2 + 2*d^2*e*x + 2*c*d*e -

$$c^2*f)*\sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/d^2$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + \frac{b}{(dx + c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^3),x, algorithm="giac")

[Out] integrate((f*x + e)*sin(a + b/(d*x + c)^3), x)

maple [F] time = 0.38, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + \frac{b}{(dx + c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(a+b/(d*x+c)^3),x)

[Out] int((f*x+e)*sin(a+b/(d*x+c)^3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2}(fx^2 + 2ex) \sin\left(\frac{ad^3x^3 + 3acd^2x^2 + 3ac^2dx + ac^3 + b}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3}\right) + \int \frac{3(bdfx^2 + 2bdex) \cos\left(\frac{ad^3x^3 + 3acd^2x^2 + 3ac^2dx + ac^3 + b}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3}\right)}{4(d^4x^4 + 4cd^3x^3 + 6c^2d^2x^2 + 4c^3dx + c^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^3),x, algorithm="maxima")

[Out] 1/2*(f*x^2 + 2*e*x)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + integrate(3/4*(b*d*f*x^2 + 2*b*d*e*x)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4), x) + integrate(3/4*(b*d*f*x^2 + 2*b*d*e*x)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/((d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))^2 + (d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))^2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^3}\right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^3)*(e + f*x), x)`

[Out] `int(sin(a + b/(c + d*x)^3)*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{c^3 + 3c^2dx + 3cd^2x^2 + d^3x^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)**3), x)`

[Out] `Integral((e + f*x)*sin(a + b/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3)), x)`

$$3.184 \quad \int \sin \left(a + \frac{b}{(c+dx)^3} \right) dx$$

Optimal. Leaf size=107

$$\frac{ie^{-ia}(c+dx)^3 \sqrt{\frac{ib}{(c+dx)^3}} \Gamma\left(-\frac{1}{3}, \frac{ib}{(c+dx)^3}\right)}{6d} - \frac{ie^{ia}(c+dx)^3 \sqrt{-\frac{ib}{(c+dx)^3}} \Gamma\left(-\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d}$$

[Out] $-1/6*I*\exp(I*a)*(-I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*\text{GAMMA}(-1/3, -I*b/(d*x+c)^3)/d + 1/6*I*(I*b/(d*x+c)^3)^{(1/3)}*(d*x+c)*\text{GAMMA}(-1/3, I*b/(d*x+c)^3)/d/\exp(I*a)$

Rubi [A] time = 0.03, antiderivative size = 107, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3365, 2208}

$$\frac{ie^{-ia}(c+dx)^3 \sqrt{\frac{ib}{(c+dx)^3}} \text{Gamma}\left(-\frac{1}{3}, \frac{ib}{(c+dx)^3}\right)}{6d} - \frac{ie^{ia}(c+dx)^3 \sqrt{-\frac{ib}{(c+dx)^3}} \text{Gamma}\left(-\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^3], x]

[Out] $((-I/6)*E^{(I*a)*(((I)*b)/(c + d*x)^3)^{(1/3)}*(c + d*x)*\text{Gamma}[-1/3, ((I)*b)/(c + d*x)^3]])/d + ((I/6)*(((I)*b)/(c + d*x)^3)^{(1/3)}*(c + d*x)*\text{Gamma}[-1/3, (I*b)/(c + d*x)^3])/(d*E^{(I*a)})$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rubi steps

$$\int \sin\left(a + \frac{b}{(c+dx)^3}\right) dx = \frac{1}{2}i \int e^{-ia - \frac{ib}{(c+dx)^3}} dx - \frac{1}{2}i \int e^{ia + \frac{ib}{(c+dx)^3}} dx$$

$$= -\frac{ie^{ia} \sqrt[3]{-\frac{ib}{(c+dx)^3}} (c+dx) \Gamma\left(-\frac{1}{3}, -\frac{ib}{(c+dx)^3}\right)}{6d} + \frac{ie^{-ia} \sqrt[3]{\frac{ib}{(c+dx)^3}} (c+dx) \Gamma\left(-\frac{1}{3}, \frac{ib}{(c+dx)^3}\right)}{6d}$$

Mathematica [A] time = 0.51, size = 203, normalized size = 1.90

$$\frac{2 \sin(a)(c+dx)^3 \cos\left(\frac{b}{(c+dx)^3}\right) + 2 \cos(a)(c+dx)^3 \sin\left(\frac{b}{(c+dx)^3}\right) + b \cos(a) \left(\frac{\Gamma\left(\frac{2}{3}, -\frac{ib}{(c+dx)^3}\right)}{\left(-\frac{ib}{(c+dx)^3}\right)^{2/3}} + \frac{\Gamma\left(\frac{2}{3}, \frac{ib}{(c+dx)^3}\right)}{\left(\frac{ib}{(c+dx)^3}\right)^{2/3}} \right) + ib \sin(a)}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^3], x]

[Out] (b*Cos[a]*(Gamma[2/3, ((-I)*b)/(c + d*x)^3]/(((I)*b)/(c + d*x)^3)^(2/3) + Gamma[2/3, (I*b)/(c + d*x)^3]/((I*b)/(c + d*x)^3)^(2/3)) + 2*(c + d*x)^3*Cos[b/(c + d*x)^3]*Sin[a] + I*b*(Gamma[2/3, ((-I)*b)/(c + d*x)^3]/(((-I)*b)/(c + d*x)^3)^(2/3) - Gamma[2/3, (I*b)/(c + d*x)^3]/((I*b)/(c + d*x)^3)^(2/3))*Sin[a] + 2*(c + d*x)^3*Cos[a]*Sin[b/(c + d*x)^3]/(2*d*(c + d*x)^2)

fricas [B] time = 0.79, size = 175, normalized size = 1.64

$$\frac{-id \left(\frac{ib}{d^3}\right)^{\frac{1}{3}} e^{(-ia)} \Gamma\left(\frac{2}{3}, \frac{ib}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}\right) + id \left(-\frac{ib}{d^3}\right)^{\frac{1}{3}} e^{(ia)} \Gamma\left(\frac{2}{3}, -\frac{ib}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}\right) + 2(dx + c) \sin\left(\frac{ad^3 x^3 + 3acd^2 x^2 + 3a^2 c dx + a^3}{d^3 x^3 + 3cd^2 x^2 + 3c^2 dx + c^3}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3), x, algorithm="fricas")

[Out] 1/2*(-I*d*(I*b/d^3)^(1/3)*e^(-I*a)*gamma(2/3, I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + I*d*(-I*b/d^3)^(1/3)*e^(I*a)*gamma(2/3, -I*b/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)) + 2*(d*x + c)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3)))/d

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx+c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^3), x)

maple [F] time = 0.21, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx + c)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^3),x)

[Out] int(sin(a+b/(d*x+c)^3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$3bd \int \frac{x \cos\left(\frac{ad^3x^3+3acd^2x^2+3ac^2dx+ac^3+b}{d^3x^3+3cd^2x^2+3c^2dx+c^3}\right)}{2(d^4x^4+4cd^3x^3+6c^2d^2x^2+4c^3dx+c^4)} dx + 3bd \int \frac{\cos\left(\frac{ad^3x^3+3acd^2x^2+3ac^2dx+ac^3+b}{d^3x^3+3cd^2x^2+3c^2dx+c^3}\right)}{2(d^4x^4+4cd^3x^3+6c^2d^2x^2+4c^3dx+c^4)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3),x, algorithm="maxima")

[Out] 3*b*d*integrate(1/2*x*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4), x) + 3*b*d*integrate(1/2*x*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*cos((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))^2 + (d^4*x^4 + 4*c*d^3*x^3 + 6*c^2*d^2*x^2 + 4*c^3*d*x + c^4)*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))^2), x) + x*sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^3),x)

```
[Out] int(sin(a + b/(c + d*x)^3), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sin\left(a + \frac{b}{(c + dx)^3}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**3),x)
```

```
[Out] Integral(sin(a + b/(c + d*x)**3), x)
```

$$3.185 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^3)/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^3]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^3]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$$

Mathematica [A] time = 5.15, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^3]/(e + f*x), x]

[Out] Integrate[Sin[a + b/(c + d*x)^3]/(e + f*x), x]

fricas [A] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left(\frac{ad^3x^3+3acd^2x^2+3ac^2dx+ac^3+b}{d^3x^3+3cd^2x^2+3c^2dx+c^3}\right)}{fx+e}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^3}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^3)/(f*x + e), x)

maple [A] time = 0.40, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^3}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^3)/(f*x+e),x)

[Out] int(sin(a+b/(d*x+c)^3)/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^3}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^3)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^3)/(e + f*x),x)

[Out] int(sin(a + b/(c + d*x)^3)/(e + f*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{c^3+3c^2dx+3cd^2x^2+d^3x^3}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**3)/(f*x+e),x)

[Out] Integral(sin(a + b/(c**3 + 3*c**2*d*x + 3*c*d**2*x**2 + d**3*x**3))/(e + f*x), x)

$$3.186 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^3]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^3]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$$

Mathematica [A] time = 29.67, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^3]/(e + f*x)^2,x]

[Out] Integrate[Sin[a + b/(c + d*x)^3]/(e + f*x)^2, x]

fricas [A] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{ad^3x^3 + 3acd^2x^2 + 3ac^2dx + ac^3 + b}{d^3x^3 + 3cd^2x^2 + 3c^2dx + c^3} \right)}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin((a*d^3*x^3 + 3*a*c*d^2*x^2 + 3*a*c^2*d*x + a*c^3 + b)/(d^3*x^3 + 3*c*d^2*x^2 + 3*c^2*d*x + c^3))/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.52, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^3} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x)

[Out] int(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^3} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^3)/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^3)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^3}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^3)/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^3)/(e + f*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**3)/(f*x+e)**2,x)

[Out] Timed out

3.187 $\int (e + fx)^2 \sin(a + b\sqrt{c + dx}) dx$

Optimal. Leaf size=410

$$\frac{240f^2 \sin(a + b\sqrt{c + dx})}{b^6 d^3} - \frac{240f^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^5 d^3} - \frac{24f(de - cf) \sin(a + b\sqrt{c + dx})}{b^4 d^3} - \frac{120f^2(c + dx)}{b^4 d^3}$$

[Out] $40*f^2*(d*x+c)^{(3/2)}*\cos(a+b*(d*x+c)^{(1/2)})/b^3/d^3-4*f*(-c*f+d*e)*(d*x+c)^{(3/2)}*\cos(a+b*(d*x+c)^{(1/2)})/b/d^3-2*f^2*(d*x+c)^{(5/2)}*\cos(a+b*(d*x+c)^{(1/2)})/b/d^3+240*f^2*\sin(a+b*(d*x+c)^{(1/2)})/b^6/d^3-24*f*(-c*f+d*e)*\sin(a+b*(d*x+c)^{(1/2)})/b^4/d^3+2*(-c*f+d*e)^2*\sin(a+b*(d*x+c)^{(1/2)})/b^2/d^3-120*f^2*(d*x+c)*\sin(a+b*(d*x+c)^{(1/2)})/b^4/d^3+12*f*(-c*f+d*e)*(d*x+c)*\sin(a+b*(d*x+c)^{(1/2)})/b^2/d^3+10*f^2*(d*x+c)^2*\sin(a+b*(d*x+c)^{(1/2)})/b^2/d^3-240*f^2*\cos(a+b*(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/b^5/d^3+24*f*(-c*f+d*e)*\cos(a+b*(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/b^3/d^3-2*(-c*f+d*e)^2*\cos(a+b*(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/b/d^3$

Rubi [A] time = 0.40, antiderivative size = 410, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 3, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.136$, Rules used = {3431, 3296, 2637}

$$\frac{12f(c + dx)(de - cf) \sin(a + b\sqrt{c + dx})}{b^2 d^3} + \frac{2(de - cf)^2 \sin(a + b\sqrt{c + dx})}{b^2 d^3} - \frac{24f(de - cf) \sin(a + b\sqrt{c + dx})}{b^4 d^3} + \frac{120f^2(c + dx)}{b^4 d^3}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*Sin[a + b*Sqrt[c + d*x]],x]

[Out] $(-240*f^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b^5*d^3) + (24*f*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b^3*d^3) - (2*(d*e - c*f)^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d^3) + (40*f^2*(c + d*x)^{(3/2)}*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b^3*d^3) - (4*f*(d*e - c*f)*(c + d*x)^{(3/2)}*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d^3) - (2*f^2*(c + d*x)^{(5/2)}*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d^3) + (240*f^2*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^6*d^3) - (24*f*(d*e - c*f)*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^4*d^3) + (2*(d*e - c*f)^2*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d^3) - (120*f^2*(c + d*x)*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^4*d^3) + (12*f*(d*e - c*f)*(c + d*x)*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d^3) + (10*f^2*(c + d*x)^2*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d^3)$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin(a + b\sqrt{c + dx}) \, dx &= \frac{2 \operatorname{Subst}\left(\int \left(\frac{(de - cf)^2 x \sin(a + bx)}{d^2} + \frac{2f(de - cf)x^3 \sin(a + bx)}{d^2} + \frac{f^2 x^5 \sin(a + bx)}{d^2}\right) dx, x, \sqrt{c + dx}\right)}{d} \\
&= \frac{(2f^2) \operatorname{Subst}\left(\int x^5 \sin(a + bx) \, dx, x, \sqrt{c + dx}\right)}{d^3} + \frac{(4f(de - cf)) \operatorname{Subst}\left(\int x^3 \sin(a + bx) \, dx, x, \sqrt{c + dx}\right)}{bd^3} \\
&= \frac{2(de - cf)^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^3} - \frac{4f(de - cf)(c + dx)^{3/2} \cos(a + b\sqrt{c + dx})}{bd^3} \\
&= \frac{2(de - cf)^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^3} - \frac{4f(de - cf)(c + dx)^{3/2} \cos(a + b\sqrt{c + dx})}{bd^3} \\
&= \frac{24f(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^3} - \frac{2(de - cf)^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^3} \\
&= \frac{24f(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^3} - \frac{2(de - cf)^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^3} \\
&= -\frac{240f^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^5 d^3} + \frac{24f(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^3} \\
&= -\frac{240f^2 \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^5 d^3} + \frac{24f(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^3}
\end{aligned}$$

Mathematica [A] time = 1.87, size = 138, normalized size = 0.34

$$\frac{2 \sin(a + b\sqrt{c + dx}) (b^4 d(e + fx)(4cf + d(e + 5fx)) - 12b^2 f(4cf + d(e + 5fx)) + 120f^2) - 2b\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^6 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b*Sqrt[c + d*x]],x]

[Out] (-2*b*Sqrt[c + d*x]*(120*f^2 + b^4*d^2*(e + f*x)^2 - 4*b^2*f*(3*d*e + 2*c*f + 5*d*f*x))*Cos[a + b*Sqrt[c + d*x]] + 2*(120*f^2 - 12*b^2*f*(4*c*f + d*(e + 5*f*x)) + b^4*d*(e + f*x)*(4*c*f + d*(e + 5*f*x)))*Sin[a + b*Sqrt[c + d*x]])/(b^6*d^3)

fricas [A] time = 0.68, size = 196, normalized size = 0.48

$$\frac{2\left(\left(b^5 d^2 f^2 x^2 + b^5 d^2 e^2 - 12 b^3 d e f - 8\left(b^3 c - 15 b\right) f^2 + 2\left(b^5 d^2 e f - 10 b^3 d f^2\right) x\right) \sqrt{d x+c} \cos\left(\sqrt{d x+c} b+a\right) - \left(5 b^4 d^2 f^2 x^2 + b^4 d^2 e^2 + 4\left(b^4 c - 3 b^2\right) d e f - 24\left(2 b^2 c - 5\right) f^2 + 2\left(3 b^4 d^2 e f + 2\left(b^4 c - 15 b^2\right) d f^2\right) x\right) \sin\left(\sqrt{d x+c} b+a\right)}{b^6 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/2)),x, algorithm="fricas")

[Out] -2*((b^5*d^2*f^2*x^2 + b^5*d^2*e^2 - 12*b^3*d*e*f - 8*(b^3*c - 15*b)*f^2 + 2*(b^5*d^2*e*f - 10*b^3*d*f^2)*x)*sqrt(d*x + c)*cos(sqrt(d*x + c)*b + a) - (5*b^4*d^2*f^2*x^2 + b^4*d^2*e^2 + 4*(b^4*c - 3*b^2)*d*e*f - 24*(2*b^2*c - 5)*f^2 + 2*(3*b^4*d^2*e*f + 2*(b^4*c - 15*b^2)*d*f^2)*x)*sin(sqrt(d*x + c)*b + a))/(b^6*d^3)

giac [A] time = 1.16, size = 701, normalized size = 1.71

$$2 \left[\frac{f^2 \left(\left(\sqrt{d x+c} b+a \right) b^4 c^2 - a b^4 c^2 - 2 \left(\sqrt{d x+c} b+a \right)^3 b^2 c + 6 \left(\sqrt{d x+c} b+a \right)^2 a b^2 c - 6 \left(\sqrt{d x+c} b+a \right) a^2 b^2 c + 2 a^3 b^2 c + \left(\sqrt{d x+c} b+a \right)^5 - 5 \left(\sqrt{d x+c} b+a \right)^4 a + 10 \left(\sqrt{d x+c} b+a \right)^3 a^2 - 10 \left(\sqrt{d x+c} b+a \right)^2 a^3 + 5 \left(\sqrt{d x+c} b+a \right) a^4 - a^5 + 12 \left(\sqrt{d x+c} b+a \right) b^2 c - 12 a b^2 c - 20 \left(\sqrt{d x+c} b+a \right)^3 + 60 \left(\sqrt{d x+c} b+a \right)^2 a - 60 \left(\sqrt{d x+c} b+a \right) a^2 + 20 a^3 + 120 \sqrt{d x+c} b \cos\left(\sqrt{d x+c} b+a\right) / \left(b^4 d^2 \right) - \left(b^4 c^2 - 6 \left(\sqrt{d x+c} b+a \right)^2 b^2 c + 12 \left(\sqrt{d x+c} b+a \right) a b^2 c - 6 a^2 b^2 c + 5 \left(\sqrt{d x+c} b+a \right)^4 - 20 \left(\sqrt{d x+c} b+a \right)^3 a + 30 \left(\sqrt{d x+c} b+a \right)^2 a^2 - 20 \left(\sqrt{d x+c} b+a \right) a^3 + 5 a^4 + 12 b^2 c - 60 \left(\sqrt{d x+c} b+a \right)^2 + 120 \left(\sqrt{d x+c} b+a \right) \right)}{b^6 d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/2)),x, algorithm="giac")

[Out] -2*(f^2*(((sqrt(d*x + c)*b + a)*b^4*c^2 - a*b^4*c^2 - 2*(sqrt(d*x + c)*b + a)^3*b^2*c + 6*(sqrt(d*x + c)*b + a)^2*a*b^2*c - 6*(sqrt(d*x + c)*b + a)*a^2*b^2*c + 2*a^3*b^2*c + (sqrt(d*x + c)*b + a)^5 - 5*(sqrt(d*x + c)*b + a)^4*a + 10*(sqrt(d*x + c)*b + a)^3*a^2 - 10*(sqrt(d*x + c)*b + a)^2*a^3 + 5*(sqrt(d*x + c)*b + a)*a^4 - a^5 + 12*(sqrt(d*x + c)*b + a)*b^2*c - 12*a*b^2*c - 20*(sqrt(d*x + c)*b + a)^3 + 60*(sqrt(d*x + c)*b + a)^2*a - 60*(sqrt(d*x + c)*b + a)*a^2 + 20*a^3 + 120*sqrt(d*x + c)*b*cos(sqrt(d*x + c)*b + a)/(b^4*d^2) - (b^4*c^2 - 6*(sqrt(d*x + c)*b + a)^2*b^2*c + 12*(sqrt(d*x + c)*b + a)*a*b^2*c - 6*a^2*b^2*c + 5*(sqrt(d*x + c)*b + a)^4 - 20*(sqrt(d*x + c)*b + a)^3*a + 30*(sqrt(d*x + c)*b + a)^2*a^2 - 20*(sqrt(d*x + c)*b + a)*a^3 + 5*a^4 + 12*b^2*c - 60*(sqrt(d*x + c)*b + a)^2 + 120*(sqrt(d*x + c)*b + a)))/b^6*d^3)

$$) * a - 60 * a^2 + 120) * \sin(\sqrt{d * x + c} * b + a) / (b^4 * d^2) / b + (\sqrt{d * x + c} * b * \cos(\sqrt{d * x + c} * b + a) - \sin(\sqrt{d * x + c} * b + a)) * e^2 / b - 2 * f * ((\sqrt{d * x + c} * b + a) * b^2 * c - a * b^2 * c - (\sqrt{d * x + c} * b + a)^3 + 3 * (\sqrt{d * x + c} * b + a)^2 * a - 3 * (\sqrt{d * x + c} * b + a) * a^2 + a^3 + 6 * \sqrt{d * x + c} * b) * \cos(\sqrt{d * x + c} * b + a) / b^2 - (b^2 * c - 3 * (\sqrt{d * x + c} * b + a)^2 + 6 * (\sqrt{d * x + c} * b + a) * a - 3 * a^2 + 6) * \sin(\sqrt{d * x + c} * b + a) / b^2 * e / (b * d) / (b * d)$$

maple [B] time = 0.03, size = 1246, normalized size = 3.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f * x + e)^2 * \sin(a + b * (d * x + c)^{(1/2)}), x)$

[Out] $2/d^3/b^2 * (c^2 * f^2 * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) - 2 * c * d * e * f * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + d^2 * e^2 * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + a * c^2 * f^2 * \cos(a + b * (d * x + c)^{(1/2)}) - 2 * a * c * d * e * f * \cos(a + b * (d * x + c)^{(1/2)}) + a * d^2 * e^2 * \cos(a + b * (d * x + c)^{(1/2)}) - 2/b^2 * c * f^2 * (-(a + b * (d * x + c)^{(1/2)})^3 * \cos(a + b * (d * x + c)^{(1/2)}) + 3 * (a + b * (d * x + c)^{(1/2)})^2 * \sin(a + b * (d * x + c)^{(1/2)}) - 6 * \sin(a + b * (d * x + c)^{(1/2)}) + 6 * (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + 2/b^2 * d * e * f * (-(a + b * (d * x + c)^{(1/2)})^3 * \cos(a + b * (d * x + c)^{(1/2)}) + 3 * (a + b * (d * x + c)^{(1/2)})^2 * \sin(a + b * (d * x + c)^{(1/2)}) - 6 * \sin(a + b * (d * x + c)^{(1/2)}) + 6 * (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + 6/b^2 * a * c * f^2 * (-(a + b * (d * x + c)^{(1/2)})^2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * (a + b * (d * x + c)^{(1/2)}) * \sin(a + b * (d * x + c)^{(1/2)})) - 6/b^2 * a * d * e * f * (-(a + b * (d * x + c)^{(1/2)})^2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * (a + b * (d * x + c)^{(1/2)}) * \sin(a + b * (d * x + c)^{(1/2)})) - 6/b^2 * a^2 * c * f^2 * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + 6/b^2 * a^2 * d * e * f * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) - 2/b^2 * a^3 * c * f^2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2/b^2 * a^3 * d * e * f * \cos(a + b * (d * x + c)^{(1/2)}) + 1/b^4 * f^2 * (-(a + b * (d * x + c)^{(1/2)})^5 * \cos(a + b * (d * x + c)^{(1/2)}) + 5 * (a + b * (d * x + c)^{(1/2)})^4 * \sin(a + b * (d * x + c)^{(1/2)}) + 20 * (a + b * (d * x + c)^{(1/2)})^3 * \cos(a + b * (d * x + c)^{(1/2)}) - 60 * (a + b * (d * x + c)^{(1/2)})^2 * \sin(a + b * (d * x + c)^{(1/2)}) + 120 * \sin(a + b * (d * x + c)^{(1/2)}) - 120 * (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) - 5/b^4 * a * f^2 * (-(a + b * (d * x + c)^{(1/2)})^4 * \cos(a + b * (d * x + c)^{(1/2)}) + 4 * (a + b * (d * x + c)^{(1/2)})^3 * \sin(a + b * (d * x + c)^{(1/2)}) + 12 * (a + b * (d * x + c)^{(1/2)})^2 * \cos(a + b * (d * x + c)^{(1/2)}) - 24 * \cos(a + b * (d * x + c)^{(1/2)}) - 24 * (a + b * (d * x + c)^{(1/2)}) * \sin(a + b * (d * x + c)^{(1/2)})) + 10/b^4 * a^2 * f^2 * (-(a + b * (d * x + c)^{(1/2)})^3 * \cos(a + b * (d * x + c)^{(1/2)}) + 3 * (a + b * (d * x + c)^{(1/2)})^2 * \sin(a + b * (d * x + c)^{(1/2)}) - 6 * \sin(a + b * (d * x + c)^{(1/2)}) + 6 * (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) - 10/b^4 * a^3 * f^2 * (-(a + b * (d * x + c)^{(1/2)})^2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * \cos(a + b * (d * x + c)^{(1/2)}) + 2 * (a + b * (d * x + c)^{(1/2)}) * \sin(a + b * (d * x + c)^{(1/2)})) + 5/b^4 * a^4 * f^2 * (\sin(a + b * (d * x + c)^{(1/2)}) - (a + b * (d * x + c)^{(1/2)}) * \cos(a + b * (d * x + c)^{(1/2)})) + 1/b^4 * a^5 * f^2 * \cos(a + b * (d * x + c)^{(1/2))$

maxima [B] time = 0.41, size = 1101, normalized size = 2.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/2)),x, algorithm="maxima")

[Out] $2*(a*e^2*\cos(\sqrt{d*x + c}*b + a) - 2*a*c*e*f*\cos(\sqrt{d*x + c}*b + a)/d + a*c^2*f^2*\cos(\sqrt{d*x + c}*b + a)/d^2 - ((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*e^2 + 2*((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*c*e*f/d - ((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*c^2*f^2/d^2 + 2*a^3*e*f*\cos(\sqrt{d*x + c}*b + a)/(b^2*d) - 2*a^3*c*f^2*\cos(\sqrt{d*x + c}*b + a)/(b^2*d^2) - 6*((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*a^2*e*f/(b^2*d) + 6*((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*a^2*c*f^2/(b^2*d^2) + a^5*f^2*c*\cos(\sqrt{d*x + c}*b + a)/(b^4*d^2) + 6*((\sqrt{d*x + c}*b + a)^2 - 2)*\cos(\sqrt{d*x + c}*b + a) - 2*(\sqrt{d*x + c}*b + a)*\sin(\sqrt{d*x + c}*b + a))*a*e*f/(b^2*d) - 5*((\sqrt{d*x + c}*b + a)*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*a^4*f^2/(b^4*d^2) - 6*((\sqrt{d*x + c}*b + a)^2 - 2)*\cos(\sqrt{d*x + c}*b + a) - 2*(\sqrt{d*x + c}*b + a)*\sin(\sqrt{d*x + c}*b + a))*a*c*f^2/(b^2*d^2) - 2*((\sqrt{d*x + c}*b + a)^3 - 6*\sqrt{d*x + c}*b - 6*a)*\cos(\sqrt{d*x + c}*b + a) - 3*((\sqrt{d*x + c}*b + a)^2 - 2)*\sin(\sqrt{d*x + c}*b + a))*e*f/(b^2*d) + 10*((\sqrt{d*x + c}*b + a)^2 - 2)*\cos(\sqrt{d*x + c}*b + a) - 2*(\sqrt{d*x + c}*b + a)*\sin(\sqrt{d*x + c}*b + a))*a^3*f^2/(b^4*d^2) + 2*((\sqrt{d*x + c}*b + a)^3 - 6*\sqrt{d*x + c}*b - 6*a)*\cos(\sqrt{d*x + c}*b + a) - 3*((\sqrt{d*x + c}*b + a)^2 - 2)*\sin(\sqrt{d*x + c}*b + a))*c*f^2/(b^2*d^2) - 10*((\sqrt{d*x + c}*b + a)^3 - 6*\sqrt{d*x + c}*b - 6*a)*\cos(\sqrt{d*x + c}*b + a) - 3*((\sqrt{d*x + c}*b + a)^2 - 2)*\sin(\sqrt{d*x + c}*b + a))*a^2*f^2/(b^4*d^2) + 5*((\sqrt{d*x + c}*b + a)^4 - 12*(\sqrt{d*x + c}*b + a)^2 + 24)*\cos(\sqrt{d*x + c}*b + a) - 4*((\sqrt{d*x + c}*b + a)^3 - 6*\sqrt{d*x + c}*b - 6*a)*\sin(\sqrt{d*x + c}*b + a))*a*f^2/(b^4*d^2) - (((\sqrt{d*x + c}*b + a)^5 - 20*(\sqrt{d*x + c}*b + a)^3 + 120*\sqrt{d*x + c}*b + 120*a)*\cos(\sqrt{d*x + c}*b + a) - 5*((\sqrt{d*x + c}*b + a)^4 - 12*(\sqrt{d*x + c}*b + a)^2 + 24)*\sin(\sqrt{d*x + c}*b + a))*f^2/(b^4*d^2))/(b^2*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + b\sqrt{c + dx}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/2))*(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^(1/2))*(e + f*x)^2, x)

sympy [A] time = 2.68, size = 529, normalized size = 1.29

$$\left\{ \begin{array}{l} \left(e^2 x + e f x^2 + \frac{f^2 x^3}{3} \right) \sin(a) \\ \left(e^2 x + e f x^2 + \frac{f^2 x^3}{3} \right) \sin(a + b\sqrt{c}) \\ - \frac{2e^2 \sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} - \frac{4efx\sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} - \frac{2f^2 x^2 \sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} + \frac{8cef \sin(a+b\sqrt{c+dx})}{b^2 d^2} + \frac{8cf^2 x \sin(a+b\sqrt{c+dx})}{b^2 d^2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b*(d*x+c)**(1/2)),x)

[Out] Piecewise(((e**2*x + e*f*x**2 + f**2*x**3/3)*sin(a), Eq(b, 0) & (Eq(b, 0) | Eq(d, 0))), ((e**2*x + e*f*x**2 + f**2*x**3/3)*sin(a + b*sqrt(c)), Eq(d, 0)), (-2*e**2*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b*d) - 4*e*f*x*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b*d) - 2*f**2*x**2*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b*d) + 8*c*e*f*sin(a + b*sqrt(c + d*x))/(b**2*d**2) + 8*c*f**2*x*sin(a + b*sqrt(c + d*x))/(b**2*d**2) + 2*e**2*sin(a + b*sqrt(c + d*x))/(b**2*d) + 12*e*f*x*sin(a + b*sqrt(c + d*x))/(b**2*d) + 10*f**2*x**2*sin(a + b*sqrt(c + d*x))/(b**2*d) + 16*c*f**2*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b**3*d**3) + 24*e*f*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b**3*d**2) + 40*f**2*x*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b**3*d**2) - 96*c*f**2*sin(a + b*sqrt(c + d*x))/(b**4*d**3) - 24*e*f*sin(a + b*sqrt(c + d*x))/(b**4*d**2) - 120*f**2*x*sin(a + b*sqrt(c + d*x))/(b**4*d**2) - 240*f**2*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b**5*d**3) + 240*f**2*sin(a + b*sqrt(c + d*x))/(b**6*d**3), True))

3.188 $\int (e + fx) \sin(a + b\sqrt{c + dx}) dx$

Optimal. Leaf size=185

$$-\frac{12f \sin(a + b\sqrt{c + dx})}{b^4 d^2} + \frac{12f \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^2} + \frac{2(de - cf) \sin(a + b\sqrt{c + dx})}{b^2 d^2} + \frac{6f(c + dx) \sin(a + b\sqrt{c + dx})}{b^2 d^2}$$

[Out] $-2*f*(d*x+c)^{(3/2)}*\cos(a+b*(d*x+c)^{(1/2)})/b/d^2-12*f*\sin(a+b*(d*x+c)^{(1/2)})/b^4/d^2+2*(-c*f+d*e)*\sin(a+b*(d*x+c)^{(1/2)})/b^2/d^2+6*f*(d*x+c)*\sin(a+b*(d*x+c)^{(1/2)})/b^2/d^2+12*f*\cos(a+b*(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/b^3/d^2-2*(-c*f+d*e)*\cos(a+b*(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/b/d^2$

Rubi [A] time = 0.16, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {3431, 3296, 2637}

$$\frac{2(de - cf) \sin(a + b\sqrt{c + dx})}{b^2 d^2} + \frac{6f(c + dx) \sin(a + b\sqrt{c + dx})}{b^2 d^2} - \frac{12f \sin(a + b\sqrt{c + dx})}{b^4 d^2} + \frac{12f \sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3 d^2}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[a + b*Sqrt[c + d*x]],x]

[Out] $(12*f*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b^3*d^2) - (2*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d^2) - (2*f*(c + d*x)^{(3/2)}*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d^2) - (12*f*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^4*d^2) + (2*(d*e - c*f)*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d^2) + (6*f*(c + d*x)*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d^2)$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],

$x], x, (e + f*x)^n], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IntegerQ}[1/n]$

Rubi steps

$$\begin{aligned}
 \int (e + fx) \sin(a + b\sqrt{c + dx}) \, dx &= \frac{2 \text{Subst}\left(\int \left(\frac{(de - cf)x \sin(a + bx)}{d} + \frac{fx^3 \sin(a + bx)}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} \\
 &= \frac{(2f) \text{Subst}\left(\int x^3 \sin(a + bx) \, dx, x, \sqrt{c + dx}\right)}{d^2} + \frac{(2(de - cf)) \text{Subst}\left(\int x \sin(a + bx) \, dx, x, \sqrt{c + dx}\right)}{d^2} \\
 &= -\frac{2(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^2} - \frac{2f(c + dx)^{3/2} \cos(a + b\sqrt{c + dx})}{bd^2} \\
 &= -\frac{2(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^2} - \frac{2f(c + dx)^{3/2} \cos(a + b\sqrt{c + dx})}{bd^2} \\
 &= \frac{12f\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3d^2} - \frac{2(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^2} \\
 &= \frac{12f\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^3d^2} - \frac{2(de - cf)\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd^2}
 \end{aligned}$$

Mathematica [A] time = 0.45, size = 85, normalized size = 0.46

$$\frac{2 \sin(a + b\sqrt{c + dx}) (b^2(2cf + d(e + 3fx)) - 6f) - 2b\sqrt{c + dx} (b^2d(e + fx) - 6f) \cos(a + b\sqrt{c + dx})}{b^4d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b*Sqrt[c + d*x]], x]

[Out] $(-2*b*\text{Sqrt}[c + d*x]*(-6*f + b^2*d*(e + f*x))*\text{Cos}[a + b*\text{Sqrt}[c + d*x]] + 2*(-6*f + b^2*(2*c*f + d*(e + 3*f*x)))*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^4*d^2)$

fricas [A] time = 0.54, size = 86, normalized size = 0.46

$$\frac{2\left(\left(b^3dfx + b^3de - 6bf\right)\sqrt{dx + c} \cos\left(\sqrt{dx + c}b + a\right) - \left(3b^2dfx + b^2de + 2\left(b^2c - 3\right)f\right) \sin\left(\sqrt{dx + c}b + a\right)\right)}{b^4d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(1/2)), x, algorithm="fricas")

[Out] $-2*((b^3*d*f*x + b^3*d*e - 6*b*f)*\sqrt{d*x + c}*\cos(\sqrt{d*x + c}*b + a) - (3*b^2*d*f*x + b^2*d*e + 2*(b^2*c - 3)*f)*\sin(\sqrt{d*x + c}*b + a))/(b^4*d^2)$

giac [A] time = 0.69, size = 219, normalized size = 1.18

$$2 \left[\frac{(\sqrt{dx+c} b \cos(\sqrt{dx+c} b+a) - \sin(\sqrt{dx+c} b+a))e}{b} - \frac{f \left(\frac{((\sqrt{dx+c} b+a) b^2 c - a b^2 c - (\sqrt{dx+c} b+a)^3 + 3(\sqrt{dx+c} b+a)^2 a - 3(\sqrt{dx+c} b+a) a^2 + a^3 + 6 \sqrt{dx+c} b) \cos(\sqrt{dx+c} b+a)}{b^2} \right)}{bd} \right]$$

bd

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^(1/2)),x, algorithm="giac")`

[Out] $-2*((\sqrt{d*x + c}*b*\cos(\sqrt{d*x + c}*b + a) - \sin(\sqrt{d*x + c}*b + a))*e/b - f*((\sqrt{d*x + c}*b + a)*b^2*c - a*b^2*c - (\sqrt{d*x + c}*b + a)^3 + 3*(\sqrt{d*x + c}*b + a)^2*a - 3*(\sqrt{d*x + c}*b + a)*a^2 + a^3 + 6*\sqrt{d*x + c}*b)*\cos(\sqrt{d*x + c}*b + a)/b^2 - (b^2*c - 3*(\sqrt{d*x + c}*b + a)^2 + 6*(\sqrt{d*x + c}*b + a)*a - 3*a^2 + 6)*\sin(\sqrt{d*x + c}*b + a)/b^2)/(b*d)$

maple [B] time = 0.03, size = 366, normalized size = 1.98

$$\frac{-2cf(\sin(a + b\sqrt{dx+c}) - (a + b\sqrt{dx+c})\cos(a + b\sqrt{dx+c})) + 2de(\sin(a + b\sqrt{dx+c}) - (a + b\sqrt{dx+c})\cos(a + b\sqrt{dx+c}))}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b*(d*x+c)^(1/2)),x)`

[Out] $2/d^2/b^2*(-c*f*(\sin(a+b*(d*x+c)^(1/2)) - (a+b*(d*x+c)^(1/2))*\cos(a+b*(d*x+c)^(1/2))) + d*e*(\sin(a+b*(d*x+c)^(1/2)) - (a+b*(d*x+c)^(1/2))*\cos(a+b*(d*x+c)^(1/2))) - a*c*f*\cos(a+b*(d*x+c)^(1/2)) + a*d*e*\cos(a+b*(d*x+c)^(1/2)) + 1/b^2*f*(-(a+b*(d*x+c)^(1/2))^3*\cos(a+b*(d*x+c)^(1/2)) + 3*(a+b*(d*x+c)^(1/2))^2*\sin(a+b*(d*x+c)^(1/2)) - 6*\sin(a+b*(d*x+c)^(1/2)) + 6*(a+b*(d*x+c)^(1/2))*\cos(a+b*(d*x+c)^(1/2))) - 3/b^2*a*f*(-(a+b*(d*x+c)^(1/2))^2*\cos(a+b*(d*x+c)^(1/2)) + 2*\cos(a+b*(d*x+c)^(1/2)) + 2*(a+b*(d*x+c)^(1/2))*\sin(a+b*(d*x+c)^(1/2))) + 3/b^2*a^2*f*(\sin(a+b*(d*x+c)^(1/2)) - (a+b*(d*x+c)^(1/2))*\cos(a+b*(d*x+c)^(1/2))) + 1/b^2*a^3*f*\cos(a+b*(d*x+c)^(1/2))$

maxima [B] time = 0.33, size = 348, normalized size = 1.88

$$2 \left(ae \cos(\sqrt{dx+cb+a}) - \frac{acf \cos(\sqrt{dx+cb+a})}{d} - ((\sqrt{dx+cb+a}) \cos(\sqrt{dx+cb+a}) - \sin(\sqrt{dx+cb+a}))e + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(1/2)),x, algorithm="maxima")

[Out] $2*(a*e*\cos(\sqrt{d*x+c}*b+a) - a*c*f*\cos(\sqrt{d*x+c}*b+a)/d - ((\sqrt{d*x+c}*b+a)*\cos(\sqrt{d*x+c}*b+a) - \sin(\sqrt{d*x+c}*b+a))*e + ((\sqrt{d*x+c}*b+a)*\cos(\sqrt{d*x+c}*b+a) - \sin(\sqrt{d*x+c}*b+a))*c*f/d + a^3*f*\cos(\sqrt{d*x+c}*b+a)/(b^2*d) - 3*((\sqrt{d*x+c}*b+a)*\cos(\sqrt{d*x+c}*b+a) - \sin(\sqrt{d*x+c}*b+a))*a^2*f/(b^2*d) + 3*((\sqrt{d*x+c}*b+a)^2 - 2)*\cos(\sqrt{d*x+c}*b+a) - 2*(\sqrt{d*x+c}*b+a)*\sin(\sqrt{d*x+c}*b+a))*a*f/(b^2*d) - (((\sqrt{d*x+c}*b+a)^3 - 6*\sqrt{d*x+c}*b - 6*a)*\cos(\sqrt{d*x+c}*b+a) - 3*((\sqrt{d*x+c}*b+a)^2 - 2)*\sin(\sqrt{d*x+c}*b+a))*f/(b^2*d))/(b^2*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + b\sqrt{c+dx}\right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/2))*(e + f*x),x)

[Out] int(sin(a + b*(c + d*x)^(1/2))*(e + f*x), x)

sympy [A] time = 0.76, size = 221, normalized size = 1.19

$$\left\{ \begin{array}{l} \left(ex + \frac{fx^2}{2} \right) \sin(a) \\ \left(ex + \frac{fx^2}{2} \right) \sin(a + b\sqrt{c}) \\ -\frac{2e\sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} - \frac{2fx\sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} + \frac{4cf \sin(a+b\sqrt{c+dx})}{b^2d^2} + \frac{2e \sin(a+b\sqrt{c+dx})}{b^2d} + \frac{6fx \sin(a+b\sqrt{c+dx})}{b^2d} + \frac{12f\sqrt{c+dx} \sin(a+b\sqrt{c+dx})}{b^2d} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)**(1/2)),x)

[Out] Piecewise(((e*x + f*x**2/2)*sin(a), Eq(b, 0) & (Eq(b, 0) | Eq(d, 0))), ((e*x + f*x**2/2)*sin(a + b*sqrt(c)), Eq(d, 0)), (-2*e*sqrt(c + d*x)*cos(a + b*

```
sqrt(c + d*x))/(b*d) - 2*f*x*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b*d) +  
4*c*f*sin(a + b*sqrt(c + d*x))/(b**2*d**2) + 2*e*sin(a + b*sqrt(c + d*x))/  
(b**2*d) + 6*f*x*sin(a + b*sqrt(c + d*x))/(b**2*d) + 12*f*sqrt(c + d*x)*cos  
(a + b*sqrt(c + d*x))/(b**3*d**2) - 12*f*sin(a + b*sqrt(c + d*x))/(b**4*d**  
2), True))
```


3.189 $\int \sin(a + b\sqrt{c + dx}) dx$

Optimal. Leaf size=54

$$\frac{2 \sin(a + b\sqrt{c + dx})}{b^2 d} - \frac{2\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd}$$

[Out] $2*\sin(a+b*(d*x+c)^(1/2))/b^2/d-2*\cos(a+b*(d*x+c)^(1/2))*(d*x+c)^(1/2)/b/d$

Rubi [A] time = 0.03, antiderivative size = 54, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3361, 3296, 2637}

$$\frac{2 \sin(a + b\sqrt{c + dx})}{b^2 d} - \frac{2\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*Sqrt[c + d*x]], x]`

[Out] $(-2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*\text{Sqrt}[c + d*x]])/(b*d) + (2*\text{Sin}[a + b*\text{Sqrt}[c + d*x]])/(b^2*d)$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3361

`Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))]^(n_)]^(p_.), x_S`
`ymbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*SIN[c + d*x])^p, x], x`
`, (e + f*x)^n], x] /;` `FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && Integer`
`Q[1/n]`

Rubi steps

$$\begin{aligned} \int \sin(a + b\sqrt{c + dx}) dx &= \frac{2 \text{Subst}\left(\int x \sin(a + bx) dx, x, \sqrt{c + dx}\right)}{d} \\ &= -\frac{2\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd} + \frac{2 \text{Subst}\left(\int \cos(a + bx) dx, x, \sqrt{c + dx}\right)}{bd} \\ &= -\frac{2\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{bd} + \frac{2 \sin(a + b\sqrt{c + dx})}{b^2d} \end{aligned}$$

Mathematica [A] time = 0.08, size = 50, normalized size = 0.93

$$\frac{2 \sin(a + b\sqrt{c + dx}) - 2b\sqrt{c + dx} \cos(a + b\sqrt{c + dx})}{b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*Sqrt[c + d*x]],x]

[Out] (-2*b*Sqrt[c + d*x]*Cos[a + b*Sqrt[c + d*x]] + 2*Sin[a + b*Sqrt[c + d*x]])/(b^2*d)

fricas [A] time = 0.60, size = 44, normalized size = 0.81

$$\frac{2(\sqrt{dx + c} b \cos(\sqrt{dx + c} b + a) - \sin(\sqrt{dx + c} b + a))}{b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/2)),x, algorithm="fricas")

[Out] -2*(sqrt(d*x + c)*b*cos(sqrt(d*x + c)*b + a) - sin(sqrt(d*x + c)*b + a))/(b^2*d)

giac [A] time = 0.44, size = 44, normalized size = 0.81

$$\frac{2(\sqrt{dx + c} b \cos(\sqrt{dx + c} b + a) - \sin(\sqrt{dx + c} b + a))}{b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/2)),x, algorithm="giac")

[Out] -2*(sqrt(d*x + c)*b*cos(sqrt(d*x + c)*b + a) - sin(sqrt(d*x + c)*b + a))/(b^2*d)

maple [A] time = 0.03, size = 61, normalized size = 1.13

$$\frac{2 \sin(a + b\sqrt{dx + c}) - 2(a + b\sqrt{dx + c}) \cos(a + b\sqrt{dx + c}) + 2a \cos(a + b\sqrt{dx + c})}{b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/2)),x)

[Out] 2/d/b^2*(sin(a+b*(d*x+c)^(1/2))-(a+b*(d*x+c)^(1/2))*cos(a+b*(d*x+c)^(1/2))+a*cos(a+b*(d*x+c)^(1/2)))

maxima [A] time = 0.33, size = 62, normalized size = 1.15

$$\frac{2((\sqrt{dx + c} b + a) \cos(\sqrt{dx + c} b + a) - a \cos(\sqrt{dx + c} b + a) - \sin(\sqrt{dx + c} b + a))}{b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/2)),x, algorithm="maxima")

[Out] -2*((sqrt(d*x + c)*b + a)*cos(sqrt(d*x + c)*b + a) - a*cos(sqrt(d*x + c)*b + a) - sin(sqrt(d*x + c)*b + a))/(b^2*d)

mupad [B] time = 4.73, size = 43, normalized size = 0.80

$$\frac{2(\sin(a + b\sqrt{c + dx}) - b \cos(a + b\sqrt{c + dx}) \sqrt{c + dx})}{b^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/2)),x)

[Out] (2*(sin(a + b*(c + d*x)^(1/2)) - b*cos(a + b*(c + d*x)^(1/2))*(c + d*x)^(1/2)))/(b^2*d)

sympy [A] time = 0.50, size = 66, normalized size = 1.22

$$\begin{cases} x \sin(a) & \text{for } b = 0 \wedge d = 0 \\ x \sin(a + b\sqrt{c}) & \text{for } d = 0 \\ x \sin(a) & \text{for } b = 0 \\ -\frac{2\sqrt{c+dx} \cos(a+b\sqrt{c+dx})}{bd} + \frac{2\sin(a+b\sqrt{c+dx})}{b^2d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(1/2)),x)
```

```
[Out] Piecewise((x*sin(a), Eq(b, 0) & Eq(d, 0)), (x*sin(a + b*sqrt(c)), Eq(d, 0))  
, (x*sin(a), Eq(b, 0)), (-2*sqrt(c + d*x)*cos(a + b*sqrt(c + d*x))/(b*d) +  
2*sin(a + b*sqrt(c + d*x))/(b**2*d), True))
```

$$3.190 \quad \int \frac{\sin(a+b\sqrt{c+dx})}{e+fx} dx$$

Optimal. Leaf size=238

$$\frac{\sin\left(a - \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Ci}\left(\frac{\sqrt{cf-de}b}{\sqrt{f}} + \sqrt{c+dx}b\right)}{f} + \frac{\sin\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Ci}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{f} - \frac{\cos\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Si}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{f}$$

[Out] $\cos(a+b*(c*f-d*e)^{(1/2)}/f^{(1/2)})*Si(-b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)}/f+\cos(a-b*(c*f-d*e)^{(1/2)}/f^{(1/2)})*Si(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)}/f+\text{Ci}(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)})*\sin(a-b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f+\text{Ci}(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}-b*(d*x+c)^{(1/2)})*\sin(a+b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f$

Rubi [A] time = 0.75, antiderivative size = 238, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3431, 3303, 3299, 3302}

$$\frac{\sin\left(a - \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{CosIntegral}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} + b\sqrt{c+dx}\right)}{f} + \frac{\sin\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{CosIntegral}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*Sqrt[c + d*x]]/(e + f*x), x]

[Out] $(\text{CosIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] + b*\text{Sqrt}[c + d*x]]*\text{Sin}[a - (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]])/f + (\text{CosIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] - b*\text{Sqrt}[c + d*x]]*\text{Sin}[a + (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]])/f - (\text{Cos}[a + (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{SinIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] - b*\text{Sqrt}[c + d*x]])/f + (\text{Cos}[a - (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{SinIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] + b*\text{Sqrt}[c + d*x]])/f$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\int \frac{\sin(a + b\sqrt{c + dx})}{e + fx} dx = \frac{2 \operatorname{Subst}\left(\int \left(-\frac{d \sin(a+bx)}{2\sqrt{f}(\sqrt{-de+cf}-\sqrt{f}x)} + \frac{d \sin(a+bx)}{2\sqrt{f}(\sqrt{-de+cf}+\sqrt{f}x)}\right) dx, x, \sqrt{c + dx}\right)}{d}$$

$$= -\frac{\operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\sqrt{-de+cf}-\sqrt{f}x} dx, x, \sqrt{c + dx}\right)}{\sqrt{f}} + \frac{\operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\sqrt{-de+cf}+\sqrt{f}x} dx, x, \sqrt{c + dx}\right)}{\sqrt{f}}$$

$$= \frac{\cos\left(a - \frac{b\sqrt{-de+cf}}{\sqrt{f}}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} + bx\right)}{\sqrt{-de+cf}+\sqrt{f}x} dx, x, \sqrt{c + dx}\right)}{\sqrt{f}} + \frac{\cos\left(a + \frac{b\sqrt{-de+cf}}{\sqrt{f}}\right) \operatorname{Subst}\left(\int \frac{\sin\left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} + bx\right)}{\sqrt{-de+cf}-\sqrt{f}x} dx, x, \sqrt{c + dx}\right)}{\sqrt{f}}$$

$$= \frac{\operatorname{Ci}\left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} + b\sqrt{c + dx}\right) \sin\left(a - \frac{b\sqrt{-de+cf}}{\sqrt{f}}\right)}{f} + \frac{\operatorname{Ci}\left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} - b\sqrt{c + dx}\right) \sin\left(a + \frac{b\sqrt{-de+cf}}{\sqrt{f}}\right)}{f}$$

Mathematica [C] time = 1.55, size = 238, normalized size = 1.00

$$\frac{ie^{-i\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right)} \left(-e^{2i\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right)} \operatorname{Ei}\left(ib\left(\sqrt{c + dx} - \frac{\sqrt{cf-de}}{\sqrt{f}}\right)\right) - e^{2ia} \operatorname{Ei}\left(ib\left(\frac{\sqrt{cf-de}}{\sqrt{f}} + \sqrt{c + dx}\right)\right) + \operatorname{Ei}\left(-ib\left(\sqrt{c + dx} - \frac{\sqrt{cf-de}}{\sqrt{f}}\right)\right) - e^{-2ia} \operatorname{Ei}\left(-ib\left(\frac{\sqrt{cf-de}}{\sqrt{f}} + \sqrt{c + dx}\right)\right)\right)}{2f}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*Sqrt[c + d*x]]/(e + f*x), x]

[Out]
$$\left(\frac{I}{2} \left(\text{ExpIntegralEi} \left[(-I) * b * \left(-\frac{\sqrt{-(d*e) + c*f}}{\sqrt{f}} \right) / \sqrt{f} \right] + \sqrt{c + d*x} \right) - E^{\left((2*I) * (a + (b*\sqrt{-(d*e) + c*f}) / \sqrt{f}) \right)} * \text{ExpIntegralEi} \left[I * b * \left(-\frac{\sqrt{-(d*e) + c*f}}{\sqrt{f}} \right) + \sqrt{c + d*x} \right] + E^{\left((2*I) * b * \sqrt{-(d*e) + c*f} \right) / \sqrt{f}} * \text{ExpIntegralEi} \left[(-I) * b * \left(\frac{\sqrt{-(d*e) + c*f}}{\sqrt{f}} \right) + \sqrt{c + d*x} \right] \right) - E^{\left((2*I) * a \right)} * \text{ExpIntegralEi} \left[I * b * \left(\frac{\sqrt{-(d*e) + c*f}}{\sqrt{f}} \right) + \sqrt{c + d*x} \right] \right) / \left(E^{\left(I * (a + (b*\sqrt{-(d*e) + c*f}) / \sqrt{f}) \right) / \sqrt{f}} \right) * f$$

fricas [C] time = 0.87, size = 250, normalized size = 1.05

$$\frac{-i \operatorname{Ei} \left(i \sqrt{dx + cb} - \sqrt{\frac{b^2 de - b^2 cf}{f}} \right) e^{i a + \sqrt{\frac{b^2 de - b^2 cf}{f}}} - i \operatorname{Ei} \left(i \sqrt{dx + cb} + \sqrt{\frac{b^2 de - b^2 cf}{f}} \right) e^{i a - \sqrt{\frac{b^2 de - b^2 cf}{f}}} + i \operatorname{Ei} \left(-i \sqrt{dx + cb} - \sqrt{\frac{b^2 de - b^2 cf}{f}} \right) e^{-i a + \sqrt{\frac{b^2 de - b^2 cf}{f}}} - i \operatorname{Ei} \left(-i \sqrt{dx + cb} + \sqrt{\frac{b^2 de - b^2 cf}{f}} \right) e^{-i a - \sqrt{\frac{b^2 de - b^2 cf}{f}}}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e),x, algorithm="fricas")`

[Out]
$$\frac{1}{2} * \left(-I * \operatorname{Ei} \left(I * \sqrt{d*x + c} * b - \sqrt{\frac{b^2*d*e - b^2*c*f}{f}} \right) * e^{I*a + \sqrt{\frac{b^2*d*e - b^2*c*f}{f}}} - I * \operatorname{Ei} \left(I * \sqrt{d*x + c} * b + \sqrt{\frac{b^2*d*e - b^2*c*f}{f}} \right) * e^{I*a - \sqrt{\frac{b^2*d*e - b^2*c*f}{f}}} + I * \operatorname{Ei} \left(-I * \sqrt{d*x + c} * b - \sqrt{\frac{b^2*d*e - b^2*c*f}{f}} \right) * e^{-I*a + \sqrt{\frac{b^2*d*e - b^2*c*f}{f}}} + I * \operatorname{Ei} \left(-I * \sqrt{d*x + c} * b + \sqrt{\frac{b^2*d*e - b^2*c*f}{f}} \right) * e^{-I*a - \sqrt{\frac{b^2*d*e - b^2*c*f}{f}}} \right) / f$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(\sqrt{dx + cb} + a)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e),x, algorithm="giac")`

[Out] `integrate(sin(sqrt(d*x + c)*b + a)/(f*x + e), x)`

maple [B] time = 0.04, size = 785, normalized size = 3.30

$$\frac{(af + \sqrt{b^2 c f^2 - b^2 def}) b^2 \left(\operatorname{Si} \left(b \sqrt{dx + c} + a - \frac{af + \sqrt{b^2 c f^2 - b^2 def}}{f} \right) \cos \left(\frac{af + \sqrt{b^2 c f^2 - b^2 def}}{f} \right) + \operatorname{Ci} \left(b \sqrt{dx + c} + a - \frac{af + \sqrt{b^2 c f^2 - b^2 def}}{f} \right) \sin \left(\frac{af + \sqrt{b^2 c f^2 - b^2 def}}{f} \right) \right)}{f^2 \left(\frac{af + \sqrt{b^2 c f^2 - b^2 def}}{f} - a \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(1/2))/(f*x+e),x)`

```
[Out] 2/b^2*(1/2*(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f^2*b^2/((a*f+(b^2*c*f^2-b^2*d
*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f
)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c
*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))-1/2*(-a
*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f^2*b^2/((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2)
)/f-a)*(Si(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*
f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)-Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2
*d*e*f)^(1/2))/f)*sin((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))-a*b^2*(1/2/((a
*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)/f*(Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^
2-b^2*d*e*f)^(1/2))/f)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c
)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*
f)^(1/2))/f))+1/2/((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)/f*(Si(b*(d*x+c)
^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*f+(b^2*c*f^2-b^2*d*e
*f)^(1/2))/f)-Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*si
n((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(\sqrt{dx+cb+a})}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e),x, algorithm="maxima")
```

```
[Out] integrate(sin(sqrt(d*x + c)*b + a)/(f*x + e), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(a+b\sqrt{c+dx})}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(1/2))/(e + f*x),x)
```

```
[Out] int(sin(a + b*(c + d*x)^(1/2))/(e + f*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b\sqrt{c+dx})}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(1/2))/(f*x+e),x)
```

```
[Out] Integral(sin(a + b*sqrt(c + d*x))/(e + f*x), x)
```


$$3.191 \quad \int \frac{\sin(a+b\sqrt{c+dx})}{(e+fx)^2} dx$$

Optimal. Leaf size=339

$$\frac{bd \cos\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Ci}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{2f^{3/2}\sqrt{cf-de}} - \frac{bd \cos\left(a - \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Ci}\left(\frac{\sqrt{cf-de}b}{\sqrt{f}} + \sqrt{c+dx}b\right)}{2f^{3/2}\sqrt{cf-de}} + \frac{bd \sin\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Si}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{2f^{3/2}\sqrt{cf-de}} - \frac{bd \sin\left(a - \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{Si}\left(\frac{\sqrt{cf-de}b}{\sqrt{f}} + \sqrt{c+dx}b\right)}{2f^{3/2}\sqrt{cf-de}}$$

[Out] $-\sin(a+b*(d*x+c)^{(1/2)})/f/(f*x+e)-1/2*b*d*Ci(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)})*\cos(a-b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f^{(3/2)}/(c*f-d*e)^{(1/2)}+1/2*b*d*Ci(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}-b*(d*x+c)^{(1/2)})*\cos(a+b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f^{(3/2)}/(c*f-d*e)^{(1/2)}+1/2*b*d*Si(b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)})*\sin(a-b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f^{(3/2)}/(c*f-d*e)^{(1/2)}-1/2*b*d*Si(-b*(c*f-d*e)^{(1/2)}/f^{(1/2)}+b*(d*x+c)^{(1/2)})*\sin(a+b*(c*f-d*e)^{(1/2)}/f^{(1/2)})/f^{(3/2)}/(c*f-d*e)^{(1/2)}$

Rubi [A] time = 0.98, antiderivative size = 339, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3431, 3341, 3334, 3303, 3299, 3302}

$$\frac{bd \cos\left(a + \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{CosIntegral}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} - b\sqrt{c+dx}\right)}{2f^{3/2}\sqrt{cf-de}} - \frac{bd \cos\left(a - \frac{b\sqrt{cf-de}}{\sqrt{f}}\right) \text{CosIntegral}\left(\frac{b\sqrt{cf-de}}{\sqrt{f}} + b\sqrt{c+dx}\right)}{2f^{3/2}\sqrt{cf-de}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*Sqrt[c + d*x]]/(e + f*x)^2,x]

[Out] $(b*d*\text{Cos}[a + (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{CosIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] - b*\text{Sqrt}[c + d*x]])/(2*f^{(3/2)}*\text{Sqrt}[-(d*e) + c*f]) - (b*d*\text{Cos}[a - (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{CosIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] + b*\text{Sqrt}[c + d*x]])/(2*f^{(3/2)}*\text{Sqrt}[-(d*e) + c*f]) - \text{Sin}[a + b*\text{Sqrt}[c + d*x]]/(f*(e + f*x)) + (b*d*\text{Sin}[a + (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{SinIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] - b*\text{Sqrt}[c + d*x]])/(2*f^{(3/2)}*\text{Sqrt}[-(d*e) + c*f]) + (b*d*\text{Sin}[a - (b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f]]*\text{SinIntegral}[(b*\text{Sqrt}[-(d*e) + c*f])/ \text{Sqrt}[f] + b*\text{Sqrt}[c + d*x]])/(2*f^{(3/2)}*\text{Sqrt}[-(d*e) + c*f])$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b\sqrt{c + dx})}{(e + fx)^2} dx &= \frac{2 \operatorname{Subst} \left(\int \frac{x \sin(a+bx)}{\left(e - \frac{cf}{d} + \frac{fx^2}{d}\right)^2} dx, x, \sqrt{c + dx} \right)}{d} \\
&= -\frac{\sin(a + b\sqrt{c + dx})}{f(e + fx)} + \frac{b \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{e - \frac{cf}{d} + \frac{fx^2}{d}} dx, x, \sqrt{c + dx} \right)}{f} \\
&= -\frac{\sin(a + b\sqrt{c + dx})}{f(e + fx)} + \frac{b \operatorname{Subst} \left(\int \left(\frac{\sqrt{-de+cf} \cos(a+bx)}{2\left(e - \frac{cf}{d}\right)(\sqrt{-de+cf} - \sqrt{fx})} + \frac{\sqrt{-de+cf} \cos(a+bx)}{2\left(e - \frac{cf}{d}\right)(\sqrt{-de+cf} + \sqrt{fx})} \right) dx, x, \sqrt{c + dx} \right)}{f} \\
&= -\frac{\sin(a + b\sqrt{c + dx})}{f(e + fx)} - \frac{(bd) \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{\sqrt{-de+cf} - \sqrt{fx}} dx, x, \sqrt{c + dx} \right)}{2f\sqrt{-de + cf}} - \frac{(bd) \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{\sqrt{-de+cf} + \sqrt{fx}} dx, x, \sqrt{c + dx} \right)}{2f\sqrt{-de + cf}} \\
&= -\frac{\sin(a + b\sqrt{c + dx})}{f(e + fx)} - \frac{\left(bd \cos \left(a - \frac{b\sqrt{-de+cf}}{\sqrt{f}} \right) \right) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} + bx \right)}{\sqrt{-de+cf} + \sqrt{fx}} dx, x, \sqrt{c + dx} \right)}{2f\sqrt{-de + cf}} \\
&= \frac{bd \cos \left(a + \frac{b\sqrt{-de+cf}}{\sqrt{f}} \right) \operatorname{Ci} \left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} - b\sqrt{c + dx} \right)}{2f^{3/2}\sqrt{-de + cf}} - \frac{bd \cos \left(a - \frac{b\sqrt{-de+cf}}{\sqrt{f}} \right) \operatorname{Ci} \left(\frac{b\sqrt{-de+cf}}{\sqrt{f}} + b\sqrt{c + dx} \right)}{2f^{3/2}\sqrt{-de + cf}}
\end{aligned}$$

Mathematica [C] time = 3.61, size = 397, normalized size = 1.17

$$ie^{-ia}d \left(e^{2ia} \left(-\frac{ibe \frac{ib\sqrt{cf-de}}{\sqrt{f}} \operatorname{Ei} \left(ib \left(\sqrt{c+dx} - \frac{\sqrt{cf-de}}{\sqrt{f}} \right) \right)}{\sqrt{cf-de}} + \frac{ibe \frac{ib\sqrt{cf-de}}{\sqrt{f}} \operatorname{Ei} \left(ib \left(\frac{\sqrt{cf-de}}{\sqrt{f}} + \sqrt{c+dx} \right) \right)}{\sqrt{cf-de}} + \frac{2\sqrt{f} e^{ib\sqrt{c+dx}}}{de+dfx} \right) - \frac{ibe \frac{ib\sqrt{cf-de}}{\sqrt{f}} \operatorname{Ei} \left(-ib \left(\sqrt{c+dx} - \frac{\sqrt{cf-de}}{\sqrt{f}} \right) \right)}{\sqrt{cf-de}} \right) \right) / 4f^{3/2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*Sqrt[c + d*x]]/(e + f*x)^2,x]

[Out] ((I/4)*d*((-2*Sqrt[f])/(E^(I*b*Sqrt[c + d*x])*(d*e + d*f*x)) - (I*b*ExpIntegralEi[(-I)*b*(-(Sqrt[-(d*e) + c*f]/Sqrt[f]) + Sqrt[c + d*x]])/(E^((I*b*Sqrt[-(d*e) + c*f])/Sqrt[f])*Sqrt[-(d*e) + c*f]) + (I*b*E^((I*b*Sqrt[-(d*e) + c*f])/Sqrt[f])*ExpIntegralEi[(-I)*b*(Sqrt[-(d*e) + c*f]/Sqrt[f] + Sqrt[c +

$d*x]]))/\text{Sqrt}[-(d*e) + c*f] + E^{((2*I)*a)*((2*E^{(I*b*\text{Sqrt}[c + d*x])*\text{Sqrt}[f])/(d*e + d*f*x) - (I*b*E^{((I*b*\text{Sqrt}[-(d*e) + c*f])/\text{Sqrt}[f])*\text{ExpIntegralEi}[I*b*(-(\text{Sqrt}[-(d*e) + c*f])/\text{Sqrt}[f]) + \text{Sqrt}[c + d*x]]))/\text{Sqrt}[-(d*e) + c*f] + (I*b*\text{ExpIntegralEi}[I*b*(\text{Sqrt}[-(d*e) + c*f])/\text{Sqrt}[f] + \text{Sqrt}[c + d*x]]))/E^{((I*b*\text{Sqrt}[-(d*e) + c*f])/\text{Sqrt}[f])*\text{Sqrt}[-(d*e) + c*f])))/E^{(I*a)*f^{(3/2)}}$

fricas [C] time = 0.76, size = 416, normalized size = 1.23

$$\frac{(-i d f x - i d e) \sqrt{\frac{b^2 d e - b^2 c f}{f}} \text{Ei}\left(i \sqrt{d x + c} b - \sqrt{\frac{b^2 d e - b^2 c f}{f}}\right) e^{\left(i a + \sqrt{\frac{b^2 d e - b^2 c f}{f}}\right)} + (i d f x + i d e) \sqrt{\frac{b^2 d e - b^2 c f}{f}} \text{Ei}\left(i \sqrt{d x + c}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="fricas")

[Out] $-1/4*((-I*d*f*x - I*d*e)*\text{sqrt}((b^2*d*e - b^2*c*f)/f)*\text{Ei}(I*\text{sqrt}(d*x + c)*b - \text{sqrt}((b^2*d*e - b^2*c*f)/f))*e^{(I*a + \text{sqrt}((b^2*d*e - b^2*c*f)/f))} + (I*d*f*x + I*d*e)*\text{sqrt}((b^2*d*e - b^2*c*f)/f)*\text{Ei}(I*\text{sqrt}(d*x + c)*b + \text{sqrt}((b^2*d*e - b^2*c*f)/f))*e^{(I*a - \text{sqrt}((b^2*d*e - b^2*c*f)/f))} + (I*d*f*x + I*d*e)*\text{sqrt}((b^2*d*e - b^2*c*f)/f)*\text{Ei}(-I*\text{sqrt}(d*x + c)*b - \text{sqrt}((b^2*d*e - b^2*c*f)/f))*e^{(-I*a + \text{sqrt}((b^2*d*e - b^2*c*f)/f))} + (-I*d*f*x - I*d*e)*\text{sqrt}((b^2*d*e - b^2*c*f)/f)*\text{Ei}(-I*\text{sqrt}(d*x + c)*b + \text{sqrt}((b^2*d*e - b^2*c*f)/f))*e^{(-I*a - \text{sqrt}((b^2*d*e - b^2*c*f)/f))} + 4*(d*e - c*f)*\text{sin}(\text{sqrt}(d*x + c)*b + a)/(d*e^2*f - c*e*f^2 + (d*e*f^2 - c*f^3)*x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(\sqrt{d x + c} b + a)}{(f x + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin(sqrt(d*x + c)*b + a)/(f*x + e)^2, x)

maple [B] time = 0.08, size = 1817, normalized size = 5.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/2))/(f*x+e)^2,x)

```
[Out] 2*d/b^2*(sin(a+b*(d*x+c)^(1/2))*(-1/2*a*b^2/(c*f-d*e)*(a+b*(d*x+c)^(1/2))+1/2*b^2*(-b^2*c*f+b^2*d*e+a^2*f)/(c*f-d*e)/f)/(-c*f*b^2+d*e*b^2+(a+b*(d*x+c)^(1/2))^2*f-2*(a+b*(d*x+c)^(1/2))*a*f+a^2*f)-1/4*a*b^2/(c*f-d*e)/f/((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))-1/4*a*b^2/(c*f-d*e)/f/((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)-Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))+1/4*b^2*(c*f*b^2-d*e*b^2+(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))*a-a^2*f)/(c*f-d*e)/f^2/((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(-Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))+1/4*b^2*(c*f*b^2-d*e*b^2-(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))*a-a^2*f)/(c*f-d*e)/f^2/((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))-a*b^4*(sin(a+b*(d*x+c)^(1/2))*(-1/2/b^2/(c*f-d*e)*(a+b*(d*x+c)^(1/2))+1/2*a/b^2/(c*f-d*e))/(-c*f*b^2+d*e*b^2+(a+b*(d*x+c)^(1/2))^2*f-2*(a+b*(d*x+c)^(1/2))*a*f+a^2*f)-1/4/b^2/(c*f-d*e)/f/((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))-1/4/b^2/(c*f-d*e)/f/((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f-a)*(Si(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)-Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))+1/4/b^2/f/(c*f-d*e)*(-Si(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a-(a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))+1/4/b^2/f/(c*f-d*e)*(Si(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*sin((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)+Ci(b*(d*x+c)^(1/2)+a+(-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f)*cos((-a*f+(b^2*c*f^2-b^2*d*e*f)^(1/2))/f))))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(\sqrt{dx + cb + a})}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="maxima")
```

```
[Out] integrate(sin(sqrt(d*x + c)*b + a)/(f*x + e)^2, x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(a + b\sqrt{c + dx})}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/2))/(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^(1/2))/(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b\sqrt{c + dx})}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/2))/(f*x+e)**2,x)

[Out] Integral(sin(a + b*sqrt(c + d*x))/(e + f*x)**2, x)

3.192 $\int (e + fx)^2 \sin(a + b(c + dx)^{3/2}) dx$

Optimal. Leaf size=382

$$\frac{2f^2 \sin(a + b(c + dx)^{3/2})}{3b^2d^3} - \frac{4f\sqrt{c + dx}(de - cf) \cos(a + b(c + dx)^{3/2})}{3bd^3} - \frac{2e^{ia}f\sqrt{c + dx}(de - cf)\Gamma\left(\frac{1}{3}, -ib(c + dx)^{3/2}\right)}{9bd^3\sqrt[3]{-ib(c + dx)^{3/2}}}$$

[Out] $-2/3*f^2*(d*x+c)^{(3/2)}*\cos(a+b*(d*x+c)^{(3/2)})/b/d^3+1/3*I*\exp(I*a)*(-c*f+d*e)^2*(d*x+c)*\text{GAMMA}(2/3, -I*b*(d*x+c)^{(3/2)})/d^3/(-I*b*(d*x+c)^{(3/2)})^{(2/3)}-1/3*I*(-c*f+d*e)^2*(d*x+c)*\text{GAMMA}(2/3, I*b*(d*x+c)^{(3/2)})/d^3/\exp(I*a)/(I*b*(d*x+c)^{(3/2)})^{(2/3)}+2/3*f^2*\sin(a+b*(d*x+c)^{(3/2)})/b^2/d^3-4/3*f*(-c*f+d*e)*\cos(a+b*(d*x+c)^{(3/2)})*(d*x+c)^{(1/2)}/b/d^3-2/9*\exp(I*a)*f*(-c*f+d*e)*\text{GAMMA}(1/3, -I*b*(d*x+c)^{(3/2)})*(d*x+c)^{(1/2)}/b/d^3/(-I*b*(d*x+c)^{(3/2)})^{(1/3)}-2/9*f*(-c*f+d*e)*\text{GAMMA}(1/3, I*b*(d*x+c)^{(3/2)})*(d*x+c)^{(1/2)}/b/d^3/\exp(I*a)/(I*b*(d*x+c)^{(3/2)})^{(1/3)}$

Rubi [A] time = 0.31, antiderivative size = 382, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 9, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.409$, Rules used = {3433, 3389, 2218, 3385, 3356, 2208, 3379, 3296, 2637}

$$\frac{2e^{ia}f\sqrt{c + dx}(de - cf)\text{Gamma}\left(\frac{1}{3}, -ib(c + dx)^{3/2}\right)}{9bd^3\sqrt[3]{-ib(c + dx)^{3/2}}} - \frac{2e^{-ia}f\sqrt{c + dx}(de - cf)\text{Gamma}\left(\frac{1}{3}, ib(c + dx)^{3/2}\right)}{9bd^3\sqrt[3]{ib(c + dx)^{3/2}}} + \frac{ie^{ia}(c + dx)^{3/2}}{3b^2d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Sin}[a + b*(c + d*x)^{(3/2)}], x]$

[Out] $(-4*f*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*(c + d*x)^{(3/2)}])/(3*b*d^3) - (2*f^2*(c + d*x)^{(3/2)}*\text{Cos}[a + b*(c + d*x)^{(3/2)}])/(3*b*d^3) - (2*E^{(I*a)}*f*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Gamma}[1/3, (-I)*b*(c + d*x)^{(3/2)}])/(9*b*d^3*((-I)*b*(c + d*x)^{(3/2)})^{(1/3)}) - (2*f*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Gamma}[1/3, I*b*(c + d*x)^{(3/2)}])/(9*b*d^3*E^{(I*a)}*(I*b*(c + d*x)^{(3/2)})^{(1/3)}) + ((I/3)*E^{(I*a)}*(d*e - c*f)^2*(c + d*x)*\text{Gamma}[2/3, (-I)*b*(c + d*x)^{(3/2)}])/(d^3*((-I)*b*(c + d*x)^{(3/2)})^{(2/3)}) - ((I/3)*(d*e - c*f)^2*(c + d*x)*\text{Gamma}[2/3, I*b*(c + d*x)^{(3/2)}])/(d^3*E^{(I*a)}*(I*b*(c + d*x)^{(3/2)})^{(2/3)}) + (2*f^2*\text{Sin}[a + b*(c + d*x)^{(3/2)}])/(3*b^2*d^3)$

Rule 2208

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.)}), x_Symbol] :> -\text{Simp}[(F^a*(c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d^n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] /; \text{FreeQ}\{F, a, b, c, d, n\}, x] \&\& !\text{IntegerQ}[2/n]$

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_)))*((e_.) + (f_.)*(x_)^(m_.)), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^(m + 1/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_)^(m_.))*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3356

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3385

Int[((e_.)*(x_)^(m_.))*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3389

Int[((e_.)*(x_)^(m_.))*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (e + fx)^2 \sin(a + b(c + dx)^{3/2}) dx &= \frac{2 \text{Subst}\left(\int ((de - cf)^2 x \sin(a + bx^3) - 2f(-de + cf)x^3 \sin(a + bx^3) + (2f^2) \text{Subst}\left(\int x^5 \sin(a + bx^3) dx, x, \sqrt{c + dx}\right) + (4f(de - cf)) \text{Subst}\left(\int x \sin(a + bx^3) dx, x, \sqrt{c + dx}\right)\right)}{d^3} \\ &= -\frac{4f(de - cf)\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^3} + \frac{(2f^2) \text{Subst}\left(\int x \sin(a + bx^3) dx, x, \sqrt{c + dx}\right)}{3d^3} \\ &= -\frac{4f(de - cf)\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^3} - \frac{2f^2(c + dx)^{3/2} \cos(a + b(c + dx)^{3/2})}{3bd^3} \\ &= -\frac{4f(de - cf)\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^3} - \frac{2f^2(c + dx)^{3/2} \cos(a + b(c + dx)^{3/2})}{3bd^3} \end{aligned}$$

Mathematica [A] time = 3.25, size = 419, normalized size = 1.10

$$i \left((\cos(a) + i \sin(a)) \left(\frac{if^2 \sin(b(c+dx)^{3/2})}{b^2} + \frac{f^2 \cos(b(c+dx)^{3/2})}{b^2} - \frac{2f(c+dx)^2(de-cf)\Gamma\left(\frac{4}{3}, -ib(c+dx)^{3/2}\right)}{(-ib(c+dx)^{3/2})^{4/3}} - \frac{(c+dx)(de-cf)^2\Gamma\left(\frac{2}{3}, -ib(c+dx)^{3/2}\right)}{(-ib(c+dx)^{3/2})^{2/3}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^(3/2)],x]

[Out] ((-1/3*I)*((Cos[a] + I*Sin[a])*((f^2*Cos[b*(c + d*x)^(3/2)])/b^2 - ((d*e - c*f)^2*(c + d*x)*Gamma[2/3, (-I)*b*(c + d*x)^(3/2)]/((-I)*b*(c + d*x)^(3/2))^2/3 - (2*f*(d*e - c*f)*(c + d*x)^2*Gamma[4/3, (-I)*b*(c + d*x)^(3/2)]/((-I)*b*(c + d*x)^(3/2))^4/3 + (I*f^2*Sin[b*(c + d*x)^(3/2)]/b^2 + (f^2*(c + d*x)^(3/2)*((-I)*Cos[b*(c + d*x)^(3/2)] + Sin[b*(c + d*x)^(3/2)]))/b - (Cos[a] - I*Sin[a])*((f^2*Cos[b*(c + d*x)^(3/2)])/b^2 - ((d*e - c*f)^2*(c + d*x)*Gamma[2/3, I*b*(c + d*x)^(3/2)]/(I*b*(c + d*x)^(3/2))^2/3 - (2*

$f*(d*e - c*f)*(c + d*x)^2*\text{Gamma}[4/3, I*b*(c + d*x)^{(3/2)}]/(I*b*(c + d*x)^{(3/2)})^{(4/3)} - (I*f^2*\text{Sin}[b*(c + d*x)^{(3/2)}])/b^2 + (f^2*(c + d*x)^{(3/2)}*(I*\text{Cos}[b*(c + d*x)^{(3/2)}] + \text{Sin}[b*(c + d*x)^{(3/2)}]))/b)))/d^3$

fricas [A] time = 0.69, size = 276, normalized size = 0.72

$$\frac{(2i def - 2icf^2)(ib)^{\frac{2}{3}} e^{(-ia)} \Gamma\left(\frac{1}{3}, (ibdx + ibc)\sqrt{dx + c}\right) + (-2i def + 2icf^2)(-ib)^{\frac{2}{3}} e^{(ia)} \Gamma\left(\frac{1}{3}, (-ibdx - ibc)\sqrt{dx + c}\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(3/2)),x, algorithm="fricas")

[Out] $\frac{1}{9} * ((2 * I * d * e * f - 2 * I * c * f^2) * (I * b)^{(2/3)} * e^{(-I * a)} * \text{gamma}(1/3, (I * b * d * x + I * b * c) * \text{sqrt}(d * x + c)) + (-2 * I * d * e * f + 2 * I * c * f^2) * (-I * b)^{(2/3)} * e^{(I * a)} * \text{gamma}(1/3, (-I * b * d * x - I * b * c) * \text{sqrt}(d * x + c)) - 3 * (b * d^2 * e^2 - 2 * b * c * d * e * f + b * c^2 * f^2) * (I * b)^{(1/3)} * e^{(-I * a)} * \text{gamma}(2/3, (I * b * d * x + I * b * c) * \text{sqrt}(d * x + c)) - 3 * (b * d^2 * e^2 - 2 * b * c * d * e * f + b * c^2 * f^2) * (-I * b)^{(1/3)} * e^{(I * a)} * \text{gamma}(2/3, (-I * b * d * x - I * b * c) * \text{sqrt}(d * x + c)) + 6 * f^2 * \text{sin}((b * d * x + b * c) * \text{sqrt}(d * x + c) + a) - 6 * (b * d * f^2 * x + 2 * b * d * e * f - b * c * f^2) * \text{sqrt}(d * x + c) * \text{cos}((b * d * x + b * c) * \text{sqrt}(d * x + c) + a)) / (b^2 * d^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left((dx + c)^{\frac{3}{2}} b + a\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin((d*x + c)^(3/2)*b + a), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + b(dx + c)^{\frac{3}{2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b*(d*x+c)^(3/2)),x)

[Out] int((f*x+e)^2*sin(a+b*(d*x+c)^(3/2)),x)

maxima [B] time = 1.20, size = 694, normalized size = 1.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(a+b*(d*x+c)^(3/2)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -1/18*3*((d*x + c)^{(3/2)*b})^{(1/3)}*(((\sqrt{3} + I)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} - I)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) - ((I*\sqrt{3} - 1)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (-I*\sqrt{3} - 1)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a))*e^2/(\sqrt{d*x + c}*b) - 6*((d*x + c)^{(3/2)*b})^{(1/3)}*(((\sqrt{3} + I)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} - I)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) - ((I*\sqrt{3} - 1)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (-I*\sqrt{3} - 1)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a))*c*e*f/(\sqrt{d*x + c}*b*d) + 3*((d*x + c)^{(3/2)*b})^{(1/3)}*(((\sqrt{3} + I)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} - I)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) - ((I*\sqrt{3} - 1)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (-I*\sqrt{3} - 1)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a))*c^2*f^2/(\sqrt{d*x + c}*b*d^2) + 2*(12*((d*x + c)^{(3/2)*b})^{(1/3)}*\sqrt{d*x + c}*\cos((d*x + c)^{(3/2)*b} + a) + \sqrt{d*x + c}*(((\sqrt{3} - I)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a)))*e*f/(((d*x + c)^{(3/2)*b})^{(1/3)}*b*d) - 2*(12*((d*x + c)^{(3/2)*b})^{(1/3)}*\sqrt{d*x + c}*\cos((d*x + c)^{(3/2)*b} + a) + \sqrt{d*x + c}*(((\sqrt{3} - I)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a)))*c*f^2/(((d*x + c)^{(3/2)*b})^{(1/3)}*b*d^2) + 12*((d*x + c)^{(3/2)*b}*\cos((d*x + c)^{(3/2)*b} + a) - \sin((d*x + c)^{(3/2)*b} + a))*f^2/(b^2*d^2))/d \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{3/2}) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(3/2))*(e + f*x)^2,x)`

[Out] `int(sin(a + b*(c + d*x)^(3/2))*(e + f*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + bc\sqrt{c + dx} + bdx\sqrt{c + dx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**2*sin(a+b*(d*x+c)**(3/2)),x)`

[Out] `Integral((e + f*x)**2*sin(a + b*c*sqrt(c + d*x) + b*d*x*sqrt(c + d*x)), x)`

3.193 $\int (e + fx) \sin(a + b(c + dx)^{3/2}) dx$

Optimal. Leaf size=291

$$\frac{ie^{ia}(c+dx)(de-cf)\Gamma\left(\frac{2}{3}, -ib(c+dx)^{3/2}\right)}{3d^2(-ib(c+dx)^{3/2})^{2/3}} - \frac{ie^{-ia}(c+dx)(de-cf)\Gamma\left(\frac{2}{3}, ib(c+dx)^{3/2}\right)}{3d^2(ib(c+dx)^{3/2})^{2/3}} - \frac{2f\sqrt{c+dx}\cos(a+b(c+dx)^{3/2})}{3bd^2}$$

[Out] 1/3*I*exp(I*a)*(-c*f+d*e)*(d*x+c)*GAMMA(2/3,-I*b*(d*x+c)^(3/2))/d^2/(-I*b*(d*x+c)^(3/2))^(2/3)-1/3*I*(-c*f+d*e)*(d*x+c)*GAMMA(2/3,I*b*(d*x+c)^(3/2))/d^2/exp(I*a)/(I*b*(d*x+c)^(3/2))^(2/3)-2/3*f*cos(a+b*(d*x+c)^(3/2))*(d*x+c)^(1/2)/b/d^2-1/9*exp(I*a)*f*GAMMA(1/3,-I*b*(d*x+c)^(3/2))*(d*x+c)^(1/2)/b/d^2/(-I*b*(d*x+c)^(3/2))^(1/3)-1/9*f*GAMMA(1/3,I*b*(d*x+c)^(3/2))*(d*x+c)^(1/2)/b/d^2/exp(I*a)/(I*b*(d*x+c)^(3/2))^(1/3)

Rubi [A] time = 0.20, antiderivative size = 291, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3433, 3389, 2218, 3385, 3356, 2208}

$$\frac{ie^{ia}(c+dx)(de-cf)\Gamma\left(\frac{2}{3}, -ib(c+dx)^{3/2}\right)}{3d^2(-ib(c+dx)^{3/2})^{2/3}} - \frac{ie^{-ia}(c+dx)(de-cf)\Gamma\left(\frac{2}{3}, ib(c+dx)^{3/2}\right)}{3d^2(ib(c+dx)^{3/2})^{2/3}} - \frac{e^{ia}f\sqrt{c+dx}\cos(a+b(c+dx)^{3/2})}{9bd^2}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[a + b*(c + d*x)^(3/2)], x]

[Out] (-2*f*Sqrt[c + d*x]*Cos[a + b*(c + d*x)^(3/2)]/(3*b*d^2) - (E^(I*a)*f*Sqrt[c + d*x]*Gamma[1/3, (-I)*b*(c + d*x)^(3/2)]/(9*b*d^2*((-I)*b*(c + d*x)^(3/2))^(1/3)) - (f*Sqrt[c + d*x]*Gamma[1/3, I*b*(c + d*x)^(3/2)]/(9*b*d^2*E^(I*a)*(I*b*(c + d*x)^(3/2))^(1/3)) + ((I/3)*E^(I*a)*(d*e - c*f)*(c + d*x)*Gamma[2/3, (-I)*b*(c + d*x)^(3/2)]/(d^2*((-I)*b*(c + d*x)^(3/2))^(2/3)) - ((I/3)*(d*e - c*f)*(c + d*x)*Gamma[2/3, I*b*(c + d*x)^(3/2)]/(d^2*E^(I*a)*(I*b*(c + d*x)^(3/2))^(2/3)))

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)

)ⁿ*Log[F]])/(f*n*(-(b*(c + d*x)ⁿ*Log[F]))^{((m + 1)/n)}), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3356

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[1/2, Int[E^{-((c*I) - d*I*(e + f*x)ⁿ)}, x], x] + Dist[1/2, Int[E^{((c*I) + d*I*(e + f*x)ⁿ)}, x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[n, 2]

Rule 3385

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*xⁿ])/(d*n), x] + Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3389

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^{-((c*I) - d*I*xⁿ)}, x], x] - Dist[I/2, Int[(e*x)^m*E^{((c*I) + d*I*xⁿ)}, x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rule 3433

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^k])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin(a + b(c + dx)^{3/2}) dx &= \frac{2 \operatorname{Subst}\left(\int ((de - cf)x \sin(a + bx^3) + fx^3 \sin(a + bx^3)) dx, x, \sqrt{c + dx}\right)}{d^2} \\
&= \frac{(2f) \operatorname{Subst}\left(\int x^3 \sin(a + bx^3) dx, x, \sqrt{c + dx}\right)}{d^2} + \frac{(2(de - cf)) \operatorname{Subst}\left(\int x \sin(a + bx^3) dx, x, \sqrt{c + dx}\right)}{d^2} \\
&= -\frac{2f\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^2} + \frac{(2f) \operatorname{Subst}\left(\int \cos(a + bx^3) dx, x, \sqrt{c + dx}\right)}{3bd^2} \\
&= -\frac{2f\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^2} + \frac{ie^{ia}(de - cf)(c + dx)\Gamma\left(\frac{2}{3}, -ib(c + dx)^{3/2}\right)}{3d^2(-ib(c + dx)^{3/2})^{2/3}} \\
&= -\frac{2f\sqrt{c + dx} \cos(a + b(c + dx)^{3/2})}{3bd^2} - \frac{e^{ia}f\sqrt{c + dx}\Gamma\left(\frac{1}{3}, -ib(c + dx)^{3/2}\right)}{9bd^2\sqrt[3]{-ib(c + dx)^{3/2}}}
\end{aligned}$$

Mathematica [B] time = 2.63, size = 705, normalized size = 2.42

$$\frac{2f \sin(a)\sqrt{c + dx} \sin(b(c + dx)^{3/2})}{3bd^2} - \frac{2f \cos(a)\sqrt{c + dx} \cos(b(c + dx)^{3/2})}{3bd^2} + \frac{f \cos(a) \left(-\frac{2\sqrt{c+dx}\Gamma\left(\frac{1}{3}, -ib(c+dx)^{3/2}\right)}{3\sqrt[3]{-ib(c+dx)^{3/2}}} - \frac{2\sqrt{c+dx}\Gamma\left(\frac{2}{3}, -ib(c+dx)^{3/2}\right)}{3d^2(-ib(c+dx)^{3/2})^{2/3}} \right)}{6bd^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^(3/2)], x]

[Out] $(-2f\sqrt{c + dx}\cos[a]\cos[b(c + dx)^{3/2}])/(3bd^2) + (f\cos[a] * ((-2\sqrt{c + dx}\Gamma[1/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{1/3}) - (2\sqrt{c + dx}\Gamma[1/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{1/3}))) / (6bd^2) - ((I/2)e\cos[a] * ((-2(c + dx)\Gamma[2/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{2/3}) + (2(c + dx)\Gamma[2/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{2/3}))) / d + ((I/2)c f \cos[a] * ((-2(c + dx)\Gamma[2/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{2/3}) + (2(c + dx)\Gamma[2/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{2/3}))) / d^2 + ((I/6) f * ((-2\sqrt{c + dx}\Gamma[1/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{1/3}) + (2\sqrt{c + dx}\Gamma[1/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{1/3}))) * \sin[a] / (bd^2) + (e * ((-2(c + dx)\Gamma[2/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{2/3}) - (2(c + dx)\Gamma[2/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{2/3}))) * \sin[a] / (2d) - (c f * ((-2(c + dx)\Gamma[2/3, (-I)b(c + dx)^{3/2}])/(3((-I)b(c + dx)^{3/2})^{2/3}) - (2(c + dx)\Gamma[2/3, I b(c + dx)^{3/2}])/(3(I b(c + dx)^{3/2})^{2/3})))$

*Sin[a))/(2*d^2) + (2*f*Sqrt[c + d*x]*Sin[a]*Sin[b*(c + d*x)^(3/2)])/(3*b*d^2)

fricas [A] time = 0.90, size = 185, normalized size = 0.64

$$\frac{i (ib)^{\frac{2}{3}} f e^{(-ia)} \Gamma\left(\frac{1}{3}, (ibdx + ibc)\sqrt{dx + c}\right) - i (-ib)^{\frac{2}{3}} f e^{(ia)} \Gamma\left(\frac{1}{3}, (-ibdx - ibc)\sqrt{dx + c}\right) - 6 \sqrt{dx + c} b f \cos\left(\frac{1}{3} b (dx + c)^{\frac{3}{2}} + a\right)}{(b^2 d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(3/2)),x, algorithm="fricas")

[Out]
$$\frac{1}{9} \left(I^*(I*b)^{(2/3)} * f * e^{(-I*a)} * \text{gamma}(1/3, (I*b*d*x + I*b*c)*\text{sqrt}(d*x + c)) - I*(-I*b)^{(2/3)} * f * e^{(I*a)} * \text{gamma}(1/3, (-I*b*d*x - I*b*c)*\text{sqrt}(d*x + c)) - 6 * \text{sqrt}(d*x + c) * b * f * \cos((b*d*x + b*c)*\text{sqrt}(d*x + c) + a) - 3*(b*d*e - b*c*f) * (I*b)^{(1/3)} * e^{(-I*a)} * \text{gamma}(2/3, (I*b*d*x + I*b*c)*\text{sqrt}(d*x + c)) - 3*(b*d*e - b*c*f) * (-I*b)^{(1/3)} * e^{(I*a)} * \text{gamma}(2/3, (-I*b*d*x - I*b*c)*\text{sqrt}(d*x + c)) \right) / (b^2*d^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left((dx + c)^{\frac{3}{2}} b + a\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate((f*x + e)*sin((d*x + c)^(3/2)*b + a), x)

maple [F] time = 0.04, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + b(dx + c)^{\frac{3}{2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(a+b*(d*x+c)^(3/2)),x)

[Out] int((f*x+e)*sin(a+b*(d*x+c)^(3/2)),x)

maxima [A] time = 0.98, size = 375, normalized size = 1.29

$$\frac{3 \left((dx+c)^{\frac{3}{2}} b \right)^{\frac{1}{3}} \left(\left((\sqrt{3}+i) \Gamma\left(\frac{2}{3}, i(dx+c)^{\frac{3}{2}} b\right) + (\sqrt{3}-i) \Gamma\left(\frac{2}{3}, -i(dx+c)^{\frac{3}{2}} b\right) \right) \cos(a) - \left((i\sqrt{3}-1) \Gamma\left(\frac{2}{3}, i(dx+c)^{\frac{3}{2}} b\right) + (-i\sqrt{3}-1) \Gamma\left(\frac{2}{3}, -i(dx+c)^{\frac{3}{2}} b\right) \right) \sin(a) \right) e}{\sqrt{dx+c} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(3/2)),x, algorithm="maxima")

[Out]
$$-1/18*(3*((d*x + c)^{(3/2)*b})^{(1/3)}*(((\sqrt{3} + I)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} - I)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) - ((I*\sqrt{3} - 1)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (-I*\sqrt{3} - 1)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a))*e/(\sqrt{d*x + c}*b) - 3*((d*x + c)^{(3/2)*b})^{(1/3)}*(((\sqrt{3} + I)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} - I)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) - ((I*\sqrt{3} - 1)*\text{gamma}(2/3, I*(d*x + c)^{(3/2)*b}) + (-I*\sqrt{3} - 1)*\text{gamma}(2/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a))*c*f/(\sqrt{d*x + c}*b*d) + (12*((d*x + c)^{(3/2)*b})^{(1/3)}*\sqrt{d*x + c}*\cos((d*x + c)^{(3/2)*b} + a) + \sqrt{d*x + c}*(((\sqrt{3} - I)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*(d*x + c)^{(3/2)*b}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*(d*x + c)^{(3/2)*b}))*\sin(a)))*f/(((d*x + c)^{(3/2)*b})^{(1/3)*b*d})/d$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{3/2}) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(3/2))*(e + f*x),x)

[Out] int(sin(a + b*(c + d*x)^(3/2))*(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin(a + bc\sqrt{c + dx} + bdx\sqrt{c + dx}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)**(3/2)),x)

[Out] Integral((e + f*x)*sin(a + b*c*sqrt(c + d*x) + b*d*x*sqrt(c + d*x)), x)

3.194 $\int \sin(a + b(c + dx)^{3/2}) dx$

Optimal. Leaf size=115

$$\frac{ie^{ia}(c + dx)\Gamma\left(\frac{2}{3}, -ib(c + dx)^{3/2}\right)}{3d(-ib(c + dx)^{3/2})^{2/3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{2}{3}, ib(c + dx)^{3/2}\right)}{3d(ib(c + dx)^{3/2})^{2/3}}$$

[Out] 1/3*I*exp(I*a)*(d*x+c)*GAMMA(2/3,-I*b*(d*x+c)^(3/2))/d/(-I*b*(d*x+c)^(3/2))^(2/3)-1/3*I*(d*x+c)*GAMMA(2/3,I*b*(d*x+c)^(3/2))/d/exp(I*a)/(I*b*(d*x+c)^(3/2))^(2/3)

Rubi [A] time = 0.08, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3363, 3389, 2218}

$$\frac{ie^{ia}(c + dx)\Gamma\left(\frac{2}{3}, -ib(c + dx)^{3/2}\right)}{3d(-ib(c + dx)^{3/2})^{2/3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{2}{3}, ib(c + dx)^{3/2}\right)}{3d(ib(c + dx)^{3/2})^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^(3/2)], x]

[Out] ((I/3)*E^(I*a)*(c + d*x)*Gamma[2/3, (-I)*b*(c + d*x)^(3/2)]/(d*((-I)*b*(c + d*x)^(3/2))^(2/3)) - ((I/3)*(c + d*x)*Gamma[2/3, I*b*(c + d*x)^(3/2)]/(d *E^(I*a)*(I*b*(c + d*x)^(3/2))^(2/3))

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^((m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3363

Int[((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f_)*(x_))^(n_)])^(p_), x_Symbol] :> Module[{k = Denominator[n]}, Dist[k/f, Subst[Int[x^(k - 1)*(a + b *Sin[c + d*x^(k*n)])^p, x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && FractionQ[n]

Rule 3389

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)^n], x_Symbol] :> Dist[I/2, Int[(e*x)^m *E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m *E^(c*I +

$d \cdot I \cdot x^n$, x , x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rubi steps

$$\begin{aligned} \int \sin(a + b(c + dx)^{3/2}) dx &= \frac{2 \operatorname{Subst}\left(\int x \sin(a + bx^3) dx, x, \sqrt{c + dx}\right)}{d} \\ &= \frac{i \operatorname{Subst}\left(\int e^{-ia - ibx^3} x dx, x, \sqrt{c + dx}\right)}{d} - \frac{i \operatorname{Subst}\left(\int e^{ia + ibx^3} x dx, x, \sqrt{c + dx}\right)}{d} \\ &= \frac{ie^{ia}(c + dx)\Gamma\left(\frac{2}{3}, -ib(c + dx)^{3/2}\right)}{3d(-ib(c + dx)^{3/2})^{2/3}} - \frac{ie^{-ia}(c + dx)\Gamma\left(\frac{2}{3}, ib(c + dx)^{3/2}\right)}{3d(ib(c + dx)^{3/2})^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.15, size = 123, normalized size = 1.07

$$\frac{i(c + dx)\left(\cos(a) + i\sin(a)\right)\left(ib(c + dx)^{3/2}\right)^{2/3}\Gamma\left(\frac{2}{3}, -ib(c + dx)^{3/2}\right) - (\cos(a) - i\sin(a))\left(-ib(c + dx)^{3/2}\right)^{2/3}\Gamma\left(\frac{2}{3}, ib(c + dx)^{3/2}\right)}{3d\left(b^2(c + dx)^3\right)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(3/2)], x]

[Out] ((I/3)*(c + d*x)*(-(((-I)*b*(c + d*x)^(3/2))^(2/3)*Gamma[2/3, I*b*(c + d*x)^(3/2)]*(Cos[a] - I*Sin[a])) + (I*b*(c + d*x)^(3/2))^(2/3)*Gamma[2/3, (-I)*b*(c + d*x)^(3/2)]*(Cos[a] + I*Sin[a])))/(d*(b^2*(c + d*x)^3)^(2/3))

fricas [A] time = 0.69, size = 69, normalized size = 0.60

$$\frac{(ib)^{\frac{1}{3}} e^{(-ia)} \Gamma\left(\frac{2}{3}, (ibdx + ibc)\sqrt{dx + c}\right) + (-ib)^{\frac{1}{3}} e^{(ia)} \Gamma\left(\frac{2}{3}, (-ibdx - ibc)\sqrt{dx + c}\right)}{3bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2)),x, algorithm="fricas")

[Out] -1/3*((I*b)^(1/3)*e^(-I*a)*gamma(2/3, (I*b*d*x + I*b*c)*sqrt(d*x + c)) + (-I*b)^(1/3)*e^(I*a)*gamma(2/3, (-I*b*d*x - I*b*c)*sqrt(d*x + c)))/(b*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left((dx + c)^{\frac{3}{2}}b + a\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(3/2)*b + a), x)

maple [F] time = 0.02, size = 0, normalized size = 0.00

$$\int \sin\left(a + b(dx + c)^{\frac{3}{2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(3/2)),x)

[Out] int(sin(a+b*(d*x+c)^(3/2)),x)

maxima [A] time = 0.58, size = 112, normalized size = 0.97

$$\frac{\left((dx + c)^{\frac{3}{2}}b\right)^{\frac{1}{3}} \left(\left((\sqrt{3} + i)\Gamma\left(\frac{2}{3}, i(dx + c)^{\frac{3}{2}}b\right) + (\sqrt{3} - i)\Gamma\left(\frac{2}{3}, -i(dx + c)^{\frac{3}{2}}b\right) \right) \cos(a) - \left((i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, i(dx + c)^{\frac{3}{2}}b\right) + (-i\sqrt{3} - 1)\Gamma\left(\frac{2}{3}, -i(dx + c)^{\frac{3}{2}}b\right) \right) \sin(a) \right)}{6\sqrt{dx + c}bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2)),x, algorithm="maxima")

[Out] -1/6*((d*x + c)^(3/2)*b)^(1/3)*(((sqrt(3) + I)*gamma(2/3, I*(d*x + c)^(3/2)*b) + (sqrt(3) - I)*gamma(2/3, -I*(d*x + c)^(3/2)*b))*cos(a) - ((I*sqrt(3) - 1)*gamma(2/3, I*(d*x + c)^(3/2)*b) + (-I*sqrt(3) - 1)*gamma(2/3, -I*(d*x + c)^(3/2)*b))*sin(a))/(sqrt(d*x + c)*b*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + b(c + dx)^{\frac{3}{2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(3/2)),x)

[Out] int(sin(a + b*(c + d*x)^(3/2)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + b(c + dx)^{\frac{3}{2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(3/2)),x)
```

```
[Out] Integral(sin(a + b*(c + d*x)**(3/2)), x)
```

$$3.195 \quad \int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{\sin(a+b(c+dx)^{3/2})}{e+fx}, x \right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^(3/2))/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^(3/2)]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx = \int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx$$

Mathematica [A] time = 11.08, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x), x]

[Out] Integrate[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x), x]

fricas [A] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin((bdx+bc)\sqrt{dx+c}+a)}{fx+e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((b*d*x + b*c)*sqrt(d*x + c) + a)/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{3}{2}b(d x + c) + a\right)}{f x + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(3/2)*b + a)/(f*x + e), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(d x + c)^{\frac{3}{2}}\right)}{f x + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(3/2))/(f*x+e),x)

[Out] int(sin(a+b*(d*x+c)^(3/2))/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{3}{2}b(d x + c) + a\right)}{f x + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^(3/2)*b + a)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + b(c + d x)^{\frac{3}{2}}\right)}{e + f x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(3/2))/(e + f*x), x)`

[Out] `int(sin(a + b*(c + d*x)^(3/2))/(e + f*x), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc\sqrt{c + dx} + bdx\sqrt{c + dx})}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(3/2))/(f*x+e), x)`

[Out] `Integral(sin(a + b*c*sqrt(c + d*x) + b*d*x*sqrt(c + d*x))/(e + f*x), x)`

$$3.196 \quad \int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x)^2, x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^(3/2)]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx = \int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx$$

Mathematica [A] time = 13.92, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^{3/2})}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x)^2, x]

[Out] Integrate[Sin[a + b*(c + d*x)^(3/2)]/(e + f*x)^2, x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin((bdx+bc)\sqrt{dx+c}+a)}{f^2x^2+2efx+e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin((b*d*x + b*c)*sqrt(d*x + c) + a)/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{3}{2}}b+a\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(3/2)*b + a)/(f*x + e)^2, x)

maple [A] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a+b(dx+c)^{\frac{3}{2}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2,x)

[Out] int(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{3}{2}}b+a\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^(3/2)*b + a)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a+b(c+dx)^{\frac{3}{2}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(3/2))/(e + f*x)^2,x)
```

```
[Out] int(sin(a + b*(c + d*x)^(3/2))/(e + f*x)^2, x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + bc\sqrt{c + dx} + bdx\sqrt{c + dx})}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(3/2))/(f*x+e)**2,x)
```

```
[Out] Integral(sin(a + b*c*sqrt(c + d*x) + b*d*x*sqrt(c + d*x))/(e + f*x)**2, x)
```

$$3.197 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx$$

Optimal. Leaf size=611

$$\frac{b^6 f^2 \sin(a) \text{Ci}\left(\frac{b}{\sqrt{c+dx}}\right)}{360d^3} + \frac{b^6 f^2 \cos(a) \text{Si}\left(\frac{b}{\sqrt{c+dx}}\right)}{360d^3} + \frac{b^5 f^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{360d^3} - \frac{b^4 f \sin(a)(de - cf) \text{Ci}\left(\frac{b}{\sqrt{c+dx}}\right)}{6d^3}$$

[Out] $-1/180*b^3*f^2*(d*x+c)^{(3/2)}*\cos(a+b/(d*x+c)^{(1/2)})/d^3+1/3*b*f*(-c*f+d*e)*(d*x+c)^{(3/2)}*\cos(a+b/(d*x+c)^{(1/2)})/d^3+1/15*b*f^2*(d*x+c)^{(5/2)}*\cos(a+b/(d*x+c)^{(1/2)})/d^3+1/360*b^6*f^2*\cos(a)*\text{Si}(b/(d*x+c)^{(1/2)})/d^3-1/6*b^4*f*(-c*f+d*e)*\cos(a)*\text{Si}(b/(d*x+c)^{(1/2)})/d^3+b^2*(-c*f+d*e)^2*\cos(a)*\text{Si}(b/(d*x+c)^{(1/2)})/d^3+1/360*b^6*f^2*\text{Ci}(b/(d*x+c)^{(1/2)})*\sin(a)/d^3-1/6*b^4*f*(-c*f+d*e)*\text{Ci}(b/(d*x+c)^{(1/2)})*\sin(a)/d^3+b^2*(-c*f+d*e)^2*\text{Ci}(b/(d*x+c)^{(1/2)})*\sin(a)/d^3+1/360*b^4*f^2*(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/d^3-1/6*b^2*f*(-c*f+d*e)*(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/d^3+(-c*f+d*e)^2*(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/d^3-1/60*b^2*f^2*(d*x+c)^2*\sin(a+b/(d*x+c)^{(1/2)})/d^3+f*(-c*f+d*e)*(d*x+c)^2*\sin(a+b/(d*x+c)^{(1/2)})/d^3+1/3*f^2*(d*x+c)^3*\sin(a+b/(d*x+c)^{(1/2)})/d^3+1/360*b^5*f^2*\cos(a+b/(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/d^3-1/6*b^3*f*(-c*f+d*e)*\cos(a+b/(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/d^3+b*(-c*f+d*e)^2*\cos(a+b/(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/d^3$

Rubi [A] time = 0.79, antiderivative size = 611, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {3431, 3297, 3303, 3299, 3302}

$$\frac{b^4 f \sin(a)(de - cf) \text{CosIntegral}\left(\frac{b}{\sqrt{c+dx}}\right)}{6d^3} + \frac{b^2 \sin(a)(de - cf)^2 \text{CosIntegral}\left(\frac{b}{\sqrt{c+dx}}\right)}{d^3} + \frac{b^6 f^2 \sin(a) \text{CosIntegral}\left(\frac{b}{\sqrt{c+dx}}\right)}{360d^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)^2*\text{Sin}[a + b/\text{Sqrt}[c + d*x]], x]$

[Out] $(b^5*f^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/(360*d^3) - (b^3*f*(d*e - c*f)*\text{Sqrt}[c + d*x]*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/(6*d^3) + (b*(d*e - c*f)^2*\text{Sqrt}[c + d*x]*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/d^3 - (b^3*f^2*(c + d*x)^{(3/2)}*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/(180*d^3) + (b*f*(d*e - c*f)*(c + d*x)^{(3/2)}*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/(3*d^3) + (b*f^2*(c + d*x)^{(5/2)}*\text{Cos}[a + b/\text{Sqrt}[c + d*x]])/(15*d^3) + (b^6*f^2*\text{CosIntegral}[b/\text{Sqrt}[c + d*x]]*\text{Sin}[a])/(360*d^3) - (b^4*f*(d*e - c*f)*\text{CosIntegral}[b/\text{Sqrt}[c + d*x]]*\text{Sin}[a])/(6*d^3) + (b^2*(d*e - c*f)^2*\text{CosIntegral}[b/\text{Sqrt}[c + d*x]]*\text{Sin}[a])/d^3 + (b^4*f^2*(c + d*x)*\text{Sin}[a + b/\text{Sqrt}[c + d*x]])/(360*d^3) - (b^2*f*(d*e - c*f)*(c + d*x)*\text{Sin}[a + b/\text{Sqrt}[c + d*x]])/(6*d^3) + ((d*e - c*f)^2*(c + d*x)*\text{Sin}[a + b/\text{Sqrt}[c + d*x]])/d^3 - (b^2*f^2*(c + d*x)^2*\text{Sin}[a + b/\text{Sqrt}[c + d*x]])/(60*d^3) + (f*(d*e - c*f)*(c$

$$+ d*x)^2*\sin[a + b/\sqrt{c + d*x}]/d^3 + (f^2*(c + d*x)^3*\sin[a + b/\sqrt{c + d*x}])/(3*d^3) + (b^6*f^2*\cos[a]*\text{SinIntegral}[b/\sqrt{c + d*x}])/(360*d^3) - (b^4*f*(d*e - c*f)*\cos[a]*\text{SinIntegral}[b/\sqrt{c + d*x}])/(6*d^3) + (b^2*(d*e - c*f)^2*\cos[a]*\text{SinIntegral}[b/\sqrt{c + d*x}])/d^3$$
Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx &= \frac{2 \operatorname{Subst}\left(\int \left(\frac{f^2 \sin(a+bx)}{d^2 x^7} + \frac{2f(de-cf) \sin(a+bx)}{d^2 x^5} + \frac{(de-cf)^2 \sin(a+bx)}{d^2 x^3}\right) dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\
&= -\frac{(2f^2) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^7} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^3} - \frac{(4f(de-cf)) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^5} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^3} \\
&= \frac{(de-cf)^2(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} + \frac{f(de-cf)(c+dx)^2 \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} \\
&= \frac{b(de-cf)^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} + \frac{bf(de-cf)(c+dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{3d^3} \\
&= \frac{b(de-cf)^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} + \frac{bf(de-cf)(c+dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{3d^3} \\
&= -\frac{b^3 f(de-cf) \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^3} + \frac{b(de-cf)^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} \\
&= -\frac{b^3 f(de-cf) \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^3} + \frac{b(de-cf)^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^3} \\
&= \frac{b^5 f^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{360d^3} - \frac{b^3 f(de-cf) \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^3} \\
&= \frac{b^5 f^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{360d^3} - \frac{b^3 f(de-cf) \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^3} \\
&= \frac{b^5 f^2 \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{360d^3} - \frac{b^3 f(de-cf) \sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^3}
\end{aligned}$$

Mathematica [C] time = 2.30, size = 557, normalized size = 0.91

$$ie^{-ia} \left(-e^{2ia} b^2 (-60def(b^2 + 12c) + f^2(b^4 + 60b^2c + 360c^2) + 360d^2e^2) \operatorname{Ei}\left(\frac{ib}{\sqrt{c+dx}}\right) - \sqrt{c+dx} e^{i\left(2a + \frac{b}{\sqrt{c+dx}}\right)} (ib^5 f^2 \dots) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b/Sqrt[c + d*x]],x]

[Out] ((I/720)*((Sqrt[c + d*x]*((-I)*b^5*f^2 + b^4*f^2*Sqrt[c + d*x] + (2*I)*b^3*f*(30*d*e - 29*c*f + d*f*x) - 6*b^2*f*Sqrt[c + d*x]*(10*d*e - 9*c*f + d*f*x

) + 120*sqrt[c + d*x]*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2)) - (24*I)*b*(11*c^2*f^2 - c*d*f*(25*e + 3*f*x) + d^2*(15*e^2 + 5*e*f*x + f^2*x^2)))/E^((I*b)/sqrt[c + d*x]) - E^(I*(2*a + b/sqrt[c + d*x]))*sqrt[c + d*x]*(I*b^5*f^2 + b^4*f^2*sqrt[c + d*x] - (2*I)*b^3*f*(30*d*e - 29*c*f + d*f*x) - 6*b^2*f*sqrt[c + d*x]*(10*d*e - 9*c*f + d*f*x) + 120*sqrt[c + d*x]*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2)) + (24*I)*b*(11*c^2*f^2 - c*d*f*(25*e + 3*f*x) + d^2*(15*e^2 + 5*e*f*x + f^2*x^2))) + b^2*(360*d^2*e^2 - 60*(b^2 + 12*c)*d*e*f + (b^4 + 60*b^2*c + 360*c^2)*f^2)*ExpIntegralEi[(-I)*b/sqrt[c + d*x]] - b^2*E^((2*I)*a)*(360*d^2*e^2 - 60*(b^2 + 12*c)*d*e*f + (b^4 + 60*b^2*c + 360*c^2)*f^2)*ExpIntegralEi[(I*b)/sqrt[c + d*x]])/(d^3*E^(I*a))

fricas [A] time = 0.59, size = 459, normalized size = 0.75

$$\frac{(360b^2d^2e^2 - 60(b^4 + 12b^2c)def + (b^6 + 60b^4c + 360b^2c^2)f^2) \operatorname{Ci}\left(\frac{b}{\sqrt{dx+c}}\right) \sin(a) + (360b^2d^2e^2 - 60(b^4 + 12b^2c)def + (b^6 + 60b^4c + 360b^2c^2)f^2) \operatorname{Ci}\left(\frac{b}{\sqrt{dx+c}}\right) \sin(a)}{d^3 E^{Ia}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/2)),x, algorithm="fricas")

[Out] 1/720*((360*b^2*d^2*e^2 - 60*(b^4 + 12*b^2*c)*d*e*f + (b^6 + 60*b^4*c + 360*b^2*c^2)*f^2)*cos_integral(b/sqrt(d*x + c))*sin(a) + (360*b^2*d^2*e^2 - 60*(b^4 + 12*b^2*c)*d*e*f + (b^6 + 60*b^4*c + 360*b^2*c^2)*f^2)*cos_integral(-b/sqrt(d*x + c))*sin(a) + 2*(360*b^2*d^2*e^2 - 60*(b^4 + 12*b^2*c)*d*e*f + (b^6 + 60*b^4*c + 360*b^2*c^2)*f^2)*cos(a)*sin_integral(b/sqrt(d*x + c)) + 2*(24*b*d^2*f^2*x^2 + 360*b*d^2*e^2 - 60*(b^3 + 10*b*c)*d*e*f + (b^5 + 58*b^3*c + 264*b*c^2)*f^2 + 2*(60*b*d^2*e*f - (b^3 + 36*b*c)*d*f^2)*x)*sqrt(d*x + c)*cos((a*d*x + a*c + sqrt(d*x + c)*b)/(d*x + c)) + 2*(120*d^3*f^2*x^3 + 360*c*d^2*e^2 - 60*(b^2*c + 6*c^2)*d*e*f + (b^4*c + 54*b^2*c^2 + 120*c^3)*f^2 - 6*(b^2*d^2*f^2 - 60*d^3*e*f)*x^2 - (60*b^2*d^2*e*f - 360*d^3*e^2 - (b^4 + 48*b^2*c)*d*f^2)*x)*sin((a*d*x + a*c + sqrt(d*x + c)*b)/(d*x + c))/d^3

giac [B] time = 2.47, size = 6606, normalized size = 10.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/2)),x, algorithm="giac")

[Out] 1/360*((a^6*b^7*cos_integral(-a + (sqrt(d*x + c)*a + b)/sqrt(d*x + c))*sin(a) - a^6*b^7*cos(a)*sin_integral(a - (sqrt(d*x + c)*a + b)/sqrt(d*x + c)) - 6*(sqrt(d*x + c)*a + b)*a^5*b^7*cos_integral(-a + (sqrt(d*x + c)*a + b)/sqrt(d*x + c))*sin(a)/sqrt(d*x + c) + 6*(sqrt(d*x + c)*a + b)*a^5*b^7*cos(a)*

$$\begin{aligned}
& \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} + 15 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^7 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c) + 60 * a^6 * b^5 * c * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) - 15 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^7 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c) - 60 * a^6 * b^5 * c * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} - 20 * (\sqrt{d*x + c}) * a + b)^3 * a^3 * b^7 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^{(3/2)} - 360 * (\sqrt{d*x + c}) * a + b)^4 * a^5 * b^5 * c * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / \sqrt{d*x + c} + 20 * (\sqrt{d*x + c}) * a + b)^3 * a^3 * b^7 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^{(3/2)} + 360 * (\sqrt{d*x + c}) * a + b)^4 * a^5 * b^5 * c * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / \sqrt{d*x + c} - a^5 * b^7 * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} + 15 * (\sqrt{d*x + c}) * a + b)^4 * a^2 * b^7 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^2 + 900 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^5 * c * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c) + 360 * a^6 * b^3 * c^2 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) - 15 * (\sqrt{d*x + c}) * a + b)^4 * a^2 * b^7 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^2 - 900 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^5 * c * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c) - 360 * a^6 * b^3 * c^2 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} + 5 * (\sqrt{d*x + c}) * a + b)^4 * b^7 * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / \sqrt{d*x + c} - 6 * (\sqrt{d*x + c}) * a + b)^5 * a * b^7 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^{(5/2)} - 1200 * (\sqrt{d*x + c}) * a + b)^3 * a^3 * b^5 * c * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^{(3/2)} - 2160 * (\sqrt{d*x + c}) * a + b)^4 * a^5 * b^3 * c^2 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / \sqrt{d*x + c} + 6 * (\sqrt{d*x + c}) * a + b)^5 * a * b^7 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^{(5/2)} + 1200 * (\sqrt{d*x + c}) * a + b)^3 * a^3 * b^5 * c * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^{(3/2)} + 2160 * (\sqrt{d*x + c}) * a + b)^4 * a^5 * b^3 * c^2 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / \sqrt{d*x + c} + c) - 10 * (\sqrt{d*x + c}) * a + b)^2 * a^3 * b^7 * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c) - 60 * a^5 * b^5 * c * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} + (\sqrt{d*x + c}) * a + b)^6 * b^7 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^3 + 900 * (\sqrt{d*x + c}) * a + b)^4 * a^2 * b^5 * c * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c)^2 + 5400 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^3 * c^2 * \cos_integral(-a + (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} * \sin(a) / (d*x + c) + a^4 * b^7 * \sin((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} - (\sqrt{d*x + c}) * a + b)^6 * b^7 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^3 - 900 * (\sqrt{d*x + c}) * a + b)^4 * a^2 * b^5 * c * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^2 - 5400 * (\sqrt{d*x + c}) * a + b)^2 * a^4 * b^3 * c^2 * \cos(a) * \sin_integral(a - (\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c) + 10 * (\sqrt{d*x + c}) * a + b)^3 * a^2 * b^7 * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / (d*x + c)^{(3/2)} + 300 * (\sqrt{d*x + c}) * a + b)^4 * b^5 * c * \cos((\sqrt{d*x + c}) * a + b) / \sqrt{d*x + c} / \sqrt{d*x + c}
\end{aligned}$$

$$\begin{aligned}
& - 360*(\sqrt{d*x + c})*a + b)^5*a*b^5*c*\cos_integral(-a + (\sqrt{d*x + c})*a + \\
& b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^{(5/2)} - 7200*(\sqrt{d*x + c})*a + b)^3*a^3 \\
& *b^3*c^2*\cos_integral(-a + (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x \\
& + c)^{(3/2)} - 4*(\sqrt{d*x + c})*a + b)*a^3*b^7*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} + 360*(\sqrt{d*x + c})*a + b)^5*a*b^5*c*\cos(a)*\sin_ \\
& integral(a - (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^{(5/2)} + 7200*(\sqrt{d*x + c})*a + b)^3*a^3*b^3*c^2*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a \\
& + b)/\sqrt{d*x + c}))/d*x + c)^{(3/2)} - 5*(\sqrt{d*x + c})*a + b)^4*a*b^7*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^2 + 2*a^3*b^7*\cos((\sqrt{d*x + c}) \\
& *a + b)/\sqrt{d*x + c}) - 600*(\sqrt{d*x + c})*a + b)^2*a^3*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c) - 360*a^5*b^3*c^2*\cos((\sqrt{d*x + c}) \\
& *a + b)/\sqrt{d*x + c}) + 60*(\sqrt{d*x + c})*a + b)^6*b^5*c*\cos_integral(- \\
& a + (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^3 + 5400*(\sqrt{d*x + c})*a + b)^4*a^2*b^3*c^2*\cos_integral(-a + (\sqrt{d*x + c})*a + b)/\sqrt{d*x \\
& + c})*\sin(a)/(d*x + c)^2 + 6*(\sqrt{d*x + c})*a + b)^2*a^2*b^7*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c) + 60*a^4*b^5*c*\sin((\sqrt{d*x + c})*a \\
& + b)/\sqrt{d*x + c}) - 60*(\sqrt{d*x + c})*a + b)^6*b^5*c*\cos(a)*\sin_integral(a \\
& - (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^3 - 5400*(\sqrt{d*x + c})* \\
& a + b)^4*a^2*b^3*c^2*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a + b)/\sqrt{d*x \\
& + c}))/d*x + c)^2 + (\sqrt{d*x + c})*a + b)^5*b^7*\cos((\sqrt{d*x + c})*a + b)/ \\
& \sqrt{d*x + c}))/d*x + c)^{(5/2)} - 6*(\sqrt{d*x + c})*a + b)*a^2*b^7*\cos((\sqrt{d*x + c}) \\
& *a + b)/\sqrt{d*x + c}))/\sqrt{d*x + c} + 600*(\sqrt{d*x + c})*a + b)^3* \\
& a^2*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^{(3/2)} + 1800*(\\
& \sqrt{d*x + c})*a + b)*a^4*b^3*c^2*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/\sqrt{d*x + c} - 2160*(\sqrt{d*x + c})*a + b)^5*a*b^3*c^2*\cos_integral(-a + (\sqrt{d*x + c}) \\
& *a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^{(5/2)} - 4*(\sqrt{d*x + c}) \\
& *a + b)^3*a*b^7*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^{(3/2)} - \\
& 240*(\sqrt{d*x + c})*a + b)*a^3*b^5*c*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c} \\
&)/\sqrt{d*x + c} + 2160*(\sqrt{d*x + c})*a + b)^5*a*b^3*c^2*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^{(5/2)} + 6*(\sqrt{d*x + c}) \\
& *a + b)^2*a*b^7*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c) - 300* \\
& (\sqrt{d*x + c})*a + b)^4*a*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d \\
& *x + c)^2 + 120*a^3*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}) - 3600*(\\
& \sqrt{d*x + c})*a + b)^2*a^3*b^3*c^2*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}) \\
&)/d*x + c) + 360*(\sqrt{d*x + c})*a + b)^6*b^3*c^2*\cos_integral(-a + (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^3 + (\sqrt{d*x + c})*a + b)^4*b \\
& ^7*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^2 - 6*a^2*b^7*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}) + 360*(\sqrt{d*x + c})*a + b)^2*a^2*b^5*c*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c) + 360*a^4*b^3*c^2*\sin((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}) - 360*(\sqrt{d*x + c})*a + b)^6*b^3*c^2*\cos \\
& (a)*\sin_integral(a - (\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^3 - 2*(\\
& \sqrt{d*x + c})*a + b)^3*b^7*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + \\
& c)^{(3/2)} + 60*(\sqrt{d*x + c})*a + b)^5*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/d*x + c)^{(5/2)} - 360*(\sqrt{d*x + c})*a + b)*a^2*b^5*c*\cos((\sqrt{d*x + c})*a + b)/\sqrt{d*x + c}))/\sqrt{d*x + c} + 3600*(\sqrt{d*x + c})*a + b)^3*
\end{aligned}$$

$$\begin{aligned}
& a^2 b^3 c^2 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^{3/2} + 12 \left(\sqrt{dx+c}a+b \right) a^2 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} \\
& - 240 \left(\sqrt{dx+c}a+b \right)^3 a^2 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} / (dx+c)^{3/2} - 1440 \left(\sqrt{dx+c}a+b \right) a^3 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} \\
& - 24 a^2 b^7 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) + 360 \left(\sqrt{dx+c}a+b \right)^2 a^2 b^5 c^2 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c) - 1800 \left(\sqrt{dx+c}a+b \right)^4 a^2 b^3 c^2 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^2 \\
& - 6 \left(\sqrt{dx+c}a+b \right)^2 b^7 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c) + 60 \left(\sqrt{dx+c}a+b \right)^4 b^5 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^2 - 360 a^2 b^5 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) + 2160 \left(\sqrt{dx+c}a+b \right)^2 a^2 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c) \\
& + 24 \left(\sqrt{dx+c}a+b \right) b^7 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} - 120 \left(\sqrt{dx+c}a+b \right)^3 b^5 c^2 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^{3/2} + 360 \left(\sqrt{dx+c}a+b \right)^5 b^3 c^2 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^{5/2} \\
& + 720 \left(\sqrt{dx+c}a+b \right) a^2 b^5 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} - 1440 \left(\sqrt{dx+c}a+b \right)^3 a^2 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c)^{3/2} + 120 b^7 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) - 360 \left(\sqrt{dx+c}a+b \right)^2 b^5 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / (dx+c) \\
& + 360 \left(\sqrt{dx+c}a+b \right)^4 b^3 c^2 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} / (dx+c)^2 * f^2 / \left((a^6 d^2 - 6 \left(\sqrt{dx+c}a+b \right) a^5 d^2 / \sqrt{dx+c} + 15 \left(\sqrt{dx+c}a+b \right)^2 a^4 d^2 / (dx+c) - 20 \left(\sqrt{dx+c}a+b \right)^3 a^3 d^2 / (dx+c)^{3/2} + 15 \left(\sqrt{dx+c}a+b \right)^4 a^2 d^2 / (dx+c)^2 - 6 \left(\sqrt{dx+c}a+b \right)^5 a d^2 / (dx+c)^{5/2} + \left(\sqrt{dx+c}a+b \right)^6 d^2 / (dx+c)^3 \right) * b \\
& + 360 \left(a^2 b^3 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) - a^2 b^3 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) - 2 \left(\sqrt{dx+c}a+b \right) a^2 b^3 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / \sqrt{dx+c} + 2 \left(\sqrt{dx+c}a+b \right) a^2 b^3 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) / \sqrt{dx+c} + \left(\sqrt{dx+c}a+b \right)^2 b^3 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / (dx+c) - \left(\sqrt{dx+c}a+b \right)^2 b^3 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) / (dx+c) - a^2 b^3 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) + \left(\sqrt{dx+c}a+b \right) b^3 \cos\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) / \sqrt{dx+c} + b^3 \sin\left(\frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) \right) * e^2 / \left((a^2 - 2 \left(\sqrt{dx+c}a+b \right) a / \sqrt{dx+c} + \left(\sqrt{dx+c}a+b \right)^2 / (dx+c)) * b \right) - 60 \left(a^4 b^5 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) - a^4 b^5 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) - 4 \left(\sqrt{dx+c}a+b \right) a^3 b^5 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / \sqrt{dx+c} + 4 \left(\sqrt{dx+c}a+b \right) a^3 b^5 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / (dx+c) + 6 \left(\sqrt{dx+c}a+b \right)^2 a^2 b^5 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / (dx+c) + 12 a^4 b^3 c^2 \cos_integral(-a + \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) - 6 \left(\sqrt{dx+c}a+b \right)^2 a^2 b^5 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / (dx+c) + 6 \left(\sqrt{dx+c}a+b \right)^2 a^2 b^5 \cos(a) * \sin_integral(a - \left(\sqrt{dx+c}a+b \right) / \sqrt{dx+c}) * \sin(a) / (dx+c) \right)
\end{aligned}$$

$$\begin{aligned}
& / \sqrt{d*x + c}) / (d*x + c) - 12*a^4*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x} \\
& + c)*a + b) / \sqrt{d*x + c}) - 4*(\sqrt{d*x + c})*a + b)^3*a*b^5*\cos_integral(- \\
& a + (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c})*\sin(a) / (d*x + c)^{(3/2)} - 48*(\sqrt{d*x} \\
& + c)*a + b)^3*b^3*c*\cos_integral(-a + (\sqrt{d*x + c})*a + b) / \sqrt{d*x} \\
& + c))*\sin(a) / \sqrt{d*x + c} + 4*(\sqrt{d*x + c})*a + b)^3*a*b^5*\cos(a)*\sin_int \\
& egral(a - (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c)^{(3/2)} + 48*(\sqrt{d \\
& *x + c})*a + b)^3*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a + b) / \sqrt{ \\
& (d*x + c)) / \sqrt{d*x + c} - a^3*b^5*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) \\
& + (\sqrt{d*x + c})*a + b)^4*b^5*\cos_integral(-a + (\sqrt{d*x + c})*a + b) / \sqrt{ \\
& (d*x + c))*\sin(a) / (d*x + c)^2 + 72*(\sqrt{d*x + c})*a + b)^2*a^2*b^3*c*\cos_in \\
& tegral(-a + (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c})*\sin(a) / (d*x + c) - (\sqrt{d \\
& *x + c})*a + b)^4*b^5*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a + b) / \sqrt{d*x} \\
& + c)) / (d*x + c)^2 - 72*(\sqrt{d*x + c})*a + b)^2*a^2*b^3*c*\cos(a)*\sin_integr \\
& al(a - (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c) + 3*(\sqrt{d*x + c})*a \\
& + b)^3*a*b^5*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / \sqrt{d*x + c} - 48*(s \\
& qrt{d*x + c})*a + b)^3*a*b^3*c*\cos_integral(-a + (\sqrt{d*x + c})*a + b) / \sqrt{ \\
& d*x + c))*\sin(a) / (d*x + c)^{(3/2)} + 48*(\sqrt{d*x + c})*a + b)^3*a*b^3*c*\cos(a) \\
&)*\sin_integral(a - (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c)^{(3/2)} - 3 \\
& *(\sqrt{d*x + c})*a + b)^2*a*b^5*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d* \\
& x + c) - 12*a^3*b^3*c*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) + 12*(\sqrt{d \\
& *x + c})*a + b)^4*b^3*c*\cos_integral(-a + (\sqrt{d*x + c})*a + b) / \sqrt{d*x + c} \\
&))*\sin(a) / (d*x + c)^2 + a^2*b^5*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) - \\
& 12*(\sqrt{d*x + c})*a + b)^4*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c})*a + \\
& b) / \sqrt{d*x + c}) / (d*x + c)^2 + (\sqrt{d*x + c})*a + b)^3*b^5*\cos((\sqrt{d*x} \\
& + c)*a + b) / \sqrt{d*x + c}) / (d*x + c)^{(3/2)} + 36*(\sqrt{d*x + c})*a + b)^2*b \\
& ^3*c*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / \sqrt{d*x + c} - 2*(\sqrt{d*x +} \\
& c)*a + b)^3*b^5*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / \sqrt{d*x + c} + 2 \\
& *a*b^5*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) - 36*(\sqrt{d*x + c})*a + b)^ \\
& 2*a*b^3*c*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c) + (\sqrt{d*x +} \\
& c)*a + b)^2*b^5*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c) + 12*a^2 \\
& *b^3*c*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) - 2*(\sqrt{d*x + c})*a + b)*b \\
& ^5*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / \sqrt{d*x + c} + 12*(\sqrt{d*x +} \\
& c)*a + b)^3*b^3*c*\cos((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c)^{(3/2)} \\
& - 24*(\sqrt{d*x + c})*a + b)^3*a*b^3*c*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) \\
& / \sqrt{d*x + c} - 6*b^5*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) + 12*(\sqrt{d*x} \\
& + c)*a + b)^2*b^3*c*\sin((\sqrt{d*x + c})*a + b) / \sqrt{d*x + c}) / (d*x + c) \\
&)*f*e / ((a^4 - 4*(\sqrt{d*x + c})*a + b)^3 / \sqrt{d*x + c} + 6*(\sqrt{d*x + c})*a \\
& + b)^2*a^2 / (d*x + c) - 4*(\sqrt{d*x + c})*a + b)^3*a / (d*x + c)^{(3/2)} + (\sqrt{ \\
& d*x + c})*a + b)^4 / (d*x + c)^2)*b*d) / d
\end{aligned}$$

maple [A] time = 0.08, size = 696, normalized size = 1.14

$$2b^2 \left(d^2 e^2 \left(-\frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)(dx+c)}{2b^2} - \frac{\cos\left(a + \frac{b}{\sqrt{dx+c}}\right)\sqrt{dx+c}}{2b} - \frac{\text{Si}\left(\frac{b}{\sqrt{dx+c}}\right)\cos(a)}{2} - \frac{\text{Ci}\left(\frac{b}{\sqrt{dx+c}}\right)\sin(a)}{2} \right) + c^2 f^2 \left(-\frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)(dx+c)}{2b^2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*sin(a+b/(d*x+c)^(1/2)),x)`

[Out] `-2/d^3*b^2*(d^2*e^2*(-1/2*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*Si(b/(d*x+c)^(1/2))*cos(a)-1/2*Ci(b/(d*x+c)^(1/2))*sin(a))+c^2*f^2*(-1/2*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*Si(b/(d*x+c)^(1/2))*cos(a)-1/2*Ci(b/(d*x+c)^(1/2))*sin(a))-2*c*d*e*f*(-1/2*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*Si(b/(d*x+c)^(1/2))*cos(a)-1/2*Ci(b/(d*x+c)^(1/2))*sin(a))+b^4*f^2*(-1/6*sin(a+b/(d*x+c)^(1/2))*(d*x+c)^3/b^6-1/30*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(5/2)/b^5+1/120*sin(a+b/(d*x+c)^(1/2))*(d*x+c)^2/b^4+1/360*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(3/2)/b^3-1/720*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/720*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/720*Si(b/(d*x+c)^(1/2))*cos(a)-1/720*Ci(b/(d*x+c)^(1/2))*sin(a))+2*b^2*d*e*f*(-1/4*sin(a+b/(d*x+c)^(1/2))*(d*x+c)^2/b^4-1/12*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(3/2)/b^3+1/24*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2+1/24*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b+1/24*Si(b/(d*x+c)^(1/2))*cos(a)+1/24*Ci(b/(d*x+c)^(1/2))*sin(a))-2*b^2*c*f^2*(-1/4*sin(a+b/(d*x+c)^(1/2))*(d*x+c)^2/b^4-1/12*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(3/2)/b^3+1/24*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2+1/24*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b+1/24*Si(b/(d*x+c)^(1/2))*cos(a)+1/24*Ci(b/(d*x+c)^(1/2))*sin(a))`

maxima [C] time = 1.07, size = 877, normalized size = 1.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/2)),x, algorithm="maxima")`

[Out] `1/720*(360*(((I*Ei(I*b/sqrt(d*x + c)) + I*Ei(-I*b/sqrt(d*x + c))))*cos(a) + (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c)))*sin(a))*b^2 + 2*sqrt(d*x + c)*b*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c)) + 2*(d*x + c)*sin((sqrt(d*x + c)*a + b)/sqrt(d*x + c)))*e^2 - 720*(((I*Ei(I*b/sqrt(d*x + c)) + I*Ei(-I*b/sqrt(d*x + c))))*cos(a) + (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c)))*sin(a))*b^2 + 2*sqrt(d*x + c)*b*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c)) + 2*(d*x + c)*sin((sqrt(d*x + c)*a + b)/sqrt(d*x + c)))*c*e*f/d + 360*(((I*Ei(I*b/sqrt(d*x + c)) + I*Ei(-I*b/sqrt(d*x + c))))*cos(a) + (Ei(I*b/sqrt(d`

```

*x + c)) + Ei(-I*b/sqrt(d*x + c))*sin(a))*b^2 + 2*sqrt(d*x + c)*b*cos((sqrt
t(d*x + c)*a + b)/sqrt(d*x + c)) + 2*(d*x + c)*sin((sqrt(d*x + c)*a + b)/sq
rt(d*x + c))*c^2*f^2/d^2 + 60*(((I*Ei(I*b/sqrt(d*x + c)) - I*Ei(-I*b/sqrt(
d*x + c)))*cos(a) - (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c)))*sin(a)
)*b^4 - 2*(sqrt(d*x + c)*b^3 - 2*(d*x + c)^(3/2)*b)*cos((sqrt(d*x + c)*a +
b)/sqrt(d*x + c)) - 2*((d*x + c)*b^2 - 6*(d*x + c)^2)*sin((sqrt(d*x + c)*a
+ b)/sqrt(d*x + c)))*e*f/d - 60*(((I*Ei(I*b/sqrt(d*x + c)) - I*Ei(-I*b/sqrt
(d*x + c)))*cos(a) - (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c)))*sin(a)
))*b^4 - 2*(sqrt(d*x + c)*b^3 - 2*(d*x + c)^(3/2)*b)*cos((sqrt(d*x + c)*a +
b)/sqrt(d*x + c)) - 2*((d*x + c)*b^2 - 6*(d*x + c)^2)*sin((sqrt(d*x + c)*a
+ b)/sqrt(d*x + c)))*c*f^2/d^2 + (((-I*Ei(I*b/sqrt(d*x + c)) + I*Ei(-I*b/s
qrt(d*x + c)))*cos(a) + (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c)))*si
n(a))*b^6 + 2*(sqrt(d*x + c)*b^5 - 2*(d*x + c)^(3/2)*b^3 + 24*(d*x + c)^(5/
2)*b)*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c)) + 2*((d*x + c)*b^4 - 6*(d*x
+ c)^2*b^2 + 120*(d*x + c)^3)*sin((sqrt(d*x + c)*a + b)/sqrt(d*x + c))*f^2
/d^2)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/2))*(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(1/2))*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b/(d*x+c)**(1/2)),x)

[Out] Integral((e + f*x)**2*sin(a + b/sqrt(c + d*x)), x)

$$3.198 \quad \int (e + fx) \sin \left(a + \frac{b}{\sqrt{c+dx}} \right) dx$$

Optimal. Leaf size=301

$$\frac{b^4 f \sin(a) \operatorname{Ci} \left(\frac{b}{\sqrt{c+dx}} \right)}{12d^2} - \frac{b^4 f \cos(a) \operatorname{Si} \left(\frac{b}{\sqrt{c+dx}} \right)}{12d^2} - \frac{b^3 f \sqrt{c+dx} \cos \left(a + \frac{b}{\sqrt{c+dx}} \right)}{12d^2} + \frac{b^2 \sin(a)(de - cf) \operatorname{Ci} \left(\frac{b}{\sqrt{c+dx}} \right)}{d^2} + \dots$$

[Out] $1/6*b*f*(d*x+c)^{(3/2)}*\cos(a+b/(d*x+c)^{(1/2)})/d^2-1/12*b^4*f*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(1/2)})/d^2+b^2*(-c*f+d*e)*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(1/2)})/d^2-1/12*b^4*f*\operatorname{Ci}(b/(d*x+c)^{(1/2)})*\sin(a)/d^2+b^2*(-c*f+d*e)*\operatorname{Ci}(b/(d*x+c)^{(1/2)})*\sin(a)/d^2-1/12*b^2*f*(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/d^2+(-c*f+d*e)*(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/d^2+1/2*f*(d*x+c)^2*\sin(a+b/(d*x+c)^{(1/2)})/d^2-1/12*b^3*f*\cos(a+b/(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/d^2+b*(-c*f+d*e)*\cos(a+b/(d*x+c)^{(1/2)})*(d*x+c)^{(1/2)}/d^2$

Rubi [A] time = 0.39, antiderivative size = 301, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3431, 3297, 3303, 3299, 3302}

$$\frac{b^2 \sin(a)(de - cf) \operatorname{CosIntegral} \left(\frac{b}{\sqrt{c+dx}} \right)}{d^2} - \frac{b^4 f \sin(a) \operatorname{CosIntegral} \left(\frac{b}{\sqrt{c+dx}} \right)}{12d^2} + \frac{b^2 \cos(a)(de - cf) \operatorname{Si} \left(\frac{b}{\sqrt{c+dx}} \right)}{d^2} - \frac{b^4 f \cos(a) \operatorname{Si} \left(\frac{b}{\sqrt{c+dx}} \right)}{12d^2} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]], x]$

[Out] $-(b^3*f*\operatorname{Sqrt}[c + d*x]*\operatorname{Cos}[a + b/\operatorname{Sqrt}[c + d*x]])/(12*d^2) + (b*(d*e - c*f)*\operatorname{Sqrt}[c + d*x]*\operatorname{Cos}[a + b/\operatorname{Sqrt}[c + d*x]])/d^2 + (b*f*(c + d*x)^{(3/2)}*\operatorname{Cos}[a + b/\operatorname{Sqrt}[c + d*x]])/(6*d^2) - (b^4*f*\operatorname{CosIntegral}[b/\operatorname{Sqrt}[c + d*x]]*\operatorname{Sin}[a])/(12*d^2) + (b^2*(d*e - c*f)*\operatorname{CosIntegral}[b/\operatorname{Sqrt}[c + d*x]]*\operatorname{Sin}[a])/d^2 - (b^2*f*(c + d*x)*\operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]])/(12*d^2) + ((d*e - c*f)*(c + d*x)*\operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]])/d^2 + (f*(c + d*x)^2*\operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]])/(2*d^2) - (b^4*f*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/\operatorname{Sqrt}[c + d*x]])/(12*d^2) + (b^2*(d*e - c*f)*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/\operatorname{Sqrt}[c + d*x]])/d^2$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\operatorname{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx &= -\frac{2 \operatorname{Subst}\left(\int \left(\frac{f \sin(a+bx)}{dx^5} + \frac{(de-cf) \sin(a+bx)}{dx^3}\right) dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\
&= -\frac{(2f) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^5} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^2} - \frac{(2(de - cf)) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^2} \\
&= \frac{(de - cf)(c + dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{f(c + dx)^2 \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{2d^2} - \frac{(bf) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^4} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^2} \\
&= \frac{b(de - cf)\sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{bf(c + dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^2} + \frac{(de - cf) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^2} \\
&= \frac{b(de - cf)\sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{bf(c + dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^2} - \frac{b^2 f \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d^2} \\
&= -\frac{b^3 f \sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{12d^2} + \frac{b(de - cf)\sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{bf(c + dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^2} \\
&= -\frac{b^3 f \sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{12d^2} + \frac{b(de - cf)\sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{bf(c + dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^2} \\
&= -\frac{b^3 f \sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{12d^2} + \frac{b(de - cf)\sqrt{c + dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d^2} + \frac{bf(c + dx)^{3/2} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{6d^2}
\end{aligned}$$

Mathematica [A] time = 0.64, size = 367, normalized size = 1.22

$$-\frac{b^2 f (b^2 + 12c) \left(\sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) + \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right) \right)}{12d^2} + \frac{b^2 e \left(\sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) + \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right) \right)}{d} + \frac{f \sqrt{c + dx}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b/Sqrt[c + d*x]],x]

[Out] (e*Sqrt[c + d*x]*Cos[b/Sqrt[c + d*x]]*(b*Cos[a] + Sqrt[c + d*x]*Sin[a]))/d + (f*Sqrt[c + d*x]*Cos[b/Sqrt[c + d*x]]*(-(b^3*Cos[a]) - 12*b*c*Cos[a] + 2*b*(c + d*x)*Cos[a] - b^2*Sqrt[c + d*x]*Sin[a] - 12*c*Sqrt[c + d*x]*Sin[a] + 6*(c + d*x)^(3/2)*Sin[a]))/(12*d^2) + (e*Sqrt[c + d*x]*(Sqrt[c + d*x]*Cos[a] - b*Sin[a])*Sin[b/Sqrt[c + d*x]])/d + (f*Sqrt[c + d*x]*(-(b^2*Sqrt[c + d*x]*Cos[a]) - 12*c*Sqrt[c + d*x]*Cos[a] + 6*(c + d*x)^(3/2)*Cos[a] + b^3*Sin[a] + 12*b*c*Sin[a] - 2*b*(c + d*x)*Sin[a])*Sin[b/Sqrt[c + d*x]])/(12*d^2) + (b^2*e*(CosIntegral[b/Sqrt[c + d*x]]*Sin[a] + Cos[a]*SinIntegral[b/Sqrt[c + d*x]]))

$c + d*x]])))/d - (b^2*(b^2 + 12*c)*f*(\text{CosIntegral}[b/\text{Sqrt}[c + d*x]]*\text{Sin}[a] + \text{Cos}[a]*\text{SinIntegral}[b/\text{Sqrt}[c + d*x]]))/(12*d^2)$

fricas [A] time = 0.72, size = 241, normalized size = 0.80

$(12 b^2 d e - (b^4 + 12 b^2 c) f) \text{Ci}\left(\frac{b}{\sqrt{d x + c}}\right) \sin(a) + (12 b^2 d e - (b^4 + 12 b^2 c) f) \text{Ci}\left(-\frac{b}{\sqrt{d x + c}}\right) \sin(a) + 2 (12 b^2 d e - (b^4 +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(1/2)),x, algorithm="fricas")

[Out] $1/24*((12*b^2*d*e - (b^4 + 12*b^2*c)*f)*\text{cos_integral}(b/\text{sqrt}(d*x + c))*\text{sin}(a) + (12*b^2*d*e - (b^4 + 12*b^2*c)*f)*\text{cos_integral}(-b/\text{sqrt}(d*x + c))*\text{sin}(a) + 2*(12*b^2*d*e - (b^4 + 12*b^2*c)*f)*\text{cos}(a)*\text{sin_integral}(b/\text{sqrt}(d*x + c)) + 2*(2*b*d*f*x + 12*b*d*e - (b^3 + 10*b*c)*f)*\text{sqrt}(d*x + c)*\text{cos}((a*d*x + a*c + \text{sqrt}(d*x + c)*b)/(d*x + c)) + 2*(6*d^2*f*x^2 + 12*c*d*e - (b^2*c + 6*c^2)*f - (b^2*d*f - 12*d^2*e)*x)*\text{sin}((a*d*x + a*c + \text{sqrt}(d*x + c)*b)/(d*x + c)))/d^2$

giac [B] time = 1.77, size = 2159, normalized size = 7.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(1/2)),x, algorithm="giac")

[Out] $1/12*(12*(a^2*b^3*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a) - a^2*b^3*\text{cos}(a)*\text{sin_integral}(a - (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) - 2*(\text{sqrt}(d*x + c)*a + b)*a*b^3*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a)/\text{sqrt}(d*x + c) + 2*(\text{sqrt}(d*x + c)*a + b)*a*b^3*\text{cos}(a)*\text{sin_integral}(a - (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))/\text{sqrt}(d*x + c) + (\text{sqrt}(d*x + c)*a + b)^2*b^3*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a)/(d*x + c) - (\text{sqrt}(d*x + c)*a + b)^2*b^3*\text{cos}(a)*\text{sin_integral}(a - (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))/(d*x + c) - a*b^3*\text{cos}((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) + (\text{sqrt}(d*x + c)*a + b)*b^3*\text{cos}((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))/\text{sqrt}(d*x + c) + b^3*\text{sin}((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)))/((a^2 - 2*(\text{sqrt}(d*x + c)*a + b)*a/\text{sqrt}(d*x + c) + (\text{sqrt}(d*x + c)*a + b)^2/(d*x + c))*b) - (a^4*b^5*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a) - a^4*b^5*\text{cos}(a)*\text{sin_integral}(a - (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) - 4*(\text{sqrt}(d*x + c)*a + b)*a^3*b^5*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a)/\text{sqrt}(d*x + c) + 4*(\text{sqrt}(d*x + c)*a + b)*a^3*b^5*\text{cos}(a)*\text{sin_integral}(a - (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))/\text{sqrt}(d*x + c) + 6*(\text{sqrt}(d*x + c)*a + b)^2*a^2*b^5*\text{cos_integral}(-a + (\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c))*\text{sin}(a)/(d*x + c) + 12*a^4*b^3*c*\text{cos_integral}(-a + (\text{sqrt}(d$

$$\begin{aligned}
& *x + c)*a + b)/\sqrt{d*x + c})*\sin(a) - 6*(\sqrt{d*x + c)*a + b)^2*a^2*b^5*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c) - 12*a^4*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) - 4*(\sqrt{d*x + c)*a + b)^3*a*b^5*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^{(3/2)} - 48*(\sqrt{d*x + c)*a + b)*a^3*b^3*c*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/\sqrt{d*x + c} + 4*(\sqrt{d*x + c)*a + b)^3*a*b^5*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^{(3/2)} + 48*(\sqrt{d*x + c)*a + b)*a^3*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} - a^3*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) + (\sqrt{d*x + c)*a + b)^4*b^5*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^2 + 72*(\sqrt{d*x + c)*a + b)^2*a^2*b^3*c*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c) - (\sqrt{d*x + c)*a + b)^4*b^5*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^2 - 72*(\sqrt{d*x + c)*a + b)^2*a^2*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c) + 3*(\sqrt{d*x + c)*a + b)*a^2*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} - 48*(\sqrt{d*x + c)*a + b)^3*a*b^3*c*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^{(3/2)} + 48*(\sqrt{d*x + c)*a + b)^3*a*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^{(3/2)} - 3*(\sqrt{d*x + c)*a + b)^2*a*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c) - 12*a^3*b^3*c*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) + 12*(\sqrt{d*x + c)*a + b)^4*b^3*c*\cos_integral(-a + (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})*\sin(a)/(d*x + c)^2 + a^2*b^5*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) - 12*(\sqrt{d*x + c)*a + b)^4*b^3*c*\cos(a)*\sin_integral(a - (\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^2 + (\sqrt{d*x + c)*a + b)^3*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^{(3/2)} + 36*(\sqrt{d*x + c)*a + b)*a^2*b^3*c*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} - 2*(\sqrt{d*x + c)*a + b)*a*b^5*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} + 2*a*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) - 36*(\sqrt{d*x + c)*a + b)^2*a*b^3*c*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c) + (\sqrt{d*x + c)*a + b)^2*b^5*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c) + 12*a^2*b^3*c*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) - 2*(\sqrt{d*x + c)*a + b)*b^5*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} + 12*(\sqrt{d*x + c)*a + b)^3*b^3*c*\cos((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c)^{(3/2)} - 24*(\sqrt{d*x + c)*a + b)*a*b^3*c*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/\sqrt{d*x + c} - 6*b^5*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c}) + 12*(\sqrt{d*x + c)*a + b)^2*b^3*c*\sin((\sqrt{d*x + c)*a + b)/\sqrt{d*x + c})/(d*x + c))*f/((a^4 - 4*(\sqrt{d*x + c)*a + b)*a^3/\sqrt{d*x + c} + 6*(\sqrt{d*x + c)*a + b)^2*a^2/(d*x + c) - 4*(\sqrt{d*x + c)*a + b)^3*a/(d*x + c)^{(3/2)} + (\sqrt{d*x + c)*a + b)^4/(d*x + c)^2)*b*d))/d
\end{aligned}$$

maple [A] time = 0.05, size = 295, normalized size = 0.98

$$2b^2 \left(-cf \left(-\frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)(dx+c)}{2b^2} - \frac{\cos\left(a + \frac{b}{\sqrt{dx+c}}\right)\sqrt{dx+c}}{2b} - \frac{\text{Si}\left(\frac{b}{\sqrt{dx+c}}\right)\cos(a)}{2} - \frac{\text{Ci}\left(\frac{b}{\sqrt{dx+c}}\right)\sin(a)}{2} \right) + de \left(-\frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)(dx+c)}{2b^2} - \frac{\cos\left(a + \frac{b}{\sqrt{dx+c}}\right)\sqrt{dx+c}}{2b} - \frac{\text{Si}\left(\frac{b}{\sqrt{dx+c}}\right)\cos(a)}{2} - \frac{\text{Ci}\left(\frac{b}{\sqrt{dx+c}}\right)\sin(a)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b/(d*x+c)^(1/2)),x)`

[Out] $-2/d^2*b^2*(-c*f*(-1/2*\sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*\cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*\text{Si}(b/(d*x+c)^(1/2))*\cos(a)-1/2*\text{Ci}(b/(d*x+c)^(1/2))*\sin(a))+d*e*(-1/2*\sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*\cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*\text{Si}(b/(d*x+c)^(1/2))*\cos(a)-1/2*\text{Ci}(b/(d*x+c)^(1/2))*\sin(a))+b^2*f*(-1/4*\sin(a+b/(d*x+c)^(1/2))*(d*x+c)^2/b^4-1/12*\cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(3/2)/b^3+1/24*\sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2+1/24*\cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b+1/24*\text{Si}(b/(d*x+c)^(1/2))*\cos(a)+1/24*\text{Ci}(b/(d*x+c)^(1/2))*\sin(a))$

maxima [C] time = 0.72, size = 407, normalized size = 1.35

$$12 \left(\left(\left(-i \text{Ei} \left(\frac{ib}{\sqrt{dx+c}} \right) + i \text{Ei} \left(-\frac{ib}{\sqrt{dx+c}} \right) \right) \cos(a) + \left(\text{Ei} \left(\frac{ib}{\sqrt{dx+c}} \right) + \text{Ei} \left(-\frac{ib}{\sqrt{dx+c}} \right) \right) \sin(a) \right) b^2 + 2 \sqrt{dx+c} b \cos \left(\frac{\sqrt{dx+c} a + b}{\sqrt{dx+c}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)^(1/2)),x, algorithm="maxima")`

[Out] $1/24*(12*(((-I*\text{Ei}(I*b/\text{sqrt}(d*x + c)) + I*\text{Ei}(-I*b/\text{sqrt}(d*x + c)))\cos(a) + (\text{Ei}(I*b/\text{sqrt}(d*x + c)) + \text{Ei}(-I*b/\text{sqrt}(d*x + c)))\sin(a))*b^2 + 2*\text{sqrt}(d*x + c)*b*\cos((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) + 2*(d*x + c)*\sin((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)))*e - 12*(((-I*\text{Ei}(I*b/\text{sqrt}(d*x + c)) + I*\text{Ei}(-I*b/\text{sqrt}(d*x + c)))\cos(a) + (\text{Ei}(I*b/\text{sqrt}(d*x + c)) + \text{Ei}(-I*b/\text{sqrt}(d*x + c)))\sin(a))*b^2 + 2*\text{sqrt}(d*x + c)*b*\cos((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) + 2*(d*x + c)*\sin((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)))*c*f/d + (((I*\text{Ei}(I*b/\text{sqrt}(d*x + c)) - I*\text{Ei}(-I*b/\text{sqrt}(d*x + c)))\cos(a) - (\text{Ei}(I*b/\text{sqrt}(d*x + c)) + \text{Ei}(-I*b/\text{sqrt}(d*x + c)))\sin(a))*b^4 - 2*(\text{sqrt}(d*x + c)*b^3 - 2*(d*x + c)^(3/2)*b)*\cos((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)) - 2*((d*x + c)*b^2 - 6*(d*x + c)^2)*\sin((\text{sqrt}(d*x + c)*a + b)/\text{sqrt}(d*x + c)))*f/d)/d$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin \left(a + \frac{b}{\sqrt{c + dx}} \right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(1/2))*(e + f*x), x)`

[Out] `int(sin(a + b/(c + d*x)^(1/2))*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)**(1/2)), x)`

[Out] `Integral((e + f*x)*sin(a + b/sqrt(c + d*x)), x)`

$$3.199 \quad \int \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx$$

Optimal. Leaf size=94

$$\frac{b^2 \sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b^2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d}$$

[Out] $b^2 \cos(a) \operatorname{Si}(b/(d*x+c)^{(1/2)})/d + b^2 \operatorname{Ci}(b/(d*x+c)^{(1/2)}) * \sin(a)/d + (d*x+c) * \sin(a+b/(d*x+c)^{(1/2)})/d + b * \cos(a+b/(d*x+c)^{(1/2)}) * (d*x+c)^{(1/2)}/d$

Rubi [A] time = 0.12, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3361, 3297, 3303, 3299, 3302}

$$\frac{b^2 \sin(a) \operatorname{CosIntegral}\left(\frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b^2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/Sqrt[c + d*x]],x]

[Out] $(b * \operatorname{Sqrt}[c + d*x] * \operatorname{Cos}[a + b/\operatorname{Sqrt}[c + d*x]])/d + (b^2 * \operatorname{CosIntegral}[b/\operatorname{Sqrt}[c + d*x]] * \operatorname{Sin}[a])/d + ((c + d*x) * \operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]])/d + (b^2 * \operatorname{Cos}[a] * \operatorname{SinIntegral}[b/\operatorname{Sqrt}[c + d*x]])/d$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^n])^p, x_Symbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) dx &= -\frac{2 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\ &= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} - \frac{b \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\ &= \frac{b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b^2 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\ &= \frac{b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{(b^2 \cos(a)) \operatorname{Subst}\left(\int \frac{\sin(bx)}{x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\ &= \frac{b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b^2 \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) \sin(a)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d} + \frac{b^2 \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right) \cos(a)}{d} \end{aligned}$$

Mathematica [A] time = 0.09, size = 99, normalized size = 1.05

$$\frac{b^2 \sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) + b^2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right) + c \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) + dx \sin\left(a + \frac{b}{\sqrt{c+dx}}\right) + b\sqrt{c+dx} \cos\left(a + \frac{b}{\sqrt{c+dx}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/Sqrt[c + d*x]], x]

[Out] (b*Sqrt[c + d*x]*Cos[a + b/Sqrt[c + d*x]] + b^2*CosIntegral[b/Sqrt[c + d*x]]*Sin[a] + c*Sin[a + b/Sqrt[c + d*x]] + d*x*Sin[a + b/Sqrt[c + d*x]] + b^2*Cos[a]*SinIntegral[b/Sqrt[c + d*x]))/d

fricas [A] time = 0.61, size = 125, normalized size = 1.33

$$\frac{b^2 \operatorname{Ci}\left(\frac{b}{\sqrt{dx+c}}\right) \sin(a) + b^2 \operatorname{Ci}\left(-\frac{b}{\sqrt{dx+c}}\right) \sin(a) + 2b^2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{dx+c}}\right) + 2\sqrt{dx+c} b \cos\left(\frac{adx+ac+\sqrt{dx+c}b}{dx+c}\right) + 2(dx - \dots)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2)),x, algorithm="fricas")

[Out] 1/2*(b^2*cos_integral(b/sqrt(d*x + c))*sin(a) + b^2*cos_integral(-b/sqrt(d*x + c))*sin(a) + 2*b^2*cos(a)*sin_integral(b/sqrt(d*x + c)) + 2*sqrt(d*x + c)*b*cos((a*d*x + a*c + sqrt(d*x + c)*b)/(d*x + c)) + 2*(d*x + c)*sin((a*d*x + a*c + sqrt(d*x + c)*b)/(d*x + c)))/d

giac [B] time = 0.62, size = 413, normalized size = 4.39

$$\frac{a^2 b^3 \operatorname{Ci}\left(-a + \frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) \sin(a) - a^2 b^3 \cos(a) \operatorname{Si}\left(a - \frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) - \frac{2(\sqrt{dx+c}a+b)ab^3 \operatorname{Ci}\left(-a + \frac{\sqrt{dx+c}a+b}{\sqrt{dx+c}}\right) \sin(a)}{\sqrt{dx+c}} + \frac{2(\sqrt{dx+c}a+b)}{\dots}}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2)),x, algorithm="giac")

[Out] (a^2*b^3*cos_integral(-a + (sqrt(d*x + c)*a + b)/sqrt(d*x + c))*sin(a) - a^2*b^3*cos(a)*sin_integral(a - (sqrt(d*x + c)*a + b)/sqrt(d*x + c)) - 2*(sqrt(d*x + c)*a + b)*a*b^3*cos_integral(-a + (sqrt(d*x + c)*a + b)/sqrt(d*x + c))*sin(a)/sqrt(d*x + c) + 2*(sqrt(d*x + c)*a + b)*a*b^3*cos(a)*sin_integral(a - (sqrt(d*x + c)*a + b)/sqrt(d*x + c))/sqrt(d*x + c) + (sqrt(d*x + c)*a + b)^2*b^3*cos_integral(-a + (sqrt(d*x + c)*a + b)/sqrt(d*x + c))*sin(a)/(d*x + c) - (sqrt(d*x + c)*a + b)^2*b^3*cos(a)*sin_integral(a - (sqrt(d*x + c)*a + b)/sqrt(d*x + c))/(d*x + c) - a*b^3*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c)) + (sqrt(d*x + c)*a + b)*b^3*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c))/sqrt(d*x + c) + b^3*sin((sqrt(d*x + c)*a + b)/sqrt(d*x + c)))/((a^2 - 2*(sqrt(d*x + c)*a + b)*a/sqrt(d*x + c) + (sqrt(d*x + c)*a + b)^2/(d*x + c))*b*d)

maple [A] time = 0.04, size = 84, normalized size = 0.89

$$\frac{2b^2 \left(\frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)(dx+c)}{2b^2} - \frac{\cos\left(a + \frac{b}{\sqrt{dx+c}}\right)\sqrt{dx+c}}{2b} - \frac{\operatorname{Si}\left(\frac{b}{\sqrt{dx+c}}\right)\cos(a)}{2} - \frac{\operatorname{Ci}\left(\frac{b}{\sqrt{dx+c}}\right)\sin(a)}{2} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/(d*x+c)^(1/2)),x)`

[Out] `-2/d*b^2*(-1/2*sin(a+b/(d*x+c)^(1/2))*(d*x+c)/b^2-1/2*cos(a+b/(d*x+c)^(1/2))*(d*x+c)^(1/2)/b-1/2*Si(b/(d*x+c)^(1/2))*cos(a)-1/2*Ci(b/(d*x+c)^(1/2))*sin(a))`

maxima [C] time = 0.59, size = 124, normalized size = 1.32

$$\frac{\left(\left(-i \operatorname{Ei}\left(\frac{ib}{\sqrt{dx+c}}\right) + i \operatorname{Ei}\left(-\frac{ib}{\sqrt{dx+c}}\right)\right) \cos(a) + \left(\operatorname{Ei}\left(\frac{ib}{\sqrt{dx+c}}\right) + \operatorname{Ei}\left(-\frac{ib}{\sqrt{dx+c}}\right)\right) \sin(a)\right) b^2 + 2 \sqrt{dx+c} b \cos\left(\frac{\sqrt{dx+c} a+b}{\sqrt{dx+c}}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^(1/2)),x, algorithm="maxima")`

[Out] `1/2*(((-I*Ei(I*b/sqrt(d*x + c)) + I*Ei(-I*b/sqrt(d*x + c))) *cos(a) + (Ei(I*b/sqrt(d*x + c)) + Ei(-I*b/sqrt(d*x + c))) *sin(a)) *b^2 + 2*sqrt(d*x + c)*b*cos((sqrt(d*x + c)*a + b)/sqrt(d*x + c)) + 2*(d*x + c)*sin((sqrt(d*x + c)*a + b)/sqrt(d*x + c)))/d`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(1/2)),x)`

[Out] `int(sin(a + b/(c + d*x)^(1/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)**(1/2)),x)`

[Out] `Integral(sin(a + b/sqrt(c + d*x)), x)`

$$3.200 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e+fx} dx$$

Optimal. Leaf size=276

$$\frac{\sin\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \operatorname{Ci}\left(\frac{\sqrt{f}b}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{f} + \frac{\sin\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \operatorname{Ci}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{f} - \frac{2 \sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right)}{f} - \cos\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right)$$

[Out] $-\cos(a+b*f^{(1/2)/(c*f-d*e)^{(1/2)})*Si(b*f^{(1/2)/(c*f-d*e)^{(1/2)}-b/(d*x+c)^{(1/2)})/f+\cos(a-b*f^{(1/2)/(c*f-d*e)^{(1/2)})*Si(b*f^{(1/2)/(c*f-d*e)^{(1/2)}+b/(d*x+c)^{(1/2)})/f-2*\cos(a)*Si(b/(d*x+c)^{(1/2)})/f-2*Ci(b/(d*x+c)^{(1/2)})*\sin(a)/f+Ci(b*f^{(1/2)/(c*f-d*e)^{(1/2)}+b/(d*x+c)^{(1/2)})*\sin(a-b*f^{(1/2)/(c*f-d*e)^{(1/2)})/f+Ci(b*f^{(1/2)/(c*f-d*e)^{(1/2)}-b/(d*x+c)^{(1/2)})*\sin(a+b*f^{(1/2)/(c*f-d*e)^{(1/2)})/f$

Rubi [A] time = 1.20, antiderivative size = 276, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {3431, 3303, 3299, 3302, 3345}

$$\frac{\sin\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \operatorname{CosIntegral}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{f} + \frac{\sin\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \operatorname{CosIntegral}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{f} - 2 \sin(a) \operatorname{CosIntegral}\left(\frac{b}{\sqrt{c+dx}}\right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/\operatorname{Sqrt}[c + d*x]]/(e + f*x), x]$

[Out] $(-2*\operatorname{CosIntegral}[b/\operatorname{Sqrt}[c + d*x]]*\operatorname{Sin}[a])/f + (\operatorname{CosIntegral}[(b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f] + b/\operatorname{Sqrt}[c + d*x]]*\operatorname{Sin}[a - (b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f]])/f + (\operatorname{CosIntegral}[(b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f] - b/\operatorname{Sqrt}[c + d*x]]*\operatorname{Sin}[a + (b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f]])/f - (2*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/\operatorname{Sqrt}[c + d*x]])/f - (\operatorname{Cos}[a + (b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f]]*\operatorname{SinIntegral}[(b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f] - b/\operatorname{Sqrt}[c + d*x]])/f + (\operatorname{Cos}[a - (b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f]]*\operatorname{SinIntegral}[(b*\operatorname{Sqrt}[f])/ \operatorname{Sqrt}[-(d*e) + c*f] + b/\operatorname{Sqrt}[c + d*x]])/f$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) -$

$c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3345

$\text{Int}[(x_)^{(m_.)}*((a_) + (b_.)*(x_)^{(n_.)})^{(p_.)}*\text{Sin}[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[\text{Sin}[c + d*x], x^{m*(a + b*x^n)^p}, x], x] /; \text{FreeQ}\{a, b, c, d, m\}, x] \&\& \text{ILtQ}[p, 0] \&\& \text{IGtQ}[n, 0] \&\& (\text{EqQ}[n, 2] \parallel \text{EqQ}[p, -1]) \&\& \text{IntegerQ}[m]$

Rule 3431

$\text{Int}(((g_.) + (h_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/(n*f), \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x])^p, x^{(1/n - 1)}*(g - (e*h)/f + (h*x^{(1/n)})/f)^m, x], x, (e + f*x)^n], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h, m\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[1/n]$

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e+fx} dx &= -\frac{2 \operatorname{Subst}\left(\int \left(\frac{d \sin(a+bx)}{fx} + \frac{d(-de+cf)x \sin(a+bx)}{f(f+(de-cf)x^2)}\right) dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\
&= -\frac{2 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{f} + \frac{(2(de-cf)) \operatorname{Subst}\left(\int \frac{x \sin(a+bx)}{f+(de-cf)x^2} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{f} \\
&= \frac{(2(de-cf)) \operatorname{Subst}\left(\int \left(-\frac{\sqrt{-de+cf} \sin(a+bx)}{2(de-cf)(\sqrt{f}-\sqrt{-de+cf}x)} + \frac{\sqrt{-de+cf} \sin(a+bx)}{2(de-cf)(\sqrt{f}+\sqrt{-de+cf}x)}\right) dx, x, \frac{1}{\sqrt{c+dx}}\right)}{f} \\
&= -\frac{2\operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) \sin(a)}{f} - \frac{2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right)}{f} - \frac{\sqrt{-de+cf} \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\sqrt{f}-\sqrt{-de+cf}x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{f} \\
&= -\frac{2\operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) \sin(a)}{f} - \frac{2 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt{c+dx}}\right)}{f} + \frac{\left(\sqrt{-de+cf} \cos\left(a - \frac{b\sqrt{f}}{\sqrt{-de+cf}}\right)\right) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\sqrt{f}+\sqrt{-de+cf}x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{f} \\
&= -\frac{2\operatorname{Ci}\left(\frac{b}{\sqrt{c+dx}}\right) \sin(a)}{f} + \frac{\operatorname{Ci}\left(\frac{b\sqrt{f}}{\sqrt{-de+cf}} + \frac{b}{\sqrt{c+dx}}\right) \sin\left(a - \frac{b\sqrt{f}}{\sqrt{-de+cf}}\right)}{f} + \frac{\operatorname{Ci}\left(\frac{b\sqrt{f}}{\sqrt{-de+cf}} - \frac{b}{\sqrt{c+dx}}\right)}{f}
\end{aligned}$$

Mathematica [F] time = 15.69, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/Sqrt[c + d*x]]/(e + f*x), x]

[Out] Integrate[Sin[a + b/Sqrt[c + d*x]]/(e + f*x), x]

fricas [C] time = 0.80, size = 320, normalized size = 1.16

$$\frac{2i \operatorname{Ei}\left(\frac{ib}{\sqrt{dx+c}}\right) e^{ia} - 2i \operatorname{Ei}\left(-\frac{ib}{\sqrt{dx+c}}\right) e^{-ia} - i \operatorname{Ei}\left(-\frac{2\sqrt{\frac{b^2f}{de-cf}}(dx+c) - 2i\sqrt{dx+c}b}{2(dx+c)}\right) e^{ia + \sqrt{\frac{b^2f}{de-cf}}} - i \operatorname{Ei}\left(\frac{2\sqrt{\frac{b^2f}{de-cf}}(dx+c) + 2i\sqrt{dx+c}b}{2(dx+c)}\right) e^{-ia - \sqrt{\frac{b^2f}{de-cf}}}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e),x, algorithm="fricas")

[Out] $\frac{1}{2} * (2 * I * Ei(I * b / \sqrt{d * x + c}) * e^{I * a} - 2 * I * Ei(-I * b / \sqrt{d * x + c}) * e^{-I * a}) - I * Ei(-1/2 * (2 * \sqrt{b^2 * f / (d * e - c * f)}) * (d * x + c) - 2 * I * \sqrt{d * x + c} * b) / (d * x + c) * e^{I * a + \sqrt{b^2 * f / (d * e - c * f)}} - I * Ei(1/2 * (2 * \sqrt{b^2 * f / (d * e - c * f)}) * (d * x + c) + 2 * I * \sqrt{d * x + c} * b) / (d * x + c) * e^{I * a - \sqrt{b^2 * f / (d * e - c * f)}} + I * Ei(-1/2 * (2 * \sqrt{b^2 * f / (d * e - c * f)}) * (d * x + c) + 2 * I * \sqrt{d * x + c} * b) / (d * x + c) * e^{-I * a + \sqrt{b^2 * f / (d * e - c * f)}} + I * Ei(1/2 * (2 * \sqrt{b^2 * f / (d * e - c * f)}) * (d * x + c) - 2 * I * \sqrt{d * x + c} * b) / (d * x + c) * e^{-I * a - \sqrt{b^2 * f / (d * e - c * f)}}) / f$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/sqrt(d*x + c))/(f*x + e), x)

maple [A] time = 0.06, size = 438, normalized size = 1.59

$$-2b^2 \left(\frac{\text{Si}\left(\frac{b}{\sqrt{dx+c}}\right) \cos(a) + \text{Ci}\left(\frac{b}{\sqrt{dx+c}}\right) \sin(a)}{b^2 f} - \frac{\text{Si}\left(\frac{b}{\sqrt{dx+c}} + a - \frac{acf-ade+\sqrt{b^2c f^2-b^2def}}{cf-de}\right) \cos\left(\frac{acf-ade+\sqrt{b^2c f^2-b^2def}}{cf-de}\right)}{cf-de} \right) 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/2))/(f*x+e),x)

[Out] $-2 * b^2 * (1/b^2/f * (\text{Si}(b/(d*x+c)^{(1/2)}) * \cos(a) + \text{Ci}(b/(d*x+c)^{(1/2)}) * \sin(a)) - 1/2/b^2/f * (\text{Si}(b/(d*x+c)^{(1/2)} + a - (a*c*f - a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) * \cos((a*c*f - a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) + \text{Ci}(b/(d*x+c)^{(1/2)} + a - (a*c*f - a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) * \sin((a*c*f - a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e))) - 1/2/b^2/f * (\text{Si}(b/(d*x+c)^{(1/2)} + a + (-a*c*f + a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) * \cos((-a*c*f + a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) - \text{Ci}(b/(d*x+c)^{(1/2)} + a + (-a*c*f + a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)) * \sin((-a*c*f + a*d*e + (b^2*c*f^2 - b^2*d*e*f)^{(1/2)}) / (c*f - d*e)))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(a + b/sqrt(d*x + c))/(f*x + e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/2))/(e + f*x),x)

[Out] int(sin(a + b/(c + d*x)^(1/2))/(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(1/2))/(f*x+e),x)

[Out] Integral(sin(a + b/sqrt(c + d*x))/(e + f*x), x)

$$3.201 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=350

$$\frac{bd \cos\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Ci}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} + \frac{bd \cos\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Ci}\left(\frac{\sqrt{f}b}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} - \frac{bd \sin\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Si}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} + \frac{bd \sin\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Si}\left(\frac{\sqrt{f}b}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}}$$

[Out] $(d*x+c)*\sin(a+b/(d*x+c)^{(1/2)})/(-c*f+d*e)/(f*x+e)+1/2*b*d*Ci(b*f^{(1/2)}/(c*f-d*e)^{(1/2)}+b/(d*x+c)^{(1/2)})*\cos(a-b*f^{(1/2)}/(c*f-d*e)^{(1/2)})/(c*f-d*e)^{(3/2)}/f^{(1/2)}-1/2*b*d*Ci(b*f^{(1/2)}/(c*f-d*e)^{(1/2)}-b/(d*x+c)^{(1/2)})*\cos(a+b*f^{(1/2)}/(c*f-d*e)^{(1/2)})/(c*f-d*e)^{(3/2)}/f^{(1/2)}-1/2*b*d*Si(b*f^{(1/2)}/(c*f-d*e)^{(1/2)}+b/(d*x+c)^{(1/2)})*\sin(a-b*f^{(1/2)}/(c*f-d*e)^{(1/2)})/(c*f-d*e)^{(3/2)}/f^{(1/2)}-1/2*b*d*Si(b*f^{(1/2)}/(c*f-d*e)^{(1/2)}-b/(d*x+c)^{(1/2)})*\sin(a+b*f^{(1/2)}/(c*f-d*e)^{(1/2)})/(c*f-d*e)^{(3/2)}/f^{(1/2)}$

Rubi [A] time = 0.93, antiderivative size = 350, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3431, 3341, 3334, 3303, 3299, 3302}

$$\frac{bd \cos\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{CosIntegral}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} + \frac{bd \cos\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{CosIntegral}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} - \frac{bd \sin\left(a + \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Si}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} - \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}} + \frac{bd \sin\left(a - \frac{b\sqrt{f}}{\sqrt{cf-de}}\right) \text{Si}\left(\frac{b\sqrt{f}}{\sqrt{cf-de}} + \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(cf-de)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/Sqrt[c + d*x]]/(e + f*x)^2,x]

[Out] $-(b*d*\text{Cos}[a + (b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f]]*\text{CosIntegral}[(b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f] - b/\text{Sqrt}[c + d*x]])/(2*\text{Sqrt}[f]*(-(d*e) + c*f)^{(3/2)}) + (b*d*\text{Cos}[a - (b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f]]*\text{CosIntegral}[(b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f] + b/\text{Sqrt}[c + d*x]])/(2*\text{Sqrt}[f]*(-(d*e) + c*f)^{(3/2)}) + ((c + d*x)*\text{Sin}[a + b/\text{Sqrt}[c + d*x]])/((d*e - c*f)*(e + f*x)) - (b*d*\text{Sin}[a + (b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f]]*\text{SinIntegral}[(b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f] - b/\text{Sqrt}[c + d*x]])/(2*\text{Sqrt}[f]*(-(d*e) + c*f)^{(3/2)}) - (b*d*\text{Sin}[a - (b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f]]*\text{SinIntegral}[(b*\text{Sqrt}[f])/ \text{Sqrt}[-(d*e) + c*f] + b/\text{Sqrt}[c + d*x]])/(2*\text{Sqrt}[f]*(-(d*e) + c*f)^{(3/2)})$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(e+fx)^2} dx &= -\frac{2 \operatorname{Subst}\left(\int \frac{x \sin(ax+b)}{\left(\frac{f}{d} + \left(e - \frac{cf}{d}\right)x^2\right)^2} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{d} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\frac{f}{d} + \left(e - \frac{cf}{d}\right)x^2} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{de-cf} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{b \operatorname{Subst}\left(\int \left(\frac{d \cos(ax+b)}{2\sqrt{f}(\sqrt{f}-\sqrt{-de+cf}x)} + \frac{d \cos(ax+b)}{2\sqrt{f}(\sqrt{f}+\sqrt{-de+cf}x)}\right) dx, x, \frac{1}{\sqrt{c+dx}}\right)}{de-cf} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{(bd) \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\sqrt{f}-\sqrt{-de+cf}x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{2\sqrt{f}(de-cf)} - \frac{(bd) \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\sqrt{f}+\sqrt{-de+cf}x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{2\sqrt{f}(de-cf)} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{\left(bd \cos\left(a - \frac{b\sqrt{f}}{\sqrt{-de+cf}}\right)\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{b\sqrt{f}}{\sqrt{-de+cf}} + bx\right)}{\sqrt{f} + \sqrt{-de+cf}x} dx, x, \frac{1}{\sqrt{c+dx}}\right)}{2\sqrt{f}(de-cf)} \\
&= -\frac{bd \cos\left(a + \frac{b\sqrt{f}}{\sqrt{-de+cf}}\right) \operatorname{Ci}\left(\frac{b\sqrt{f}}{\sqrt{-de+cf}} - \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(-de+cf)^{3/2}} + \frac{bd \cos\left(a - \frac{b\sqrt{f}}{\sqrt{-de+cf}}\right) \operatorname{Ci}\left(\frac{b\sqrt{f}}{\sqrt{-de+cf}} + \frac{b}{\sqrt{c+dx}}\right)}{2\sqrt{f}(-de+cf)^{3/2}}
\end{aligned}$$

Mathematica [F] time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/Sqrt[c + d*x]]/(e + f*x)^2,x]

[Out] \$Aborted

fricas [C] time = 0.75, size = 454, normalized size = 1.30

$$\frac{(idf x + ide) \sqrt{\frac{b^2 f}{de-cf}} \operatorname{Ei}\left(-\frac{2 \sqrt{\frac{b^2 f}{de-cf}} (dx+c) - 2i \sqrt{dx+c} b}{2(dx+c)}\right) e^{i a + \sqrt{\frac{b^2 f}{de-cf}}} + (-idf x - ide) \sqrt{\frac{b^2 f}{de-cf}} \operatorname{Ei}\left(\frac{2 \sqrt{\frac{b^2 f}{de-cf}} (dx+c) + 2i \sqrt{dx+c} b}{2(dx+c)}\right)}{2(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="fricas")

[Out]
$$-1/4*((I*d*f*x + I*d*e)*\sqrt{b^2*f/(d*e - c*f)}*Ei(-1/2*(2*\sqrt{b^2*f/(d*e - c*f)}*(d*x + c) - 2*I*\sqrt{d*x + c}*b)/(d*x + c))*e^{(I*a + \sqrt{b^2*f/(d*e - c*f)})} + (-I*d*f*x - I*d*e)*\sqrt{b^2*f/(d*e - c*f)}*Ei(1/2*(2*\sqrt{b^2*f/(d*e - c*f)}*(d*x + c) + 2*I*\sqrt{d*x + c}*b)/(d*x + c))*e^{(I*a - \sqrt{b^2*f/(d*e - c*f)})} + (-I*d*f*x - I*d*e)*\sqrt{b^2*f/(d*e - c*f)}*Ei(-1/2*(2*\sqrt{b^2*f/(d*e - c*f)}*(d*x + c) + 2*I*\sqrt{d*x + c}*b)/(d*x + c))*e^{(-I*a + \sqrt{b^2*f/(d*e - c*f)})} + (I*d*f*x + I*d*e)*\sqrt{b^2*f/(d*e - c*f)}*Ei(1/2*(2*\sqrt{b^2*f/(d*e - c*f)}*(d*x + c) - 2*I*\sqrt{d*x + c}*b)/(d*x + c))*e^{(-I*a - \sqrt{b^2*f/(d*e - c*f)})} - 4*(d*f*x + c*f)*\sin((a*d*x + a*c + \sqrt{d*x + c}*b)/(d*x + c)))/(d*e^2*f - c*e*f^2 + (d*e*f^2 - c*f^3)*x)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin(a + b/sqrt(d*x + c))/(f*x + e)^2, x)

maple [B] time = 0.09, size = 2724, normalized size = 7.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/2))/(f*x+e)^2,x)

[Out]
$$-2*d*b^2*(\sin(a+b/(d*x+c)^{1/2}))*(-1/2*a/b^2/f*(a+b/(d*x+c)^{1/2}))+1/2*(a^2*c*f-a^2*d*e-b^2*f)/b^2/f/(c*f-d*e)/(c*f*(a+b/(d*x+c)^{1/2})^2-d*e*(a+b/(d*x+c)^{1/2})^2-2*(a+b/(d*x+c)^{1/2})*a*c*f+2*(a+b/(d*x+c)^{1/2})*a*d*e+a^2*c*f-a^2*d*e-b^2*f)-1/4*a/b^2/f/((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)*c*f-e*(a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)*d-a*c*f+a*d*e)*(Si(b/(d*x+c)^{1/2}+a-(a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))*\cos((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))+Ci(b/(d*x+c)^{1/2}+a-(a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))*\sin((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)))-1/4*a/b^2/f/((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)*c*f+e*(-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)*d-a*c*f+a*d*e)*(Si(b/(d*x+c)^{1/2}+a+(-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))*\cos((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))-Ci(b/(d*x+c)^{1/2}+a+(-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e)))-Ci(b/(d*x+c)^{1/2}+a+(-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{1/2})/(c*f-d*e))$$

$f)^{(1/2)} / (c*f-d*e)) * \sin((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + 1/4 * ((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * a*c*f - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * a*d*e - a^2*c*f+a^2*d*e+b^2*f) / b^2 / f / (c*f-d*e) / ((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * c*f - e * (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * d - a*c*f+a*d*e) * (-\text{Si}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + \text{Ci}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + 1/4 * (- (a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * a*c*f + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * a*d*e - a^2*c*f+a^2*d*e+b^2*f) / b^2 / f / (c*f-d*e) / (- (a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * c*f + e * (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * d - a*c*f+a*d*e) * (\text{Si}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + \text{Ci}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) - a * (\sin(a+b/(d*x+c))^{(1/2)}) * (-1/2/b^2/f * (a+b/(d*x+c))^{(1/2)} + 1/2*a/b^2/f) / (c*f * (a+b/(d*x+c))^{(1/2)})^2 - d*e * (a+b/(d*x+c))^{(1/2)} - 2 * (a+b/(d*x+c))^{(1/2)} * a*c*f + 2 * (a+b/(d*x+c))^{(1/2)} * a*d*e + a^2*c*f - a^2*d*e - b^2*f) - 1/4/b^2/f / ((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * c*f - e * (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * d - a*c*f+a*d*e) * (\text{Si}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + \text{Ci}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) - 1/4/b^2/f / (- (a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * c*f + e * (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e) * d - a*c*f+a*d*e) * (\text{Si}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) - \text{Ci}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + 1/4/b^2/f / (c*f-d*e) * (-\text{Si}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + \text{Ci}(b/(d*x+c))^{(1/2)} + a - (a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((a*c*f-a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + 1/4/b^2/f / (c*f-d*e) * (\text{Si}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \sin((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) + \text{Ci}(b/(d*x+c))^{(1/2)} + a + (-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e)) * \cos((-a*c*f+a*d*e+(b^2*c*f^2-b^2*d*e*f)^{(1/2)}) / (c*f-d*e))))$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{dx+c}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/2))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(a + b/sqrt(d*x + c))/(f*x + e)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/2))/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(1/2))/(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt{c+dx}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(1/2))/(f*x+e)**2,x)

[Out] Integral(sin(a + b/sqrt(c + d*x))/(e + f*x)**2, x)

$$3.202 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$$

Optimal. Leaf size=390

$$\frac{b^2 f^2 \sin(a) \operatorname{Ci}\left(\frac{b}{(c+dx)^{3/2}}\right)}{3d^3} + \frac{b^2 f^2 \cos(a) \operatorname{Si}\left(\frac{b}{(c+dx)^{3/2}}\right)}{3d^3} - \frac{2ie^{ia} f(c+dx)^2 \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (de - cf) \Gamma\left(-\frac{4}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d^3} + \frac{2ie^{-ia} f(c+dx)^2 \left(\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (de - cf) \Gamma\left(-\frac{4}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d^3}$$

[Out] $\frac{1}{3} b f^2 (d x+c)^{3/2} \cos\left(a+b/(d x+c)^{3/2}\right) / d^3 - \frac{2}{3} I \exp(I a) f(-c f+d e) (-I b/(d x+c)^{3/2})^{4/3} (d x+c)^2 \operatorname{Gamma}\left(-\frac{4}{3}, -I b/(d x+c)^{3/2}\right) / d^3 + \frac{2}{3} I f(-c f+d e) (I b/(d x+c)^{3/2})^{4/3} (d x+c)^2 \operatorname{Gamma}\left(-\frac{4}{3}, I b/(d x+c)^{3/2}\right) / d^3 - \frac{2 i e^{i a} f(c+d x)^2 \left(-\frac{i b}{(c+d x)^{3/2}}\right)^{4/3} (d e-c f) \Gamma\left(-\frac{4}{3}, -\frac{i b}{(c+d x)^{3/2}}\right)}{3 d^3} + \frac{2 i e^{-i a} f(c+d x)^2 \left(\frac{i b}{(c+d x)^{3/2}}\right)^{4/3} (d e-c f) \Gamma\left(-\frac{4}{3}, \frac{i b}{(c+d x)^{3/2}}\right)}{3 d^3}$

Rubi [A] time = 0.43, antiderivative size = 390, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3433, 3423, 2218, 3379, 3297, 3303, 3299, 3302}

$$\frac{2ie^{ia} f(c+dx)^2 \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (de - cf) \operatorname{Gamma}\left(-\frac{4}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d^3} + \frac{2ie^{-ia} f(c+dx)^2 \left(\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (de - cf) \operatorname{Gamma}\left(-\frac{4}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^2 * \operatorname{Sin}[a + b/(c + d*x)^{3/2}], x]$

[Out] $(b f^2 (c + d x)^{3/2} \operatorname{Cos}[a + b/(c + d x)^{3/2}]) / (3 d^3) - ((2 I) / 3) E^{(I a)} f (d e - c f) (((-I) b) / (c + d x)^{3/2})^{4/3} (c + d x)^2 \operatorname{Gamma}[-4/3, ((-I) b) / (c + d x)^{3/2}] / d^3 + ((2 I) / 3) f (d e - c f) ((I b) / (c + d x)^{3/2})^{4/3} (c + d x)^2 \operatorname{Gamma}[-4/3, (I b) / (c + d x)^{3/2}] / (d^3 E^{(I a)}) - ((I / 3) E^{(I a)} (d e - c f)^2 (((-I) b) / (c + d x)^{3/2})^{2/3} (c + d x) \operatorname{Gamma}[-2/3, ((-I) b) / (c + d x)^{3/2}] / d^3 + ((I / 3) (d e - c f)^2 ((I b) / (c + d x)^{3/2})^{2/3} (c + d x) \operatorname{Gamma}[-2/3, (I b) / (c + d x)^{3/2}] / (d^3 E^{(I a)})) + (b^2 f^2 \operatorname{CosIntegral}[b/(c + d*x)^{3/2}] * \operatorname{Sin}[a]) / (3*d^3) + (f^2 (c + d*x)^3 * \operatorname{Sin}[a + b/(c + d*x)^{3/2}]) / (3*d^3) + (b^2 f^2 \operatorname{Cos}[a] * \operatorname{SinIntegral}[b/(c + d*x)^{3/2}]) / (3*d^3)$

Rule 2218

$\operatorname{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_))^{(n_.)})} * ((e_.) + (f_.) * (x_))^{(m_.)}, x_Symbol] :> -\operatorname{Simp}[(F^a * (e + f*x)^{(m+1)} * \operatorname{Gamma}[(m+1)/n, -(b*(c + d*x))^n * \operatorname{Log}[F]]) / (f^n * (-(b*(c + d*x))^n * \operatorname{Log}[F]))^{((m+1)/n)}, x] /; \operatorname{FreeQ}\{F,$

a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3423

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-c*I - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3433

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Module[{k = If[FractionQ[n], Denominat

```
or[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^
(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x]
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin\left(a + \frac{b}{(c + dx)^{3/2}}\right) dx &= \frac{2 \operatorname{Subst}\left(\int \left((de - cf)^2 x \sin\left(a + \frac{b}{x^3}\right) - 2f(-de + cf)x^3 \sin\left(a + \frac{b}{x^3}\right) + f^2\right. \right. \\
&= \frac{(2f^2) \operatorname{Subst}\left(\int x^5 \sin\left(a + \frac{b}{x^3}\right) dx, x, \sqrt{c + dx}\right)}{d^3} + \frac{(4f(de - cf)) \operatorname{Subst}\left(\int \right. \\
&= -\frac{(2f^2) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{(c+dx)^{3/2}}\right)}{3d^3} + \frac{(2if(de - cf)) \operatorname{Subst}\left(\int e^{-ia-} \right. \\
&= -\frac{2ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (c + dx)^2 \Gamma\left(-\frac{4}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d^3} + \frac{2ie^{-ia} f(de -} \\
&= \frac{bf^2(c + dx)^{3/2} \cos\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{3d^3} - \frac{2ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (c + dx)}{3d^3} \\
&= \frac{bf^2(c + dx)^{3/2} \cos\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{3d^3} - \frac{2ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (c + dx)}{3d^3} \\
&= \frac{bf^2(c + dx)^{3/2} \cos\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{3d^3} - \frac{2ie^{ia} f(de - cf) \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{4/3} (c + dx)}{3d^3}
\end{aligned}$$

Mathematica [A] time = 2.28, size = 463, normalized size = 1.19

$$i \left((\cos(a) - i \sin(a)) \left(4f(c + dx)^2 \left(\frac{ib}{(c+dx)^{3/2}} \right)^{4/3} (de - cf) \Gamma\left(-\frac{4}{3}, \frac{ib}{(c+dx)^{3/2}}\right) + 2(c + dx) \left(\frac{ib}{(c+dx)^{3/2}} \right)^{2/3} (de - cf)^2 \Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b/(c + d*x)^(3/2)],x]

[Out] ((I/6)*((Cos[a] - I*Sin[a])*(4*f*(d*e - c*f)*((I*b)/(c + d*x)^(3/2))^(4/3)*(c + d*x)^2*Gamma[-4/3, (I*b)/(c + d*x)^(3/2)] + 2*(d*e - c*f)^2*((I*b)/(c + d*x)^(3/2))^(2/3)*(c + d*x)*Gamma[-2/3, (I*b)/(c + d*x)^(3/2)] - I*b*f^2*

$(I*b*ExpIntegralEi[(-I)*b/(c + d*x)^(3/2)] + (c + d*x)^(3/2)*(Cos[b/(c + d*x)^(3/2)] - I*Sin[b/(c + d*x)^(3/2)])) + f^2*(c + d*x)^3*(Cos[b/(c + d*x)^(3/2)] - I*Sin[b/(c + d*x)^(3/2)]) - (Cos[a] + I*Sin[a])*(b^2*f^2*ExpIntegralEi[(I*b)/(c + d*x)^(3/2)] + 4*f*(d*e - c*f)*(((I)*b)/(c + d*x)^(3/2))^(4/3)*(c + d*x)^2*Gamma[-4/3, ((I)*b)/(c + d*x)^(3/2)] + 2*(d*e - c*f)^2*((I)*b)/(c + d*x)^(3/2))^(2/3)*(c + d*x)*Gamma[-2/3, ((I)*b)/(c + d*x)^(3/2)] + I*b*f^2*(c + d*x)^(3/2)*(Cos[b/(c + d*x)^(3/2)] + I*Sin[b/(c + d*x)^(3/2)]) + f^2*(c + d*x)^3*(Cos[b/(c + d*x)^(3/2)] + I*Sin[b/(c + d*x)^(3/2)])))/d^3$

fricas [A] time = 0.82, size = 506, normalized size = 1.30

$$-i b^2 f^2 \operatorname{Ei}\left(\frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) e^{(ia)} + i b^2 f^2 \operatorname{Ei}\left(-\frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) e^{(-ia)} + (-3i d^2 e^2 + 6i cde f - 3i c^2 f^2) (ib)^{\frac{2}{3}} e^{(-ia)} \Gamma\left(\frac{1}{3}, \frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(3/2)),x, algorithm="fricas")

[Out] $\frac{1}{6}*(-I*b^2*f^2*Ei(I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2))*e^{(I*a)} + I*b^2*f^2*Ei(-I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2))*e^{(-I*a)} + (-3*I*d^2*e^2 + 6*I*c*d*e*f - 3*I*c^2*f^2)*(I*b)^{(2/3)}*e^{(-I*a)}*\gamma(1/3, I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2)) + (3*I*d^2*e^2 - 6*I*c*d*e*f + 3*I*c^2*f^2)*(-I*b)^{(2/3)}*e^{(I*a)}*\gamma(1/3, -I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2)) - 9*(b*d*e*f - b*c*f^2)*(I*b)^{(1/3)}*e^{(-I*a)}*\gamma(2/3, I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2)) - 9*(b*d*e*f - b*c*f^2)*(-I*b)^{(1/3)}*e^{(I*a)}*\gamma(2/3, -I*\sqrt{d*x + c}*b/(d^2*x^2 + 2*c*d*x + c^2)) + 2*(b*d*f^2*x + 9*b*d*e*f - 8*b*c*f^2)*\sqrt{d*x + c}*\cos((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + \sqrt{d*x + c}*b)/(d^2*x^2 + 2*c*d*x + c^2)) + 2*(d^3*f^2*x^3 + 3*d^3*e*f*x^2 + 3*d^3*e^2*x + 3*c*d^2*e*f + c^3*f^2)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + \sqrt{d*x + c}*b)/(d^2*x^2 + 2*c*d*x + c^2)))/d^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(a + b/(d*x + c)^(3/2)), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((f*x+e)^2*\sin(a+b/(d*x+c)^{(3/2)}),x)$

[Out] $\text{int}((f*x+e)^2*\sin(a+b/(d*x+c)^{(3/2)}),x)$

maxima [B] time = 1.20, size = 1003, normalized size = 2.57

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((f*x+e)^2*\sin(a+b/(d*x+c)^{(3/2)}),x, \text{algorithm}="maxima")$

[Out]
$$\begin{aligned} & 1/12*(3*(4*(d*x + c)^{(3/2)}*(b/(d*x + c)^{(3/2)})^{(1/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + (((\sqrt{3} - I)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b)*e^2/(\sqrt{d*x + c}*(b/(d*x + c)^{(3/2)})^{(1/3)}) - 6*(4*(d*x + c)^{(3/2)}*(b/(d*x + c)^{(3/2)})^{(1/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + (((\sqrt{3} - I)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b)*c*e*f/(\sqrt{d*x + c}*d*(b/(d*x + c)^{(3/2)})^{(1/3)}) + 3*(4*(d*x + c)^{(3/2)}*(b/(d*x + c)^{(3/2)})^{(1/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + (((\sqrt{3} - I)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (\sqrt{3} + I)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + ((-I*\sqrt{3} - 1)*\text{gamma}(1/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} - 1)*\text{gamma}(1/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b)*c^2*f^2/(\sqrt{d*x + c}*d^2*(b/(d*x + c)^{(3/2)})^{(1/3)}) + 2*(2*(d*x + c)^3*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + 2*(d*x + c)^{(3/2)}*b*\cos(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + ((-I*Ei(I*b/(d*x + c)^{(3/2)}) + I*Ei(-I*b/(d*x + c)^{(3/2)}))*\cos(a) + (Ei(I*b/(d*x + c)^{(3/2)}) + Ei(-I*b/(d*x + c)^{(3/2)}))*\sin(a))*b^2)*f^2/d^2 + 3*(4*(d*x + c)^3*(b/(d*x + c)^{(3/2)})^{(2/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + 12*(d*x + c)^{(3/2)}*b*(b/(d*x + c)^{(3/2)})^{(2/3)}*\cos(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) - (((3*\sqrt{3} + 3*I)*\text{gamma}(2/3, I*b/(d*x + c)^{(3/2)}) + (3*\sqrt{3} - 3*I)*\text{gamma}(2/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + 3*((-I*\sqrt{3} + 1)*\text{gamma}(2/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} + 1)*\text{gamma}(2/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b^2)*e*f/(d*x + c)*d*(b/(d*x + c)^{(3/2)})^{(2/3)}) - 3*(4*(d*x + c)^3*(b/(d*x + c)^{(3/2)})^{(2/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + 12*(d*x + c)^{(3/2)}*b*(b/(d*x + c)^{(3/2)})^{(2/3)}*\cos(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) - (((3*\sqrt{3} + 3*I)*\text{gamma}(2/3, I*b/(d*x + c)^{(3/2)}) + (3*\sqrt{3} - 3*I)*\text{gamma}(2/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + 3*((-I*\sqrt{3} + 1)*\text{gamma}(2/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} + 1)*\text{gamma}(2/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b^2)*c*f^2/((d*x + c)*d^2*(b/(d*x + c)^{(3/2)})^{(2/3)})/d \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{3/2}}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(3/2))*(e + f*x)^2,x)`

[Out] `int(sin(a + b/(c + d*x)^(3/2))*(e + f*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + \frac{b}{c\sqrt{c + dx} + dx\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)**2*sin(a+b/(d*x+c)**(3/2)),x)`

[Out] `Integral((e + f*x)**2*sin(a + b/(c*sqrt(c + d*x) + d*x*sqrt(c + d*x))), x)`

3.203 $\int (e + fx) \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$

Optimal. Leaf size=251

$$\frac{ie^{ia}(c+dx)\left(-\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}(de-cf)\Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d^2} + \frac{ie^{-ia}(c+dx)\left(\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}(de-cf)\Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d^2} - ie^{ia}f$$

[Out] $-1/3*I*\exp(I*a)*f*(-I*b/(d*x+c)^{(3/2)})^{(4/3)}*(d*x+c)^2*\text{GAMMA}(-4/3, -I*b/(d*x+c)^{(3/2)})/d^2+1/3*I*f*(I*b/(d*x+c)^{(3/2)})^{(4/3)}*(d*x+c)^2*\text{GAMMA}(-4/3, I*b/(d*x+c)^{(3/2)})/d^2/\exp(I*a)-1/3*I*\exp(I*a)*(-c*f+d*e)*(-I*b/(d*x+c)^{(3/2)})^{(2/3)}*(d*x+c)*\text{GAMMA}(-2/3, -I*b/(d*x+c)^{(3/2)})/d^2+1/3*I*(-c*f+d*e)*(I*b/(d*x+c)^{(3/2)})^{(2/3)}*(d*x+c)*\text{GAMMA}(-2/3, I*b/(d*x+c)^{(3/2)})/d^2/\exp(I*a)$

Rubi [A] time = 0.23, antiderivative size = 251, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {3433, 3423, 2218}

$$\frac{ie^{ia}(c+dx)\left(-\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}(de-cf)\text{Gamma}\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d^2} + \frac{ie^{-ia}(c+dx)\left(\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}(de-cf)\text{Gamma}\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)*\text{Sin}[a + b/(c + d*x)^{(3/2)}], x]$

[Out] $((-I/3)*E^{I*a}*f*((-I)*b)/(c + d*x)^{(3/2)})^{(4/3)}*(c + d*x)^2*\text{Gamma}[-4/3, ((-I)*b)/(c + d*x)^{(3/2)}]/d^2 + ((I/3)*f*((I*b)/(c + d*x)^{(3/2)})^{(4/3)}*(c + d*x)^2*\text{Gamma}[-4/3, (I*b)/(c + d*x)^{(3/2)}]/(d^2*E^{I*a}) - ((I/3)*E^{I*a}*(d*e - c*f)*(((-I)*b)/(c + d*x)^{(3/2)})^{(2/3)}*(c + d*x)*\text{Gamma}[-2/3, ((-I)*b)/(c + d*x)^{(3/2)}]/d^2 + ((I/3)*(d*e - c*f)*((I*b)/(c + d*x)^{(3/2)})^{(2/3)}*(c + d*x)*\text{Gamma}[-2/3, (I*b)/(c + d*x)^{(3/2)}]/(d^2*E^{I*a}))$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_)})}*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] :> -\text{Simp}[(F^a*(e + f*x)^{(m + 1)}*\text{Gamma}[(m + 1)/n, -(b*(c + d*x))^{(n)*\text{Log}[F]}])]/(f*n*(-(b*(c + d*x))^{(n)*\text{Log}[F]}))^{((m + 1)/n)}, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3423

$\text{Int}[(e_.)*(x_))^{(m_.)}*\text{Sin}[(c_.) + (d_.)*(x_)^{(n_)}], x_Symbol] :> \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{-(c*I - d*I*x^n)}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{(c*I + d*I*x^n)}, x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (e + fx) \sin\left(a + \frac{b}{(c + dx)^{3/2}}\right) dx &= \frac{2 \operatorname{Subst}\left(\int \left((de - cf)x \sin\left(a + \frac{b}{x^3}\right) + fx^3 \sin\left(a + \frac{b}{x^3}\right)\right) dx, x, \sqrt{c + dx}\right)}{d^2} \\ &= \frac{(2f) \operatorname{Subst}\left(\int x^3 \sin\left(a + \frac{b}{x^3}\right) dx, x, \sqrt{c + dx}\right)}{d^2} + \frac{(2(de - cf)) \operatorname{Subst}\left(\int x \sin\left(a + \frac{b}{x^3}\right) dx, x, \sqrt{c + dx}\right)}{d^2} \\ &= \frac{(if) \operatorname{Subst}\left(\int e^{-ia - \frac{ib}{x^3}} x^3 dx, x, \sqrt{c + dx}\right)}{d^2} - \frac{(if) \operatorname{Subst}\left(\int e^{ia + \frac{ib}{x^3}} x^3 dx, x, \sqrt{c + dx}\right)}{d^2} \\ &= -\frac{ie^{ia} f \left(-\frac{ib}{(c + dx)^{3/2}}\right)^{4/3} (c + dx)^2 \Gamma\left(-\frac{4}{3}, -\frac{ib}{(c + dx)^{3/2}}\right)}{3d^2} + \frac{ie^{-ia} f \left(\frac{ib}{(c + dx)^{3/2}}\right)^{4/3} (c + dx)^2 \Gamma\left(\frac{4}{3}, \frac{ib}{(c + dx)^{3/2}}\right)}{3d^2} \end{aligned}$$

Mathematica [B] time = 2.77, size = 835, normalized size = 3.33

$$\frac{9if \cos(a) \left(\frac{2\Gamma\left(\frac{2}{3}, -\frac{ib}{(c + dx)^{3/2}}\right)}{3\left(-\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} - \frac{2\Gamma\left(\frac{2}{3}, \frac{ib}{(c + dx)^{3/2}}\right)}{3\left(\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} \right) b^2}{8d^2} - \frac{9f \left(\frac{2\Gamma\left(\frac{2}{3}, -\frac{ib}{(c + dx)^{3/2}}\right)}{3\left(-\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} + \frac{2\Gamma\left(\frac{2}{3}, \frac{ib}{(c + dx)^{3/2}}\right)}{3\left(\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} \right) \sin(a) b^2}{8d^2} + \frac{3e \cos(a) \left(\frac{2\Gamma\left(\frac{2}{3}, -\frac{ib}{(c + dx)^{3/2}}\right)}{3\left(-\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} - \frac{2\Gamma\left(\frac{2}{3}, \frac{ib}{(c + dx)^{3/2}}\right)}{3\left(\frac{ib}{(c + dx)^{3/2}}\right)^{2/3} (c + dx)} \right) b^2}{8d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(e + f*x)*Sin[a + b/(c + d*x)^(3/2)], x]
```

```
[Out] (3*b*e*Cos[a]*((2*Gamma[1/3, ((-I)*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(1/3)*Sqrt[c + d*x]) + (2*Gamma[1/3, (I*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(1/3)*Sqrt[c + d*x]))/(4*d) - (3*b*c*f*Cos[a]*((2*Gamma[1/3, ((-I)*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(1/3)*Sqrt[c + d*x]) + (2*Gamma[1/3, (I*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(1/3)*Sqrt[c + d*x]))/(4*d^2) + (((9*I)/8)*b^2*f*Cos[a]*((2*Gamma[2/3, ((-I)*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(2/3)*(c + d*x)) - (2*Gamma[2/3, (I*b)/(c + d*x)^(3/2)])/(3*(((I)*b)/(c + d*x)^(3/2))^(2/3)*
```

$(c + dx))) / d^2 + (e(c + dx) \cos[b/(c + dx)^{3/2}] \sin[a]) / d + (((3I)/4) * b * e * ((2 \Gamma[1/3, (-I)b/(c + dx)^{3/2}]) / (3 * ((-I)b/(c + dx)^{3/2}))^{1/3} \sqrt{c + dx}) - (2 \Gamma[1/3, I*b/(c + dx)^{3/2}]) / (3 * ((I*b)/(c + dx)^{3/2}))^{1/3} \sqrt{c + dx})) * \sin[a]) / d - (((3I)/4) * b * c * f * ((2 \Gamma[1/3, (-I)b/(c + dx)^{3/2}]) / (3 * ((-I)b/(c + dx)^{3/2}))^{1/3} \sqrt{c + dx}) - (2 \Gamma[1/3, I*b/(c + dx)^{3/2}]) / (3 * ((I*b)/(c + dx)^{3/2}))^{1/3} \sqrt{c + dx})) * \sin[a]) / d^2 - (9 * b^2 * f * ((2 \Gamma[2/3, (-I)b/(c + dx)^{3/2}]) / (3 * ((-I)b/(c + dx)^{3/2}))^{2/3} * (c + dx)) + (2 \Gamma[2/3, I*b/(c + dx)^{3/2}]) / (3 * ((I*b)/(c + dx)^{3/2}))^{2/3} * (c + dx))) * \sin[a]) / (8 * d^2) + (f * \sqrt{c + dx} * \cos[b/(c + dx)^{3/2}] * (3 * b * \cos[a] - 2 * c * \sqrt{c + dx} * \sin[a] + (c + dx)^{3/2} * \sin[a])) / (2 * d^2) + (e(c + dx) \cos[a] * \sin[b/(c + dx)^{3/2}]) / d + (f * \sqrt{c + dx} * (-2 * c * \sqrt{c + dx} * \cos[a] + (c + dx)^{3/2} * \cos[a] - 3 * b * \sin[a]) * \sin[b/(c + dx)^{3/2}]) / (2 * d^2)$

fricas [A] time = 0.72, size = 330, normalized size = 1.31

$$3 (ib)^{\frac{1}{3}} b f e^{(-ia)} \Gamma\left(\frac{2}{3}, \frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) + 3 (-ib)^{\frac{1}{3}} b f e^{(ia)} \Gamma\left(\frac{2}{3}, -\frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) - (-2ide + 2icf) (ib)^{\frac{2}{3}} e^{(-ia)} \Gamma\left(\frac{1}{3}, \frac{i}{d^2 x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(3/2)),x, algorithm="fricas")

[Out] $-1/4 * (3 * (I * b)^{1/3} * b * f * e^{-I * a} * \text{gamma}(2/3, I * \text{sqrt}(d * x + c) * b / (d^2 * x^2 + 2 * c * d * x + c^2)) + 3 * (-I * b)^{1/3} * b * f * e^{I * a} * \text{gamma}(2/3, -I * \text{sqrt}(d * x + c) * b / (d^2 * x^2 + 2 * c * d * x + c^2)) - (-2 * I * d * e + 2 * I * c * f) * (I * b)^{2/3} * e^{-I * a} * \text{gamma}(1/3, I * \text{sqrt}(d * x + c) * b / (d^2 * x^2 + 2 * c * d * x + c^2)) - (2 * I * d * e - 2 * I * c * f) * (-I * b)^{2/3} * e^{I * a} * \text{gamma}(1/3, -I * \text{sqrt}(d * x + c) * b / (d^2 * x^2 + 2 * c * d * x + c^2)) - 6 * \text{sqrt}(d * x + c) * b * f * \cos((a * d^2 * x^2 + 2 * a * c * d * x + a * c^2 + \text{sqrt}(d * x + c) * b) / (d^2 * x^2 + 2 * c * d * x + c^2)) - 2 * (d^2 * f * x^2 + 2 * d^2 * e * x + 2 * c * d * e - c^2 * f) * \sin((a * d^2 * x^2 + 2 * a * c * d * x + a * c^2 + \text{sqrt}(d * x + c) * b) / (d^2 * x^2 + 2 * c * d * x + c^2))) / d^2$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + \frac{b}{(dx + c)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate((f*x + e)*sin(a + b/(d*x + c)^(3/2)), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (fx + e) \sin \left(a + \frac{b}{(dx + c)^{\frac{3}{2}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*sin(a+b/(d*x+c)^(3/2)),x)

[Out] int((f*x+e)*sin(a+b/(d*x+c)^(3/2)),x)

maxima [B] time = 2.00, size = 508, normalized size = 2.02

$$\frac{2 \left(4(dx+c)^{\frac{3}{2}} \left(\frac{b}{(dx+c)^{\frac{3}{2}}} \right)^{\frac{1}{3}} \sin \left(\frac{(dx+c)^{\frac{3}{2}} a + b}{(dx+c)^{\frac{3}{2}}} \right) + \left((\sqrt{3}-i) \Gamma \left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}} \right) + (\sqrt{3}+i) \Gamma \left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}} \right) \right) \cos(a) + \left(-i\sqrt{3}-1 \right) \Gamma \left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}} \right) + \left(i\sqrt{3}-1 \right) \Gamma \left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}} \right) \right)}{\sqrt{dx+c} \left(\frac{b}{(dx+c)^{\frac{3}{2}}} \right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(3/2)),x, algorithm="maxima")

[Out] 1/8*(2*(4*(d*x + c)^(3/2)*(b/(d*x + c)^(3/2))^(1/3)*sin(((d*x + c)^(3/2)*a + b)/(d*x + c)^(3/2)) + ((sqrt(3) - I)*gamma(1/3, I*b/(d*x + c)^(3/2)) + (sqrt(3) + I)*gamma(1/3, -I*b/(d*x + c)^(3/2)))*cos(a) + ((-I*sqrt(3) - 1)*gamma(1/3, I*b/(d*x + c)^(3/2)) + (I*sqrt(3) - 1)*gamma(1/3, -I*b/(d*x + c)^(3/2)))*sin(a))*b)*e/(sqrt(d*x + c)*(b/(d*x + c)^(3/2))^(1/3)) - 2*(4*(d*x + c)^(3/2)*(b/(d*x + c)^(3/2))^(1/3)*sin(((d*x + c)^(3/2)*a + b)/(d*x + c)^(3/2)) + ((sqrt(3) - I)*gamma(1/3, I*b/(d*x + c)^(3/2)) + (sqrt(3) + I)*gamma(1/3, -I*b/(d*x + c)^(3/2)))*cos(a) + ((-I*sqrt(3) - 1)*gamma(1/3, I*b/(d*x + c)^(3/2)) + (I*sqrt(3) - 1)*gamma(1/3, -I*b/(d*x + c)^(3/2)))*sin(a))*b)*c*f/(sqrt(d*x + c)*d*(b/(d*x + c)^(3/2))^(1/3)) + (4*(d*x + c)^(3/2))^(2/3)*sin(((d*x + c)^(3/2)*a + b)/(d*x + c)^(3/2)) + 12*(d*x + c)^(3/2)*b*(b/(d*x + c)^(3/2))^(2/3)*cos(((d*x + c)^(3/2)*a + b)/(d*x + c)^(3/2)) - (((3*sqrt(3) + 3*I)*gamma(2/3, I*b/(d*x + c)^(3/2)) + (3*sqrt(3) - 3*I)*gamma(2/3, -I*b/(d*x + c)^(3/2)))*cos(a) + 3*((-I*sqrt(3) + 1)*gamma(2/3, I*b/(d*x + c)^(3/2)) + (I*sqrt(3) + 1)*gamma(2/3, -I*b/(d*x + c)^(3/2)))*sin(a))*b^2)*f/((d*x + c)*d*(b/(d*x + c)^(3/2))^(2/3))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin \left(a + \frac{b}{(c + dx)^{\frac{3}{2}}} \right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(3/2))*(e + f*x), x)`

[Out] `int(sin(a + b/(c + d*x)^(3/2))*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{c\sqrt{c + dx} + dx\sqrt{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)**(3/2)), x)`

[Out] `Integral((e + f*x)*sin(a + b/(c*sqrt(c + d*x) + d*x*sqrt(c + d*x))), x)`

3.204 $\int \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$

Optimal. Leaf size=115

$$\frac{ie^{-ia}(c+dx)\left(\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}\Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d} - \frac{ie^{ia}(c+dx)\left(-\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}\Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d}$$

[Out] $-1/3*I*\exp(I*a)*(-I*b/(d*x+c)^{(3/2)})^{(2/3)}*(d*x+c)*\text{GAMMA}(-2/3, -I*b/(d*x+c)^{(3/2)})/d+1/3*I*(I*b/(d*x+c)^{(3/2)})^{(2/3)}*(d*x+c)*\text{GAMMA}(-2/3, I*b/(d*x+c)^{(3/2)})/d/\exp(I*a)$

Rubi [A] time = 0.08, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3363, 3423, 2218}

$$\frac{ie^{-ia}(c+dx)\left(\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}\text{Gamma}\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d} - \frac{ie^{ia}(c+dx)\left(-\frac{ib}{(c+dx)^{3/2}}\right)^{2/3}\text{Gamma}\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(3/2)], x]

[Out] $((-I/3)*E^{I*a}*(((I)*b)/(c + d*x)^{(3/2)})^{(2/3)}*(c + d*x)*\text{Gamma}[-2/3, ((-I)*b)/(c + d*x)^{(3/2)}])/d + ((I/3)*(((I)*b)/(c + d*x)^{(3/2)})^{(2/3)}*(c + d*x)*\text{Gamma}[-2/3, (I*b)/(c + d*x)^{(3/2)}])/(d*E^{I*a})$

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3363

Int[((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f_)*(x_))^(n_)])^(p_), x_Symbol] := Module[{k = Denominator[n]}, Dist[k/f, Subst[Int[x^(k - 1)*(a + b*Sin[c + d*x^(k*n)])^p, x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && FractionQ[n]

Rule 3423

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I +

$d \cdot I \cdot x^n, x], x] /; \text{FreeQ}[\{c, d, e, m, n\}, x]$

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx &= \frac{2 \text{Subst}\left(\int x \sin\left(a + \frac{b}{x^3}\right) dx, x, \sqrt{c+dx}\right)}{d} \\ &= \frac{i \text{Subst}\left(\int e^{-ia - \frac{ib}{x^3}} x dx, x, \sqrt{c+dx}\right)}{d} - \frac{i \text{Subst}\left(\int e^{ia + \frac{ib}{x^3}} x dx, x, \sqrt{c+dx}\right)}{d} \\ &= -\frac{ie^{ia} \left(-\frac{ib}{(c+dx)^{3/2}}\right)^{2/3} (c+dx) \Gamma\left(-\frac{2}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{3d} + \frac{ie^{-ia} \left(\frac{ib}{(c+dx)^{3/2}}\right)^{2/3} (c+dx) \Gamma\left(-\frac{2}{3}, \frac{ib}{(c+dx)^{3/2}}\right)}{3d} \end{aligned}$$

Mathematica [A] time = 0.45, size = 166, normalized size = 1.44

$$\frac{2(c+dx)^{3/2} \sqrt[3]{\frac{b^2}{(c+dx)^3}} \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) + b(\cos(a) - i \sin(a)) \sqrt[3]{-\frac{ib}{(c+dx)^{3/2}}} \Gamma\left(\frac{1}{3}, \frac{ib}{(c+dx)^{3/2}}\right) + b(\cos(a) + i \sin(a)) \sqrt[3]{\frac{ib}{(c+dx)^{3/2}}} \Gamma\left(\frac{1}{3}, -\frac{ib}{(c+dx)^{3/2}}\right)}{2d\sqrt{c+dx} \sqrt[3]{\frac{b^2}{(c+dx)^3}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(3/2)], x]

[Out] (b*(((-I)*b)/(c + d*x)^(3/2))^(1/3)*Gamma[1/3, (I*b)/(c + d*x)^(3/2)]*(Cos[a] - I*Sin[a]) + b*((I*b)/(c + d*x)^(3/2))^(1/3)*Gamma[1/3, ((-I)*b)/(c + d*x)^(3/2)]*(Cos[a] + I*Sin[a]) + 2*(b^2/(c + d*x)^3)^(1/3)*(c + d*x)^(3/2)*Sin[a + b/(c + d*x)^(3/2)])/(2*d*(b^2/(c + d*x)^3)^(1/3)*Sqrt[c + d*x])

fricas [A] time = 0.89, size = 144, normalized size = 1.25

$$\frac{-i (ib)^{\frac{2}{3}} e^{(-ia)} \Gamma\left(\frac{1}{3}, \frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) + i (-ib)^{\frac{2}{3}} e^{(ia)} \Gamma\left(\frac{1}{3}, -\frac{i \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right) + 2(dx+c) \sin\left(\frac{ad^2 x^2 + 2acdx + ac^2 + \sqrt{dx+cb}}{d^2 x^2 + 2cdx + c^2}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2)), x, algorithm="fricas")

[Out] 1/2*(-I*(I*b)^(2/3)*e^(-I*a)*gamma(1/3, I*sqrt(d*x + c)*b/(d^2*x^2 + 2*c*d*x + c^2)) + I*(-I*b)^(2/3)*e^(I*a)*gamma(1/3, -I*sqrt(d*x + c)*b/(d^2*x^2 +

$2*c*d*x + c^2)) + 2*(d*x + c)*\sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + \sqrt{d*x + c})*b)/(d^2*x^2 + 2*c*d*x + c^2))/d$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx+c)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2)),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(3/2)), x)

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx+c)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(3/2)),x)

[Out] int(sin(a+b/(d*x+c)^(3/2)),x)

maxima [A] time = 0.60, size = 151, normalized size = 1.31

$$\frac{4(dx+c)^{\frac{3}{2}}\left(\frac{b}{(dx+c)^{\frac{3}{2}}}\right)^{\frac{1}{3}}\sin\left(\frac{(dx+c)^{\frac{3}{2}}a+b}{(dx+c)^{\frac{3}{2}}}\right) + \left(\left((\sqrt{3}-i)\Gamma\left(\frac{1}{3}, \frac{ib}{(dx+c)^{\frac{3}{2}}}\right) + (\sqrt{3}+i)\Gamma\left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}}\right)\right)\cos(a) + \left(-i\sqrt{3}-1\right)\Gamma\left(\frac{1}{3}, \frac{ib}{(dx+c)^{\frac{3}{2}}}\right) + \left(i\sqrt{3}-1\right)\Gamma\left(\frac{1}{3}, -\frac{ib}{(dx+c)^{\frac{3}{2}}}\right)\right)\sin(a)}{4\sqrt{dx+c}d\left(\frac{b}{(dx+c)^{\frac{3}{2}}}\right)^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2)),x, algorithm="maxima")

[Out] $1/4*(4*(d*x + c)^{(3/2)}*(b/(d*x + c)^{(3/2)})^{(1/3)}*\sin(((d*x + c)^{(3/2)}*a + b)/(d*x + c)^{(3/2)}) + (((\sqrt{3} - I)*\gamma(1/3, I*b/(d*x + c)^{(3/2)}) + (\sqrt{3} + I)*\gamma(1/3, -I*b/(d*x + c)^{(3/2)}))*\cos(a) + ((-I*\sqrt{3} - 1)*\gamma(1/3, I*b/(d*x + c)^{(3/2)}) + (I*\sqrt{3} - 1)*\gamma(1/3, -I*b/(d*x + c)^{(3/2)}))*\sin(a))*b)/(\sqrt{d*x + c}*d*(b/(d*x + c)^{(3/2)})^{(1/3)})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c+dx)^{3/2}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(3/2)),x)`

[Out] `int(sin(a + b/(c + d*x)^(3/2)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{\frac{3}{2}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)**(3/2)),x)`

[Out] `Integral(sin(a + b/(c + d*x)**(3/2)), x)`

$$3.205 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^(3/2))/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^(3/2)]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx$$

Mathematica [A] time = 13.38, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x), x]

[Out] Integrate[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x), x]

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{ad^2x^2 + 2acdx + ac^2 + \sqrt{dx+c}b}{d^2x^2 + 2cdx + c^2} \right)}{fx + e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + sqrt(d*x + c)*b)/(d^2*x^2 + 2*c*d*x + c^2))/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(3/2))/(f*x + e), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(3/2))/(f*x+e),x)

[Out] int(sin(a+b/(d*x+c)^(3/2))/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{fx + e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^(3/2))/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(3/2))/(e + f*x),x)

[Out] int(sin(a + b/(c + d*x)^(3/2))/(e + f*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{c\sqrt{c+dx} + dx\sqrt{c+dx}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(3/2))/(f*x+e),x)

[Out] Integral(sin(a + b/(c*sqrt(c + d*x) + d*x*sqrt(c + d*x)))/(e + f*x), x)

$$3.206 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^(3/2)]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$$

Mathematica [A] time = 15.90, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x)^2,x]

[Out] Integrate[Sin[a + b/(c + d*x)^(3/2)]/(e + f*x)^2, x]

fricas [A] time = 0.81, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{ad^2x^2 + 2acdx + ac^2 + \sqrt{dx+c}b}{d^2x^2 + 2cdx + c^2} \right)}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin((a*d^2*x^2 + 2*a*c*d*x + a*c^2 + sqrt(d*x + c)*b)/(d^2*x^2 + 2*c*d*x + c^2))/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(3/2))/(f*x + e)^2, x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x)

[Out] int(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{3}{2}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(3/2))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^(3/2))/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{3/2}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(3/2))/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(3/2))/(e + f*x)^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(3/2))/(f*x+e)**2,x)

[Out] Timed out

3.207 $\int (e + fx)^2 \sin\left(a + b\sqrt[3]{c + dx}\right) dx$

Optimal. Leaf size=633

$$\frac{120960f^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^9d^3} - \frac{120960f^2\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^8d^3} + \frac{60480f^2(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^7d^3}$$

[Out] $-120960*f^2*\cos(a+b*(d*x+c)^{(1/3)})/b^9/d^3+6*(-c*f+d*e)^2*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d^3-720*f*(-c*f+d*e)*(d*x+c)^{(1/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^5/d^3+60480*f^2*(d*x+c)^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^7/d^3-3*(-c*f+d*e)^2*(d*x+c)^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d^3+120*f*(-c*f+d*e)*(d*x+c)*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d^3-5040*f^2*(d*x+c)^{(4/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^5/d^3-6*f*(-c*f+d*e)*(d*x+c)^{(5/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d^3+168*f^2*(d*x+c)^2*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d^3-3*f^2*(d*x+c)^{(8/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d^3+720*f*(-c*f+d*e)*\sin(a+b*(d*x+c)^{(1/3)})/b^6/d^3-120960*f^2*(d*x+c)^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^8/d^3+6*(-c*f+d*e)^2*(d*x+c)^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d^3-360*f*(-c*f+d*e)*(d*x+c)^{(2/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^4/d^3+20160*f^2*(d*x+c)*\sin(a+b*(d*x+c)^{(1/3)})/b^6/d^3+30*f*(-c*f+d*e)*(d*x+c)^{(4/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d^3-1008*f^2*(d*x+c)^{(5/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^4/d^3+24*f^2*(d*x+c)^{(7/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d^3$

Rubi [A] time = 0.65, antiderivative size = 633, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3431, 3296, 2638, 2637}

$$\frac{30f(c + dx)^{4/3}(de - cf) \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2d^3} - \frac{360f(c + dx)^{2/3}(de - cf) \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^4d^3} + \frac{6\sqrt[3]{c + dx}(de - cf)^2 \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2d^3}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*Sin[a + b*(c + d*x)^(1/3)],x]

[Out] $(-120960*f^2*\cos[a + b*(c + d*x)^{(1/3)}])/(b^9*d^3) + (6*(d*e - c*f)^2*\cos[a + b*(c + d*x)^{(1/3)}])/(b^3*d^3) - (720*f*(d*e - c*f)*(c + d*x)^{(1/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b^5*d^3) + (60480*f^2*(c + d*x)^{(2/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b^7*d^3) - (3*(d*e - c*f)^2*(c + d*x)^{(2/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b*d^3) + (120*f*(d*e - c*f)*(c + d*x)*\cos[a + b*(c + d*x)^{(1/3)}])/(b^3*d^3) - (5040*f^2*(c + d*x)^{(4/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b^5*d^3) - (6*f*(d*e - c*f)*(c + d*x)^{(5/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b*d^3) + (168*f^2*(c + d*x)^2*\cos[a + b*(c + d*x)^{(1/3)}])/(b^3*d^3) - (3*f^2*(c + d*x)^{(8/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b*d^3) + (720*f*(d*e - c*f)*\sin[a + b*(c + d*x)^{(1/3)}])/(b^6*d^3) - (120960*f^2*(c + d*x)^{(1/3)}*\sin[a + b*(c + d*x)^{(1/3)}])/(b^8*d^3) + (6*(d*e - c*f)^2*(c + d*x)^{(1/3)}*\sin[a + b*(c + d*x)^{(1/3)}])/(b^2*d^3) - (360*f*(d*e - c*f)*(c + d*x)^{(2/3)}*\sin[a + b*(c + d*x)^{(1/3)}])/(b^4*d^3)$

$$\frac{d*x)^{(1/3)}}{(b^4*d^3) + (20160*f^2*(c + d*x)*\text{Sin}[a + b*(c + d*x)^{(1/3)}]) / (b^6*d^3) + (30*f*(d*e - c*f)*(c + d*x)^{(4/3)*\text{Sin}[a + b*(c + d*x)^{(1/3)}]) / (b^2*d^3) - (1008*f^2*(c + d*x)^{(5/3)*\text{Sin}[a + b*(c + d*x)^{(1/3)}]) / (b^4*d^3) + (24*f^2*(c + d*x)^{(7/3)*\text{Sin}[a + b*(c + d*x)^{(1/3)}]) / (b^2*d^3)}$$
Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \operatorname{Subst}\left(\int \left(\frac{(de - cf)^2 x^2 \sin(a + bx)}{d^2} + \frac{2f(de - cf)x^5 \sin(a + bx)}{d^2} + \frac{f^2 x^8 \sin(a + bx)}{d^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= \frac{(3f^2) \operatorname{Subst}\left(\int x^8 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d^3} + \frac{(6f(de - cf)) \operatorname{Subst}\left(\int x^5 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d^3} \\
&= -\frac{3(de - cf)^2 (c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} - \frac{6f(de - cf)(c + dx)^{5/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} \\
&= -\frac{3(de - cf)^2 (c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} - \frac{6f(de - cf)(c + dx)^{5/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{3(de - cf)^2 (c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{3(de - cf)^2 (c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{720f(de - cf)\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{720f(de - cf)\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{720f(de - cf)\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^3} \\
&= \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{720f(de - cf)\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^3} \\
&= \frac{120960f^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^9 d^3} + \frac{6(de - cf)^2 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^3} - \frac{720f(de - cf)\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^3}
\end{aligned}$$

Mathematica [A] time = 2.65, size = 256, normalized size = 0.40

$$\frac{6b \sin\left(a + b\sqrt[3]{c + dx}\right) \left(b^6 d \sqrt[3]{c + dx} (e + fx)(3cf + d(e + 4fx)) - 12b^4 f(c + dx)^{2/3} (9cf + 5de + 14dfx) + 120b^2 f^2 (c + dx)^{5/3}\right)}{b^9 d^3}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^(1/3)], x]

[Out] (-3*(40320*f^2 - 20160*b^2*f^2*(c + d*x)^(2/3) + b^8*d^2*(c + d*x)^(2/3)*(e + f*x)^2 + 240*b^4*f*(c + d*x)^(1/3)*(6*c*f + d*(e + 7*f*x)) - 2*b^6*(9*c^2*f^2 + 18*c*d*f*(e + 2*f*x) + d^2*(e^2 + 20*e*f*x + 28*f^2*x^2)))*Cos[a + b*(c + d*x)^(1/3)] + 6*b*(-20160*f^2*(c + d*x)^(1/3) - 12*b^4*f*(c + d*x)^(2/3)*(5*d*e + 9*c*f + 14*d*f*x) + b^6*d*(c + d*x)^(1/3)*(e + f*x)*(3*c*f +

$d*(e + 4*f*x)) + 120*b^2*f*(27*c*f + d*(e + 28*f*x))*\text{Sin}[a + b*(c + d*x)^(1/3)]/(b^9*d^3)$

fricas [A] time = 0.64, size = 333, normalized size = 0.53

$3\left(\left(56b^6d^2f^2x^2 + 2b^6d^2e^2 + 36b^6cdef + 18(b^6c^2 - 2240)f^2 + 8(5b^6d^2ef + 9b^6cdf^2)x - (b^8d^2f^2x^2 + 2b^8d^2e^2\right.\right.$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] $3*((56*b^6*d^2*f^2*x^2 + 2*b^6*d^2*e^2 + 36*b^6*c*d*e*f + 18*(b^6*c^2 - 2240)*f^2 + 8*(5*b^6*d^2*e*f + 9*b^6*c*d*f^2)*x - (b^8*d^2*f^2*x^2 + 2*b^8*d^2*e*f*x + b^8*d^2*e^2 - 20160*b^2*f^2)*(d*x + c)^(2/3) - 240*(7*b^4*d*f^2*x + b^4*d*e*f + 6*b^4*c*f^2)*(d*x + c)^(1/3))*\cos((d*x + c)^(1/3)*b + a) + 2*(3360*b^3*d*f^2*x + 120*b^3*d*e*f + 3240*b^3*c*f^2 - 12*(14*b^5*d*f^2*x + 5*b^5*d*e*f + 9*b^5*c*f^2)*(d*x + c)^(2/3) + (4*b^7*d^2*f^2*x^2 + b^7*d^2*e^2 + 3*b^7*c*d*e*f - 20160*b*f^2 + (5*b^7*d^2*e*f + 3*b^7*c*d*f^2)*x)*(d*x + c)^(1/3))*\sin((d*x + c)^(1/3)*b + a))/(b^9*d^3)$

giac [B] time = 2.35, size = 1558, normalized size = 2.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")

[Out] $-3*(f^2*(((d*x + c)^(1/3)*b + a)^2*b^6*c^2 - 2*((d*x + c)^(1/3)*b + a)*a*b^6*c^2 + a^2*b^6*c^2 - 2*((d*x + c)^(1/3)*b + a)^5*b^3*c + 10*((d*x + c)^(1/3)*b + a)^4*a*b^3*c - 20*((d*x + c)^(1/3)*b + a)^3*a^2*b^3*c + 20*((d*x + c)^(1/3)*b + a)^2*a^3*b^3*c - 10*((d*x + c)^(1/3)*b + a)*a^4*b^3*c + 2*a^5*b^3*c + ((d*x + c)^(1/3)*b + a)^8 - 8*((d*x + c)^(1/3)*b + a)^7*a + 28*((d*x + c)^(1/3)*b + a)^6*a^2 - 56*((d*x + c)^(1/3)*b + a)^5*a^3 + 70*((d*x + c)^(1/3)*b + a)^4*a^4 - 56*((d*x + c)^(1/3)*b + a)^3*a^5 + 28*((d*x + c)^(1/3)*b + a)^2*a^6 - 8*((d*x + c)^(1/3)*b + a)*a^7 + a^8 - 2*b^6*c^2 + 40*((d*x + c)^(1/3)*b + a)^3*b^3*c - 120*((d*x + c)^(1/3)*b + a)^2*a*b^3*c + 120*((d*x + c)^(1/3)*b + a)*a^2*b^3*c - 40*a^3*b^3*c - 56*((d*x + c)^(1/3)*b + a)^6 + 336*((d*x + c)^(1/3)*b + a)^5*a - 840*((d*x + c)^(1/3)*b + a)^4*a^2 + 1120*((d*x + c)^(1/3)*b + a)^3*a^3 - 840*((d*x + c)^(1/3)*b + a)^2*a^4 + 336*((d*x + c)^(1/3)*b + a)*a^5 - 56*a^6 - 240*((d*x + c)^(1/3)*b + a)*b^3*c + 240*a*b^3*c + 1680*((d*x + c)^(1/3)*b + a)^4 - 6720*((d*x + c)^(1/3)*b + a)^3*a + 10080*((d*x + c)^(1/3)*b + a)^2*a^2 - 6720*((d*x + c)^(1/3)*b + a)*a^3 + 1680*a^4 - 20160*((d*x + c)^(1/3)*b + a)^2 + 40320*((d*x + c)^(1/3)*b + a)*a - 20160*a^2 + 40320)*\cos((d*x + c)^(1/3)*b + a)/(b^8*d^2) - 2*(($

$$\begin{aligned}
& d*x + c)^{(1/3)}*b + a)^*b^6*c^2 - a*b^6*c^2 - 5*((d*x + c)^{(1/3)}*b + a)^4*b^3 \\
& *c + 20*((d*x + c)^{(1/3)}*b + a)^3*a*b^3*c - 30*((d*x + c)^{(1/3)}*b + a)^2*a^ \\
& 2*b^3*c + 20*((d*x + c)^{(1/3)}*b + a)*a^3*b^3*c - 5*a^4*b^3*c + 4*((d*x + c) \\
& ^{(1/3)}*b + a)^7 - 28*((d*x + c)^{(1/3)}*b + a)^6*a + 84*((d*x + c)^{(1/3)}*b + \\
& a)^5*a^2 - 140*((d*x + c)^{(1/3)}*b + a)^4*a^3 + 140*((d*x + c)^{(1/3)}*b + a)^ \\
& 3*a^4 - 84*((d*x + c)^{(1/3)}*b + a)^2*a^5 + 28*((d*x + c)^{(1/3)}*b + a)*a^6 - \\
& 4*a^7 + 60*((d*x + c)^{(1/3)}*b + a)^2*b^3*c - 120*((d*x + c)^{(1/3)}*b + a)*a \\
& *b^3*c + 60*a^2*b^3*c - 168*((d*x + c)^{(1/3)}*b + a)^5 + 840*((d*x + c)^{(1/3)} \\
&)*b + a)^4*a - 1680*((d*x + c)^{(1/3)}*b + a)^3*a^2 + 1680*((d*x + c)^{(1/3)}*b \\
& + a)^2*a^3 - 840*((d*x + c)^{(1/3)}*b + a)*a^4 + 168*a^5 - 120*b^3*c + 3360* \\
& ((d*x + c)^{(1/3)}*b + a)^3 - 10080*((d*x + c)^{(1/3)}*b + a)^2*a + 10080*((d*x \\
& + c)^{(1/3)}*b + a)*a^2 - 3360*a^3 - 20160*(d*x + c)^{(1/3)}*b)*sin((d*x + c)^ \\
& (1/3)*b + a)/(b^8*d^2)) - (2*(d*x + c)^{(1/3)}*sin((d*x + c)^{(1/3)}*b + a)/b - \\
& (((d*x + c)^{(1/3)}*b + a)^2 - 2*((d*x + c)^{(1/3)}*b + a)*a + a^2 - 2)*cos((d \\
& *x + c)^{(1/3)}*b + a)/b^2)*e^2 - 2*f*(((d*x + c)^{(1/3)}*b + a)^2*b^3*c - 2*(\\
& (d*x + c)^{(1/3)}*b + a)*a*b^3*c + a^2*b^3*c - ((d*x + c)^{(1/3)}*b + a)^5 + 5* \\
& ((d*x + c)^{(1/3)}*b + a)^4*a - 10*((d*x + c)^{(1/3)}*b + a)^3*a^2 + 10*((d*x + \\
& c)^{(1/3)}*b + a)^2*a^3 - 5*((d*x + c)^{(1/3)}*b + a)*a^4 + a^5 - 2*b^3*c + 20 \\
& *((d*x + c)^{(1/3)}*b + a)^3 - 60*((d*x + c)^{(1/3)}*b + a)^2*a + 60*((d*x + c) \\
& ^{(1/3)}*b + a)*a^2 - 20*a^3 - 120*(d*x + c)^{(1/3)}*b)*cos((d*x + c)^{(1/3)}*b + \\
& a)/b^5 - (2*((d*x + c)^{(1/3)}*b + a)*b^3*c - 2*a*b^3*c - 5*((d*x + c)^{(1/3)} \\
& *b + a)^4 + 20*((d*x + c)^{(1/3)}*b + a)^3*a - 30*((d*x + c)^{(1/3)}*b + a)^2*a \\
& ^2 + 20*((d*x + c)^{(1/3)}*b + a)*a^3 - 5*a^4 + 60*((d*x + c)^{(1/3)}*b + a)^2 \\
& - 120*((d*x + c)^{(1/3)}*b + a)*a + 60*a^2 - 120)*sin((d*x + c)^{(1/3)}*b + a)/ \\
& b^5)*e/d)/(b*d)
\end{aligned}$$

maple [B] time = 0.03, size = 2704, normalized size = 4.27

Expression too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b*(d*x+c)^(1/3)),x)

[Out] $3/d^3/b^3*(1/b^6*f^2*(-(a+b*(d*x+c)^{(1/3)})^8*\cos(a+b*(d*x+c)^{(1/3)})+8*(a+b*(d*x+c)^{(1/3)})^7*\sin(a+b*(d*x+c)^{(1/3)})+56*(a+b*(d*x+c)^{(1/3)})^6*\cos(a+b*(d*x+c)^{(1/3)})-336*(a+b*(d*x+c)^{(1/3)})^5*\sin(a+b*(d*x+c)^{(1/3)})-1680*(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+c)^{(1/3)})+6720*(a+b*(d*x+c)^{(1/3)})^3*\sin(a+b*(d*x+c)^{(1/3)})+20160*(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})-40320*\cos(a+b*(d*x+c)^{(1/3)})-40320*(a+b*(d*x+c)^{(1/3))*sin(a+b*(d*x+c)^{(1/3)))+c^2*f^2*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d*x+c)^{(1/3))*sin(a+b*(d*x+c)^{(1/3)))+d^2*e^2*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d*x+c)^{(1/3))*sin(a+b*(d*x+c)^{(1/3)))-1/b^6*a^8*f^2*\cos(a+b*(d*x+c)^{(1/3)})+28/b^6*a^6*f^2*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d*x+c)^{(1/3))*sin(a+b*(d*x+c)^{(1/3)))-56/b^6*a^3*f^2*(-(a+b*(d*x+c)^{(1/3)})$

$$\begin{aligned}
&^5\cos(a+b*(d*x+c)^{(1/3)})+5*(a+b*(d*x+c)^{(1/3)})^4*\sin(a+b*(d*x+c)^{(1/3)})+20 \\
&*(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})-60*(a+b*(d*x+c)^{(1/3)})^2*\sin(\\
&a+b*(d*x+c)^{(1/3)})+120*\sin(a+b*(d*x+c)^{(1/3)})-120*(a+b*(d*x+c)^{(1/3)})*\cos(a \\
&+b*(d*x+c)^{(1/3)}))+70/b^6*a^4*f^2*(-(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+c)^{(\\
&1/3)})+4*(a+b*(d*x+c)^{(1/3)})^3*\sin(a+b*(d*x+c)^{(1/3)})+12*(a+b*(d*x+c)^{(1/3)}) \\
&^2*\cos(a+b*(d*x+c)^{(1/3)})-24*\cos(a+b*(d*x+c)^{(1/3)})-24*(a+b*(d*x+c)^{(1/3)})* \\
&\sin(a+b*(d*x+c)^{(1/3)}))-56/b^6*a^5*f^2*(-(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x \\
&+c)^{(1/3)})+3*(a+b*(d*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3)})-6*\sin(a+b*(d*x+c) \\
&^{(1/3)})+6*(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-2/b^3*c*f^2*(-(a+b*(d \\
&*x+c)^{(1/3)})^5*\cos(a+b*(d*x+c)^{(1/3)})+5*(a+b*(d*x+c)^{(1/3)})^4*\sin(a+b*(d*x+ \\
&c)^{(1/3)})+20*(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})-60*(a+b*(d*x+c)^{(\\
&1/3)})^2*\sin(a+b*(d*x+c)^{(1/3)})+120*\sin(a+b*(d*x+c)^{(1/3)})-120*(a+b*(d*x+c)^{(\\
&1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-2*a*c^2*f^2*(\sin(a+b*(d*x+c)^{(1/3)})-(a+b*(d* \\
&x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-2*a*d^2*e^2*(\sin(a+b*(d*x+c)^{(1/3)})-(a+ \\
&b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-8/b^6*a*f^2*(-(a+b*(d*x+c)^{(1/3)})^ \\
&7*\cos(a+b*(d*x+c)^{(1/3)})+7*(a+b*(d*x+c)^{(1/3)})^6*\sin(a+b*(d*x+c)^{(1/3)})+42* \\
&(a+b*(d*x+c)^{(1/3)})^5*\cos(a+b*(d*x+c)^{(1/3)})-210*(a+b*(d*x+c)^{(1/3)})^4*\sin(\\
&a+b*(d*x+c)^{(1/3)})-840*(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})+2520*(a \\
&+b*(d*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3)})-5040*\sin(a+b*(d*x+c)^{(1/3)})+5040 \\
&*(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))+28/b^6*a^2*f^2*(-(a+b*(d*x+c)^{(\\
&1/3)})^6*\cos(a+b*(d*x+c)^{(1/3)})+6*(a+b*(d*x+c)^{(1/3)})^5*\sin(a+b*(d*x+c)^{(1/ \\
&3)})+30*(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+c)^{(1/3)})-120*(a+b*(d*x+c)^{(1/3)}) \\
&^3*\sin(a+b*(d*x+c)^{(1/3)})-360*(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+ \\
&720*\cos(a+b*(d*x+c)^{(1/3)})+720*(a+b*(d*x+c)^{(1/3)})*\sin(a+b*(d*x+c)^{(1/3)}))- \\
&8/b^6*a^7*f^2*(\sin(a+b*(d*x+c)^{(1/3)})-(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(\\
&1/3)}))-a^2*d^2*e^2*\cos(a+b*(d*x+c)^{(1/3)})-a^2*c^2*f^2*\cos(a+b*(d*x+c)^{(1/3) \\
&))-20/b^3*a^2*c*f^2*(-(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})+3*(a+b*(d \\
&*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3)})-6*\sin(a+b*(d*x+c)^{(1/3)})+6*(a+b*(d*x+ \\
&c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-2/b^3*a^5*c*f^2*\cos(a+b*(d*x+c)^{(1/3)})-2* \\
&c*d*e*f*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1 \\
&/3)})+2*(a+b*(d*x+c)^{(1/3)})*\sin(a+b*(d*x+c)^{(1/3)}))+20/b^3*a^3*c*f^2*(-(a+b* \\
&(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d* \\
&x+c)^{(1/3)})*\sin(a+b*(d*x+c)^{(1/3)}))-10/b^3*a^4*c*f^2*(\sin(a+b*(d*x+c)^{(1/3) \\
&))- (a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))+2/b^3*d*e*f*(-(a+b*(d*x+c)^{(1 \\
&/3)})^5*\cos(a+b*(d*x+c)^{(1/3)})+5*(a+b*(d*x+c)^{(1/3)})^4*\sin(a+b*(d*x+c)^{(1/3) \\
&))+20*(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})-60*(a+b*(d*x+c)^{(1/3)})^2* \\
&\sin(a+b*(d*x+c)^{(1/3)})+120*\sin(a+b*(d*x+c)^{(1/3)})-120*(a+b*(d*x+c)^{(1/3)})*\c \\
&\cos(a+b*(d*x+c)^{(1/3)}))+10/b^3*a*c*f^2*(-(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+ \\
&c)^{(1/3)})+4*(a+b*(d*x+c)^{(1/3)})^3*\sin(a+b*(d*x+c)^{(1/3)})+12*(a+b*(d*x+c)^{(1 \\
&/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})-24*\cos(a+b*(d*x+c)^{(1/3)})-24*(a+b*(d*x+c)^{(1 \\
&/3)})*\sin(a+b*(d*x+c)^{(1/3)}))-20/b^3*a^3*d*e*f*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+ \\
&b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d*x+c)^{(1/3)})*\sin(a+b*(d* \\
&x+c)^{(1/3)}))+4*a*c*d*e*f*(\sin(a+b*(d*x+c)^{(1/3)})-(a+b*(d*x+c)^{(1/3)})*\cos(a+ \\
&b*(d*x+c)^{(1/3)}))-10/b^3*a*d*e*f*(-(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+c)^{(1 \\
&/3)})+4*(a+b*(d*x+c)^{(1/3)})^3*\sin(a+b*(d*x+c)^{(1/3)})+12*(a+b*(d*x+c)^{(1/3)})^
\end{aligned}$$

$$2*\cos(a+b*(d*x+c)^{(1/3)})-24*\cos(a+b*(d*x+c)^{(1/3)})-24*(a+b*(d*x+c)^{(1/3)})*\sin(a+b*(d*x+c)^{(1/3)})+2/b^3*a^5*d*e*f*\cos(a+b*(d*x+c)^{(1/3)})+20/b^3*a^2*d*e*f*(-(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3)})+3*(a+b*(d*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3)})-6*\sin(a+b*(d*x+c)^{(1/3)})+6*(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))+10/b^3*a^4*d*e*f*(\sin(a+b*(d*x+c)^{(1/3)})-(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))+2*a^2*c*d*e*f*\cos(a+b*(d*x+c)^{(1/3)})$$

maxima [B] time = 0.47, size = 2151, normalized size = 3.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(1/3)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -3*(a^2*e^2*\cos((d*x + c)^{(1/3)}*b + a) - 2*a^2*c*e*f*\cos((d*x + c)^{(1/3)}*b \\ & + a)/d + a^2*c^2*f^2*\cos((d*x + c)^{(1/3)}*b + a)/d^2 - 2*(((d*x + c)^{(1/3)}*b \\ & + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a*e^2 + 4*((\\ & (d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + \\ & a))*a*c*e*f/d - 2*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin \\ & ((d*x + c)^{(1/3)}*b + a))*a*c^2*f^2/d^2 - 2*a^5*e*f*\cos((d*x + c)^{(1/3)}*b + \\ & a)/(b^3*d) + 2*a^5*c*f^2*\cos((d*x + c)^{(1/3)}*b + a)/(b^3*d^2) + (((d*x + \\ & c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + \\ & a)*\sin((d*x + c)^{(1/3)}*b + a))*e^2 + 10*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + \\ & c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a^4*e*f/(b^3*d) - 2*(((d*x \\ & + c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b \\ & + a)*\sin((d*x + c)^{(1/3)}*b + a))*c*e*f/d - 10*(((d*x + c)^{(1/3)}*b + a)*\cos(\\ & (d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a^4*c*f^2/(b^3*d^2) + \\ & (((d*x + c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b \\ & + a)*\sin((d*x + c)^{(1/3)}*b + a))*c^2*f^2/d^2 + a^8*f^2*\cos((d*x + c \\ &)^{(1/3)}*b + a)/(b^6*d^2) - 20*(((d*x + c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c \\ &)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + a)*\sin((d*x + c)^{(1/3)}*b + a))*a^3* \\ & e*f/(b^3*d) - 8*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((\\ & d*x + c)^{(1/3)}*b + a))*a^7*f^2/(b^6*d^2) + 20*(((d*x + c)^{(1/3)}*b + a)^2 - \\ & 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + a)*\sin((d*x + c)^{(1 \\ & /3)}*b + a))*a^3*c*f^2/(b^3*d^2) + 20*(((d*x + c)^{(1/3)}*b + a)^3 - 6*(d*x + \\ & c)^{(1/3)}*b - 6*a)*\cos((d*x + c)^{(1/3)}*b + a) - 3*(((d*x + c)^{(1/3)}*b + a)^ \\ & 2 - 2)*\sin((d*x + c)^{(1/3)}*b + a))*a^2*e*f/(b^3*d) + 28*(((d*x + c)^{(1/3)}* \\ & b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + a)*\sin((d \\ & *x + c)^{(1/3)}*b + a))*a^6*f^2/(b^6*d^2) - 20*(((d*x + c)^{(1/3)}*b + a)^3 - \\ & 6*(d*x + c)^{(1/3)}*b - 6*a)*\cos((d*x + c)^{(1/3)}*b + a) - 3*(((d*x + c)^{(1/3)} \\ & *b + a)^2 - 2)*\sin((d*x + c)^{(1/3)}*b + a))*a^2*c*f^2/(b^3*d^2) - 10*(((d*x \\ & + c)^{(1/3)}*b + a)^4 - 12*((d*x + c)^{(1/3)}*b + a)^2 + 24)*\cos((d*x + c)^{(1/ \\ & 3)}*b + a) - 4*(((d*x + c)^{(1/3)}*b + a)^3 - 6*(d*x + c)^{(1/3)}*b - 6*a)*\sin((\\ & d*x + c)^{(1/3)}*b + a))*a*e*f/(b^3*d) - 56*(((d*x + c)^{(1/3)}*b + a)^3 - 6*(\\ & d*x + c)^{(1/3)}*b - 6*a)*\cos((d*x + c)^{(1/3)}*b + a) - 3*(((d*x + c)^{(1/3)}*b \end{aligned}$$

```

+ a)^2 - 2)*sin((d*x + c)^(1/3)*b + a))*a^5*f^2/(b^6*d^2) + 10*(((d*x + c)
^(1/3)*b + a)^4 - 12*((d*x + c)^(1/3)*b + a)^2 + 24)*cos((d*x + c)^(1/3)*b
+ a) - 4*(((d*x + c)^(1/3)*b + a)^3 - 6*(d*x + c)^(1/3)*b - 6*a)*sin((d*x +
c)^(1/3)*b + a))*a*c*f^2/(b^3*d^2) + 2*(((d*x + c)^(1/3)*b + a)^5 - 20*((
d*x + c)^(1/3)*b + a)^3 + 120*(d*x + c)^(1/3)*b + 120*a)*cos((d*x + c)^(1/3
)*b + a) - 5*(((d*x + c)^(1/3)*b + a)^4 - 12*((d*x + c)^(1/3)*b + a)^2 + 24
)*sin((d*x + c)^(1/3)*b + a))*e*f/(b^3*d) + 70*(((d*x + c)^(1/3)*b + a)^4
- 12*((d*x + c)^(1/3)*b + a)^2 + 24)*cos((d*x + c)^(1/3)*b + a) - 4*(((d*x
+ c)^(1/3)*b + a)^3 - 6*(d*x + c)^(1/3)*b - 6*a)*sin((d*x + c)^(1/3)*b + a)
)*a^4*f^2/(b^6*d^2) - 2*(((d*x + c)^(1/3)*b + a)^5 - 20*((d*x + c)^(1/3)*b
+ a)^3 + 120*(d*x + c)^(1/3)*b + 120*a)*cos((d*x + c)^(1/3)*b + a) - 5*(((
d*x + c)^(1/3)*b + a)^4 - 12*((d*x + c)^(1/3)*b + a)^2 + 24)*sin((d*x + c)^(
1/3)*b + a))*c*f^2/(b^3*d^2) - 56*(((d*x + c)^(1/3)*b + a)^5 - 20*((d*x +
c)^(1/3)*b + a)^3 + 120*(d*x + c)^(1/3)*b + 120*a)*cos((d*x + c)^(1/3)*b +
a) - 5*(((d*x + c)^(1/3)*b + a)^4 - 12*((d*x + c)^(1/3)*b + a)^2 + 24)*sin
((d*x + c)^(1/3)*b + a))*a^3*f^2/(b^6*d^2) + 28*(((d*x + c)^(1/3)*b + a)^6
- 30*((d*x + c)^(1/3)*b + a)^4 + 360*((d*x + c)^(1/3)*b + a)^2 - 720)*cos(
(d*x + c)^(1/3)*b + a) - 6*(((d*x + c)^(1/3)*b + a)^5 - 20*((d*x + c)^(1/3)
*b + a)^3 + 120*(d*x + c)^(1/3)*b + 120*a)*sin((d*x + c)^(1/3)*b + a))*a^2*
f^2/(b^6*d^2) - 8*(((d*x + c)^(1/3)*b + a)^7 - 42*((d*x + c)^(1/3)*b + a)^
5 + 840*((d*x + c)^(1/3)*b + a)^3 - 5040*(d*x + c)^(1/3)*b - 5040*a)*cos((d
*x + c)^(1/3)*b + a) - 7*(((d*x + c)^(1/3)*b + a)^6 - 30*((d*x + c)^(1/3)*b
+ a)^4 + 360*((d*x + c)^(1/3)*b + a)^2 - 720)*sin((d*x + c)^(1/3)*b + a))*
a*f^2/(b^6*d^2) + (((d*x + c)^(1/3)*b + a)^8 - 56*((d*x + c)^(1/3)*b + a)^
6 + 1680*((d*x + c)^(1/3)*b + a)^4 - 20160*((d*x + c)^(1/3)*b + a)^2 + 4032
0)*cos((d*x + c)^(1/3)*b + a) - 8*(((d*x + c)^(1/3)*b + a)^7 - 42*((d*x + c
)^(1/3)*b + a)^5 + 840*((d*x + c)^(1/3)*b + a)^3 - 5040*(d*x + c)^(1/3)*b -
5040*a)*sin((d*x + c)^(1/3)*b + a))*f^2/(b^6*d^2))/(b^3*d)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{1/3}) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))*(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^(1/3))*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + b\sqrt[3]{c + dx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**2*sin(a+b*(d*x+c)**(1/3)),x)
```

```
[Out] Integral((e + f*x)**2*sin(a + b*(c + d*x)**(1/3)), x)
```


3.208 $\int (e + fx) \sin(a + b\sqrt[3]{c + dx}) dx$

Optimal. Leaf size=288

$$\frac{360f \sin(a + b\sqrt[3]{c + dx})}{b^6 d^2} - \frac{360f \sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx})}{b^5 d^2} - \frac{180f(c + dx)^{2/3} \sin(a + b\sqrt[3]{c + dx})}{b^4 d^2} + \frac{6(de - cf)}{b^2 d^2}$$

[Out] $6*(-c*f+d*e)*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d^2-360*f*(d*x+c)^{(1/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^5/d^2-3*(-c*f+d*e)*(d*x+c)^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d^2+60*f*(d*x+c)*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d^2-3*f*(d*x+c)^{(5/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d^2+360*f*\sin(a+b*(d*x+c)^{(1/3)})/b^6/d^2+6*(-c*f+d*e)*(d*x+c)^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d^2-180*f*(d*x+c)^{(2/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^4/d^2+15*f*(d*x+c)^{(4/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d^2$

Rubi [A] time = 0.27, antiderivative size = 288, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3431, 3296, 2638, 2637}

$$\frac{6\sqrt[3]{c + dx}(de - cf) \sin(a + b\sqrt[3]{c + dx})}{b^2 d^2} + \frac{6(de - cf) \cos(a + b\sqrt[3]{c + dx})}{b^3 d^2} + \frac{15f(c + dx)^{4/3} \sin(a + b\sqrt[3]{c + dx})}{b^2 d^2} - \frac{180f \sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx})}{b^5 d^2}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*Sin[a + b*(c + d*x)^(1/3)], x]

[Out] $(6*(d*e - c*f)*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^3*d^2) - (360*f*(c + d*x)^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^5*d^2) - (3*(d*e - c*f)*(c + d*x)^{(2/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b*d^2) + (60*f*(c + d*x)*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^3*d^2) - (3*f*(c + d*x)^{(5/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b*d^2) + (360*f*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^6*d^2) + (6*(d*e - c*f)*(c + d*x)^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^2*d^2) - (180*f*(c + d*x)^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^4*d^2) + (15*f*(c + d*x)^{(4/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^2*d^2)$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \operatorname{Subst}\left(\int \left(\frac{(de - cf)x^2 \sin(a + bx)}{d} + \frac{fx^5 \sin(a + bx)}{d}\right) dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= \frac{(3f) \operatorname{Subst}\left(\int x^5 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d^2} + \frac{(3(de - cf)) \operatorname{Subst}\left(\int x^2 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d^2} \\
&= -\frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} - \frac{3f(c + dx)^{5/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} \\
&= -\frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} - \frac{3f(c + dx)^{5/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} \\
&= \frac{6(de - cf) \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^2} - \frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} \\
&= \frac{6(de - cf) \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^2} - \frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} \\
&= \frac{6(de - cf) \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^2} - \frac{360f\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^2} - \frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2} \\
&= \frac{6(de - cf) \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d^2} - \frac{360f\sqrt[3]{c + dx} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d^2} - \frac{3(de - cf)(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd^2}
\end{aligned}$$

Mathematica [A] time = 0.65, size = 147, normalized size = 0.51

$$\frac{3 \sin\left(a + b\sqrt[3]{c + dx}\right) \left(2b^4 de \sqrt[3]{c + dx} + f \left(b^4 \sqrt[3]{c + dx} (3c + 5dx) - 60b^2 (c + dx)^{2/3} + 120\right) - 3b \cos\left(a + b\sqrt[3]{c + dx}\right) \left(2b^4 de \sqrt[3]{c + dx} + f \left(b^4 \sqrt[3]{c + dx} (3c + 5dx) - 60b^2 (c + dx)^{2/3} + 120\right) - 3b \cos\left(a + b\sqrt[3]{c + dx}\right) \right)}{b^6 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^(1/3)],x]

[Out] $(-3*b*(120*f*(c + d*x)^{(1/3)} + b^4*d*(c + d*x)^{(2/3)}*(e + f*x) - 2*b^2*(9*c*f + d*(e + 10*f*x)))*\text{Cos}[a + b*(c + d*x)^{(1/3)}] + 3*(2*b^4*d*e*(c + d*x)^{(1/3)} + f*(120 - 60*b^2*(c + d*x)^{(2/3)} + b^4*(c + d*x)^{(1/3)}*(3*c + 5*d*x)))*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^6*d^2)$

fricas [A] time = 0.67, size = 142, normalized size = 0.49

$$3 \frac{\left(20 b^3 d f x + 2 b^3 d e + 18 b^3 c f - 120 (d x + c)^{\frac{1}{3}} b f - (b^5 d f x + b^5 d e)(d x + c)^{\frac{2}{3}}\right) \cos\left((d x + c)^{\frac{1}{3}} b + a\right) - \left(60 (d x + c)^{\frac{2}{3}} b^2 f - (5 b^4 d f x + 2 b^4 d e + 3 b^4 c f)(d x + c)^{\frac{1}{3}} - 120 f\right) \sin\left((d x + c)^{\frac{1}{3}} b + a\right)}{b^6 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] $3*((20*b^3*d*f*x + 2*b^3*d*e + 18*b^3*c*f - 120*(d*x + c)^{(1/3)}*b*f - (b^5*d*f*x + b^5*d*e)*(d*x + c)^{(2/3)})*\text{cos}((d*x + c)^{(1/3)}*b + a) - (60*(d*x + c)^{(2/3)}*b^2*f - (5*b^4*d*f*x + 2*b^4*d*e + 3*b^4*c*f)*(d*x + c)^{(1/3)} - 120*f)*\text{sin}((d*x + c)^{(1/3)}*b + a))/(b^6*d^2)$

giac [A] time = 0.43, size = 454, normalized size = 1.58

$$3 \left(\frac{2 (d x + c)^{\frac{1}{3}} \sin\left((d x + c)^{\frac{1}{3}} b + a\right)}{b} - \frac{\left(\left((d x + c)^{\frac{1}{3}} b + a\right)^2 - 2 \left((d x + c)^{\frac{1}{3}} b + a\right) a + a^2 - 2\right) \cos\left((d x + c)^{\frac{1}{3}} b + a\right)}{b^2} \right) e + \frac{f \left(\frac{\left(\left((d x + c)^{\frac{1}{3}} b + a\right)^2 b^3 c - 2 \left((d x + c)^{\frac{1}{3}} b + a\right) a b^3 c + a^2 b^3 c - \left((d x + c)^{\frac{1}{3}} b + a\right)^5 + 5 \left((d x + c)^{\frac{1}{3}} b + a\right)^4 a - 10 \left((d x + c)^{\frac{1}{3}} b + a\right)^3 a^2 + 10 \left((d x + c)^{\frac{1}{3}} b + a\right)^2 a^3 - 5 \left((d x + c)^{\frac{1}{3}} b + a\right) a^4 + a^5 - 2 b^3 c + 20 \left((d x + c)^{\frac{1}{3}} b + a\right)^3 - 60 \left((d x + c)^{\frac{1}{3}} b + a\right)^2 a + 60 \left((d x + c)^{\frac{1}{3}} b + a\right) a^2 - 20 a^3 - 120 \left((d x + c)^{\frac{1}{3}} b\right) \cos\left((d x + c)^{\frac{1}{3}} b + a\right)}{b^5} - \left(2 \left((d x + c)^{\frac{1}{3}} b + a\right)^2 - 2 \left((d x + c)^{\frac{1}{3}} b + a\right) a + a^2 - 2\right) \cos\left((d x + c)^{\frac{1}{3}} b + a\right)}{b^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")

[Out] $3*((2*(d*x + c)^{(1/3)}*\text{sin}((d*x + c)^{(1/3)}*b + a)/b - (((d*x + c)^{(1/3)}*b + a)^2 - 2*((d*x + c)^{(1/3)}*b + a)*a + a^2 - 2)*\text{cos}((d*x + c)^{(1/3)}*b + a)/b^2)*e + f*(((d*x + c)^{(1/3)}*b + a)^2*b^3*c - 2*((d*x + c)^{(1/3)}*b + a)*a*b^3*c + a^2*b^3*c - ((d*x + c)^{(1/3)}*b + a)^5 + 5*((d*x + c)^{(1/3)}*b + a)^4*a - 10*((d*x + c)^{(1/3)}*b + a)^3*a^2 + 10*((d*x + c)^{(1/3)}*b + a)^2*a^3 - 5*((d*x + c)^{(1/3)}*b + a)*a^4 + a^5 - 2*b^3*c + 20*((d*x + c)^{(1/3)}*b + a)^3 - 60*((d*x + c)^{(1/3)}*b + a)^2*a + 60*((d*x + c)^{(1/3)}*b + a)*a^2 - 20*a^3 - 120*(d*x + c)^{(1/3)}*b)*\text{cos}((d*x + c)^{(1/3)}*b + a)/b^5 - (2*((d*x + c)^{(1/3)}*b + a)^2 - 2*((d*x + c)^{(1/3)}*b + a)*a + a^2 - 2)*\text{cos}((d*x + c)^{(1/3)}*b + a)/b^2)$

$$3)*b + a)*b^3*c - 2*a*b^3*c - 5*((d*x + c)^{(1/3)}*b + a)^4 + 20*((d*x + c)^{(1/3)}*b + a)^3*a - 30*((d*x + c)^{(1/3)}*b + a)^2*a^2 + 20*((d*x + c)^{(1/3)}*b + a)*a^3 - 5*a^4 + 60*((d*x + c)^{(1/3)}*b + a)^2 - 120*((d*x + c)^{(1/3)}*b + a)*a + 60*a^2 - 120)*\sin((d*x + c)^{(1/3)}*b + a)/b^5)/d)/(b*d)$$

maple [B] time = 0.03, size = 801, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b*(d*x+c)^(1/3)),x)`

[Out]
$$\begin{aligned} & 3/d^2/b^3*(-c*f*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3}))+2*\cos(a+b*(d*x+c)^{(1/3}))+2*(a+b*(d*x+c)^{(1/3}))*\sin(a+b*(d*x+c)^{(1/3}))+d*e*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3}))+2*\cos(a+b*(d*x+c)^{(1/3}))+2*(a+b*(d*x+c)^{(1/3}))*\sin(a+b*(d*x+c)^{(1/3}))+2*a*c*f*(\sin(a+b*(d*x+c)^{(1/3}))- (a+b*(d*x+c)^{(1/3}))*\cos(a+b*(d*x+c)^{(1/3}))-2*a*d*e*(\sin(a+b*(d*x+c)^{(1/3}))- (a+b*(d*x+c)^{(1/3}))*\cos(a+b*(d*x+c)^{(1/3}))+a^2*c*f*\cos(a+b*(d*x+c)^{(1/3}))-a^2*d*e*\cos(a+b*(d*x+c)^{(1/3}))+1/b^3*f*(-(a+b*(d*x+c)^{(1/3)})^5*\cos(a+b*(d*x+c)^{(1/3}))+5*(a+b*(d*x+c)^{(1/3)})^4*\sin(a+b*(d*x+c)^{(1/3}))+20*(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3}))-60*(a+b*(d*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3}))+120*\sin(a+b*(d*x+c)^{(1/3}))-120*(a+b*(d*x+c)^{(1/3}))*\cos(a+b*(d*x+c)^{(1/3}))-5/b^3*a*f*(-(a+b*(d*x+c)^{(1/3)})^4*\cos(a+b*(d*x+c)^{(1/3}))+4*(a+b*(d*x+c)^{(1/3)})^3*\sin(a+b*(d*x+c)^{(1/3}))+12*(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3}))-24*\cos(a+b*(d*x+c)^{(1/3}))-24*(a+b*(d*x+c)^{(1/3}))*\sin(a+b*(d*x+c)^{(1/3}))+10/b^3*a^2*f*(-(a+b*(d*x+c)^{(1/3)})^3*\cos(a+b*(d*x+c)^{(1/3}))+3*(a+b*(d*x+c)^{(1/3)})^2*\sin(a+b*(d*x+c)^{(1/3}))-6*\sin(a+b*(d*x+c)^{(1/3}))+6*(a+b*(d*x+c)^{(1/3}))*\cos(a+b*(d*x+c)^{(1/3}))-10/b^3*a^3*f*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3}))+2*\cos(a+b*(d*x+c)^{(1/3}))+2*(a+b*(d*x+c)^{(1/3}))*\sin(a+b*(d*x+c)^{(1/3}))+5/b^3*a^4*f*(\sin(a+b*(d*x+c)^{(1/3}))- (a+b*(d*x+c)^{(1/3}))*\cos(a+b*(d*x+c)^{(1/3}))+1/b^3*a^5*f*\cos(a+b*(d*x+c)^{(1/3}))) \end{aligned}$$

maxima [B] time = 0.45, size = 681, normalized size = 2.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & -3*(a^2*e*\cos((d*x + c)^{(1/3)}*b + a) - a^2*c*f*\cos((d*x + c)^{(1/3)}*b + a)/d \\ & - 2*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a*e + 2*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a*c*f/d - a^5*f*\cos((d*x + c)^{(1/3)}*b + a)/(b^3*d) \\ & + (((d*x + c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + a)*\sin((d*x + c)^{(1/3)}*b + a))*e + 5*(((d*x + c)^{(1/3)}*b + a \end{aligned}$$

```

)*cos((d*x + c)^(1/3)*b + a) - sin((d*x + c)^(1/3)*b + a))*a^4*f/(b^3*d) -
((((d*x + c)^(1/3)*b + a)^2 - 2)*cos((d*x + c)^(1/3)*b + a) - 2*((d*x + c)^(
1/3)*b + a)*sin((d*x + c)^(1/3)*b + a))*c*f/d - 10*(((d*x + c)^(1/3)*b +
a)^2 - 2)*cos((d*x + c)^(1/3)*b + a) - 2*((d*x + c)^(1/3)*b + a)*sin((d*x +
c)^(1/3)*b + a))*a^3*f/(b^3*d) + 10*(((d*x + c)^(1/3)*b + a)^3 - 6*(d*x +
c)^(1/3)*b - 6*a)*cos((d*x + c)^(1/3)*b + a) - 3*(((d*x + c)^(1/3)*b + a)^
2 - 2)*sin((d*x + c)^(1/3)*b + a))*a^2*f/(b^3*d) - 5*(((d*x + c)^(1/3)*b +
a)^4 - 12*(d*x + c)^(1/3)*b + a)^2 + 24)*cos((d*x + c)^(1/3)*b + a) - 4*(
((d*x + c)^(1/3)*b + a)^3 - 6*(d*x + c)^(1/3)*b - 6*a)*sin((d*x + c)^(1/3)*
b + a))*a*f/(b^3*d) + (((d*x + c)^(1/3)*b + a)^5 - 20*(d*x + c)^(1/3)*b +
a)^3 + 120*(d*x + c)^(1/3)*b + 120*a)*cos((d*x + c)^(1/3)*b + a) - 5*((d*
x + c)^(1/3)*b + a)^4 - 12*((d*x + c)^(1/3)*b + a)^2 + 24)*sin((d*x + c)^(1
/3)*b + a))*f/(b^3*d))/(b^3*d)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{1/3}) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))*(e + f*x), x)

[Out] int(sin(a + b*(c + d*x)^(1/3))*(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + b\sqrt[3]{c + dx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)**(1/3)), x)

[Out] Integral((e + f*x)*sin(a + b*(c + d*x)**(1/3)), x)

3.209 $\int \sin\left(a + b\sqrt[3]{c + dx}\right) dx$

Optimal. Leaf size=85

$$\frac{6 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d} + \frac{6\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2 d} - \frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd}$$

[Out] $6*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d-3*(d*x+c)^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d+6*(d*x+c)^{(1/3)}*sin(a+b*(d*x+c)^{(1/3)})/b^2/d$

Rubi [A] time = 0.06, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3361, 3296, 2638}

$$\frac{6\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2 d} + \frac{6 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d} - \frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^(1/3)], x]

[Out] $(6*\cos[a + b*(c + d*x)^{(1/3)}])/(b^3*d) - (3*(c + d*x)^{(2/3)}*\cos[a + b*(c + d*x)^{(1/3)}])/(b*d) + (6*(c + d*x)^{(1/3)}*sin[a + b*(c + d*x)^{(1/3)}])/(b^2*d)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))]^(n_)]^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
\int \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \operatorname{Subst}\left(\int x^2 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= -\frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{6 \operatorname{Subst}\left(\int x \cos(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd} \\
&= -\frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{6\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2d} - \frac{6 \operatorname{Subst}\left(\int \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{b^2d} \\
&= \frac{6 \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{6\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2d}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 65, normalized size = 0.76

$$\frac{(6 - 3b^2(c + dx)^{2/3}) \cos\left(a + b\sqrt[3]{c + dx}\right) + 6b\sqrt[3]{c + dx} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)], x]

[Out] ((6 - 3*b^2*(c + d*x)^(2/3))*Cos[a + b*(c + d*x)^(1/3)] + 6*b*(c + d*x)^(1/3)*Sin[a + b*(c + d*x)^(1/3)])/(b^3*d)

fricas [A] time = 0.73, size = 58, normalized size = 0.68

$$\frac{3\left(2(dx + c)^{\frac{1}{3}}b \sin\left((dx + c)^{\frac{1}{3}}b + a\right) - \left((dx + c)^{\frac{2}{3}}b^2 - 2\right) \cos\left((dx + c)^{\frac{1}{3}}b + a\right)\right)}{b^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3)), x, algorithm="fricas")

[Out] 3*(2*(d*x + c)^(1/3)*b*sin((d*x + c)^(1/3)*b + a) - ((d*x + c)^(2/3)*b^2 - 2)*cos((d*x + c)^(1/3)*b + a))/(b^3*d)

giac [A] time = 0.36, size = 82, normalized size = 0.96

$$\frac{3\left(\frac{2(dx+c)^{\frac{1}{3}} \sin\left((dx+c)^{\frac{1}{3}}b+a\right)}{b} - \frac{\left(\left((dx+c)^{\frac{1}{3}}b+a\right)^2 - 2\left((dx+c)^{\frac{1}{3}}b+a\right)a+a^2-2\right) \cos\left((dx+c)^{\frac{1}{3}}b+a\right)}{b^2}\right)}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")

[Out] $3*(2*(d*x + c)^{(1/3)}*\sin((d*x + c)^{(1/3)}*b + a)/b - (((d*x + c)^{(1/3)}*b + a)^2 - 2*((d*x + c)^{(1/3)}*b + a)*a + a^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a)/b^2)/(b*d)$

maple [A] time = 0.03, size = 134, normalized size = 1.58

$$\frac{-3\left(a + b(dx + c)^{\frac{1}{3}}\right)^2 \cos\left(a + b(dx + c)^{\frac{1}{3}}\right) + 6 \cos\left(a + b(dx + c)^{\frac{1}{3}}\right) + 6\left(a + b(dx + c)^{\frac{1}{3}}\right) \sin\left(a + b(dx + c)^{\frac{1}{3}}\right) -}{db^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/3)),x)

[Out] $3/d/b^3*(-(a+b*(d*x+c)^{(1/3)})^2*\cos(a+b*(d*x+c)^{(1/3)})+2*\cos(a+b*(d*x+c)^{(1/3)})+2*(a+b*(d*x+c)^{(1/3)})*\sin(a+b*(d*x+c)^{(1/3)})-2*a*(\sin(a+b*(d*x+c)^{(1/3)}))-(a+b*(d*x+c)^{(1/3)})*\cos(a+b*(d*x+c)^{(1/3)}))-a^2*\cos(a+b*(d*x+c)^{(1/3))}$

maxima [A] time = 0.54, size = 120, normalized size = 1.41

$$\frac{3\left(a^2 \cos\left((dx + c)^{\frac{1}{3}}b + a\right) - 2\left(\left((dx + c)^{\frac{1}{3}}b + a\right) \cos\left((dx + c)^{\frac{1}{3}}b + a\right) - \sin\left((dx + c)^{\frac{1}{3}}b + a\right)\right)a + \left(\left((dx + c)^{\frac{1}{3}}b + a\right)^2 - 2\right) \cos\left((dx + c)^{\frac{1}{3}}b + a\right) - 2\left((dx + c)^{\frac{1}{3}}b + a\right) \sin\left((dx + c)^{\frac{1}{3}}b + a\right)}{b^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3)),x, algorithm="maxima")

[Out] $-3*(a^2*\cos((d*x + c)^{(1/3)}*b + a) - 2*(((d*x + c)^{(1/3)}*b + a)*\cos((d*x + c)^{(1/3)}*b + a) - \sin((d*x + c)^{(1/3)}*b + a))*a + (((d*x + c)^{(1/3)}*b + a)^2 - 2)*\cos((d*x + c)^{(1/3)}*b + a) - 2*((d*x + c)^{(1/3)}*b + a)*\sin((d*x + c)^{(1/3)}*b + a))/(b^3*d)$

mupad [B] time = 4.61, size = 69, normalized size = 0.81

$$\frac{3\left(2 \cos\left(a + b(c + dx)^{1/3}\right) + 2b \sin\left(a + b(c + dx)^{1/3}\right) (c + dx)^{1/3} - b^2 \cos\left(a + b(c + dx)^{1/3}\right) (c + dx)^{2/3}\right)}{b^3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3)),x)

[Out] $(3*(2*\cos(a + b*(c + d*x)^{(1/3)}) + 2*b*\sin(a + b*(c + d*x)^{(1/3)})*(c + d*x)^{(1/3)} - b^2*\cos(a + b*(c + d*x)^{(1/3)})*(c + d*x)^{(2/3)}))/(b^3*d)$

sympy [A] time = 1.42, size = 94, normalized size = 1.11

$$\begin{cases} x \sin(a) & \text{for } b = 0 \wedge (b = 0 \vee d = 0) \\ x \sin(a + b\sqrt[3]{c}) & \text{for } d = 0 \\ -\frac{3(c+dx)^{\frac{2}{3}} \cos(a+b\sqrt[3]{c+dx})}{bd} + \frac{6\sqrt[3]{c+dx} \sin(a+b\sqrt[3]{c+dx})}{b^2d} + \frac{6 \cos(a+b\sqrt[3]{c+dx})}{b^3d} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/3)),x)

[Out] Piecewise((x*sin(a), Eq(b, 0) & (Eq(b, 0) | Eq(d, 0))), (x*sin(a + b*c**(1/3)), Eq(d, 0)), (-3*(c + d*x)**(2/3)*cos(a + b*(c + d*x)**(1/3))/(b*d) + 6*(c + d*x)**(1/3)*sin(a + b*(c + d*x)**(1/3))/(b**2*d) + 6*cos(a + b*(c + d*x)**(1/3))/(b**3*d), True))

$$3.210 \quad \int \frac{\sin\left(a + b\sqrt[3]{c+dx}\right)}{e+fx} dx$$

Optimal. Leaf size=396

$$\frac{\sin\left(a - \frac{b\sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \operatorname{Ci}\left(\frac{\sqrt[3]{de-cf}b}{\sqrt[3]{f}} + \sqrt[3]{c+dx}b\right)}{f} + \frac{\sin\left(a + \frac{\sqrt[3]{-1}b\sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \operatorname{Ci}\left(\frac{\sqrt[3]{-1}b\sqrt[3]{de-cf}}{\sqrt[3]{f}} - b\sqrt[3]{c+dx}\right)}{f} + \frac{\sin\left(a - \frac{(-1)^{2/3}}{\sqrt[3]{f}}\right) \operatorname{Ci}\left(\frac{(-1)^{2/3}b\sqrt[3]{de-cf}}{\sqrt[3]{f}} + b\sqrt[3]{c+dx}\right)}{f}$$

[Out] $\cos(a+(-1)^{1/3}*b*(-c*f+d*e)^{1/3}/f^{1/3})*\operatorname{Si}(-(-1)^{1/3}*b*(-c*f+d*e)^{1/3}/f^{1/3}+b*(d*x+c)^{1/3})/f + \cos(a-b*(-c*f+d*e)^{1/3}/f^{1/3})*\operatorname{Si}(b*(-c*f+d*e)^{1/3}/f^{1/3}+b*(d*x+c)^{1/3})/f + \cos(a-(-1)^{2/3}*b*(-c*f+d*e)^{1/3}/f^{1/3})*\operatorname{Si}((-1)^{2/3}*b*(-c*f+d*e)^{1/3}/f^{1/3}+b*(d*x+c)^{1/3})/f + \operatorname{Ci}(b*(-c*f+d*e)^{1/3}/f^{1/3}+b*(d*x+c)^{1/3})*\sin(a-b*(-c*f+d*e)^{1/3}/f^{1/3})/f + \operatorname{Ci}((-1)^{1/3}*b*(-c*f+d*e)^{1/3}/f^{1/3}-b*(d*x+c)^{1/3})*\sin(a+(-1)^{1/3}*b*(-c*f+d*e)^{1/3}/f^{1/3})/f + \operatorname{Ci}((-1)^{2/3}*b*(-c*f+d*e)^{1/3}/f^{1/3}+b*(d*x+c)^{1/3})*\sin(a-(-1)^{2/3}*b*(-c*f+d*e)^{1/3}/f^{1/3})/f$

Rubi [A] time = 1.39, antiderivative size = 396, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 4, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {3431, 3303, 3299, 3302}

$$\frac{\sin\left(a - \frac{b\sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \operatorname{CosIntegral}\left(\frac{b\sqrt[3]{de-cf}}{\sqrt[3]{f}} + b\sqrt[3]{c+dx}\right)}{f} + \frac{\sin\left(a + \frac{\sqrt[3]{-1}b\sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \operatorname{CosIntegral}\left(\frac{\sqrt[3]{-1}b\sqrt[3]{de-cf}}{\sqrt[3]{f}} - b\sqrt[3]{c+dx}\right)}{f}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b*(c + d*x)^{1/3}]/(e + f*x), x]$

[Out] $(\operatorname{CosIntegral}[(b*(d*e - c*f)^{1/3})/f^{1/3} + b*(c + d*x)^{1/3}]*\operatorname{Sin}[a - (b*(d*e - c*f)^{1/3})/f^{1/3}])/f + (\operatorname{CosIntegral}[((-1)^{1/3}*b*(d*e - c*f)^{1/3})/f^{1/3} - b*(c + d*x)^{1/3}]*\operatorname{Sin}[a + ((-1)^{1/3}*b*(d*e - c*f)^{1/3})/f^{1/3}])/f + (\operatorname{CosIntegral}[((-1)^{2/3}*b*(d*e - c*f)^{1/3})/f^{1/3} + b*(c + d*x)^{1/3}]*\operatorname{Sin}[a - ((-1)^{2/3}*b*(d*e - c*f)^{1/3})/f^{1/3}])/f - (\operatorname{Cos}[a + ((-1)^{1/3}*b*(d*e - c*f)^{1/3})/f^{1/3}]*\operatorname{SinIntegral}[((-1)^{1/3}*b*(d*e - c*f)^{1/3})/f^{1/3} - b*(c + d*x)^{1/3}])/f + (\operatorname{Cos}[a - (b*(d*e - c*f)^{1/3})/f^{1/3}]*\operatorname{SinIntegral}[(b*(d*e - c*f)^{1/3})/f^{1/3} + b*(c + d*x)^{1/3}])/f + (\operatorname{Cos}[a - ((-1)^{2/3}*b*(d*e - c*f)^{1/3})/f^{1/3}]*\operatorname{SinIntegral}[((-1)^{2/3}*b*(d*e - c*f)^{1/3})/f^{1/3} + b*(c + d*x)^{1/3}])/f$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)]^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\int \frac{\sin(a + b\sqrt[3]{c + dx})}{e + fx} dx = \frac{3 \operatorname{Subst} \left(\int \left(\frac{(de - cf) \sin(a + bx)}{3f^{2/3} \left(e - \frac{cf}{d} \right) \left(\sqrt[3]{de - cf} + \sqrt[3]{f} x \right)} + \frac{(de - cf) \sin(a + bx)}{3f^{2/3} \left(e - \frac{cf}{d} \right) \left(-\sqrt[3]{-1} \sqrt[3]{de - cf} + \sqrt[3]{f} x \right)} + \frac{(de - cf) \sin(a + bx)}{3f^{2/3} \left(e - \frac{cf}{d} \right) (-1)^{1/3}} \right) dx, x, \sqrt[3]{c + dx} \right)}{d}$$

$$= \frac{\operatorname{Subst} \left(\int \frac{\sin(a + bx)}{\sqrt[3]{de - cf} + \sqrt[3]{f} x} dx, x, \sqrt[3]{c + dx} \right)}{f^{2/3}} + \frac{\operatorname{Subst} \left(\int \frac{\sin(a + bx)}{-\sqrt[3]{-1} \sqrt[3]{de - cf} + \sqrt[3]{f} x} dx, x, \sqrt[3]{c + dx} \right)}{f^{2/3}}$$

$$= \frac{\cos \left(a - \frac{b \sqrt[3]{de - cf}}{\sqrt[3]{f}} \right) \operatorname{Subst} \left(\int \frac{\sin \left(\frac{b \sqrt[3]{de - cf}}{\sqrt[3]{f}} + bx \right)}{\sqrt[3]{de - cf} + \sqrt[3]{f} x} dx, x, \sqrt[3]{c + dx} \right)}{f^{2/3}} - \frac{\cos \left(a + \frac{\sqrt[3]{-1} b \sqrt[3]{de - cf}}{\sqrt[3]{f}} \right) \operatorname{Subst} \left(\int \frac{\sin \left(\frac{b \sqrt[3]{de - cf}}{\sqrt[3]{f}} + bx \right)}{\sqrt[3]{de - cf} + \sqrt[3]{f} x} dx, x, \sqrt[3]{c + dx} \right)}{f^{2/3}}$$

$$= \frac{\operatorname{Ci} \left(\frac{b \sqrt[3]{de - cf}}{\sqrt[3]{f}} + b \sqrt[3]{c + dx} \right) \sin \left(a - \frac{b \sqrt[3]{de - cf}}{\sqrt[3]{f}} \right)}{f} + \frac{\operatorname{Ci} \left(\frac{\sqrt[3]{-1} b \sqrt[3]{de - cf}}{\sqrt[3]{f}} - b \sqrt[3]{c + dx} \right) \sin \left(a + \frac{\sqrt[3]{-1} b \sqrt[3]{de - cf}}{\sqrt[3]{f}} \right)}{f}$$

Mathematica [C] time = 1.85, size = 118, normalized size = 0.30

$$\frac{i(\text{RootSum}[\#1^3 f - cf + de\&, e^{-i\#1b-ia}\text{Ei}(-ib(\sqrt[3]{c+dx} - \#1))\&] - \text{RootSum}[\#1^3 f - cf + de\&, e^{i\#1b+ia}\text{Ei}(ib(\sqrt[3]{c+dx} - \#1))\&])}{2f}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(e + f*x), x]

[Out] ((I/2)*(RootSum[d*e - c*f + f*#1^3 &, E^((-I)*a - I*b*#1)*ExpIntegralEi[(-I)*b*((c + d*x)^(1/3) - #1)] &] - RootSum[d*e - c*f + f*#1^3 &, E^(I*a + I*b*#1)*ExpIntegralEi[I*b*((c + d*x)^(1/3) - #1)] &])/f

fricas [C] time = 0.87, size = 448, normalized size = 1.13

$$i\text{Ei}\left(-i(dx+c)^{\frac{1}{3}}b + \frac{1}{2}(-i\sqrt{3}-1)\left(\frac{ib^3de-ib^3cf}{f}\right)^{\frac{1}{3}}\right)e^{\left(\frac{1}{2}(i\sqrt{3}+1)\left(\frac{ib^3de-ib^3cf}{f}\right)^{\frac{1}{3}}-ia\right)} + i\text{Ei}\left(-i(dx+c)^{\frac{1}{3}}b + \frac{1}{2}(i\sqrt{3}-1)\left(\frac{ib^3de-ib^3cf}{f}\right)^{\frac{1}{3}}\right)e^{\left(\frac{1}{2}(i\sqrt{3}-1)\left(\frac{ib^3de-ib^3cf}{f}\right)^{\frac{1}{3}}-ia\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e), x, algorithm="fricas")

[Out] 1/2*(I*Ei(-I*(d*x + c)^(1/3)*b + 1/2*(-I*sqrt(3) - 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(1/2*(I*sqrt(3) + 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3) - I*a) + I*Ei(-I*(d*x + c)^(1/3)*b + 1/2*(I*sqrt(3) - 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(1/2*(-I*sqrt(3) + 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3) - I*a) - I*Ei(I*(d*x + c)^(1/3)*b + 1/2*(-I*sqrt(3) - 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(1/2*(I*sqrt(3) + 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3) + I*a) - I*Ei(I*(d*x + c)^(1/3)*b + 1/2*(I*sqrt(3) - 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(1/2*(-I*sqrt(3) + 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3) + I*a) - I*Ei(I*(d*x + c)^(1/3)*b + ((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(I*a - ((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3)) + I*Ei(-I*(d*x + c)^(1/3)*b + ((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(-I*a - ((I*b^3*d*e - I*b^3*c*f)/f)^(1/3)))/f

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{1}{3}}b + a\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e), x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(1/3)*b + a)/(f*x + e), x)

maple [C] time = 0.06, size = 327, normalized size = 0.83

$$\frac{b^3 \left(\sum_{_R1=\text{RootOf}(-cf b^3+de b^3+f_Z^3-3af_Z^2+3a^2f_Z-a^3f)} \frac{-R1^2 \left(-\text{Si} \left(-b(dx+c)^{\frac{1}{3}}+_R1-a \right) \cos(_R1) + \text{Ci} \left(b(dx+c)^{\frac{1}{3}}+_R1+a \right) \sin(_R1) \right)}{-R1^2-2_R1a+a^2} \right)}{f} - \frac{2a b^3}{_R1=\text{RootOf}(-cf b^3+de b^3+f_Z^3-3af_Z^2+3a^2f_Z-a^3f)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/3))/(f*x+e), x)

[Out] 3/b^3*(1/3*b^3/f*sum(_R1^2/(_R1^2-2*_R1*a+a^2)*(-Si(-b*(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b*(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))-2/3*a*b^3/f*sum(_R1/(_R1^2-2*_R1*a+a^2)*(-Si(-b*(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b*(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))+1/3*a^2*b^3/f*sum(1/(_R1^2-2*_R1*a+a^2)*(-Si(-b*(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b*(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f)))

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{1}{3}}b+a\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e), x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^(1/3)*b + a)/(f*x + e), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a+b(c+dx)^{\frac{1}{3}}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))/(e + f*x), x)

[Out] int(sin(a + b*(c + d*x)^(1/3))/(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b\sqrt[3]{c + dx}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/3))/(f*x+e),x)

[Out] Integral(sin(a + b*(c + d*x)**(1/3))/(e + f*x), x)

$$3.211 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=555

$$\frac{\sqrt[3]{-1} bd \cos\left(a + \frac{\sqrt[3]{-1} b \sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1} b \sqrt[3]{de-cf}}{\sqrt[3]{f}} - b\sqrt[3]{c+dx}\right)}{3f^{4/3}(de-cf)^{2/3}} + \frac{bd \cos\left(a - \frac{b \sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \text{Ci}\left(\frac{\sqrt[3]{de-cf} b}{\sqrt[3]{f}} + \sqrt[3]{c+dx} b\right)}{3f^{4/3}(de-cf)^{2/3}}$$

[Out] $\frac{1}{3} b d \text{Ci}\left(\frac{b(-c f+d e)^{1/3}}{f^{1/3}}+b(d x+c)^{1/3}\right) \cos\left(\frac{a-b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}-\frac{1}{3}(-1)^{1/3} b d \text{Ci}\left(\frac{(-1)^{1/3} b(-c f+d e)^{1/3}}{f^{1/3}}-b(d x+c)^{1/3}\right) \cos\left(\frac{a+(-1)^{1/3} b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}+\frac{1}{3}(-1)^{2/3} b d \text{Ci}\left(\frac{(-1)^{2/3} b(-c f+d e)^{1/3}}{f^{1/3}}+b(d x+c)^{1/3}\right) \cos\left(\frac{a-(-1)^{2/3} b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}-\frac{1}{3} b d \text{Si}\left(\frac{b(-c f+d e)^{1/3}}{f^{1/3}}+b(d x+c)^{1/3}\right) \sin\left(\frac{a-b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}+\frac{1}{3}(-1)^{1/3} b d \text{Si}\left(\frac{(-1)^{1/3} b(-c f+d e)^{1/3}}{f^{1/3}}+b(d x+c)^{1/3}\right) \sin\left(\frac{a+(-1)^{1/3} b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}-\frac{1}{3}(-1)^{2/3} b d \text{Si}\left(\frac{(-1)^{2/3} b(-c f+d e)^{1/3}}{f^{1/3}}+b(d x+c)^{1/3}\right) \sin\left(\frac{a-(-1)^{2/3} b(-c f+d e)^{1/3}}{f^{1/3}}\right) f^{4/3}(-c f+d e)^{2/3}-\sin\left(\frac{a+b(d x+c)^{1/3}}{f}\right) f^{4/3}(-c f+d e)^{2/3}$

Rubi [A] time = 2.12, antiderivative size = 555, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3431, 3341, 3334, 3303, 3299, 3302}

$$\frac{\sqrt[3]{-1} bd \cos\left(a + \frac{\sqrt[3]{-1} b \sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1} b \sqrt[3]{de-cf}}{\sqrt[3]{f}} - b\sqrt[3]{c+dx}\right)}{3f^{4/3}(de-cf)^{2/3}} + \frac{bd \cos\left(a - \frac{b \sqrt[3]{de-cf}}{\sqrt[3]{f}}\right) \text{CosIntegral}\left(\frac{b \sqrt[3]{de-cf}}{\sqrt[3]{f}} + \sqrt[3]{c+dx} b\right)}{3f^{4/3}(de-cf)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^(1/3)]/(e + f*x)^2, x]

[Out] $-\frac{(-1)^{1/3} b d \text{Cos}\left[\frac{a+(-1)^{1/3} b(d e-c f)^{1/3}}{f^{1/3}}\right] \text{CosIntegral}\left[\frac{(-1)^{1/3} b(d e-c f)^{1/3}}{f^{1/3}}-b(c+d x)^{1/3}\right]}{3 f^{4/3}(d e-c f)^{2/3}}+\frac{b d \text{Cos}\left[\frac{a-b(d e-c f)^{1/3}}{f^{1/3}}\right] \text{CosIntegral}\left[\frac{b(d e-c f)^{1/3}}{f^{1/3}}+b(c+d x)^{1/3}\right]}{3 f^{4/3}(d e-c f)^{2/3}}-\frac{(-1)^{2/3} b d \text{Cos}\left[\frac{a+(-1)^{2/3} b(d e-c f)^{1/3}}{f^{1/3}}\right] \text{CosIntegral}\left[\frac{(-1)^{2/3} b(d e-c f)^{1/3}}{f^{1/3}}+b(c+d x)^{1/3}\right]}{3 f^{4/3}(d e-c f)^{2/3}}-\frac{\text{Sin}\left[\frac{a+b(c+d x)^{1/3}}{f}\right] f^{4/3}(d e-c f)^{2/3}}{3 f^{4/3}(d e-c f)^{2/3}}-\frac{(-1)^{1/3} b d \text{Sin}\left[\frac{a+(-1)^{1/3} b(d e-c f)^{1/3}}{f^{1/3}}\right] \text{SinIntegral}\left[\frac{(-1)^{1/3} b(d e-c f)^{1/3}}{f^{1/3}}-b(c+d x)^{1/3}\right]}{3 f^{4/3}(d e-c f)^{2/3}}+\frac{b d \text{Sin}\left[\frac{a-b(d e-c f)^{1/3}}{f^{1/3}}\right] \text{SinIntegral}\left[\frac{b(d e-c f)^{1/3}}{f^{1/3}}+b(c+d x)^{1/3}\right]}{3 f^{4/3}(d e-c f)^{2/3}}$

Integral[(b*(d*e - c*f)^(1/3))/f^(1/3) + b*(c + d*x)^(1/3)]/(3*f^(4/3)*(d*e - c*f)^(2/3)) - ((-1)^(2/3)*b*d*Sin[a - ((-1)^(2/3)*b*(d*e - c*f)^(1/3))/f^(1/3)]*SinIntegral[((-1)^(2/3)*b*(d*e - c*f)^(1/3))/f^(1/3) + b*(c + d*x)^(1/3)]/(3*f^(4/3)*(d*e - c*f)^(2/3))

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3334

Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])

Rule 3341

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x])/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], (e + f*x)^n, x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b\sqrt[3]{c + dx})}{(e + fx)^2} dx &= \frac{3 \operatorname{Subst} \left(\int \frac{x^2 \sin(a+bx)}{\left(e - \frac{cf}{d} + \frac{fx^3}{d}\right)^2} dx, x, \sqrt[3]{c + dx} \right)}{d} \\
&= -\frac{\sin(a + b\sqrt[3]{c + dx})}{f(e + fx)} + \frac{b \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{e - \frac{cf}{d} + \frac{fx^3}{d}} dx, x, \sqrt[3]{c + dx} \right)}{f} \\
&= -\frac{\sin(a + b\sqrt[3]{c + dx})}{f(e + fx)} + \frac{b \operatorname{Subst} \left(\int \left(-\frac{\sqrt[3]{de - cf} \cos(a+bx)}{3\left(e - \frac{cf}{d}\right)\left(-\sqrt[3]{de - cf} - \sqrt[3]{f}x\right)} - \frac{\sqrt[3]{de - cf} \cos(a+bx)}{3\left(e - \frac{cf}{d}\right)\left(-\sqrt[3]{de - cf} + \sqrt[3]{-1}\sqrt[3]{f}x\right)} \right) dx, x, \sqrt[3]{c + dx} \right)}{f} \\
&= -\frac{\sin(a + b\sqrt[3]{c + dx})}{f(e + fx)} - \frac{(bd) \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{-\sqrt[3]{de - cf} - \sqrt[3]{f}x} dx, x, \sqrt[3]{c + dx} \right)}{3f(de - cf)^{2/3}} - \frac{(bd) \operatorname{Subst} \left(\int \frac{\cos(a+bx)}{-\sqrt[3]{de - cf} + \sqrt[3]{f}x} dx, x, \sqrt[3]{c + dx} \right)}{3f(de - cf)^{2/3}} \\
&= -\frac{\sin(a + b\sqrt[3]{c + dx})}{f(e + fx)} - \frac{\left(bd \cos \left(a - \frac{b\sqrt[3]{de - cf}}{\sqrt[3]{f}} \right) \right) \operatorname{Subst} \left(\int \frac{\cos \left(\frac{b\sqrt[3]{de - cf}}{\sqrt[3]{f}} + bx \right)}{-\sqrt[3]{de - cf} - \sqrt[3]{f}x} dx, x, \sqrt[3]{c + dx} \right)}{3f(de - cf)^{2/3}} \\
&= -\frac{\sqrt[3]{-1} bd \cos \left(a + \frac{\sqrt[3]{-1} b \sqrt[3]{de - cf}}{\sqrt[3]{f}} \right) \operatorname{Ci} \left(\frac{\sqrt[3]{-1} b \sqrt[3]{de - cf}}{\sqrt[3]{f}} - b\sqrt[3]{c + dx} \right)}{3f^{4/3}(de - cf)^{2/3}} + \frac{bd \cos \left(a - \frac{b\sqrt[3]{de - cf}}{\sqrt[3]{f}} \right)}{3f^{4/3}(de - cf)^{2/3}}
\end{aligned}$$

Mathematica [C] time = 1.19, size = 180, normalized size = 0.32

$$\frac{bd \operatorname{RootSum} \left[\#1^3 f - cf + de \&, \frac{e^{-i\#1b - ia} \operatorname{Ei} \left(-ib \left(\sqrt[3]{c + dx} - \#1 \right) \right)}{\#1^2} \& \right] + bd \operatorname{RootSum} \left[\#1^3 f - cf + de \&, \frac{e^{i\#1b + ia} \operatorname{Ei} \left(ib \left(\sqrt[3]{c + dx} - \#1 \right) \right)}{\#1^2} \& \right]}{6f^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(e + f*x)^2, x]

[Out] (((3*I)*(-1 + E^((2*I)*(a + b*(c + d*x)^(1/3))))*f)/(E^(I*(a + b*(c + d*x)^(1/3)))*(e + f*x)) + b*d*RootSum[d*e - c*f + f*#1^3 &, (E^((-I)*a - I*b*#1)*ExpIntegralEi[(-I)*b*((c + d*x)^(1/3) - #1)])/#1^2 &] + b*d*RootSum[d*e

- c*f + f*#1^3 & , (E^(I*a + I*b*#1)*ExpIntegralEi[I*b*((c + d*x)^(1/3) - #1]))/#1^2 &])/(6*f^2)

fricas [C] time = 1.22, size = 728, normalized size = 1.31

$$(idf x + ide - \sqrt{3}(df x + de)) \left(\frac{ib^3 de - ib^3 cf}{f} \right)^{\frac{1}{3}} \operatorname{Ei} \left(-i(dx + c)^{\frac{1}{3}} b + \frac{1}{2} (-i\sqrt{3} - 1) \left(\frac{ib^3 de - ib^3 cf}{f} \right)^{\frac{1}{3}} \right) e^{\left(\frac{1}{2} (i\sqrt{3} + 1) \left(\frac{ib^3 de - ib^3 cf}{f} \right)^{\frac{1}{3}} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="fricas")

[Out] -1/12*((I*d*f*x + I*d*e - sqrt(3)*(d*f*x + d*e))*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3)*Ei(-I*(d*x + c)^(1/3)*b + 1/2*(-I*sqrt(3) - 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(1/2*(I*sqrt(3) + 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3) - I*a) + (I*d*f*x + I*d*e + sqrt(3)*(d*f*x + d*e))*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3)*Ei(-I*(d*x + c)^(1/3)*b + 1/2*(I*sqrt(3) - 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(1/2*(-I*sqrt(3) + 1)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3) - I*a) + (-I*d*f*x - I*d*e + sqrt(3)*(d*f*x + d*e))*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3)*Ei(I*(d*x + c)^(1/3)*b + 1/2*(-I*sqrt(3) - 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(1/2*(I*sqrt(3) + 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3) + I*a) + (-I*d*f*x - I*d*e - sqrt(3)*(d*f*x + d*e))*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3)*Ei(I*(d*x + c)^(1/3)*b + 1/2*(I*sqrt(3) - 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(1/2*(-I*sqrt(3) + 1)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3) + I*a) + (2*I*d*f*x + 2*I*d*e)*((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3)*Ei(I*(d*x + c)^(1/3)*b + ((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3))*e^(I*a - ((-I*b^3*d*e + I*b^3*c*f)/f)^(1/3)) + (-2*I*d*f*x - 2*I*d*e)*((I*b^3*d*e - I*b^3*c*f)/f)^(1/3)*Ei(-I*(d*x + c)^(1/3)*b + ((I*b^3*d*e - I*b^3*c*f)/f)^(1/3))*e^(-I*a - ((I*b^3*d*e - I*b^3*c*f)/f)^(1/3)) + 12*(d*e - c*f)*sin((d*x + c)^(1/3)*b + a)/(d*e^2*f - c*e*f^2 + (d*e*f^2 - c*f^3)*x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx + c)^{\frac{1}{3}}b + a\right)}{(fx + e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(1/3)*b + a)/(f*x + e)^2, x)

maple [C] time = 0.11, size = 1175, normalized size = 2.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(1/3))/(f*x+e)^2,x)`

[Out]
$$3*d/b^3*(\sin(a+b*(d*x+c)^{(1/3)})*(-2/3*a*b^3/(c*f-d*e)*(a+b*(d*x+c)^{(1/3)})^2+a^2*b^3/(c*f-d*e)*(a+b*(d*x+c)^{(1/3)})-1/3*b^3*(b^3*c*f-b^3*d*e+a^3*f)/(c*f-d*e)/f)/(-c*f*b^3+d*e*b^3+(a+b*(d*x+c)^{(1/3)})^3*f-3*(a+b*(d*x+c)^{(1/3)})^2*a*f+3*(a+b*(d*x+c)^{(1/3)})*a^2*f-a^3*f)-2/9*a*b^3/f*\text{sum}(_R1/(c*f-d*e)/(_R1^2-2*_R1*a+a^2)*(-\text{Si}(-b*(d*x+c)^{(1/3)}+_R1-a)*\cos(_R1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_R1+a)*\sin(_R1)), _R1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))+1/9*b^3/f^2*\text{sum}((b^3*c*f-b^3*d*e+2*_RR1^2*a*f-3*_RR1*a^2*f+a^3*f)/(c*f-d*e)/(_RR1^2-2*_RR1*a+a^2)*(\text{Si}(-b*(d*x+c)^{(1/3)}+_RR1-a)*\sin(_RR1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_RR1+a)*\cos(_RR1)), _RR1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))+\sin(a+b*(d*x+c)^{(1/3)})*(2/3*a*b^3/(c*f-d*e)*(a+b*(d*x+c)^{(1/3)})^2-2/3*a^2*b^3/(c*f-d*e)*(a+b*(d*x+c)^{(1/3)}))/(-c*f*b^3+d*e*b^3+(a+b*(d*x+c)^{(1/3)})^3*f-3*(a+b*(d*x+c)^{(1/3)})^2*a*f+3*(a+b*(d*x+c)^{(1/3)})*a^2*f-a^3*f)+2/9*a*b^3/f*\text{sum}(_R1+a)/(c*f-d*e)/(_R1^2-2*_R1*a+a^2)*(-\text{Si}(-b*(d*x+c)^{(1/3)}+_R1-a)*\cos(_R1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_R1+a)*\sin(_R1)), _R1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))-2/9*a*b^3/f*\text{sum}(_RR1/(_RR1-a)/(c*f-d*e)*(\text{Si}(-b*(d*x+c)^{(1/3)}+_RR1-a)*\sin(_RR1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_RR1+a)*\cos(_RR1)), _RR1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))+a^2*b^6*(\sin(a+b*(d*x+c)^{(1/3)})*(-1/3/b^3/(c*f-d*e)*(a+b*(d*x+c)^{(1/3)}))+1/3*a/b^3/(c*f-d*e))/(-c*f*b^3+d*e*b^3+(a+b*(d*x+c)^{(1/3)})^3*f-3*(a+b*(d*x+c)^{(1/3)})^2*a*f+3*(a+b*(d*x+c)^{(1/3)})*a^2*f-a^3*f)-2/9/b^3/f*\text{sum}(1/(c*f-d*e)/(_R1^2-2*_R1*a+a^2)*(-\text{Si}(-b*(d*x+c)^{(1/3)}+_R1-a)*\cos(_R1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_R1+a)*\sin(_R1)), _R1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))+1/9/b^3/f*\text{sum}(1/(_RR1-a)/(c*f-d*e)*(\text{Si}(-b*(d*x+c)^{(1/3)}+_RR1-a)*\sin(_RR1)+\text{Ci}(b*(d*x+c)^{(1/3)}-_RR1+a)*\cos(_RR1)), _RR1=\text{RootOf}(-b^3*c*f+b^3*d*e+_Z^3*f-3*_Z^2*a*f+3*_Z*a^2*f-a^3*f))))$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{1}{3}}b+a\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="maxima")`

[Out] `integrate(sin((d*x + c)^(1/3)*b + a)/(f*x + e)^2, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(a + b(c + dx)^{1/3})}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))/(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^(1/3))/(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b\sqrt[3]{c + dx})}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/3))/(f*x+e)**2,x)

[Out] Integral(sin(a + b*(c + d*x)**(1/3))/(e + f*x)**2, x)

3.212 $\int (e + fx)^2 \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=513

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)^2 C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^3} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)^2 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^3} + \frac{315\sqrt{\frac{\pi}{2}} f^2 \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{16b^{9/2}d^3}$$

[Out] $6*f*(-c*f+d*e)*\cos(a+b*(d*x+c)^{(2/3)})/b^3/d^3-3/2*(-c*f+d*e)^2*(d*x+c)^{(1/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d^3+105/8*f^2*(d*x+c)*\cos(a+b*(d*x+c)^{(2/3)})/b^3/d^3-3*f*(-c*f+d*e)*(d*x+c)^{(4/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d^3-3/2*f^2*(d*x+c)^{(7/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d^3-315/16*f^2*(d*x+c)^{(1/3)}*\sin(a+b*(d*x+c)^{(2/3)})/b^4/d^3+6*f*(-c*f+d*e)*(d*x+c)^{(2/3)}*\sin(a+b*(d*x+c)^{(2/3)})/b^2/d^3+21/4*f^2*(d*x+c)^{(5/3)}*\sin(a+b*(d*x+c)^{(2/3)})/b^2/d^3+3/4*(-c*f+d*e)^2*\cos(a)*\text{FresnelC}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^3+315/32*f^2*\cos(a)*\text{FresnelS}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(9/2)}/d^3+315/32*f^2*\text{FresnelC}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(9/2)}/d^3-3/4*(-c*f+d*e)^2*\text{FresnelS}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}/d^3$

Rubi [A] time = 0.54, antiderivative size = 513, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {3433, 3385, 3354, 3352, 3351, 3379, 3296, 2638, 3386, 3353}

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)^2 \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^3} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)^2 S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^3} + \frac{6f(c + dx)^{2/3}}{d^3}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*Sin[a + b*(c + d*x)^(2/3)], x]

[Out] $(6*f*(d*e - c*f)*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(b^3*d^3) - (3*(d*e - c*f)^2*(c + d*x)^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(2*b*d^3) + (105*f^2*(c + d*x)*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(8*b^3*d^3) - (3*f*(d*e - c*f)*(c + d*x)^{(4/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(b*d^3) - (3*f^2*(c + d*x)^{(7/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(2*b*d^3) + (3*(d*e - c*f)^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}])/(2*b^{(3/2)}*d^3) + (315*f^2*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}])/(16*b^{(9/2)}*d^3) + (315*f^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(16*b^{(9/2)}*d^3) - (3*(d*e - c*f)^2*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(2*b^{(3/2)}*d^3) - (315*f^2*(c + d*x)^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(16*b^4*d^3) + (6*f*(d*e - c*f)*(c + d*x)^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(16*b^4*d^3)$

$$x^{(2/3)})/(b^2*d^3) + (21*f^2*(c + d*x)^{(5/3)*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(4*b^2*d^3)$$
Rule 2638

```
Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ
[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(
n - 1)*(e*x)^(m - n + 1)*Sin[c + d*x^n])/(d*n), x] - Dist[(e^n*(m - n + 1))
/(d*n), Int[(e*x)^(m - n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_)^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominat
or[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^
(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x]
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin(a + b(c + dx)^{2/3}) dx &= \frac{3 \operatorname{Subst}\left(\int ((de - cf)^2 x^2 \sin(a + bx^2) - 2f(-de + cf)x^5 \sin(a + bx^2) + f^2 x^8 \sin(a + bx^2)) dx, x, \sqrt[3]{c + dx}\right)}{d^3} + \frac{(6f(de - cf)) \operatorname{Subst}\left(\int x^8 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d^3} \\
&= \frac{(3f^2) \operatorname{Subst}\left(\int x^8 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d^3} + \frac{(6f(de - cf)) \operatorname{Subst}\left(\int x^8 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d^3} \\
&= -\frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3} - \frac{3f^2(c + dx)^{7/3} \cos(a + b(c + dx)^{2/3})}{2bd^3} \\
&= -\frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3} - \frac{3f(de - cf)(c + dx)^{4/3} \cos(a + b(c + dx)^{2/3})}{bd^3} \\
&= -\frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3} + \frac{105f^2(c + dx) \cos(a + b(c + dx)^{2/3})}{8b^3d^3} \\
&= \frac{6f(de - cf) \cos(a + b(c + dx)^{2/3})}{b^3d^3} - \frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3} \\
&= \frac{6f(de - cf) \cos(a + b(c + dx)^{2/3})}{b^3d^3} - \frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3} \\
&= \frac{6f(de - cf) \cos(a + b(c + dx)^{2/3})}{b^3d^3} - \frac{3(de - cf)^2 \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^3}
\end{aligned}$$

Mathematica [C] time = 2.41, size = 432, normalized size = 0.84

$$\frac{3i \left(\cos(a + b(c + dx)^{2/3}) - i \sin(a + b(c + dx)^{2/3}) \right) \left((1 + i) \sqrt{\frac{\pi}{2}} (8b^3(de - cf)^2 + 105if^2) \operatorname{erf}\left(\frac{(1+i)\sqrt{b}\sqrt[3]{c+dx}}{\sqrt{2}}\right) \right)}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b*(c + d*x)^(2/3)],x]

[Out] (((-3*I)/64)*((Cos[a] + I*Sin[a]))*((1 + I)*((-105*I)*f^2 + 8*b^3*(d*e - c*f)^2)*Sqrt[Pi/2]*Erfi[(((1 + I)*Sqrt[b]*(c + d*x)^(1/3))/Sqrt[2]] + 2*Sqrt[b]*(-105*f^2*(c + d*x)^(1/3) - (8*I)*b^3*d^2*(c + d*x)^(1/3)*(e + f*x)^2 + 4*b^2*f*(c + d*x)^(2/3)*(8*d*e - c*f + 7*d*f*x) + (2*I)*b*f*(16*d*e + 19*c*f + 35*d*f*x))*(Cos[b*(c + d*x)^(2/3)] + I*Sin[b*(c + d*x)^(2/3)]) + (2*Sqrt[b]*(105*f^2*(c + d*x)^(1/3) - (8*I)*b^3*d^2*(c + d*x)^(1/3)*(e + f*x)^2 + 4*b^2*f*(c + d*x)^(2/3)*(-8*d*e + c*f - 7*d*f*x) + (2*I)*b*f*(16*d*e + 19*c*f + 35*d*f*x)) + (1 + I)*((105*I)*f^2 + 8*b^3*(d*e - c*f)^2)*Sqrt[Pi/2]*Erfi[(((1 + I)*Sqrt[b]*(c + d*x)^(1/3))/Sqrt[2]]*(Cos[b*(c + d*x)^(2/3)] + I*Si

$n[b*(c + d*x)^{(2/3)}])*(\text{Cos}[a + b*(c + d*x)^{(2/3)}] - I*\text{Sin}[a + b*(c + d*x)^{(2/3)}]))/(b^{(9/2)}*d^3)$

fricas [A] time = 0.98, size = 308, normalized size = 0.60

$$3\left(\sqrt{2}\left(105\pi f^2 \sin(a) + 8\pi\left(b^3 d^2 e^2 - 2b^3 c d e f + b^3 c^2 f^2\right)\cos(a)\right)\sqrt{\frac{b}{\pi}} C\left(\sqrt{2}(dx + c)^{\frac{1}{3}}\sqrt{\frac{b}{\pi}}\right) + \sqrt{2}\left(105\pi f^2 \cos(a)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] 3/32*(sqrt(2)*(105*pi*f^2*sin(a) + 8*pi*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*cos(a))*sqrt(b/pi)*fresnel_cos(sqrt(2)*(d*x + c)^(1/3)*sqrt(b/pi)) + sqrt(2)*(105*pi*f^2*cos(a) - 8*pi*(b^3*d^2*e^2 - 2*b^3*c*d*e*f + b^3*c^2*f^2)*sin(a))*sqrt(b/pi)*fresnel_sin(sqrt(2)*(d*x + c)^(1/3)*sqrt(b/pi)) + 4*(35*b^2*d*f^2*x + 16*b^2*d*e*f + 19*b^2*c*f^2 - 4*(b^4*d^2*f^2*x^2 + 2*b^4*d^2*e*f*x + b^4*d^2*e^2)*(d*x + c)^(1/3))*cos((d*x + c)^(2/3)*b + a) - 2*(105*(d*x + c)^(1/3)*b*f^2 - 4*(7*b^3*d*f^2*x + 8*b^3*d*e*f - b^3*c*f^2)*(d*x + c)^(2/3))*sin((d*x + c)^(2/3)*b + a))/(b^5*d^3)

giac [C] time = 0.83, size = 777, normalized size = 1.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")

[Out] -3/64*(f^2*((I*sqrt(2)*sqrt(pi))*(-8*I*b^3*c^2 - 105)*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(-I*b/abs(b) + 1)*sqrt(abs(b))))*e^(I*a)/(b^4*(-I*b/abs(b) + 1)*sqrt(abs(b))) - 2*I*(8*I*(d*x + c)^(7/3)*b^3 - 16*I*(d*x + c)^(4/3)*b^3*c + 8*I*(d*x + c)^(1/3)*b^3*c^2 - 28*(d*x + c)^(5/3)*b^2 + 32*(d*x + c)^(2/3)*b^2*c - (70*I*d*x + 70*I*c)*b + 32*I*b*c + 105*(d*x + c)^(1/3))*e^(I*(d*x + c)^(2/3)*b + I*a)/b^4/d^2 + (I*sqrt(2)*sqrt(pi))*(-8*I*b^3*c^2 + 105)*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(I*b/abs(b) + 1)*sqrt(abs(b))))*e^(-I*a)/(b^4*(I*b/abs(b) + 1)*sqrt(abs(b))) - 2*I*(8*I*(d*x + c)^(7/3)*b^3 - 16*I*(d*x + c)^(4/3)*b^3*c + 8*I*(d*x + c)^(1/3)*b^3*c^2 + 28*(d*x + c)^(5/3)*b^2 - 32*(d*x + c)^(2/3)*b^2*c - (70*I*d*x + 70*I*c)*b + 32*I*b*c - 105*(d*x + c)^(1/3))*e^(-I*(d*x + c)^(2/3)*b - I*a)/b^4/d^2 + 8*(sqrt(2)*sqrt(pi))*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(-I*b/abs(b) + 1)*sqrt(abs(b))))*e^(I*a)/(b*(-I*b/abs(b) + 1)*sqrt(abs(b))) + sqrt(2)*sqrt(pi)*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(I*b/abs(b) + 1)*sqrt(abs(b))))*e^(-I*a)/(b*(I*b/abs(b) + 1)*sqrt(abs(b))) + 2*(d*x + c)^(1/3)*e^(I*(d*x + c)^(2/3)*b + I*a)/b + 2*(d*x + c)^(1/3)*e^(-I*(d*x + c)^(2/3)*b - I*a)/b*e^2 - 16*(sqrt(2)*sqrt(pi))*c*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(-I*b/abs(b) + 1)*sqrt(abs(b))))*e^(I*a)/(b*(-I*b/abs(b)))

+ 1)*sqrt(abs(b))) + sqrt(2)*sqrt(pi)*c*erf(-1/2*sqrt(2)*(d*x + c)^(1/3)*(I*b/abs(b) + 1)*sqrt(abs(b))) * e^(-I*a)/(b*(I*b/abs(b) + 1)*sqrt(abs(b))) + 2 * I*(I*(d*x + c)^(4/3)*b^2 - I*(d*x + c)^(1/3)*b^2*c - 2*(d*x + c)^(2/3)*b - 2*I)*e^(I*(d*x + c)^(2/3)*b + I*a)/b^3 + 2*I*(I*(d*x + c)^(4/3)*b^2 - I*(d*x + c)^(1/3)*b^2*c + 2*(d*x + c)^(2/3)*b - 2*I)*e^(-I*(d*x + c)^(2/3)*b - I*a)/b^3)*f*e/d)/d

maple [A] time = 0.03, size = 395, normalized size = 0.77

$$\frac{3f^2(dx+c)^{\frac{7}{3}} \cos\left(a+b(dx+c)^{\frac{2}{3}}\right)}{2b} + \frac{21f^2}{2b} \left(\frac{(dx+c)^{\frac{5}{3}} \sin\left(a+b(dx+c)^{\frac{2}{3}}\right)}{2b} - \frac{(dx+c) \cos\left(a+b(dx+c)^{\frac{2}{3}}\right)}{2b} + \frac{3(dx+c)^{\frac{1}{3}} \sin\left(a+b(dx+c)^{\frac{2}{3}}\right)}{4b} - \frac{3\sqrt{2} \sqrt{\pi} \cos(a) S\left(\frac{(dx+c)^{\frac{1}{3}} \sqrt{b} \sqrt{2}}{\sqrt{\pi}}\right)}{b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b*(d*x+c)^(2/3)),x)

[Out] 3/d^3*(-1/2*f^2/b*(d*x+c)^(7/3)*cos(a+b*(d*x+c)^(2/3))+7/2*f^2/b*(1/2/b*(d*x+c)^(5/3)*sin(a+b*(d*x+c)^(2/3))-5/2/b*(-1/2/b*(d*x+c)*cos(a+b*(d*x+c)^(2/3))+3/2/b*(1/2/b*(d*x+c)^(1/3)*sin(a+b*(d*x+c)^(2/3))-1/4/b^(3/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelS((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/Pi^(1/2))+sin(a)*FresnelC((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/Pi^(1/2))))-1/2*(-2*c*f^2+2*d*e*f)/b*(d*x+c)^(4/3)*cos(a+b*(d*x+c)^(2/3))+2*(-2*c*f^2+2*d*e*f)/b*(1/2/b*(d*x+c)^(2/3)*sin(a+b*(d*x+c)^(2/3))+1/2/b^2*cos(a+b*(d*x+c)^(2/3)))-1/2*(c^2*f^2-2*c*d*e*f+d^2*e^2)/b*(d*x+c)^(1/3)*cos(a+b*(d*x+c)^(2/3))+1/4*(c^2*f^2-2*c*d*e*f+d^2*e^2)/b^(3/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelC((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/Pi^(1/2))-sin(a)*FresnelS((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/Pi^(1/2))))

maxima [C] time = 0.50, size = 559, normalized size = 1.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -3/128*(8*(\sqrt{2}*\sqrt{\pi})*(((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + (- (I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})))*b^{3/2} + 8*(d*x + c)^{1/3}*b^2*\cos((d*x + c)^{2/3}*b + a))*e^{2/b^3} - 16*(\sqrt{2}*\sqrt{\pi})*(((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + (- (I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})))*b^{3/2} + 8*(d*x + c)^{1/3}*b^2*\cos((d*x + c)^{2/3}*b + a))*c*e^{f/(b^3*d)} + 8*(\sqrt{2}*\sqrt{\pi})*(((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + (- (I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})))*b^{3/2} + 8*(d*x + c)^{1/3}*b^2*\cos((d*x + c)^{2/3}*b + a))*c^2*f^2/(b^3*d^2) - 128*(2*(d*x + c)^{2/3}*b*\sin((d*x + c)^{2/3}*b + a) - ((d*x + c)^{4/3}*b^2 - 2)*\cos((d*x + c)^{2/3}*b + a))*e^{f/(b^3*d)} + 128*(2*(d*x + c)^{2/3}*b*\sin((d*x + c)^{2/3}*b + a) - ((d*x + c)^{4/3}*b^2 - 2)*\cos((d*x + c)^{2/3}*b + a))*c*f^2/(b^3*d^2) + (\sqrt{2}*\sqrt{\pi})*((-105*I + 105)*\cos(a) + (105*I - 105)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + ((105*I - 105)*\cos(a) - (105*I + 105)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})))*b^{3/2} + 16*(4*(d*x + c)^{7/3}*b^5 - 35*(d*x + c)*b^3)*\cos((d*x + c)^{2/3}*b + a) - 56*(4*(d*x + c)^{5/3}*b^4 - 15*(d*x + c)^{1/3}*b^2)*\sin((d*x + c)^{2/3}*b + a))*f^2/(b^6*d^2))/d \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{2/3}) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(2/3))*(e + f*x)^2,x)

[Out] int(sin(a + b*(c + d*x)^(2/3))*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + b(c + dx)^{\frac{2}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b*(d*x+c)**(2/3)),x)

[Out] Integral((e + f*x)**2*sin(a + b*(c + d*x)**(2/3)), x)

3.213 $\int (e + fx) \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=243

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^2} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^2} + \frac{3f \cos(a + b(c + dx)^{2/3})}{b^3d^2}$$

[Out] $3*f*\cos(a+b*(d*x+c)^(2/3))/b^3/d^2-3/2*(-c*f+d*e)*(d*x+c)^(1/3)*\cos(a+b*(d*x+c)^(2/3))/b/d^2-3/2*f*(d*x+c)^(4/3)*\cos(a+b*(d*x+c)^(2/3))/b/d^2+3*f*(d*x+c)^(2/3)*\sin(a+b*(d*x+c)^(2/3))/b^2/d^2+3/4*(-c*f+d*e)*\cos(a)*\text{FresnelC}((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/\text{Pi}^(1/2))*2^(1/2)*\text{Pi}^(1/2)/b^(3/2)/d^2-3/4*(-c*f+d*e)*\text{FresnelS}((d*x+c)^(1/3)*b^(1/2)*2^(1/2)/\text{Pi}^(1/2))*\sin(a)*2^(1/2)*\text{Pi}^(1/2)/b^(3/2)/d^2$

Rubi [A] time = 0.26, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 8, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3433, 3385, 3354, 3352, 3351, 3379, 3296, 2638}

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a)(de - cf)\text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^2} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a)(de - cf)S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d^2} + \frac{3f(c + dx)^{2/3} \sin(a)}{b^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)*\text{Sin}[a + b*(c + d*x)^(2/3)], x]$

[Out] $(3*f*\text{Cos}[a + b*(c + d*x)^(2/3)])/(b^3*d^2) - (3*(d*e - c*f)*(c + d*x)^(1/3)*\text{Cos}[a + b*(c + d*x)^(2/3)])/(2*b*d^2) - (3*f*(c + d*x)^(4/3)*\text{Cos}[a + b*(c + d*x)^(2/3)])/(2*b*d^2) + (3*(d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^(1/3)])/(2*b^(3/2)*d^2) - (3*(d*e - c*f)*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^(1/3)]*\text{Sin}[a])/(2*b^(3/2)*d^2) + (3*f*(c + d*x)^(2/3)*\text{Sin}[a + b*(c + d*x)^(2/3)])/(b^2*d^2)$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^(m_.)*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^(m-1)*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 3351

$\text{Int}[\text{Sin}[(d_)*(e_)+(f_)*(x_)]^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_)*(e_)+(f_)*(x_)]^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3354

$\text{Int}[\text{Cos}[c_ + (d_)*((e_) + (f_)*(x_)]^2], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[c], \text{Int}[\text{Cos}[d*(e + f*x)^2], x], x] - \text{Dist}[\text{Sin}[c], \text{Int}[\text{Sin}[d*(e + f*x)^2], x], x] /; \text{FreeQ}\{c, d, e, f\}, x]$

Rule 3379

$\text{Int}[(x_)^{(m_)*((a_) + (b_)*\text{Sin}[(c_) + (d_)*(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Sin}[c + d*x])^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x \ \&\& \ \text{IntegerQ}[\text{Simplify}[(m + 1)/n]] \ \&\& \ (\text{EqQ}[p, 1] \ || \ \text{EqQ}[m, n - 1] \ || \ (\text{IntegerQ}[p] \ \&\& \ \text{GtQ}[\text{Simplify}[(m + 1)/n], 0]))$

Rule 3385

$\text{Int}[(e_)*(x_)^{(m_)*\text{Sin}[(c_) + (d_)*(x_)^{(n_)}], x_Symbol] \rightarrow -\text{Simp}[(e^{(n - 1)*(e*x)^{(m - n + 1)}*\text{Cos}[c + d*x^n])/(d*n), x] + \text{Dist}[(e^n*(m - n + 1))/(d*n), \text{Int}[(e*x)^{(m - n)*\text{Cos}[c + d*x^n], x], x] /; \text{FreeQ}\{c, d, e\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{LtQ}[n, m + 1]$

Rule 3433

$\text{Int}[(g_ + (h_)*(x_))^{(m_)*((a_) + (b_)*\text{Sin}[(c_) + (d_)*((e_) + (f_)*(x_))^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \text{Module}\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{(m + 1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x^{(k*n)}])^p, x^{(k - 1)*(f*g - e*h + h*x^k)^m], x], x, (e + f*x)^{(1/k)}], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin(a + b(c + dx)^{2/3}) dx &= \frac{3 \operatorname{Subst}\left(\int ((de - cf)x^2 \sin(a + bx^2) + fx^5 \sin(a + bx^2)) dx, x, \sqrt[3]{c + dx}\right)}{d^2} \\
&= \frac{(3f) \operatorname{Subst}\left(\int x^5 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d^2} + \frac{(3(de - cf)) \operatorname{Subst}\left(\int x^2 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d^2} \\
&= -\frac{3(de - cf)\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^2} + \frac{(3f) \operatorname{Subst}\left(\int x^2 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{2d^2} \\
&= -\frac{3(de - cf)\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^2} - \frac{3f(c + dx)^{4/3} \cos(a + b(c + dx)^{2/3})}{2bd^2} \\
&= -\frac{3(de - cf)\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^2} - \frac{3f(c + dx)^{4/3} \cos(a + b(c + dx)^{2/3})}{2bd^2} \\
&= \frac{3f \cos(a + b(c + dx)^{2/3})}{b^3 d^2} - \frac{3(de - cf)\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd^2} - \frac{3f(c + dx)^{4/3} \cos(a + b(c + dx)^{2/3})}{2bd^2}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 213, normalized size = 0.88

$$\frac{3\left(\sqrt{2\pi} b^{3/2} \cos(a)(de - cf)C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) - \sqrt{2\pi} b^{3/2} \sin(a)(de - cf)S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) - 2b^2 de \sqrt[3]{c + dx}\right)}{4b^3 d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b*(c + d*x)^(2/3)], x]

[Out] (3*(4*f*Cos[a + b*(c + d*x)^(2/3)] - 2*b^2*d*e*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(2/3)] - 2*b^2*d*f*x*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(2/3)] + b^(3/2)*(d*e - c*f)*Sqrt[2*Pi]*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)] - b^(3/2)*(d*e - c*f)*Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a] + 4*b*f*(c + d*x)^(2/3)*Sin[a + b*(c + d*x)^(2/3)])/(4*b^3*d^2)

fricas [A] time = 1.00, size = 159, normalized size = 0.65

$$\frac{3\left(\sqrt{2}\pi(bde - bcf)\sqrt{\frac{b}{\pi}} \cos(a)C\left(\sqrt{2}(dx + c)^{\frac{1}{3}}\sqrt{\frac{b}{\pi}}\right) - \sqrt{2}\pi(bde - bcf)\sqrt{\frac{b}{\pi}} S\left(\sqrt{2}(dx + c)^{\frac{1}{3}}\sqrt{\frac{b}{\pi}}\right) \sin(a) + 4(dx + c)^{\frac{4}{3}} \sin(a + b(dx + c)^{\frac{2}{3}})\right)}{4b^3 d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b*(d*x+c)^(2/3)), x, algorithm="fricas")

[Out] $\frac{3}{4} \sqrt{2} \pi (b d e - b c f) \sqrt{\frac{b}{\pi}} \cos(a) \operatorname{fresnel_cos}(\sqrt{2} (d x + c)^{1/3} \sqrt{\frac{b}{\pi}}) - \sqrt{2} \pi (b d e - b c f) \sqrt{\frac{b}{\pi}} \operatorname{fresnel_sin}(\sqrt{2} (d x + c)^{1/3} \sqrt{\frac{b}{\pi}}) \sin(a) + 4 (d x + c)^{2/3} b f \sin((d x + c)^{2/3} b + a) - 2 ((b^2 d f x + b^2 d e) (d x + c)^{1/3} - 2 f) \cos((d x + c)^{2/3} b + a) / (b^3 d^2)$

giac [C] time = 1.64, size = 407, normalized size = 1.67

$$3 \left(\frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(-\frac{i b}{|b|} + 1\right) \sqrt{|b|}\right) e^{i a}}{b \left(-\frac{i b}{|b|} + 1\right) \sqrt{|b|}} + \frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(\frac{i b}{|b|} + 1\right) \sqrt{|b|}\right) e^{-i a}}{b \left(\frac{i b}{|b|} + 1\right) \sqrt{|b|}} + \frac{2 (d x + c)^{1/3} e^{i (d x + c)^{2/3} b + i a}}{b} + \frac{2 (d x + c)^{1/3}}{2 (d x + c)^{2/3}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")`

[Out] $-3/8 \left(\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(-\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{i a} / (b \left(-\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}) + \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{-i a} / (b \left(\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}) + 2 (d x + c)^{1/3} e^{i (d x + c)^{2/3} b + i a} / b + 2 (d x + c)^{1/3} e^{-i (d x + c)^{2/3} b - i a} / b \right) e - \left(\sqrt{2} \sqrt{\pi} c \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(-\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{i a} / (b \left(-\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}) + \sqrt{2} \sqrt{\pi} c \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{-i a} / (b \left(\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}) + 2 i \left((d x + c)^{4/3} b^2 - (d x + c)^{1/3} b^2 c - 2 (d x + c)^{2/3} b - 2 i \right) e^{i (d x + c)^{2/3} b + i a} / b^3 + 2 i \left((d x + c)^{4/3} b^2 - (d x + c)^{1/3} b^2 c + 2 (d x + c)^{2/3} b - 2 i \right) e^{-i (d x + c)^{2/3} b - i a} / b^3 \right) f / d$

maple [A] time = 0.02, size = 175, normalized size = 0.72

$$\frac{3 f (d x + c)^{4/3} \cos\left(a + b (d x + c)^{2/3}\right)}{2 b} + \frac{6 f \left(\frac{(d x + c)^{2/3} \sin\left(a + b (d x + c)^{2/3}\right)}{2 b} + \frac{\cos\left(a + b (d x + c)^{2/3}\right)}{2 b^2} \right)}{b} - \frac{3 (-c f + d e) (d x + c)^{1/3} \cos\left(a + b (d x + c)^{2/3}\right)}{2 b} + \frac{3 (-c f + d e) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(-\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{i a}}{2 b} + \frac{3 (-c f + d e) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (d x + c)^{1/3} \left(\frac{i b}{\operatorname{abs}(b)} + 1\right) \sqrt{\operatorname{abs}(b)}\right) e^{-i a}}{2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b*(d*x+c)^(2/3)),x)`

[Out] $3/d^2*(-1/2*f/b*(d*x+c)^{4/3}*\cos(a+b*(d*x+c)^{2/3})+2*f/b*(1/2/b*(d*x+c)^{2/3}*\sin(a+b*(d*x+c)^{2/3})+1/2/b^2*\cos(a+b*(d*x+c)^{2/3}))-1/2*(-c*f+d*e)/b*(d*x+c)^{1/3}*\cos(a+b*(d*x+c)^{2/3})+1/4*(-c*f+d*e)/b^{3/2}*2^{1/2}*Pi^{1/2}*(\cos(a)*FresnelC((d*x+c)^{1/3}*b^{1/2}*2^{1/2}/Pi^{1/2})-\sin(a)*FresnelS((d*x+c)^{1/3}*b^{1/2}*2^{1/2}/Pi^{1/2}))$

maxima [C] time = 0.37, size = 248, normalized size = 1.02

$$3 \left(\frac{\left(\sqrt{2} \sqrt{\pi} \left((i-1) \cos(a) + (i+1) \sin(a) \right) \operatorname{erf} \left((dx+c)^{\frac{1}{3}} \sqrt{ib} \right) + (-i+1) \cos(a) - (i-1) \sin(a) \operatorname{erf} \left((dx+c)^{\frac{1}{3}} \sqrt{-ib} \right) \right) b^{\frac{3}{2}} + 8(dx+c)^{\frac{1}{3}} b^2 \cos \left((dx+c)^{\frac{2}{3}} b + a \right)}{b^3} \right) e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")`

[Out] $-3/16*((\sqrt{2}*\sqrt{\pi})*(((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + (-I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})) * b^{3/2} + 8*(d*x + c)^{1/3} * b^2 * \cos((d*x + c)^{2/3} * b + a) * e / b^3 - (\sqrt{2}*\sqrt{\pi})*(((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{I*b})) + (-I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{1/3}*\sqrt{-I*b})) * b^{3/2} + 8*(d*x + c)^{1/3} * b^2 * \cos((d*x + c)^{2/3} * b + a) * c * f / (b^3 * d) - 8*(2*(d*x + c)^{2/3} * b * \sin((d*x + c)^{2/3} * b + a) - ((d*x + c)^{4/3} * b^2 - 2) * \cos((d*x + c)^{2/3} * b + a)) * f / (b^3 * d) / d$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{2/3}) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(2/3))*(e + f*x),x)`

[Out] `int(sin(a + b*(c + d*x)^(2/3))*(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin \left(a + b(c + dx)^{\frac{2}{3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b*(d*x+c)**(2/3)),x)`

[Out] `Integral((e + f*x)*sin(a + b*(c + d*x)**(2/3)), x)`

3.214 $\int \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=130

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} - \frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd}$$

[Out] $-3/2*(d*x+c)^{(1/3)*\cos(a+b*(d*x+c)^{(2/3)})/b/d+3/4*\cos(a)*\text{FresnelC}((d*x+c)^{(1/3)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)*\text{Pi}^{(1/2)}/b^{(3/2)}/d-3/4*\text{FresnelS}((d*x+c)^{(1/3)*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)*\text{Pi}^{(1/2)}/b^{(3/2)}/d}$

Rubi [A] time = 0.07, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3363, 3385, 3354, 3352, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}} \cos(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} - \frac{3\sqrt{\frac{\pi}{2}} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} - \frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^(2/3)], x]

[Out] $(-3*(c + d*x)^{(1/3)*\text{Cos}[a + b*(c + d*x)^{(2/3)]})/(2*b*d) + (3*\text{Sqrt}[Pi/2]*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*(c + d*x)^{(1/3)}])/(2*b^{(3/2)*d} - (3*\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/Pi]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(2*b^{(3/2)*d}$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3363

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_.), x_Symbol] :> Module[{k = Denominator[n]}, Dist[k/f, Subst[Int[x^(k - 1)*(a + b *Sin[c + d*x^(k*n)])^p, x], x, (e + f*x)^(1/k)], x]] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && FractionQ[n]
```

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]
```

Rubi steps

$$\begin{aligned} \int \sin(a + b(c + dx)^{2/3}) dx &= \frac{3 \operatorname{Subst}\left(\int x^2 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d} \\ &= -\frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{3 \operatorname{Subst}\left(\int \cos(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{2bd} \\ &= -\frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{(3 \cos(a)) \operatorname{Subst}\left(\int \cos(bx^2) dx, x, \sqrt[3]{c + dx}\right)}{2bd} \\ &= -\frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} - \frac{3\sqrt{\frac{\pi}{2}} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{2b^{3/2}d} \end{aligned}$$

Mathematica [A] time = 0.16, size = 114, normalized size = 0.88

$$\frac{3\left(-\sqrt{2\pi} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) + \sqrt{2\pi} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) + 2\sqrt{b} \sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})\right)}{4b^{3/2}d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*(c + d*x)^(2/3)], x]
```

```
[Out] (-3*(2*Sqrt[b]*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(2/3)] - Sqrt[2*Pi]*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)] + Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a]))/(4*b^(3/2)*d)
```

fricas [A] time = 0.56, size = 98, normalized size = 0.75

$$\frac{3\left(\sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) C\left(\sqrt{2}(dx + c)^{\frac{1}{3}} \sqrt{\frac{b}{\pi}}\right) - \sqrt{2} \pi \sqrt{\frac{b}{\pi}} S\left(\sqrt{2}(dx + c)^{\frac{1}{3}} \sqrt{\frac{b}{\pi}}\right) \sin(a) - 2(dx + c)^{\frac{1}{3}} b \cos\left((dx + c)^{\frac{2}{3}} b\right)\right)}{4b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(2/3)),x, algorithm="fricas")`

[Out] $3/4 * (\sqrt{2} * \pi * \sqrt{b/\pi}) * \cos(a) * \text{fresnel_cos}(\sqrt{2} * (d*x + c)^{1/3} * \sqrt{b/\pi}) - \sqrt{2} * \pi * \sqrt{b/\pi} * \text{fresnel_sin}(\sqrt{2} * (d*x + c)^{1/3} * \sqrt{b/\pi}) * \sin(a) - 2 * (d*x + c)^{1/3} * b * \cos((d*x + c)^{2/3} * b + a) / (b^2 * d)$

giac [C] time = 0.76, size = 170, normalized size = 1.31

$$3 \left(\frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (dx+c)^{\frac{1}{3}} \left(-\frac{ib}{|b|}+1\right) \sqrt{|b|}\right) e^{(ia)}}{b \left(-\frac{ib}{|b|}+1\right) \sqrt{|b|}} + \frac{\sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\frac{1}{2} \sqrt{2} (dx+c)^{\frac{1}{3}} \left(\frac{ib}{|b|}+1\right) \sqrt{|b|}\right) e^{(-ia)}}{b \left(\frac{ib}{|b|}+1\right) \sqrt{|b|}} + \frac{2(dx+c)^{\frac{1}{3}} e^{\left(i(dx+c)^{\frac{2}{3}} b+ia\right)}}{b} + \frac{2(dx+c)^{\frac{1}{3}} e^{\left(-i(dx+c)^{\frac{2}{3}} b-ia\right)}}{b} \right) / 8d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")`

[Out] $-3/8 * (\sqrt{2} * \sqrt{\pi}) * \operatorname{erf}\left(-1/2 * \sqrt{2} * (d*x + c)^{1/3} * (-I*b/\operatorname{abs}(b) + 1) * \sqrt{\operatorname{abs}(b)}\right) * e^{(I*a)} / (b * (-I*b/\operatorname{abs}(b) + 1) * \sqrt{\operatorname{abs}(b)}) + \sqrt{2} * \sqrt{\pi} * \operatorname{erf}\left(-1/2 * \sqrt{2} * (d*x + c)^{1/3} * (I*b/\operatorname{abs}(b) + 1) * \sqrt{\operatorname{abs}(b)}\right) * e^{(-I*a)} / (b * (I*b/\operatorname{abs}(b) + 1) * \sqrt{\operatorname{abs}(b)}) + 2 * (d*x + c)^{1/3} * e^{(I*(d*x + c)^{2/3} * b + I*a)} / b + 2 * (d*x + c)^{1/3} * e^{(-I*(d*x + c)^{2/3} * b - I*a)} / b / d$

maple [A] time = 0.02, size = 86, normalized size = 0.66

$$\frac{\frac{3(dx+c)^{\frac{1}{3}} \cos\left(a+b(dx+c)^{\frac{2}{3}}\right)}{2b} + \frac{3\sqrt{2} \sqrt{\pi} \left(\cos(a) \operatorname{FresnelC}\left(\frac{(dx+c)^{\frac{1}{3}} \sqrt{b} \sqrt{2}}{\sqrt{\pi}}\right) - \sin(a) \operatorname{FresnelS}\left(\frac{(dx+c)^{\frac{1}{3}} \sqrt{b} \sqrt{2}}{\sqrt{\pi}}\right) \right)}{4b^{\frac{3}{2}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(2/3)),x)`

[Out] $3/d * (-1/2 * b * (d*x+c)^{1/3} * \cos(a+b*(d*x+c)^{2/3}) + 1/4 * b^{3/2} * 2^{1/2} * \pi^{1/2} * (\cos(a) * \operatorname{FresnelC}((d*x+c)^{1/3} * b^{1/2} * 2^{1/2} / \pi^{1/2}) - \sin(a) * \operatorname{FresnelS}((d*x+c)^{1/3} * b^{1/2} * 2^{1/2} / \pi^{1/2})))$

maxima [C] time = 0.33, size = 92, normalized size = 0.71

$$3 \left(\sqrt{2} \sqrt{\pi} \left(((i-1) \cos(a) + (i+1) \sin(a)) \operatorname{erf}\left((dx+c)^{\frac{1}{3}} \sqrt{ib}\right) + (-i+1) \cos(a) - (i-1) \sin(a) \right) \operatorname{erf}\left((dx+c)^{\frac{1}{3}} \sqrt{-ib}\right) \right) / 16b^3d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")

[Out]
$$-3/16*(\sqrt{2}*\sqrt{\pi})*((I - 1)*\cos(a) + (I + 1)*\sin(a))*\operatorname{erf}((d*x + c)^{(1/3)}*\sqrt{I*b}) + (- (I + 1)*\cos(a) - (I - 1)*\sin(a))*\operatorname{erf}((d*x + c)^{(1/3)}*\sqrt{-I*b})) * b^{(3/2)} + 8*(d*x + c)^{(1/3)} * b^2 * \cos((d*x + c)^{(2/3)} * b + a) / (b^3 * d)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b(c + dx)^{2/3}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(2/3)),x)

[Out] int(sin(a + b*(c + d*x)^(2/3)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + b(c + dx)^{\frac{2}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(2/3)),x)

[Out] Integral(sin(a + b*(c + d*x)**(2/3)), x)

$$3.215 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{\sin(a+b(c+dx)^{2/3})}{e+fx}, x \right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^(2/3))/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^(2/3)]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx = \int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx$$

Mathematica [A] time = 22.30, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x), x]

[Out] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x), x]

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin\left((dx+c)^{\frac{2}{3}}b+a\right)}{fx+e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((d*x + c)^(2/3)*b + a)/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{2}{3}b(dx+c) + a\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(f*x + e), x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx+c)^{\frac{2}{3}}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(2/3))/(f*x+e),x)

[Out] int(sin(a+b*(d*x+c)^(2/3))/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{2}{3}b(dx+c) + a\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + b(c+dx)^{\frac{2}{3}}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(2/3))/(e + f*x), x)
```

```
[Out] int(sin(a + b*(c + d*x)^(2/3))/(e + f*x), x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(2/3))/(f*x+e), x)
```

```
[Out] Integral(sin(a + b*(c + d*x)**(2/3))/(e + f*x), x)
```

$$3.216 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2, x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x)^2, x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^(2/3)]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx = \int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx$$

Mathematica [A] time = 21.10, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^{2/3})}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x)^2, x]

[Out] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(e + f*x)^2, x]

fricas [A] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left((dx+c)^{\frac{2}{3}}b+a\right)}{f^2x^2+2efx+e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin((d*x + c)^(2/3)*b + a)/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{2}{3}}b+a\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(f*x + e)^2, x)

maple [A] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a+b(dx+c)^{\frac{2}{3}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2,x)

[Out] int(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{2}{3}}b+a\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a+b(c+dx)^{\frac{2}{3}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(2/3))/(e + f*x)^2,x)`

[Out] `int(sin(a + b*(c + d*x)^(2/3))/(e + f*x)^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(2/3))/(f*x+e)**2,x)`

[Out] `Integral(sin(a + b*(c + d*x)**(2/3))/(e + f*x)**2, x)`

$$3.217 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx$$

Optimal. Leaf size=855

$$\frac{f^2 \cos(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) b^9}{120960d^3} + \frac{f^2 \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) b^9}{120960d^3} + \frac{f^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) b^8}{120960d^3} - \frac{f^2 (c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3}$$

[Out] $-1/120960*b^9*f^2*Ci(b/(d*x+c)^{(1/3)})*\cos(a)/d^3+1/2*b^3*(-c*f+d*e)^2*Ci(b/(d*x+c)^{(1/3)})*\cos(a)/d^3+1/120*b^5*f*(-c*f+d*e)*(d*x+c)^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3-1/120960*b^7*f^2*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3+1/2*b*(-c*f+d*e)^2*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3-1/60*b^3*f*(-c*f+d*e)*(d*x+c)*\cos(a+b/(d*x+c)^{(1/3)})/d^3+1/20160*b^5*f^2*(d*x+c)^{(4/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3+1/5*b*f*(-c*f+d*e)*(d*x+c)^{(5/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3-1/1008*b^3*f^2*(d*x+c)^2*\cos(a+b/(d*x+c)^{(1/3)})/d^3+1/24*b*f^2*(d*x+c)^{(8/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^3+1/120*b^6*f*(-c*f+d*e)*\cos(a)*Si(b/(d*x+c)^{(1/3)})/d^3+1/120*b^6*f*(-c*f+d*e)*Ci(b/(d*x+c)^{(1/3)})*\sin(a)/d^3+1/120960*b^9*f^2*Si(b/(d*x+c)^{(1/3)})*\sin(a)/d^3-1/2*b^3*(-c*f+d*e)^2*Si(b/(d*x+c)^{(1/3)})*\sin(a)/d^3+1/120960*b^8*f^2*(d*x+c)^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3-1/2*b^2*(-c*f+d*e)^2*(d*x+c)^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3+1/120*b^4*f*(-c*f+d*e)*(d*x+c)^{(2/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3-1/60480*b^6*f^2*(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d^3+(-c*f+d*e)^2*(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d^3-1/20*b^2*f*(-c*f+d*e)*(d*x+c)^{(4/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3+1/5040*b^4*f^2*(d*x+c)^{(5/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3+f*(-c*f+d*e)*(d*x+c)^2*\sin(a+b/(d*x+c)^{(1/3)})/d^3-1/168*b^2*f^2*(d*x+c)^{(7/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^3+1/3*f^2*(d*x+c)^3*\sin(a+b/(d*x+c)^{(1/3)})/d^3$

Rubi [A] time = 1.05, antiderivative size = 855, normalized size of antiderivative = 1.00, number of steps used = 29, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {3431, 3297, 3303, 3299, 3302}

$$\frac{f^2 \cos(a) \operatorname{CosIntegral}\left(\frac{b}{\sqrt[3]{c+dx}}\right) b^9}{120960d^3} + \frac{f^2 \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) b^9}{120960d^3} + \frac{f^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) b^8}{120960d^3} - \frac{f^2 (c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)^2*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}], x]$

[Out] $(b^5*f*(d*e - c*f)*(c + d*x)^{(1/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(120*d^3) - (b^7*f^2*(c + d*x)^{(2/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(120960*d^3) + (b*(d*e - c*f)^2*(c + d*x)^{(2/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(2*d^3) - (b^3*f*(d*e - c*f)*(c + d*x)*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(60*d^3) + (b^5*f^2*(c + d*x)^{(4/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(20160*d^3) + (b*f*(d*e - c*f)*(c + d*x)$

$$\begin{aligned} & \frac{(5/3)\cos[a + b/(c + dx)^{1/3}]}{(5d^3)} - \frac{(b^3 f^2 (c + dx)^2 \cos[a + b/(c + dx)^{1/3}])}{(1008d^3)} + \frac{(b^2 f^2 (c + dx)^{8/3} \cos[a + b/(c + dx)^{1/3}])}{(24d^3)} - \frac{(b^9 f^2 \cos[a] \operatorname{CosIntegral}[b/(c + dx)^{1/3}])}{(120960d^3)} \\ & + \frac{(b^3 (d^2 e - c^2 f) \cos[a] \operatorname{CosIntegral}[b/(c + dx)^{1/3}])}{(2d^3)} + \frac{(b^6 f (d^2 e - c^2 f) \operatorname{CosIntegral}[b/(c + dx)^{1/3}] \sin[a])}{(120d^3)} + \frac{(b^8 f^2 (c + dx)^{1/3} \sin[a + b/(c + dx)^{1/3}])}{(120960d^3)} \\ & - \frac{(b^2 (d^2 e - c^2 f)^2 (c + dx)^{1/3} \sin[a + b/(c + dx)^{1/3}])}{(2d^3)} + \frac{(b^4 f (d^2 e - c^2 f) (c + dx)^{2/3} \sin[a + b/(c + dx)^{1/3}])}{(120d^3)} - \frac{(b^6 f^2 (c + dx) \sin[a + b/(c + dx)^{1/3}])}{(60480d^3)} \\ & + \frac{((d^2 e - c^2 f)^2 (c + dx) \sin[a + b/(c + dx)^{1/3}])}{d^3} - \frac{(b^2 f (d^2 e - c^2 f) (c + dx)^{4/3} \sin[a + b/(c + dx)^{1/3}])}{(20d^3)} + \frac{(b^4 f^2 (c + dx)^{5/3} \sin[a + b/(c + dx)^{1/3}])}{(5040d^3)} \\ & + \frac{(f (d^2 e - c^2 f) (c + dx)^2 \sin[a + b/(c + dx)^{1/3}])}{d^3} - \frac{(b^2 f^2 (c + dx)^{7/3} \sin[a + b/(c + dx)^{1/3}])}{(168d^3)} + \frac{(f^2 (c + dx)^3 \sin[a + b/(c + dx)^{1/3}])}{(3d^3)} \\ & + \frac{(b^6 f (d^2 e - c^2 f) \cos[a] \operatorname{SinIntegral}[b/(c + dx)^{1/3}])}{(120d^3)} + \frac{(b^9 f^2 \sin[a] \operatorname{SinIntegral}[b/(c + dx)^{1/3}])}{(120960d^3)} - \frac{(b^3 (d^2 e - c^2 f)^2 \sin[a] \operatorname{SinIntegral}[b/(c + dx)^{1/3}])}{(2d^3)} \end{aligned}$$
Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(((c + dx)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + dx)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + dx), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + dx), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
```

```

_.)*(x_)^(n_)]^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]

```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx &= -\frac{3 \operatorname{Subst}\left(\int \left(\frac{f^2 \sin(a+bx)}{d^2 x^{10}} + \frac{2f(de-cf) \sin(a+bx)}{d^2 x^7} + \frac{(de-cf)^2 \sin(a+bx)}{d^2 x^4}\right) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3f^2) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^{10}} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^3} - \frac{(6f(de-cf)) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^7} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^3} \\
&= \frac{(de-cf)^2(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d^3} + \frac{f(de-cf)(c+dx)^2 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d^3} + \\
&= \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} + \frac{bf(de-cf)(c+dx)^{5/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{5d^3} \\
&= \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} + \frac{bf(de-cf)(c+dx)^{5/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{5d^3} \\
&= \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} - \frac{b^3 f(de-cf)(c+dx) \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{60d^3} \\
&= \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} - \frac{b^3 f(de-cf)(c+dx) \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{60d^3} \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} + \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} + \frac{b(de-cf)^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^3} \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} - \frac{b^7 f^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3} + \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} - \frac{b^7 f^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3} + \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} - \frac{b^7 f^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3} + \\
&= \frac{b^5 f(de-cf) \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^3} - \frac{b^7 f^2(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120960d^3} +
\end{aligned}$$

Mathematica [C] time = 4.72, size = 929, normalized size = 1.09

$$i \left((\cos(a) + i \sin(a)) \left(-if^2 \operatorname{Ei} \left(\frac{ib}{\sqrt[3]{c+dx}} \right) b^9 - 1008cf^2 \operatorname{Ei} \left(\frac{ib}{\sqrt[3]{c+dx}} \right) b^6 + 1008def \operatorname{Ei} \left(\frac{ib}{\sqrt[3]{c+dx}} \right) b^6 + 60480id^2e^2 \operatorname{Ei} \left(\frac{ib}{\sqrt[3]{c+dx}} \right) b^3 \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b/(c + d*x)^(1/3)],x]

[Out]
$$\begin{aligned} &((-1/241920*I)*((\operatorname{Cos}[a] + I*\operatorname{Sin}[a])*((60480*I)*b^3*d^2*e^2*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] + 1008*b^6*d*e*f*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] \\ &- (120960*I)*b^3*c*d*e*f*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] - I*b^9*f^2*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] - 1008*b^6*c*f^2*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] + (60480*I)*b^3*c^2*f^2*\operatorname{ExpIntegralEi}[(I*b)/(c + d*x)^{(1/3)}] \\ &+ (c + d*x)^{(1/3)}*(b^8*f^2 - I*b^7*f^2*(c + d*x)^{(1/3)} - 2*b^6*f^2*(c + d*x)^{(2/3)} + (24*I)*b^3*f*(c + d*x)^{(2/3)}*(-84*d*e + 79*c*f - 5*d*f*x) + (6*I)*b^5*f*(168*d*e - 167*c*f + d*f*x) + 24*b^4*f*(c + d*x)^{(1/3)}*(42*d*e - 41*c*f + d*f*x) + 40320*(c + d*x)^{(2/3)}*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2)) + (1008*I)*b*(c + d*x)^{(1/3)}*(41*c^2*f^2 - 2*c*d*f*(48*e + 7*f*x) + d^2*(60*e^2 + 24*e*f*x + 5*f^2*x^2)) - 144*b^2*(383*c^2*f^2 - 2*c*d*f*(399*e + 16*f*x) + d^2*(420*e^2 + 42*e*f*x + 5*f^2*x^2))) * (\operatorname{Cos}[b/(c + d*x)^{(1/3)}] + I*\operatorname{Sin}[b/(c + d*x)^{(1/3)}])) - ((c + d*x)^{(1/3)}*(b^8*f^2 + I*b^7*f^2*(c + d*x)^{(1/3)} - 2*b^6*f^2*(c + d*x)^{(2/3)} - (6*I)*b^5*f*(168*d*e - 167*c*f + d*f*x) + 24*b^4*f*(c + d*x)^{(1/3)}*(42*d*e - 41*c*f + d*f*x) + (24*I)*b^3*f*(c + d*x)^{(2/3)}*(84*d*e - 79*c*f + 5*d*f*x) + 40320*(c + d*x)^{(2/3)}*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2)) - (1008*I)*b*(c + d*x)^{(1/3)}*(41*c^2*f^2 - 2*c*d*f*(48*e + 7*f*x) + d^2*(60*e^2 + 24*e*f*x + 5*f^2*x^2)) - 144*b^2*(383*c^2*f^2 - 2*c*d*f*(399*e + 16*f*x) + d^2*(420*e^2 + 42*e*f*x + 5*f^2*x^2))) + I*b^3*(-60480*d^2*e^2 + 1008*((-I)*b^3 + 120*c)*d*e*f + (b^6 + (1008*I)*b^3*c - 60480*c^2)*f^2)*\operatorname{ExpIntegralEi}[((-I)*b)/(c + d*x)^{(1/3)}]*(\operatorname{Cos}[b/(c + d*x)^{(1/3)}] + I*\operatorname{Sin}[b/(c + d*x)^{(1/3)}])) * (\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}] - I*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])) / d^3 \end{aligned}$$

fricas [A] time = 0.69, size = 653, normalized size = 0.76

$$2 \left(120b^3d^2f^2x^2 + 2016b^3cdef - 1896b^3c^2f^2 + 48(42b^3d^2ef - 37b^3cdf^2)x - (5040bd^2f^2x^2 + 60480bd^2e^2 - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/3)),x, algorithm="fricas")

[Out]
$$-1/241920*(2*(120*b^3*d^2*f^2*x^2 + 2016*b^3*c*d*e*f - 1896*b^3*c^2*f^2 + 48*(42*b^3*d^2*e*f - 37*b^3*c*d*f^2)*x - (5040*b*d^2*f^2*x^2 + 60480*b*d^2*e^2 - \dots$$

$$\begin{aligned} &^2 - 96768*b*c*d*e*f - (b^7 - 41328*b*c^2)*f^2 + 2016*(12*b*d^2*e*f - 7*b*c \\ &*d*f^2)*x*(d*x + c)^{(2/3)} - 6*(b^5*d*f^2*x + 168*b^5*d*e*f - 167*b^5*c*f^2 \\ &)*(d*x + c)^{(1/3))*\cos((a*d*x + a*c + (d*x + c)^{(2/3)*b)/(d*x + c)) - ((604 \\ &80*b^3*d^2*e^2 - 120960*b^3*c*d*e*f - (b^9 - 60480*b^3*c^2)*f^2)*\cos(a) + 1 \\ &008*(b^6*d*e*f - b^6*c*f^2)*\sin(a))*\cos_integral(b/(d*x + c)^{(1/3)}) - ((604 \\ &80*b^3*d^2*e^2 - 120960*b^3*c*d*e*f - (b^9 - 60480*b^3*c^2)*f^2)*\cos(a) + 1 \\ &008*(b^6*d*e*f - b^6*c*f^2)*\sin(a))*\cos_integral(-b/(d*x + c)^{(1/3)}) - 2*(4 \\ &0320*d^3*f^2*x^3 + 120960*d^3*e*f*x^2 + 120960*c*d^2*e^2 - 120960*c^2*d*e*f \\ &- 2*(b^6*c - 20160*c^3)*f^2 - 2*(b^6*d*f^2 - 60480*d^3*e^2)*x + 24*(b^4*d* \\ &f^2*x + 42*b^4*d*e*f - 41*b^4*c*f^2)*(d*x + c)^{(2/3)} - (720*b^2*d^2*f^2*x^2 \\ &+ 60480*b^2*d^2*e^2 - 114912*b^2*c*d*e*f - (b^8 - 55152*b^2*c^2)*f^2 + 288 \\ &*(21*b^2*d^2*e*f - 16*b^2*c*d*f^2)*x*(d*x + c)^{(1/3))*\sin((a*d*x + a*c + (\\ &d*x + c)^{(2/3)*b)/(d*x + c)) - 2*(1008*(b^6*d*e*f - b^6*c*f^2)*\cos(a) - (60 \\ &480*b^3*d^2*e^2 - 120960*b^3*c*d*e*f - (b^9 - 60480*b^3*c^2)*f^2)*\sin(a))*s \\ &in_integral(b/(d*x + c)^{(1/3)))/d^3 \end{aligned}$$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/3)),x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.10, size = 936, normalized size = 1.09

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2*sin(a+b/(d*x+c)^(1/3)),x)

[Out]
$$\begin{aligned} &-3/d^3*b^3*(b^6*f^2*(-1/9*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^3/b^9-1/72*\cos(a+b \\ &/d*x+c)^{(1/3)}*(d*x+c)^{(8/3)/b^8+1/504*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(7/3 \\ &)/b^7+1/3024*\cos(a+b/(d*x+c)^{(1/3)}*(d*x+c)^2/b^6-1/15120*\sin(a+b/(d*x+c)^{(\\ &1/3)}*(d*x+c)^{(5/3)/b^5-1/60480*\cos(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(4/3)/b^4+1/ \\ &181440*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)/b^3+1/362880*\cos(a+b/(d*x+c)^{(1/3)}*(\\ &d*x+c)^{(2/3)/b^2-1/362880*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(1/3)/b-1/362880*S \\ &i(b/(d*x+c)^{(1/3))*\sin(a)+1/362880*Ci(b/(d*x+c)^{(1/3))*\cos(a))+2*b^3*d*e*f* \\ &(-1/6*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)^2/b^6-1/30*\cos(a+b/(d*x+c)^{(1/3)}*(d*x \\ &+c)^{(5/3)/b^5+1/120*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(4/3)/b^4+1/360*\cos(a+b/ \\ &(d*x+c)^{(1/3)}*(d*x+c)/b^3-1/720*\sin(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(2/3)/b^2-1 \\ &/720*\cos(a+b/(d*x+c)^{(1/3)}*(d*x+c)^{(1/3)/b-1/720*Si(b/(d*x+c)^{(1/3))*\cos(a \\ &)-1/720*Ci(b/(d*x+c)^{(1/3))*\sin(a))+d^2*e^2*(-1/3*\sin(a+b/(d*x+c)^{(1/3)))*(d \end{aligned}$$

$$\begin{aligned} & *x+c)/b^3-1/6*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(2/3)}/b^2+1/6*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(1/3)}/b+1/6*Si(b/(d*x+c)^{(1/3)})*\sin(a)-1/6*Ci(b/(d*x+c)^{(1/3)}))*\cos(a))+c^2*f^2*(-1/3*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)/b^3-1/6*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(2/3)}/b^2+1/6*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(1/3)}/b+1/6*Si(b/(d*x+c)^{(1/3)})*\sin(a)-1/6*Ci(b/(d*x+c)^{(1/3)}))*\cos(a))-2*c*d*e*f*(-1/3*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)/b^3-1/6*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(2/3)}/b^2+1/6*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(1/3)}/b+1/6*Si(b/(d*x+c)^{(1/3)})*\sin(a)-1/6*Ci(b/(d*x+c)^{(1/3)}))*\cos(a))-2*b^3*c*f^2*(-1/6*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^2/b^6-1/30*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(5/3)}/b^5+1/120*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(4/3)}/b^4+1/360*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)/b^3-1/720*\sin(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(2/3)}/b^2-1/720*\cos(a+b/(d*x+c)^{(1/3)})*(d*x+c)^{(1/3)}/b-1/720*Si(b/(d*x+c)^{(1/3)}))*\cos(a)-1/720*Ci(b/(d*x+c)^{(1/3)}))*\sin(a))) \end{aligned}$$

maxima [C] time = 1.92, size = 1003, normalized size = 1.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(1/3)),x, algorithm="maxima")

[Out]
$$\begin{aligned} & 1/241920*(60480*((Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) + (I*Ei(I*b/(d*x + c)^{(1/3)}) - I*Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^3 + 2*(d*x + c)^{(2/3)}*b*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) - 2*((d*x + c)^{(1/3)}*b^2 - 2*d*x - 2*c)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})) *e^2 - 120960*((Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) + (I*Ei(I*b/(d*x + c)^{(1/3)}) - I*Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^3 + 2*(d*x + c)^{(2/3)}*b*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) - 2*((d*x + c)^{(1/3)}*b^2 - 2*d*x - 2*c)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})) *c*e*f/d + 60480*((Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) + (I*Ei(I*b/(d*x + c)^{(1/3)}) - I*Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^3 + 2*(d*x + c)^{(2/3)}*b*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) - 2*((d*x + c)^{(1/3)}*b^2 - 2*d*x - 2*c)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})) *c^2*f^2/d^2 + 1008*(((-I*Ei(I*b/(d*x + c)^{(1/3)}) + I*Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) + (Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^6 + 2*((d*x + c)^{(1/3)}*b^5 - 2*(d*x + c)*b^3 + 24*(d*x + c)^{(5/3)}*b)*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) + 2*((d*x + c)^{(2/3)}*b^4 - 6*(d*x + c)^{(4/3)}*b^2 + 120*(d*x + c)^2)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})) *e*f/d - 1008*(((-I*Ei(I*b/(d*x + c)^{(1/3)}) + I*Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) + (Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^6 + 2*((d*x + c)^{(1/3)}*b^5 - 2*(d*x + c)*b^3 + 24*(d*x + c)^{(5/3)}*b)*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) + 2*((d*x + c)^{(2/3)}*b^4 - 6*(d*x + c)^{(4/3)}*b^2 + 120*(d*x + c)^2)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})) *c*f^2/d^2 - (((Ei(I*b/(d*x + c)^{(1/3)}) + Ei(-I*b/(d*x + c)^{(1/3)}))*\cos(a) - (-I*Ei(I*b/(d*x + c)^{(1/3)}) + I*Ei(-I*b/(d*x + c)^{(1/3)}))*\sin(a))*b^9 \end{aligned}$$

+ 2*((d*x + c)^(2/3)*b^7 - 6*(d*x + c)^(4/3)*b^5 + 120*(d*x + c)^2*b^3 - 5040*(d*x + c)^(8/3)*b)*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 2*((d*x + c)^(1/3)*b^8 - 2*(d*x + c)*b^6 + 24*(d*x + c)^(5/3)*b^4 - 720*(d*x + c)^(7/3)*b^2 + 40320*(d*x + c)^3)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))*f^2/d^2)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{1/3}}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3))*(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(1/3))*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + \frac{b}{\sqrt[3]{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b/(d*x+c)**(1/3)),x)

[Out] Integral((e + f*x)**2*sin(a + b/(c + d*x)**(1/3)), x)

$$3.218 \quad \int (e + fx) \sin \left(a + \frac{b}{\sqrt[3]{c+dx}} \right) dx$$

Optimal. Leaf size=419

$$\frac{b^6 f \sin(a) \operatorname{Ci} \left(\frac{b}{\sqrt[3]{c+dx}} \right)}{240d^2} + \frac{b^6 f \cos(a) \operatorname{Si} \left(\frac{b}{\sqrt[3]{c+dx}} \right)}{240d^2} + \frac{b^5 f \sqrt[3]{c+dx} \cos \left(a + \frac{b}{\sqrt[3]{c+dx}} \right)}{240d^2} + \frac{b^4 f (c+dx)^{2/3} \sin \left(a + \frac{b}{\sqrt[3]{c+dx}} \right)}{240d^2} + \dots$$

[Out] $1/2*b^3*(-c*f+d*e)*\operatorname{Ci}(b/(d*x+c)^{(1/3)})*\cos(a)/d^2+1/240*b^5*f*(d*x+c)^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^2+1/2*b^3*(-c*f+d*e)*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^2-1/120*b^3*f*(d*x+c)*\cos(a+b/(d*x+c)^{(1/3)})/d^2+1/10*b*f*(d*x+c)^{(5/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d^2+1/240*b^6*f*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(1/3)})/d^2+1/240*b^6*f*\operatorname{Ci}(b/(d*x+c)^{(1/3)})*\sin(a)/d^2-1/2*b^3*(-c*f+d*e)*\operatorname{Si}(b/(d*x+c)^{(1/3)})*\sin(a)/d^2-1/2*b^2*(-c*f+d*e)*(d*x+c)^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^2+1/240*b^4*f*(d*x+c)^{(2/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^2+(-c*f+d*e)*(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d^2-1/40*b^2*f*(d*x+c)^{(4/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d^2+1/2*f*(d*x+c)^2*\sin(a+b/(d*x+c)^{(1/3)})/d^2$

Rubi [A] time = 0.50, antiderivative size = 419, normalized size of antiderivative = 1.00, number of steps used = 17, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3431, 3297, 3303, 3299, 3302}

$$\frac{b^3 \cos(a)(de - cf) \operatorname{CosIntegral} \left(\frac{b}{\sqrt[3]{c+dx}} \right)}{2d^2} + \frac{b^6 f \sin(a) \operatorname{CosIntegral} \left(\frac{b}{\sqrt[3]{c+dx}} \right)}{240d^2} - \frac{b^3 \sin(a)(de - cf) \operatorname{Si} \left(\frac{b}{\sqrt[3]{c+dx}} \right)}{2d^2} - \frac{b^2 \sqrt[3]{c+dx}}{2d^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + f*x)*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}], x]$

[Out] $(b^5*f*(c + d*x)^{(1/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(240*d^2) + (b*(d*e - c*f)*(c + d*x)^{(2/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(2*d^2) - (b^3*f*(c + d*x)*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(120*d^2) + (b*f*(c + d*x)^{(5/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(10*d^2) + (b^3*(d*e - c*f)*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}])/(2*d^2) + (b^6*f*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}]*\operatorname{Sin}[a])/(240*d^2) - (b^2*(d*e - c*f)*(c + d*x)^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(2*d^2) + (b^4*f*(c + d*x)^{(2/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(240*d^2) + ((d*e - c*f)*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/d^2 - (b^2*f*(c + d*x)^{(4/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(40*d^2) + (f*(c + d*x)^2*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(2*d^2) + (b^6*f*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(240*d^2) - (b^3*(d*e - c*f)*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(2*d^2)$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c$

```
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_.)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx &= -\frac{3 \operatorname{Subst}\left(\int \left(\frac{f \sin(ax+bx)}{dx^7} + \frac{(de-cf) \sin(ax+bx)}{dx^4}\right) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3f) \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^7} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} - \frac{(3(de-cf)) \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{(de-cf)(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d^2} + \frac{f(c+dx)^2 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{(bf) \operatorname{Subst}\left(\int \frac{\cos(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} + \frac{bf(c+dx)^{5/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{10d^2} + \frac{(bf) \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} + \frac{bf(c+dx)^{5/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{10d^2} - \frac{b^3 f \operatorname{Subst}\left(\int \frac{\cos(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{b^3 f(c+dx) \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^2} + \frac{bf \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{b^3 f(c+dx) \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{120d^2} + \frac{bf \operatorname{Subst}\left(\int \frac{\cos(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b^5 f \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{240d^2} + \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{b^3 f \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b^5 f \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{240d^2} + \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{b^3 f \operatorname{Subst}\left(\int \frac{\cos(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{b^5 f \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{240d^2} + \frac{b(de-cf)(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d^2} - \frac{b^3 f \operatorname{Subst}\left(\int \frac{\sin(ax+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.89, size = 540, normalized size = 1.29

$$\frac{b^3 f \left(b^3 \sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + b^3 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) - 120c \cos(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + 120c \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) \right)}{240d^2} + \frac{b^3 e \left(\cos(a) \right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b/(c + d*x)^(1/3)],x]

[Out] (e*(c + d*x)^(1/3)*Cos[b/(c + d*x)^(1/3)]*(b*(c + d*x)^(1/3)*Cos[a] - b^2*Sin[a] + 2*(c + d*x)^(2/3)*Sin[a]))/(2*d) + (f*(c + d*x)^(1/3)*Cos[b/(c + d*x)^(1/3)]*(b*(c + d*x)^(1/3)*Cos[a] - b^2*Sin[a] + 2*(c + d*x)^(2/3)*Sin[a]))/(2*d)

$$\begin{aligned} & x^{1/3} * (b^5 \cos[a] - 120 * b * c * (c + d * x)^{1/3} * \cos[a] - 2 * b^3 * (c + d * x)^{2/3} * \cos[a] + 24 * b * (c + d * x)^{4/3} * \cos[a] + 120 * b^2 * c * \sin[a] + b^4 * (c + d * x)^{1/3} * \sin[a] - 240 * c * (c + d * x)^{2/3} * \sin[a] - 6 * b^2 * (c + d * x) * \sin[a] + 120 * (c + d * x)^{5/3} * \sin[a]) / (240 * d^2) + (e * (c + d * x)^{1/3} * (-b^2 * \cos[a]) + 2 * (c + d * x)^{2/3} * \cos[a] - b * (c + d * x)^{1/3} * \sin[a]) * \sin[b / (c + d * x)^{1/3}] / (2 * d) + (f * (c + d * x)^{1/3} * (120 * b^2 * c * \cos[a] + b^4 * (c + d * x)^{1/3} * \cos[a] - 240 * c * (c + d * x)^{2/3} * \cos[a] - 6 * b^2 * (c + d * x) * \cos[a] + 120 * (c + d * x)^{5/3} * \cos[a] - b^5 * \sin[a] + 120 * b * c * (c + d * x)^{1/3} * \sin[a] + 2 * b^3 * (c + d * x)^{2/3} * \sin[a] - 24 * b * (c + d * x)^{4/3} * \sin[a]) * \sin[b / (c + d * x)^{1/3}] / (240 * d^2) + (b^3 * e * (\cos[a] * \cos \int [b / (c + d * x)^{1/3}] - \sin[a] * \sin \int [b / (c + d * x)^{1/3}])) / (2 * d) + (b^3 * f * (-120 * c * \cos[a] * \cos \int [b / (c + d * x)^{1/3}] + b^3 * \cos \int [b / (c + d * x)^{1/3}] * \sin[a] + b^3 * \cos[a] * \sin \int [b / (c + d * x)^{1/3}] + 120 * c * \sin[a] * \sin \int [b / (c + d * x)^{1/3}])) / (240 * d^2) \end{aligned}$$

fricas [A] time = 0.78, size = 299, normalized size = 0.71

$$2 \left((dx + c)^{\frac{1}{3}} b^5 f - 2 b^3 d f x - 2 b^3 c f + 24 (b d f x + 5 b d e - 4 b c f) (dx + c)^{\frac{2}{3}} \right) \cos \left(\frac{a d x + a c + (d x + c)^{\frac{2}{3}} b}{d x + c} \right) + (b^6 f \sin(a) + 120 b^3 c f \cos(a) + b^4 (c + d x)^{\frac{1}{3}} \sin(a) - 240 c (c + d x)^{\frac{2}{3}} \sin(a) - 6 b^2 (c + d x) \sin(a) + 120 (c + d x)^{\frac{5}{3}} \sin(a)) / (240 d^2) + (b^3 f \sin \int [b / (c + d x)^{\frac{1}{3}}] - b^3 e \cos \int [b / (c + d x)^{\frac{1}{3}}]) / (2 d) + (b^3 f \sin \int [b / (c + d x)^{\frac{1}{3}}] + b^3 e \cos \int [b / (c + d x)^{\frac{1}{3}}]) / (2 d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] 1/480*(2*((d*x + c)^(1/3)*b^5*f - 2*b^3*d*f*x - 2*b^3*c*f + 24*(b*d*f*x + 5*b*d*e - 4*b*c*f)*(d*x + c)^(2/3))*cos((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)) + (b^6*f*sin(a) + 120*(b^3*d*e - b^3*c*f)*cos(a))*cos_integral(b/(d*x + c)^(1/3)) + (b^6*f*sin(a) + 120*(b^3*d*e - b^3*c*f)*cos(a))*cos_integral(-b/(d*x + c)^(1/3)) + 2*((d*x + c)^(2/3)*b^4*f + 120*d^2*f*x^2 + 240*d^2*e*x + 240*c*d*e - 120*c^2*f - 6*(b^2*d*f*x + 20*b^2*d*e - 19*b^2*c*f)*(d*x + c)^(1/3))*sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)) + 2*(b^6*f*cos(a) - 120*(b^3*d*e - b^3*c*f)*sin(a))*sin_integral(b/(d*x + c)^(1/3))/d^2

giac [B] time = 3.10, size = 3728, normalized size = 8.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="giac")

[Out] 1/240*(120*(a^3*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) + a^3*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 3*((d*x + c)^(1/3)*a + b)*a^2*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(1/3) - 3*((d*x + c)^(1/3)*a + b)*a^2*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(1/3))

$$\begin{aligned}
& a + b) * a^2 * b^4 * \sin(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 3 * ((d*x + c)^{(1/3)} * a + b)^2 * a * b^4 * \cos(a) * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} + 3 * ((d*x + c)^{(1/3)} * a + b)^2 * a * b^4 * \sin(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - ((d*x + c)^{(1/3)} * a + b)^3 * b^4 * \cos(a) * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) - ((d*x + c)^{(1/3)} * a + b)^3 * b^4 * \sin(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) + a^2 * b^4 * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 2 * ((d*x + c)^{(1/3)} * a + b) * a * b^4 * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + ((d*x + c)^{(1/3)} * a + b)^2 * b^4 * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} + a * b^4 * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - ((d*x + c)^{(1/3)} * a + b) * b^4 * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} - 2 * b^4 * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * e / ((a^3 - 3 * ((d*x + c)^{(1/3)} * a + b) * a^2 / (d*x + c)^{(1/3)} + 3 * ((d*x + c)^{(1/3)} * a + b)^2 * a / (d*x + c)^{(2/3)} - ((d*x + c)^{(1/3)} * a + b)^3 / (d*x + c)) * b + (a^6 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) - a^6 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 6 * ((d*x + c)^{(1/3)} * a + b) * a^5 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c)^{(1/3)} + 6 * ((d*x + c)^{(1/3)} * a + b) * a^5 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 15 * ((d*x + c)^{(1/3)} * a + b)^2 * a^4 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c)^{(2/3)} - 15 * ((d*x + c)^{(1/3)} * a + b)^2 * a^4 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 20 * ((d*x + c)^{(1/3)} * a + b)^3 * a^3 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c) + 20 * ((d*x + c)^{(1/3)} * a + b)^3 * a^3 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) + 15 * ((d*x + c)^{(1/3)} * a + b)^4 * a^2 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c)^{(4/3)} - 15 * ((d*x + c)^{(1/3)} * a + b)^4 * a^2 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} - 6 * ((d*x + c)^{(1/3)} * a + b)^5 * a * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c)^{(5/3)} + 6 * ((d*x + c)^{(1/3)} * a + b)^5 * a * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(5/3)} - a^5 * b^7 * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 120 * a^6 * b^4 * c * \cos(a) * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) + ((d*x + c)^{(1/3)} * a + b)^6 * b^7 * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) * \sin(a) / (d*x + c)^2 - ((d*x + c)^{(1/3)} * a + b)^6 * b^7 * \cos(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^2 - 120 * a^6 * b^4 * c * \sin(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) + 5 * ((d*x + c)^{(1/3)} * a + b) * a^4 * b^7 * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 720 * ((d*x + c)^{(1/3)} * a + b) * a^5 * b^4 * c * \cos(a) * \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 720 * ((d*x + c)^{(1/3)} * a + b) * a^5 * b^4 * c * \sin(a) * \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} - 10 * ((d*x + c)^{(1/3)} * a + b)^2 * a^3 * b^7 * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 1800 * ((d*x + c)^{(1/3)} * a + b)^2
\end{aligned}$$

$$\begin{aligned}
& a^4 b^4 c \cos(a) \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 1800 * ((d*x + c)^{(1/3)} * a + b)^2 a^4 b^4 c \sin(a) \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} + 10 * ((d*x + c)^{(1/3)} * a + b)^3 a^2 b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) + 2400 * ((d*x + c)^{(1/3)} * a + b)^3 a^3 b^4 c \cos(a) \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) + a^4 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) + 2400 * ((d*x + c)^{(1/3)} * a + b)^3 a^3 b^4 c \sin(a) \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) - 5 * ((d*x + c)^{(1/3)} * a + b)^4 a b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} - 1800 * ((d*x + c)^{(1/3)} * a + b)^4 a^2 b^4 c \cos(a) \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} - 4 * ((d*x + c)^{(1/3)} * a + b) a^3 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} - 1800 * ((d*x + c)^{(1/3)} * a + b)^4 a^2 b^4 c \sin(a) \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} + ((d*x + c)^{(1/3)} * a + b)^5 b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(5/3)} + 720 * ((d*x + c)^{(1/3)} * a + b)^5 a b^4 c \cos(a) \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(5/3)} + 6 * ((d*x + c)^{(1/3)} * a + b)^2 a^2 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} + 720 * ((d*x + c)^{(1/3)} * a + b)^5 a b^4 c \sin(a) \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(5/3)} + 2 a^3 b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 120 * ((d*x + c)^{(1/3)} * a + b)^6 b^4 c \cos(a) \cos_integral(-a + ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^2 - 4 * ((d*x + c)^{(1/3)} * a + b)^3 a b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) - 120 a^5 b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 120 * ((d*x + c)^{(1/3)} * a + b)^6 b^4 c \sin(a) \sin_integral(a - ((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^2 - 6 * ((d*x + c)^{(1/3)} * a + b) a^2 b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + ((d*x + c)^{(1/3)} * a + b)^4 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} + 600 * ((d*x + c)^{(1/3)} * a + b) a^4 b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 6 * ((d*x + c)^{(1/3)} * a + b)^2 a b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 1200 * ((d*x + c)^{(1/3)} * a + b)^2 a^3 b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 2 * ((d*x + c)^{(1/3)} * a + b)^3 b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) - 120 a^4 b^4 c \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) - 6 a^2 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) + 1200 * ((d*x + c)^{(1/3)} * a + b)^3 a^2 b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c) + 480 * ((d*x + c)^{(1/3)} * a + b) a^3 b^4 c \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} + 12 * ((d*x + c)^{(1/3)} * a + b) a b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(1/3)} - 600 * ((d*x + c)^{(1/3)} * a + b)^4 a b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(4/3)} - 720 * ((d*x + c)^{(1/3)} * a + b)^2 a^2 b^4 c \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} - 6 * ((d*x + c)^{(1/3)} * a + b)^2 b^7 \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(2/3)} + 120 * ((d*x + c)^{(1/3)} * a + b)^5 b^4 c \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) / (d*x + c)^{(5/3)} - 24 a b^7 \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)}) + 480 *
\end{aligned}$$

$$\begin{aligned} & ((dx + c)^{1/3}a + b)^3 a^3 b^4 c \cos\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right) / (dx + c) + 240 a^3 b^4 c \sin\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right) \\ & + 24 \left(\frac{((dx + c)^{1/3}a + b) b^7 \cos\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right)}{(dx + c)^{1/3}} - 120 \frac{((dx + c)^{1/3}a + b)^4 b^4 c \cos\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right)}{(dx + c)^{4/3}} \right. \\ & - 720 \frac{((dx + c)^{1/3}a + b) a^2 b^4 c \sin\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right)}{(dx + c)^{1/3}} + 720 \frac{((dx + c)^{1/3}a + b)^2 a^2 b^4 c \sin\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right)}{(dx + c)^{2/3}} \\ & + 120 b^7 \sin\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right) - 240 \frac{((dx + c)^{1/3}a + b)^3 b^4 c \sin\left(\frac{((dx + c)^{1/3}a + b)}{(dx + c)^{1/3}}\right)}{(dx + c)^{1/3}} \\ & \left. + 15 \frac{((dx + c)^{1/3}a + b)^2 a^4}{(dx + c)^{2/3}} - 20 \frac{((dx + c)^{1/3}a + b)^3 a^3}{(dx + c)} + 15 \frac{((dx + c)^{1/3}a + b)^4 a^2}{(dx + c)^{4/3}} - 6 \right. \\ & \left. * \frac{((dx + c)^{1/3}a + b)^5 a}{(dx + c)^{5/3}} + \frac{((dx + c)^{1/3}a + b)^6}{(dx + c)^2} * b^d \right) / d \end{aligned}$$

maple [A] time = 0.05, size = 391, normalized size = 0.93

$$3b^3 \left(-cf \left(-\frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)(dx+c)}{3b^3} - \frac{\cos\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)(dx+c)^{\frac{2}{3}}}{6b^2} + \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)(dx+c)^{\frac{1}{3}}}{6b} + \frac{\text{Si}\left(\frac{b}{(dx+c)^{\frac{1}{3}}}\right)\sin(a)}{6} - \frac{\text{Ci}\left(\frac{b}{(dx+c)^{\frac{1}{3}}}\right)\cos(a)}{6} \right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b/(d*x+c)^(1/3)),x)`

[Out]
$$\begin{aligned} & -3/d^2 b^3 (-cf * (-1/3 \sin(a+b/(d*x+c)^{1/3})) * (d*x+c)/b^3 - 1/6 \cos(a+b/(d*x+c)^{1/3})) * (d*x+c)^{2/3} / b^2 + 1/6 \sin(a+b/(d*x+c)^{1/3}) * (d*x+c)^{1/3} / b + 1/6 * \\ & \text{Si}(b/(d*x+c)^{1/3}) * \sin(a) - 1/6 \text{Ci}(b/(d*x+c)^{1/3}) * \cos(a) + d * e * (-1/3 \sin(a+b/(d*x+c)^{1/3})) * (d*x+c)/b^3 - 1/6 \cos(a+b/(d*x+c)^{1/3})) * (d*x+c)^{2/3} / b^2 + 1/ \\ & 6 \sin(a+b/(d*x+c)^{1/3}) * (d*x+c)^{1/3} / b + 1/6 \text{Si}(b/(d*x+c)^{1/3}) * \sin(a) - 1/6 \text{Ci}(b/(d*x+c)^{1/3}) * \cos(a) + b^3 * f * (-1/6 \sin(a+b/(d*x+c)^{1/3})) * (d*x+c)^2 / \\ & b^6 - 1/30 \cos(a+b/(d*x+c)^{1/3}) * (d*x+c)^{5/3} / b^5 + 1/120 \sin(a+b/(d*x+c)^{1/3}) * (d*x+c)^{4/3} / b^4 + 1/360 \cos(a+b/(d*x+c)^{1/3}) * (d*x+c) / b^3 - 1/720 \sin(a+b/(d*x+c)^{1/3}) * (d*x+c)^{2/3} / b^2 - 1/720 \cos(a+b/(d*x+c)^{1/3}) * (d*x+c)^{1/3} / b - 1/720 \text{Si}(b/(d*x+c)^{1/3}) * \cos(a) - 1/720 \text{Ci}(b/(d*x+c)^{1/3}) * \sin(a) \end{aligned}$$

maxima [C] time = 0.74, size = 458, normalized size = 1.09

$$120 \left(\left(\left(\text{Ei}\left(\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) + \text{Ei}\left(-\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) \right) \cos(a) + \left(i \text{Ei}\left(\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) - i \text{Ei}\left(-\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) \right) \sin(a) \right) b^3 + 2(dx+c)^{\frac{2}{3}} b \cos\left(\frac{dx+c}{dx}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="maxima")

[Out] 1/480*(120*((Ei(I*b/(d*x + c)^(1/3)) + Ei(-I*b/(d*x + c)^(1/3)))*cos(a) + (I*Ei(I*b/(d*x + c)^(1/3)) - I*Ei(-I*b/(d*x + c)^(1/3)))*sin(a))*b^3 + 2*(d*x + c)^(2/3)*b*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 2*((d*x + c)^(1/3)*b^2 - 2*d*x - 2*c)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))*e - 120*((Ei(I*b/(d*x + c)^(1/3)) + Ei(-I*b/(d*x + c)^(1/3)))*cos(a) + (I*Ei(I*b/(d*x + c)^(1/3)) - I*Ei(-I*b/(d*x + c)^(1/3)))*sin(a))*b^3 + 2*(d*x + c)^(2/3)*b*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 2*((d*x + c)^(1/3)*b^2 - 2*d*x - 2*c)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))*c*f/d + ((-I*Ei(I*b/(d*x + c)^(1/3)) + I*Ei(-I*b/(d*x + c)^(1/3)))*cos(a) + (Ei(I*b/(d*x + c)^(1/3)) + Ei(-I*b/(d*x + c)^(1/3)))*sin(a))*b^6 + 2*((d*x + c)^(1/3)*b^5 - 2*(d*x + c)*b^3 + 24*(d*x + c)^(5/3)*b)*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) + 2*((d*x + c)^(2/3)*b^4 - 6*(d*x + c)^(4/3)*b^2 + 120*(d*x + c)^2)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))*f/d)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{1/3}}\right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3))*(e + f*x),x)

[Out] int(sin(a + b/(c + d*x)^(1/3))*(e + f*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{\sqrt[3]{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)**(1/3)),x)

[Out] Integral((e + f*x)*sin(a + b/(c + d*x)**(1/3)), x)

$$3.219 \quad \int \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx$$

Optimal. Leaf size=136

$$\frac{b^3 \cos(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^3 \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} + \frac{b(c+dx)^{2/3}}{d}$$

[Out] $1/2*b^3*\operatorname{Ci}(b/(d*x+c)^{(1/3)})*\cos(a)/d+1/2*b*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d-1/2*b^3*\operatorname{Si}(b/(d*x+c)^{(1/3)})*\sin(a)/d-1/2*b^2*(d*x+c)^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d+(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d$

Rubi [A] time = 0.16, antiderivative size = 136, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3361, 3297, 3303, 3299, 3302}

$$\frac{b^3 \cos(a) \operatorname{CosIntegral}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^3 \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} + \frac{b(c+dx)^{2/3}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}], x]$

[Out] $(b*(c + d*x)^{(2/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(2*d) + (b^3*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}])/(2*d) - (b^2*(c + d*x)^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(2*d) + ((c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/d - (b^3*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(2*d)$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) -$

$c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \text{ :> Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] \text{ /; FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3361

$\text{Int}[(a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^n])^p, x_Symbol] \text{ :> Dist}[1/(n*f), \text{Subst}[\text{Int}[x^{(1/n - 1)}*(a + b*\text{Sin}[c + d*x])^p, x], x, (e + f*x)^n], x] \text{ /; FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IntegerQ}[1/n]$

Rubi steps

$$\begin{aligned} \int \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx &= -\frac{3 \text{Subst}\left(\int \frac{\sin(a+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\ &= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} - \frac{b \text{Subst}\left(\int \frac{\cos(a+bx)}{x^3} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\ &= \frac{b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} + \frac{b^2 \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2d} \\ &= \frac{b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} \\ &= \frac{b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d} \\ &= \frac{b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{b^3 \cos(a) \text{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d} - \frac{b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} + \frac{2c \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + 2dx \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d} \end{aligned}$$

Mathematica [A] time = 0.11, size = 133, normalized size = 0.98

$$\frac{b^3 \cos(a) \text{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) - b^3 \sin(a) \text{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) - b^2 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + 2c \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + 2dx \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)], x]

[Out] (b*(c + d*x)^(2/3)*Cos[a + b/(c + d*x)^(1/3)] + b^3*Cos[a]*CosIntegral[b/(c + d*x)^(1/3)] + 2*c*Sin[a + b/(c + d*x)^(1/3)] + 2*d*x*Sin[a + b/(c + d*x)^(1/3)] - b^2*(c + d*x)^(1/3)*Sin[a + b/(c + d*x)^(1/3)] - b^3*Sin[a]*SinIntegral[b/(c + d*x)^(1/3)])/(2*d)

fricas [A] time = 0.60, size = 139, normalized size = 1.02

$$\frac{b^3 \cos(a) \operatorname{Ci}\left(\frac{b}{(dx+c)^{\frac{1}{3}}}\right) + b^3 \cos(a) \operatorname{Ci}\left(-\frac{b}{(dx+c)^{\frac{1}{3}}}\right) - 2b^3 \sin(a) \operatorname{Si}\left(\frac{b}{(dx+c)^{\frac{1}{3}}}\right) + 2(dx+c)^{\frac{2}{3}} b \cos\left(\frac{adx+ac+(dx+c)^{\frac{2}{3}}b}{dx+c}\right) - 2b^3 \sin(a) \operatorname{Si}\left(\frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3)), x, algorithm="fricas")

[Out] 1/4*(b^3*cos(a)*cos_integral(b/(d*x + c)^(1/3)) + b^3*cos(a)*cos_integral(-b/(d*x + c)^(1/3)) - 2*b^3*sin(a)*sin_integral(b/(d*x + c)^(1/3)) + 2*(d*x + c)^(2/3)*b*cos((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)) - 2*((d*x + c)^(1/3)*b^2 - 2*d*x - 2*c)*sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)))/d

giac [B] time = 1.38, size = 663, normalized size = 4.88

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3)), x, algorithm="giac")

[Out] 1/2*(a^3*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) + a^3*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 3*((d*x + c)^(1/3)*a + b)*a^2*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(1/3) - 3*((d*x + c)^(1/3)*a + b)*a^2*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(1/3) + 3*((d*x + c)^(1/3)*a + b)^2*a*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(2/3) + 3*((d*x + c)^(1/3)*a + b)^2*a*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(2/3) - ((d*x + c)^(1/3)*a + b)^3*b^4*cos(a)*cos_integral(-a + ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c) - ((d*x + c)^(1/3)*a + b)^3*b^4*sin(a)*sin_integral(a - ((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c) + a^2*b^4*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 2*((d*x + c)^(1/3)*a + b)*a*b^4*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(d*x + c)^(1/3) + ((d*x + c)^(1/3)*a + b)^2*b^4*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))/d

$$\frac{d^2x + c)^{1/3}}{(d^2x + c)^{2/3}} + a*b^4*\cos(((d^2x + c)^{1/3}*a + b)/(d^2x + c)^{1/3}) - ((d^2x + c)^{1/3}*a + b)*b^4*\cos(((d^2x + c)^{1/3}*a + b)/(d^2x + c)^{1/3})/(d^2x + c)^{1/3} - 2*b^4*\sin(((d^2x + c)^{1/3}*a + b)/(d^2x + c)^{1/3}))/((a^3 - 3*((d^2x + c)^{1/3}*a + b)*a^2/(d^2x + c)^{1/3} + 3*((d^2x + c)^{1/3}*a + b)^2*a/(d^2x + c)^{2/3} - ((d^2x + c)^{1/3}*a + b)^3/(d^2x + c))*b*d$$

maple [A] time = 0.04, size = 108, normalized size = 0.79

$$\frac{3b^3 \left(\frac{\sin\left(a + \frac{b}{(dx+c)^{1/3}}\right)(dx+c)}{3b^3} - \frac{\cos\left(a + \frac{b}{(dx+c)^{1/3}}\right)(dx+c)^{2/3}}{6b^2} + \frac{\sin\left(a + \frac{b}{(dx+c)^{1/3}}\right)(dx+c)^{1/3}}{6b} + \frac{\text{Si}\left(\frac{b}{(dx+c)^{1/3}}\right)\sin(a)}{6} - \frac{\text{Ci}\left(\frac{b}{(dx+c)^{1/3}}\right)\cos(a)}{6} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/3)),x)

[Out] -3/d*b^3*(-1/3*sin(a+b/(d*x+c)^(1/3))*(d*x+c)/b^3-1/6*cos(a+b/(d*x+c)^(1/3))*(d*x+c)^(2/3)/b^2+1/6*sin(a+b/(d*x+c)^(1/3))*(d*x+c)^(1/3)/b+1/6*Si(b/(d*x+c)^(1/3))*sin(a)-1/6*Ci(b/(d*x+c)^(1/3))*cos(a))

maxima [C] time = 0.46, size = 138, normalized size = 1.01

$$\frac{\left(\left(\text{Ei}\left(\frac{ib}{(dx+c)^{1/3}}\right) + \text{Ei}\left(-\frac{ib}{(dx+c)^{1/3}}\right) \right) \cos(a) + \left(i \text{Ei}\left(\frac{ib}{(dx+c)^{1/3}}\right) - i \text{Ei}\left(-\frac{ib}{(dx+c)^{1/3}}\right) \right) \sin(a) \right) b^3 + 2(dx+c)^{2/3} b \cos\left(\frac{(dx+c)^{1/3} a + b}{(dx+c)^{1/3}}\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3)),x, algorithm="maxima")

[Out] 1/4*(((Ei(I*b/(d*x + c)^(1/3)) + Ei(-I*b/(d*x + c)^(1/3)))*cos(a) + (I*Ei(I*b/(d*x + c)^(1/3)) - I*Ei(-I*b/(d*x + c)^(1/3)))*sin(a))*b^3 + 2*(d*x + c)^(2/3)*b*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - 2*((d*x + c)^(1/3)*b^2 - 2*d*x - 2*c)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^{1/3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3)),x)

```
[Out] int(sin(a + b/(c + d*x)^(1/3)), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sin\left(a + \frac{b}{\sqrt[3]{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(1/3)),x)
```

```
[Out] Integral(sin(a + b/(c + d*x)**(1/3)), x)
```

$$3.220 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{e+fx} dx$$

Optimal. Leaf size=434

$$\frac{\sin\left(a - \frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{Ci}\left(\frac{\sqrt[3]{f}b}{\sqrt[3]{de-cf}} + \frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\sin\left(a + \frac{\sqrt[3]{-1}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{Ci}\left(\frac{\sqrt[3]{-1}b\sqrt[3]{f}}{\sqrt[3]{de-cf}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\sin\left(a - \frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{Ci}\left(\frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right)}{f}$$

[Out] $-3*\cos(a)*\text{Si}(b/(d*x+c)^{(1/3)})/f - \cos(a+(-1)^{(1/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})*\text{Si}((-1)^{(1/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})/f + \cos(a-b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})*\text{Si}(b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})/f + \cos(a-(-1)^{(2/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})*\text{Si}((-1)^{(2/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})/f - 3*\text{Ci}(b/(d*x+c)^{(1/3)})*\sin(a)/f + \text{Ci}(b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})*\sin(a-b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})/f + \text{Ci}((-1)^{(1/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})*\sin(a+(-1)^{(1/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})/f + \text{Ci}((-1)^{(2/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})*\sin(a-(-1)^{(2/3)}*b*f^{(1/3)}/(-c*f+d*e)^{(1/3)})/f$

Rubi [A] time = 1.92, antiderivative size = 434, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 5, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.227$, Rules used = {3431, 3303, 3299, 3302, 3345}

$$\frac{\sin\left(a - \frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{CosIntegral}\left(\frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}} + \frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\sin\left(a + \frac{\sqrt[3]{-1}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{CosIntegral}\left(\frac{\sqrt[3]{-1}b\sqrt[3]{f}}{\sqrt[3]{de-cf}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\sin\left(a - \frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right) \text{CosIntegral}\left(\frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(1/3)]/(e + f*x), x]

[Out] $(-3*\text{CosIntegral}[b/(c + d*x)^{(1/3)}]*\text{Sin}[a])/f + (\text{CosIntegral}[(b*f^{(1/3)})/(d*e - c*f)^{(1/3)} + b/(c + d*x)^{(1/3)}]*\text{Sin}[a - (b*f^{(1/3)})/(d*e - c*f)^{(1/3)}])/f + (\text{CosIntegral}[((-1)^{(1/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)} - b/(c + d*x)^{(1/3)}]*\text{Sin}[a + ((-1)^{(1/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)}])/f + (\text{CosIntegral}[((-1)^{(2/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)} + b/(c + d*x)^{(1/3)}]*\text{Sin}[a - ((-1)^{(2/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)}])/f - (3*\text{Cos}[a]*\text{SinIntegral}[b/(c + d*x)^{(1/3)}])/f - (\text{Cos}[a + ((-1)^{(1/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)}]*\text{SinIntegral}[((-1)^{(1/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)} - b/(c + d*x)^{(1/3)}])/f + (\text{Cos}[a - (b*f^{(1/3)})/(d*e - c*f)^{(1/3)}]*\text{SinIntegral}[(b*f^{(1/3)})/(d*e - c*f)^{(1/3)} + b/(c + d*x)^{(1/3)}])/f + (\text{Cos}[a - ((-1)^{(2/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)}]*\text{SinIntegral}[((-1)^{(2/3)}*b*f^{(1/3)})/(d*e - c*f)^{(1/3)} + b/(c + d*x)^{(1/3)}])/f$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3345

```
Int[(x_)^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] :> Int[ExpandIntegrand[Sin[c + d*x], x^m*(a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d, m}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1]) && IntegerQ[m]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{e + fx} dx &= -\frac{3 \operatorname{Subst}\left(\int \left(\frac{d \sin(ax+b)}{fx} + \frac{d(-de+cf)x^2 \sin(ax+b)}{f(f+(de-cf)x^3)}\right) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(ax+b)}{x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{f} + \frac{(3(de-cf)) \operatorname{Subst}\left(\int \frac{x^2 \sin(ax+b)}{f+(de-cf)x^3} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{f} \\
&= \frac{(3(de-cf)) \operatorname{Subst}\left(\int \left(\frac{\sin(ax+b)}{3(de-cf)^{2/3}(\sqrt[3]{f} + \sqrt[3]{de-cf}x)} + \frac{\sin(ax+b)}{3(de-cf)^{2/3}(-\sqrt[3]{-1}\sqrt[3]{f} + \sqrt[3]{de-cf}x)} + \frac{\sin(ax+b)}{3(de-cf)^{2/3}(\sqrt[3]{-1}\sqrt[3]{f} - \sqrt[3]{de-cf}x)}\right) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{f} \\
&= -\frac{3 \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) \sin(a)}{f} - \frac{3 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\sqrt[3]{de-cf} \operatorname{Subst}\left(\int \frac{\sin(ax+b)}{\sqrt[3]{f} + \sqrt[3]{de-cf}x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{f} \\
&= -\frac{3 \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) \sin(a)}{f} - \frac{3 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{f} + \frac{\left(\sqrt[3]{de-cf} \cos\left(a - \frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right)\right) \operatorname{Subst}\left(\int \frac{\sin(ax+b)}{\sqrt[3]{f} + \sqrt[3]{de-cf}x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{f} \\
&= -\frac{3 \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) \sin(a)}{f} + \frac{\operatorname{Ci}\left(\frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}} + \frac{b}{\sqrt[3]{c+dx}}\right) \sin\left(a - \frac{b\sqrt[3]{f}}{\sqrt[3]{de-cf}}\right)}{f} + \frac{\operatorname{Ci}\left(\frac{\sqrt[3]{-1}b\sqrt[3]{f}}{\sqrt[3]{de-cf}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{f}
\end{aligned}$$

Mathematica [C] time = 2.80, size = 170, normalized size = 0.39

$$\frac{i\left((\cos(a) - i \sin(a)) \left(\operatorname{RootSum}\left[\#1^3 f - cf + de\&, e^{-\frac{ib}{\#1}} \operatorname{Ei}\left(-ib\left(\frac{1}{\sqrt[3]{c+dx}} - \frac{1}{\#1}\right)\right)\&\right] - 3 \operatorname{Ei}\left(-\frac{ib}{\sqrt[3]{c+dx}}\right)\right) + (\cos(a) + i \sin(a)) \left(\operatorname{RootSum}\left[\#1^3 f - cf + de\&, e^{\frac{ib}{\#1}} \operatorname{Ei}\left(ib\left(\frac{1}{\sqrt[3]{c+dx}} - \frac{1}{\#1}\right)\right)\&\right] - 3 \operatorname{Ei}\left(\frac{ib}{\sqrt[3]{c+dx}}\right)\right)\right)}{2f}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(e + f*x), x]

[Out] ((I/2)*((-3*ExpIntegralEi[(-(I)*b)/(c + d*x)^(1/3)] + RootSum[d*e - c*f + f*#1^3 &, ExpIntegralEi[(-I)*b*((c + d*x)^(-1/3) - #1^(-1)]]/E^((I*b)/#1) &])*(Cos[a] - I*Sin[a]) + (3*ExpIntegralEi[(I*b)/(c + d*x)^(1/3)] - RootSum[d*e - c*f + f*#1^3 &, E^((I*b)/#1)*ExpIntegralEi[I*b*((c + d*x)^(-1/3) - #1^(-1)]] &])*(Cos[a] + I*Sin[a]))/f

fricas [C] time = 0.87, size = 554, normalized size = 1.28

$$i \operatorname{Ei} \left(\frac{-2i(dx+c)^{\frac{2}{3}} b - \left(\frac{ib^3 f}{de-cf} \right)^{\frac{1}{3}} (dx - \sqrt{3}(-idx-ic)+c)}{2(dx+c)} \right) e^{\left(\frac{1}{2} \left(\frac{ib^3 f}{de-cf} \right)^{\frac{1}{3}} (i\sqrt{3}+1) - ia \right)} - i \operatorname{Ei} \left(\frac{2i(dx+c)^{\frac{2}{3}} b - \left(\frac{ib^3 f}{de-cf} \right)^{\frac{1}{3}} (dx - \sqrt{3}(-idx-ic)+c)}{2(dx+c)} \right) e^{\left(\frac{1}{2} \left(\frac{ib^3 f}{de-cf} \right)^{\frac{1}{3}} (i\sqrt{3}-1) - ia \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e),x, algorithm="fricas")

[Out] $\frac{1}{2} * (I * \operatorname{Ei}(\frac{1}{2} * (-2 * I * (d * x + c)^{\frac{2}{3}} * b - (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x - \sqrt{3} * (-I * d * x - I * c) + c)) / (d * x + c)) * e^{(\frac{1}{2} * (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (I * \sqrt{3} + 1) - I * a) - I * \operatorname{Ei}(\frac{1}{2} * (2 * I * (d * x + c)^{\frac{2}{3}} * b - (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x - \sqrt{3} * (-I * d * x - I * c) + c)) / (d * x + c)) * e^{(\frac{1}{2} * (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (I * \sqrt{3} + 1) + I * a) + I * \operatorname{Ei}(\frac{1}{2} * (-2 * I * (d * x + c)^{\frac{2}{3}} * b - (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x - \sqrt{3} * (I * d * x + I * c) + c)) / (d * x + c)) * e^{(\frac{1}{2} * (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (-I * \sqrt{3} + 1) - I * a) - I * \operatorname{Ei}(\frac{1}{2} * (2 * I * (d * x + c)^{\frac{2}{3}} * b - (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x - \sqrt{3} * (I * d * x + I * c) + c)) / (d * x + c)) * e^{(\frac{1}{2} * (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (-I * \sqrt{3} + 1) + I * a) + 3 * I * \operatorname{Ei}(I * b / (d * x + c)^{\frac{1}{3}}) * e^{(I * a) - 3 * I * \operatorname{Ei}(-I * b / (d * x + c)^{\frac{1}{3}}) * e^{(-I * a) - I * \operatorname{Ei}((I * (d * x + c)^{\frac{2}{3}} * b + (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x + c)) / (d * x + c)) * e^{(I * a - (-I * b^3 * f / (d * e - c * f))^{\frac{1}{3}}) + I * \operatorname{Ei}((-I * (d * x + c)^{\frac{2}{3}} * b + (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}} * (d * x + c)) / (d * x + c)) * e^{(-I * a - (I * b^3 * f / (d * e - c * f))^{\frac{1}{3}}) / f}}$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(f*x + e), x)

maple [C] time = 0.07, size = 156, normalized size = 0.36

$$-3b^3 \left(\frac{\sum_{_R1=\operatorname{RootOf}((cf-de)_Z^3+(-3acf+3ade)_Z^2+(3a^2cf-3a^2de)_Z-a^3cf+a^3de-b^3f)} \left(-\operatorname{Si}\left(-\frac{b}{(dx+c)^{\frac{1}{3}}} + _R1 - a\right) \cos(_R1) + \operatorname{Ci}\left(-\frac{b}{(dx+c)^{\frac{1}{3}}} + _R1 - a\right) \sin(_R1) \right)}{3b^3 f} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/(d*x+c)^(1/3))/(f*x+e),x)`

[Out] `-3*b^3*(-1/3/b^3/f*sum(-Si(-b/(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b/(d*x+c)^(1/3)-_R1+a)*sin(_R1),_R1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))+1/b^3/f*(Si(b/(d*x+c)^(1/3))*cos(a)+Ci(b/(d*x+c)^(1/3))*sin(a))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e),x, algorithm="maxima")`

[Out] `integrate(sin(a + b/(d*x + c)^(1/3))/(f*x + e), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{\frac{1}{3}}}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(1/3))/(e + f*x),x)`

[Out] `int(sin(a + b/(c + d*x)^(1/3))/(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{e+fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)**(1/3))/(f*x+e),x)`

[Out] `Integral(sin(a + b/(c + d*x)**(1/3))/(e + f*x), x)`

$$3.221 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=566

$$\frac{bd \cos\left(a + \frac{b\sqrt[3]{f}}{\sqrt[3]{cf-de}}\right) \text{Ci}\left(\frac{b\sqrt[3]{f}}{\sqrt[3]{cf-de}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}} - \frac{(-1)^{2/3}bd \cos\left(a + \frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{cf-de}}\right) \text{Ci}\left(\frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{cf-de}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}} + \frac{\sqrt[3]{-1}bd \cos\left(a + \frac{b\sqrt[3]{f}}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}}$$

[Out] $-1/3*b*d*Ci(b*f^{(1/3)}/(c*f-d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})*\cos(a+b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}+1/3*(-1)^{(1/3)}*b*d*Ci((-1)^{(1/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})*\cos(a-(-1)^{(1/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}-1/3*(-1)^{(2/3)}*b*d*Ci((-1)^{(2/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})*\cos(a+(-1)^{(2/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}-1/3*b*d*Si(b*f^{(1/3)}/(c*f-d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})*\sin(a+b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}-1/3*(-1)^{(1/3)}*b*d*Si((-1)^{(1/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)}+b/(d*x+c)^{(1/3)})*\sin(a-(-1)^{(1/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}-1/3*(-1)^{(2/3)}*b*d*Si((-1)^{(2/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)}-b/(d*x+c)^{(1/3)})*\sin(a+(-1)^{(2/3)}*b*f^{(1/3)}/(c*f-d*e)^{(1/3)})/f^{(2/3)}/(c*f-d*e)^{(4/3)}+(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/(-c*f+d*e)/(f*x+e)$

Rubi [A] time = 2.63, antiderivative size = 566, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3431, 3341, 3334, 3303, 3299, 3302}

$$\frac{bd \cos\left(a + \frac{b\sqrt[3]{f}}{\sqrt[3]{cf-de}}\right) \text{CosIntegral}\left(\frac{b\sqrt[3]{f}}{\sqrt[3]{cf-de}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}} - \frac{(-1)^{2/3}bd \cos\left(a + \frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{cf-de}}\right) \text{CosIntegral}\left(\frac{(-1)^{2/3}b\sqrt[3]{f}}{\sqrt[3]{cf-de}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}} + \frac{\sqrt[3]{-1}bd \cos\left(a + \frac{b\sqrt[3]{f}}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(cf-de)^{4/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b/(c + d*x)^{(1/3)}]/(e + f*x)^2, x]$

[Out] $-(b*d*\text{Cos}[a + (b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)}]*\text{CosIntegral}[(b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)} - b/(c + d*x)^{(1/3)}])/(3*f^{(2/3)}*(-(d*e) + c*f)^{(4/3)}) - ((-1)^{(2/3)}*b*d*\text{Cos}[a + ((-1)^{(2/3)}*b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)}]*\text{CosIntegral}[((-1)^{(2/3)}*b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)} - b/(c + d*x)^{(1/3)}])/(3*f^{(2/3)}*(-(d*e) + c*f)^{(4/3)}) + ((-1)^{(1/3)}*b*d*\text{Cos}[a - ((-1)^{(1/3)}*b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)}]*\text{CosIntegral}[((-1)^{(1/3)}*b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)} + b/(c + d*x)^{(1/3)}])/(3*f^{(2/3)}*(-(d*e) + c*f)^{(4/3)}) + ((c + d*x)*\text{Sin}[a + b/(c + d*x)^{(1/3)}])/((d*e - c*f)*(e + f*x)) - (b*d*\text{Sin}[a + (b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)}]*\text{SinIntegral}[(b*f^{(1/3)})/(-(d*e) + c*f)^{(1/3)} - b/$

$$\frac{(c + d*x)^{1/3}}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} - \frac{((-1)^{2/3}*b*d*\sin[a + ((-1)^{2/3}*b*f^{1/3})/(-(d*e) + c*f)^{1/3}]}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} - \frac{((-1)^{2/3}*b*d*\sin[a + ((-1)^{2/3}*b*f^{1/3})/(-(d*e) + c*f)^{1/3}]}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} + \frac{b/(c + d*x)^{1/3}}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} - \frac{((-1)^{1/3}*b*d*\sin[a - ((-1)^{1/3}*b*f^{1/3})/(-(d*e) + c*f)^{1/3}]}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} + \frac{((-1)^{1/3}*b*d*\sin[a - ((-1)^{1/3}*b*f^{1/3})/(-(d*e) + c*f)^{1/3}]}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})} + \frac{b/(c + d*x)^{1/3}}{(3*f^{2/3}*(-(d*e) + c*f)^{4/3})}$$
Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3334

```
Int[Cos[(c_.) + (d_.)*(x_)]*((a_.) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := Int[ExpandIntegrand[Cos[c + d*x], (a + b*x^n)^p, x], x] /; FreeQ[{a, b, c, d}, x] && ILtQ[p, 0] && IGtQ[n, 0] && (EqQ[n, 2] || EqQ[p, -1])
```

Rule 3341

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*(x_)^(n_))^(p_)*Sin[(c_.) + (d_.)*(x_)], x_Symbol] := Simp[(e^m*(a + b*x^n)^(p + 1)*Sin[c + d*x]/(b*n*(p + 1)), x] - Dist[(d*e^m)/(b*n*(p + 1)), Int[(a + b*x^n)^(p + 1)*Cos[c + d*x], x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && ILtQ[p, -1] && EqQ[m, n - 1] && (IntegerQ[n] || GtQ[e, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
```

0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(e+fx)^2} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(ax+b)}{\left(\frac{f}{d} + \left(e - \frac{cf}{d}\right)x^3\right)^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{b \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\frac{f}{d} + \left(e - \frac{cf}{d}\right)x^3} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de-cf} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{b \operatorname{Subst}\left(\int \left(\frac{d \cos(ax+b)}{3f^{2/3}(\sqrt[3]{f} - \sqrt[3]{-de+cf}x)} + \frac{d \cos(ax+b)}{3f^{2/3}(\sqrt[3]{f} + \sqrt[3]{-1} \sqrt[3]{-de+cf}x)}\right) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de-cf} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{(bd) \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\sqrt[3]{f} - \sqrt[3]{-de+cf}x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(de-cf)} - \frac{(bd) \operatorname{Subst}\left(\int \frac{\cos(ax+b)}{\sqrt[3]{f} + \sqrt[3]{-de+cf}x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(de-cf)} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(de-cf)(e+fx)} - \frac{\left(bd \cos\left(a + \frac{b \sqrt[3]{f}}{\sqrt[3]{-de+cf}}\right)\right) \operatorname{Subst}\left(\int \frac{\cos\left(\frac{b \sqrt[3]{f}}{\sqrt[3]{-de+cf}} - bx\right)}{\sqrt[3]{f} - \sqrt[3]{-de+cf}x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(de-cf)} \\
&= -\frac{bd \cos\left(a + \frac{b \sqrt[3]{f}}{\sqrt[3]{-de+cf}}\right) \operatorname{Ci}\left(\frac{b \sqrt[3]{f}}{\sqrt[3]{-de+cf}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(-de+cf)^{4/3}} - \frac{(-1)^{2/3} bd \cos\left(a + \frac{(-1)^{2/3} b \sqrt[3]{f}}{\sqrt[3]{-de+cf}}\right) \operatorname{Ci}\left(\frac{(-1)^{2/3} b \sqrt[3]{f}}{\sqrt[3]{-de+cf}} - \frac{b}{\sqrt[3]{c+dx}}\right)}{3f^{2/3}(-de+cf)^{4/3}}
\end{aligned}$$

Mathematica [C] time = 1.27, size = 313, normalized size = 0.55

$$(\cos(a) + i \sin(a)) \left(bd(e+fx) \operatorname{RootSum}\left[\#1^3 f - cf + de \&, \frac{\operatorname{Ei}\left(\frac{ib}{\sqrt[3]{c+dx}}\right) - e^{\frac{ib}{\#1}} \operatorname{Ei}\left(\frac{1}{\sqrt[3]{c+dx}} - \frac{1}{\#1}\right)}{\#1}\right] \& \right) + (c+dx) \left(-3f \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(e + f*x)^2, x]

[Out] ((Cos[a] + I*Sin[a])*(b*d*(e + f*x)*RootSum[d*e - c*f + f*#1^3 & , (ExpIntegralEi[(I*b)/(c + d*x)^(1/3)] - E^((I*b)/#1)*ExpIntegralEi[I*b*((c + d*x)^(1/3)] - 1/#1)] &) + (c + d*x)*(-3*f*Sin[a + b/(c + d*x)^(1/3)]))

$-1/3) - \#1^{(-1)})]/\#1 \&] + (c + d*x)*((3*I)*f*\text{Cos}[b/(c + d*x)^{(1/3)}] - 3*f*\text{Sin}[b/(c + d*x)^{(1/3)}]) + I*(-3*c*f - 3*d*f*x + b*d*(e + f*x)*\text{RootSum}[d*e - c*f + f*\#1^3 \& , (\text{ExpIntegralEi}[((-I)*b)/(c + d*x)^{(1/3)}] - \text{ExpIntegralEi}[(-I)*b*((c + d*x)^{(-1/3)} - \#1^{(-1)})]/E^{((I*b)/\#1)})/\#1 \&]*((-I)*\text{Cos}[b/(c + d*x)^{(1/3)}] + \text{Sin}[b/(c + d*x)^{(1/3)}]))*(\text{Cos}[a + b/(c + d*x)^{(1/3)}] - I*\text{Sin}[a + b/(c + d*x)^{(1/3)}]))/(6*f*(-(d*e) + c*f)*(e + f*x))$

fricas [C] time = 0.93, size = 796, normalized size = 1.41

$$\left(\frac{ib^3f}{de-cf}\right)^{\frac{1}{3}} (-idfx - ide + \sqrt{3}(dfx + de)) \text{Ei} \left(\frac{-2i(dx+c)^{\frac{2}{3}}b - \left(\frac{ib^3f}{de-cf}\right)^{\frac{1}{3}}(dx - \sqrt{3}(-idx-ic)+c)}{2(dx+c)} \right) e^{\left(\frac{1}{2}\left(\frac{ib^3f}{de-cf}\right)^{\frac{1}{3}}(i\sqrt{3}+1)-ia\right)} + \left(-\frac{ib^3}{de-c}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="fricas")

[Out] $-1/12*((I*b^3*f/(d*e - c*f))^{(1/3)}*(-I*d*f*x - I*d*e + \text{sqrt}(3)*(d*f*x + d*e))*\text{Ei}(1/2*(-2*I*(d*x + c)^{(2/3)}*b - (I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x - \text{sqrt}(3)*(-I*d*x - I*c) + c))/(d*x + c))*e^{(1/2*(I*b^3*f/(d*e - c*f))^{(1/3)}*(I*\text{sqrt}(3) + 1) - I*a)} + (-I*b^3*f/(d*e - c*f))^{(1/3)}*(I*d*f*x + I*d*e - \text{sqrt}(3)*(d*f*x + d*e))*\text{Ei}(1/2*(2*I*(d*x + c)^{(2/3)}*b - (-I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x - \text{sqrt}(3)*(-I*d*x - I*c) + c))/(d*x + c))*e^{(1/2*(-I*b^3*f/(d*e - c*f))^{(1/3)}*(I*\text{sqrt}(3) + 1) + I*a)} + (I*b^3*f/(d*e - c*f))^{(1/3)}*(-I*d*f*x - I*d*e - \text{sqrt}(3)*(d*f*x + d*e))*\text{Ei}(1/2*(-2*I*(d*x + c)^{(2/3)}*b - (I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x - \text{sqrt}(3)*(I*d*x + I*c) + c))/(d*x + c))*e^{(1/2*(I*b^3*f/(d*e - c*f))^{(1/3)}*(-I*\text{sqrt}(3) + 1) - I*a)} + (-I*b^3*f/(d*e - c*f))^{(1/3)}*(I*d*f*x + I*d*e + \text{sqrt}(3)*(d*f*x + d*e))*\text{Ei}(1/2*(2*I*(d*x + c)^{(2/3)}*b - (-I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x - \text{sqrt}(3)*(I*d*x + I*c) + c))/(d*x + c))*e^{(1/2*(-I*b^3*f/(d*e - c*f))^{(1/3)}*(-I*\text{sqrt}(3) + 1) + I*a)} + (-I*b^3*f/(d*e - c*f))^{(1/3)}*(-2*I*d*f*x - 2*I*d*e)*\text{Ei}((I*(d*x + c)^{(2/3)}*b + (-I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x + c))/(d*x + c))*e^{(I*a - (-I*b^3*f/(d*e - c*f))^{(1/3)})} + (I*b^3*f/(d*e - c*f))^{(1/3)}*(2*I*d*f*x + 2*I*d*e)*\text{Ei}((-I*(d*x + c)^{(2/3)}*b + (I*b^3*f/(d*e - c*f))^{(1/3)}*(d*x + c))/(d*x + c))*e^{(-I*a - (I*b^3*f/(d*e - c*f))^{(1/3)})} - 12*(d*f*x + c*f)*\text{sin}((a*d*x + a*c + (d*x + c)^{(2/3)}*b)/(d*x + c))/(d*e^2*f - c*e*f^2 + (d*e*f^2 - c*f^3)*x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="giac")
```

```
[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(f*x + e)^2, x)
```

maple [C] time = 0.14, size = 1556, normalized size = 2.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a+b/(d*x+c)^(1/3))/(f*x+e)^2,x)
```

```
[Out] -3*d*b^3*(sin(a+b/(d*x+c)^(1/3))*(-2/3*a/b^3/f*(a+b/(d*x+c)^(1/3))^2+a^2/b^3/f*(a+b/(d*x+c)^(1/3))-1/3*(a^3*c*f-a^3*d*e+b^3*f)/b^3/f/(c*f-d*e))/(c*f*(a+b/(d*x+c)^(1/3))^3-d*e*(a+b/(d*x+c)^(1/3))^3-3*(a+b/(d*x+c)^(1/3))^2*a*c*f+3*(a+b/(d*x+c)^(1/3))^2*a*d*e+3*(a+b/(d*x+c)^(1/3))*a^2*c*f-3*(a+b/(d*x+c)^(1/3))*a^2*d*e-a^3*c*f+a^3*d*e-b^3*f)-2/9*a/b^3/f*sum(_R1/(_R1^2*c*f-_R1^2*d*e-2*_R1*a*c*f+2*_R1*a*d*e+a^2*c*f-a^2*d*e)*(-Si(-b/(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b/(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))+1/9/b^3/f*sum((2*_RR1^2*a*c*f-2*_RR1^2*a*d*e-3*_RR1*a^2*c*f+3*_RR1*a^2*d*e+a^3*c*f-a^3*d*e+b^3*f)/(c*f-d*e)/(_RR1^2*c*f-_RR1^2*d*e-2*_RR1*a*c*f+2*_RR1*a*d*e+a^2*c*f-a^2*d*e)*(Si(-b/(d*x+c)^(1/3)+_RR1-a)*sin(_RR1)+Ci(b/(d*x+c)^(1/3)-_RR1+a)*cos(_RR1)),_RR1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))+sin(a+b/(d*x+c)^(1/3))*(2/3*a/b^3/f*(a+b/(d*x+c)^(1/3))^2-2/3*a^2/b^3/f*(a+b/(d*x+c)^(1/3)))/(c*f*(a+b/(d*x+c)^(1/3))^3-d*e*(a+b/(d*x+c)^(1/3))^3-3*(a+b/(d*x+c)^(1/3))^2*a*c*f+3*(a+b/(d*x+c)^(1/3))^2*a*d*e+3*(a+b/(d*x+c)^(1/3))*a^2*c*f-3*(a+b/(d*x+c)^(1/3))*a^2*d*e-a^3*c*f+a^3*d*e-b^3*f)+2/9*a/b^3/f*sum((_R1+a)/(_R1^2*c*f-_R1^2*d*e-2*_R1*a*c*f+2*_R1*a*d*e+a^2*c*f-a^2*d*e)*(-Si(-b/(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b/(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))-2/9*a/b^3/f*sum(_RR1/(_RR1*c*f-_RR1*d*e-a*c*f+a*d*e)*(Si(-b/(d*x+c)^(1/3)+_RR1-a)*sin(_RR1)+Ci(b/(d*x+c)^(1/3)-_RR1+a)*cos(_RR1)),_RR1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))+a^2*(sin(a+b/(d*x+c)^(1/3))*(-1/3/b^3/f*(a+b/(d*x+c)^(1/3))+1/3*a/b^3/f)/(c*f*(a+b/(d*x+c)^(1/3))^3-d*e*(a+b/(d*x+c)^(1/3))^3-3*(a+b/(d*x+c)^(1/3))^2*a*c*f+3*(a+b/(d*x+c)^(1/3))^2*a*d*e+3*(a+b/(d*x+c)^(1/3))*a^2*c*f-3*(a+b/(d*x+c)^(1/3))*a^2*d*e-a^3*c*f+a^3*d*e-b^3*f)-2/9/b^3/f*sum(1/(_R1^2*c*f-_R1^2*d*e-2*_R1*a*c*f+2*_R1*a*d*e+a^2*c*f-a^2*d*e)*(-Si(-b/(d*x+c)^(1/3)+_R1-a)*cos(_R1)+Ci(b/(d*x+c)^(1/3)-_R1+a)*sin(_R1)),_R1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))+1/9/b^3/f*sum(1/(_RR1*c*f-_RR1*d*e-a*c*f+a*d*e)*(Si(-b/(d*x+c)^(1/3)+_RR1-a)*sin(_RR1)+Ci(b/(d*x+c)^(1/3)-_RR1+a)*cos(_RR1)),_RR1=RootOf((c*f-d*e)*_Z^3+(-3*a*c*f+3*a*d*e)*_Z^2+(3*a^2*c*f-3*a^2*d*e)*_Z-a^3*c*f+a^3*d*e-b^3*f))))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(f*x + e)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{\frac{1}{3}}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3))/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(1/3))/(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(1/3))/(f*x+e)**2,x)

[Out] Integral(sin(a + b/(c + d*x)**(1/3))/(e + f*x)**2, x)

$$3.222 \quad \int (e + fx)^2 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$$

Optimal. Leaf size=630

$$\frac{2\sqrt{2\pi} b^{3/2} \sin(a)(de - cf)^2 C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^3} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a)(de - cf)^2 S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^3} - \frac{16\sqrt{2\pi} b^{9/2} f^2 \cos(a) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{315d^3}$$

[Out] $\frac{1}{2}b^3 f(-cf+de) \operatorname{Ci}\left(\frac{b}{(dx+c)^{2/3}}\right) \cos(a) / d^3 + 2b^3(-cf+de)^2(dx+c)^{1/3} \cos(a+b/(dx+c)^{2/3}) / d^3 - 8/315 b^3 f^2(dx+c) \cos(a+b/(dx+c)^{2/3}) / d^3 + 1/2 b f(-cf+de)(dx+c)^{4/3} \cos(a+b/(dx+c)^{2/3}) / d^3 + 2/21 b f^2(dx+c)^{7/3} \cos(a+b/(dx+c)^{2/3}) / d^3 - 1/2 b^3 f(-cf+de) \operatorname{Si}\left(\frac{b}{(dx+c)^{2/3}}\right) \sin(a) / d^3 + 16/315 b^4 f^2(dx+c)^{1/3} \sin(a+b/(dx+c)^{2/3}) / d^3 - 1/2 b^2 f(-cf+de)(dx+c)^{2/3} \sin(a+b/(dx+c)^{2/3}) / d^3 + (-cf+de)^2(dx+c) \sin(a+b/(dx+c)^{2/3}) / d^3 - 4/105 b^2 f^2(dx+c)^{5/3} \sin(a+b/(dx+c)^{2/3}) / d^3 + f(-cf+de)(dx+c)^2 \sin(a+b/(dx+c)^{2/3}) / d^3 + 1/3 f^2(dx+c)^3 \sin(a+b/(dx+c)^{2/3}) / d^3 - 16/315 b^{9/2} f^2 \cos(a) \operatorname{FresnelC}\left(b^{1/2} \cdot 2^{1/2} / \pi^{1/2} / (dx+c)^{1/3}\right) \cdot 2^{1/2} \pi^{1/2} / d^3 + 2b^{3/2}(-cf+de)^2 \cos(a) \operatorname{FresnelS}\left(b^{1/2} \cdot 2^{1/2} / \pi^{1/2} / (dx+c)^{1/3}\right) \cdot 2^{1/2} \pi^{1/2} / d^3 + 2b^{3/2}(-cf+de)^2 \operatorname{FresnelC}\left(b^{1/2} \cdot 2^{1/2} / \pi^{1/2} / (dx+c)^{1/3}\right) \sin(a) \cdot 2^{1/2} \pi^{1/2} / d^3 + 16/315 b^{9/2} f^2 \operatorname{FresnelS}\left(b^{1/2} \cdot 2^{1/2} / \pi^{1/2} / (dx+c)^{1/3}\right) \sin(a) \cdot 2^{1/2} \pi^{1/2} / d^3$

Rubi [A] time = 0.75, antiderivative size = 630, normalized size of antiderivative = 1.00, number of steps used = 24, number of rules used = 13, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.591$, Rules used = {3433, 3409, 3387, 3388, 3353, 3352, 3351, 3379, 3297, 3303, 3299, 3302, 3354}

$$\frac{b^3 f \cos(a)(de - cf) \operatorname{CosIntegral}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d^3} + \frac{2\sqrt{2\pi} b^{3/2} \sin(a)(de - cf)^2 \operatorname{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{d^3} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a)(de - cf)^2 \operatorname{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{d^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e + fx)^2 \operatorname{Sin}[a + b/(c + dx)^{2/3}], x]$

[Out] $(2b^3(de - cf)^2(c + dx)^{1/3} \operatorname{Cos}[a + b/(c + dx)^{2/3}]) / d^3 - (8b^3 f^2(c + dx) \operatorname{Cos}[a + b/(c + dx)^{2/3}]) / (315d^3) + (b f(-cf+de)(c + dx)^{4/3} \operatorname{Cos}[a + b/(c + dx)^{2/3}]) / (2d^3) + (2b f^2(c + dx)^{7/3} \operatorname{Cos}[a + b/(c + dx)^{2/3}]) / (21d^3) + (b^3 f(-cf+de) \operatorname{Cos}[a] \operatorname{CosIntegral}[b/(c + dx)^{2/3}]) / (2d^3) - (16b^{9/2} f^2 \operatorname{Sqrt}[2\pi] \operatorname{Cos}[a] \operatorname{FresnelC}[(\operatorname{Sqrt}[b] \operatorname{Sqrt}[2/\pi]) / (c + dx)^{1/3}]) / (315d^3) + (2b^{3/2}(-cf+de)^2 \operatorname{Sqrt}[2\pi] \operatorname{Cos}[a] \operatorname{FresnelS}[(\operatorname{Sqrt}[b] \operatorname{Sqrt}[2/\pi]) / (c + dx)^{1/3}]) / d^3 + ($

$$2*b^{(3/2)}*(d*e - c*f)^2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/d^3 + (16*b^{(9/2)}*f^2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/(315*d^3) + (16*b^4*f^2*(c + d*x)^{(1/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(315*d^3) - (b^2*f*(d*e - c*f)*(c + d*x)^{(2/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(2*d^3) + ((d*e - c*f)^2*(c + d*x)*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/d^3 - (4*b^2*f^2*(c + d*x)^{(5/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(105*d^3) + (f*(d*e - c*f)*(c + d*x)^2*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/d^3 + (f^2*(c + d*x)^3*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(3*d^3) - (b^3*f*(d*e - c*f)*\text{Sin}[a]*\text{SinIntegral}[b/(c + d*x)^{(2/3)}])/(2*d^3)$$
Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3354

```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]])(p_), x_Symbol
] := Dist[1/n, Subst[Int[x(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])p
, x], x, xn], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)]], x_Symbol] := Simp[((e*x
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1))], Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[((e*x
)(m + 1)*Cos[c + d*xn]/(e*(m + 1)), x] + Dist[(d*n)/(en*(m + 1))], Int[(
e*x)(m + n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3409

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]])(p_), x_Symbol
] := -Subst[Int[(a + b*Sin[c + d/xn])p/x(m + 2), x], x, 1/x] /; FreeQ[{a
, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rule 3433

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)]])(p_), x_Symbol] := Module[{k = If[FractionQ[n], Denominat
or[n], 1]}, Dist[k/f(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*xn
```

$(k*n)]])^p, x^{(k-1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^{(1/k)], x]$
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int (e + fx)^2 \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx &= \frac{3 \operatorname{Subst}\left(\int \left((de - cf)^2 x^2 \sin\left(a + \frac{b}{x^2}\right) - 2f(-de + cf)x^5 \sin\left(a + \frac{b}{x^2}\right) + f^2 x^8 \sin\left(a + \frac{b}{x^2}\right)\right) dx, x, \sqrt[3]{c + dx}\right)}{d^3} \\
 &= \frac{(3f^2) \operatorname{Subst}\left(\int x^8 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d^3} + \frac{(6f(de - cf)) \operatorname{Subst}\left(\int x^5 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d^3} \\
 &= -\frac{(3f^2) \operatorname{Subst}\left(\int \frac{\sin(a + bx^2)}{x^{10}} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{d^3} - \frac{(3f(de - cf)) \operatorname{Subst}\left(\int \frac{\sin(a + bx^2)}{x^4} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{d^3} \\
 &= \frac{(de - cf)^2 (c + dx) \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} + \frac{f(de - cf)(c + dx)^2 \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} + \frac{bf(de - cf)(c + dx)^{4/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{2d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} + \frac{bf(de - cf)(c + dx)^{4/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{2d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} - \frac{8b^3 f^2 (c + dx) \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{315d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} - \frac{8b^3 f^2 (c + dx) \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{315d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} - \frac{8b^3 f^2 (c + dx) \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{315d^3} \\
 &= \frac{2b(de - cf)^2 \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{d^3} - \frac{8b^3 f^2 (c + dx) \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{315d^3}
 \end{aligned}$$

Mathematica [C] time = 3.10, size = 613, normalized size = 0.97

$$ie^{-ia} \left(315ie^{2ia}b^3f(cf - de)Ei\left(\frac{ib}{(c+dx)^{2/3}}\right) + 4\sqrt[4]{-1}\sqrt{\pi}e^{2ia}b^{3/2}\left(f^2(8b^3 + 315ic^2) - 630icdef + 315id^2e^2\right) \operatorname{erfi}\left(\frac{\sqrt[4]{-1}}{\sqrt[3]{c+dx}}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*Sin[a + b/(c + d*x)^(2/3)],x]

[Out] ((I/1260)*(((c + d*x)^(1/3)*(32*b^4*f^2 + (16*I)*b^3*f^2*(c + d*x)^(2/3) + 3*b^2*f*(c + d*x)^(1/3)*(-105*d*e + 97*c*f - 8*d*f*x) - (15*I)*b*(84*d^2*e^2 + 21*d*e*f*(-7*c + d*x) + f^2*(67*c^2 - 13*c*d*x + 4*d^2*x^2)) + 210*(c + d*x)^(2/3)*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2))))/E^((I*b)/(c + d*x)^(2/3)) - E^(I*(2*a + b/(c + d*x)^(2/3)))*(c + d*x)^(1/3)*(32*b^4*f^2 - (16*I)*b^3*f^2*(c + d*x)^(2/3) + 3*b^2*f*(c + d*x)^(1/3)*(-105*d*e + 97*c*f - 8*d*f*x) + (15*I)*b*(84*d^2*e^2 + 21*d*e*f*(-7*c + d*x) + f^2*(67*c^2 - 13*c*d*x + 4*d^2*x^2)) + 210*(c + d*x)^(2/3)*(c^2*f^2 - c*d*f*(3*e + f*x) + d^2*(3*e^2 + 3*e*f*x + f^2*x^2)))) + 4*(-1)^(1/4)*b^(3/2)*E^((2*I)*a)*((315*I)*d^2*e^2 - (630*I)*c*d*e*f + (8*b^3 + (315*I)*c^2)*f^2)*Sqrt[Pi]*Erfi[(-1)^(1/4)*Sqrt[b]]/(c + d*x)^(1/3)] - 4*(-1)^(1/4)*b^(3/2)*(315*d^2*e^2 - 630*c*d*e*f + ((8*I)*b^3 + 315*c^2)*f^2)*Sqrt[Pi]*Erfi[(-1)^(3/4)*Sqrt[b]]/(c + d*x)^(1/3)] + (315*I)*b^3*f*(-(d*e) + c*f)*ExpIntegralEi[(-I)*b/(c + d*x)^(2/3)] + (315*I)*b^3*E^((2*I)*a)*f*(-(d*e) + c*f)*ExpIntegralEi[(I*b)/(c + d*x)^(2/3))]/(d^3*E^(I*a))

fricas [A] time = 0.91, size = 494, normalized size = 0.78

$$315(b^3def - b^3cf^2)\cos(a)\operatorname{Ci}\left(\frac{b}{(dx+c)^{2/3}}\right) + 315(b^3def - b^3cf^2)\cos(a)\operatorname{Ci}\left(-\frac{b}{(dx+c)^{2/3}}\right) - 8\sqrt{2}(8\pi b^4f^2\cos(a) - 315\pi b^3cf^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] 1/1260*(315*(b^3*d*e*f - b^3*c*f^2)*cos(a)*cos_integral(b/(d*x + c)^(2/3)) + 315*(b^3*d*e*f - b^3*c*f^2)*cos(a)*cos_integral(-b/(d*x + c)^(2/3)) - 8*sqrt(2)*(8*pi*b^4*f^2*cos(a) - 315*pi*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*sin(a))*sqrt(b/pi)*fresnel_cos(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3)) + 8*sqrt(2)*(8*pi*b^4*f^2*sin(a) + 315*pi*(b*d^2*e^2 - 2*b*c*d*e*f + b*c^2*f^2)*cos(a))*sqrt(b/pi)*fresnel_sin(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3)) - 630*(b^3*d*e*f - b^3*c*f^2)*sin(a)*sin_integral(b/(d*x + c)^(2/3)) - 2*(16*b^3*d*f^2*x + 16*b^3*c*f^2 - 15*(4*b*d^2*f^2*x^2 + 84*b*d^2*e^2 - 147*b*c*d*e*f + 67*b*c^2*f^2 + (21*b*d^2*e*f - 13*b*c*d*f^2)*x)*(d*x + c)^(1/3))*cos((a*d*x +

$a*c + (d*x + c)^{(1/3)*b}/(d*x + c) + 2*(210*d^3*f^2*x^3 + 630*d^3*e*f*x^2 + 32*(d*x + c)^{(1/3)*b^4*f^2 + 630*d^3*e^2*x + 630*c*d^2*e^2 - 630*c^2*d*e*f + 210*c^3*f^2 - 3*(8*b^2*d*f^2*x + 105*b^2*d*e*f - 97*b^2*c*f^2)*(d*x + c)^{(2/3}))*\sin((a*d*x + a*c + (d*x + c)^{(1/3)*b}/(d*x + c)))/d^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^2 \sin\left(a + \frac{b}{(dx + c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] integrate((f*x + e)^2*sin(a + b/(d*x + c)^(2/3)), x)

maple [A] time = 0.04, size = 452, normalized size = 0.72

$$(c^2 f^2 - 2cdef + d^2 e^2)(dx + c) \sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) - 2(c^2 f^2 - 2cdef + d^2 e^2) b \left(- (dx + c)^{\frac{1}{3}} \cos\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) - \sqrt{b} \sqrt{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*sin(a+b/(d*x+c)^(2/3)),x)`

[Out]
$$\begin{aligned} & 3/d^3*(1/3*(c^2*f^2-2*c*d*e*f+d^2*e^2)*(d*x+c)*\sin(a+b/(d*x+c)^(2/3))-2/3*(\\ & c^2*f^2-2*c*d*e*f+d^2*e^2)*b*(-(d*x+c)^(1/3)*\cos(a+b/(d*x+c)^(2/3))-b^(1/2) \\ & *2^(1/2)*\text{Pi}^(1/2)*(\cos(a)*\text{FresnelS}(b^(1/2)*2^(1/2)/\text{Pi}^(1/2)/(d*x+c)^(1/3))+ \\ & \sin(a)*\text{FresnelC}(b^(1/2)*2^(1/2)/\text{Pi}^(1/2)/(d*x+c)^(1/3))))+1/6*(-2*c*f^2+2*d \\ & *e*f)*(d*x+c)^2*\sin(a+b/(d*x+c)^(2/3))-1/3*(-2*c*f^2+2*d*e*f)*b*(-1/4*(d*x+ \\ & c)^(4/3)*\cos(a+b/(d*x+c)^(2/3))-1/2*b*(-1/2*\sin(a+b/(d*x+c)^(2/3))*(d*x+c)^(\\ & 2/3)+b*(1/2*\cos(a)*\text{Ci}(b/(d*x+c)^(2/3))-1/2*\sin(a)*\text{Si}(b/(d*x+c)^(2/3)))))+1 \\ & /9*f^2*(d*x+c)^3*\sin(a+b/(d*x+c)^(2/3))-2/9*f^2*b*(-1/7*(d*x+c)^(7/3)*\cos(a \\ & +b/(d*x+c)^(2/3))-2/7*b*(-1/5*(d*x+c)^(5/3)*\sin(a+b/(d*x+c)^(2/3))+2/5*b*(- \\ & 1/3*(d*x+c)*\cos(a+b/(d*x+c)^(2/3))-2/3*b*(-(d*x+c)^(1/3)*\sin(a+b/(d*x+c)^(2 \\ & /3))+b^(1/2)*2^(1/2)*\text{Pi}^(1/2)*(\cos(a)*\text{FresnelC}(b^(1/2)*2^(1/2)/\text{Pi}^(1/2)/(d* \\ & x+c)^(1/3))-\sin(a)*\text{FresnelS}(b^(1/2)*2^(1/2)/\text{Pi}^(1/2)/(d*x+c)^(1/3)))))) \end{aligned}$$

maxima [C] time = 1.37, size = 1258, normalized size = 2.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")`

[Out]
$$\begin{aligned} & 1/1260*(630*\text{sqrt}(2)*(2*\text{sqrt}(2)*(d*x + c)^(2/3)*\text{sqrt}((d*x + c)^(-4/3))*b^2*c \\ & \cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + \text{sqrt}(2)*(d*x + c)^(4/3)*\text{sqrt} \\ & ((d*x + c)^(-4/3))*b*\sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + (((I + 1) \\ &)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(I*b/(d*x + c)^(2/3)))) - 1) - (I - 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt} \\ & (-I*b/(d*x + c)^(2/3)))) - 1))*\cos(a) + (- (I - 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(I*b/(d \\ & *x + c)^(2/3)))) - 1) + (I + 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(-I*b/(d*x + c)^(2/3)))) - \\ & 1))*\sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4))*\text{sqrt}((d*x + c)^(4/3))*e^2/((d* \\ & x + c)^(1/3)*b) - 1260*\text{sqrt}(2)*(2*\text{sqrt}(2)*(d*x + c)^(2/3)*\text{sqrt}((d*x + c)^(- \\ & 4/3))*b^2*\cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + \text{sqrt}(2)*(d*x + c)^(\\ & 4/3)*\text{sqrt}((d*x + c)^(-4/3))*b*\sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) \\ & + (((I + 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(I*b/(d*x + c)^(2/3)))) - 1) - (I - 1)*\text{sqrt}(\text{p} \\ & i)*(\text{erf}(\text{sqrt}(-I*b/(d*x + c)^(2/3)))) - 1))*\cos(a) + (- (I - 1)*\text{sqrt}(\text{pi})*(\text{erf} \\ & (\text{sqrt}(I*b/(d*x + c)^(2/3)))) - 1) + (I + 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(-I*b/(d*x + c) \\ & ^2/3)))) - 1))*\sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4))*\text{sqrt}((d*x + c)^(4/3) \\ &))*c*e*f/((d*x + c)^(1/3)*b*d) + 630*\text{sqrt}(2)*(2*\text{sqrt}(2)*(d*x + c)^(2/3)*\text{sqrt} \\ & ((d*x + c)^(-4/3))*b^2*\cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + \text{sqrt} \\ & (2)*(d*x + c)^(4/3)*\text{sqrt}((d*x + c)^(-4/3))*b*\sin(((d*x + c)^(2/3)*a + b)/(d \\ & *x + c)^(2/3)) + (((I + 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(I*b/(d*x + c)^(2/3)))) - 1) - \\ & (I - 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(-I*b/(d*x + c)^(2/3)))) - 1))*\cos(a) + (- (I - 1)* \\ & \text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt}(I*b/(d*x + c)^(2/3)))) - 1) + (I + 1)*\text{sqrt}(\text{pi})*(\text{erf}(\text{sqrt} \\ & (-I*b/(d*x + c)^(2/3)))) - 1))*\sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4))*\text{sqrt} \\ & ((d*x + c)^(4/3))*c^2*f^2/((d*x + c)^(1/3)*b*d^2) + 315*(((\text{Ei}(I*b/(d*x + c)^(\\ & 2/3)) + \text{Ei}(-I*b/(d*x + c)^(2/3))))*\cos(a) + (I*\text{Ei}(I*b/(d*x + c)^(2/3)) - I* \end{aligned}$$

```

Ei(-I*b/(d*x + c)^(2/3))*sin(a))*b^3 + 2*(d*x + c)^(4/3)*b*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) - 2*((d*x + c)^(2/3)*b^2 - 2*(d*x + c)^2)*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3))*e*f/d - 315*(((Ei(I*b/(d*x + c)^(2/3)) + Ei(-I*b/(d*x + c)^(2/3)))*cos(a) + (I*Ei(I*b/(d*x + c)^(2/3)) - I*Ei(-I*b/(d*x + c)^(2/3)))*sin(a))*b^3 + 2*(d*x + c)^(4/3)*b*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) - 2*((d*x + c)^(2/3)*b^2 - 2*(d*x + c)^2)*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)))*c*f^2/d^2 + 2*sqrt(2)*((((8*I - 8)*sqrt(pi)*(erf(sqrt(I*b/(d*x + c)^(2/3)))) - 1) - (8*I + 8)*sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3)))) - 1))*cos(a) + ((8*I + 8)*sqrt(pi)*(erf(sqrt(I*b/(d*x + c)^(2/3)))) - 1) - (8*I - 8)*sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3)))) - 1))*sin(a))*b^5*(b^2/(d*x + c)^(4/3))^(1/4) - 2*(4*sqrt(2)*(d*x + c)^(4/3)*sqrt((d*x + c)^(-4/3))*b^4 - 15*sqrt(2)*(d*x + c)^(8/3)*sqrt((d*x + c)^(-4/3))*b^2)*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + (16*sqrt(2)*(d*x + c)^(2/3)*sqrt((d*x + c)^(-4/3))*b^5 - 12*sqrt(2)*(d*x + c)^2*sqrt((d*x + c)^(-4/3))*b^3 + 105*sqrt(2)*(d*x + c)^(10/3)*sqrt((d*x + c)^(-4/3))*b)*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3))*sqrt((d*x + c)^(4/3))*f^2/((d*x + c)^(1/3)*b*d^2))/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))*(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(2/3))*(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx)^2 \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*sin(a+b/(d*x+c)**(2/3)),x)

[Out] Integral((e + f*x)**2*sin(a + b/(c + d*x)**(2/3)), x)

3.223 $\int (e + fx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$

Optimal. Leaf size=318

$$\frac{2\sqrt{2\pi} b^{3/2} \sin(a)(de - cf)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^2} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a)(de - cf)S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^2} + \frac{b^3 f \cos(a)Ci\left(\frac{b}{(c+dx)^{2/3}}\right) - b^3 f \sin(a)}{4d^2}$$

[Out] $\frac{1}{4}b^3fCi\left(\frac{b}{(d*x+c)^{2/3}}\right)\cos(a)/d^2 + 2b(-cf+de)(d*x+c)^{1/3}\cos(a+b/(d*x+c)^{2/3})/d^2 + 1/4b^3f(d*x+c)^{4/3}\cos(a+b/(d*x+c)^{2/3})/d^2 - 1/4b^3fSi\left(\frac{b}{(d*x+c)^{2/3}}\right)\sin(a)/d^2 - 1/4b^2f(d*x+c)^{2/3}\sin(a+b/(d*x+c)^{2/3})/d^2 + (-cf+de)(d*x+c)\sin(a+b/(d*x+c)^{2/3})/d^2 + 1/2f(d*x+c)^2\sin(a+b/(d*x+c)^{2/3})/d^2 + 2b^{3/2}(-cf+de)\cos(a)*FresnelS(b^{1/2}*2^{1/2}/\pi^{1/2}/(d*x+c)^{1/3})*2^{1/2}*\pi^{1/2}/d^2 + 2b^{3/2}(-cf+de)*FresnelC(b^{1/2}*2^{1/2}/\pi^{1/2}/(d*x+c)^{1/3})*\sin(a)*2^{1/2}*\pi^{1/2}/d^2$

Rubi [A] time = 0.38, antiderivative size = 318, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.600$, Rules used = {3433, 3409, 3387, 3388, 3353, 3352, 3351, 3379, 3297, 3303, 3299, 3302}

$$\frac{b^3 f \cos(a) \text{CosIntegral}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d^2} + \frac{2\sqrt{2\pi} b^{3/2} \sin(a)(de - cf) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{d^2} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a)(de - cf) S\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e + f*x)*\text{Sin}[a + b/(c + d*x)^{2/3}], x]$

[Out] $(2*b*(d*e - c*f)*(c + d*x)^{1/3}*\text{Cos}[a + b/(c + d*x)^{2/3}])/d^2 + (b*f*(c + d*x)^{4/3}*\text{Cos}[a + b/(c + d*x)^{2/3}])/(4*d^2) + (b^3*f*\text{Cos}[a]*\text{CosIntegral}[b/(c + d*x)^{2/3}])/(4*d^2) + (2*b^{3/2}*(d*e - c*f)*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{1/3}])/d^2 + (2*b^{3/2}*(d*e - c*f)*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{1/3}]*\text{Sin}[a])/d^2 - (b^2*f*(c + d*x)^{2/3}*\text{Sin}[a + b/(c + d*x)^{2/3}])/(4*d^2) + ((d*e - c*f)*(c + d*x)*\text{Sin}[a + b/(c + d*x)^{2/3}])/d^2 + (f*(c + d*x)^2*\text{Sin}[a + b/(c + d*x)^{2/3}])/(2*d^2) - (b^3*f*\text{Sin}[a]*\text{SinIntegral}[b/(c + d*x)^{2/3}])/(4*d^2)$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*\text{Sin}[e + f*x]}/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)*\text{Cos}[e + f*x]}, x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{LtQ}[m, -1]$

]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3353

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))2], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /; FreeQ[{c, d, e, f}, x]
```

Rule 3379

```
Int[(x_)(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)(n_)])(p_.), x_Symbol] := Dist[1/n, Subst[Int[x(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])p, x], x, xn], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_)^(m_)), x_Symbol] := Simp[((e*x)^(m + 1)*Cos[c + d*x^n]/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]
```

Rule 3409

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := -Subst[Int[(a + b*Sin[c + d/x^n])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (e + fx) \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx &= \frac{3 \operatorname{Subst}\left(\int \left((de - cf)x^2 \sin\left(a + \frac{b}{x^2}\right) + fx^5 \sin\left(a + \frac{b}{x^2}\right)\right) dx, x, \sqrt[3]{c + dx}\right)}{d^2} \\
&= \frac{(3f) \operatorname{Subst}\left(\int x^5 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d^2} + \frac{(3(de - cf)) \operatorname{Subst}\left(\int x^2 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d^2} \\
&= -\frac{(3f) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^4} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2d^2} - \frac{(3(de - cf)) \operatorname{Subst}\left(\int \frac{\sin(a+bx^2)}{x^4} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{d^2} \\
&= \frac{(de - cf)(c + dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d^2} + \frac{f(c + dx)^2 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d^2} - \frac{(bf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{2b(de - cf) \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d^2} + \frac{bf(c + dx)^{4/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d^2} + \frac{(bf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{2b(de - cf) \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d^2} + \frac{bf(c + dx)^{4/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d^2} \\
&= \frac{2b(de - cf) \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d^2} + \frac{bf(c + dx)^{4/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d^2} + \frac{(bf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d^2} \\
&= \frac{2b(de - cf) \sqrt[3]{c + dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d^2} + \frac{bf(c + dx)^{4/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d^2}
\end{aligned}$$

Mathematica [A] time = 1.18, size = 378, normalized size = 1.19

$$8\sqrt{2\pi} b^{3/2} \cos(a)(de - cf) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + 8\sqrt{2\pi} b^{3/2} de \sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) - 8\sqrt{2\pi} b^{3/2} cf \sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + b^3 f \cos(a)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*Sin[a + b/(c + d*x)^(2/3)], x]

[Out] (8*b*d*e*(c + d*x)^(1/3)*Cos[a + b/(c + d*x)^(2/3)] - 7*b*c*f*(c + d*x)^(1/3)*Cos[a + b/(c + d*x)^(2/3)] + b*d*f*x*(c + d*x)^(1/3)*Cos[a + b/(c + d*x)^(2/3)] + b^3*f*Cos[a]*CosIntegral[b/(c + d*x)^(2/3)] + 8*b^(3/2)*(d*e - c*f)*Sqrt[2*Pi]*Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)] + 8*b^(3/2)*d*e*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)]*Sin[a] -

$$8*b^{(3/2)}*c*f*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a] + 4*c*d*e*\text{Sin}[a + b/(c + d*x)^{(2/3)}] - 2*c^2*f*\text{Sin}[a + b/(c + d*x)^{(2/3)}] + 4*d^2*e*x*\text{Sin}[a + b/(c + d*x)^{(2/3)}] + 2*d^2*f*x^2*\text{Sin}[a + b/(c + d*x)^{(2/3)}] - b^2*f*(c + d*x)^{(2/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}] - b^3*f*\text{Sin}[a]*\text{SinIntegral}[b/(c + d*x)^{(2/3)}]/(4*d^2)$$

fricas [A] time = 0.77, size = 267, normalized size = 0.84

$$b^3 f \cos(a) \text{Ci}\left(\frac{b}{(dx+c)^{\frac{2}{3}}}\right) + b^3 f \cos(a) \text{Ci}\left(-\frac{b}{(dx+c)^{\frac{2}{3}}}\right) - 2 b^3 f \sin(a) \text{Si}\left(\frac{b}{(dx+c)^{\frac{2}{3}}}\right) + 16 \sqrt{2} \pi (bde - bcf) \sqrt{\frac{b}{\pi}} \cos(a) S$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] 1/8*(b^3*f*cos(a)*cos_integral(b/(d*x + c)^(2/3)) + b^3*f*cos(a)*cos_integral(-b/(d*x + c)^(2/3)) - 2*b^3*f*sin(a)*sin_integral(b/(d*x + c)^(2/3)) + 16*sqrt(2)*pi*(b*d*e - b*c*f)*sqrt(b/pi)*cos(a)*fresnel_sin(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3)) + 16*sqrt(2)*pi*(b*d*e - b*c*f)*sqrt(b/pi)*fresnel_cos(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3))*sin(a) + 2*(b*d*f*x + 8*b*d*e - 7*b*c*f)*(d*x + c)^(1/3)*cos((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)) + 2*(2*d^2*f*x^2 + 4*d^2*e*x - (d*x + c)^(2/3)*b^2*f + 4*c*d*e - 2*c^2*f)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/d^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e) \sin\left(a + \frac{b}{(dx + c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] integrate((f*x + e)*sin(a + b/(d*x + c)^(2/3)), x)

maple [A] time = 0.04, size = 225, normalized size = 0.71

$$-(cf - de)(dx + c) \sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) + 2(cf - de)b \left(- (dx + c)^{\frac{1}{3}} \cos\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) - \sqrt{b} \sqrt{2} \sqrt{\pi} \left(\cos(a) S\left(\frac{\sqrt{b}}{\sqrt{\pi} (dx+c)^{\frac{1}{3}}}\right) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*sin(a+b/(d*x+c)^(2/3)),x)`

[Out] `3/d^2*(-1/3*(c*f-d*e)*(d*x+c)*sin(a+b/(d*x+c)^(2/3))+2/3*(c*f-d*e)*b*(-(d*x+c)^(1/3)*cos(a+b/(d*x+c)^(2/3))-b^(1/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c)^(1/3))+sin(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c)^(1/3))))+1/6*f*(d*x+c)^2*sin(a+b/(d*x+c)^(2/3))-1/3*f*b*(-1/4*(d*x+c)^(4/3)*cos(a+b/(d*x+c)^(2/3))-1/2*b*(-1/2*sin(a+b/(d*x+c)^(2/3))*(d*x+c)^(2/3)+b*(1/2*cos(a)*Ci(b/(d*x+c)^(2/3))-1/2*sin(a)*Si(b/(d*x+c)^(2/3))))))`

maxima [C] time = 0.77, size = 584, normalized size = 1.84

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")`

[Out] `1/8*(4*sqrt(2)*(2*sqrt(2)*(d*x + c)^(2/3)*sqrt((d*x + c)^(-4/3))*b^2*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + sqrt(2)*(d*x + c)^(4/3)*sqrt((d*x + c)^(-4/3))*b*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + (((I + 1)*sqrt(pi)*erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) - (I - 1)*sqrt(pi)*erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1))*cos(a) + (- (I - 1)*sqrt(pi)*erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) + (I + 1)*sqrt(pi)*erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1))*sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4))*sqrt((d*x + c)^(4/3))*e/((d*x + c)^(1/3)*b) - 4*sqrt(2)*(2*sqrt(2)*(d*x + c)^(2/3)*sqrt((d*x + c)^(-4/3))*b^2*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + sqrt(2)*(d*x + c)^(4/3)*sqrt((d*x + c)^(-4/3))*b*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + (((I + 1)*sqrt(pi)*erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) - (I - 1)*sqrt(pi)*erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1))*cos(a) + (- (I - 1)*sqrt(pi)*erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) + (I + 1)*sqrt(pi)*erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1)`


```

1))*sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4))*sqrt((d*x + c)^(4/3))*c*f/((d
*x + c)^(1/3)*b*d) + (((Ei(I*b/(d*x + c)^(2/3)) + Ei(-I*b/(d*x + c)^(2/3)))
*cos(a) + (I*Ei(I*b/(d*x + c)^(2/3)) - I*Ei(-I*b/(d*x + c)^(2/3)))*sin(a))*
b^3 + 2*(d*x + c)^(4/3)*b*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) - 2*
((d*x + c)^(2/3)*b^2 - 2*(d*x + c)^2)*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)
^(2/3)))*f/d)/d

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(2/3))*(e + f*x), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(2/3))*(e + f*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e + fx) \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)*sin(a+b/(d*x+c)**(2/3)), x)
```

```
[Out] Integral((e + f*x)*sin(a + b/(c + d*x)**(2/3)), x)
```

$$3.224 \quad \int \sin \left(a + \frac{b}{(c+dx)^{2/3}} \right) dx$$

Optimal. Leaf size=141

$$\frac{2\sqrt{2\pi} b^{3/2} \sin(a) C \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}} \right)}{d} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a) S \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}} \right)}{d} + \frac{(c+dx) \sin \left(a + \frac{b}{(c+dx)^{2/3}} \right)}{d} + \frac{2b\sqrt[3]{c+dx} \cos \left(a + \frac{b}{(c+dx)^{2/3}} \right)}{d}$$

[Out] $2*b*(d*x+c)^{(1/3)}*\cos(a+b/(d*x+c)^{(2/3)})/d+(d*x+c)*\sin(a+b/(d*x+c)^{(2/3)})/d$
 $+2*b^{(3/2)}*\cos(a)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3}))*2^{(1/2)}*$
 $\text{Pi}^{(1/2)}/d+2*b^{(3/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3}))*\sin(a$
 $)*2^{(1/2)}*\text{Pi}^{(1/2)}/d$

Rubi [A] time = 0.11, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3363, 3409, 3387, 3388, 3353, 3352, 3351}

$$\frac{2\sqrt{2\pi} b^{3/2} \sin(a) \text{FresnelC} \left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}} \right)}{d} + \frac{2\sqrt{2\pi} b^{3/2} \cos(a) S \left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}} \right)}{d} + \frac{(c+dx) \sin \left(a + \frac{b}{(c+dx)^{2/3}} \right)}{d} + \frac{2b\sqrt[3]{c+dx} \cos \left(a + \frac{b}{(c+dx)^{2/3}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(2/3)], x]

[Out] $(2*b*(c+d*x)^{(1/3)}*\text{Cos}[a+b/(c+d*x)^{(2/3)}])/d+(2*b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c+d*x)^{(1/3)}])/d+(2*b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c+d*x)^{(1/3}))*\text{Sin}[a])/d+((c+d*x)*\text{Sin}[a+b/(c+d*x)^{(2/3)}])/d$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /

```
; FreeQ[{c, d, e, f}, x]
```

Rule 3363

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol]
:> Module[{k = Denominator[n]}, Dist[k/f, Subst[Int[x^(k - 1)*(a + b
*Sin[c + d*x^(k*n)])^p, x], x, (e + f*x)^(1/k)], x]] /; FreeQ[{a, b, c, d,
e, f}, x] && IGtQ[p, 0] && FractionQ[n]
```

Rule 3387

```
Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol]
:> Simp[((e*x)^(m + 1)*Sin[c + d*x^n]/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(
e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_), x_Symbol]
:> Simp[((e*x)^(m + 1)*Cos[c + d*x^n]/(e*(m + 1)), x] + Dist[(d*n)/(e^n*(m + 1)), Int[(
e*x)^(m + n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3409

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol]
:> -Subst[Int[(a + b*Sin[c + d/x^n])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a,
b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rubi steps

$$\begin{aligned}
\int \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx &= \frac{3 \operatorname{Subst}\left(\int x^2 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c+dx}\right)}{d} \\
&= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(ax^2)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} - \frac{(2b) \operatorname{Subst}\left(\int \frac{\cos(ax^2)}{x^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= \frac{2b\sqrt[3]{c+dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} + \frac{(4b^2) \operatorname{Subst}\left(\int \sin(ax^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= \frac{2b\sqrt[3]{c+dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} + \frac{(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} + \frac{(4b^2 \cos(a)) \operatorname{Subst}\left(\int \sin(ax^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= \frac{2b\sqrt[3]{c+dx} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d} + \frac{2b^{3/2} \sqrt{2\pi} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d} + \frac{2b^{3/2} \sqrt{2\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 146, normalized size = 1.04

$$\frac{2\sqrt{2\pi} b^{3/2} \sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + 2\sqrt{2\pi} b^{3/2} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + c \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) + dx \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) + 2b\sqrt[3]{c+dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)], x]

[Out] (2*b*(c + d*x)^(1/3)*Cos[a + b/(c + d*x)^(2/3)] + 2*b^(3/2)*Sqrt[2*Pi]*Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)] + 2*b^(3/2)*Sqrt[2*Pi]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)]*Sin[a] + c*Sin[a + b/(c + d*x)^(2/3)] + d*x*Sin[a + b/(c + d*x)^(2/3)]/d

fricas [A] time = 0.61, size = 143, normalized size = 1.01

$$\frac{2\sqrt{2}\pi b \sqrt{\frac{b}{\pi}} \cos(a) S\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{(dx+c)^{\frac{1}{3}}}\right) + 2\sqrt{2}\pi b \sqrt{\frac{b}{\pi}} C\left(\frac{\sqrt{2} \sqrt{\frac{b}{\pi}}}{(dx+c)^{\frac{1}{3}}}\right) \sin(a) + 2(dx+c)^{\frac{1}{3}} b \cos\left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c}\right) + (dx+c) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] (2*sqrt(2)*pi*b*sqrt(b/pi)*cos(a)*fresnel_sin(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3)) + 2*sqrt(2)*pi*b*sqrt(b/pi)*fresnel_cos(sqrt(2)*sqrt(b/pi)/(d*x + c)^(1/3))*sin(a) + 2*(d*x + c)^(1/3)*b*cos((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)) + (d*x + c)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)))/d

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3)), x)

maple [A] time = 0.03, size = 105, normalized size = 0.74

$$\frac{(dx+c)\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) - 2b\left(- (dx+c)^{\frac{1}{3}}\cos\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right) - \sqrt{b}\sqrt{2}\sqrt{\pi}\left(\cos(a)S\left(\frac{\sqrt{b}\sqrt{2}}{\sqrt{\pi}(dx+c)^{\frac{1}{3}}}\right) + \sin(a)\text{FresnelS}\left(\frac{\sqrt{b}\sqrt{2}}{\sqrt{\pi}(dx+c)^{\frac{1}{3}}}\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3)),x)

[Out] 3/d*(1/3*(d*x+c)*sin(a+b/(d*x+c)^(2/3))-2/3*b*(-(d*x+c)^(1/3)*cos(a+b/(d*x+c)^(2/3))-b^(1/2)*2^(1/2)*Pi^(1/2)*(cos(a)*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c)^(1/3))+sin(a)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)/(d*x+c)^(1/3))))

maxima [C] time = 0.49, size = 219, normalized size = 1.55

$$\frac{\sqrt{2}\left(2\sqrt{2}(dx+c)^{\frac{2}{3}}\sqrt{\frac{1}{(dx+c)^{\frac{4}{3}}}}b^2\cos\left(\frac{(dx+c)^{\frac{2}{3}}a+b}{(dx+c)^{\frac{2}{3}}}\right) + \sqrt{2}(dx+c)^{\frac{4}{3}}\sqrt{\frac{1}{(dx+c)^{\frac{4}{3}}}}b\sin\left(\frac{(dx+c)^{\frac{2}{3}}a+b}{(dx+c)^{\frac{2}{3}}}\right) + \left(\left(i+1\right)\sqrt{\pi}\left(\text{erf}\left(\frac{\sqrt{2}\sqrt{b}}{\sqrt{\pi}(dx+c)^{\frac{1}{3}}}\right) + \text{erfi}\left(\frac{\sqrt{2}\sqrt{b}}{\sqrt{\pi}(dx+c)^{\frac{1}{3}}}\right)\right)\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")

[Out] 1/2*sqrt(2)*(2*sqrt(2)*(d*x + c)^(2/3)*sqrt((d*x + c)^(-4/3))*b^2*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + sqrt(2)*(d*x + c)^(4/3)*sqrt((d*x + c

```

)^(-4/3))*b*sin(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3)) + (((I + 1)*sqrt(pi)*
(erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) - (I - 1)*sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1))*cos(a) +
(-(I - 1)*sqrt(pi)*(erf(sqrt(I*b/(d*x + c)^(2/3))) - 1) + (I + 1)*sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3))) - 1))*sin(a))*b^2*(b^2/(d*x + c)^(4/3))^(1/4)*sqrt((d*x + c)^(4/3))/((d*x + c)^(1/3))*b*d)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(2/3)), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(2/3)), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(2/3)), x)
```

```
[Out] Integral(sin(a + b/(c + d*x)**(2/3)), x)
```

$$3.225 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^(2/3))/(f*x+e), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^(2/3)]/(e + f*x), x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^(2/3)]/(e + f*x), x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx$$

Mathematica [A] time = 30.16, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e+fx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(e + f*x), x]

[Out] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(e + f*x), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c} \right)}{fx+e}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e),x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/(f*x + e), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(f*x + e), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(f*x+e),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(f*x+e),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{fx+e} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e),x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(f*x + e), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))/(e + f*x),x)

[Out] int(sin(a + b/(c + d*x)^(2/3))/(e + f*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(2/3))/(f*x+e),x)

[Out] Integral(sin(a + b/(c + d*x)**(2/3))/(e + f*x), x)

$$3.226 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2}, x\right)$$

[Out] Unintegrable(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b/(c + d*x)^(2/3)]/(e + f*x)^2,x]

[Out] Defer[Int][Sin[a + b/(c + d*x)^(2/3)]/(e + f*x)^2, x]

Rubi steps

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx = \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$$

Mathematica [F] time = 180.03, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(e + f*x)^2,x]

[Out] \$Aborted

fricas [A] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c} \right)}{f^2x^2 + 2efx + e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/(f^2*x^2 + 2*e*f*x + e^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(f*x + e)^2, x)

maple [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(fx+e)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(f*x+e)^2,x, algorithm="maxima")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(f*x + e)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))/(e + f*x)^2,x)

[Out] int(sin(a + b/(c + d*x)^(2/3))/(e + f*x)^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e+fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(2/3))/(f*x+e)**2,x)

[Out] Integral(sin(a + b/(c + d*x)**(2/3))/(e + f*x)**2, x)

3.227 $\int (ce + dex)^{4/3} \sin\left(a + b\sqrt[3]{c + dx}\right) dx$

Optimal. Leaf size=289

$$\frac{2160e\sqrt[3]{e(c+dx)} \cos\left(a + b\sqrt[3]{c+dx}\right)}{b^7d\sqrt[3]{c+dx}} + \frac{2160e\sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^6d} - \frac{1080e\sqrt[3]{c+dx} \sqrt[3]{e(c+dx)} \cos\left(a + b\sqrt[3]{c+dx}\right)}{b^5d}$$

[Out] 2160*e*(e*(d*x+c))^(1/3)*cos(a+b*(d*x+c)^(1/3))/b^7/d/(d*x+c)^(1/3)-1080*e*(d*x+c)^(1/3)*(e*(d*x+c))^(1/3)*cos(a+b*(d*x+c)^(1/3))/b^5/d+90*e*(d*x+c)*(e*(d*x+c))^(1/3)*cos(a+b*(d*x+c)^(1/3))/b^3/d-3*e*(d*x+c)^(5/3)*(e*(d*x+c))^(1/3)*cos(a+b*(d*x+c)^(1/3))/b/d+2160*e*(e*(d*x+c))^(1/3)*sin(a+b*(d*x+c)^(1/3))/b^6/d-360*e*(d*x+c)^(2/3)*(e*(d*x+c))^(1/3)*sin(a+b*(d*x+c)^(1/3))/b^4/d+18*e*(d*x+c)^(4/3)*(e*(d*x+c))^(1/3)*sin(a+b*(d*x+c)^(1/3))/b^2/d

Rubi [A] time = 0.27, antiderivative size = 289, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2638}

$$\frac{18e(c+dx)^{4/3} \sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^2d} - \frac{360e(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^4d} + \frac{2160e\sqrt[3]{e(c+dx)}}{b^5d}$$

Antiderivative was successfully verified.

[In] Int[(c*e + d*e*x)^(4/3)*Sin[a + b*(c + d*x)^(1/3)],x]

[Out] (2160*e*(e*(c + d*x))^(1/3)*Cos[a + b*(c + d*x)^(1/3)]/(b^7*d*(c + d*x)^(1/3)) - (1080*e*(c + d*x)^(1/3)*(e*(c + d*x))^(1/3)*Cos[a + b*(c + d*x)^(1/3)])/(b^5*d) + (90*e*(c + d*x)*(e*(c + d*x))^(1/3)*Cos[a + b*(c + d*x)^(1/3)])/(b^3*d) - (3*e*(c + d*x)^(5/3)*(e*(c + d*x))^(1/3)*Cos[a + b*(c + d*x)^(1/3)])/(b*d) + (2160*e*(e*(c + d*x))^(1/3)*Sin[a + b*(c + d*x)^(1/3)]/(b^6*d) - (360*e*(c + d*x)^(2/3)*(e*(c + d*x))^(1/3)*Sin[a + b*(c + d*x)^(1/3)])/(b^4*d) + (18*e*(c + d*x)^(4/3)*(e*(c + d*x))^(1/3)*Sin[a + b*(c + d*x)^(1/3)])/(b^2*d)

Rule 15

Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] :> -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int (ce + dex)^{4/3} \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \operatorname{Subst}\left(\int x^2 (ex^3)^{4/3} \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d} \\
 &= \frac{\left(3e\sqrt[3]{e(c + dx)}\right) \operatorname{Subst}\left(\int x^6 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d\sqrt[3]{c + dx}} \\
 &= -\frac{3e(c + dx)^{5/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{\left(18e\sqrt[3]{e(c + dx)}\right) \operatorname{Subst}\left(\int x^5 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd} \\
 &= -\frac{3e(c + dx)^{5/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{18e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \operatorname{Subst}\left(\int x^4 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{b^2d} \\
 &= \frac{90e(c + dx)\sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3e(c + dx)^{5/3} \sqrt[3]{e(c + dx)} \operatorname{Subst}\left(\int x^3 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd} \\
 &= \frac{90e(c + dx)\sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3e(c + dx)^{5/3} \sqrt[3]{e(c + dx)} \operatorname{Subst}\left(\int x^2 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd} \\
 &= -\frac{1080e\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5d} + \frac{90e(c + dx)\sqrt[3]{e(c + dx)} \operatorname{Subst}\left(\int x \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{b} \\
 &= -\frac{1080e\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5d} + \frac{90e(c + dx)\sqrt[3]{e(c + dx)} \operatorname{Subst}\left(\int \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{b} \\
 &= \frac{2160e\sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^7d\sqrt[3]{c + dx}} - \frac{1080e\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5d}
 \end{aligned}$$

Mathematica [A] time = 0.57, size = 226, normalized size = 0.78

$$3(e(c+dx))^{4/3} \left(\sin\left(b\sqrt[3]{c+dx}\right) \left(6b \cos(a) \left(b^4(c+dx)^{5/3} - 20b^2(c+dx) + 120\sqrt[3]{c+dx}\right) + \sin(a) \left(b^6(c+dx)^2 - \right.$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(4/3)*Sin[a + b*(c + d*x)^(1/3)],x]

[Out] (3*(e*(c + d*x))^(4/3)*(-(Cos[b*(c + d*x)^(1/3)]*((-720 + 360*b^2*(c + d*x)^(2/3) - 30*b^4*(c + d*x)^(4/3) + b^6*(c + d*x)^2)*Cos[a] - 6*b*(120*(c + d*x)^(1/3) - 20*b^2*(c + d*x) + b^4*(c + d*x)^(5/3))*Sin[a])) + (6*b*(120*(c + d*x)^(1/3) - 20*b^2*(c + d*x) + b^4*(c + d*x)^(5/3))*Cos[a] + (-720 + 360*b^2*(c + d*x)^(2/3) - 30*b^4*(c + d*x)^(4/3) + b^6*(c + d*x)^2)*Sin[a])*Sin[b*(c + d*x)^(1/3)])/(b^7*d*(c + d*x)^(4/3))

fricas [A] time = 1.57, size = 234, normalized size = 0.81

$$3 \left(\left(30b^4d^2ex^2 + 60b^4cdex + 30b^4c^2e - (b^6d^2ex^2 + 2b^6cdex + (b^6c^2 - 720)e)(dx + c)^{\frac{2}{3}} - 360(b^2dex + b^2ce)(dx + c)^{\frac{2}{3}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] 3*((30*b^4*d^2*e*x^2 + 60*b^4*c*d*e*x + 30*b^4*c^2*e - (b^6*d^2*e*x^2 + 2*b^6*c*d*e*x + (b^6*c^2 - 720)*e)*(d*x + c)^(2/3) - 360*(b^2*d*e*x + b^2*c*e)*(d*x + c)^(1/3))*(d*e*x + c*e)^(1/3)*cos((d*x + c)^(1/3)*b + a) + 6*(120*b*d*e*x + 120*b*c*e - 20*(b^3*d*e*x + b^3*c*e)*(d*x + c)^(2/3) + (b^5*d^2*e*x^2 + 2*b^5*c*d*e*x + b^5*c^2*e)*(d*x + c)^(1/3))*(d*e*x + c*e)^(1/3)*sin((d*x + c)^(1/3)*b + a))/(b^7*d^2*x + b^7*c*d)

giac [B] time = 0.73, size = 566, normalized size = 1.96

$$3 \left(\left(2 \left(\frac{\left((dxe+ce)b^3ce^3 - 6(dxe+ce)^{\frac{1}{3}}bce^{\frac{11}{3}} \right) \cos\left(\left((dxe+ce)^{\frac{1}{3}}be^{\frac{2}{3}} + ae \right) e^{(-1)} \right) e^{\left(-\frac{8}{3}\right)}}{b^4d^2} - \frac{3 \left((dxe+ce)^{\frac{2}{3}}b^2ce^{\frac{10}{3}} - 2ce^4 \right) e^{\left(-\frac{8}{3}\right)} \sin\left(\left((dxe+ce)^{\frac{1}{3}}be^{\frac{2}{3}} + ae \right) e^{(-1)} \right)}{b^4d^2} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")

[Out] 3*((2*((d*x*e + c*e)*b^3*c*e^3 - 6*(d*x*e + c*e)^(1/3)*b*c*e^(11/3))*cos((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))*e^(-8/3)/(b^4*d^2) - 3*((d*x*e + c*e)^(1/3)*b*c*e^(11/3))*cos((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))*e^(-8/3)/(b^4*d^2)

$$\begin{aligned}
& + c^2 e^{2/3} b^2 c e^{10/3} - 2 c^2 e^4 e^{-8/3} \sin\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} \\
& - \left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{2/3} b^6 e^5 - 30 \left(\frac{d x e + c e}{b^4 d^2}\right)^{4/3} b^4 e^{17/3} + 360 \left(\frac{d x e + c e}{b^4 d^2}\right)^{2/3} b^2 e^{19/3} - 720 e^7\right) \cos\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} \\
& - \left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{5/3} b^5 e^{16/3} - 20 \left(\frac{d x e + c e}{b^4 d^2}\right) b^3 e^6 + 120 \left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{20/3}\right) e^{-14/3} \sin\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} \\
& - c^2 \cos\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} e^{1/3} / (b d^2) * d^2 e - c^2 \cos\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} e^{4/3} / b \\
& + 2 \left(c \cos\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} e^{4/3} / b - \left(\frac{d x e + c e}{b^4 d^2}\right) b^3 e^3 - 6 \left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{11/3}\right) \cos\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} e^{-8/3} / b^4 \\
& + 3 \left(\frac{d x e + c e}{b^4 d^2}\right)^{2/3} b^2 e^{10/3} - 2 e^4 e^{-8/3} \sin\left(\left(\frac{d x e + c e}{b^4 d^2}\right)^{1/3} b e^{2/3} + a e\right) e^{-1} e^{-1} / b^4 * c) / d
\end{aligned}$$

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (d e x + c e)^{4/3} \sin\left(a + b (d x + c)^{1/3}\right) d x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(1/3)),x)

[Out] int((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(1/3)),x)

maxima [C] time = 0.63, size = 176, normalized size = 0.61

$$\left(9 \Gamma\left(6, i b (d x + c)^{1/3}\right) + \Gamma\left(6, -i b (d x + c)^{1/3}\right) + \Gamma\left(6, i (d x + c)^{1/3} b\right) + \Gamma\left(6, -i (d x + c)^{1/3} b\right)\right) \cos(a) - \left(9 i \Gamma\left(6, i b (d x + c)^{1/3}\right) - 9 i \Gamma\left(6, -i b (d x + c)^{1/3}\right) + 9 i \Gamma\left(6, i (d x + c)^{1/3} b\right) - 9 i \Gamma\left(6, -i (d x + c)^{1/3} b\right)\right) \sin(a) e^{-1} - 6 (b^6 d^2 e^5 x^2 + 2 b^6 c d e^5 x + b^6 c^2 e^5) \cos\left(\left(\frac{d x + c}{b^4 d^2}\right)^{1/3} b + a\right) e^{1/3} / (b^7 d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="maxima")

[Out] 1/2*((9*(gamma(6, I*b*conjugate((d*x + c)^(1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(1/3)))) + gamma(6, I*(d*x + c)^(1/3)*b) + gamma(6, -I*(d*x + c)^(1/3)*b))*cos(a) - (9*I*gamma(6, I*b*conjugate((d*x + c)^(1/3)))) - 9*I*gamma(6, -I*b*conjugate((d*x + c)^(1/3)))) + 9*I*gamma(6, I*(d*x + c)^(1/3)*b) - 9*I*gamma(6, -I*(d*x + c)^(1/3)*b))*sin(a))*e - 6*(b^6*d^2*e*x^2 + 2*b^6*c*d*e*x + b^6*c^2*e)*cos((d*x + c)^(1/3)*b + a))*e^(1/3)/(b^7*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + b(c + d x)^{1/3}\right) (c e + d e x)^{4/3} d x$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(sin(a + b*(c + d*x)^(1/3))*(c*e + d*e*x)^(4/3),x)
```

```
[Out] int(sin(a + b*(c + d*x)^(1/3))*(c*e + d*e*x)^(4/3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*e*x+c*e)**(4/3)*sin(a+b*(d*x+c)**(1/3)),x)
```

```
[Out] Timed out
```

3.228 $\int (ce + dex)^{2/3} \sin\left(a + b\sqrt[3]{c + dx}\right) dx$

Optimal. Leaf size=202

$$\frac{72(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d(c + dx)^{2/3}} - \frac{72(e(c + dx))^{2/3} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^4 d\sqrt[3]{c + dx}} + \frac{36(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3 d}$$

[Out] $36*(e*(d*x+c))^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d-72*(e*(d*x+c))^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^5/d/(d*x+c)^{(2/3)}-3*(d*x+c)^{(2/3)}*(e*(d*x+c))^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d-72*(e*(d*x+c))^{(2/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^4/d/(d*x+c)^{(1/3)}+12*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(2/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d$

Rubi [A] time = 0.18, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2638}

$$\frac{12\sqrt[3]{c + dx}(e(c + dx))^{2/3} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2 d} - \frac{72(e(c + dx))^{2/3} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^4 d\sqrt[3]{c + dx}} - \frac{72(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5 d(c + dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}], x]$

[Out] $(36*(e*(c + d*x))^{(2/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^3*d) - (72*(e*(c + d*x))^{(2/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^5*d*(c + d*x)^{(2/3)}) - (3*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(2/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b*d) - (72*(e*(c + d*x))^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^4*d*(c + d*x)^{(1/3)}) + (12*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^2*d)$

Rule 15

$\text{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[m]}*(a*x^n)^{\text{FracPart}[m]})/x^{(n*\text{FracPart}[m])}, \text{Int}[u*x^{(m*n)}, x], x] /;$ FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[$

$e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3431

$\text{Int}[(g_.) + (h_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}])^{(p_.)}, x_Symbol] \text{ :> } \text{Dist}[1/(n*f), \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x])^p, x^{(1/n - 1)}*(g - (e*h)/f + (h*x^{(1/n)})/f)^m, x], x, (e + f*x)^n], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, h, m\}, x] \ \&\& \ \text{IGtQ}[p, 0] \ \&\& \ \text{IntegerQ}[1/n]$

Rubi steps

$$\begin{aligned} \int (ce + dex)^{2/3} \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \text{Subst}\left(\int x^2 (ex^3)^{2/3} \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d} \\ &= \frac{(3(e(c + dx))^{2/3}) \text{Subst}\left(\int x^4 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d(c + dx)^{2/3}} \\ &= -\frac{3(c + dx)^{2/3}(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{(12(e(c + dx))^{2/3}) \text{Subst}\left(\int x^4 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d(c + dx)^{2/3}} \\ &= -\frac{3(c + dx)^{2/3}(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{12\sqrt[3]{c + dx}(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} \\ &= \frac{36(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3(c + dx)^{2/3}(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} \\ &= \frac{36(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3(c + dx)^{2/3}(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} \\ &= \frac{36(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{72(e(c + dx))^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^5d(c + dx)^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.30, size = 111, normalized size = 0.55

$$\frac{3(e(c + dx))^{2/3} \left((b^4(c + dx)^{4/3} - 12b^2(c + dx)^{2/3} + 24) \cos\left(a + b\sqrt[3]{c + dx}\right) - 4b(b^2(c + dx) - 6\sqrt[3]{c + dx}) \sin\left(a + b\sqrt[3]{c + dx}\right) \right)}{b^5d(c + dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(2/3)*Sin[a + b*(c + d*x)^(1/3)],x]

[Out] $(-3*(e*(c + d*x))^{(2/3)}*((24 - 12*b^2*(c + d*x)^{(2/3)} + b^4*(c + d*x)^{(4/3)})*\cos[a + b*(c + d*x)^{(1/3)}] - 4*b*(-6*(c + d*x)^{(1/3)} + b^2*(c + d*x))*\sin[a + b*(c + d*x)^{(1/3)}])/(b^5*d*(c + d*x)^{(2/3)})$

fricas [A] time = 1.80, size = 143, normalized size = 0.71

$$\frac{3\left(\left(12b^2dx + 12b^2c - (b^4dx + b^4c)(dx + c)^{\frac{2}{3}} - 24(dx + c)^{\frac{1}{3}}\right)(dex + ce)^{\frac{2}{3}} \cos\left((dx + c)^{\frac{1}{3}}b + a\right) - 4(dex + ce)^{\frac{2}{3}}\left(6(d\right)}{b^5d^2x + b^5cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="fricas")`

[Out] $3*((12*b^2*d*x + 12*b^2*c - (b^4*d*x + b^4*c)*(d*x + c)^{(2/3)} - 24*(d*x + c)^{(1/3}))*((d*e*x + c*e)^{(2/3)}*\cos((d*x + c)^{(1/3)}*b + a) - 4*(d*e*x + c*e)^{(2/3)}*(6*(d*x + c)^{(2/3)}*b - (b^3*d*x + b^3*c)*(d*x + c)^{(1/3}))*\sin((d*x + c)^{(1/3)}*b + a))/(b^5*d^2*x + b^5*c*d)$

giac [A] time = 1.06, size = 310, normalized size = 1.53

$$3\left(\left(\frac{(dex+ce)^{\frac{1}{3}} \cos\left(\left(\frac{(dex+ce)^{\frac{1}{3}} be^{\frac{2}{3}} + ae}{b}\right) e^{(-1)}\right) e^{\frac{1}{3}}}{b} - \frac{e^{\frac{2}{3}} \sin\left(\left(\frac{(dex+ce)^{\frac{1}{3}} be^{\frac{2}{3}} + ae}{b^2}\right) e^{(-1)}\right)}{b^2}\right) c - \left(\frac{(dex+ce)^{\frac{1}{3}} c \cos\left(\left(\frac{(dex+ce)^{\frac{1}{3}} be^{\frac{2}{3}} + ae}{b}\right) e^{(-1)}\right) e^{\frac{1}{3}}}{b} - \frac{ce^{\frac{2}{3}}}{ce^{\frac{2}{3}}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")`

[Out] $-3*((((d*x*e + c*e)^{(1/3)}*\cos(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)}))*e^{(1/3)}/b - e^{(2/3)}*\sin(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})/b^2)*c - (((d*x*e + c*e)^{(1/3)}*c*\cos(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)}))*e^{(1/3)}/b - c*e^{(2/3)}*\sin(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})/b^2)*e - ((d*x*e + c*e)^{(4/3)}*b^4*e^{(11/3)} - 12*(d*x*e + c*e)^{(2/3)}*b^2*e^{(13/3)} + 24*e^5)*\cos(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})*e^{(-10/3)}/b^5 + 4*((d*x*e + c*e)*b^3*e^4 - 6*(d*x*e + c*e)^{(1/3)}*b*e^{(14/3)})*e^{(-10/3)}*\sin(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})/b^5)*e^{(-1)}/d$

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{2}{3}} \sin\left(a + b(dx + c)^{\frac{1}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(1/3)),x)`

[Out] $\int (d*ex+c*e)^{2/3}*\sin(a+b*(d*x+c)^{1/3}),x$

maxima [C] time = 0.63, size = 193, normalized size = 0.96

$$3(b^4 dx + b^4 c)(dx + c)^{\frac{1}{3}} e^{\frac{2}{3}} \cos\left((dx + c)^{\frac{1}{3}} b + a\right) + \left(9\left(\Gamma\left(3, i b(dx + c)^{\frac{1}{3}}\right) + \Gamma\left(3, -i b(dx + c)^{\frac{1}{3}}\right) + \Gamma\left(3, i(dx + c)^{\frac{1}{3}}\right) + \Gamma\left(3, -i(dx + c)^{\frac{1}{3}}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*ex+c*e)^{2/3}*\sin(a+b*(d*x+c)^{1/3}),x, \text{algorithm}="maxima")$

[Out] $-(3*(b^4*d*x + b^4*c)*(d*x + c)^{1/3}*e^{2/3}*\cos((d*x + c)^{1/3}*b + a) + (9*(\text{gamma}(3, I*b*\text{conjugate}((d*x + c)^{1/3}))) + \text{gamma}(3, -I*b*\text{conjugate}((d*x + c)^{1/3}))) + \text{gamma}(3, I*(d*x + c)^{1/3}*b) + \text{gamma}(3, -I*(d*x + c)^{1/3}*b))*\cos(a) - 12*(b^3*d*x + b^3*c)*\sin((d*x + c)^{1/3}*b + a) + (-9*I*\text{gamma}(3, I*b*\text{conjugate}((d*x + c)^{1/3}))) + 9*I*\text{gamma}(3, -I*b*\text{conjugate}((d*x + c)^{1/3}))) - 9*I*\text{gamma}(3, I*(d*x + c)^{1/3}*b) + 9*I*\text{gamma}(3, -I*(d*x + c)^{1/3}*b))*\sin(a))*e^{2/3})/(b^5*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{1/3}) (ce + dex)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sin(a + b*(c + d*x)^{1/3})*(c*e + d*ex)^{2/3},x)$

[Out] $\text{int}(\sin(a + b*(c + d*x)^{1/3})*(c*e + d*ex)^{2/3}, x)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e(c + dx))^{\frac{2}{3}} \sin\left(a + b\sqrt[3]{c + dx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((d*ex+c*e)**(2/3)*\sin(a+b*(d*x+c)**(1/3)),x)$

[Out] $\text{Integral}((e*(c + d*x))^{2/3}*\sin(a + b*(c + d*x)^{1/3}), x)$

3.229 $\int \sqrt[3]{ce + dex} \sin\left(a + b\sqrt[3]{c + dx}\right) dx$

Optimal. Leaf size=160

$$-\frac{18\sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^4 d \sqrt[3]{c+dx}} + \frac{18\sqrt[3]{e(c+dx)} \cos\left(a + b\sqrt[3]{c+dx}\right)}{b^3 d} + \frac{9\sqrt[3]{c+dx} \sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^2 d}$$

[Out] $18*(e*(d*x+c))^{(1/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b^3/d-3*(d*x+c)^{(2/3)}*(e*(d*x+c))^{(1/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d-18*(e*(d*x+c))^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^4/d/(d*x+c)^{(1/3)}+9*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d$

Rubi [A] time = 0.14, antiderivative size = 160, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2637}

$$\frac{9\sqrt[3]{c+dx} \sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^2 d} - \frac{18\sqrt[3]{e(c+dx)} \sin\left(a + b\sqrt[3]{c+dx}\right)}{b^4 d \sqrt[3]{c+dx}} + \frac{18\sqrt[3]{e(c+dx)} \cos\left(a + b\sqrt[3]{c+dx}\right)}{b^3 d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}], x]$

[Out] $(18*(e*(c + d*x))^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b^3*d) - (3*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}])/(b*d) - (18*(e*(c + d*x))^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^4*d*(c + d*x)^{(1/3)}) + (9*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(1/3)}])/(b^2*d)$

Rule 15

$\text{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[m]}*(a*x^n)^{\text{FracPart}[m]})/x^{(n*\text{FracPart}[m])}, \text{Int}[u*x^{(m*n)}, x], x] /;$ $\text{FreeQ}\{a, m, n, x\}$ && $!\text{IntegerQ}[m]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_))^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$ $\text{FreeQ}\{c, d, e, f, x\}$ && $\text{GtQ}[m, 0]$

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int \sqrt[3]{ce + dex} \sin\left(a + b\sqrt[3]{c + dx}\right) dx &= \frac{3 \operatorname{Subst}\left(\int x^2 \sqrt[3]{ex^3} \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d} \\
 &= \frac{\left(3\sqrt[3]{e(c + dx)}\right) \operatorname{Subst}\left(\int x^3 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d\sqrt[3]{c + dx}} \\
 &= -\frac{3(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{\left(9\sqrt[3]{e(c + dx)}\right) \operatorname{Subst}\left(\int x^2 \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd} \\
 &= -\frac{3(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} + \frac{9\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \sin\left(a + b\sqrt[3]{c + dx}\right)}{b^2d} \\
 &= \frac{18\sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd} \\
 &= \frac{18\sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{b^3d} - \frac{3(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd}
 \end{aligned}$$

Mathematica [A] time = 0.22, size = 97, normalized size = 0.61

$$\frac{3\sqrt[3]{e(c + dx)} \left((b^3(c + dx) - 6b\sqrt[3]{c + dx}) \cos\left(a + b\sqrt[3]{c + dx}\right) - 3\left(b^2(c + dx)^{2/3} - 2\right) \sin\left(a + b\sqrt[3]{c + dx}\right) \right)}{b^4d\sqrt[3]{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(1/3)*Sin[a + b*(c + d*x)^(1/3)], x]

[Out] (-3*(e*(c + d*x))^(1/3)*((-6*b*(c + d*x)^(1/3) + b^3*(c + d*x))*Cos[a + b*(c + d*x)^(1/3)] - 3*(-2 + b^2*(c + d*x)^(2/3))*Sin[a + b*(c + d*x)^(1/3)])/(b^4*d*(c + d*x)^(1/3))

fricas [A] time = 1.76, size = 128, normalized size = 0.80

$$\frac{3\left(\left(6bdx + 6bc - (b^3dx + b^3c)(dx + c)^{\frac{2}{3}}\right)(dex + ce)^{\frac{1}{3}} \cos\left((dx + c)^{\frac{1}{3}}b + a\right) + 3(dex + ce)^{\frac{1}{3}}\left((b^2dx + b^2c)(dx + c)\right)\right)}{b^4d^2x + b^4cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] 3*((6*b*d*x + 6*b*c - (b^3*d*x + b^3*c)*(d*x + c)^(2/3))*(d*e*x + c*e)^(1/3) *cos((d*x + c)^(1/3)*b + a) + 3*(d*e*x + c*e)^(1/3)*((b^2*d*x + b^2*c)*(d*x + c)^(1/3) - 2*(d*x + c)^(2/3))*sin((d*x + c)^(1/3)*b + a))/(b^4*d^2*x + b^4*c*d)

giac [A] time = 0.95, size = 196, normalized size = 1.22

$$3 \frac{\left(c \cos\left(\left(\frac{dxe+ce}{b}\right)^{\frac{1}{3}} \frac{2}{3} + ae\right) e^{(-1)} \right)^{\frac{1}{3}}}{b} - \left(\frac{c \cos\left(\left(\frac{dxe+ce}{b}\right)^{\frac{1}{3}} \frac{2}{3} + ae\right) e^{(-1)} \right)^{\frac{4}{3}}}{b} - \frac{\left((dxe+ce)b^3e^3 - 6(dxe+ce)^{\frac{1}{3}}be^{\frac{11}{3}} \right) \cos\left(\left(\frac{dxe+ce}{b}\right)^{\frac{1}{3}} \frac{2}{3} + ae\right) e^{(-1)}}{b^4} \right) e^{(-1)}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="giac")

[Out] -3*(c*cos(((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))*e^(1/3)/b - (c*cos(((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))*e^(4/3)/b - ((d*x*e + c*e)*b^3*e^3 - 6*(d*x*e + c*e)^(1/3)*b*e^(11/3))*cos(((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))*e^(-8/3)/b^4 + 3*((d*x*e + c*e)^(2/3)*b^2*e^(10/3) - 2*e^4)*e^(-8/3)*sin(((d*x*e + c*e)^(1/3)*b*e^(2/3) + a*e)*e^(-1))/b^4)*e^(-1)/d

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin\left(a + b(dx + c)^{\frac{1}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(1/3)),x)

[Out] int((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(1/3)),x)

maxima [C] time = 0.62, size = 155, normalized size = 0.97

$$\left(12(b^3dx + b^3c) \cos\left((dx + c)^{\frac{1}{3}}b + a\right) + \left(9i\Gamma\left(3, ib(dx + c)^{\frac{1}{3}}\right) - 9i\Gamma\left(3, -ib(dx + c)^{\frac{1}{3}}\right) + 9i\Gamma\left(3, i(dx + c)^{\frac{1}{3}}b\right) - \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(1/3)),x, algorithm="maxima")


```
[Out] -1/4*(12*(b^3*d*x + b^3*c)*cos((d*x + c)^(1/3)*b + a) + (9*I*gamma(3, I*b*c
onjugate((d*x + c)^(1/3))) - 9*I*gamma(3, -I*b*conjugate((d*x + c)^(1/3)))
+ 9*I*gamma(3, I*(d*x + c)^(1/3)*b) - 9*I*gamma(3, -I*(d*x + c)^(1/3)*b))*c
os(a) + 9*(gamma(3, I*b*conjugate((d*x + c)^(1/3))) + gamma(3, -I*b*conjugate((d*x + c)^(1/3)))
+ gamma(3, I*(d*x + c)^(1/3)*b) + gamma(3, -I*(d*x + c)^(1/3)*b))*sin(a))*e^(1/3)/(b^4*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b(c + dx)^{1/3}) (ce + dex)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(1/3))*(c*e + d*e*x)^(1/3), x)
```

```
[Out] int(sin(a + b*(c + d*x)^(1/3))*(c*e + d*e*x)^(1/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{e(c + dx)} \sin\left(a + b\sqrt[3]{c + dx}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*e*x+c*e)**(1/3)*sin(a+b*(d*x+c)**(1/3)), x)
```

```
[Out] Integral((e*(c + d*x))**(1/3)*sin(a + b*(c + d*x)**(1/3)), x)
```

$$3.230 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{\sqrt[3]{ce+dex}} dx$$

Optimal. Leaf size=85

$$\frac{3\sqrt[3]{c+dx} \sin\left(a+b\sqrt[3]{c+dx}\right)}{b^2 d \sqrt[3]{e(c+dx)}} - \frac{3(c+dx)^{2/3} \cos\left(a+b\sqrt[3]{c+dx}\right)}{bd \sqrt[3]{e(c+dx)}}$$

[Out] $-3*(d*x+c)^{(2/3)}*\cos(a+b*(d*x+c)^{(1/3)})/b/d/(e*(d*x+c))^{(1/3)}+3*(d*x+c)^{(1/3)}*\sin(a+b*(d*x+c)^{(1/3)})/b^2/d/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.07, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2637}

$$\frac{3\sqrt[3]{c+dx} \sin\left(a+b\sqrt[3]{c+dx}\right)}{b^2 d \sqrt[3]{e(c+dx)}} - \frac{3(c+dx)^{2/3} \cos\left(a+b\sqrt[3]{c+dx}\right)}{bd \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(1/3), x]

[Out] $(-3*(c+d*x)^{(2/3)}*\cos[a+b*(c+d*x)^{(1/3)}])/(b*d*(e*(c+d*x))^{(1/3)}) + (3*(c+d*x)^{(1/3)}*\sin[a+b*(c+d*x)^{(1/3)}])/(b^2*d*(e*(c+d*x))^{(1/3)})$

Rule 15

Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] :> Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(a + b\sqrt[3]{c + dx})}{\sqrt[3]{ce + dex}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(a+bx)}{\sqrt[3]{ex^3}} dx, x, \sqrt[3]{c + dx}\right)}{d} \\ &= \frac{(3\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int x \sin(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{d\sqrt[3]{e(c + dx)}} \\ &= -\frac{3(c + dx)^{2/3} \cos(a + b\sqrt[3]{c + dx})}{bd\sqrt[3]{e(c + dx)}} + \frac{(3\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \cos(a + bx) dx, x, \sqrt[3]{c + dx}\right)}{bd\sqrt[3]{e(c + dx)}} \\ &= -\frac{3(c + dx)^{2/3} \cos(a + b\sqrt[3]{c + dx})}{bd\sqrt[3]{e(c + dx)}} + \frac{3\sqrt[3]{c + dx} \sin(a + b\sqrt[3]{c + dx})}{b^2 d\sqrt[3]{e(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.08, size = 70, normalized size = 0.82

$$\frac{3\sqrt[3]{c + dx} \sin(a + b\sqrt[3]{c + dx}) - 3b(c + dx)^{2/3} \cos(a + b\sqrt[3]{c + dx})}{b^2 d\sqrt[3]{e(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(1/3), x]

[Out] (-3*b*(c + d*x)^(2/3)*Cos[a + b*(c + d*x)^(1/3)] + 3*(c + d*x)^(1/3)*Sin[a + b*(c + d*x)^(1/3)]/(b^2*d*(e*(c + d*x))^(1/3))

fricas [A] time = 1.53, size = 84, normalized size = 0.99

$$\frac{3 \left((dex + ce)^{\frac{2}{3}} (dx + c)^{\frac{2}{3}} b \cos\left((dx + c)^{\frac{1}{3}} b + a\right) - (dex + ce)^{\frac{2}{3}} (dx + c)^{\frac{1}{3}} \sin\left((dx + c)^{\frac{1}{3}} b + a\right) \right)}{b^2 d^2 ex + b^2 cde}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3), x, algorithm="fricas")

[Out] $-3*((d*e*x + c*e)^{(2/3)}*(d*x + c)^{(2/3)}*b*\cos((d*x + c)^{(1/3)}*b + a) - (d*e*x + c*e)^{(2/3)}*(d*x + c)^{(1/3)}*\sin((d*x + c)^{(1/3)}*b + a))/(b^2*d^2*e*x + b^2*c*d*e)$

giac [A] time = 1.24, size = 83, normalized size = 0.98

$$\frac{3 \left(\frac{(dxe+ce)^{\frac{1}{3}} \cos\left(\left((dxe+ce)^{\frac{1}{3}} be^{\frac{2}{3}}+ae\right)e^{(-1)}\right)e^{\frac{1}{3}}}{b} - \frac{e^{\frac{2}{3}} \sin\left(\left((dxe+ce)^{\frac{1}{3}} be^{\frac{2}{3}}+ae\right)e^{(-1)}\right)}{b^2} \right)}{d} e^{(-1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x, algorithm="giac")`

[Out] $-3*((d*x*e + c*e)^{(1/3)}*\cos(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})*e^{(1/3)}/b - e^{(2/3)}*\sin(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})/b^2)*e^{(-1)}/d$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx + c)^{\frac{1}{3}}\right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x)`

[Out] `int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x)`

maxima [C] time = 0.62, size = 129, normalized size = 1.52

$$\frac{\left(3i\Gamma\left(2, \overline{ib(dx+c)^{\frac{1}{3}}}\right) - 3i\Gamma\left(2, -\overline{ib(dx+c)^{\frac{1}{3}}}\right) + 3i\Gamma\left(2, i(dx+c)^{\frac{1}{3}}b\right) - 3i\Gamma\left(2, -i(dx+c)^{\frac{1}{3}}b\right)\right)\cos(a) + 3\left(\Gamma\left(2, i\right) + \Gamma\left(2, -i\right)\right)}{4b^2de^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x, algorithm="maxima")`

[Out] $1/4*((3*I*\gamma(2, I*b*\text{conjugate}((d*x + c)^{(1/3)})) - 3*I*\gamma(2, -I*b*\text{conjugate}((d*x + c)^{(1/3)})) + 3*I*\gamma(2, I*(d*x + c)^{(1/3)}*b) - 3*I*\gamma(2, -I*(d*x + c)^{(1/3)}*b))*\cos(a) + 3*(\gamma(2, I*b*\text{conjugate}((d*x + c)^{(1/3)})) + \gamma(2, -I*b*\text{conjugate}((d*x + c)^{(1/3)})) + \gamma(2, I*(d*x + c)^{(1/3)}*b) + \gamma(2, -I*(d*x + c)^{(1/3)}*b))*\sin(a))/(b^2*d*e^{(1/3)})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + b(c + dx)^{1/3})}{(ce + dex)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(1/3), x)

[Out] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b\sqrt[3]{c + dx})}{\sqrt[3]{e(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/3))/(d*e*x+c*e)**(1/3), x)

[Out] Integral(sin(a + b*(c + d*x)**(1/3))/(e*(c + d*x))**(1/3), x)

$$3.231 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{(ce+dex)^{2/3}} dx$$

Optimal. Leaf size=42

$$\frac{3(c+dx)^{2/3} \cos\left(a+b\sqrt[3]{c+dx}\right)}{bd(e(c+dx))^{2/3}}$$

[Out] $-3*(d*x+c)^{(2/3)*\cos(a+b*(d*x+c)^{(1/3)})/b/d/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.05, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3431, 15, 2638}

$$\frac{3(c+dx)^{2/3} \cos\left(a+b\sqrt[3]{c+dx}\right)}{bd(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(2/3), x]`

[Out] $(-3*(c + d*x)^{(2/3)*\cos[a + b*(c + d*x)^{(1/3)]})/(b*d*(e*(c + d*x))^{(2/3)})$

Rule 15

`Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]`

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3431

`Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]`

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + b\sqrt[3]{c + dx}\right)}{(ce + dex)^{2/3}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(ax + b)}{(ex^3)^{2/3}} dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= \frac{(3(c + dx)^{2/3}) \operatorname{Subst}\left(\int \sin(ax + b) dx, x, \sqrt[3]{c + dx}\right)}{d(e(c + dx))^{2/3}} \\
&= -\frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd(e(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 42, normalized size = 1.00

$$-\frac{3(c + dx)^{2/3} \cos\left(a + b\sqrt[3]{c + dx}\right)}{bd(e(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(2/3), x]

[Out] (-3*(c + d*x)^(2/3)*Cos[a + b*(c + d*x)^(1/3)]/(b*d*(e*(c + d*x))^(2/3))

fricas [A] time = 0.68, size = 46, normalized size = 1.10

$$-\frac{3(dx + ce)^{1/3}(dx + c)^{2/3} \cos\left((dx + c)^{1/3}b + a\right)}{bd^2ex + bcde}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3), x, algorithm="fricas")

[Out] -3*(d*e*x + c*e)^(1/3)*(d*x + c)^(2/3)*cos((d*x + c)^(1/3)*b + a)/(b*d^2*e*x + b*c*d*e)

giac [A] time = 0.78, size = 35, normalized size = 0.83

$$-\frac{3 \cos\left(\left((dxe + ce)^{1/3}be^{2/3} + ae\right)e^{(-1)}\right)e^{(-2/3)}}{bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3), x, algorithm="giac")

[Out] $-3*\cos(((d*x*e + c*e)^{(1/3)}*b*e^{(2/3)} + a*e)*e^{(-1)})*e^{(-2/3)}/(b*d)$

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx + c)^{\frac{1}{3}}\right)}{(dex + ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x)`

[Out] `int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x)`

maxima [A] time = 0.35, size = 23, normalized size = 0.55

$$-\frac{3 \cos\left((dx + c)^{\frac{1}{3}}b + a\right)}{bde^{\frac{2}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x, algorithm="maxima")`

[Out] $-3*\cos((d*x + c)^{(1/3)}*b + a)/(b*d*e^{(2/3)})$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{1}{3}}\right)}{(ce + dex)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(2/3),x)`

[Out] `int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b\sqrt[3]{c + dx}\right)}{(e(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(1/3))/(d*e*x+c*e)**(2/3),x)`

[Out] `Integral(sin(a + b*(c + d*x)**(1/3))/(e*(c + d*x))**(2/3), x)`

$$3.232 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{(ce+dex)^{4/3}} dx$$

Optimal. Leaf size=120

$$\frac{3b \cos(a)\sqrt[3]{c+dx} \operatorname{Ci}\left(b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}} - \frac{3b \sin(a)\sqrt[3]{c+dx} \operatorname{Si}\left(b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}} - \frac{3 \sin\left(a+b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}}$$

[Out] $3*b*(d*x+c)^{(1/3)}*Ci(b*(d*x+c)^{(1/3)})*\cos(a)/d/e/(e*(d*x+c))^{(1/3)}-3*b*(d*x+c)^{(1/3)}*Si(b*(d*x+c)^{(1/3)})*\sin(a)/d/e/(e*(d*x+c))^{(1/3)}-3*\sin(a+b*(d*x+c)^{(1/3)})/d/e/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.15, antiderivative size = 120, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$\frac{3b \cos(a)\sqrt[3]{c+dx} \operatorname{CosIntegral}\left(b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}} - \frac{3b \sin(a)\sqrt[3]{c+dx} \operatorname{Si}\left(b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}} - \frac{3 \sin\left(a+b\sqrt[3]{c+dx}\right)}{de\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b*(c + d*x)^{(1/3)}]/(c*e + d*e*x)^{(4/3)}, x]$

[Out] $(3*b*(c + d*x)^{(1/3)}*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b*(c + d*x)^{(1/3)}])/(d*e*(e*(c + d*x))^{(1/3)}) - (3*\operatorname{Sin}[a + b*(c + d*x)^{(1/3)}])/(d*e*(e*(c + d*x))^{(1/3)}) - (3*b*(c + d*x)^{(1/3)}*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b*(c + d*x)^{(1/3)}])/(d*e*(e*(c + d*x))^{(1/3)})$

Rule 15

$\operatorname{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \operatorname{Dist}[(a^{\operatorname{IntPart}[m]}*(a*x^n)^{\operatorname{FracPart}[m]})/x^{(n*\operatorname{FracPart}[m])}, \operatorname{Int}[u*x^{(m*n)}, x], x] /; \operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m]$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_)^{(m_)})*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*\sin[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\cos[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin(a + b\sqrt[3]{c + dx})}{(ce + dex)^{4/3}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(a+bx)}{(ex^3)^{4/3}} dx, x, \sqrt[3]{c + dx}\right)}{d} \\
 &= \frac{(3\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} \\
 &= -\frac{3 \sin(a + b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}} + \frac{(3b\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} \\
 &= -\frac{3 \sin(a + b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}} + \frac{(3b\sqrt[3]{c + dx} \cos(a)) \operatorname{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} - \frac{(3b\sqrt[3]{c + dx} \cos(a)) \operatorname{Ci}(b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}} \\
 &= \frac{3b\sqrt[3]{c + dx} \cos(a) \operatorname{Ci}(b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}} - \frac{3b\sqrt[3]{c + dx} \sin(a) \operatorname{Si}(b\sqrt[3]{c + dx})}{de\sqrt[3]{e(c + dx)}}
 \end{aligned}$$

Mathematica [A] time = 0.16, size = 85, normalized size = 0.71

$$\frac{3 \left(-b \cos(a) \sqrt[3]{c+dx} \operatorname{Ci} \left(b \sqrt[3]{c+dx} \right) + b \sin(a) \sqrt[3]{c+dx} \operatorname{Si} \left(b \sqrt[3]{c+dx} \right) + \sin \left(a + b \sqrt[3]{c+dx} \right) \right)}{de \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(4/3), x]

[Out] (-3*(-(b*(c + d*x)^(1/3)*Cos[a]*CosIntegral[b*(c + d*x)^(1/3)]) + Sin[a + b*(c + d*x)^(1/3)] + b*(c + d*x)^(1/3)*Sin[a]*SinIntegral[b*(c + d*x)^(1/3)])/(d*e*(e*(c + d*x))^(1/3))

fricas [F] time = 1.46, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{(dex + ce)^{\frac{2}{3}} \sin \left((dx + c)^{\frac{1}{3}} b + a \right)}{d^2 e^2 x^2 + 2 c d e^2 x + c^2 e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3), x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((d*x + c)^(1/3)*b + a)/(d^2*e^2*x^2 + 2*c*d*e^2*x + c^2*e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left((dx + c)^{\frac{1}{3}} b + a \right)}{(dex + ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3), x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(1/3)*b + a)/(d*e*x + c*e)^(4/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + b (dx + c)^{\frac{1}{3}} \right)}{(dex + ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x)

[Out] int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x)

maxima [C] time = 0.62, size = 128, normalized size = 1.07

$$\frac{\left(3\left(\Gamma\left(-1, i b \sqrt[3]{d x + c}\right)\right) + \Gamma\left(-1, -i b \sqrt[3]{d x + c}\right) + \Gamma\left(-1, i (d x + c)^{\frac{1}{3}} b\right) + \Gamma\left(-1, -i (d x + c)^{\frac{1}{3}} b\right)\right) \cos(a) - \left(3 i \Gamma\left(-1, i b \sqrt[3]{d x + c}\right)\right)}{4 d e^{\frac{4}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x, algorithm="maxima")

[Out] 1/4*(3*(gamma(-1, I*b*conjugate((d*x + c)^(1/3))) + gamma(-1, -I*b*conjugate((d*x + c)^(1/3))) + gamma(-1, I*(d*x + c)^(1/3)*b) + gamma(-1, -I*(d*x + c)^(1/3)*b))*cos(a) - (3*I*gamma(-1, I*b*conjugate((d*x + c)^(1/3))) - 3*I*gamma(-1, -I*b*conjugate((d*x + c)^(1/3))) + 3*I*gamma(-1, I*(d*x + c)^(1/3)*b) - 3*I*gamma(-1, -I*(d*x + c)^(1/3)*b))*sin(a))*b/(d*e^(4/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + b(c + dx)^{1/3}\right)}{(ce + dex)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(4/3),x)

[Out] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(4/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b\sqrt[3]{c + dx}\right)}{(e(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(1/3))/(d*e*x+c*e)**(4/3),x)

[Out] Integral(sin(a + b*(c + d*x)**(1/3))/(e*(c + d*x))**(4/3), x)

$$3.233 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{(ce+dex)^{5/3}} dx$$

Optimal. Leaf size=175

$$\frac{3b^2 \sin(a)(c+dx)^{2/3} \text{Ci}\left(b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3b^2 \cos(a)(c+dx)^{2/3} \text{Si}\left(b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3 \sin\left(a+b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3b\sqrt[3]{c+dx} c}{2de(e(c+dx))^{2/3}}$$

[Out] $-3/2*b*(d*x+c)^{(1/3)}*\cos(a+b*(d*x+c)^{(1/3)})/d/e/(e*(d*x+c))^{(2/3)}-3/2*b^2*(d*x+c)^{(2/3)}*\cos(a)*\text{Si}(b*(d*x+c)^{(1/3)})/d/e/(e*(d*x+c))^{(2/3)}-3/2*b^2*(d*x+c)^{(2/3)}*\text{Ci}(b*(d*x+c)^{(1/3)})*\sin(a)/d/e/(e*(d*x+c))^{(2/3)}-3/2*\sin(a+b*(d*x+c)^{(1/3)})/d/e/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.18, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$\frac{3b^2 \sin(a)(c+dx)^{2/3} \text{CosIntegral}\left(b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3b^2 \cos(a)(c+dx)^{2/3} \text{Si}\left(b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3 \sin\left(a+b\sqrt[3]{c+dx}\right)}{2de(e(c+dx))^{2/3}} - \frac{3b\sqrt[3]{c+dx} c}{2de(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*(c + d*x)^{(1/3)}]/(c*e + d*e*x)^{(5/3)}, x]$

[Out] $(-3*b*(c + d*x)^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(1/3)}]/(2*d*e*(e*(c + d*x))^{(2/3)}) - (3*b^2*(c + d*x)^{(2/3)}*\text{CosIntegral}[b*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(2*d*e*(e*(c + d*x))^{(2/3)}) - (3*\text{Sin}[a + b*(c + d*x)^{(1/3)}]/(2*d*e*(e*(c + d*x))^{(2/3)}) - (3*b^2*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{SinIntegral}[b*(c + d*x)^{(1/3)}])/(2*d*e*(e*(c + d*x))^{(2/3)})$

Rule 15

$\text{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[m]}*(a*x^n)^{\text{FracPart}[m]})/x^{(n*\text{FracPart}[m])}, \text{Int}[u*x^{(m*n)}, x], x] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m]$

Rule 3297

$\text{Int}[((c_.) + (d_.)*(x_))^{(m_)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m+1)}*\text{Sin}[e + f*x]/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b\sqrt[3]{c + dx})}{(ce + dex)^{5/3}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(a+bx)}{(ex^3)^{5/3}} dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= \frac{(3(c + dx)^{2/3}) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \sqrt[3]{c + dx}\right)}{de(e(c + dx))^{2/3}} \\
&= -\frac{3 \sin(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} + \frac{(3b(c + dx)^{2/3}) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, \sqrt[3]{c + dx}\right)}{2de(e(c + dx))^{2/3}} \\
&= -\frac{3b\sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} - \frac{(3b^2(c + dx)^{2/3}) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, \sqrt[3]{c + dx}\right)}{2de(e(c + dx))^{2/3}} \\
&= -\frac{3b\sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} - \frac{(3b^2(c + dx)^{2/3} \cos(a)) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x} dx, x, \sqrt[3]{c + dx}\right)}{2de(e(c + dx))^{2/3}} \\
&= -\frac{3b\sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx})}{2de(e(c + dx))^{2/3}} - \frac{3b^2(c + dx)^{2/3} \operatorname{Ci}(b\sqrt[3]{c + dx}) \sin(a)}{2de(e(c + dx))^{2/3}} - \frac{3 \sin(a)}{2de(e(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 115, normalized size = 0.66

$$\frac{3(b^2 \sin(a)(c + dx)^{2/3} \operatorname{Ci}(b\sqrt[3]{c + dx}) + b^2 \cos(a)(c + dx)^{2/3} \operatorname{Si}(b\sqrt[3]{c + dx}) + \sin(a + b\sqrt[3]{c + dx}) + b\sqrt[3]{c + dx} \cos(a + b\sqrt[3]{c + dx}))}{2de(e(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(5/3), x]

[Out] (-3*(b*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(1/3)] + b^2*(c + d*x)^(2/3)*CosIntegral[b*(c + d*x)^(1/3)]*Sin[a] + Sin[a + b*(c + d*x)^(1/3)] + b^2*(c + d*x)^(2/3)*Cos[a]*SinIntegral[b*(c + d*x)^(1/3)])/(2*d*e*(e*(c + d*x))^(2/3))

fricas [F] time = 1.40, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{(dex + ce)^{\frac{1}{3}} \sin\left((dx + c)^{\frac{1}{3}} b + a\right)}{d^2 e^2 x^2 + 2 c d e^2 x + c^2 e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3), x, algorithm="fricas")

[Out] $\text{integral}((d*e*x + c*e)^{(1/3)}*\sin((d*x + c)^{(1/3)}*b + a)/(d^2*e^2*x^2 + 2*c*d*e^2*x + c^2*e^2), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{1}{3}b(dx+c) + a\right)}{(dex+ce)^{5/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sin(a+b*(d*x+c)^{(1/3)})/(d*e*x+c*e)^{(5/3)}, x, \text{algorithm}="giac")$

[Out] $\text{integrate}(\sin((d*x + c)^{(1/3)}*b + a)/(d*e*x + c*e)^{(5/3)}, x)$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx+c)^{1/3}\right)}{(dex+ce)^{5/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(\sin(a+b*(d*x+c)^{(1/3)})/(d*e*x+c*e)^{(5/3)}, x)$

[Out] $\text{int}(\sin(a+b*(d*x+c)^{(1/3)})/(d*e*x+c*e)^{(5/3)}, x)$

maxima [C] time = 0.62, size = 129, normalized size = 0.74

$$\frac{\left(\left(3i\Gamma\left(-2, i b(dx+c)^{1/3}\right) - 3i\Gamma\left(-2, -i b(dx+c)^{1/3}\right) + 3i\Gamma\left(-2, i(dx+c)^{1/3}b\right) - 3i\Gamma\left(-2, -i(dx+c)^{1/3}b\right)\right)\cos(a) + 3\left(\Gamma\left(-2, i b(dx+c)^{1/3}\right) - \Gamma\left(-2, -i b(dx+c)^{1/3}\right) + \Gamma\left(-2, i(dx+c)^{1/3}b\right) - \Gamma\left(-2, -i(dx+c)^{1/3}b\right)\right)\sin(a)\right)b^2}{4de^{5/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(\sin(a+b*(d*x+c)^{(1/3)})/(d*e*x+c*e)^{(5/3)}, x, \text{algorithm}="maxima")$

[Out] $1/4*((3*I*\text{gamma}(-2, I*b*\text{conjugate}((d*x + c)^{(1/3)})) - 3*I*\text{gamma}(-2, -I*b*\text{conjugate}((d*x + c)^{(1/3)})) + 3*I*\text{gamma}(-2, I*(d*x + c)^{(1/3)}*b) - 3*I*\text{gamma}(-2, -I*(d*x + c)^{(1/3)}*b))*\cos(a) + 3*(\text{gamma}(-2, I*b*\text{conjugate}((d*x + c)^{(1/3)})) + \text{gamma}(-2, -I*b*\text{conjugate}((d*x + c)^{(1/3)})) + \text{gamma}(-2, I*(d*x + c)^{(1/3)}*b) + \text{gamma}(-2, -I*(d*x + c)^{(1/3)}*b))*\sin(a))*b^2/(d*e^{5/3})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + b(c+dx)^{1/3}\right)}{(ce+dex)^{5/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(5/3), x)`

[Out] `int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(5/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b\sqrt[3]{c + dx}\right)}{(e(c + dx))^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(1/3))/(d*e*x+c*e)**(5/3), x)`

[Out] `Integral(sin(a + b*(c + d*x)**(1/3))/(e*(c + d*x))**(5/3), x)`

$$3.234 \quad \int \frac{\sin\left(a+b\sqrt[3]{c+dx}\right)}{(ce+dex)^{7/3}} dx$$

Optimal. Leaf size=267

$$\frac{b^4 \sin(a)\sqrt[3]{c+dx} \operatorname{Ci}\left(b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{e(c+dx)}} + \frac{b^4 \cos(a)\sqrt[3]{c+dx} \operatorname{Si}\left(b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{e(c+dx)}} + \frac{b^3 \cos\left(a+b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{e(c+dx)}} + \frac{b^2 \sin\left(a+b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{c+dx}\sqrt[3]{e(c+dx)}}$$

[Out] $1/8*b^3*\cos(a+b*(d*x+c)^{(1/3)})/d/e^2/(e*(d*x+c))^{(1/3)}-1/4*b*\cos(a+b*(d*x+c))^{(1/3)}/d/e^2/(d*x+c)^{(2/3)}/(e*(d*x+c))^{(1/3)}+1/8*b^4*(d*x+c)^{(1/3)}*\cos(a)*\operatorname{Si}(b*(d*x+c)^{(1/3)})/d/e^2/(e*(d*x+c))^{(1/3)}+1/8*b^4*(d*x+c)^{(1/3)}*\operatorname{Ci}(b*(d*x+c)^{(1/3)})*\sin(a)/d/e^2/(e*(d*x+c))^{(1/3)}-3/4*\sin(a+b*(d*x+c)^{(1/3)})/d/e^2/(d*x+c)/(e*(d*x+c))^{(1/3)}+1/8*b^2*\sin(a+b*(d*x+c)^{(1/3)})/d/e^2/(d*x+c)^{(1/3)}/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.26, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$\frac{b^4 \sin(a)\sqrt[3]{c+dx} \operatorname{CosIntegral}\left(b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{e(c+dx)}} + \frac{b^4 \cos(a)\sqrt[3]{c+dx} \operatorname{Si}\left(b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{e(c+dx)}} + \frac{b^2 \sin\left(a+b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{c+dx}\sqrt[3]{e(c+dx)}} + \frac{b^3 \cos\left(a+b\sqrt[3]{c+dx}\right)}{8de^2\sqrt[3]{c+dx}\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(7/3), x]`

[Out] $(b^3*\operatorname{Cos}[a + b*(c + d*x)^{(1/3)}])/(8*d*e^2*(e*(c + d*x))^{(1/3)}) - (b*\operatorname{Cos}[a + b*(c + d*x)^{(1/3)}])/(4*d*e^2*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(1/3)}) + (b^4*(c + d*x)^{(1/3)}*\operatorname{CosIntegral}[b*(c + d*x)^{(1/3)}*\operatorname{Sin}[a]])/(8*d*e^2*(e*(c + d*x))^{(1/3)}) - (3*\operatorname{Sin}[a + b*(c + d*x)^{(1/3)}])/(4*d*e^2*(c + d*x)*(e*(c + d*x))^{(1/3)}) + (b^2*\operatorname{Sin}[a + b*(c + d*x)^{(1/3)}])/(8*d*e^2*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(1/3)}) + (b^4*(c + d*x)^{(1/3)}*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b*(c + d*x)^{(1/3)}])/(8*d*e^2*(e*(c + d*x))^{(1/3)})$

Rule 15

`Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]`

Rule 3297

`Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Sin[e + f*x], x], x]`

```
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*SIN[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b\sqrt[3]{c + dx})}{(ce + dex)^{7/3}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{x^2 \sin(ax + bx^3)}{(ex^3)^{7/3}} dx, x, \sqrt[3]{c + dx}\right)}{d} \\
&= \frac{(3\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \frac{\sin(ax + bx^3)}{x^5} dx, x, \sqrt[3]{c + dx}\right)}{de^2 \sqrt[3]{e(c + dx)}} \\
&= -\frac{3 \sin(a + b\sqrt[3]{c + dx})}{4de^2(c + dx) \sqrt[3]{e(c + dx)}} + \frac{(3b\sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \frac{\cos(ax + bx^3)}{x^4} dx, x, \sqrt[3]{c + dx}\right)}{4de^2 \sqrt[3]{e(c + dx)}} \\
&= -\frac{b \cos(a + b\sqrt[3]{c + dx})}{4de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{4de^2(c + dx) \sqrt[3]{e(c + dx)}} - \frac{(b^2 \sqrt[3]{c + dx}) \operatorname{Subst}\left(\int \frac{\sin(ax + bx^3)}{x^3} dx, x, \sqrt[3]{c + dx}\right)}{4de^2 \sqrt[3]{e(c + dx)}} \\
&= -\frac{b \cos(a + b\sqrt[3]{c + dx})}{4de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{4de^2(c + dx) \sqrt[3]{e(c + dx)}} + \frac{b^2 \sin(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{c + dx} \sqrt[3]{e(c + dx)}} \\
&= \frac{b^3 \cos(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{e(c + dx)}} - \frac{b \cos(a + b\sqrt[3]{c + dx})}{4de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{4de^2(c + dx) \sqrt[3]{e(c + dx)}} + \frac{b^2 \sin(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{c + dx} \sqrt[3]{e(c + dx)}} \\
&= \frac{b^3 \cos(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{e(c + dx)}} - \frac{b \cos(a + b\sqrt[3]{c + dx})}{4de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} - \frac{3 \sin(a + b\sqrt[3]{c + dx})}{4de^2(c + dx) \sqrt[3]{e(c + dx)}} + \frac{b^2 \sin(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{c + dx} \sqrt[3]{e(c + dx)}} \\
&= \frac{b^3 \cos(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{e(c + dx)}} - \frac{b \cos(a + b\sqrt[3]{c + dx})}{4de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} + \frac{b^4 \sqrt[3]{c + dx} \operatorname{Ci}(b\sqrt[3]{c + dx}) \sin(a + b\sqrt[3]{c + dx})}{8de^2 \sqrt[3]{e(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 184, normalized size = 0.69

$$\frac{b^4 \sin(a)(c + dx)^{4/3} \operatorname{Ci}(b\sqrt[3]{c + dx}) + b^4 \cos(a)(c + dx)^{4/3} \operatorname{Si}(b\sqrt[3]{c + dx}) + b^3 c \cos(a + b\sqrt[3]{c + dx}) + b^3 dx \cos(a + b\sqrt[3]{c + dx})}{8de^2(c + dx)^{2/3} \sqrt[3]{e(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(1/3)]/(c*e + d*e*x)^(7/3), x]

[Out] (b^3*c*Cos[a + b*(c + d*x)^(1/3)] + b^3*d*x*Cos[a + b*(c + d*x)^(1/3)] - 2*b*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(1/3)] + b^4*(c + d*x)^(4/3)*CosIntegral[b*(c + d*x)^(1/3)]*Sin[a] - 6*Sin[a + b*(c + d*x)^(1/3)] + b^2*(c + d*x)^(2/3)*Sin[a + b*(c + d*x)^(1/3)] + b^4*(c + d*x)^(4/3)*Cos[a]*SinIntegral[b*(c + d*x)^(1/3)]/(8*d*e*(e*(c + d*x))^(4/3))

fricas [F] time = 1.32, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(dx + ce)^{\frac{2}{3}} \sin \left((dx + c)^{\frac{1}{3}} b + a \right)}{d^3 e^3 x^3 + 3 cd^2 e^3 x^2 + 3 c^2 d e^3 x + c^3 e^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((d*x + c)^(1/3)*b + a)/(d^3*e^3*x^3 + 3*c*d^2*e^3*x^2 + 3*c^2*d*e^3*x + c^3*e^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left((dx + c)^{\frac{1}{3}} b + a \right)}{(dx + ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(1/3)*b + a)/(d*e*x + c*e)^(7/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + b (dx + c)^{\frac{1}{3}} \right)}{(dx + ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x)

[Out] int(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x)

maxima [C] time = 0.70, size = 129, normalized size = 0.48

$$\frac{\left(\left(3i\Gamma \left(-4, i\overline{b(dx + c)^{\frac{1}{3}}} \right) - 3i\Gamma \left(-4, -i\overline{b(dx + c)^{\frac{1}{3}}} \right) + 3i\Gamma \left(-4, i(dx + c)^{\frac{1}{3}}b \right) - 3i\Gamma \left(-4, -i(dx + c)^{\frac{1}{3}}b \right) \right) \cos(a) + \dots \right)}{4de^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x, algorithm="maxima")

```
[Out] -1/4*((3*I*gamma(-4, I*b*conjugate((d*x + c)^(1/3))) - 3*I*gamma(-4, -I*b*c
onjugate((d*x + c)^(1/3))) + 3*I*gamma(-4, I*(d*x + c)^(1/3)*b) - 3*I*gamma
(-4, -I*(d*x + c)^(1/3)*b))*cos(a) + 3*(gamma(-4, I*b*conjugate((d*x + c)^(
1/3))) + gamma(-4, -I*b*conjugate((d*x + c)^(1/3))) + gamma(-4, I*(d*x + c)
^(1/3)*b) + gamma(-4, -I*(d*x + c)^(1/3)*b))*sin(a))*b^4/(d*e^(7/3))
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin(a + b(c + dx)^{1/3})}{(ce + dex)^{7/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(7/3), x)
```

```
[Out] int(sin(a + b*(c + d*x)^(1/3))/(c*e + d*e*x)^(7/3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(1/3))/(d*e*x+c*e)**(7/3), x)
```

```
[Out] Timed out
```

3.235 $\int (ce + dex)^{4/3} \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=267

$$\frac{45\sqrt{\pi} e \cos(a) \sqrt[3]{e(c+dx)} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}} + \frac{45\sqrt{\pi} e \sin(a) \sqrt[3]{e(c+dx)} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}} + \frac{45e \sqrt[3]{e(c+dx)}}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}}$$

[Out] $45/8 * e * (e * (d * x + c))^{(1/3)} * \cos(a + b * (d * x + c)^{(2/3)}) / b^3 / d - 3/2 * e * (d * x + c)^{(4/3)} * (e * (d * x + c))^{(1/3)} * \cos(a + b * (d * x + c)^{(2/3)}) / b / d + 15/4 * e * (d * x + c)^{(2/3)} * (e * (d * x + c))^{(1/3)} * \sin(a + b * (d * x + c)^{(2/3)}) / b^2 / d - 45/16 * e * (e * (d * x + c))^{(1/3)} * \cos(a) * \text{FresnelC}((d * x + c)^{(1/3)} * b^{(1/2)} * 2^{(1/2)} / \text{Pi}^{(1/2)}) * \text{Pi}^{(1/2)} / b^{(7/2)} / d / (d * x + c)^{(1/3)} * 2^{(1/2)} + 45/16 * e * (e * (d * x + c))^{(1/3)} * \text{FresnelS}((d * x + c)^{(1/3)} * b^{(1/2)} * 2^{(1/2)} / \text{Pi}^{(1/2)}) * \sin(a) * \text{Pi}^{(1/2)} / b^{(7/2)} / d / (d * x + c)^{(1/3)} * 2^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 267, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {3435, 3417, 3415, 3385, 3386, 3354, 3352, 3351}

$$\frac{45\sqrt{\pi} e \cos(a) \sqrt[3]{e(c+dx)} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c+dx}\right)}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}} + \frac{45\sqrt{\pi} e \sin(a) \sqrt[3]{e(c+dx)} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}} + \frac{15e(c+dx)}{8\sqrt{2} b^{7/2} d \sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c * e + d * e * x)^{(4/3)} * \text{Sin}[a + b * (c + d * x)^{(2/3)}], x]$

[Out] $(45 * e * (e * (c + d * x))^{(1/3)} * \text{Cos}[a + b * (c + d * x)^{(2/3)}]) / (8 * b^3 * d) - (3 * e * (c + d * x)^{(4/3)} * (e * (c + d * x))^{(1/3)} * \text{Cos}[a + b * (c + d * x)^{(2/3)}]) / (2 * b * d) - (45 * e * \text{Sqrt}[\text{Pi}] * (e * (c + d * x))^{(1/3)} * \text{Cos}[a] * \text{FresnelC}[\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}] * (c + d * x)^{(1/3)}]) / (8 * \text{Sqrt}[2] * b^{(7/2)} * d * (c + d * x)^{(1/3)}) + (45 * e * \text{Sqrt}[\text{Pi}] * (e * (c + d * x))^{(1/3)} * \text{FresnelS}[\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}] * (c + d * x)^{(1/3)}] * \text{Sin}[a]) / (8 * \text{Sqrt}[2] * b^{(7/2)} * d * (c + d * x)^{(1/3)}) + (15 * e * (c + d * x)^{(2/3)} * (e * (c + d * x))^{(1/3)} * \text{Sin}[a + b * (c + d * x)^{(2/3)}]) / (4 * b^2 * d)$

Rule 3351

$\text{Int}[\text{Sin}[(d \cdot) * ((e \cdot) + (f \cdot) * (x \cdot))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelS}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d \cdot) * ((e \cdot) + (f \cdot) * (x \cdot))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3354

```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3385

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := -Simp[(e^
(n - 1)*(e*x)(m - n + 1)*Cos[c + d*xn]/(d*n), x] + Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[(e^
(n - 1)*(e*x)(m - n + 1)*Sin[c + d*xn]/(d*n), x] - Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3415

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_Symbol
] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x(k*(m + 1) - 1)*(a +
b*Sin[c + d*x(k*n)])p, x], x, x(1/k)], x] /; FreeQ[{a, b, c, d, m}, x]
&& IntegerQ[p] && FractionQ[n]
```

Rule 3417

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_
Symbol] := Dist[(e^IntPart[m]*(e*x)FracPart[m])/xFracPart[m], Int[xm*(a
+ b*Sin[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p]
] && FractionQ[n]
```

Rule 3435

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)])(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)m*(a + b
*Sin[c + d*xn])p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int (ce + dex)^{4/3} \sin(a + b(c + dx)^{2/3}) dx &= \frac{\text{Subst}\left(\int (ex)^{4/3} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d} \\
&= \frac{\left(e\sqrt[3]{e(c + dx)}\right) \text{Subst}\left(\int x^{4/3} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d\sqrt[3]{c + dx}} \\
&= \frac{\left(3e\sqrt[3]{e(c + dx)}\right) \text{Subst}\left(\int x^6 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d\sqrt[3]{c + dx}} \\
&= -\frac{3e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{\left(15e\sqrt[3]{e(c + dx)}\right) S}{2bd} \\
&= -\frac{3e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{15e(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} \\
&= \frac{45e\sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{8b^3d} - \frac{3e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} \\
&= \frac{45e\sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{8b^3d} - \frac{3e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} \\
&= \frac{45e\sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{8b^3d} - \frac{3e(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd}
\end{aligned}$$

Mathematica [A] time = 0.76, size = 175, normalized size = 0.66

$$\frac{3(e(c + dx))^{4/3} \left(2\sqrt{b} \left(\sqrt[3]{c + dx} \left(4b^2(c + dx)^{4/3} - 15\right) \cos(a + b(c + dx)^{2/3}) - 10b(c + dx) \sin(a + b(c + dx)^{2/3})\right)\right)}{16b^{7/2}d(c + dx)^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(4/3)*Sin[a + b*(c + d*x)^(2/3)],x]

[Out] (-3*(e*(c + d*x))^(4/3)*(15*Sqrt[2*Pi]*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)] - 15*Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a] + 2*Sqrt[b]*((c + d*x)^(1/3)*(-15 + 4*b^2*(c + d*x)^(4/3))*Cos[a + b*(c + d*x)^(2/3)] - 10*b*(c + d*x)*Sin[a + b*(c + d*x)^(2/3)])))/(16*b^(7/2)*d*(c + d*x)^(4/3))

fricas [F] time = 1.42, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(dx + ce\right)^{\frac{4}{3}} \sin\left(\left(dx + c\right)^{\frac{2}{3}} b + a\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(4/3)*sin((d*x + c)^(2/3)*b + a), x)

giac [C] time = 1.09, size = 713, normalized size = 2.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")

[Out]
$$\begin{aligned} & -3/32*(8*(-I*\sqrt{\pi})*\operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{-I*b*e^{(-2/3)}}))*e^{(I*a)} \\ & / \sqrt{-I*b*e^{(-2/3)}} + I*\sqrt{\pi}*\operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{I*b*e^{(-2/3)}})) * e^{(-I*a)} / \sqrt{I*b*e^{(-2/3)}} * c^2 * e + (-8*I*\sqrt{\pi}) * c^2 * \operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{-I*b*e^{(-2/3)}})) * e^{(I*a)} / (\sqrt{-I*b*e^{(-2/3)}} * d^2) + 8*I*\sqrt{\pi} * c^2 * \operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{I*b*e^{(-2/3)}})) * e^{(-I*a)} / (\sqrt{I*b*e^{(-2/3)}} * d^2) + (-2*I*(4*I*(d*x*e + c*e)^{(5/3)}*b^2*e^{(-4/3)} - 10*(d*x*e + c*e)*b*e^{(-2/3)} - 15*I*(d*x*e + c*e)^{(1/3)}) * e^{(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + I*a)} / b^3 - 15*\sqrt{\pi}*\operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{-I*b*e^{(-2/3)}})) * e^{(I*a)} / (\sqrt{-I*b*e^{(-2/3)}} * b^3) / d^2 + (-2*I*(4*I*(d*x*e + c*e)^{(5/3)}*b^2 * e^{(-4/3)} + 10*(d*x*e + c*e)*b*e^{(-2/3)} - 15*I*(d*x*e + c*e)^{(1/3)}) * e^{(-I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - I*a)} / b^3 - 15*\sqrt{\pi}*\operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{I*b*e^{(-2/3)}})) * e^{(-I*a)} / (\sqrt{I*b*e^{(-2/3)}} * b^3) / d^2 - 16*I*(-I*(d*x*e + c*e)^{(2/3)}*b*c*e^{(-2/3)} + c) * e^{(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + I*a + 1/3)} / (b^2*d^2) - 16*I*(-I*(d*x*e + c*e)^{(2/3)}*b*c*e^{(-2/3)} - c) * e^{(-I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - I*a + 1/3)} / (b^2*d^2) * d^2 * e + 16*(I*\sqrt{\pi}) * c * \operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{-I*b*e^{(-2/3)}})) * e^{(I*a + 1)} / \sqrt{-I*b*e^{(-2/3)}} - I*\sqrt{\pi} * c * \operatorname{erf}(-(d*x*e + c*e)^{(1/3)}*\sqrt{I*b*e^{(-2/3)}})) * e^{(-I*a + 1)} / \sqrt{I*b*e^{(-2/3)}} - I*(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - 1) * e^{(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + I*a + 4/3)} / b^2 - I*(I*(d*x*e + c*e)^{(2/3)}*b * e^{(-2/3)} + 1) * e^{(-I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - I*a + 4/3)} / b^2 * c) / d \end{aligned}$$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{4}{3}} \sin\left(a + b(dx + c)^{\frac{2}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(2/3)),x)

maxima [C] time = 0.78, size = 386, normalized size = 1.45

$$\left(\left(\left(-3i\Gamma\left(\frac{7}{2}, -ib(dx+c)^{\frac{2}{3}}\right) + 3i\Gamma\left(\frac{7}{2}, i(dx+c)^{\frac{2}{3}}b\right) \right) \cos\left(\frac{7}{4}\pi + \frac{7}{3}\arctan\left(0, dx+c\right)\right) + \left(3i\Gamma\left(\frac{7}{2}, ib(dx+c)^{\frac{2}{3}}\right) - \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")
[Out] -1/8*((( -3*I*gamma(7/2, -I*b*conjugate((d*x + c)^(2/3))) + 3*I*gamma(7/2, I
*(d*x + c)^(2/3)*b)))*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + (3*I*gamma(7/2
, I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(7/2, -I*(d*x + c)^(2/3)*b))*c
os(-7/4*pi + 7/3*arctan2(0, d*x + c)) + 3*(gamma(7/2, -I*b*conjugate((d*x +
c)^(2/3))) + gamma(7/2, I*(d*x + c)^(2/3)*b))*sin(7/4*pi + 7/3*arctan2(0,
d*x + c)) - 3*(gamma(7/2, I*b*conjugate((d*x + c)^(2/3))) + gamma(7/2, -I*(
d*x + c)^(2/3)*b))*sin(-7/4*pi + 7/3*arctan2(0, d*x + c))*cos(a) + (3*(gam
ma(7/2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(7/2, I*(d*x + c)^(2/3)*b))
*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + 3*(gamma(7/2, I*b*conjugate((d*x +
c)^(2/3))) + gamma(7/2, -I*(d*x + c)^(2/3)*b))*cos(-7/4*pi + 7/3*arctan2(0
, d*x + c)) + (3*I*gamma(7/2, -I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(
7/2, I*(d*x + c)^(2/3)*b))*sin(7/4*pi + 7/3*arctan2(0, d*x + c)) + (3*I*gam
ma(7/2, I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(7/2, -I*(d*x + c)^(2/3
)*b))*sin(-7/4*pi + 7/3*arctan2(0, d*x + c))*sin(a))*sqrt((d*x + c)^(2/3)*b
)*e^(4/3)/((d*x + c)^(1/3)*b^4*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{2/3}) (ce + dex)^{4/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(4/3),x)
[Out] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(4/3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*e*x+c*e)**(4/3)*sin(a+b*(d*x+c)**(2/3)),x)
[Out] Timed out
```

3.236 $\int (ce + dex)^{2/3} \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=227

$$\frac{9\sqrt{\pi} \sin(a)(e(c + dx))^{2/3} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{4\sqrt{2} b^{5/2} d(c + dx)^{2/3}} - \frac{9\sqrt{\pi} \cos(a)(e(c + dx))^{2/3} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{4\sqrt{2} b^{5/2} d(c + dx)^{2/3}} + \frac{9(e(c + dx))^{2/3} \sin(a)}{4b^2 d}$$

[Out] $-3/2*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(2/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d+9/4*(e*(d*x+c))^{(2/3)}*\sin(a+b*(d*x+c)^{(2/3)})/b^2/d/(d*x+c)^{(1/3)}-9/8*(e*(d*x+c))^{(2/3)}*\cos(a)*\text{FresnelS}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(5/2)}/d/(d*x+c)^{(2/3)}*2^{(1/2)}-9/8*(e*(d*x+c))^{(2/3)}*\text{FresnelC}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*\text{Pi}^{(1/2)}/b^{(5/2)}/d/(d*x+c)^{(2/3)}*2^{(1/2)}$

Rubi [A] time = 0.20, antiderivative size = 227, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {3435, 3417, 3415, 3385, 3386, 3353, 3352, 3351}

$$\frac{9\sqrt{\pi} \sin(a)(e(c + dx))^{2/3} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c + dx}\right)}{4\sqrt{2} b^{5/2} d(c + dx)^{2/3}} - \frac{9\sqrt{\pi} \cos(a)(e(c + dx))^{2/3} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{4\sqrt{2} b^{5/2} d(c + dx)^{2/3}} + \frac{9(e(c + dx))^{2/3} \sin(a)}{4b^2 d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}], x]$

[Out] $(-3*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(2/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(2*b*d) - (9*\text{Sqrt}[\text{Pi}]*e^{(2/3)}*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}])/(4*\text{Sqrt}[2]*b^{(5/2)}*d*(c + d*x)^{(2/3)}) - (9*\text{Sqrt}[\text{Pi}]*e^{(2/3)}*(c + d*x)^{(2/3)}*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(4*\text{Sqrt}[2]*b^{(5/2)}*d*(c + d*x)^{(2/3)}) + (9*(e*(c + d*x))^{(2/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(4*b^2*d*(c + d*x)^{(1/3)})$

Rule 3351

$\text{Int}[\text{Sin}[(d_*)*((e_*) + (f_*)*(x_*)^2)], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_*)*((e_*) + (f_*)*(x_*)^2)], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}[\{d, e, f\}, x]$

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3385

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := -Simp[(e(
n - 1)*(e*x)(m - n + 1)*Cos[c + d*xn])/(d*n), x] + Dist[(en*(m - n + 1)
)/(d*n), Int[(e*x)(m - n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3386

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[(e(
n - 1)*(e*x)(m - n + 1)*Sin[c + d*xn])/(d*n), x] - Dist[(en*(m - n + 1))
/(d*n), Int[(e*x)(m - n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 3415

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_Symbol
] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x(k*(m + 1) - 1)*(a +
b*Ssin[c + d*x(k*n)])p, x], x, x(1/k)], x]] /; FreeQ[{a, b, c, d, m}, x]
&& IntegerQ[p] && FractionQ[n]
```

Rule 3417

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_
Symbol] := Dist[(eIntPart[m]*(e*x)FracPart[m])/xFracPart[m], Int[xm*(a
+ b*Ssin[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p]
] && FractionQ[n]
```

Rule 3435

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)])(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)m*(a + b
*Ssin[c + d*xn])p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int (ce + dex)^{2/3} \sin(a + b(c + dx)^{2/3}) dx &= \frac{\text{Subst}\left(\int (ex)^{2/3} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d} \\
&= \frac{(e(c + dx))^{2/3} \text{Subst}\left(\int x^{2/3} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d(c + dx)^{2/3}} \\
&= \frac{(3(e(c + dx))^{2/3}) \text{Subst}\left(\int x^4 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d(c + dx)^{2/3}} \\
&= -\frac{3\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{(9(e(c + dx))^{2/3}) \text{Subst}\left(\int x^4 \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{4b^2 d \sqrt[3]{c + dx}} \\
&= -\frac{3\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{9(e(c + dx))^{2/3} \sin(a + b(c + dx)^{2/3})}{4b^2 d \sqrt[3]{c + dx}} \\
&= -\frac{3\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{9(e(c + dx))^{2/3} \sin(a + b(c + dx)^{2/3})}{4b^2 d \sqrt[3]{c + dx}} \\
&= -\frac{3\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos(a + b(c + dx)^{2/3})}{2bd} - \frac{9\sqrt{\pi} (e(c + dx))^{2/3} \cos(a + b(c + dx)^{2/3})}{4\sqrt{2} b^{5/2} d}
\end{aligned}$$

Mathematica [A] time = 0.47, size = 160, normalized size = 0.70

$$\frac{3(e(c + dx))^{2/3} \left(3\sqrt{2\pi} \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) + 3\sqrt{2\pi} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right) + 2\sqrt{b} (2b(c + dx) \cos(a + b(c + dx)^{2/3}) - 3(c + dx)^{1/3} \sin(a + b(c + dx)^{2/3})) \right)}{8b^{5/2} d (c + dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(2/3)*Sin[a + b*(c + d*x)^(2/3)],x]

[Out] (-3*(e*(c + d*x))^(2/3)*(3*Sqrt[2*Pi]*Cos[a]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)] + 3*Sqrt[2*Pi]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a] + 2*Sqrt[b]*(2*b*(c + d*x)*Cos[a + b*(c + d*x)^(2/3)] - 3*(c + d*x)^(1/3)*Sin[a + b*(c + d*x)^(2/3)]))/(8*b^(5/2)*d*(c + d*x)^(2/3))

fricas [F] time = 1.49, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(dx + ce\right)^{\frac{2}{3}} \sin\left(\left(dx + c\right)^{\frac{2}{3}} b + a\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((d*x + c)^(2/3)*b + a), x)

giac [C] time = 0.72, size = 321, normalized size = 1.41

$$3 \left[\frac{4c \left(\cos \left((dxe+ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3} \right)} + a \right) + \cos \left(-(dxe+ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3} \right)} - a \right) \right) e^{\frac{2}{3}}}{b} - \left(\frac{4ce \left(i(dxe+ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3} \right)} + i a + \frac{5}{3} \right)}{b} + \frac{4ce \left(-i(dxe+ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3} \right)} - i a + \frac{5}{3} \right)}{b} + \frac{2i \left(2i(dxe+ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3} \right)} + i a + \frac{5}{3} \right)}{b} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")

[Out] $-3/16*(4*c*(\cos((d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + a) + \cos(-(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - a))*e^{(2/3)}/b - (4*c*e^{(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + I*a + 5/3)}/b + 4*c*e^{(-I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - I*a + 5/3)}/b + 2*I*(2*I*(d*x*e + c*e)*b*e^{(-2/3)} - 3*(d*x*e + c*e)^{(1/3}))*e^{(I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} + I*a + 4/3)}/b^2 + 2*I*(2*I*(d*x*e + c*e)*b*e^{(-2/3)} + 3*(d*x*e + c*e)^{(1/3}))*e^{(-I*(d*x*e + c*e)^{(2/3)}*b*e^{(-2/3)} - I*a + 4/3)}/b^2 - 3*I*\text{sqrt}(\pi)*\text{erf}(-(d*x*e + c*e)^{(1/3})*\text{sqrt}(-I*b*e^{(-2/3)}))*e^{(I*a + 4/3)}/(\text{sqrt}(-I*b*e^{(-2/3)})*b^2) + 3*I*\text{sqrt}(\pi)*\text{erf}(-(d*x*e + c*e)^{(1/3})*\text{sqrt}(I*b*e^{(-2/3)}))*e^{(-I*a + 4/3)}/(\text{sqrt}(I*b*e^{(-2/3)})*b^2))*e^{(-1)}/d$

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{2}{3}} \sin \left(a + b(dx + c)^{\frac{2}{3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(2/3)),x)

maxima [C] time = 0.82, size = 429, normalized size = 1.89

$$(dx + c)^{\frac{2}{3}} \left(\left(9 \left(\Gamma \left(\frac{3}{2}, -i b \overline{(dx + c)^{\frac{2}{3}}} \right) + \Gamma \left(\frac{3}{2}, i (dx + c)^{\frac{2}{3}} b \right) \right) \cos \left(\frac{3}{4} \pi + \arctan(0, dx + c) \right) + 9 \left(\Gamma \left(\frac{3}{2}, i b \overline{(dx + c)^{\frac{2}{3}}} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")

```
[Out] -1/16*((d*x + c)^(2/3))*((9*(gamma(3/2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(3/2, I*(d*x + c)^(2/3)*b))*cos(3/4*pi + arctan2(0, d*x + c)) + 9*(gamma(3/2, I*b*conjugate((d*x + c)^(2/3))) + gamma(3/2, -I*(d*x + c)^(2/3)*b))*cos(-3/4*pi + arctan2(0, d*x + c)) - (-9*I*gamma(3/2, -I*b*conjugate((d*x + c)^(2/3))) + 9*I*gamma(3/2, I*(d*x + c)^(2/3)*b))*sin(3/4*pi + arctan2(0, d*x + c)) - (-9*I*gamma(3/2, I*b*conjugate((d*x + c)^(2/3))) + 9*I*gamma(3/2, -I*(d*x + c)^(2/3)*b))*sin(-3/4*pi + arctan2(0, d*x + c)))*cos(a) - ((-9*I*gamma(3/2, -I*b*conjugate((d*x + c)^(2/3))) + 9*I*gamma(3/2, I*(d*x + c)^(2/3)*b))*cos(3/4*pi + arctan2(0, d*x + c)) + (9*I*gamma(3/2, I*b*conjugate((d*x + c)^(2/3))) - 9*I*gamma(3/2, -I*(d*x + c)^(2/3)*b))*cos(-3/4*pi + arctan2(0, d*x + c)) + 9*(gamma(3/2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(3/2, I*(d*x + c)^(2/3)*b))*sin(3/4*pi + arctan2(0, d*x + c)) - 9*(gamma(3/2, I*b*conjugate((d*x + c)^(2/3))) + gamma(3/2, -I*(d*x + c)^(2/3)*b))*sin(-3/4*pi + arctan2(0, d*x + c))*sin(a))*sqrt((d*x + c)^(2/3)*b)*e^(2/3) + 24*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*e^(2/3)*cos((d*x + c)^(2/3)*b + a)/(b^3*d^2*x + b^3*c*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin(a + b(c + dx)^{2/3}) (ce + dex)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(2/3), x)
```

```
[Out] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(2/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e(c + dx))^{2/3} \sin(a + b(c + dx)^{2/3}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*e*x+c*e)**(2/3)*sin(a+b*(d*x+c)**(2/3)), x)
```

```
[Out] Integral((e*(c + d*x))**(2/3)*sin(a + b*(c + d*x)**(2/3)), x)
```


3.237 $\int \sqrt[3]{ce + dex} \sin(a + b(c + dx)^{2/3}) dx$

Optimal. Leaf size=89

$$\frac{3\sqrt[3]{e(c + dx)} \sin(a + b(c + dx)^{2/3})}{2b^2d\sqrt[3]{c + dx}} - \frac{3\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd}$$

[Out] $-3/2*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(1/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d+3/2*(e*(d*x+c))^{(1/3)}*\sin(a+b*(d*x+c)^{(2/3)})/b^2/d/(d*x+c)^{(1/3)}$

Rubi [A] time = 0.09, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3435, 3381, 3379, 3296, 2637}

$$\frac{3\sqrt[3]{e(c + dx)} \sin(a + b(c + dx)^{2/3})}{2b^2d\sqrt[3]{c + dx}} - \frac{3\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}], x]$

[Out] $(-3*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(2*b*d) + (3*(e*(c + d*x))^{(1/3)}*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(2*b^2*d*(c + d*x)^{(1/3)})$

Rule 2637

$\text{Int}[\text{sin}[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\text{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

$\text{Int}[(x_.)^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)^{(n_.)])^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m+1)/n] - 1)}*(a + b*\text{Sin}[c + d*x])^p, x], x, x^n], x] /;$ FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m+1)/n]] && (EqQ[p, 1] || EqQ[m, n-1] || (IntegerQ[p] && GtQ[Simplify[(m+1)/n], 0]))

Rule 3381

Int[((e_)*(x_))^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3435

Int[((g_.) + (h_.)*(x_))^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned}
 \int \sqrt[3]{ce + dex} \sin(a + b(c + dx)^{2/3}) dx &= \frac{\text{Subst}\left(\int \sqrt[3]{ex} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d} \\
 &= \frac{\sqrt[3]{e(c + dx)} \text{Subst}\left(\int \sqrt[3]{x} \sin(a + bx^{2/3}) dx, x, c + dx\right)}{d\sqrt[3]{c + dx}} \\
 &= \frac{(3\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int x \sin(a + bx) dx, x, (c + dx)^{2/3}\right)}{2d\sqrt[3]{c + dx}} \\
 &= -\frac{3\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{(3\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int \frac{1}{x} dx, x, (c + dx)^{2/3}\right)}{2b} \\
 &= -\frac{3\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos(a + b(c + dx)^{2/3})}{2bd} + \frac{3\sqrt[3]{e(c + dx)} \sin(a + b(c + dx)^{2/3})}{2b^2 d \sqrt[3]{c + dx}}
 \end{aligned}$$

Mathematica [A] time = 0.06, size = 72, normalized size = 0.81

$$\frac{3\sqrt[3]{e(c + dx)} \left(b(c + dx)^{2/3} \cos(a + b(c + dx)^{2/3}) - \sin(a + b(c + dx)^{2/3}) \right)}{2b^2 d \sqrt[3]{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(1/3)*Sin[a + b*(c + d*x)^(2/3)],x]

[Out] (-3*(e*(c + d*x))^(1/3)*(b*(c + d*x)^(2/3)*Cos[a + b*(c + d*x)^(2/3)] - Sin[a + b*(c + d*x)^(2/3)])/(2*b^2*d*(c + d*x)^(1/3))

fricas [A] time = 1.56, size = 89, normalized size = 1.00

$$\frac{3 \left((bdx + bc)(dex + ce)^{\frac{1}{3}}(dx + c)^{\frac{1}{3}} \cos \left((dx + c)^{\frac{2}{3}}b + a \right) - (dex + ce)^{\frac{1}{3}}(dx + c)^{\frac{2}{3}} \sin \left((dx + c)^{\frac{2}{3}}b + a \right) \right)}{2(b^2d^2x + b^2cd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] -3/2*((b*d*x + b*c)*(d*e*x + c*e)^(1/3)*(d*x + c)^(1/3)*cos((d*x + c)^(2/3)*b + a) - (d*e*x + c*e)^(1/3)*(d*x + c)^(2/3)*sin((d*x + c)^(2/3)*b + a))/(b^2*d^2*x + b^2*c*d)

giac [C] time = 1.85, size = 265, normalized size = 2.98

$$3 \left(\frac{i \sqrt{\pi} \operatorname{erf} \left(-(dex+ce)^{\frac{1}{3}} \sqrt{-ibe^{\left(-\frac{2}{3}\right)}} \right) e^{(ia)}}{\sqrt{-ibe^{\left(-\frac{2}{3}\right)}}} + \frac{i \sqrt{\pi} \operatorname{erf} \left(-(dex+ce)^{\frac{1}{3}} \sqrt{ibe^{\left(-\frac{2}{3}\right)}} \right) e^{(-ia)}}{\sqrt{ibe^{\left(-\frac{2}{3}\right)}}} \right) c + \frac{i \sqrt{\pi} c \operatorname{erf} \left(-(dex+ce)^{\frac{1}{3}} \sqrt{-ibe^{\left(-\frac{2}{3}\right)}} \right) e^{(ia+1)}}{\sqrt{-ibe^{\left(-\frac{2}{3}\right)}}} - i \sqrt{\pi} c \operatorname{erf} \left(-(dex+ce)^{\frac{1}{3}} \sqrt{ibe^{\left(-\frac{2}{3}\right)}} \right) e^{(-ia+1)}}{\sqrt{ibe^{\left(-\frac{2}{3}\right)}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="giac")

[Out] -3/4*((-I*sqrt(pi)*erf(-(d*x*e + c*e)^(1/3)*sqrt(-I*b*e^(-2/3)))*e^(I*a)/sqrt(-I*b*e^(-2/3)) + I*sqrt(pi)*erf(-(d*x*e + c*e)^(1/3)*sqrt(I*b*e^(-2/3)))*e^(-I*a)/sqrt(I*b*e^(-2/3)))*c + (I*sqrt(pi)*c*erf(-(d*x*e + c*e)^(1/3)*sqrt(-I*b*e^(-2/3)))*e^(I*a + 1)/sqrt(-I*b*e^(-2/3)) - I*sqrt(pi)*c*erf(-(d*x*e + c*e)^(1/3)*sqrt(I*b*e^(-2/3)))*e^(-I*a + 1)/sqrt(I*b*e^(-2/3)) - I*(I*(d*x*e + c*e)^(2/3)*b*e^(-2/3) - 1)*e^(I*(d*x*e + c*e)^(2/3)*b*e^(-2/3) + I*a + 4/3)/b^2 - I*(I*(d*x*e + c*e)^(2/3)*b*e^(-2/3) + 1)*e^(-I*(d*x*e + c*e)^(2/3)*b*e^(-2/3) - I*a + 4/3)/b^2)*e^(-1))/d

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin \left(a + b(dx + c)^{\frac{2}{3}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(2/3)),x)

maxima [C] time = 1.34, size = 129, normalized size = 1.45

$$\frac{\left(3i\Gamma\left(2, \sqrt[3]{ib(dx+c)^2}\right) - 3i\Gamma\left(2, -\sqrt[3]{ib(dx+c)^2}\right) + 3i\Gamma\left(2, i(dx+c)^{\frac{2}{3}}b\right) - 3i\Gamma\left(2, -i(dx+c)^{\frac{2}{3}}b\right)\right)\cos(a) + 3\left(\Gamma\left(2, i(dx+c)^{\frac{2}{3}}b\right) - \Gamma\left(2, -i(dx+c)^{\frac{2}{3}}b\right)\right)}{8b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b*(d*x+c)^(2/3)),x, algorithm="maxima")

[Out] 1/8*((3*I*gamma(2, I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(2, -I*b*conjugate((d*x + c)^(2/3))) + 3*I*gamma(2, I*(d*x + c)^(2/3)*b) - 3*I*gamma(2, -I*(d*x + c)^(2/3)*b))*cos(a) + 3*(gamma(2, I*b*conjugate((d*x + c)^(2/3))) + gamma(2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(2, I*(d*x + c)^(2/3)*b) + gamma(2, -I*(d*x + c)^(2/3)*b))*sin(a))*e^(1/3)/(b^2*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + b(c + dx)^{2/3}\right) (ce + dex)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(1/3),x)

[Out] int(sin(a + b*(c + d*x)^(2/3))*(c*e + d*e*x)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{e(c + dx)} \sin\left(a + b(c + dx)^{\frac{2}{3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)**(1/3)*sin(a+b*(d*x+c)**(2/3)),x)

[Out] Integral((e*(c + d*x))**(1/3)*sin(a + b*(c + d*x)**(2/3)), x)

$$3.238 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{\sqrt[3]{ce+dex}} dx$$

Optimal. Leaf size=44

$$-\frac{3\sqrt[3]{c+dx} \cos(a+b(c+dx)^{2/3})}{2bd\sqrt[3]{e(c+dx)}}$$

[Out] $-3/2*(d*x+c)^{(1/3)}*\cos(a+b*(d*x+c)^{(2/3)})/b/d/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.06, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3435, 3381, 3379, 2638}

$$-\frac{3\sqrt[3]{c+dx} \cos(a+b(c+dx)^{2/3})}{2bd\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(1/3),x]`

[Out] $(-3*(c + d*x)^{(1/3)}*\text{Cos}[a + b*(c + d*x)^{(2/3)}])/(2*b*d*(e*(c + d*x))^{(1/3)})$

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3379

`Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))`

Rule 3381

`Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]`

Rule 3435

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin(a + b(c + dx)^{2/3})}{\sqrt[3]{ce + dex}} dx &= \frac{\text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{\sqrt[3]{ex}} dx, x, c + dx\right)}{d} \\ &= \frac{\sqrt[3]{c + dx} \text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{\sqrt[3]{x}} dx, x, c + dx\right)}{d\sqrt[3]{e(c + dx)}} \\ &= \frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int \sin(a + bx) dx, x, (c + dx)^{2/3}\right)}{2d\sqrt[3]{e(c + dx)}} \\ &= -\frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd\sqrt[3]{e(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 44, normalized size = 1.00

$$-\frac{3\sqrt[3]{c + dx} \cos(a + b(c + dx)^{2/3})}{2bd\sqrt[3]{e(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(1/3), x]
```

```
[Out] (-3*(c + d*x)^(1/3)*Cos[a + b*(c + d*x)^(2/3)]/(2*b*d*(e*(c + d*x))^(1/3))
```

fricas [A] time = 0.57, size = 46, normalized size = 1.05

$$-\frac{3(dx + ce)^{\frac{2}{3}}(dx + c)^{\frac{1}{3}} \cos\left((dx + c)^{\frac{2}{3}}b + a\right)}{2(bd^2ex + bcde)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3), x, algorithm="fricas")
```

```
[Out] -3/2*(d*e*x + c*e)^(2/3)*(d*x + c)^(1/3)*cos((d*x + c)^(2/3)*b + a)/(b*d^2*e*x + b*c*d*e)
```

giac [A] time = 0.54, size = 52, normalized size = 1.18

$$\frac{3 \left(\cos \left((dxe + ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3}\right)} + a \right) + \cos \left(-(dxe + ce)^{\frac{2}{3}} b e^{\left(-\frac{2}{3}\right)} - a \right) \right) e^{\left(-\frac{1}{3}\right)}}{4bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x, algorithm="giac")

[Out] -3/4*(cos((d*x*e + c*e)^(2/3)*b*e^(-2/3) + a) + cos(-(d*x*e + c*e)^(2/3)*b*e^(-2/3) - a))*e^(-1/3)/(b*d)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + b (dx + c)^{\frac{2}{3}} \right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x)

[Out] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x)

maxima [A] time = 0.34, size = 23, normalized size = 0.52

$$\frac{3 \cos \left((dx + c)^{\frac{2}{3}} b + a \right)}{2 b d e^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x, algorithm="maxima")

[Out] -3/2*cos((d*x + c)^(2/3)*b + a)/(b*d*e^(1/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin \left(a + b (c + dx)^{\frac{2}{3}} \right)}{(ce + dex)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(1/3),x)

[Out] `int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(1/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{\sqrt[3]{e(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(2/3))/(d*e*x+c*e)**(1/3),x)`

[Out] `Integral(sin(a + b*(c + d*x)**(2/3))/(e*(c + d*x))**(1/3), x)`

$$3.239 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{2/3}} dx$$

Optimal. Leaf size=133

$$\frac{3\sqrt{\frac{\pi}{2}} \sin(a)(c+dx)^{2/3} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{\sqrt{b} d(e(c+dx))^{2/3}} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a)(c+dx)^{2/3} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{\sqrt{b} d(e(c+dx))^{2/3}}$$

[Out] $3/2*(d*x+c)^{(2/3)}*\cos(a)*\text{FresnelS}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(e*(d*x+c))^{(2/3)}/b^{(1/2)}+3/2*(d*x+c)^{(2/3)}*\text{FresnelC}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(e*(d*x+c))^{(2/3)}/b^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3435, 3417, 3383, 3353, 3352, 3351}

$$\frac{3\sqrt{\frac{\pi}{2}} \sin(a)(c+dx)^{2/3} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c+dx}\right)}{\sqrt{b} d(e(c+dx))^{2/3}} + \frac{3\sqrt{\frac{\pi}{2}} \cos(a)(c+dx)^{2/3} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{\sqrt{b} d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*(c + d*x)^{(2/3)}]/(c*e + d*e*x)^{(2/3)}, x]$

[Out] $(3*\text{Sqrt}[\text{Pi}/2]*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}])/(\text{Sqrt}[b]*d*(e*(c + d*x))^{(2/3)}) + (3*\text{Sqrt}[\text{Pi}/2]*(c + d*x)^{(2/3)}*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(\text{Sqrt}[b]*d*(e*(c + d*x))^{(2/3)})$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(\text{f}*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(\text{f}*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3353

$\text{Int}[\text{Sin}[(c_) + (d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*(e + f*x)^{2}], x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*(e + f*x)^{2}], x], x] /$

; FreeQ[{c, d, e, f}, x]

Rule 3383

Int[(x_)^(m_)*Sin[(a_) + (b_)*(x_)^(n_)], x_Symbol] := Dist[2/n, Subst[Int[Sin[a + b*x^2], x], x, x^(n/2)], x] /; FreeQ[{a, b, m, n}, x] && EqQ[m, n/2 - 1]

Rule 3417

Int[((e_)*(x_))^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3435

Int[((g_) + (h_)*(x_))^(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f_)*(x_))^(n_)])^(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin(a + b(c + dx)^{2/3})}{(c + dx)^{2/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{(ex)^{2/3}} dx, x, c + dx\right)}{d} \\
 &= \frac{(c + dx)^{2/3} \text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{x^{2/3}} dx, x, c + dx\right)}{d(e(c + dx))^{2/3}} \\
 &= \frac{(3(c + dx)^{2/3}) \text{Subst}\left(\int \sin(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d(e(c + dx))^{2/3}} \\
 &= \frac{(3(c + dx)^{2/3} \cos(a)) \text{Subst}\left(\int \sin(bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d(e(c + dx))^{2/3}} + \frac{(3(c + dx)^{2/3} \sin(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \sqrt[3]{c + dx}\right)}{d(e(c + dx))^{2/3}} \\
 &= \frac{3\sqrt{\frac{\pi}{2}}(c + dx)^{2/3} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{\sqrt{b} d(e(c + dx))^{2/3}} + \frac{3\sqrt{\frac{\pi}{2}}(c + dx)^{2/3} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{\sqrt{b} d(e(c + dx))^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.15, size = 96, normalized size = 0.72

$$\frac{3\sqrt{\frac{\pi}{2}}(c+dx)^{2/3}\left(\sin(a)C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt[3]{c+dx}\right)+\cos(a)S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt[3]{c+dx}\right)\right)}{\sqrt{b}d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(2/3), x]

[Out] (3*Sqrt[Pi/2]*(c + d*x)^(2/3)*(Cos[a]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)] + FresnelC[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a]))/(Sqrt[b]*d*(e*(c + d*x))^(2/3))

fricas [F] time = 1.54, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left(\frac{2}{3}b(dx+c)+a\right)}{(dex+ce)^{\frac{2}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3), x, algorithm="fricas")

[Out] integral(sin((d*x + c)^(2/3)*b + a)/(d*e*x + c*e)^(2/3), x)

giac [C] time = 1.61, size = 84, normalized size = 0.63

$$\frac{3\left(\frac{i\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{3}\sqrt{-ibe^{\frac{-2}{3}}}\right)e^{ia}}{\sqrt{-ibe^{\frac{-2}{3}}}}+\frac{i\sqrt{\pi}\operatorname{erf}\left(-\frac{1}{3}\sqrt{ibe^{\frac{-2}{3}}}\right)e^{-ia}}{\sqrt{ibe^{\frac{-2}{3}}}}\right)e^{(-1)}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3), x, algorithm="giac")

[Out] -3/4*(-I*sqrt(pi)*erf(-(d*x*e + c*e)^(1/3)*sqrt(-I*b*e^(-2/3)))*e^(I*a)/sqrt(-I*b*e^(-2/3)) + I*sqrt(pi)*erf(-(d*x*e + c*e)^(1/3)*sqrt(I*b*e^(-2/3)))*e^(-I*a)/sqrt(I*b*e^(-2/3)))*e^(-1)/d

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx + c)^{\frac{2}{3}}\right)}{(dex + ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x)`

[Out] `int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x)`

maxima [C] time = 1.60, size = 493, normalized size = 3.71

$$\left(\left(\left(3i \sqrt{\pi} \left(\operatorname{erf} \left(\sqrt{-ib(dx+c)^{\frac{2}{3}}} \right) - 1 \right) - 3i \sqrt{\pi} \left(\operatorname{erf} \left(\sqrt{i(dx+c)^{\frac{2}{3}}b} \right) - 1 \right) \right) \cos \left(\frac{1}{4} \pi + \frac{1}{3} \arctan(0, dx+c) \right) + \left(-3 \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x, algorithm="maxima")`

[Out] `-1/8*(((3*I*sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(2/3)))) - 1) - 3*I*sqrt(pi)*(erf(sqrt(I*(d*x + c)^(2/3)*b)) - 1))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + (-3*I*sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(2/3)))) - 1) + 3*I*sqrt(pi)*(erf(sqrt(-I*(d*x + c)^(2/3)*b)) - 1))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) - 3*(sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(2/3)))) - 1) + sqrt(pi)*(erf(sqrt(I*(d*x + c)^(2/3)*b)) - 1))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(2/3)))) - 1) + sqrt(pi)*(erf(sqrt(-I*(d*x + c)^(2/3)*b)) - 1))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c)))*cos(a) - (3*(sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(2/3)))) - 1) + sqrt(pi)*(erf(sqrt(I*(d*x + c)^(2/3)*b)) - 1))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(2/3)))) - 1) + sqrt(pi)*(erf(sqrt(-I*(d*x + c)^(2/3)*b)) - 1))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) - (-3*I*sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(2/3)))) - 1) + 3*I*sqrt(pi)*(erf(sqrt(I*(d*x + c)^(2/3)*b)) - 1))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) - (-3*I*sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(2/3)))) - 1) + 3*I*sqrt(pi)*(erf(sqrt(-I*(d*x + c)^(2/3)*b)) - 1))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c)))*sin(a))*sqrt((d*x + c)^(2/3)*b)/((d*x + c)^(1/3)*b*d*e^(2/3))`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin(a + b(c + dx)^{2/3})}{(ce + dex)^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(2/3),x)`

[Out] `int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(2/3),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{(e(c + dx))^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**(2/3))/(d*e*x+c*e)**(2/3), x)

[Out] Integral(sin(a + b*(c + d*x)**(2/3))/(e*(c + d*x))**(2/3), x)

$$3.240 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{4/3}} dx$$

Optimal. Leaf size=168

$$\frac{3\sqrt{2\pi} \sqrt{b} \cos(a) \sqrt[3]{c+dx} C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{de \sqrt[3]{e(c+dx)}} - \frac{3\sqrt{2\pi} \sqrt{b} \sin(a) \sqrt[3]{c+dx} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{de \sqrt[3]{e(c+dx)}} - \frac{3 \sin(a+b(c+dx)^{2/3})}{de \sqrt[3]{e(c+dx)}}$$

[Out] $-3*\sin(a+b*(d*x+c)^{(2/3)})/d/e/(e*(d*x+c))^{(1/3)}+3*(d*x+c)^{(1/3)}*\cos(a)*\text{FresnelC}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d/e/(e*(d*x+c))^{(1/3)}-3*(d*x+c)^{(1/3)}*\text{FresnelS}((d*x+c)^{(1/3)}*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d/e/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.16, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {3435, 3417, 3415, 3387, 3354, 3352, 3351}

$$\frac{3\sqrt{2\pi} \sqrt{b} \cos(a) \sqrt[3]{c+dx} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt[3]{c+dx}\right)}{de \sqrt[3]{e(c+dx)}} - \frac{3\sqrt{2\pi} \sqrt{b} \sin(a) \sqrt[3]{c+dx} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c+dx}\right)}{de \sqrt[3]{e(c+dx)}} - \frac{3 \sin(a+b(c+dx)^{2/3})}{de \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(4/3), x]`

[Out] $(3*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*(c + d*x)^{(1/3)}*\text{Cos}[a]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}])/(d*e*(e*(c + d*x))^{(1/3)}) - (3*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*(c + d*x)^{(1/3)}*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*(c + d*x)^{(1/3)}]*\text{Sin}[a])/(d*e*(e*(c + d*x))^{(1/3)}) - (3*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(d*e*(e*(c + d*x))^{(1/3)})$

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3354

`Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)^(2)], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^(2)], x], x] /`

; FreeQ[{c, d, e, f}, x]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3415

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Module[{k = Denominator[n]}, Dist[k, Subst[Int[x^(k*(m + 1) - 1)*(a + b*Sin[c + d*x^(k*n)])^p, x], x, x^(1/k)], x]] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3417

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3435

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b(c + dx)^{2/3})}{(ce + dex)^{4/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{(ex)^{4/3}} dx, x, c + dx\right)}{d} \\
&= \frac{\sqrt[3]{c + dx} \text{Subst}\left(\int \frac{\sin(a + bx^{2/3})}{x^{4/3}} dx, x, c + dx\right)}{de\sqrt[3]{e(c + dx)}} \\
&= \frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int \frac{\sin(a + bx^2)}{x^2} dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} \\
&= -\frac{3 \sin(a + b(c + dx)^{2/3})}{de\sqrt[3]{e(c + dx)}} + \frac{(6b\sqrt[3]{c + dx}) \text{Subst}\left(\int \cos(a + bx^2) dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} \\
&= -\frac{3 \sin(a + b(c + dx)^{2/3})}{de\sqrt[3]{e(c + dx)}} + \frac{(6b\sqrt[3]{c + dx} \cos(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} \\
&= \frac{3\sqrt{b} \sqrt{2\pi} \sqrt[3]{c + dx} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}} - \frac{3\sqrt{b} \sqrt{2\pi} \sqrt[3]{c + dx} S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt[3]{c + dx}\right)}{de\sqrt[3]{e(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 133, normalized size = 0.79

$$\frac{3\left(\sqrt{2\pi}(-\sqrt{b})\cos(a)\sqrt[3]{c+dx}C\left(\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt[3]{c+dx}\right)+\sqrt{2\pi}\sqrt{b}\sin(a)\sqrt[3]{c+dx}S\left(\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt[3]{c+dx}\right)+\sin(a+b(c+dx)^{2/3})\right)}{de\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(4/3), x]

[Out] (-3*(-(Sqrt[b]*Sqrt[2*Pi]*(c + d*x)^(1/3)*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]]*(c + d*x)^(1/3])) + Sqrt[b]*Sqrt[2*Pi]*(c + d*x)^(1/3)*FresnelS[Sqrt[b]*Sqrt[2/Pi]*(c + d*x)^(1/3)]*Sin[a + Sin[a + b*(c + d*x)^(2/3)]))/(d*e*(e*(c + d*x))^(1/3))

fricas [F] time = 1.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(dex + ce)^{\frac{2}{3}} \sin\left((dx + c)^{\frac{2}{3}} b + a\right)}{d^2 e^2 x^2 + 2 c d e^2 x + c^2 e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((d*x + c)^(2/3)*b + a)/(d^2*e^2*x^2 + 2*c*d*e^2*x + c^2*e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left((dx+c)^{\frac{2}{3}}b+a\right)}{(dex+ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(d*e*x + c*e)^(4/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a+b(dx+c)^{\frac{2}{3}}\right)}{(dex+ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x)

[Out] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x)

maxima [C] time = 1.34, size = 386, normalized size = 2.30

$$\left(\left(\left(3i\Gamma\left(-\frac{1}{2}, -ib(dx+c)^{\frac{2}{3}}\right) - 3i\Gamma\left(-\frac{1}{2}, i(dx+c)^{\frac{2}{3}}b\right)\right)\cos\left(\frac{1}{4}\pi + \frac{1}{3}\arctan(0, dx+c)\right) + \left(-3i\Gamma\left(-\frac{1}{2}, ib(dx+c)^{\frac{2}{3}}\right)\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="maxima")

[Out] 1/8*(((3*I*gamma(-1/2, -I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(-1/2, I*(d*x + c)^(2/3)*b))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + (-3*I*gamma(-1/2, I*b*conjugate((d*x + c)^(2/3))) + 3*I*gamma(-1/2, -I*(d*x + c)^(2/3)*b))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(gamma(-1/2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(-1/2, I*(d*x + c)^(2/3)*b))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) - 3*(gamma(-1/2, I*b*conjugate((d*x + c)^(2/3))) + gamma(-1/2, -I*(d*x + c)^(2/3)*b))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c)))*cos(a) -

```
(3*(gamma(-1/2, -I*b*conjugate((d*x + c)^(2/3))) + gamma(-1/2, I*(d*x + c)^(2/3)*b))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(gamma(-1/2, I*b*conjugate((d*x + c)^(2/3))) + gamma(-1/2, -I*(d*x + c)^(2/3)*b))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) - (3*I*gamma(-1/2, -I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(-1/2, I*(d*x + c)^(2/3)*b))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) - (3*I*gamma(-1/2, I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(-1/2, -I*(d*x + c)^(2/3)*b))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c))*sin(a)*sqrt((d*x + c)^(2/3)*b)/((d*x + c)^(1/3)*d*e^(4/3))
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + b(c + dx)^{2/3}\right)}{(ce + dex)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(4/3), x)
```

```
[Out] int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(4/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{(e(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b*(d*x+c)**(2/3))/(d*e*x+c*e)**(4/3), x)
```

```
[Out] Integral(sin(a + b*(c + d*x)**(2/3))/(e*(c + d*x))**(4/3), x)
```

$$3.241 \quad \int \frac{\sin(a+b(c+dx)^{2/3})}{(ce+dex)^{5/3}} dx$$

Optimal. Leaf size=126

$$\frac{3b \cos(a)(c+dx)^{2/3} \text{Ci}(b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}} - \frac{3b \sin(a)(c+dx)^{2/3} \text{Si}(b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}} - \frac{3 \sin(a+b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}}$$

[Out] $3/2*b*(d*x+c)^{(2/3)}*Ci(b*(d*x+c)^{(2/3)})*\cos(a)/d/e/(e*(d*x+c))^{(2/3)}-3/2*b*(d*x+c)^{(2/3)}*Si(b*(d*x+c)^{(2/3)})*\sin(a)/d/e/(e*(d*x+c))^{(2/3)}-3/2*\sin(a+b*(d*x+c)^{(2/3)})/d/e/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.15, antiderivative size = 126, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {3435, 3381, 3379, 3297, 3303, 3299, 3302}

$$\frac{3b \cos(a)(c+dx)^{2/3} \text{CosIntegral}(b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}} - \frac{3b \sin(a)(c+dx)^{2/3} \text{Si}(b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}} - \frac{3 \sin(a+b(c+dx)^{2/3})}{2de(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b*(c + d*x)^{(2/3)}]/(c*e + d*e*x)^{(5/3)}, x]$

[Out] $(3*b*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{CosIntegral}[b*(c + d*x)^{(2/3)}])/(2*d*e*(e*(c + d*x))^{(2/3)}) - (3*\text{Sin}[a + b*(c + d*x)^{(2/3)}])/(2*d*e*(e*(c + d*x))^{(2/3)}) - (3*b*(c + d*x)^{(2/3)}*\text{Sin}[a]*\text{SinIntegral}[b*(c + d*x)^{(2/3)}])/(2*d*e*(e*(c + d*x))^{(2/3)})$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)}*\text{Sin}[e + f*x]/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 3381

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_
Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a
+ b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && Inte
gerQ[Simplify[(m + 1)/n]]
```

Rule 3435

```
Int[((g_.) + (h_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b
*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin(a + b(c + dx)^{2/3})}{(ce + dex)^{5/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin(a+bx^{2/3})}{(ex)^{5/3}} dx, x, c + dx\right)}{d} \\
&= \frac{(c + dx)^{2/3} \text{Subst}\left(\int \frac{\sin(a+bx^{2/3})}{x^{5/3}} dx, x, c + dx\right)}{de(e(c + dx))^{2/3}} \\
&= \frac{(3(c + dx)^{2/3}) \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, (c + dx)^{2/3}\right)}{2de(e(c + dx))^{2/3}} \\
&= -\frac{3 \sin(a + b(c + dx)^{2/3})}{2de(e(c + dx))^{2/3}} + \frac{(3b(c + dx)^{2/3}) \text{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, (c + dx)^{2/3}\right)}{2de(e(c + dx))^{2/3}} \\
&= -\frac{3 \sin(a + b(c + dx)^{2/3})}{2de(e(c + dx))^{2/3}} + \frac{(3b(c + dx)^{2/3} \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, (c + dx)^{2/3}\right)}{2de(e(c + dx))^{2/3}} \\
&= \frac{3b(c + dx)^{2/3} \cos(a) \text{Ci}(b(c + dx)^{2/3})}{2de(e(c + dx))^{2/3}} - \frac{3 \sin(a + b(c + dx)^{2/3})}{2de(e(c + dx))^{2/3}} - \frac{3b(c + dx)^{2/3} \sin(a)}{2de(e(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 87, normalized size = 0.69

$$\frac{3(-b \cos(a)(c + dx)^{2/3} \text{Ci}(b(c + dx)^{2/3}) + b \sin(a)(c + dx)^{2/3} \text{Si}(b(c + dx)^{2/3}) + \sin(a + b(c + dx)^{2/3}))}{2de(e(c + dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^(2/3)]/(c*e + d*e*x)^(5/3), x]

[Out] (-3*(-b*(c + d*x)^(2/3)*Cos[a]*CosIntegral[b*(c + d*x)^(2/3)]) + Sin[a + b*(c + d*x)^(2/3)] + b*(c + d*x)^(2/3)*Sin[a]*SinIntegral[b*(c + d*x)^(2/3)])/(2*d*e*(e*(c + d*x))^(2/3))

fricas [F] time = 1.24, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(dex + ce)^{\frac{1}{3}} \sin\left(\frac{2}{3}b(dx + c) + a\right)}{d^2e^2x^2 + 2cde^2x + c^2e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3), x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(1/3)*sin((d*x + c)^(2/3)*b + a)/(d^2*e^2*x^2 + 2*c*d*e^2*x + c^2*e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(\frac{2}{3}b(dx+c) + a\right)}{(dex+ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x, algorithm="giac")

[Out] integrate(sin((d*x + c)^(2/3)*b + a)/(d*e*x + c*e)^(5/3), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(dx+c)^{\frac{2}{3}}\right)}{(dex+ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x)

[Out] int(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x)

maxima [C] time = 0.70, size = 128, normalized size = 1.02

$$\frac{\left(3\left(\Gamma\left(-1, i\sqrt{\frac{2}{3}}b(dx+c)\right) + \Gamma\left(-1, -i\sqrt{\frac{2}{3}}b(dx+c)\right) + \Gamma\left(-1, i\sqrt{\frac{2}{3}}b(dx+c)\right) + \Gamma\left(-1, -i\sqrt{\frac{2}{3}}b(dx+c)\right)\right)\cos(a) - \left(3i\Gamma\left(-1, i\sqrt{\frac{2}{3}}b(dx+c)\right) - 3i\Gamma\left(-1, -i\sqrt{\frac{2}{3}}b(dx+c)\right)\right)\sin(a)}{8de^{\frac{5}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x, algorithm="maxima")

[Out] 1/8*(3*(gamma(-1, I*b*conjugate((d*x + c)^(2/3))) + gamma(-1, -I*b*conjugate((d*x + c)^(2/3))) + gamma(-1, I*(d*x + c)^(2/3)*b) + gamma(-1, -I*(d*x + c)^(2/3)*b))*cos(a) - (3*I*gamma(-1, I*b*conjugate((d*x + c)^(2/3))) - 3*I*gamma(-1, -I*b*conjugate((d*x + c)^(2/3))) + 3*I*gamma(-1, I*(d*x + c)^(2/3)*b) - 3*I*gamma(-1, -I*(d*x + c)^(2/3)*b))*sin(a))*b/(d*e^(5/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + b(c+dx)^{\frac{2}{3}}\right)}{(ce+dex)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(5/3), x)`

[Out] `int(sin(a + b*(c + d*x)^(2/3))/(c*e + d*e*x)^(5/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + b(c + dx)^{\frac{2}{3}}\right)}{(e(c + dx))^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**(2/3))/(d*e*x+c*e)**(5/3), x)`

[Out] `Integral(sin(a + b*(c + d*x)**(2/3))/(e*(c + d*x))**(5/3), x)`

$$3.242 \quad \int \sqrt[3]{ce + dex} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) dx$$

Optimal. Leaf size=247

$$\frac{b^4 \sin(a) \sqrt[3]{e(c+dx)} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{8d \sqrt[3]{c+dx}} - \frac{b^4 \cos(a) \sqrt[3]{e(c+dx)} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{8d \sqrt[3]{c+dx}} - \frac{b^3 \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d} - \frac{b^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}}{8d}$$

[Out] $-1/8*b^3*(e*(d*x+c))^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d+1/4*b*(d*x+c)^{(2/3)}*(e*(d*x+c))^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d-1/8*b^4*(e*(d*x+c))^{(1/3)}*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(1/3)})/d/(d*x+c)^{(1/3)}-1/8*b^4*(e*(d*x+c))^{(1/3)}*\operatorname{Ci}(b/(d*x+c)^{(1/3)})*\sin(a)/d/(d*x+c)^{(1/3)}-1/8*b^2*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d+3/4*(d*x+c)*(e*(d*x+c))^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/d$

Rubi [A] time = 0.24, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$\frac{b^4 \sin(a) \sqrt[3]{e(c+dx)} \operatorname{CosIntegral}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{8d \sqrt[3]{c+dx}} - \frac{b^4 \cos(a) \sqrt[3]{e(c+dx)} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{8d \sqrt[3]{c+dx}} - \frac{b^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*e + d*e*x)^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}], x]$

[Out] $-(b^3*(e*(c + d*x))^{(1/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(8*d) + (b*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(1/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(4*d) - (b^4*(e*(c + d*x))^{(1/3)}*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}]*\operatorname{Sin}[a])/(8*d*(c + d*x)^{(1/3)}) - (b^2*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(8*d) + (3*(c + d*x)*(e*(c + d*x))^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(4*d) - (b^4*(e*(c + d*x))^{(1/3)}*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(8*d*(c + d*x)^{(1/3)})$

Rule 15

$\operatorname{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \operatorname{Dist}[(a^{\operatorname{IntPart}[m]}*(a*x^n)^{\operatorname{FracPart}[m]})/x^{(n*\operatorname{FracPart}[m])}, \operatorname{Int}[u*x^{(m*n)}, x], x] /;$ FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_)^{(m_)})*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*\operatorname{Sin}[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1

]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{ce + dex} \sin\left(a + \frac{b}{\sqrt[3]{c + dx}}\right) dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sqrt[3]{\frac{e}{x^3}} \sin(a+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3\sqrt[3]{e(c+dx)}) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^5} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d\sqrt[3]{c+dx}} \\
&= \frac{3(c+dx)\sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} - \frac{(3b\sqrt[3]{e(c+dx)}) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4d\sqrt[3]{c+dx}} \\
&= \frac{b(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} + \frac{3(c+dx)\sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} \\
&= \frac{b(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} - \frac{b^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d} \\
&= -\frac{b^3 \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d} + \frac{b(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} \\
&= -\frac{b^3 \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d} + \frac{b(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d} \\
&= -\frac{b^3 \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{8d} + \frac{b(c+dx)^{2/3} \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{4d}
\end{aligned}$$

Mathematica [A] time = 0.40, size = 208, normalized size = 0.84

$$\frac{\sqrt[3]{e(c+dx)} \left(b^4 \sin(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + b^4 \cos(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + b^3 \sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + b^2 (c+dx)^{2/3} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) \right)}{8d\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(1/3)*Sin[a + b/(c + d*x)^(1/3)],x]

[Out] -1/8*((e*(c + d*x))^(1/3)*(-2*b*c*Cos[a + b/(c + d*x)^(1/3)] - 2*b*d*x*Cos[a + b/(c + d*x)^(1/3)] + b^3*(c + d*x)^(1/3)*Cos[a + b/(c + d*x)^(1/3)] + b^4*CosIntegral[b/(c + d*x)^(1/3)]*Sin[a] - 6*c*(c + d*x)^(1/3)*Sin[a + b/(c + d*x)^(1/3)] - 6*d*x*(c + d*x)^(1/3)*Sin[a + b/(c + d*x)^(1/3)] + b^2*(c

$+ d*x)^{(2/3)}*\sin[a + b/(c + d*x)^{(1/3)}] + b^4*\cos[a]*\sinIntegral[b/(c + d*x)^{(1/3)}])/(d*(c + d*x)^{(1/3)})$

fricas [F] time = 1.25, size = 0, normalized size = 0.00

$$\text{integral} \left((dex + ce)^{\frac{1}{3}} \sin \left(\frac{adx + ac + (dx + c)^{\frac{2}{3}}b}{dx + c} \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(1/3)*sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin \left(a + \frac{b}{(dx + c)^{\frac{1}{3}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="giac")

[Out] integrate((d*e*x + c*e)^(1/3)*sin(a + b/(d*x + c)^(1/3)), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin \left(a + \frac{b}{(dx + c)^{\frac{1}{3}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(1/3)),x)

[Out] int((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(1/3)),x)

maxima [C] time = 1.78, size = 129, normalized size = 0.52

$$\frac{\left(\left(3i\Gamma \left(-4, ib \frac{1}{(dx+c)^{\frac{1}{3}}} \right) - 3i\Gamma \left(-4, -ib \frac{1}{(dx+c)^{\frac{1}{3}}} \right) + 3i\Gamma \left(-4, \frac{ib}{(dx+c)^{\frac{1}{3}}} \right) - 3i\Gamma \left(-4, -\frac{ib}{(dx+c)^{\frac{1}{3}}} \right) \right) \cos(a) + 3 \left(\Gamma \left(-4, ib \frac{1}{(dx+c)^{\frac{1}{3}}} \right) \right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(1/3)),x, algorithm="maxima")

[Out] 1/4*((3*I*gamma(-4, I*b*conjugate((d*x + c)^(-1/3))) - 3*I*gamma(-4, -I*b*c
onjugate((d*x + c)^(-1/3))) + 3*I*gamma(-4, I*b/(d*x + c)^(1/3)) - 3*I*gamma
a(-4, -I*b/(d*x + c)^(1/3))*cos(a) + 3*(gamma(-4, I*b*conjugate((d*x + c)
(-1/3))) + gamma(-4, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(-4, I*b/(d*x
+ c)^(1/3)) + gamma(-4, -I*b/(d*x + c)^(1/3)))*sin(a))*b^4*e^(1/3)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{1/3}}\right) (ce + dex)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3))*(c*e + d*e*x)^(1/3),x)

[Out] int(sin(a + b/(c + d*x)^(1/3))*(c*e + d*e*x)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{\sqrt[3]{c + dx}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)**(1/3)*sin(a+b/(d*x+c)**(1/3)),x)

[Out] Integral((e*(c + d*x))**(1/3)*sin(a + b/(c + d*x)**(1/3)), x)

$$3.243 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{\sqrt[3]{ce+dex}} dx$$

Optimal. Leaf size=168

$$\frac{3b^2 \sin(a) \sqrt[3]{c+dx} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b^2 \cos(a) \sqrt[3]{c+dx} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}}$$

[Out] $3/2*b*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/d/(e*(d*x+c))^{(1/3)}+3/2*b^2*(d*x+c)^{(1/3)}*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(1/3)})/d/(e*(d*x+c))^{(1/3)}+3/2*b^2*(d*x+c)^{(1/3)}*\operatorname{Ci}(b/(d*x+c)^{(1/3)})*\sin(a)/d/(e*(d*x+c))^{(1/3)}+3/2*(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.17, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$\frac{3b^2 \sin(a) \sqrt[3]{c+dx} \operatorname{CosIntegral}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b^2 \cos(a) \sqrt[3]{c+dx} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}]/(c*e + d*e*x)^{(1/3)}, x]$

[Out] $(3*b*(c + d*x)^{(2/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(1/3)}])/(2*d*(e*(c + d*x))^{(1/3)}) + (3*b^2*(c + d*x)^{(1/3)}*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}]*\operatorname{Sin}[a])/(2*d*(e*(c + d*x))^{(1/3)}) + (3*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(2*d*(e*(c + d*x))^{(1/3)}) + (3*b^2*(c + d*x)^{(1/3)}*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(2*d*(e*(c + d*x))^{(1/3)})$

Rule 15

$\operatorname{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \operatorname{Dist}[(a^{\operatorname{IntPart}[m]}*(a*x^n)^{\operatorname{FracPart}[m]})/x^{(n*\operatorname{FracPart}[m])}, \operatorname{Int}[u*x^{(m*n)}, x], x] /; \operatorname{FreeQ}\{a, m, n\}, x] \&\& \operatorname{IntegerQ}[m]$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_))^{(m_)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*\sin[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\cos[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{\sqrt[3]{ce+dex}} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\sqrt[3]{\frac{e}{x^3}} x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d\sqrt[3]{e(c+dx)}} \\
&= \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} - \frac{(3b\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} \\
&= \frac{3b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} + \frac{(3b^2\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} \\
&= \frac{3b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} + \frac{(3b^2\sqrt[3]{c+dx} \cos(a)) \operatorname{Subst}\left(\int \frac{1}{x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} \\
&= \frac{3b(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}} + \frac{3b^2\sqrt[3]{c+dx} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) \sin(a)}{2d\sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{2d\sqrt[3]{e(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 131, normalized size = 0.78

$$\frac{3\left(b^2 \sin(a) \sqrt[3]{c+dx} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + b^2 \cos(a) \sqrt[3]{c+dx} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + c \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + dx \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + b(c+dx)\right)}{2d\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(1/3), x]

[Out] (3*(b*(c + d*x)^(2/3)*Cos[a + b/(c + d*x)^(1/3)] + b^2*(c + d*x)^(1/3)*CosIntegral[b/(c + d*x)^(1/3)]*Sin[a] + c*Sin[a + b/(c + d*x)^(1/3)] + d*x*Sin[a + b/(c + d*x)^(1/3)] + b^2*(c + d*x)^(1/3)*Cos[a]*SinIntegral[b/(c + d*x)^(1/3)])/(2*d*(e*(c + d*x))^(1/3))

fricas [F] time = 1.42, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sin\left(\frac{adx+ac+(dx+c)^{\frac{2}{3}}b}{dx+c}\right)}{(dex+ce)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c))/(d*e*x + c*e)^(1/3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(1/3), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x)

[Out] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x)

maxima [C] time = 0.62, size = 172, normalized size = 1.02

$$\frac{(dx + c)^{\frac{1}{3}} \left(3i \Gamma\left(-1, i b \frac{1}{(dx+c)^{\frac{1}{3}}}\right) - 3i \Gamma\left(-1, -i b \frac{1}{(dx+c)^{\frac{1}{3}}}\right) + 3i \Gamma\left(-1, \frac{ib}{(dx+c)^{\frac{1}{3}}}\right) - 3i \Gamma\left(-1, -\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) \right) \cos(a) + 3 \Gamma\left(-1, \frac{ib}{(dx+c)^{\frac{1}{3}}}\right) - 3 \Gamma\left(-1, -\frac{ib}{(dx+c)^{\frac{1}{3}}}\right)}{8(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(1/3),x, algorithm="maxima")

[Out] 1/8*((d*x + c)^(1/3)*((3*I*gamma(-1, I*b*conjugate((d*x + c)^(-1/3))) - 3*I*gamma(-1, -I*b*conjugate((d*x + c)^(-1/3))) + 3*I*gamma(-1, I*b/(d*x + c)^(1/3)) - 3*I*gamma(-1, -I*b/(d*x + c)^(1/3)))*cos(a) + 3*(gamma(-1, I*b*con


```
jugate((d*x + c)^(-1/3))) + gamma(-1, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(-1, I*b/(d*x + c)^(1/3)) + gamma(-1, -I*b/(d*x + c)^(1/3))*sin(a)*b^2 + 12*(d*x + c)*sin((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/((d*x + c)^(1/3)*d*e^(1/3))
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{1/3}}\right)}{(ce + dex)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(1/3), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(1/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{\sqrt[3]{e(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(1/3), x)
```

```
[Out] Integral(sin(a + b/(c + d*x)**(1/3))/(e*(c + d*x)**(1/3), x)
```

$$3.244 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(c+dx)^{2/3}} dx$$

Optimal. Leaf size=116

$$-\frac{3b \cos(a)(c+dx)^{2/3} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3b \sin(a)(c+dx)^{2/3} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}}$$

[Out] $-3*b*(d*x+c)^{(2/3)}*Ci(b/(d*x+c)^{(1/3)})*\cos(a)/d/(e*(d*x+c))^{(2/3)}+3*b*(d*x+c)^{(2/3)}*Si(b/(d*x+c)^{(1/3)})*\sin(a)/d/(e*(d*x+c))^{(2/3)}+3*(d*x+c)*\sin(a+b/(d*x+c)^{(1/3)})/d/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.13, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3431, 15, 3297, 3303, 3299, 3302}

$$-\frac{3b \cos(a)(c+dx)^{2/3} \operatorname{CosIntegral}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3b \sin(a)(c+dx)^{2/3} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}]/(c*e + d*e*x)^{(2/3)}, x]$

[Out] $(-3*b*(c + d*x)^{(2/3)}*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^{(1/3)}])/(d*(e*(c + d*x))^{(2/3)}) + (3*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^{(1/3)}])/(d*(e*(c + d*x))^{(2/3)}) + (3*b*(c + d*x)^{(2/3)}*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(1/3)}])/(d*(e*(c + d*x))^{(2/3)})$

Rule 15

$\operatorname{Int}[(u_.)*((a_.)*(x_)^{(n_)})^{(m_)}, x_Symbol] \rightarrow \operatorname{Dist}[(a^{\operatorname{IntPart}[m]}*(a*x^n)^{\operatorname{FracPart}[m]})/x^{(n*\operatorname{FracPart}[m])}, \operatorname{Int}[u*x^{(m*n)}, x], x] /;$ FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 3297

$\operatorname{Int}[(c_.) + (d_.)*(x_)^{(m_*)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)}*\operatorname{Sin}[e + f*x]/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce + dex)^{2/3}} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(ax)}{\left(\frac{e}{x^3}\right)^{2/3} x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3(c+dx)^{2/3}) \operatorname{Subst}\left(\int \frac{\sin(ax)}{x^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} - \frac{(3b(c+dx)^{2/3}) \operatorname{Subst}\left(\int \frac{\cos(ax)}{x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} - \frac{(3b(c+dx)^{2/3} \cos(a)) \operatorname{Subst}\left(\int \frac{\cos(ax)}{x} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{(3b(c+dx)^{2/3} \cos(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right))}{d(e(c+dx))^{2/3}} \\
&= -\frac{3b(c+dx)^{2/3} \cos(a) \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3b(c+dx)^{2/3} \sin(a) \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.19, size = 88, normalized size = 0.76

$$\frac{3\left(-b \cos(a)(c+dx)^{2/3} \operatorname{Ci}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + b \sin(a)(c+dx)^{2/3} \operatorname{Si}\left(\frac{b}{\sqrt[3]{c+dx}}\right) + (c+dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)\right)}{d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(2/3), x]

[Out] (3*(-(b*(c + d*x)^(2/3)*Cos[a]*CosIntegral[b/(c + d*x)^(1/3)]) + (c + d*x)*Sin[a + b/(c + d*x)^(1/3)] + b*(c + d*x)^(2/3)*Sin[a]*SinIntegral[b/(c + d*x)^(1/3)]))/(d*(e*(c + d*x))^(2/3))

fricas [F] time = 1.56, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sin\left(\frac{adx+ac+(dx+c)^{\frac{2}{3}}b}{dx+c}\right)}{(dex+ce)^{\frac{2}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3), x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c))/(d*e*x + c*e)^(2/3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(2/3), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x)

[Out] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x)

maxima [C] time = 0.59, size = 157, normalized size = 1.35

$$\frac{\left(3 \left(\operatorname{Ei}\left(\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) + \operatorname{Ei}\left(\frac{-ib}{(dx+c)^{\frac{1}{3}}}\right) + \operatorname{Ei}\left(\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) + \operatorname{Ei}\left(\frac{-ib}{(dx+c)^{\frac{1}{3}}}\right) \right) \cos(a) - \left(-3i \operatorname{Ei}\left(\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) + 3i \operatorname{Ei}\left(\frac{-ib}{(dx+c)^{\frac{1}{3}}}\right) \right)}{4de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(2/3),x, algorithm="maxima")

[Out] -1/4*((3*(Ei(I*b*conjugate((d*x + c)^(-1/3))) + Ei(-I*b*conjugate((d*x + c)^(-1/3))) + Ei(I*b/(d*x + c)^(1/3)) + Ei(-I*b/(d*x + c)^(1/3)))*cos(a) - (-3*I*Ei(I*b*conjugate((d*x + c)^(-1/3))) + 3*I*Ei(-I*b*conjugate((d*x + c)^(-1/3))) - 3*I*Ei(I*b/(d*x + c)^(1/3)) + 3*I*Ei(-I*b/(d*x + c)^(1/3)))*sin(a)))*b*e^(1/3) - 12*(d*x + c)^(1/3)*e^(1/3)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)))/(d*e)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{1/3}}\right)}{(ce + dex)^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(2/3), x)`

[Out] `int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(e(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(2/3), x)`

[Out] `Integral(sin(a + b/(c + d*x)**(1/3))/(e*(c + d*x))**(2/3), x)`

$$3.245 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{4/3}} dx$$

Optimal. Leaf size=45

$$\frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde\sqrt[3]{e(c+dx)}}$$

[Out] $3*(d*x+c)^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/b/d/e/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.05, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$, Rules used = {3431, 15, 2638}

$$\frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(4/3), x]`

[Out] $(3*(c + d*x)^{(1/3)}*\cos[a + b/(c + d*x)^{(1/3)}])/(b*d*e*(e*(c + d*x))^{(1/3)})$

Rule 15

`Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]`

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3431

`Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]`

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce + dex)^{4/3}} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\left(\frac{e}{x^3}\right)^{4/3} x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int \sin(a+bx) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de\sqrt[3]{e(c+dx)}} \\
&= \frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde\sqrt[3]{e(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 42, normalized size = 0.93

$$\frac{3(c+dx)^{4/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bd(e(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(4/3), x]

[Out] (3*(c + d*x)^(4/3)*Cos[a + b/(c + d*x)^(1/3)])/(b*d*(e*(c + d*x))^(4/3))

fricas [A] time = 0.74, size = 64, normalized size = 1.42

$$\frac{3(dex + ce)^{2/3}(dx + c)^{1/3} \cos\left(\frac{adx+ac+(dx+c)^{2/3}b}{dx+c}\right)}{bd^2e^2x + bcde^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3), x, algorithm="fricas")

[Out] 3*(d*e*x + c*e)^(2/3)*(d*x + c)^(1/3)*cos((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c))/(b*d^2*e^2*x + b*c*d*e^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{1/3}}\right)}{(dex + ce)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x, algorithm="giac")`

[Out] `integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(4/3), x)`

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x)`

[Out] `int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x)`

maxima [A] time = 0.34, size = 31, normalized size = 0.69

$$\frac{3 \cos\left(\frac{(dx+c)^{\frac{1}{3}}a+b}{(dx+c)^{\frac{1}{3}}}\right)}{bde^{\frac{4}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(4/3),x, algorithm="maxima")`

[Out] `3*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))/(b*d*e^(4/3))`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{\frac{1}{3}}}\right)}{(ce + dex)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(4/3),x)`

[Out] `int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(4/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(e(c + dx))^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(4/3),x)
```

```
[Out] Integral(sin(a + b/(c + d*x)**(1/3))/(e*(c + d*x))**(4/3), x)
```

$$3.246 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{5/3}} dx$$

Optimal. Leaf size=91

$$\frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde(e(c+dx))^{2/3}} - \frac{3(c+dx)^{2/3} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de(e(c+dx))^{2/3}}$$

[Out] $3*(d*x+c)^{(1/3)}*\cos(a+b/(d*x+c)^{(1/3)})/b/d/e/(e*(d*x+c))^{(2/3)}-3*(d*x+c)^{(2/3)}*\sin(a+b/(d*x+c)^{(1/3)})/b^2/d/e/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.08, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2637}

$$\frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde(e(c+dx))^{2/3}} - \frac{3(c+dx)^{2/3} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(5/3), x]

[Out] $(3*(c+d*x)^{(1/3)}*\text{Cos}[a+b/(c+d*x)^{(1/3)}])/(b*d*e*(e*(c+d*x))^{(2/3)}) - (3*(c+d*x)^{(2/3)}*\text{Sin}[a+b/(c+d*x)^{(1/3)}])/(b^2*d*e*(e*(c+d*x))^{(2/3)})$

Rule 15

Int[(u_.)*((a_.)*(x_)^(n_.))^(m_.), x_Symbol] :> Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] :> Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce + dex)^{5/3}} dx &= \frac{3 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\left(\frac{e}{x^3}\right)^{5/3} x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\ &= \frac{(3(c+dx)^{2/3}) \operatorname{Subst}\left(\int x \sin(a+bx) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de(e(c+dx))^{2/3}} \\ &= \frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde(e(c+dx))^{2/3}} - \frac{(3(c+dx)^{2/3}) \operatorname{Subst}\left(\int \cos(a+bx) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{bde(e(c+dx))^{2/3}} \\ &= \frac{3\sqrt[3]{c+dx} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde(e(c+dx))^{2/3}} - \frac{3(c+dx)^{2/3} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de(e(c+dx))^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 72, normalized size = 0.79

$$\frac{3(c+dx)^{5/3} \left(\frac{\cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b\sqrt[3]{c+dx}} - \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2} \right)}{d(e(c+dx))^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(5/3), x]

[Out] (3*(c + d*x)^(5/3)*(Cos[a + b/(c + d*x)^(1/3)]/(b*(c + d*x)^(1/3)) - Sin[a + b/(c + d*x)^(1/3)]/b^2)/(d*(e*(c + d*x))^(5/3))

fricas [A] time = 1.59, size = 116, normalized size = 1.27

$$\frac{3 \left((dex + ce)^{\frac{1}{3}} (dx + c)^{\frac{1}{3}} b \cos\left(\frac{adx+ac+(dx+c)^{\frac{2}{3}}b}{dx+c}\right) - (dex + ce)^{\frac{1}{3}} (dx + c)^{\frac{2}{3}} \sin\left(\frac{adx+ac+(dx+c)^{\frac{2}{3}}b}{dx+c}\right) \right)}{b^2 d^2 e^2 x + b^2 c d e^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3),x, algorithm="fricas")

[Out] $3*((d*e*x + c*e)^{(1/3)}*(d*x + c)^{(1/3)}*b*\cos((a*d*x + a*c + (d*x + c)^{(2/3)}*b)/(d*x + c)) - (d*e*x + c*e)^{(1/3)}*(d*x + c)^{(2/3)}*\sin((a*d*x + a*c + (d*x + c)^{(2/3)}*b)/(d*x + c)))/(b^2*d^2*e^2*x + b^2*c*d*e^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(5/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{1}{3}}}\right)}{(dex + ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3),x)

[Out] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3),x)

maxima [C] time = 0.60, size = 170, normalized size = 1.87

$$\frac{12b^2 \sin\left(\frac{(dx+c)^{\frac{1}{3}}a+b}{(dx+c)^{\frac{1}{3}}}\right) + (dx+c)^{\frac{2}{3}} \left(\left(3i\Gamma\left(3, ib\frac{1}{(dx+c)^{\frac{1}{3}}}\right) - 3i\Gamma\left(3, -ib\frac{1}{(dx+c)^{\frac{1}{3}}}\right) + 3i\Gamma\left(3, \frac{ib}{(dx+c)^{\frac{1}{3}}}\right) - 3i\Gamma\left(3, -\frac{ib}{(dx+c)^{\frac{1}{3}}}\right) \right)}{8(dx+c)^{\frac{2}{3}}b^2de^{\frac{5}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(5/3),x, algorithm="maxima")

[Out] $-1/8*(12*b^2*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) + (d*x + c)^{(2/3)}*((3*I*\gamma(3, I*b*\text{conjugate}((d*x + c)^{(-1/3)}))) - 3*I*\gamma(3, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})))$

```

ate((d*x + c)^(-1/3))) + 3*I*gamma(3, I*b/(d*x + c)^(1/3)) - 3*I*gamma(3, -
I*b/(d*x + c)^(1/3))*cos(a) + 3*(gamma(3, I*b*conjugate((d*x + c)^(-1/3)))
+ gamma(3, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(3, I*b/(d*x + c)^(1/3
)) + gamma(3, -I*b/(d*x + c)^(1/3))*sin(a)))/((d*x + c)^(2/3)*b^2*d*e^(5/3
))

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{1/3}}\right)}{(ce+dex)^{5/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(5/3), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(5/3), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(5/3), x)
```

```
[Out] Timed out
```

$$3.247 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{7/3}} dx$$

Optimal. Leaf size=172

$$\frac{18\sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^4 d e^2 \sqrt[3]{e(c+dx)}} - \frac{18 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 d e^2 \sqrt[3]{e(c+dx)}} - \frac{9 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 d e^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b d e^2 (c+dx)^{2/3} \sqrt[3]{e(c+dx)}}$$

[Out] $-18 \cos(a+b/(d*x+c)^{(1/3)})/b^3/d/e^2/(e*(d*x+c))^{(1/3)}+3 \cos(a+b/(d*x+c)^{(1/3)})/b/d/e^2/(d*x+c)^{(2/3)/(e*(d*x+c))^{(1/3)}-9 \sin(a+b/(d*x+c)^{(1/3)})/b^2/d/e^2/(d*x+c)^{(1/3)/(e*(d*x+c))^{(1/3)}+18*(d*x+c)^{(1/3)} \sin(a+b/(d*x+c)^{(1/3)})/b^4/d/e^2/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.15, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2637}

$$\frac{18\sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^4 d e^2 \sqrt[3]{e(c+dx)}} - \frac{9 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 d e^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} - \frac{18 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 d e^2 \sqrt[3]{e(c+dx)}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b d e^2 (c+dx)^{2/3} \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(7/3), x]`

[Out] $(-18 \cos[a + b/(c + d*x)^{(1/3)}])/(b^3 d e^2 (e*(c + d*x))^{(1/3)}) + (3 \cos[a + b/(c + d*x)^{(1/3)}])/(b d e^2 (c + d*x)^{(2/3)} (e*(c + d*x))^{(1/3)}) - (9 \sin[a + b/(c + d*x)^{(1/3)}])/(b^2 d e^2 (c + d*x)^{(1/3)} (e*(c + d*x))^{(1/3)}) + (18 (c + d*x)^{(1/3)} \sin[a + b/(c + d*x)^{(1/3)}])/(b^4 d e^2 (e*(c + d*x))^{(1/3)})$

Rule 15

`Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]`

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce + dex)^{7/3}} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(ax)}{\left(\frac{e}{x^3}\right)^{7/3} x^4} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
&= -\frac{(3\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int x^3 \sin(ax) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de^2 \sqrt[3]{e(c+dx)}} \\
&= \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3} \sqrt[3]{e(c+dx)}} - \frac{(9\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int x^2 \cos(ax) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{bde^2 \sqrt[3]{e(c+dx)}} \\
&= \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3} \sqrt[3]{e(c+dx)}} - \frac{9 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} + \frac{(18\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int x \sin(ax) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{e(c+dx)}} \\
&= -\frac{18 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 \sqrt[3]{e(c+dx)}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3} \sqrt[3]{e(c+dx)}} - \frac{9 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} + \frac{(18\sqrt[3]{c+dx}) \operatorname{Subst}\left(\int x \sin(ax) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{e(c+dx)}} \\
&= -\frac{18 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 \sqrt[3]{e(c+dx)}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3} \sqrt[3]{e(c+dx)}} - \frac{9 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} + \frac{18\sqrt[3]{c+dx} \operatorname{Subst}\left(\int x \sin(ax) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{e(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.17, size = 107, normalized size = 0.62

$$\frac{3 \left((6b(c+dx) - b^3 \sqrt[3]{c+dx}) \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) + 3\sqrt[3]{c+dx} (b^2 \sqrt[3]{c+dx} - 2c - 2dx) \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right) \right)}{b^4 de(e(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(7/3), x]

[Out] $(-3*((-b^3*(c + d*x)^{(1/3)}) + 6*b*(c + d*x))*\text{Cos}[a + b/(c + d*x)^{(1/3)}] + 3*(c + d*x)^{(1/3)}*(-2*c - 2*d*x + b^2*(c + d*x)^{(1/3)})*\text{Sin}[a + b/(c + d*x)^{(1/3)}])/(b^4*d*e*(e*(c + d*x))^{(4/3)})$

fricas [A] time = 1.97, size = 160, normalized size = 0.93

$$\frac{3 \left(\left((dx+c)^{\frac{1}{3}} b^3 - 6 b dx - 6 bc \right) (dex+ce)^{\frac{2}{3}} \cos \left(\frac{adx+ac+(dx+c)^{\frac{2}{3}} b}{dx+c} \right) - 3 (dex+ce)^{\frac{2}{3}} \left((dx+c)^{\frac{2}{3}} b^2 - 2 (dx+c)^{\frac{4}{3}} \right) \sin \left(\frac{adx+ac+(dx+c)^{\frac{2}{3}} b}{dx+c} \right) \right)}{b^4 d^3 e^3 x^2 + 2 b^4 c d^2 e^3 x + b^4 c^2 d e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3), x, algorithm="fricas")

[Out] $3*((((d*x + c)^{(1/3)}*b^3 - 6*b*d*x - 6*b*c)*(d*e*x + c*e)^{(2/3)}*\text{cos}((a*d*x + a*c + (d*x + c)^{(2/3)}*b)/(d*x + c)) - 3*(d*e*x + c*e)^{(2/3)}*((d*x + c)^{(2/3)}*b^2 - 2*(d*x + c)^{(4/3)})*\text{sin}((a*d*x + a*c + (d*x + c)^{(2/3)}*b)/(d*x + c)))/(b^4*d^3*e^3*x^2 + 2*b^4*c*d^2*e^3*x + b^4*c^2*d*e^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{1}{3}}} \right)}{(dex+ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3), x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(7/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{1}{3}}} \right)}{(dex+ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3), x)

[Out] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3), x)

maxima [C] time = 2.37, size = 1390, normalized size = 8.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(7/3),x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/16*(6*(\cos(a)^2 + \sin(a)^2)*b^4*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) - 6*(b^4*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})^2*\sin(a) + b^4*\sin(a)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})^2*\cos((2*(d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) + 6*(b^4*\cos(a)*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})^2 + b^4*\cos(a)*\sin(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})^2)*\sin((2*(d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)}) - (((3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^3 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^2*\sin(a) + (3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)*\sin(a)^2 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\sin(a)^3*d*x + ((3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^3 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^2*\sin(a) + (3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)*\sin(a)^2 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\sin(a)^3)*c*\cos(((d*x + c)^{(1/3)}*a + b)/(d*x + c)^{(1/3)})^2 + (((3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^3 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)^2*\sin(a) + (3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(1/3)}))*\cos(a)*\sin(a)^2 + 3*(\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + \gamma(5, I*b/(d*x + c)^{(1/3)}) + \gamma(5, -I*b/(d*x + c)^{(1/3)}))*\sin(a)^3*d*x + ((3*I*\gamma(5, I*b*\text{conjugate}((d*x + c)^{(-1/3)})) - 3*I*\gamma(5, -I*b*\text{conjugate}((d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(-1/3)})) + 3*I*\gamma(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\gamma(5, -I*b/(d*x + c)^{(-1/3)}) \end{aligned}$$

$(d*x + c)^{(1/3)}) * \cos(a)^3 + 3 * (\text{gamma}(5, I*b*\text{conjugate}((d*x + c)^{-1/3})) + \text{gamma}(5, -I*b*\text{conjugate}((d*x + c)^{-1/3})) + \text{gamma}(5, I*b/(d*x + c)^{(1/3)}) + \text{gamma}(5, -I*b/(d*x + c)^{(1/3)})) * \cos(a)^2 * \sin(a) + (3*I*\text{gamma}(5, I*b*\text{conjugate}((d*x + c)^{-1/3})) - 3*I*\text{gamma}(5, -I*b*\text{conjugate}((d*x + c)^{-1/3})) + 3*I*\text{gamma}(5, I*b/(d*x + c)^{(1/3)}) - 3*I*\text{gamma}(5, -I*b/(d*x + c)^{(1/3)})) * \cos(a) * \sin(a)^2 + 3 * (\text{gamma}(5, I*b*\text{conjugate}((d*x + c)^{-1/3})) + \text{gamma}(5, -I*b*\text{conjugate}((d*x + c)^{-1/3})) + \text{gamma}(5, I*b/(d*x + c)^{(1/3)}) + \text{gamma}(5, -I*b/(d*x + c)^{(1/3)})) * \sin(a)^3 * c * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)})^2 * (d*x + c)^{(1/3)} / (((\cos(a)^2 + \sin(a)^2) * b^4 * d^2 * e^{2*x} + (\cos(a)^2 + \sin(a)^2) * b^4 * c * d * e^2) * \cos(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)})^2 + ((\cos(a)^2 + \sin(a)^2) * b^4 * d^2 * e^{2*x} + (\cos(a)^2 + \sin(a)^2) * b^4 * c * d * e^2) * \sin(((d*x + c)^{(1/3)} * a + b) / (d*x + c)^{(1/3)})^2 * (d*x + c)^{(1/3)} * e^{(1/3)})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{1/3}}\right)}{(ce + dex)^{7/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(7/3), x)

[Out] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(7/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(7/3), x)

[Out] Timed out

$$3.248 \quad \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce+dex)^{8/3}} dx$$

Optimal. Leaf size=217

$$\frac{72(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^5 de^2 (e(c+dx))^{2/3}} + \frac{72\sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^4 de^2 (e(c+dx))^{2/3}} - \frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 (e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} (e(c+dx))^{2/3}} + \frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 (e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} (e(c+dx))^{2/3}} + \frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 (e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} (e(c+dx))^{2/3}}$$

[Out] $-36*\cos(a+b/(d*x+c)^{(1/3)})/b^3/d/e^2/(e*(d*x+c))^{(2/3)}+3*\cos(a+b/(d*x+c)^{(1/3)})/b/d/e^2/(d*x+c)^{(2/3)}/(e*(d*x+c))^{(2/3)}+72*(d*x+c)^{(2/3)}*\cos(a+b/(d*x+c)^{(1/3)})/b^5/d/e^2/(e*(d*x+c))^{(2/3)}-12*\sin(a+b/(d*x+c)^{(1/3)})/b^2/d/e^2/(d*x+c)^{(1/3)}/(e*(d*x+c))^{(2/3)}+72*(d*x+c)^{(1/3)}*\sin(a+b/(d*x+c)^{(1/3)})/b^4/d/e^2/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.19, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3431, 15, 3296, 2638}

$$\frac{72\sqrt[3]{c+dx} \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^4 de^2 (e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} (e(c+dx))^{2/3}} + \frac{72(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^5 de^2 (e(c+dx))^{2/3}} - \frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 (e(c+dx))^{2/3}} + \frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3 de^2 (e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2 de^2 \sqrt[3]{c+dx} (e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(8/3), x]

[Out] $(-36*\cos[a + b/(c + d*x)^{(1/3)})/(b^3*d*e^2*(e*(c + d*x))^{(2/3)}) + (3*\cos[a + b/(c + d*x)^{(1/3)})/(b*d*e^2*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(2/3)}) + (72*(c + d*x)^{(2/3)}*\cos[a + b/(c + d*x)^{(1/3)})/(b^5*d*e^2*(e*(c + d*x))^{(2/3)}) - (12*\sin[a + b/(c + d*x)^{(1/3)})/(b^2*d*e^2*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(2/3)}) + (72*(c + d*x)^{(1/3)}*\sin[a + b/(c + d*x)^{(1/3)})/(b^4*d*e^2*(e*(c + d*x))^{(2/3)})$

Rule 15

Int[(u_.)*((a_.)*(x_)^(n_))^(m_), x_Symbol] := Dist[(a^IntPart[m]*(a*x^n)^FracPart[m])/x^(n*FracPart[m]), Int[u*x^(m*n), x], x] /; FreeQ[{a, m, n}, x] && !IntegerQ[m]

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
 ((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
 e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
 .)*(x))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
 d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
 x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int \frac{\sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{(ce + dex)^{8/3}} dx &= -\frac{3 \operatorname{Subst}\left(\int \frac{\sin(a+bx)}{\left(\frac{e}{x^3}\right)^{8/3}} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d} \\
 &= -\frac{(3(c+dx)^{2/3}) \operatorname{Subst}\left(\int x^4 \sin(a+bx) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de^2(e(c+dx))^{2/3}} \\
 &= \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3}(e(c+dx))^{2/3}} - \frac{(12(c+dx)^{2/3}) \operatorname{Subst}\left(\int x^3 \cos(a+bx) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{bde^2(e(c+dx))^{2/3}} \\
 &= \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3}(e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de^2\sqrt[3]{c+dx}(e(c+dx))^{2/3}} + \frac{(36(c+dx)^{2/3}) \operatorname{Subst}\left(\int \right)}{b^2de^2(e(c+dx))^{2/3}} \\
 &= -\frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3de^2(e(c+dx))^{2/3}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3}(e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de^2\sqrt[3]{c+dx}(e(c+dx))^{2/3}} + \dots \\
 &= -\frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3de^2(e(c+dx))^{2/3}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3}(e(c+dx))^{2/3}} - \frac{12 \sin\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^2de^2\sqrt[3]{c+dx}(e(c+dx))^{2/3}} + \dots \\
 &= -\frac{36 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^3de^2(e(c+dx))^{2/3}} + \frac{3 \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{bde^2(c+dx)^{2/3}(e(c+dx))^{2/3}} + \frac{72(c+dx)^{2/3} \cos\left(a + \frac{b}{\sqrt[3]{c+dx}}\right)}{b^5de^2(e(c+dx))^{2/3}}
 \end{aligned}$$

Mathematica [A] time = 0.30, size = 112, normalized size = 0.52

$$\frac{(c + dx)^{4/3} \left(12b \left(b^2 \left(-\sqrt[3]{c + dx} \right) + 6c + 6dx \right) \sin \left(a + \frac{b}{\sqrt[3]{c + dx}} \right) + 3 \left(b^4 - 12b^2(c + dx)^{2/3} + 24(c + dx)^{4/3} \right) \cos \left(a + \frac{b}{\sqrt[3]{c + dx}} \right) \right)}{b^5 d (e(c + dx))^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(1/3)]/(c*e + d*e*x)^(8/3), x]

[Out] ((c + d*x)^(4/3)*(3*(b^4 - 12*b^2*(c + d*x)^(2/3) + 24*(c + d*x)^(4/3))*Cos[a + b/(c + d*x)^(1/3)] + 12*b*(6*c + 6*d*x - b^2*(c + d*x)^(1/3))*Sin[a + b/(c + d*x)^(1/3)])/(b^5*d*(e*(c + d*x))^(8/3))

fricas [A] time = 2.12, size = 181, normalized size = 0.83

$$\frac{3 \left(\left((dx + c)^{\frac{1}{3}} b^4 - 12 b^2 dx - 12 b^2 c + 24 (dx + c)^{\frac{5}{3}} \right) (dex + ce)^{\frac{1}{3}} \cos \left(\frac{adx + ac + (dx + c)^{\frac{2}{3}} b}{dx + c} \right) - 4 \left((dx + c)^{\frac{2}{3}} b^3 - 6 (bdx + bc) \right) \right)}{b^5 d^3 e^3 x^2 + 2 b^5 c d^2 e^3 x + b^5 c^2 d e^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(8/3), x, algorithm="fricas")

[Out] 3*(((d*x + c)^(1/3)*b^4 - 12*b^2*d*x - 12*b^2*c + 24*(d*x + c)^(5/3))*(d*e*x + c*e)^(1/3)*cos((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)) - 4*((d*x + c)^(2/3)*b^3 - 6*(b*d*x + b*c)*(d*x + c)^(1/3))*(d*e*x + c*e)^(1/3)*sin((a*d*x + a*c + (d*x + c)^(2/3)*b)/(d*x + c)))/(b^5*d^3*e^3*x^2 + 2*b^5*c*d^2*e^3*x + b^5*c^2*d*e^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{1}{3}}} \right)}{(dex + ce)^{\frac{8}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(8/3), x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(1/3))/(d*e*x + c*e)^(8/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{1}{3}}} \right)}{(dex + ce)^{\frac{8}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(8/3),x)
```

```
[Out] int(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(8/3),x)
```

maxima [C] time = 3.57, size = 1965, normalized size = 9.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)^(1/3))/(d*e*x+c*e)^(8/3),x, algorithm="maxima")
```

```
[Out] -1/2000*(600*((cos(a)^2 + sin(a)^2)*b^5*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) - (b^5*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2*sin(a) + b^5*sin(a)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2*cos((2*(d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3)) + (b^5*cos(a)*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2 + b^5*cos(a)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2)*sin((2*(d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))*(d*x + c)^(1/3)*e^(1/3) - (((300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*d^2*x^2 + (600*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (600*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) - 600*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + 600*I*gamma(6, I*b/(d*x + c)^(1/3)) - 600*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 600*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (600*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) - 600*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + 600*I*gamma(6, I*b/(d*x + c)^(1/3)) - 600*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*c*d*x + (300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3)))) + gamma(6, I
```

```

*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (30
0*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*c^2)*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2 + ((300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*d^2*x^2 + (600*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (600*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 600*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 600*I*gamma(6, I*b/(d*x + c)^(1/3)) - 600*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 600*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (600*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 600*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 600*I*gamma(6, I*b/(d*x + c)^(1/3)) - 600*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*c*d*x + (300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^3 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)^2*sin(a) + 300*(gamma(6, I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + gamma(6, I*b/(d*x + c)^(1/3)) + gamma(6, -I*b/(d*x + c)^(1/3)))*cos(a)*sin(a)^2 - (300*I*gamma(6, I*b*conjugate((d*x + c)^(-1/3))) - 300*I*gamma(6, -I*b*conjugate((d*x + c)^(-1/3))) + 300*I*gamma(6, I*b/(d*x + c)^(1/3)) - 300*I*gamma(6, -I*b/(d*x + c)^(1/3)))*sin(a)^3*c^2)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2)*e^(1/3))/(((cos(a)^2 + sin(a)^2)*b^5*d^3*e^3*x^2 + 2*(cos(a)^2 + sin(a)^2)*b^5*c*d^2*e^3*x + (cos(a)^2 + sin(a)^2)*b^5*c^2*d*e^3)*cos(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2 + ((cos(a)^2 + sin(a)^2)*b^5*d^3*e^3*x^2 + 2*(cos(a)^2 + sin(a)^2)*b^5*c*d^2*e^3*x + (cos(a)^2 + sin(a)^2)*b^5*c^2*d*e^3)*sin(((d*x + c)^(1/3)*a + b)/(d*x + c)^(1/3))^2)

```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{1/3}}\right)}{(ce+dex)^{8/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(8/3), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(1/3))/(c*e + d*e*x)^(8/3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(1/3))/(d*e*x+c*e)**(8/3), x)
```

```
[Out] Timed out
```

$$3.249 \quad \int (ce + dex)^{4/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$$

Optimal. Leaf size=299

$$\frac{8\sqrt{2\pi} b^{7/2} e \sin(a) \sqrt[3]{e(c+dx)} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{35d\sqrt[3]{c+dx}} - \frac{8\sqrt{2\pi} b^{7/2} e \cos(a) \sqrt[3]{e(c+dx)} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{35d\sqrt[3]{c+dx}} - \frac{8b^3 e \sqrt[3]{e(c+dx)} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{35d}$$

[Out] $-8/35*b^3*e*(e*(d*x+c))^{(1/3)}*\cos(a+b/(d*x+c)^{(2/3)})/d+6/35*b*e*(d*x+c)^{(4/3)}*(e*(d*x+c))^{(1/3)}*\cos(a+b/(d*x+c)^{(2/3)})/d-4/35*b^2*e*(d*x+c)^{(2/3)}*(e*(d*x+c))^{(1/3)}*\sin(a+b/(d*x+c)^{(2/3)})/d+3/7*e*(d*x+c)^2*(e*(d*x+c))^{(1/3)}*\sin(a+b/(d*x+c)^{(2/3)})/d-8/35*b^{(7/2)}*e*(e*(d*x+c))^{(1/3)}*\cos(a)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(d*x+c)^{(1/3)}-8/35*b^{(7/2)}*e*(e*(d*x+c))^{(1/3)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(d*x+c)^{(1/3)}$

Rubi [A] time = 0.29, antiderivative size = 299, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3435, 3417, 3415, 3409, 3387, 3388, 3353, 3352, 3351}

$$\frac{8\sqrt{2\pi} b^{7/2} e \sin(a) \sqrt[3]{e(c+dx)} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{35d\sqrt[3]{c+dx}} - \frac{8\sqrt{2\pi} b^{7/2} e \cos(a) \sqrt[3]{e(c+dx)} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{35d\sqrt[3]{c+dx}} - \frac{4b^2 e (c+dx)^{2/3} \sqrt[3]{e(c+dx)}}{35d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(4/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}], x]$

[Out] $(-8*b^3*e*(e*(c + d*x))^{(1/3)}*\text{Cos}[a + b/(c + d*x)^{(2/3)}])/(35*d) + (6*b*e*(c + d*x)^{(4/3)}*(e*(c + d*x))^{(1/3)}*\text{Cos}[a + b/(c + d*x)^{(2/3)}])/(35*d) - (8*b^{(7/2)}*e*\text{Sqrt}[2*Pi]*(e*(c + d*x))^{(1/3)}*\text{Cos}[a]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi])/((c + d*x)^{(1/3)})])/(35*d*(c + d*x)^{(1/3)}) - (8*b^{(7/2)}*e*\text{Sqrt}[2*Pi]*(e*(c + d*x))^{(1/3)}*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/Pi])/((c + d*x)^{(1/3)})]*\text{Sin}[a])/(35*d*(c + d*x)^{(1/3)}) - (4*b^2*e*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(1/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(35*d) + (3*e*(c + d*x)^2*(e*(c + d*x))^{(1/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(7*d)$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[Pi/2]*\text{FresnelS}[\text{Sqrt}[2/Pi]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*xⁿ]/(e*(m + 1)), x] - Dist[(d*n)/(eⁿ*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3388

Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_), x_Symbol] := Simp[((e*x)^(m + 1)*Cos[c + d*xⁿ]/(e*(m + 1)), x] + Dist[(d*n)/(eⁿ*(m + 1)), Int[(e*x)^(m + n)*Sin[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 3409

Int[(x_)^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := -Subst[Int[(a + b*SIN[c + d/xⁿ])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]

Rule 3415

Int[(x_)^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x^{(k*(m + 1) - 1)}*(a + b*SIN[c + d*x^(k*n)])^p, x], x, x^(1/k)], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3417

Int[((e_.)*(x_))^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Dist[(e^{IntPart[m]}*(e*x)^{FracPart[m]})/x^{FracPart[m]}, Int[x^m*(a + b*SIN[c + d*xⁿ])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3435

```

Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] :> Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

```

Rubi steps

$$\begin{aligned}
\int (ce + dex)^{4/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx &= \frac{\text{Subst}\left(\int (ex)^{4/3} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d} \\
&= \frac{(e\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int x^{4/3} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d\sqrt[3]{c + dx}} \\
&= \frac{(3e\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int x^6 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d\sqrt[3]{c + dx}} \\
&= -\frac{(3e\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int \frac{\sin(a + bx^2)}{x^8} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{d\sqrt[3]{c + dx}} \\
&= \frac{3e(c + dx)^2 \sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{7d} - \frac{(6be\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int \frac{1}{x^7} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{7d\sqrt[3]{c + dx}} \\
&= \frac{6be(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} + \frac{3e(c + dx)^2 \sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{7d} \\
&= \frac{6be(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} - \frac{4b^2 e(c + dx)^{2/3} \sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} \\
&= -\frac{8b^3 e \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} + \frac{6be(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} \\
&= -\frac{8b^3 e \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} + \frac{6be(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} \\
&= -\frac{8b^3 e \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d} + \frac{6be(c + dx)^{4/3} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{35d}
\end{aligned}$$

Mathematica [A] time = 0.90, size = 237, normalized size = 0.79

$$(e(c+dx))^{4/3} \left[\frac{8\sqrt{2\pi} b^{7/2} \left(\sin(a) C\left(\frac{\sqrt{b}\sqrt{2/\pi}}{\sqrt[3]{c+dx}}\right) + \cos(a) S\left(\frac{\sqrt{b}\sqrt{2/\pi}}{\sqrt[3]{c+dx}}\right) \right)}{(c+dx)^{4/3}} + \frac{\cos\left(\frac{b}{(c+dx)^{2/3}}\right) (-8b^3 \cos(a) - 4b^2 \sin(a)(c+dx)^{2/3} + 6b \cos(a)(c+dx)^{4/3} + 15b^3 \sin(a)(c+dx)^{2/3})}{c+dx} \right]$$

35d

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(4/3)*Sin[a + b/(c + d*x)^(2/3)],x]

[Out] ((e*(c + d*x))^(4/3)*((Cos[b/(c + d*x)^(2/3)]*(-8*b^3*Cos[a] + 6*b*(c + d*x)^(4/3)*Cos[a] - 4*b^2*(c + d*x)^(2/3)*Sin[a] + 15*(c + d*x)^2*Sin[a]))/(c + d*x) - (8*b^(7/2)*Sqrt[2*Pi]*(Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)] + FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)]*Sin[a]))/(c + d*x)^(4/3) + ((-4*b^2*(c + d*x)^(2/3)*Cos[a] + 15*(c + d*x)^2*Cos[a] + 8*b^3*Sin[a] - 6*b*(c + d*x)^(4/3)*Sin[a])*Sin[b/(c + d*x)^(2/3)]/(c + d*x)))/(35*d)

fricas [F] time = 1.52, size = 0, normalized size = 0.00

$$\text{integral} \left((dex + ce)^{\frac{4}{3}} \sin \left(\frac{adx + ac + (dx + c)^{\frac{1}{3}} b}{dx + c} \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(4/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)), x)

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] Exception raised: TypeError >> An error occurred running a Giac command:INP UT:sage2:=int(sage0,x);OUTPUT:Unable to divide, perhaps due to rounding error%%{1, [0,6,1,0,0,0]%%}+%%{-2, [0,3,1,1,1,0]%%}+%%{1, [0,0,1,2,2,0]%%} / %%{1, [0,0,0,0,2,2]%%} Error: Bad Argument Value

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{4}{3}} \sin\left(a + \frac{b}{(dx + c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(4/3)*sin(a+b/(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(4/3)*sin(a+b/(d*x+c)^(2/3)),x)

maxima [C] time = 2.54, size = 1119, normalized size = 3.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(4/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")

[Out] 1/8*(((3*I*gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-7/2, -I*b/(d*x + c)^(2/3)))*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + (-3*I*gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(-7/2, I*b/(d*x + c)^(2/3)))*cos(-7/4*pi + 7/3*arctan2(0, d*x + c)) - 3*(gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, -I*b/(d*x + c)^(2/3)))*sin(7/4*pi + 7/3*arctan2(0, d*x + c)) + 3*(gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, I*b/(d*x + c)^(2/3)))*sin(-7/4*pi + 7/3*arctan2(0, d*x + c)))*cos(a) + (3*(gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, -I*b/(d*x + c)^(2/3)))*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + 3*(gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, I*b/(d*x + c)^(2/3)))*cos(-7/4*pi + 7/3*arctan2(0, d*x + c)) + (3*I*gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-7/2, -I*b/(d*x + c)^(2/3)))*sin(7/4*pi + 7/3*arctan2(0, d*x + c)) + (3*I*gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-7/2, I*b/(d*x + c)^(2/3)))*sin(-7/4*pi + 7/3*arctan2(0, d*x + c)))*sin(a) *d^2*e^(4/3)*x^2 + (((6*I*gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) - 6*I*gamma(-7/2, -I*b/(d*x + c)^(2/3)))*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + (-6*I*gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + 6*I*gamma(-7/2, I*b/(d*x + c)^(2/3)))*cos(-7/4*pi + 7/3*arctan2(0, d*x + c)) - 6*(gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, -I*b/(d*x + c)^(2/3)))*sin(7/4*pi + 7/3*arctan2(0, d*x + c)) + 6*(gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, I*b/(d*x + c)^(2/3)))*sin(-7/4*pi + 7/3*arctan2(0, d*x + c)))*cos(a) + (6*(gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, -I*b/(d*x + c)^(2/3)))*cos(7/4*pi + 7/3*arctan2(0, d*x + c)) + 6*(gamma(-7/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-7/2, I*b/(d*x + c)^(2/3)))*cos(-7/4*pi + 7/3*arctan2(0, d*x + c)) + (6*I*gamma(-7/2, I*b*conjugate((d*x + c)^(-2/3))) - 6*I*gamma(-7/2, -I*b/(d*x + c)^(2/3)))*sin(7/4*pi +

$$\begin{aligned} & 7/3 \arctan2(0, dx + c) + (6I \gamma(-7/2, -Ib \operatorname{conjugate}((dx + c)^{-2/3})) - 6I \gamma(-7/2, Ib/(dx + c)^{2/3})) \sin(-7/4\pi + 7/3 \arctan2(0, dx + c)) \sin(a) c d e^{4/3} x \\ & + ((3I \gamma(-7/2, Ib \operatorname{conjugate}((dx + c)^{-2/3})) - 3I \gamma(-7/2, -Ib/(dx + c)^{2/3})) \cos(7/4\pi + 7/3 \arctan2(0, dx + c)) + (-3I \gamma(-7/2, -Ib \operatorname{conjugate}((dx + c)^{-2/3})) + 3I \gamma(-7/2, Ib/(dx + c)^{2/3})) \cos(-7/4\pi + 7/3 \arctan2(0, dx + c)) - 3 \\ & * (\gamma(-7/2, Ib \operatorname{conjugate}((dx + c)^{-2/3})) + \gamma(-7/2, -Ib/(dx + c)^{2/3})) \sin(7/4\pi + 7/3 \arctan2(0, dx + c)) + 3 * (\gamma(-7/2, -Ib \operatorname{conjugate}((dx + c)^{-2/3})) + \gamma(-7/2, Ib/(dx + c)^{2/3})) \sin(-7/4\pi + 7/3 \arctan2(0, dx + c)) \\ & * \cos(a) + (3 * (\gamma(-7/2, Ib \operatorname{conjugate}((dx + c)^{-2/3})) + \gamma(-7/2, -Ib/(dx + c)^{2/3})) \cos(7/4\pi + 7/3 \arctan2(0, dx + c)) + 3 * (\gamma(-7/2, -Ib \operatorname{conjugate}((dx + c)^{-2/3})) + \gamma(-7/2, Ib/(dx + c)^{2/3})) \cos(-7/4\pi + 7/3 \arctan2(0, dx + c)) + (3I \gamma(-7/2, Ib \operatorname{conjugate}((dx + c)^{-2/3})) - 3I \gamma(-7/2, -Ib/(dx + c)^{2/3})) \sin(7/4\pi + 7/3 \arctan2(0, dx + c)) + (3I \gamma(-7/2, -Ib \operatorname{conjugate}((dx + c)^{-2/3})) - 3I \gamma(-7/2, Ib/(dx + c)^{2/3})) \sin(-7/4\pi + 7/3 \arctan2(0, dx + c)) \sin(a) c^2 e^{4/3} (dx + c)^{1/3} (b/(dx + c)^{2/3})^{7/2} / d \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) (ce + dex)^{4/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + dx)^(2/3))*(c*e + d*e*x)^(4/3), x)

[Out] int(sin(a + b/(c + dx)^(2/3))*(c*e + d*e*x)^(4/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)**(4/3)*sin(a+b/(d*x+c)**(2/3)), x)

[Out] Timed out

$$3.250 \quad \int (ce + dex)^{2/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$$

Optimal. Leaf size=262

$$\frac{4\sqrt{2}\sqrt{\pi}b^{5/2}\cos(a)(e(c+dx))^{2/3}C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{5d(c+dx)^{2/3}} - \frac{4\sqrt{2}\sqrt{\pi}b^{5/2}\sin(a)(e(c+dx))^{2/3}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{5d(c+dx)^{2/3}} - \frac{4b^2(e(c+dx))^{2/3}\sin(a)}{5d\sqrt[3]{c+dx}}$$

[Out] $2/5*b*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(2/3)}*\cos(a+b/(d*x+c)^{(2/3)})/d-4/5*b^2*(e*(d*x+c))^{(2/3)}*\sin(a+b/(d*x+c)^{(2/3)})/d/(d*x+c)^{(1/3)}+3/5*(d*x+c)*(e*(d*x+c))^{(2/3)}*\sin(a+b/(d*x+c)^{(2/3)})/d+4/5*b^{(5/2)}*(e*(d*x+c))^{(2/3)}*\cos(a)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(d*x+c)^{(2/3)}-4/5*b^{(5/2)}*(e*(d*x+c))^{(2/3)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\sin(a)*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(d*x+c)^{(2/3)}$

Rubi [A] time = 0.23, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3435, 3417, 3415, 3409, 3387, 3388, 3354, 3352, 3351}

$$\frac{4\sqrt{2}\sqrt{\pi}b^{5/2}\cos(a)(e(c+dx))^{2/3}\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}}{\sqrt[3]{c+dx}}\right)}{5d(c+dx)^{2/3}} - \frac{4\sqrt{2}\sqrt{\pi}b^{5/2}\sin(a)(e(c+dx))^{2/3}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{5d(c+dx)^{2/3}} - \frac{4b^2(e(c+dx))^{2/3}}{5d\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*e + d*e*x)^{(2/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}], x]$

[Out] $(2*b*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(2/3)}*\text{Cos}[a + b/(c + d*x)^{(2/3)}])/(5*d) + (4*\text{Sqrt}[2]*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*e^{(2/3)}*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}])/(5*d*(c + d*x)^{(2/3)}) - (4*\text{Sqrt}[2]*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*e^{(2/3)}*(c + d*x)^{(2/3)}*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/(5*d*(c + d*x)^{(2/3)}) - (4*b^2*(e*(c + d*x))^{(2/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(5*d*(c + d*x)^{(1/3)}) + (3*(c + d*x)*(e*(c + d*x))^{(2/3)}*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(5*d)$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3354

```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3387

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := Simp[((e*x
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1)), Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3388

```
Int[Cos[(c_) + (d_)*(x_)(n_)]*((e_)*(x_))(m_), x_Symbol] := Simp[((e*x
)(m + 1)*Cos[c + d*xn]/(e*(m + 1)), x] + Dist[(d*n)/(en*(m + 1)), Int[(
e*x)(m + n)*Sin[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3409

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]])(p_), x_Symbol
] := -Subst[Int[(a + b*SIN[c + d/xn])p/x(m + 2), x], x, 1/x] /; FreeQ[{a
, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]
```

Rule 3415

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]])(p_), x_Symbol
] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x(k*(m + 1) - 1)*(a +
b*SIN[c + d*x(k*n)])p, x], x, x(1/k)], x]] /; FreeQ[{a, b, c, d, m}, x]
&& IntegerQ[p] && FractionQ[n]
```

Rule 3417

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)]])(p_), x_
Symbol] := Dist[(eIntPart[m]*(e*x)FracPart[m])/xFracPart[m], Int[xm*(a
+ b*SIN[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p]
&& FractionQ[n]
```

Rule 3435

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)]])(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)m*(a + b
*SIN[c + d*xn])p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
```

} , x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned}
 \int (ce + dex)^{2/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx &= \frac{\text{Subst}\left(\int (ex)^{2/3} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d} \\
 &= \frac{(e(c + dx))^{2/3} \text{Subst}\left(\int x^{2/3} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d(c + dx)^{2/3}} \\
 &= \frac{(3(e(c + dx))^{2/3}) \text{Subst}\left(\int x^4 \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c + dx}\right)}{d(c + dx)^{2/3}} \\
 &= -\frac{(3(e(c + dx))^{2/3}) \text{Subst}\left(\int \frac{\sin(a + bx^2)}{x^6} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{d(c + dx)^{2/3}} \\
 &= \frac{3(c + dx)(e(c + dx))^{2/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} - \frac{(6b(e(c + dx))^{2/3}) \text{Subst}\left(\int \frac{\sin(a + bx^2)}{x^6} dx, x, \frac{1}{\sqrt[3]{c + dx}}\right)}{5d(c + dx)} \\
 &= \frac{2b\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} + \frac{3(c + dx)(e(c + dx))^{2/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} \\
 &= \frac{2b\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} - \frac{4b^2(e(c + dx))^{2/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d\sqrt[3]{c + dx}} \\
 &= \frac{2b\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} - \frac{4b^2(e(c + dx))^{2/3} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d\sqrt[3]{c + dx}} \\
 &= \frac{2b\sqrt[3]{c + dx} (e(c + dx))^{2/3} \cos\left(a + \frac{b}{(c + dx)^{2/3}}\right)}{5d} + \frac{4\sqrt{2} b^{5/2} \sqrt{\pi} (e(c + dx))^{2/3}}{5d(c + dx)}
 \end{aligned}$$

Mathematica [A] time = 0.35, size = 228, normalized size = 0.87

$$\frac{(e(c + dx))^{2/3} \left(4\sqrt{2\pi} b^{5/2} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c + dx}}\right) - 4\sqrt{2\pi} b^{5/2} \sin(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c + dx}}\right) - 4b^2 \sqrt[3]{c + dx} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) + 3c(c + dx) \right)}{5d(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)],x]

[Out] ((e*(c + d*x))^(2/3)*(2*b*c*Cos[a + b/(c + d*x)^(2/3)] + 2*b*d*x*Cos[a + b/(c + d*x)^(2/3)] + 4*b^(5/2)*Sqrt[2*Pi]*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)] - 4*b^(5/2)*Sqrt[2*Pi]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)]*Sin[a] - 4*b^2*(c + d*x)^(1/3)*Sin[a + b/(c + d*x)^(2/3)] + 3*c*(c + d*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)] + 3*d*x*(c + d*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)]))/(5*d*(c + d*x)^(2/3))

fricas [F] time = 1.50, size = 0, normalized size = 0.00

$$\text{integral} \left((dex + ce)^{\frac{2}{3}} \sin \left(\frac{adx + ac + (dx + c)^{\frac{1}{3}}b}{dx + c} \right), x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{2}{3}} \sin \left(a + \frac{b}{(dx + c)^{\frac{2}{3}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] integrate((d*e*x + c*e)^(2/3)*sin(a + b/(d*x + c)^(2/3)), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{2}{3}} \sin \left(a + \frac{b}{(dx + c)^{\frac{2}{3}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(2/3)*sin(a+b/(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(2/3)*sin(a+b/(d*x+c)^(2/3)),x)

maxima [C] time = 2.05, size = 749, normalized size = 2.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(2/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")

[Out] 1/8*(((3*I*gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, -I*b/(d*x + c)^(2/3))) * cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + (-3*I*gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(-5/2, I*b/(d*x + c)^(2/3))) * cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) - 3*(gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, -I*b/(d*x + c)^(2/3))) * sin(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, I*b/(d*x + c)^(2/3))) * sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * cos(a) + (3*(gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, -I*b/(d*x + c)^(2/3))) * cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, I*b/(d*x + c)^(2/3))) * cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) + (3*I*gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, -I*b/(d*x + c)^(2/3))) * sin(5/4*pi + 5/3*arctan2(0, d*x + c)) + (3*I*gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, I*b/(d*x + c)^(2/3))) * sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * sin(a) * d*e^(2/3)*x + (((3*I*gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, -I*b/(d*x + c)^(2/3))) * cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + (-3*I*gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(-5/2, I*b/(d*x + c)^(2/3))) * cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) - 3*(gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, -I*b/(d*x + c)^(2/3))) * sin(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, I*b/(d*x + c)^(2/3))) * sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * cos(a) + (3*(gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, -I*b/(d*x + c)^(2/3))) * cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-5/2, I*b/(d*x + c)^(2/3))) * cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) + (3*I*gamma(-5/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, -I*b/(d*x + c)^(2/3))) * sin(5/4*pi + 5/3*arctan2(0, d*x + c)) + (3*I*gamma(-5/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-5/2, I*b/(d*x + c)^(2/3))) * sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * sin(a)) * c*e^(2/3) * (d*x + c)^(2/3) * (b/(d*x + c)^(2/3))^(5/2) / d

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) (ce + dex)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))*(c*e + d*e*x)^(2/3),x)

[Out] int(sin(a + b/(c + d*x)^(2/3))*(c*e + d*e*x)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e(c + dx))^{\frac{2}{3}} \sin\left(a + \frac{b}{(c + dx)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)**(2/3)*sin(a+b/(d*x+c)**(2/3)),x)

[Out] Integral((e*(c + d*x))**(2/3)*sin(a + b/(c + d*x)**(2/3)), x)

$$3.251 \quad \int \sqrt[3]{ce + dex} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) dx$$

Optimal. Leaf size=168

$$\frac{3b^2 \sin(a) \sqrt[3]{e(c+dx)} \operatorname{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d \sqrt[3]{c+dx}} + \frac{3b^2 \cos(a) \sqrt[3]{e(c+dx)} \operatorname{Si}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d \sqrt[3]{c+dx}} + \frac{3(c+dx) \sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} + \dots$$

[Out] $3/4*b*(d*x+c)^{(1/3)}*(e*(d*x+c))^{(1/3)}*\cos(a+b/(d*x+c)^{(2/3)})/d+3/4*b^2*(e*(d*x+c))^{(1/3)}*\cos(a)*\operatorname{Si}(b/(d*x+c)^{(2/3)})/d/(d*x+c)^{(1/3)}+3/4*b^2*(e*(d*x+c))^{(1/3)}*\operatorname{Ci}(b/(d*x+c)^{(2/3)})*\sin(a)/d/(d*x+c)^{(1/3)}+3/4*(d*x+c)*(e*(d*x+c))^{(1/3)}*\sin(a+b/(d*x+c)^{(2/3)})/d$

Rubi [A] time = 0.18, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {3435, 3381, 3379, 3297, 3303, 3299, 3302}

$$\frac{3b^2 \sin(a) \sqrt[3]{e(c+dx)} \operatorname{CosIntegral}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d \sqrt[3]{c+dx}} + \frac{3b^2 \cos(a) \sqrt[3]{e(c+dx)} \operatorname{Si}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d \sqrt[3]{c+dx}} + \frac{3(c+dx) \sqrt[3]{e(c+dx)} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} + \dots$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*e + d*e*x)^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(2/3)}], x]$

[Out] $(3*b*(c + d*x)^{(1/3)}*(e*(c + d*x))^{(1/3)}*\operatorname{Cos}[a + b/(c + d*x)^{(2/3)}])/(4*d) + (3*b^2*(e*(c + d*x))^{(1/3)}*\operatorname{CosIntegral}[b/(c + d*x)^{(2/3)}]*\operatorname{Sin}[a])/(4*d*(c + d*x)^{(1/3)}) + (3*(c + d*x)*(e*(c + d*x))^{(1/3)}*\operatorname{Sin}[a + b/(c + d*x)^{(2/3)}])/(4*d) + (3*b^2*(e*(c + d*x))^{(1/3)}*\operatorname{Cos}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(2/3)}])/(4*d*(c + d*x)^{(1/3)})$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\operatorname{sin}[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x]/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3381

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3435

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \sqrt[3]{ce + dex} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx &= \frac{\text{Subst}\left(\int \sqrt[3]{ex} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d} \\
&= \frac{\sqrt[3]{e(c + dx)} \text{Subst}\left(\int \sqrt[3]{x} \sin\left(a + \frac{b}{x^{2/3}}\right) dx, x, c + dx\right)}{d\sqrt[3]{c + dx}} \\
&= -\frac{(3\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int \frac{\sin(a+bx)}{x^3} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{c + dx}} \\
&= \frac{3(c + dx)\sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} - \frac{(3b\sqrt[3]{e(c + dx)}) \text{Subst}\left(\int \frac{\cos(a)}{x^2}\right)}{4d\sqrt[3]{c + dx}} \\
&= \frac{3b\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} + \frac{3(c + dx)\sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} \\
&= \frac{3b\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} + \frac{3(c + dx)\sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} \\
&= \frac{3b\sqrt[3]{c + dx} \sqrt[3]{e(c + dx)} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4d} + \frac{3b^2\sqrt[3]{e(c + dx)} \text{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right)}{4d\sqrt[3]{c + dx}}
\end{aligned}$$

Mathematica [A] time = 0.31, size = 113, normalized size = 0.67

$$\frac{3\sqrt[3]{e(c + dx)} \left(b^2 \sin(a) \text{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right) + b^2 \cos(a) \text{Si}\left(\frac{b}{(c+dx)^{2/3}}\right) + (c + dx)^{4/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) + b(c + dx)^{2/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) \right)}{4d\sqrt[3]{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*e + d*e*x)^(1/3)*Sin[a + b/(c + d*x)^(2/3)], x]

[Out] (3*(e*(c + d*x))^(1/3)*(b*(c + d*x)^(2/3)*Cos[a + b/(c + d*x)^(2/3)] + b^2*CosIntegral[b/(c + d*x)^(2/3)]*Sin[a + (c + d*x)^(4/3)*Sin[a + b/(c + d*x)^(2/3)] + b^2*Cos[a]*SinIntegral[b/(c + d*x)^(2/3)]))/(4*d*(c + d*x)^(1/3))

fricas [F] time = 1.40, size = 0, normalized size = 0.00

$$\text{integral}\left((dex + ce)^{\frac{1}{3}} \sin\left(\frac{adx + ac + (dx + c)^{\frac{1}{3}}b}{dx + c}\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(1/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin\left(a + \frac{b}{(dx + c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="giac")

[Out] integrate((d*e*x + c*e)^(1/3)*sin(a + b/(d*x + c)^(2/3)), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int (dex + ce)^{\frac{1}{3}} \sin\left(a + \frac{b}{(dx + c)^{\frac{2}{3}}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(2/3)),x)

[Out] int((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(2/3)),x)

maxima [C] time = 0.58, size = 129, normalized size = 0.77

$$\frac{\left(\left(3i\Gamma\left(-2, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(-2, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + 3i\Gamma\left(-2, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(-2, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right)\right)\cos(a) + 3\left(\Gamma\left(-2, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) - \Gamma\left(-2, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(-2, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) - \Gamma\left(-2, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right)\right)\sin(a)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*e*x+c*e)^(1/3)*sin(a+b/(d*x+c)^(2/3)),x, algorithm="maxima")

[Out] -1/8*((3*I*gamma(-2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(-2, I*b/(d*x + c)^(2/3)) - 3*I*gamma(-2, -I*b/(d*x + c)^(2/3)))*cos(a) + 3*(gamma(-2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-2, I*b/(d*x + c)^(2/3)) + gamma(-2, -I*b/(d*x + c)^(2/3)))*sin(a))*b^2*e^(1/3)/d

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) (ce + dex)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(2/3))*(c*e + d*e*x)^(1/3), x)`

[Out] `int(sin(a + b/(c + d*x)^(2/3))*(c*e + d*e*x)^(1/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{e(c + dx)} \sin\left(a + \frac{b}{(c + dx)^{2/3}}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*e*x+c*e)**(1/3)*sin(a+b/(d*x+c)**(2/3)), x)`

[Out] `Integral((e*(c + d*x))**(1/3)*sin(a + b/(c + d*x)**(2/3)), x)`

$$3.252 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{\sqrt[3]{ce+dex}} dx$$

Optimal. Leaf size=122

$$-\frac{3b \cos(a) \sqrt[3]{c+dx} \operatorname{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b \sin(a) \sqrt[3]{c+dx} \operatorname{Si}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}}$$

[Out] $-3/2*b*(d*x+c)^{(1/3)}*Ci(b/(d*x+c)^{(2/3)})*\cos(a)/d/(e*(d*x+c))^{(1/3)}+3/2*b*(d*x+c)^{(1/3)}*Si(b/(d*x+c)^{(2/3)})*\sin(a)/d/(e*(d*x+c))^{(1/3)}+3/2*(d*x+c)*\sin(a+b/(d*x+c)^{(2/3)})/d/(e*(d*x+c))^{(1/3)}$

Rubi [A] time = 0.15, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.259$, Rules used = {3435, 3381, 3379, 3297, 3303, 3299, 3302}

$$-\frac{3b \cos(a) \sqrt[3]{c+dx} \operatorname{CosIntegral}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3b \sin(a) \sqrt[3]{c+dx} \operatorname{Si}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}} + \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sin}[a + b/(c + d*x)^{(2/3)}]/(c*e + d*e*x)^{(1/3)}, x]$

[Out] $(-3*b*(c + d*x)^{(1/3)}*\operatorname{Cos}[a]*\operatorname{CosIntegral}[b/(c + d*x)^{(2/3)}])/(2*d*(e*(c + d*x))^{(1/3)}) + (3*(c + d*x)*\operatorname{Sin}[a + b/(c + d*x)^{(2/3)}])/(2*d*(e*(c + d*x))^{(1/3)}) + (3*b*(c + d*x)^{(1/3)}*\operatorname{Sin}[a]*\operatorname{SinIntegral}[b/(c + d*x)^{(2/3)}])/(2*d*(e*(c + d*x))^{(1/3)})$

Rule 3297

$\operatorname{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \operatorname{Simp}[((c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x])/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))
```

Rule 3381

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]
```

Rule 3435

```
Int[((g_.) + (h_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b*Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{\sqrt[3]{ce + dex}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{\sqrt[3]{ex}} dx, x, c + dx\right)}{d} \\
&= \frac{\sqrt[3]{c + dx} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{\sqrt[3]{x}} dx, x, c + dx\right)}{d\sqrt[3]{e(c + dx)}} \\
&= -\frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int \frac{\sin(a+bx)}{x^2} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} \\
&= \frac{3(c + dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} - \frac{(3b\sqrt[3]{c + dx}) \text{Subst}\left(\int \frac{\cos(a+bx)}{x} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} \\
&= \frac{3(c + dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} - \frac{(3b\sqrt[3]{c + dx} \cos(a)) \text{Subst}\left(\int \frac{\cos(bx)}{x} dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} + \dots \\
&= -\frac{3b\sqrt[3]{c + dx} \cos(a) \text{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} + \frac{3(c + dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}} + \frac{3b\sqrt[3]{c + dx} \sin(a) \text{Si}\left(\frac{b}{(c+dx)^{2/3}}\right)}{2d\sqrt[3]{e(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 90, normalized size = 0.74

$$\frac{3\left(-b \cos(a) \sqrt[3]{c + dx} \text{Ci}\left(\frac{b}{(c+dx)^{2/3}}\right) + b \sin(a) \sqrt[3]{c + dx} \text{Si}\left(\frac{b}{(c+dx)^{2/3}}\right) + (c + dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)\right)}{2d\sqrt[3]{e(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(1/3), x]

[Out] (3*(-(b*(c + d*x)^(1/3)*Cos[a]*CosIntegral[b/(c + d*x)^(2/3)]) + (c + d*x)*Sin[a + b/(c + d*x)^(2/3)] + b*(c + d*x)^(1/3)*Sin[a]*SinIntegral[b/(c + d*x)^(2/3)]))/(2*d*(e*(c + d*x))^(1/3))

fricas [F] time = 1.41, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin\left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c}\right)}{(dex + ce)^{\frac{1}{3}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/(d*e*x + c*e)^(1/3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(1/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x)

maxima [C] time = 0.66, size = 128, normalized size = 1.05

$$\frac{\left(3\left(\Gamma\left(-1, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(-1, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(-1, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(-1, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right)\right)\cos(a) - \left(3i\Gamma\left(-1, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(-1, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right)\right)}{8de^{\frac{1}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(1/3),x, algorithm="maxima")

[Out] -1/8*(3*(gamma(-1, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1, I*b/(d*x + c)^(2/3)) + gamma(-1, -I*b/(d*x + c)^(2/3)))*cos(a) - (3*I*gamma(-1, I*b*conjugate((d*x + c)^(-2/3))) -

$3*I*\text{gamma}(-1, -I*b*\text{conjugate}((d*x + c)^{-2/3})) + 3*I*\text{gamma}(-1, I*b/(d*x + c)^{2/3}) - 3*I*\text{gamma}(-1, -I*b/(d*x + c)^{2/3})*\sin(a)*b/(d*e^{1/3})$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(1/3), x)`

[Out] `int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(1/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{\sqrt[3]{e(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(1/3), x)`

[Out] `Integral(sin(a + b/(c + d*x)**(2/3))/(e*(c + d*x)**(1/3), x)`

$$3.253 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{2/3}} dx$$

Optimal. Leaf size=164

$$\frac{3\sqrt{2\pi} \sqrt{b} \cos(a)(c+dx)^{2/3} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3\sqrt{2\pi} \sqrt{b} \sin(a)(c+dx)^{2/3} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d(e(c+dx))^{2/3}}$$

[Out] $3*(d*x+c)*\sin(a+b/(d*x+c)^{(2/3)})/d/(e*(d*x+c))^{(2/3)}-3*(d*x+c)^{(2/3)}*\cos(a)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(e*(d*x+c))^{(2/3)}+3*(d*x+c)^{(2/3)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\sin(a)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.16, antiderivative size = 164, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 8, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.296$, Rules used = {3435, 3417, 3415, 3359, 3387, 3354, 3352, 3351}

$$\frac{3\sqrt{2\pi} \sqrt{b} \cos(a)(c+dx)^{2/3} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3\sqrt{2\pi} \sqrt{b} \sin(a)(c+dx)^{2/3} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b/(c + d*x)^{(2/3)}]/(c*e + d*e*x)^{(2/3)}, x]$

[Out] $(-3*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*(c + d*x)^{(2/3)}*\text{Cos}[a]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)})]/(d*(e*(c + d*x))^{(2/3)}) + (3*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*(c + d*x)^{(2/3)}*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/d*(e*(c + d*x))^{(2/3)} + (3*(c + d*x)*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/d*(e*(c + d*x))^{(2/3)})$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$ $\text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /;$ $\text{FreeQ}\{d, e, f\}, x]$

Rule 3354


```
Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Cos[c], Int
[Cos[d*(e + f*x)2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3359

```
Int[((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f_)*(x_))(n_)])(p_), x_S
ymbol] := -Dist[f(-1), Subst[Int[(a + b*SIN[c + d/xn])p/x2, x], x, 1/(e
+ f*x)], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && ILtQ[n, 0] &&
EqQ[n, -2]
```

Rule 3387

```
Int[((e_)*(x_))(m_)*Sin[(c_) + (d_)*(x_)(n_)], x_Symbol] := Simp[((e*x
)(m + 1)*Sin[c + d*xn]/(e*(m + 1)), x] - Dist[(d*n)/(en*(m + 1)), Int[(
e*x)(m + n)*Cos[c + d*xn], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] &&
LtQ[m, -1]
```

Rule 3415

```
Int[(x_)(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_Symbol
] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x(k*(m + 1) - 1)*(a +
b*SIN[c + d*x(k*n)])p, x], x, x(1/k)], x]] /; FreeQ[{a, b, c, d, m}, x]
&& IntegerQ[p] && FractionQ[n]
```

Rule 3417

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_
Symbol] := Dist[(eIntPart[m]*(e*x)FracPart[m])/xFracPart[m], Int[xm*(a
+ b*SIN[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p
] && FractionQ[n]
```

Rule 3435

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)])(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)m*(a + b
*SIN[c + d*xn])p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{2/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{2/3}} dx, x, c+dx\right)}{d} \\
&= \frac{(c+dx)^{2/3} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{2/3}} dx, x, c+dx\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{(3(c+dx)^{2/3}) \text{Subst}\left(\int \sin\left(a + \frac{b}{x^2}\right) dx, x, \sqrt[3]{c+dx}\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{(3(c+dx)^{2/3}) \text{Subst}\left(\int \frac{\sin(ax^2)}{x^2} dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d(e(c+dx))^{2/3}} - \frac{(6b(c+dx)^{2/3}) \text{Subst}\left(\int \cos(ax^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} \\
&= \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d(e(c+dx))^{2/3}} - \frac{(6b(c+dx)^{2/3} \cos(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} \\
&= -\frac{3\sqrt{b} \sqrt{2\pi} (c+dx)^{2/3} \cos(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{d(e(c+dx))^{2/3}} + \frac{3\sqrt{b} \sqrt{2\pi} (c+dx)^{2/3} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) \sin(a)}{d(e(c+dx))^{2/3}} + \frac{3(c+dx) \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{d(e(c+dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 136, normalized size = 0.83

$$\frac{3\left(\sqrt{2\pi}(-\sqrt{b})\cos(a)(c+dx)^{2/3}C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + \sqrt{2\pi}\sqrt{b}\sin(a)(c+dx)^{2/3}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + (c+dx)\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)\right)}{d(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(2/3), x]

[Out] (3*(-(Sqrt[b]*Sqrt[2*Pi]*(c + d*x)^(2/3)*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)]) + Sqrt[b]*Sqrt[2*Pi]*(c + d*x)^(2/3)*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)]*Sin[a] + (c + d*x)*Sin[a + b/(c + d*x)^(2/3)])/(d*(e*(c + d*x))^(2/3))

fricas [F] time = 1.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sin \left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c} \right)}{(dex+ce)^{\frac{2}{3}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x, algorithm="fricas")

[Out] integral(sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/(d*e*x + c*e)^(2/3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex+ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(2/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex+ce)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x)

maxima [C] time = 1.53, size = 383, normalized size = 2.34

$$(dx+c)^{\frac{1}{3}} \left(\left(3i\Gamma \left(-\frac{1}{2}, ib \frac{1}{(dx+c)^{\frac{2}{3}}} \right) - 3i\Gamma \left(-\frac{1}{2}, -\frac{ib}{(dx+c)^{\frac{2}{3}}} \right) \right) \cos \left(\frac{1}{4}\pi + \frac{1}{3} \arctan(0, dx+c) \right) + \left(-3i\Gamma \left(-\frac{1}{2}, -ib \frac{1}{(dx+c)^{\frac{2}{3}}} \right) \right. \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(2/3),x, algorithm="maxima")

[Out] 1/8*(d*x + c)^(1/3)*(((3*I*gamma(-1/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-1/2, -I*b/(d*x + c)^(2/3)))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + (-3*I*gamma(-1/2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(-1/2, I*b/(d*x + c)^(2/3)))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) - 3*(gamma(-1/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1/2, -I*b/(d*x + c)^(2/3)))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(gamma(-1/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1/2, I*b/(d*x + c)^(2/3)))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c)))*cos(a) + (3*(gamma(-1/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1/2, -I*b/(d*x + c)^(2/3)))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(gamma(-1/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(-1/2, I*b/(d*x + c)^(2/3)))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) + (3*I*gamma(-1/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-1/2, -I*b/(d*x + c)^(2/3)))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) + (3*I*gamma(-1/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(-1/2, I*b/(d*x + c)^(2/3)))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c)))*sin(a))*sqrt(b/(d*x + c)^(2/3))/(d*e^(2/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(2/3),x)

[Out] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e(c + dx))^{2/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(2/3),x)

[Out] Integral(sin(a + b/(c + d*x)**(2/3))/(e*(c + d*x))**(2/3), x)

$$3.254 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{4/3}} dx$$

Optimal. Leaf size=141

$$\frac{3\sqrt{\pi} \sin(a) \sqrt[3]{c+dx} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{\sqrt{2}\sqrt{b}de\sqrt[3]{e(c+dx)}} - \frac{3\sqrt{\pi} \cos(a) \sqrt[3]{c+dx} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{\sqrt{2}\sqrt{b}de\sqrt[3]{e(c+dx)}}$$

[Out] $-3/2*(d*x+c)^{(1/3)}*\cos(a)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*$
 $\text{Pi}^{(1/2)}/d/e/(e*(d*x+c))^{(1/3)}*2^{(1/2)}/b^{(1/2)}-3/2*(d*x+c)^{(1/3)}*\text{FresnelC}(b$
 $^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\sin(a)*\text{Pi}^{(1/2)}/d/e/(e*(d*x+c))^{(1/3)}$
 $*2^{(1/2)}/b^{(1/2)}$

Rubi [A] time = 0.14, antiderivative size = 141, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3435, 3417, 3383, 3353, 3352, 3351}

$$\frac{3\sqrt{\pi} \sin(a) \sqrt[3]{c+dx} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}}{\sqrt[3]{c+dx}}\right)}{\sqrt{2}\sqrt{b}de\sqrt[3]{e(c+dx)}} - \frac{3\sqrt{\pi} \cos(a) \sqrt[3]{c+dx} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{\sqrt{2}\sqrt{b}de\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(4/3), x]`

[Out] $(-3*\text{Sqrt}[\text{Pi}]*(c + d*x)^{(1/3)}*\text{Cos}[a]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)})]/(\text{Sqrt}[2]*\text{Sqrt}[b]*d*e*(e*(c + d*x))^{(1/3)}) - (3*\text{Sqrt}[\text{Pi}]*(c + d*x)^{(1/3)}*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/(\text{Sqrt}[2]*\text{Sqrt}[b]*d*e*(e*(c + d*x))^{(1/3)})$

Rule 3351

`Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3352

`Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]`

Rule 3353

```
Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))2], x_Symbol] := Dist[Sin[c], Int
[Cos[d*(e + f*x)2], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)2], x], x] /
; FreeQ[{c, d, e, f}, x]
```

Rule 3383

```
Int[(x_)(m_)*Sin[(a_) + (b_)*(x_)(n_)], x_Symbol] := Dist[2/n, Subst[Int
[Sin[a + b*x2], x], x, x(n/2)], x] /; FreeQ[{a, b, m, n}, x] && EqQ[m,
n/2 - 1]
```

Rule 3417

```
Int[((e_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*(x_)(n_)])(p_), x_
Symbol] := Dist[(eIntPart[m]*(e*x)FracPart[m])/xFracPart[m], Int[xm*(a
+ b*SIN[c + d*xn])p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p
] && FractionQ[n]
```

Rule 3435

```
Int[((g_) + (h_)*(x_))(m_)*((a_) + (b_)*Sin[(c_) + (d_)*((e_) + (f
_)*(x_))(n_)])(p_), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)m*(a + b
*SIN[c + d*xn])p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m
}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{4/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{4/3}} dx, x, c+dx\right)}{d} \\
&= \frac{\sqrt[3]{c+dx} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{4/3}} dx, x, c+dx\right)}{de\sqrt[3]{e(c+dx)}} \\
&= \frac{(3\sqrt[3]{c+dx}) \text{Subst}\left(\int \sin(a+bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de\sqrt[3]{e(c+dx)}} \\
&= \frac{(3\sqrt[3]{c+dx} \cos(a)) \text{Subst}\left(\int \sin(bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de\sqrt[3]{e(c+dx)}} - \frac{(3\sqrt[3]{c+dx} \sin(a)) \text{Subst}\left(\int \cos(bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de\sqrt[3]{e(c+dx)}} \\
&= \frac{3\sqrt{\pi} \sqrt[3]{c+dx} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{\sqrt{2} \sqrt{b} de\sqrt[3]{e(c+dx)}} - \frac{3\sqrt{\pi} \sqrt[3]{c+dx} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) \sin(a)}{\sqrt{2} \sqrt{b} de\sqrt[3]{e(c+dx)}}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 96, normalized size = 0.68

$$\frac{3\sqrt{\frac{\pi}{2}}(c+dx)^{4/3} \left(\sin(a) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) \right)}{\sqrt{b} d(e(c+dx))^{4/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(4/3), x]

[Out] (-3*Sqrt[Pi/2]*(c + d*x)^(4/3)*(Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)] + FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)]*Sin[a]))/(Sqrt[b]*d*(e*(c + d*x))^(4/3))

fricas [F] time = 1.66, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(dex+ce)^{\frac{2}{3}} \sin\left(\frac{adx+ac+(dx+c)^{\frac{1}{3}}b}{dx+c}\right)}{d^2e^2x^2 + 2cde^2x + c^2e^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)))/(d^2*e^2*x^2 + 2*c*d*e^2*x + c^2*e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(4/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x)

maxima [C] time = 1.12, size = 487, normalized size = 3.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(4/3),x, algorithm="maxima")

[Out] -1/8*(((3*I*sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(-2/3)))) - 1) - 3*I*sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3)))) - 1))*cos(1/4*pi + 1/3*arctan2(0, d*x + c)) + (-3*I*sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(-2/3)))) - 1) + 3*I*sqrt(pi)*(erf(sqrt(I*b/(d*x + c)^(2/3)))) - 1))*cos(-1/4*pi + 1/3*arctan2(0, d*x + c)) + 3*(sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x + c)^(-2/3)))) - 1) + sqrt(pi)*(erf(sqrt(-I*b/(d*x + c)^(2/3)))) - 1))*sin(1/4*pi + 1/3*arctan2(0, d*x + c)) - 3*(sqrt(pi)*(erf(sqrt(-I*b*conjugate((d*x + c)^(-2/3)))) - 1) + sqrt(pi)*(erf(sqrt(I*b/(d*x + c)^(2/3)))) - 1))*sin(-1/4*pi + 1/3*arctan2(0, d*x + c))*cos(a) + (3*(sqrt(pi)*(erf(sqrt(I*b*conjugate((d*x

$+ c)^{-2/3})) - 1) + \sqrt{\pi} * (\operatorname{erf}(\sqrt{-I*b/(d*x + c)^{2/3}}) - 1) * \cos(1/4*\pi + 1/3*\arctan2(0, d*x + c)) + 3*(\sqrt{\pi} * (\operatorname{erf}(\sqrt{-I*b*\operatorname{conjugate}((d*x + c)^{-2/3}))} - 1) + \sqrt{\pi} * (\operatorname{erf}(\sqrt{I*b/(d*x + c)^{2/3}}) - 1) * \cos(-1/4*\pi + 1/3*\arctan2(0, d*x + c)) + (-3*I*\sqrt{\pi} * (\operatorname{erf}(\sqrt{I*b*\operatorname{conjugate}((d*x + c)^{-2/3}))} - 1) + 3*I*\sqrt{\pi} * (\operatorname{erf}(\sqrt{-I*b/(d*x + c)^{2/3}}) - 1) * \sin(1/4*\pi + 1/3*\arctan2(0, d*x + c)) + (-3*I*\sqrt{\pi} * (\operatorname{erf}(\sqrt{-I*b*\operatorname{conjugate}((d*x + c)^{-2/3}))} - 1) + 3*I*\sqrt{\pi} * (\operatorname{erf}(\sqrt{I*b/(d*x + c)^{2/3}}) - 1) * \sin(-1/4*\pi + 1/3*\arctan2(0, d*x + c))) * \sin(a)) / ((d*x + c)^{1/3} * d * e^{4/3} * \sqrt{b/(d*x + c)^{2/3}}))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(4/3), x)

[Out] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(4/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(e(c + dx))^{4/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(4/3), x)

[Out] Integral(sin(a + b/(c + d*x)**(2/3))/(e*(c + d*x))**(4/3), x)

$$3.255 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{5/3}} dx$$

Optimal. Leaf size=47

$$\frac{3(c+dx)^{2/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde(e(c+dx))^{2/3}}$$

[Out] $3/2*(d*x+c)^{(2/3)*\cos(a+b/(d*x+c)^{(2/3)})/b/d/e/(e*(d*x+c))^{(2/3)}$

Rubi [A] time = 0.07, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$, Rules used = {3435, 3381, 3379, 2638}

$$\frac{3(c+dx)^{2/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde(e(c+dx))^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(5/3), x]

[Out] (3*(c + d*x)^(2/3)*Cos[a + b/(c + d*x)^(2/3)]/(2*b*d*e*(e*(c + d*x))^(2/3))

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 3381

Int[((e_)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol] := Dist[(e^IntPart[m]*(e*x)^FracPart[m])/x^FracPart[m], Int[x^m*(a + b*Sin[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3435

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b *Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{5/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{5/3}} dx, x, c + dx\right)}{d} \\ &= \frac{(c + dx)^{2/3} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{5/3}} dx, x, c + dx\right)}{de(e(c + dx))^{2/3}} \\ &= -\frac{(3(c + dx)^{2/3}) \text{Subst}\left(\int \sin(a + bx) dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2de(e(c + dx))^{2/3}} \\ &= \frac{3(c + dx)^{2/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde(e(c + dx))^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.07, size = 44, normalized size = 0.94

$$\frac{3(c + dx)^{5/3} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bd(e(c + dx))^{5/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(5/3), x]

[Out] (3*(c + d*x)^(5/3)*Cos[a + b/(c + d*x)^(2/3)])/(2*b*d*(e*(c + d*x))^(5/3))

fricas [A] time = 0.70, size = 64, normalized size = 1.36

$$\frac{3(dx + ce)^{\frac{1}{3}}(dx + c)^{\frac{2}{3}} \cos\left(\frac{adx + ac + (dx+c)^{\frac{1}{3}}b}{dx+c}\right)}{2(bd^2e^2x + bcde^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x, algorithm="fricas")

[Out] 3/2*(d*e*x + c*e)^(1/3)*(d*x + c)^(2/3)*cos((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c))/(b*d^2*e^2*x + b*c*d*e^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(5/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x)

maxima [A] time = 0.34, size = 31, normalized size = 0.66

$$\frac{3 \cos\left(\frac{(dx+c)^{\frac{2}{3}}a+b}{(dx+c)^{\frac{2}{3}}}\right)}{2bde^{\frac{5}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(5/3),x, algorithm="maxima")

[Out] 3/2*cos(((d*x + c)^(2/3)*a + b)/(d*x + c)^(2/3))/(b*d*e^(5/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{\frac{2}{3}}}\right)}{(ce + dex)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(5/3), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(5/3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(5/3), x)
```

```
[Out] Timed out
```

$$3.256 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{7/3}} dx$$

Optimal. Leaf size=95

$$\frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} - \frac{3 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2b^2 de^2 \sqrt[3]{e(c+dx)}}$$

[Out] $3/2 * \cos(a + b/(d*x + c)^{(2/3)}) / b/d/e^2 / (d*x + c)^{(1/3)} / (e*(d*x + c))^{(1/3)} - 3/2 * (d*x + c)^{(1/3)} * \sin(a + b/(d*x + c)^{(2/3)}) / b^2/d/e^2 / (e*(d*x + c))^{(1/3)}$

Rubi [A] time = 0.10, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.185$, Rules used = {3435, 3381, 3379, 3296, 2637}

$$\frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c+dx} \sqrt[3]{e(c+dx)}} - \frac{3 \sqrt[3]{c+dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2b^2 de^2 \sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(7/3), x]`

[Out] $(3 * \text{Cos}[a + b/(c + d*x)^{(2/3)}]) / (2 * b * d * e^2 * (c + d*x)^{(1/3)} * (e * (c + d*x))^{(1/3)}) - (3 * (c + d*x)^{(1/3)} * \text{Sin}[a + b/(c + d*x)^{(2/3)}]) / (2 * b^2 * d * e^2 * (e * (c + d*x))^{(1/3)})$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m * Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1) * Cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3379

`Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol`
`] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b * Sin[c + d*x])^p`
`, x], x, x^n], x] /;` `FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(`
`m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(`

$m + 1)/n], 0])$

Rule 3381

$\text{Int}[(e_*)(x_)^{(m_*)}((a_*) + (b_*)\text{Sin}[(c_*) + (d_*)(x_)^{(n_*)}])^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[(e^{\text{IntPart}[m]}(e*x)^{\text{FracPart}[m]})/x^{\text{FracPart}[m]}, \text{Int}[x^m*(a + b*\text{Sin}[c + d*x^n])^p, x], x] /;$ FreeQ[{a, b, c, d, e, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]]

Rule 3435

$\text{Int}[(g_*) + (h_*)(x_)^{(m_*)}((a_*) + (b_*)\text{Sin}[(c_*) + (d_*)(e_*) + (f_*)(x_)^{(n_*)}])^{(p_*)}, x_Symbol] \rightarrow \text{Dist}[1/f, \text{Subst}[\text{Int}[(h*x)/f]^m*(a + b*\text{Sin}[c + d*x^n])^p, x], x, e + f*x], x] /;$ FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{7/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{7/3}} dx, x, c + dx\right)}{d} \\ &= \frac{\sqrt[3]{c + dx} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{7/3}} dx, x, c + dx\right)}{de^2 \sqrt[3]{e(c + dx)}} \\ &= -\frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int x \sin(a + bx) dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2de^2 \sqrt[3]{e(c + dx)}} \\ &= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} \sqrt[3]{e(c + dx)}} - \frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int \cos(a + bx) dx, x, \frac{1}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{e(c + dx)}} \\ &= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} \sqrt[3]{e(c + dx)}} - \frac{3\sqrt[3]{c + dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2b^2 de^2 \sqrt[3]{e(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 72, normalized size = 0.76

$$\frac{3(c + dx)^{5/3} \left((c + dx)^{2/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) - b \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) \right)}{2b^2 d(e(c + dx))^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(7/3),x]

[Out] (-3*(c + d*x)^(5/3)*(-(b*cos[a + b/(c + d*x)^(2/3)]) + (c + d*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)]))/(2*b^2*d*(e*(c + d*x))^(7/3))

fricas [A] time = 1.61, size = 133, normalized size = 1.40

$$\frac{3 \left((dex + ce)^{\frac{2}{3}} (dx + c)^{\frac{2}{3}} b \cos \left(\frac{adx + ac + (dx + c)^{\frac{1}{3}} b}{dx + c} \right) - (dex + ce)^{\frac{2}{3}} (dx + c)^{\frac{4}{3}} \sin \left(\frac{adx + ac + (dx + c)^{\frac{1}{3}} b}{dx + c} \right) \right)}{2 \left(b^2 d^3 e^3 x^2 + 2 b^2 c d^2 e^3 x + b^2 c^2 d e^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(7/3),x, algorithm="fricas")

[Out] 3/2*((d*e*x + c*e)^(2/3)*(d*x + c)^(2/3)*b*cos((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)) - (d*e*x + c*e)^(2/3)*(d*x + c)^(4/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)))/(b^2*d^3*e^3*x^2 + 2*b^2*c*d^2*e^3*x + b^2*c^2*d*e^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex + ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(7/3),x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(7/3), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex + ce)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(7/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(7/3),x)

maxima [C] time = 0.66, size = 129, normalized size = 1.36

$$\frac{\left(3i\Gamma\left(2, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(2, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + 3i\Gamma\left(2, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(2, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right)\right)\cos(a) + 3\left(\Gamma\left(2, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(2, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(2, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) + \Gamma\left(2, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right)\right)}{8b^2de^{\frac{7}{3}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(7/3),x, algorithm="maxima")

[Out] -1/8*((3*I*gamma(2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(2, -I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(2, I*b/(d*x + c)^(2/3)) - 3*I*gamma(2, -I*b/(d*x + c)^(2/3)))*cos(a) + 3*(gamma(2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(2, I*b/(d*x + c)^(2/3)) + gamma(2, -I*b/(d*x + c)^(2/3)))*sin(a))/(b^2*d*e^(7/3))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{7/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(7/3),x)

[Out] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(7/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(7/3),x)

[Out] Timed out

$$3.257 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{8/3}} dx$$

Optimal. Leaf size=237

$$\frac{9\sqrt{\frac{\pi}{2}} \sin(a)(c+dx)^{2/3} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2}de^2(e(c+dx))^{2/3}} + \frac{9\sqrt{\frac{\pi}{2}} \cos(a)(c+dx)^{2/3} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2}de^2(e(c+dx))^{2/3}} - \frac{9\sqrt[3]{c+dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2de^2(e(c+dx))^{2/3}} + \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2\sqrt[3]{c+dx}}$$

[Out] $\frac{3}{2} \cos\left(a + \frac{b}{(d*x+c)^{2/3}}\right) / b/d/e^2/(d*x+c)^{1/3} / (e*(d*x+c))^{2/3} - 9/4 * (d*x+c)^{1/3} * \sin\left(a + \frac{b}{(d*x+c)^{2/3}}\right) / b^2/d/e^2 / (e*(d*x+c))^{2/3} + 9/8 * (d*x+c)^{2/3} * \cos(a) * \text{FresnelS}\left(\frac{b^{1/2} * 2^{1/2} / \text{Pi}^{1/2}}{(d*x+c)^{1/3}}\right) * 2^{1/2} * \text{Pi}^{1/2} / b^{5/2} / d/e^2 / (e*(d*x+c))^{2/3} + 9/8 * (d*x+c)^{2/3} * \text{FresnelC}\left(\frac{b^{1/2} * 2^{1/2}}{\text{Pi}^{1/2} / (d*x+c)^{1/3}}\right) * \sin(a) * 2^{1/2} * \text{Pi}^{1/2} / b^{5/2} / d/e^2 / (e*(d*x+c))^{2/3}$

Rubi [A] time = 0.25, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3435, 3417, 3415, 3409, 3385, 3386, 3353, 3352, 3351}

$$\frac{9\sqrt{\frac{\pi}{2}} \sin(a)(c+dx)^{2/3} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2}de^2(e(c+dx))^{2/3}} + \frac{9\sqrt{\frac{\pi}{2}} \cos(a)(c+dx)^{2/3} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2}de^2(e(c+dx))^{2/3}} - \frac{9\sqrt[3]{c+dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2de^2(e(c+dx))^{2/3}} + \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(8/3), x]

[Out] $\frac{3 * \text{Cos}\left[a + \frac{b}{(c + d*x)^{2/3}}\right]}{(2*b*d*e^2*(c + d*x)^{1/3}*(e*(c + d*x))^{2/3})} + \frac{(9*\text{Sqrt}[\text{Pi}/2]*(c + d*x)^{2/3}*\text{Cos}[a]*\text{FresnelS}[\frac{\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]}{(c + d*x)^{1/3}}])}{(4*b^{5/2}*d*e^2*(e*(c + d*x))^{2/3})} + \frac{(9*\text{Sqrt}[\text{Pi}/2]*(c + d*x)^{2/3}*\text{FresnelC}[\frac{\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]}{(c + d*x)^{1/3}}]*\text{Sin}[a])}{(4*b^{5/2}*d*e^2*(e*(c + d*x))^{2/3})} - \frac{(9*(c + d*x)^{1/3}*\text{Sin}\left[a + \frac{b}{(c + d*x)^{2/3}}\right])}{(4*b^2*d*e^2*(e*(c + d*x))^{2/3})}$

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2/3)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3353

Int[Sin[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Sin[c], Int[Cos[d*(e + f*x)²], x], x] + Dist[Cos[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3385

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*xⁿ]/(d*n), x] + Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3386

Int[Cos[(c_.) + (d_.)*(x_)^(n_.)]*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Sin[c + d*xⁿ]/(d*n), x] - Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Sin[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3409

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := -Subst[Int[(a + b*SIN[c + d/xⁿ])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]

Rule 3415

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x^{(k*(m + 1) - 1)}*(a + b*SIN[c + d*x^(k*n)])^p, x], x, x^(1/k)], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3417

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := Dist[(e^{IntPart[m]}*(e*x)^{FracPart[m]})/x^{FracPart[m]}, Int[x^m*(a + b*SIN[c + d*xⁿ])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3435

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b *Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m }, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{8/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{8/3}} dx, x, c + dx\right)}{d} \\
&= \frac{(c + dx)^{2/3} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{8/3}} dx, x, c + dx\right)}{de^2(e(c + dx))^{2/3}} \\
&= \frac{(3(c + dx)^{2/3}) \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^6} dx, x, \sqrt[3]{c + dx}\right)}{de^2(e(c + dx))^{2/3}} \\
&= -\frac{(3(c + dx)^{2/3}) \text{Subst}\left(\int x^4 \sin(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de^2(e(c + dx))^{2/3}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} (e(c + dx))^{2/3}} - \frac{(9(c + dx)^{2/3}) \text{Subst}\left(\int x^2 \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2bde^2(e(c + dx))^{2/3}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} (e(c + dx))^{2/3}} - \frac{9 \sqrt[3]{c + dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2 de^2(e(c + dx))^{2/3}} + \frac{(9(c + dx)^{2/3}) \text{Subst}\left(\int \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4b^2 de^2(e(c + dx))^{2/3}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} (e(c + dx))^{2/3}} - \frac{9 \sqrt[3]{c + dx} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2 de^2(e(c + dx))^{2/3}} + \frac{(9(c + dx)^{2/3} \cos(a)) \text{Subst}\left(\int \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4b^2 de^2(e(c + dx))^{2/3}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^2 \sqrt[3]{c + dx} (e(c + dx))^{2/3}} + \frac{9 \sqrt{\frac{\pi}{2}} (c + dx)^{2/3} \cos(a) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2} de^2(e(c + dx))^{2/3}} + \frac{9 \sqrt{\frac{\pi}{2}} (c + dx)^{2/3} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{4b^{5/2} de^2(e(c + dx))^{2/3}}
\end{aligned}$$

Mathematica [A] time = 0.91, size = 165, normalized size = 0.70

$$\frac{(c + dx)^{5/3} \left(9 \sqrt{2\pi} \sin(a)(c + dx) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + 9 \sqrt{2\pi} \cos(a)(c + dx) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right) + 6 \sqrt{b} \left(2b \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) - 3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) \right) \right)}{8b^{5/2} d(e(c + dx))^{8/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(8/3), x]

[Out] ((c + d*x)^(5/3)*(9*Sqrt[2*Pi]*(c + d*x)*Cos[a]*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)] + 9*Sqrt[2*Pi]*(c + d*x)*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/ (c + d*x)^(1/3)]*Sin[a] + 6*Sqrt[b]*(2*b*Cos[a + b/(c + d*x)^(2/3)] - 3*(c + d*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)])))/(8*b^(5/2)*d*(e*(c + d*x))^(8/3))

fricas [F] time = 1.57, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(dex + ce)^{\frac{1}{3}} \sin \left(\frac{adx + ac + (dx+c)^{\frac{1}{3}} b}{dx+c} \right)}{d^3 e^3 x^3 + 3 cd^2 e^3 x^2 + 3 c^2 d e^3 x + c^3 e^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(8/3), x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(1/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)))/(d^3*e^3*x^3 + 3*c*d^2*e^3*x^2 + 3*c^2*d*e^3*x + c^3*e^3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex + ce)^{\frac{8}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(8/3), x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(8/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin \left(a + \frac{b}{(dx+c)^{\frac{2}{3}}} \right)}{(dex + ce)^{\frac{8}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(8/3),x)`

[Out] `int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(8/3),x)`

maxima [C] time = 1.17, size = 414, normalized size = 1.75

$$(dx+c)^{\frac{1}{3}} \left(\left(-3i\Gamma\left(\frac{5}{2}, ib\frac{\sqrt{-1}}{(dx+c)^{\frac{2}{3}}}\right) + 3i\Gamma\left(\frac{5}{2}, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right) \right) \cos\left(\frac{5}{4}\pi + \frac{5}{3}\arctan(0, dx+c)\right) + \left(3i\Gamma\left(\frac{5}{2}, -ib\frac{\sqrt{-1}}{(dx+c)^{\frac{2}{3}}}\right) - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(8/3),x, algorithm="maxima")`

[Out] `-1/8*(d*x + c)^(1/3)*(((-3*I*gamma(5/2, I*b*conjugate((d*x + c)^(-2/3))) + 3*I*gamma(5/2, -I*b/(d*x + c)^(2/3)))*cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + (3*I*gamma(5/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(5/2, I*b/(d*x + c)^(2/3)))*cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) - 3*(gamma(5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(5/2, -I*b/(d*x + c)^(2/3)))*sin(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(5/2, I*b/(d*x + c)^(2/3)))*sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * cos(a) - (3*(gamma(5/2, I*b*conjugate((d*x + c)^(-2/3))) + gamma(5/2, -I*b/(d*x + c)^(2/3)))*cos(5/4*pi + 5/3*arctan2(0, d*x + c)) + 3*(gamma(5/2, -I*b*conjugate((d*x + c)^(-2/3))) + gamma(5/2, I*b/(d*x + c)^(2/3)))*cos(-5/4*pi + 5/3*arctan2(0, d*x + c)) - (3*I*gamma(5/2, I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(5/2, -I*b/(d*x + c)^(2/3)))*sin(5/4*pi + 5/3*arctan2(0, d*x + c)) - (3*I*gamma(5/2, -I*b*conjugate((d*x + c)^(-2/3))) - 3*I*gamma(5/2, I*b/(d*x + c)^(2/3)))*sin(-5/4*pi + 5/3*arctan2(0, d*x + c))) * sin(a) * e^(1/3) / ((d^3*e^3*x^2 + 2*c*d^2*e^3*x + c^2*d*e^3)*(b/(d*x + c)^(2/3))^(5/2))`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{8/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(8/3),x)`

[Out] `int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(8/3), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(8/3),x)
```

```
[Out] Timed out
```

$$3.258 \quad \int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{10/3}} dx$$

Optimal. Leaf size=277

$$\frac{45\sqrt{\pi} \cos(a) \sqrt[3]{c+dx} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{8\sqrt{2}b^{7/2}de^3\sqrt[3]{e(c+dx)}} - \frac{45\sqrt{\pi} \sin(a) \sqrt[3]{c+dx} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{8\sqrt{2}b^{7/2}de^3\sqrt[3]{e(c+dx)}} - \frac{45 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{8b^3de^3\sqrt[3]{e(c+dx)}} - \frac{15 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2de^3(c+dx)^{2/3}\sqrt[3]{e(c+dx)}}$$

[Out] $-45/8*\cos(a+b/(d*x+c)^{(2/3)})/b^3/d/e^3/(e*(d*x+c))^{(1/3)}+3/2*\cos(a+b/(d*x+c))^{(2/3)}/b/d/e^3/(d*x+c)^{(4/3)}/(e*(d*x+c))^{(1/3)}-15/4*\sin(a+b/(d*x+c)^{(2/3)})/b^2/d/e^3/(d*x+c)^{(2/3)}/(e*(d*x+c))^{(1/3)}+45/16*(d*x+c)^{(1/3)}*\cos(a)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\text{Pi}^{(1/2)}/b^{(7/2)}/d/e^3/(e*(d*x+c))^{(1/3)}*2^{(1/2)}-45/16*(d*x+c)^{(1/3)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}/(d*x+c)^{(1/3)})*\sin(a)*\text{Pi}^{(1/2)}/b^{(7/2)}/d/e^3/(e*(d*x+c))^{(1/3)}*2^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 277, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 27, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3435, 3417, 3415, 3409, 3385, 3386, 3354, 3352, 3351}

$$\frac{45\sqrt{\pi} \cos(a) \sqrt[3]{c+dx} \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}}{\sqrt[3]{c+dx}}\right)}{8\sqrt{2}b^{7/2}de^3\sqrt[3]{e(c+dx)}} - \frac{45\sqrt{\pi} \sin(a) \sqrt[3]{c+dx} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}}{\sqrt[3]{c+dx}}\right)}{8\sqrt{2}b^{7/2}de^3\sqrt[3]{e(c+dx)}} - \frac{15 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2de^3(c+dx)^{2/3}\sqrt[3]{e(c+dx)}} - \frac{45 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{8b^3de^3(c+dx)^{2/3}\sqrt[3]{e(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[a + b/(c + d*x)^{(2/3)}]/(c*e + d*e*x)^{(10/3)}, x]$

[Out] $(-45*\text{Cos}[a + b/(c + d*x)^{(2/3)}])/(8*b^3*d*e^3*(e*(c + d*x))^{(1/3)}) + (3*\text{Cos}[a + b/(c + d*x)^{(2/3)}])/(2*b*d*e^3*(c + d*x)^{(4/3)}*(e*(c + d*x))^{(1/3)}) + (45*\text{Sqrt}[\text{Pi}]*(c + d*x)^{(1/3)}*\text{Cos}[a]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}])/(8*\text{Sqrt}[2]*b^{(7/2)}*d*e^3*(e*(c + d*x))^{(1/3)}) - (45*\text{Sqrt}[\text{Pi}]*(c + d*x)^{(1/3)}*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}])/(c + d*x)^{(1/3)}]*\text{Sin}[a])/(8*\text{Sqrt}[2]*b^{(7/2)}*d*e^3*(e*(c + d*x))^{(1/3)}) - (15*\text{Sin}[a + b/(c + d*x)^{(2/3)}])/(4*b^2*d*e^3*(c + d*x)^{(2/3)}*(e*(c + d*x))^{(1/3)})$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] \text{ :> } \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] \text{ /; } \text{FreeQ}\{\{d, e, f\}, x\}$

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e + f*x)²], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)²], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3385

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)], x_Symbol] := -Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*xⁿ]/(d*n), x] + Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Cos[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3386

Int[Cos[(c_.) + (d_.)*(x_)^(n_.)]*((e_.)*(x_))^(m_.), x_Symbol] := Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Sin[c + d*xⁿ]/(d*n), x] - Dist[(eⁿ*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Sin[c + d*xⁿ], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3409

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := -Subst[Int[(a + b*SIN[c + d/xⁿ])^p/x^(m + 2), x], x, 1/x] /; FreeQ[{a, b, c, d}, x] && IGtQ[p, 0] && ILtQ[n, 0] && IntegerQ[m] && EqQ[n, -2]

Rule 3415

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := Module[{k = Denominator[n]}, Dist[k, Subst[Int[x^{(k*(m + 1) - 1)}*(a + b*SIN[c + d*x^(k*n)])^p, x], x, x^(1/k)], x] /; FreeQ[{a, b, c, d, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3417

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_.)])^(p_.), x_Symbol] := Dist[(e^{IntPart[m]}*(e*x)^{FracPart[m]})/x^{FracPart[m]}, Int[x^m*(a + b*SIN[c + d*xⁿ])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IntegerQ[p] && FractionQ[n]

Rule 3435

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/f, Subst[Int[((h*x)/f)^m*(a + b *Sin[c + d*x^n])^p, x], x, e + f*x], x] /; FreeQ[{a, b, c, d, e, f, g, h, m }, x] && IGtQ[p, 0] && EqQ[f*g - e*h, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce + dex)^{10/3}} dx &= \frac{\text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{(ex)^{10/3}} dx, x, c + dx\right)}{d} \\
&= \frac{\sqrt[3]{c + dx} \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^{2/3}}\right)}{x^{10/3}} dx, x, c + dx\right)}{de^3 \sqrt[3]{e(c + dx)}} \\
&= \frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int \frac{\sin\left(a + \frac{b}{x^2}\right)}{x^8} dx, x, \sqrt[3]{c + dx}\right)}{de^3 \sqrt[3]{e(c + dx)}} \\
&= -\frac{(3\sqrt[3]{c + dx}) \text{Subst}\left(\int x^6 \sin(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{de^3 \sqrt[3]{e(c + dx)}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^3(c + dx)^{4/3} \sqrt[3]{e(c + dx)}} - \frac{(15\sqrt[3]{c + dx}) \text{Subst}\left(\int x^4 \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{2bde^3 \sqrt[3]{e(c + dx)}} \\
&= \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^3(c + dx)^{4/3} \sqrt[3]{e(c + dx)}} - \frac{15 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2 de^3(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} + \frac{(45\sqrt[3]{c + dx}) \text{Subst}\left(\int x^2 \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4b^2 de^3 \sqrt[3]{e(c + dx)}} \\
&= -\frac{45 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{8b^3 de^3 \sqrt[3]{e(c + dx)}} + \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^3(c + dx)^{4/3} \sqrt[3]{e(c + dx)}} - \frac{15 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2 de^3(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} + \frac{(45\sqrt[3]{c + dx}) \text{Subst}\left(\int x^2 \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4b^2 de^3 \sqrt[3]{e(c + dx)}} \\
&= -\frac{45 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{8b^3 de^3 \sqrt[3]{e(c + dx)}} + \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^3(c + dx)^{4/3} \sqrt[3]{e(c + dx)}} - \frac{15 \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{4b^2 de^3(c + dx)^{2/3} \sqrt[3]{e(c + dx)}} + \frac{(45\sqrt[3]{c + dx}) \text{Subst}\left(\int x^2 \cos(a + bx^2) dx, x, \frac{1}{\sqrt[3]{c+dx}}\right)}{4b^2 de^3 \sqrt[3]{e(c + dx)}} \\
&= -\frac{45 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{8b^3 de^3 \sqrt[3]{e(c + dx)}} + \frac{3 \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{2bde^3(c + dx)^{4/3} \sqrt[3]{e(c + dx)}} + \frac{45\sqrt{\pi} \sqrt[3]{c + dx} \cos(a) C\left(\frac{\sqrt{b} \sqrt[3]{c + dx}}{\sqrt[3]{c+dx}}\right)}{8\sqrt{2} b^{7/2} de^3 \sqrt[3]{e(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 1.27, size = 192, normalized size = 0.69

$$\frac{(e(c+dx))^{2/3} \left(-6\sqrt{b} \left((15(c+dx)^{4/3} - 4b^2) \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) + 10b(c+dx)^{2/3} \sin\left(a + \frac{b}{(c+dx)^{2/3}}\right) \right) + 45\sqrt{2\pi} \cos\left(a + \frac{b}{(c+dx)^{2/3}}\right) \right)}{16b^{7/2}de^4(c+dx)^{7/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b/(c + d*x)^(2/3)]/(c*e + d*e*x)^(10/3), x]

[Out] ((e*(c + d*x))^(2/3)*(45*Sqrt[2*Pi]*(c + d*x)^(5/3)*Cos[a]*FresnelC[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)] - 45*Sqrt[2*Pi]*(c + d*x)^(5/3)*FresnelS[(Sqrt[b]*Sqrt[2/Pi])/(c + d*x)^(1/3)]*Sin[a] - 6*Sqrt[b]*((-4*b^2 + 15*(c + d*x)^(4/3))*Cos[a + b/(c + d*x)^(2/3)] + 10*b*(c + d*x)^(2/3)*Sin[a + b/(c + d*x)^(2/3)]))/(16*b^(7/2)*d*e^4*(c + d*x)^(7/3))

fricas [F] time = 1.36, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(dex + ce)^{\frac{2}{3}} \sin\left(\frac{adx + ac + (dx+c)^{\frac{1}{3}}b}{dx+c}\right)}{d^4e^4x^4 + 4cd^3e^4x^3 + 6c^2d^2e^4x^2 + 4c^3de^4x + c^4e^4}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(10/3), x, algorithm="fricas")

[Out] integral((d*e*x + c*e)^(2/3)*sin((a*d*x + a*c + (d*x + c)^(1/3)*b)/(d*x + c)))/(d^4*e^4*x^4 + 4*c*d^3*e^4*x^3 + 6*c^2*d^2*e^4*x^2 + 4*c^3*d*e^4*x + c^4*e^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex + ce)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(10/3), x, algorithm="giac")

[Out] integrate(sin(a + b/(d*x + c)^(2/3))/(d*e*x + c*e)^(10/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sin\left(a + \frac{b}{(dx+c)^{\frac{2}{3}}}\right)}{(dex+ce)^{\frac{10}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(10/3),x)

[Out] int(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(10/3),x)

maxima [C] time = 0.83, size = 411, normalized size = 1.48

$$\left(\left(-3i\Gamma\left(\frac{7}{2}, ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) + 3i\Gamma\left(\frac{7}{2}, -\frac{ib}{(dx+c)^{\frac{2}{3}}}\right) \right) \cos\left(\frac{7}{4}\pi + \frac{7}{3}\arctan\left(0, dx+c\right)\right) + \left(3i\Gamma\left(\frac{7}{2}, -ib\frac{1}{(dx+c)^{\frac{2}{3}}}\right) - 3i\Gamma\left(\frac{7}{2}, \frac{ib}{(dx+c)^{\frac{2}{3}}}\right) \right) \sin\left(\frac{7}{4}\pi + \frac{7}{3}\arctan\left(0, dx+c\right)\right) \right) / (dex+ce)^{\frac{10}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b/(d*x+c)^(2/3))/(d*e*x+c*e)^(10/3),x, algorithm="maxima")

[Out] $-1/8 * (((-3 * I * \text{gamma}(7/2, I * b * \text{conjugate}((d * x + c)^{-2/3}))) + 3 * I * \text{gamma}(7/2, -I * b / (d * x + c)^{2/3})) * \cos(7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) + (3 * I * \text{gamma}(7/2, -I * b * \text{conjugate}((d * x + c)^{-2/3}))) - 3 * I * \text{gamma}(7/2, I * b / (d * x + c)^{2/3})) * \cos(-7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) - 3 * (\text{gamma}(7/2, I * b * \text{conjugate}((d * x + c)^{-2/3}))) + \text{gamma}(7/2, -I * b / (d * x + c)^{2/3})) * \sin(7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) + 3 * (\text{gamma}(7/2, -I * b * \text{conjugate}((d * x + c)^{-2/3}))) + \text{gamma}(7/2, I * b / (d * x + c)^{2/3})) * \sin(-7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c))) * \cos(a) - (3 * (\text{gamma}(7/2, I * b * \text{conjugate}((d * x + c)^{-2/3}))) + \text{gamma}(7/2, -I * b / (d * x + c)^{2/3})) * \cos(7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) + 3 * (\text{gamma}(7/2, -I * b * \text{conjugate}((d * x + c)^{-2/3}))) + \text{gamma}(7/2, I * b / (d * x + c)^{2/3})) * \cos(-7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) - (3 * I * \text{gamma}(7/2, I * b * \text{conjugate}((d * x + c)^{-2/3}))) - 3 * I * \text{gamma}(7/2, -I * b / (d * x + c)^{2/3})) * \sin(7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c)) - (3 * I * \text{gamma}(7/2, -I * b * \text{conjugate}((d * x + c)^{-2/3}))) - 3 * I * \text{gamma}(7/2, I * b / (d * x + c)^{2/3})) * \sin(-7/4 * \text{pi} + 7/3 * \text{arctan2}(0, d * x + c))) * \sin(a) / ((d^3 * e^{10/3}) * x^2 + 2 * c * d^2 * e^{10/3} * x + c^2 * d * e^{10/3}) * (d * x + c)^{1/3} * (b / (d * x + c)^{2/3})^{7/2}$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sin\left(a + \frac{b}{(c+dx)^{2/3}}\right)}{(ce+dex)^{10/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(10/3), x)
```

```
[Out] int(sin(a + b/(c + d*x)^(2/3))/(c*e + d*e*x)^(10/3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sin(a+b/(d*x+c)**(2/3))/(d*e*x+c*e)**(10/3), x)
```

```
[Out] Timed out
```

3.259 $\int (ex)^m \sin(a + b(c + dx)^n) dx$

Optimal. Leaf size=21

$$\text{Int}((ex)^m \sin(a + b(c + dx)^n), x)$$

[Out] Unintegrable((e*x)^m*sin(a+b*(d*x+c)^n), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m \sin(a + b(c + dx)^n) dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*Sin[a + b*(c + d*x)^n], x]

[Out] Defer[Int] [(e*x)^m*Sin[a + b*(c + d*x)^n], x]

Rubi steps

$$\int (ex)^m \sin(a + b(c + dx)^n) dx = \int (ex)^m \sin(a + b(c + dx)^n) dx$$

Mathematica [A] time = 6.18, size = 0, normalized size = 0.00

$$\int (ex)^m \sin(a + b(c + dx)^n) dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*Sin[a + b*(c + d*x)^n], x]

[Out] Integrate[(e*x)^m*Sin[a + b*(c + d*x)^n], x]

fricas [A] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}((ex)^m \sin((dx + c)^n b + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*sin(a+b*(d*x+c)^n), x, algorithm="fricas")

[Out] integral((e*x)^m*sin((d*x + c)^n*b + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*sin(a+b*(d*x+c)^n),x, algorithm="giac")

[Out] integrate((e*x)^m*sin((d*x + c)^n*b + a), x)

maple [A] time = 0.26, size = 0, normalized size = 0.00

$$\int (ex)^m \sin(a + b(dx + c)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*sin(a+b*(d*x+c)^n),x)

[Out] int((e*x)^m*sin(a+b*(d*x+c)^n),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*sin(a+b*(d*x+c)^n),x, algorithm="maxima")

[Out] integrate((e*x)^m*sin((d*x + c)^n*b + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \sin(a + b(c + dx)^n) (ex)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^n)*(e*x)^m,x)

[Out] int(sin(a + b*(c + d*x)^n)*(e*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)**m*sin(a+b*(d*x+c)**n),x)

[Out] Integral((e*x)**m*sin(a + b*(c + d*x)**n), x)

3.260 $\int x^3 \sin(a + b(c + dx)^n) dx$

Optimal. Leaf size=503

$$\frac{ie^{ia}c^3(c+dx)(-ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ib(c+dx)^n\right)}{2d^4n} + \frac{ie^{-ia}c^3(c+dx)(ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, ib(c+dx)^n\right)}{2d^4n} + \frac{3ie^{ia}c^2(c+dx)^2(-ib(c+dx)^n)^{-2/n}\Gamma\left(\frac{2}{n}, -ib(c+dx)^n\right)}{2d^4n} + \frac{ie^{ia}c^3(c+dx)(-ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ib(c+dx)^n\right)}{2d^4n}$$

[Out] $-1/2*I*c^3*\exp(I*a)*(d*x+c)*\text{GAMMA}(1/n, -I*b*(d*x+c)^n)/d^4/n/((-I*b*(d*x+c)^n)^{(1/n)}+1/2*I*c^3*(d*x+c)*\text{GAMMA}(1/n, I*b*(d*x+c)^n)/d^4/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(1/n)}+3/2*I*c^2*\exp(I*a)*(d*x+c)^2*\text{GAMMA}(2/n, -I*b*(d*x+c)^n)/d^4/n/((-I*b*(d*x+c)^n)^{(2/n)}-3/2*I*c^2*(d*x+c)^2*\text{GAMMA}(2/n, I*b*(d*x+c)^n)/d^4/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(2/n)}-3/2*I*c*\exp(I*a)*(d*x+c)^3*\text{GAMMA}(3/n, -I*b*(d*x+c)^n)/d^4/n/((-I*b*(d*x+c)^n)^{(3/n)}+3/2*I*c*(d*x+c)^3*\text{GAMMA}(3/n, I*b*(d*x+c)^n)/d^4/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(3/n)}+1/2*I*\exp(I*a)*(d*x+c)^4*\text{GAMMA}(4/n, -I*b*(d*x+c)^n)/d^4/n/((-I*b*(d*x+c)^n)^{(4/n)}-1/2*I*(d*x+c)^4*\text{GAMMA}(4/n, I*b*(d*x+c)^n)/d^4/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(4/n)})$

Rubi [A] time = 0.39, antiderivative size = 503, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3433, 3365, 2208, 3423, 2218}

$$\frac{3ie^{ia}c^2(c+dx)^2(-ib(c+dx)^n)^{-2/n}\Gamma\left(\frac{2}{n}, -ib(c+dx)^n\right)}{2d^4n} + \frac{ie^{ia}c^3(c+dx)(-ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ib(c+dx)^n\right)}{2d^4n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*\text{Sin}[a + b*(c + d*x)^n], x]$

[Out] $((-I/2)*c^3*E^{(I*a)}*(c + d*x)*\text{Gamma}[n^{(-1)}, (-I)*b*(c + d*x)^n])/(d^4*n*((-I)*b*(c + d*x)^n)^{n^{(-1)}} + ((I/2)*c^3*(c + d*x)*\text{Gamma}[n^{(-1)}, I*b*(c + d*x)^n])/(d^4*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{n^{(-1)}} + (((3*I)/2)*c^2*E^{(I*a)}*(c + d*x)^2*\text{Gamma}[2/n, (-I)*b*(c + d*x)^n])/(d^4*n*((-I)*b*(c + d*x)^n)^{(2/n)} - (((3*I)/2)*c^2*(c + d*x)^2*\text{Gamma}[2/n, I*b*(c + d*x)^n])/(d^4*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(2/n)} - (((3*I)/2)*c*E^{(I*a)}*(c + d*x)^3*\text{Gamma}[3/n, (-I)*b*(c + d*x)^n])/(d^4*n*((-I)*b*(c + d*x)^n)^{(3/n)} + (((3*I)/2)*c*(c + d*x)^3*\text{Gamma}[3/n, I*b*(c + d*x)^n])/(d^4*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(3/n)} + ((I/2)*E^{(I*a)}*(c + d*x)^4*\text{Gamma}[4/n, (-I)*b*(c + d*x)^n])/(d^4*n*((-I)*b*(c + d*x)^n)^{(4/n)} - ((I/2)*(c + d*x)^4*\text{Gamma}[4/n, I*b*(c + d*x)^n])/(d^4*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(4/n)})$

Rule 2208

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_))}), x_Symbol] := -\text{Simp}[(F^a * (c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F])])/(d*n*(-(b*(c + d*x)^n*\text{Log}[F])$

]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_))*((e_.) + (f_.)*(x_)^(m_.)), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3423

Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3433

Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))]^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)]]^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int x^3 \sin(a + b(c + dx)^n) dx &= \frac{\text{Subst}\left(\int (-c^3 \sin(a + bx^n) + 3c^2 x \sin(a + bx^n) - 3cx^2 \sin(a + bx^n) + x^3 \sin(a + bx^n)) dx, x, c + dx\right)}{d^4} \\
 &= \frac{\text{Subst}\left(\int x^3 \sin(a + bx^n) dx, x, c + dx\right)}{d^4} - \frac{(3c) \text{Subst}\left(\int x^2 \sin(a + bx^n) dx, x, c + dx\right)}{d^4} \\
 &= \frac{i \text{Subst}\left(\int e^{-ia - ibx^n} x^3 dx, x, c + dx\right)}{2d^4} - \frac{i \text{Subst}\left(\int e^{ia + ibx^n} x^3 dx, x, c + dx\right)}{2d^4} - \frac{(3ic) \text{Subst}\left(\int x^2 \sin(a + bx^n) dx, x, c + dx\right)}{d^4} \\
 &= -\frac{ic^3 e^{ia} (c + dx) (-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2d^4 n} + \frac{ic^3 e^{-ia} (c + dx) (ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2d^4 n}
 \end{aligned}$$

Mathematica [F] time = 12.22, size = 0, normalized size = 0.00

$$\int x^3 \sin(a + b(c + dx)^n) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^3*Sin[a + b*(c + d*x)^n], x]

[Out] Integrate[x^3*Sin[a + b*(c + d*x)^n], x]

fricas [F] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}(x^3 \sin((dx + c)^n b + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(a+b*(d*x+c)^n), x, algorithm="fricas")

[Out] integral(x^3*sin((d*x + c)^n*b + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(a+b*(d*x+c)^n), x, algorithm="giac")

[Out] integrate(x^3*sin((d*x + c)^n*b + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int x^3 \sin(a + b(dx + c)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(a+b*(d*x+c)^n), x)

[Out] int(x^3*sin(a+b*(d*x+c)^n), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*sin(a+b*(d*x+c)^n),x, algorithm="maxima")

[Out] integrate(x^3*sin((d*x + c)^n*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*sin(a + b*(c + d*x)^n),x)

[Out] int(x^3*sin(a + b*(c + d*x)^n), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*sin(a+b*(d*x+c)**n),x)

[Out] Integral(x**3*sin(a + b*(c + d*x)**n), x)

3.261 $\int x^2 \sin(a + b(c + dx)^n) dx$

Optimal. Leaf size=369

$$\frac{ie^{ia}c^2(c+dx)(-ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, -ib(c+dx)^n\right)}{2d^3n} - \frac{ie^{-ia}c^2(c+dx)(ib(c+dx)^n)^{-1/n}\Gamma\left(\frac{1}{n}, ib(c+dx)^n\right)}{2d^3n} + \dots$$

[Out] $\frac{1}{2}I*c^2*\exp(I*a)*(d*x+c)*\text{GAMMA}(1/n, -I*b*(d*x+c)^n)/d^3/n/((-I*b*(d*x+c)^n)^{(1/n)} - 1/2*I*c^2*(d*x+c)*\text{GAMMA}(1/n, I*b*(d*x+c)^n)/d^3/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(1/n)} - I*c*\exp(I*a)*(d*x+c)^2*\text{GAMMA}(2/n, -I*b*(d*x+c)^n)/d^3/n/((-I*b*(d*x+c)^n)^{(2/n)} + I*c*(d*x+c)^2*\text{GAMMA}(2/n, I*b*(d*x+c)^n)/d^3/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(2/n)} + 1/2*I*\exp(I*a)*(d*x+c)^3*\text{GAMMA}(3/n, -I*b*(d*x+c)^n)/d^3/n/((-I*b*(d*x+c)^n)^{(3/n)} - 1/2*I*(d*x+c)^3*\text{GAMMA}(3/n, I*b*(d*x+c)^n)/d^3/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(3/n)}$

Rubi [A] time = 0.25, antiderivative size = 369, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3433, 3365, 2208, 3423, 2218}

$$\frac{ie^{ia}c^2(c+dx)(-ib(c+dx)^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, -ib(c+dx)^n\right)}{2d^3n} - \frac{ie^{-ia}c^2(c+dx)(ib(c+dx)^n)^{-1/n}\text{Gamma}\left(\frac{1}{n}, ib(c+dx)^n\right)}{2d^3n} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sin}[a + b*(c + d*x)^n], x]$

[Out] $((I/2)*c^2*E^{(I*a)}*(c + d*x)*\text{Gamma}[n^{(-1)}, (-I)*b*(c + d*x)^n]/(d^3*n*((-I)*b*(c + d*x)^n)^{n^{(-1)}} - ((I/2)*c^2*(c + d*x)*\text{Gamma}[n^{(-1)}, I*b*(c + d*x)^n]/(d^3*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{n^{(-1)}} - (I*c*E^{(I*a)}*(c + d*x)^2*\text{Gamma}[2/n, (-I)*b*(c + d*x)^n]/(d^3*n*((-I)*b*(c + d*x)^n)^{(2/n)} + (I*c*(c + d*x)^2*\text{Gamma}[2/n, I*b*(c + d*x)^n]/(d^3*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(2/n)})) + ((I/2)*E^{(I*a)}*(c + d*x)^3*\text{Gamma}[3/n, (-I)*b*(c + d*x)^n]/(d^3*n*((-I)*b*(c + d*x)^n)^{(3/n)} - ((I/2)*(c + d*x)^3*\text{Gamma}[3/n, I*b*(c + d*x)^n]/(d^3*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(3/n)}$

Rule 2208

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.))}, x_Symbol] := -\text{Simp}[(F^a*(c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d*n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] /; \text{FreeQ}\{F, a, b, c, d, n\}, x] \&\& \text{!IntegerQ}[2/n]$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_))^{(n_.)})*((e_.) + (f_.)*(x_))^{(m_.)}, x_Symbol] := -\text{Simp}[(F^a*(e + f*x)^{(m + 1)}*\text{Gamma}[(m + 1)/n, -(b*(c + d*x)^n)]/((e + f*x)^{(m + 1)}), x]$

$)^n \text{Log}[F])]/(f^n * (-b*(c + d*x)^n * \text{Log}[F]))^{(m+1)/n}, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3365

$\text{Int}[\text{Sin}[c_.] + (d_.) * ((e_.) + (f_.) * (x_.)^n)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] - \text{Dist}[I/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] /; \text{FreeQ}\{c, d, e, f, n\}, x]$

Rule 3423

$\text{Int}[(e_.) * (x_.)^{m_.*} \text{Sin}[c_.] + (d_.) * (x_.)^{n_}], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e*x)^m * E^{-(c*I) - d*I*x^n}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m * E^{(c*I + d*I*x^n)}, x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 3433

$\text{Int}[(g_.) + (h_.) * (x_.)^{m_.*} ((a_.) + (b_.) * \text{Sin}[c_.] + (d_.) * ((e_.) + (f_.) * (x_.)^{n_})^{p_})], x_Symbol] \rightarrow \text{Module}\{k = \text{If}[\text{FractionQ}[n], \text{Denominator}[n], 1]\}, \text{Dist}[k/f^{m+1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(a + b*\text{Sin}[c + d*x^{k*n}])^p, x^{k-1} * (f*g - e*h + h*x^k)^m], x], x, (e + f*x)^{1/k}], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, h\}, x] \&\& \text{IGtQ}[p, 0] \&\& \text{IGtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int x^2 \sin(a + b(c + dx)^n) dx &= \frac{\text{Subst}\left(\int (c^2 \sin(a + bx^n) - 2cx \sin(a + bx^n) + x^2 \sin(a + bx^n)) dx, x, c + dx\right)}{d^3} \\ &= \frac{\text{Subst}\left(\int x^2 \sin(a + bx^n) dx, x, c + dx\right)}{d^3} - \frac{(2c) \text{Subst}\left(\int x \sin(a + bx^n) dx, x, c + dx\right)}{d^3} \\ &= \frac{i \text{Subst}\left(\int e^{-ia - ibx^n} x^2 dx, x, c + dx\right)}{2d^3} - \frac{i \text{Subst}\left(\int e^{ia + ibx^n} x^2 dx, x, c + dx\right)}{2d^3} - \frac{(ic) \text{Subst}\left(\int x \sin(a + bx^n) dx, x, c + dx\right)}{d^3} \\ &= \frac{ic^2 e^{ia} (c + dx) (-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2d^3 n} - \frac{ic^2 e^{-ia} (c + dx) (ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2d^3 n} \end{aligned}$$

Mathematica [F] time = 8.77, size = 0, normalized size = 0.00

$$\int x^2 \sin(a + b(c + dx)^n) dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2*Sin[a + b*(c + d*x)^n],x]

[Out] Integrate[x^2*Sin[a + b*(c + d*x)^n], x]

fricas [F] time = 0.53, size = 0, normalized size = 0.00

$$\text{integral}\left(x^2 \sin\left((dx + c)^n b + a\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b*(d*x+c)^n),x, algorithm="fricas")

[Out] integral(x^2*sin((d*x + c)^n*b + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sin\left((dx + c)^n b + a\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b*(d*x+c)^n),x, algorithm="giac")

[Out] integrate(x^2*sin((d*x + c)^n*b + a), x)

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int x^2 \sin\left(a + b(dx + c)^n\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*sin(a+b*(d*x+c)^n),x)

[Out] int(x^2*sin(a+b*(d*x+c)^n),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sin\left((dx + c)^n b + a\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*sin(a+b*(d*x+c)^n),x, algorithm="maxima")

[Out] integrate(x^2*sin((d*x + c)^n*b + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \sin\left(a + b(c + dx)^n\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*sin(a + b*(c + d*x)^n), x)`

[Out] `int(x^2*sin(a + b*(c + d*x)^n), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*sin(a+b*(d*x+c)**n), x)`

[Out] `Integral(x**2*sin(a + b*(c + d*x)**n), x)`

3.262 $\int x \sin(a + b(c + dx)^n) dx$

Optimal. Leaf size=243

$$\frac{ie^{ia}(c + dx)^2(-ib(c + dx)^n)^{-2/n} \Gamma\left(\frac{2}{n}, -ib(c + dx)^n\right)}{2d^2n} - \frac{ie^{ia}c(c + dx)(-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2d^2n} + \frac{ie^{-ia}c(c + dx)}{2d^2n}$$

[Out] $-1/2*I*c*\exp(I*a)*(d*x+c)*\text{GAMMA}(1/n, -I*b*(d*x+c)^n)/d^2/n/((-I*b*(d*x+c)^n)^{(1/n)}+1/2*I*c*(d*x+c)*\text{GAMMA}(1/n, I*b*(d*x+c)^n)/d^2/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(1/n)}+1/2*I*\exp(I*a)*(d*x+c)^2*\text{GAMMA}(2/n, -I*b*(d*x+c)^n)/d^2/n/((-I*b*(d*x+c)^n)^{(2/n)}-1/2*I*(d*x+c)^2*\text{GAMMA}(2/n, I*b*(d*x+c)^n)/d^2/\exp(I*a)/n/((I*b*(d*x+c)^n)^{(2/n)})$

Rubi [A] time = 0.13, antiderivative size = 243, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3433, 3365, 2208, 3423, 2218}

$$\frac{ie^{ia}(c + dx)^2(-ib(c + dx)^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, -ib(c + dx)^n\right)}{2d^2n} - \frac{ie^{ia}c(c + dx)(-ib(c + dx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2d^2n} + \frac{ie^{-ia}c(c + dx)}{2d^2n}$$

Antiderivative was successfully verified.

[In] `Int[x*Sin[a + b*(c + d*x)^n], x]`

[Out] $((-I/2)*c*E^{(I*a)}*(c + d*x)*\text{Gamma}[n^{(-1)}, (-I)*b*(c + d*x)^n])/(d^2*n*((-I)*b*(c + d*x)^n)^{n^{(-1)}} + ((I/2)*c*(c + d*x)*\text{Gamma}[n^{(-1)}, I*b*(c + d*x)^n])/(d^2*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{n^{(-1)}} + ((I/2)*E^{(I*a)}*(c + d*x)^2*\text{Gamma}[2/n, (-I)*b*(c + d*x)^n])/(d^2*n*((-I)*b*(c + d*x)^n)^{(2/n)} - ((I/2)*(c + d*x)^2*\text{Gamma}[2/n, I*b*(c + d*x)^n])/(d^2*E^{(I*a)}*n*(I*b*(c + d*x)^n)^{(2/n)})$

Rule 2208

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]`

Rule 2218

`Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^(m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]`

Rule 3365

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]
```

Rule 3423

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^n], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int x \sin(a + b(c + dx)^n) dx &= \frac{\text{Subst}\left(\int (-c \sin(a + bx^n) + x \sin(a + bx^n)) dx, x, c + dx\right)}{d^2} \\ &= \frac{\text{Subst}\left(\int x \sin(a + bx^n) dx, x, c + dx\right)}{d^2} - \frac{c \text{Subst}\left(\int \sin(a + bx^n) dx, x, c + dx\right)}{d^2} \\ &= \frac{i \text{Subst}\left(\int e^{-ia - ibx^n} x dx, x, c + dx\right)}{2d^2} - \frac{i \text{Subst}\left(\int e^{ia + ibx^n} x dx, x, c + dx\right)}{2d^2} - \frac{(ic) \text{Subst}\left(\int \sin(a + bx^n) dx, x, c + dx\right)}{d^2} \\ &= -\frac{ice^{ia}(c + dx)(-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2d^2n} + \frac{ice^{-ia}(c + dx)(ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2d^2n} \end{aligned}$$

Mathematica [A] time = 0.86, size = 192, normalized size = 0.79

$$\frac{(c + dx) \left((\sin(a) - i \cos(a)) (-ib(c + dx)^n)^{-2/n} \left(c (-ib(c + dx)^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right) - (c + dx) \Gamma\left(\frac{2}{n}, -ib(c + dx)^n\right) \right) \right)}{2d^2n}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*Sin[a + b*(c + d*x)^n], x]
```

[Out] $((c + dx) * (((c * (-1) * b * (c + dx)^n)^n)^{-1} * \Gamma[n^{-1}], (-1) * b * (c + dx)^n - (c + dx) * \Gamma[2/n, (-1) * b * (c + dx)^n]) * ((-1) * \cos[a] + \sin[a])) / ((-1) * b * (c + dx)^n)^{2/n} + ((c * (I * b * (c + dx)^n)^n)^{-1} * \Gamma[n^{-1}], I * b * (c + dx)^n - (c + dx) * \Gamma[2/n, I * b * (c + dx)^n]) * (I * \cos[a] + \sin[a])) / (I * b * (c + dx)^n)^{2/n} / (2 * d^{2 * n})$

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}(x \sin((dx + c)^n b + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b*(d*x+c)^n),x, algorithm="fricas")`

[Out] `integral(x*sin((d*x + c)^n*b + a), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b*(d*x+c)^n),x, algorithm="giac")`

[Out] `integrate(x*sin((d*x + c)^n*b + a), x)`

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int x \sin(a + b(dx + c)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(a+b*(d*x+c)^n),x)`

[Out] `int(x*sin(a+b*(d*x+c)^n),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b*(d*x+c)^n),x, algorithm="maxima")`

[Out] `integrate(x*sin((d*x + c)^n*b + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*sin(a + b*(c + d*x)^n), x)`

[Out] `int(x*sin(a + b*(c + d*x)^n), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*sin(a+b*(d*x+c)**n), x)`

[Out] `Integral(x*sin(a + b*(c + d*x)**n), x)`

3.263 $\int \sin(a + b(c + dx)^n) dx$

Optimal. Leaf size=117

$$\frac{ie^{ia}(c + dx)(-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2dn} - \frac{ie^{-ia}(c + dx)(ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2dn}$$

[Out] 1/2*I*exp(I*a)*(d*x+c)*GAMMA(1/n, -I*b*(d*x+c)^n)/d/n/((-I*b*(d*x+c)^n)^(1/n))-1/2*I*(d*x+c)*GAMMA(1/n, I*b*(d*x+c)^n)/d/exp(I*a)/n/((I*b*(d*x+c)^n)^(1/n))

Rubi [A] time = 0.03, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3365, 2208}

$$\frac{ie^{ia}(c + dx)(-ib(c + dx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2dn} - \frac{ie^{-ia}(c + dx)(ib(c + dx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, ib(c + dx)^n\right)}{2dn}$$

Antiderivative was successfully verified.

[In] Int[Sin[a + b*(c + d*x)^n], x]

[Out] ((I/2)*E^(I*a)*(c + d*x)*Gamma[n^(-1), (-I)*b*(c + d*x)^n])/((d*n*((-I)*b*(c + d*x)^n)^n^(-1)) - ((I/2)*(c + d*x)*Gamma[n^(-1), I*b*(c + d*x)^n])/((d*E^(I*a)*n*(I*b*(c + d*x)^n)^n^(-1))

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F])])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rubi steps

$$\int \sin(a + b(c + dx)^n) dx = \frac{1}{2}i \int e^{-ia - ib(c+dx)^n} dx - \frac{1}{2}i \int e^{ia + ib(c+dx)^n} dx$$

$$= \frac{ie^{ia}(c + dx)(-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2dn} - \frac{ie^{-ia}(c + dx)(ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2dn}$$

Mathematica [A] time = 0.04, size = 121, normalized size = 1.03

$$\frac{i(\cos(a) + i \sin(a))(c + dx)(-ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ib(c + dx)^n\right)}{2dn} - \frac{i(\cos(a) - i \sin(a))(c + dx)(ib(c + dx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, ib(c + dx)^n\right)}{2dn}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[a + b*(c + d*x)^n], x]

[Out] $((-1/2*I)*(c + d*x)*Gamma[n^(-1), I*b*(c + d*x)^n]*(Cos[a] - I*Sin[a]))/(d*n*(I*b*(c + d*x)^n)^n + ((I/2)*(c + d*x)*Gamma[n^(-1), (-I)*b*(c + d*x)^n]*(Cos[a] + I*Sin[a]))/(d*n*((-I)*b*(c + d*x)^n)^n$

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}(\sin((dx + c)^n b + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n), x, algorithm="fricas")

[Out] integral(sin((d*x + c)^n*b + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n), x, algorithm="giac")

[Out] integrate(sin((d*x + c)^n*b + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \sin(a + b(dx + c)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^n),x)`

[Out] `int(sin(a+b*(d*x+c)^n),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin((dx + c)^n b + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^n),x, algorithm="maxima")`

[Out] `integrate(sin((d*x + c)^n*b + a), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^n),x)`

[Out] `int(sin(a + b*(c + d*x)^n), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sin(a + b(c + dx)^n) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)**n),x)`

[Out] `Integral(sin(a + b*(c + d*x)**n), x)`

$$3.264 \quad \int \frac{\sin(a+b(c+dx)^n)}{x} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^n)}{x}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^n)/x,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^n)}{x} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^n]/x,x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^n]/x, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^n)}{x} dx = \int \frac{\sin(a+b(c+dx)^n)}{x} dx$$

Mathematica [A] time = 1.92, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^n)}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^n]/x,x]

[Out] Integrate[Sin[a + b*(c + d*x)^n]/x, x]

fricas [A] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin((dx+c)^n b + a)}{x}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n)/x,x, algorithm="fricas")

[Out] integral(sin((d*x + c)^n*b + a)/x, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^n b + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n)/x,x, algorithm="giac")

[Out] integrate(sin((d*x + c)^n*b + a)/x, x)

maple [A] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b(dx + c)^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a+b*(d*x+c)^n)/x,x)

[Out] int(sin(a+b*(d*x+c)^n)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^n b + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n)/x,x, algorithm="maxima")

[Out] integrate(sin((d*x + c)^n*b + a)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin(a + b(c + dx)^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(a + b*(c + d*x)^n)/x,x)

[Out] int(sin(a + b*(c + d*x)^n)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b(c + dx)^n)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**n)/x,x)

[Out] Integral(sin(a + b*(c + d*x)**n)/x, x)

$$3.265 \quad \int \frac{\sin(a+b(c+dx)^n)}{x^2} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sin(a+b(c+dx)^n)}{x^2}, x\right)$$

[Out] Unintegrable(sin(a+b*(d*x+c)^n)/x^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sin(a+b(c+dx)^n)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[Sin[a + b*(c + d*x)^n]/x^2,x]

[Out] Defer[Int][Sin[a + b*(c + d*x)^n]/x^2, x]

Rubi steps

$$\int \frac{\sin(a+b(c+dx)^n)}{x^2} dx = \int \frac{\sin(a+b(c+dx)^n)}{x^2} dx$$

Mathematica [A] time = 1.80, size = 0, normalized size = 0.00

$$\int \frac{\sin(a+b(c+dx)^n)}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sin[a + b*(c + d*x)^n]/x^2,x]

[Out] Integrate[Sin[a + b*(c + d*x)^n]/x^2, x]

fricas [A] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sin((dx+c)^n b + a)}{x^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)^n)/x^2,x, algorithm="fricas")

[Out] `integral(sin((d*x + c)^n*b + a)/x^2, x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^n b + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^n)/x^2,x, algorithm="giac")`

[Out] `integrate(sin((d*x + c)^n*b + a)/x^2, x)`

maple [A] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b(dx + c)^n)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a+b*(d*x+c)^n)/x^2,x)`

[Out] `int(sin(a+b*(d*x+c)^n)/x^2,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin((dx + c)^n b + a)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(a+b*(d*x+c)^n)/x^2,x, algorithm="maxima")`

[Out] `integrate(sin((d*x + c)^n*b + a)/x^2, x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{\sin(a + b(c + dx)^n)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(a + b*(c + d*x)^n)/x^2,x)`

[Out] `int(sin(a + b*(c + d*x)^n)/x^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sin(a + b(c + dx)^n)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(a+b*(d*x+c)**n)/x**2,x)

[Out] Integral(sin(a + b*(c + d*x)**n)/x**2, x)

3.266 $\int x^3 \left(a + b \sin \left(c + d(f + gx)^n \right) \right) dx$

Optimal. Leaf size=519

$$\frac{ax^4}{4} - \frac{ibe^{ic} f^3 (f + gx) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^{4n}} + \frac{ibe^{-ic} f^3 (f + gx) (id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^{4n}}$$

[Out] $\frac{1}{4} a x^4 - \frac{1}{2} I b \exp(I c) f^3 (f + g x) \text{GAMMA}\left(\frac{1}{n}, -I d (f + g x)^n\right) / g^{4/n} / \left((-I d (f + g x)^n)^{1/n} \right) + \frac{1}{2} I b f^3 (f + g x) \text{GAMMA}\left(\frac{1}{n}, I d (f + g x)^n\right) / \exp(I c) / g^{4/n} / \left((I d (f + g x)^n)^{1/n} \right) + \frac{3}{2} I b \exp(I c) f^2 (f + g x)^2 \text{GAMMA}\left(\frac{2}{n}, -I d (f + g x)^n\right) / g^{4/n} / \left((-I d (f + g x)^n)^{2/n} \right) - \frac{3}{2} I b f^2 (f + g x)^2 \text{GAMMA}\left(\frac{2}{n}, I d (f + g x)^n\right) / \exp(I c) / g^{4/n} / \left((I d (f + g x)^n)^{2/n} \right) - \frac{3}{2} I b \exp(I c) f (f + g x)^3 \text{GAMMA}\left(\frac{3}{n}, -I d (f + g x)^n\right) / g^{4/n} / \left((-I d (f + g x)^n)^{3/n} \right) + \frac{3}{2} I b f (f + g x)^3 \text{GAMMA}\left(\frac{3}{n}, I d (f + g x)^n\right) / \exp(I c) / g^{4/n} / \left((I d (f + g x)^n)^{3/n} \right) + \frac{1}{2} I b \exp(I c) (f + g x)^4 \text{GAMMA}\left(\frac{4}{n}, -I d (f + g x)^n\right) / g^{4/n} / \left((-I d (f + g x)^n)^{4/n} \right) - \frac{1}{2} I b (f + g x)^4 \text{GAMMA}\left(\frac{4}{n}, I d (f + g x)^n\right) / \exp(I c) / g^{4/n} / \left((I d (f + g x)^n)^{4/n} \right)$

Rubi [A] time = 0.53, antiderivative size = 519, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {14, 3433, 3365, 2208, 3423, 2218}

$$\frac{3ibe^{ic} f^2 (f + gx)^2 (-id(f + gx)^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, -id(f + gx)^n\right)}{2g^{4n}} - \frac{ibe^{ic} f^3 (f + gx) (-id(f + gx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^{4n}}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + b*SIN[c + d*(f + g*x)^n]),x]

[Out] $\frac{(a x^4)/4 - ((I/2) b E^{I c} f^3 (f + g x) \text{Gamma}[n^(-1), (-I) d (f + g x)^n]) / (g^{4/n} ((-I) d (f + g x)^n)^{n^(-1)}) + ((I/2) b f^3 (f + g x) \text{Gamma}[n^(-1), I d (f + g x)^n]) / (E^{I c} g^{4/n} (I d (f + g x)^n)^{n^(-1)}) + (((3 I)/2) b E^{I c} f^2 (f + g x)^2 \text{Gamma}[2/n, (-I) d (f + g x)^n]) / (g^{4/n} ((-I) d (f + g x)^n)^{2/n}) - (((3 I)/2) b f^2 (f + g x)^2 \text{Gamma}[2/n, I d (f + g x)^n]) / (E^{I c} g^{4/n} (I d (f + g x)^n)^{2/n}) - (((3 I)/2) b E^{I c} f (f + g x)^3 \text{Gamma}[3/n, (-I) d (f + g x)^n]) / (g^{4/n} ((-I) d (f + g x)^n)^{3/n}) + (((3 I)/2) b f (f + g x)^3 \text{Gamma}[3/n, I d (f + g x)^n]) / (E^{I c} g^{4/n} (I d (f + g x)^n)^{3/n}) + ((I/2) b E^{I c} (f + g x)^4 \text{Gamma}[4/n, (-I) d (f + g x)^n]) / (g^{4/n} ((-I) d (f + g x)^n)^{4/n}) - ((I/2) b (f + g x)^4 \text{Gamma}[4/n, I d (f + g x)^n]) / (E^{I c} g^{4/n} (I d (f + g x)^n)^{4/n})$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_)

+ (b_.)*(v_) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_))), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F])])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_)))*((e_.) + (f_.)*(x_)^(m_.)), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^(m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3423

Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)]), x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3433

Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))]^(p_.)), x_Symbol] :> Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int x^3 (a + b \sin(c + d(f + gx)^n)) dx &= \int (ax^3 + bx^3 \sin(c + d(f + gx)^n)) dx \\
&= \frac{ax^4}{4} + b \int x^3 \sin(c + d(f + gx)^n) dx \\
&= \frac{ax^4}{4} + \frac{b \operatorname{Subst}\left(\int (-f^3 \sin(c + dx^n) + 3f^2 x \sin(c + dx^n) - 3fx^2 \sin(c + dx^n)) dx, x, f + gx\right)}{g^4} \\
&= \frac{ax^4}{4} + \frac{b \operatorname{Subst}\left(\int x^3 \sin(c + dx^n) dx, x, f + gx\right)}{g^4} - \frac{(3bf) \operatorname{Subst}\left(\int x^2 \sin(c + dx^n) dx, x, f + gx\right)}{g^4} \\
&= \frac{ax^4}{4} + \frac{(ib) \operatorname{Subst}\left(\int e^{-ic-idx^n} x^3 dx, x, f + gx\right)}{2g^4} - \frac{(ib) \operatorname{Subst}\left(\int e^{ic+idx^n} x^3 dx, x, f + gx\right)}{2g^4} \\
&= \frac{ax^4}{4} - \frac{ibe^{ic} f^3 (f + gx) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^4 n} + \frac{ibe^{-ic} f^3 (f + gx) (id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^4 n}
\end{aligned}$$

Mathematica [A] time = 15.15, size = 539, normalized size = 1.04

$$\frac{1}{4} \left(ax^4 - \frac{2ib(\cos(c) - i \sin(c))(f + gx) (d^2(f + gx)^{2n})^{-4/n} \left(f^3(\cos(c) + i \sin(c))^2 (id(f + gx)^n)^{4/n} (-id(f + gx)^n)^{4/n} \right)}{2g^4 n} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + b*Sin[c + d*(f + g*x)^n]),x]

[Out] (a*x^4 - ((2*I)*b*(f + g*x)*(-(f^3*((-I)*d*(f + g*x)^n)^(4/n)*(I*d*(f + g*x)^n)^(3/n)*Gamma[n^(-1), I*d*(f + g*x)^n]) - (f + g*x)*(-3*f^2*((-I)*d*(f + g*x)^n)^(4/n)*(I*d*(f + g*x)^n)^(2/n)*Gamma[2/n, I*d*(f + g*x)^n] - (f + g*x)*(-3*f*((-I)*d*(f + g*x)^n)^(4/n)*(I*d*(f + g*x)^n)^(1/n)*Gamma[3/n, I*d*(f + g*x)^n] - (f + g*x)*(-(((-I)*d*(f + g*x)^n)^(4/n)*Gamma[4/n, I*d*(f + g*x)^n]) + (I*d*(f + g*x)^n)^(4/n)*Gamma[4/n, (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2) + 3*f*((-I)*d*(f + g*x)^n)^(4/n)*(I*d*(f + g*x)^n)^(4/n)*Gamma[3/n, (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2) + 3*f^2*((-I)*d*(f + g*x)^n)^(2/n)*(I*d*(f + g*x)^n)^(4/n)*Gamma[2/n, (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2) + f^3*((-I)*d*(f + g*x)^n)^(3/n)*(I*d*(f + g*x)^n)^(4/n)*Gamma[n^(-1), (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2)*(Cos[c] - I*Sin[c]))/(g^4*n*(d^2*(f + g*x)^(2*n))^(4/n))/4

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(bx^3 \sin\left(\left(gx + f\right)^n d + c\right) + ax^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(b*x^3*sin((g*x + f)^n*d + c) + a*x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin \left((gx + f)^n d + c \right) + a \right) x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)*x^3, x)

maple [F] time = 0.12, size = 0, normalized size = 0.00

$$\int x^3 \left(a + b \sin \left(c + d (gx + f)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(x^3*(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{4} ax^4 + b \int x^3 \sin \left((gx + f)^n d + c \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] 1/4*a*x^4 + b*integrate(x^3*sin((g*x + f)^n*d + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^3 \left(a + b \sin \left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + b*sin(c + d*(f + g*x)^n)),x)

[Out] int(x^3*(a + b*sin(c + d*(f + g*x)^n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \left(a + b \sin \left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Integral(x**3*(a + b*sin(c + d*(f + g*x)**n)), x)
```

3.267 $\int x^2 \left(a + b \sin \left(c + d(f + gx)^n \right) \right) dx$

Optimal. Leaf size=383

$$\frac{ax^3}{3} + \frac{ibe^{ic} f^2(f + gx) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^3n} - \frac{ibe^{-ic} f^2(f + gx) (id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^3n}$$

[Out] $\frac{1}{3} a x^3 + \frac{1}{2} I b \exp(I c) f^2 (g x + f) \text{GAMMA}\left(\frac{1}{n}, -I d (g x + f)^n\right) / g^3 n / \left((-I d (g x + f)^n)^{1/n} \right) - \frac{1}{2} I b f^2 (g x + f) \text{GAMMA}\left(\frac{1}{n}, I d (g x + f)^n\right) / \exp(I c) / g^3 n / \left((I d (g x + f)^n)^{1/n} \right) - I b \exp(I c) f (g x + f)^2 \text{GAMMA}\left(\frac{2}{n}, -I d (g x + f)^n\right) / g^3 n / \left((-I d (g x + f)^n)^{2/n} \right) + I b f (g x + f)^2 \text{GAMMA}\left(\frac{2}{n}, I d (g x + f)^n\right) / \exp(I c) / g^3 n / \left((I d (g x + f)^n)^{2/n} \right) + \frac{1}{2} I b \exp(I c) (g x + f)^3 \text{GAMMA}\left(\frac{3}{n}, -I d (g x + f)^n\right) / g^3 n / \left((-I d (g x + f)^n)^{3/n} \right) - \frac{1}{2} I b (g x + f)^3 \text{GAMMA}\left(\frac{3}{n}, I d (g x + f)^n\right) / \exp(I c) / g^3 n / \left((I d (g x + f)^n)^{3/n} \right)$

Rubi [A] time = 0.34, antiderivative size = 383, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {14, 3433, 3365, 2208, 3423, 2218}

$$\frac{ibe^{ic} f^2(f + gx) (-id(f + gx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^3n} - \frac{ibe^{-ic} f^2(f + gx) (id(f + gx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^3n}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*Sin[c + d*(f + g*x)^n]),x]

[Out] $\frac{(a*x^3)}{3} + \left(\frac{(I/2)*b*E^{(I*c)}*f^2*(f + g*x)*\text{Gamma}[n^{(-1)}, (-I)*d*(f + g*x)^n]}{g^3*n*((-I)*d*(f + g*x)^n)^{(-1)}} - \frac{(I/2)*b*f^2*(f + g*x)*\text{Gamma}[n^{(-1)}, I*d*(f + g*x)^n]}{E^{(I*c)}*g^3*n*(I*d*(f + g*x)^n)^{(-1)}} - \frac{(I*b*E^{(I*c)}*f*(f + g*x)^2*\text{Gamma}[2/n, (-I)*d*(f + g*x)^n]}{g^3*n*((-I)*d*(f + g*x)^n)^{(2/n)}} + \frac{(I*b*f*(f + g*x)^2*\text{Gamma}[2/n, I*d*(f + g*x)^n]}{E^{(I*c)}*g^3*n*(I*d*(f + g*x)^n)^{(2/n)}} + \frac{(I/2)*b*E^{(I*c)}*(f + g*x)^3*\text{Gamma}[3/n, (-I)*d*(f + g*x)^n]}{g^3*n*((-I)*d*(f + g*x)^n)^{(3/n)}} - \frac{(I/2)*b*(f + g*x)^3*\text{Gamma}[3/n, I*d*(f + g*x)^n]}{E^{(I*c)}*g^3*n*(I*d*(f + g*x)^n)^{(3/n)}} \right)$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_)), x_Symbol] := -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F

]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^(n_)))*((e_.) + (f_.)*(x_)^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^(n)*Log[F])])]/(f*n*(-(b*(c + d*x)^(n)*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3423

Int[((e_.)*(x_)^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)]), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3433

Int[((g_.) + (h_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_)^(n_))]^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)]]^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sin(c + d(f + gx)^n)) dx &= \int (ax^2 + bx^2 \sin(c + d(f + gx)^n)) dx \\
&= \frac{ax^3}{3} + b \int x^2 \sin(c + d(f + gx)^n) dx \\
&= \frac{ax^3}{3} + \frac{b \operatorname{Subst}\left(\int (f^2 \sin(c + dx^n) - 2fx \sin(c + dx^n) + x^2 \sin(c + dx^n)) dx, x, f + gx\right)}{g^3} \\
&= \frac{ax^3}{3} + \frac{b \operatorname{Subst}\left(\int x^2 \sin(c + dx^n) dx, x, f + gx\right)}{g^3} - \frac{(2bf) \operatorname{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^3} \\
&= \frac{ax^3}{3} + \frac{(ib) \operatorname{Subst}\left(\int e^{-ic-idx^n} x^2 dx, x, f + gx\right)}{2g^3} - \frac{(ib) \operatorname{Subst}\left(\int e^{ic+idx^n} x^2 dx, x, f + gx\right)}{2g^3} \\
&= \frac{ax^3}{3} + \frac{ibe^{ic} f^2 (f + gx) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^3 n} - \frac{ibe^{-ic} f^2 (f + gx) (id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^3 n}
\end{aligned}$$

Mathematica [A] time = 10.23, size = 403, normalized size = 1.05

$$\frac{ax^3}{3} + \frac{ib(\cos(c) - i \sin(c))(f + gx) (d^2(f + gx)^{2n})^{-3/n} \left(f^2(\cos(c) + i \sin(c))^2 (id(f + gx)^n)^{3/n} (-id(f + gx)^n)^{2/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right) - f^2(\cos(c) - i \sin(c))^2 (-id(f + gx)^n)^{3/n} (id(f + gx)^n)^{2/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right) \right)}{2g^3 n}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(a + b*Sin[c + d*(f + g*x)^n]),x]

[Out] (a*x^3)/3 + (((I/2)*b*(f + g*x)*(-(f^2*((-I)*d*(f + g*x)^n)^(3/n)*(I*d*(f + g*x)^n)^(2/n)*Gamma[n^(-1), I*d*(f + g*x)^n]) - (f + g*x)*(-2*f*((-I)*d*(f + g*x)^n)^(3/n)*(I*d*(f + g*x)^n)^(2/n)*Gamma[2/n, I*d*(f + g*x)^n] - (f + g*x)*(-(((I)*d*(f + g*x)^n)^(3/n)*Gamma[3/n, I*d*(f + g*x)^n]) + (I*d*(f + g*x)^n)^(3/n)*Gamma[3/n, (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2) + 2*f*((-I)*d*(f + g*x)^n)^(3/n)*(I*d*(f + g*x)^n)^(2/n)*Gamma[2/n, (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2) + f^2*((-I)*d*(f + g*x)^n)^(2/n)*(I*d*(f + g*x)^n)^(3/n)*Gamma[n^(-1), (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2)*(Cos[c] - I*Sin[c]))/(g^3*n*(d^2*(f + g*x)^(2*n))^(3/n))

fricas [F] time = 0.57, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(bx^2 \sin\left((gx + f)^n d + c\right) + ax^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(b*x^2*sin((g*x + f)^n*d + c) + a*x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin \left((gx + f)^n d + c \right) + a \right) x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)*x^2, x)

maple [F] time = 0.18, size = 0, normalized size = 0.00

$$\int x^2 \left(a + b \sin \left(c + d (gx + f)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(x^2*(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{3} ax^3 + b \int x^2 \sin \left((gx + f)^n d + c \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] 1/3*a*x^3 + b*integrate(x^2*sin((g*x + f)^n*d + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \left(a + b \sin \left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + b*sin(c + d*(f + g*x)^n)),x)

[Out] int(x^2*(a + b*sin(c + d*(f + g*x)^n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \left(a + b \sin \left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Integral(x**2*(a + b*sin(c + d*(f + g*x)**n)), x)
```

3.268 $\int x \left(a + b \sin \left(c + d(f + gx)^n \right) \right) dx$

Optimal. Leaf size=255

$$\frac{ax^2}{2} + \frac{ibe^{ic}(f+gx)^2(-id(f+gx)^n)^{-2/n} \Gamma\left(\frac{2}{n}, -id(f+gx)^n\right)}{2g^{2n}} - \frac{ibe^{ic}f(f+gx)(-id(f+gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f+gx)^n\right)}{2g^{2n}}$$

[Out] $\frac{1}{2}ax^2 - \frac{1}{2}I*b*\exp(I*c)*f*(g*x+f)*\text{GAMMA}(1/n, -I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(1/n)}) + \frac{1}{2}I*b*f*(g*x+f)*\text{GAMMA}(1/n, I*d*(g*x+f)^n)/\exp(I*c)/g^2/n/((I*d*(g*x+f)^n)^{(1/n)}) + \frac{1}{2}I*b*\exp(I*c)*(g*x+f)^2*\text{GAMMA}(2/n, -I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(2/n)}) - \frac{1}{2}I*b*(g*x+f)^2*\text{GAMMA}(2/n, I*d*(g*x+f)^n)/\exp(I*c)/g^2/n/((I*d*(g*x+f)^n)^{(2/n)})$

Rubi [A] time = 0.19, antiderivative size = 255, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {14, 3433, 3365, 2208, 3423, 2218}

$$\frac{ibe^{ic}(f+gx)^2(-id(f+gx)^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, -id(f+gx)^n\right)}{2g^{2n}} - \frac{ibe^{ic}f(f+gx)(-id(f+gx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -id(f+gx)^n\right)}{2g^{2n}}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] $\frac{(a*x^2)/2 - ((I/2)*b*E^{(I*c)}*f*(f + g*x)*\text{Gamma}[n^{(-1)}, (-I)*d*(f + g*x)^n])}{(g^2*n*((-I)*d*(f + g*x)^n)^{(-1)}) + ((I/2)*b*f*(f + g*x)*\text{Gamma}[n^{(-1)}, I*d*(f + g*x)^n])/(E^{(I*c)}*g^2*n*(I*d*(f + g*x)^n)^{(-1)}) + ((I/2)*b*E^{(I*c)}*(f + g*x)^2*\text{Gamma}[2/n, (-I)*d*(f + g*x)^n])/(g^2*n*((-I)*d*(f + g*x)^n)^{(2/n)}) - ((I/2)*b*(f + g*x)^2*\text{Gamma}[2/n, I*d*(f + g*x)^n])/(E^{(I*c)}*g^2*n*(I*d*(f + g*x)^n)^{(2/n)})$

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 2208

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F])])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 2218

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^(m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]
```

Rule 3365

```
Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] := Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]
```

Rule 3423

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
 \int x (a + b \sin(c + d(f + gx)^n)) dx &= \int (ax + bx \sin(c + d(f + gx)^n)) dx \\
 &= \frac{ax^2}{2} + b \int x \sin(c + d(f + gx)^n) dx \\
 &= \frac{ax^2}{2} + \frac{b \operatorname{Subst}\left(\int (-f \sin(c + dx^n) + x \sin(c + dx^n)) dx, x, f + gx\right)}{g^2} \\
 &= \frac{ax^2}{2} + \frac{b \operatorname{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^2} - \frac{(bf) \operatorname{Subst}\left(\int \sin(c + dx^n) dx, x, f + gx\right)}{g^2} \\
 &= \frac{ax^2}{2} + \frac{(ib) \operatorname{Subst}\left(\int e^{-ic - idx^n} x dx, x, f + gx\right)}{2g^2} - \frac{(ib) \operatorname{Subst}\left(\int e^{ic + idx^n} x dx, x, f + gx\right)}{2g^2} \\
 &= \frac{ax^2}{2} - \frac{ibe^{ic} f (f + gx) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2g^2 n} + \frac{ibe^{-ic} f (f + gx) (id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2g^2 n}
 \end{aligned}$$

Mathematica [A] time = 0.52, size = 215, normalized size = 0.84

$$\frac{ax^2}{2} + \frac{b(\sin(c) - i \cos(c))(f + gx) (-id(f + gx)^n)^{-2/n} \left(f (-id(f + gx)^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right) - (f + gx) \Gamma\left(\frac{2}{n}, -id(f + gx)^n\right) \right)}{2g^{2n}}$$

Antiderivative was successfully verified.

[In] Integrate[x*(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] (a*x^2)/2 + (b*(f + g*x)*(f*((-I)*d*(f + g*x)^n)^n^(-1)*Gamma[n^(-1), (-I)*d*(f + g*x)^n] - (f + g*x)*Gamma[2/n, (-I)*d*(f + g*x)^n])*((-I)*Cos[c] + Sin[c])/((2*g^2*n*((-I)*d*(f + g*x)^n)^(2/n)) + (b*(f + g*x)*(f*(I*d*(f + g*x)^n)^n^(-1)*Gamma[n^(-1), I*d*(f + g*x)^n] - (f + g*x)*Gamma[2/n, I*d*(f + g*x)^n] *(I*Cos[c] + Sin[c]))/(2*g^2*n*(I*d*(f + g*x)^n)^(2/n))

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(bx \sin\left((gx + f)^n d + c\right) + ax, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)^n)), x, algorithm="fricas")

[Out] integral(b*x*sin((g*x + f)^n*d + c) + a*x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin\left((gx + f)^n d + c\right) + a \right) x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)^n)), x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)*x, x)

maple [F] time = 0.22, size = 0, normalized size = 0.00

$$\int x \left(a + b \sin\left(c + d (gx + f)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a+b*sin(c+d*(g*x+f)^n)), x)

[Out] int(x*(a+b*sin(c+d*(g*x+f)^n)), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} ax^2 + b \int x \sin\left((gx + f)^n d + c\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] 1/2*a*x^2 + b*integrate(x*sin((g*x + f)^n*d + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \left(a + b \sin\left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(a + b*sin(c + d*(f + g*x)^n)),x)

[Out] int(x*(a + b*sin(c + d*(f + g*x)^n)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \left(a + b \sin\left(c + d (f + gx)^n \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)**n)),x)

[Out] Integral(x*(a + b*sin(c + d*(f + g*x)**n)), x)

3.269 $\int \left(a + b \sin \left(c + d(f + gx)^n \right) \right) dx$

Optimal. Leaf size=122

$$ax + \frac{ibe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2gn} - \frac{ibe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2gn}$$

[Out] a*x+1/2*I*b*exp(I*c)*(g*x+f)*GAMMA(1/n,-I*d*(g*x+f)^n)/g/n/((-I*d*(g*x+f)^n)^(1/n))-1/2*I*b*(g*x+f)*GAMMA(1/n,I*d*(g*x+f)^n)/exp(I*c)/g/n/((I*d*(g*x+f)^n)^(1/n))

Rubi [A] time = 0.06, antiderivative size = 122, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3365, 2208}

$$\frac{ibe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2gn} - \frac{ibe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2gn}$$

Antiderivative was successfully verified.

[In] Int[a + b*Sin[c + d*(f + g*x)^n], x]

[Out] a*x + ((I/2)*b*E^(I*c)*(f + g*x)*Gamma[n^(-1), (-I)*d*(f + g*x)^n])/(g*n*((-I)*d*(f + g*x)^n)^(-1)) - ((I/2)*b*(f + g*x)*Gamma[n^(-1), I*d*(f + g*x)^n])/(E^(I*c)*g*n*(I*d*(f + g*x)^n)^(-1))

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F])])/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rubi steps

$$\begin{aligned}
\int (a + b \sin(c + d(f + gx)^n)) dx &= ax + b \int \sin(c + d(f + gx)^n) dx \\
&= ax + \frac{1}{2}(ib) \int e^{-ic-id(f+gx)^n} dx - \frac{1}{2}(ib) \int e^{ic+id(f+gx)^n} dx \\
&= ax + \frac{ibe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2gn} - \frac{ibe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2gn}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 126, normalized size = 1.03

$$ax + \frac{ib(\cos(c) + i \sin(c))(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{2gn} - \frac{ib(\cos(c) - i \sin(c))(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{2gn}$$

Antiderivative was successfully verified.

[In] Integrate[a + b*Sin[c + d*(f + g*x)^n], x]

[Out] a*x - ((I/2)*b*(f + g*x)*Gamma[n^(-1), I*d*(f + g*x)^n]*(Cos[c] - I*Sin[c]))/(g*n*(I*d*(f + g*x)^n)^n + ((I/2)*b*(f + g*x)*Gamma[n^(-1), (-I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c]))/(g*n*((-I)*d*(f + g*x)^n)^n

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(b \sin\left((gx + f)^n d + c\right) + a, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d*(g*x+f)^n), x, algorithm="fricas")

[Out] integral(b*sin((g*x + f)^n*d + c) + a, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int b \sin\left((gx + f)^n d + c\right) + a dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d*(g*x+f)^n), x, algorithm="giac")

[Out] integrate(b*sin((g*x + f)^n*d + c) + a, x)

maple [F] time = 0.21, size = 0, normalized size = 0.00

$$\int a + b \sin\left(c + d(gx + f)^n\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*sin(c+d*(g*x+f)^n),x)

[Out] int(a+b*sin(c+d*(g*x+f)^n),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$ax + b \int \sin\left((gx + f)^n d + c\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d*(g*x+f)^n),x, algorithm="maxima")

[Out] a*x + b*integrate(sin((g*x + f)^n*d + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int a + b \sin\left(c + d(f + gx)^n\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a + b*sin(c + d*(f + g*x)^n),x)

[Out] int(a + b*sin(c + d*(f + g*x)^n), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin\left(c + d(f + gx)^n\right)\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d*(g*x+f)**n),x)

[Out] Integral(a + b*sin(c + d*(f + g*x)**n), x)

$$3.270 \quad \int \frac{a+b \sin(c+d(f+gx)^n)}{x} dx$$

Optimal. Leaf size=26

$$b \operatorname{Int} \left(\frac{\sin(c+d(f+gx)^n)}{x}, x \right) + a \log(x)$$

[Out] a*ln(x)+b*Unintegrable(sin(c+d*(g*x+f)^n)/x,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sin(c+d(f+gx)^n)}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])/x,x]

[Out] a*Log[x] + b*Defer[Int][Sin[c + d*(f + g*x)^n]/x, x]

Rubi steps

$$\begin{aligned} \int \frac{a+b \sin(c+d(f+gx)^n)}{x} dx &= \int \left(\frac{a}{x} + \frac{b \sin(c+d(f+gx)^n)}{x} \right) dx \\ &= a \log(x) + b \int \frac{\sin(c+d(f+gx)^n)}{x} dx \end{aligned}$$

Mathematica [A] time = 3.28, size = 0, normalized size = 0.00

$$\int \frac{a+b \sin(c+d(f+gx)^n)}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*(f + g*x)^n])/x,x]

[Out] Integrate[(a + b*Sin[c + d*(f + g*x)^n])/x, x]

fricas [A] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{b \sin \left((gx + f)^n d + c \right) + a}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x,x, algorithm="fricas")

[Out] integral((b*sin((g*x + f)^n*d + c) + a)/x, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin \left((gx + f)^n d + c \right) + a}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)/x, x)

maple [A] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin \left(c + d (gx + f)^n \right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d*(g*x+f)^n))/x,x)

[Out] int((a+b*sin(c+d*(g*x+f)^n))/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\sin \left((gx + f)^n d + c \right)}{x} dx + a \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x,x, algorithm="maxima")

[Out] b*integrate(sin((g*x + f)^n*d + c)/x, x) + a*log(x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \sin\left(c + d(f + gx)^n\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*(f + g*x)^n))/x,x)`

[Out] `int((a + b*sin(c + d*(f + g*x)^n))/x, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + d(f + gx)^n\right)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d*(g*x+f)**n))/x,x)`

[Out] `Integral((a + b*sin(c + d*(f + g*x)**n))/x, x)`

$$3.271 \quad \int \frac{a+b \sin(c+d(f+gx)^n)}{x^2} dx$$

Optimal. Leaf size=28

$$b \operatorname{Int} \left(\frac{\sin(c+d(f+gx)^n)}{x^2}, x \right) - \frac{a}{x}$$

[Out] $-a/x + b * \operatorname{Unintegrable}(\sin(c+d*(g*x+f)^n)/x^2, x)$

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{a+b \sin(c+d(f+gx)^n)}{x^2} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[(a + b * \operatorname{Sin}[c + d * (f + g * x)^n]) / x^2, x]$

[Out] $-(a/x) + b * \operatorname{Defer}[\operatorname{Int}][\operatorname{Sin}[c + d * (f + g * x)^n] / x^2, x]$

Rubi steps

$$\begin{aligned} \int \frac{a+b \sin(c+d(f+gx)^n)}{x^2} dx &= \int \left(\frac{a}{x^2} + \frac{b \sin(c+d(f+gx)^n)}{x^2} \right) dx \\ &= -\frac{a}{x} + b \int \frac{\sin(c+d(f+gx)^n)}{x^2} dx \end{aligned}$$

Mathematica [A] time = 2.89, size = 0, normalized size = 0.00

$$\int \frac{a+b \sin(c+d(f+gx)^n)}{x^2} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[(a + b * \operatorname{Sin}[c + d * (f + g * x)^n]) / x^2, x]$

[Out] $\operatorname{Integrate}[(a + b * \operatorname{Sin}[c + d * (f + g * x)^n]) / x^2, x]$

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\operatorname{integral} \left(\frac{b \sin((gx+f)^n d + c) + a}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x^2,x, algorithm="fricas")

[Out] integral((b*sin((g*x + f)^n*d + c) + a)/x^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \sin\left(\left(gx + f\right)^n d + c\right) + a}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x^2,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)/x^2, x)

maple [A] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + d\left(gx + f\right)^n\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d*(g*x+f)^n))/x^2,x)

[Out] int((a+b*sin(c+d*(g*x+f)^n))/x^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$b \int \frac{\sin\left(\left(gx + f\right)^n d + c\right)}{x^2} dx - \frac{a}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))/x^2,x, algorithm="maxima")

[Out] b*integrate(sin((g*x + f)^n*d + c)/x^2, x) - a/x

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{a + b \sin\left(c + d\left(f + gx\right)^n\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*(f + g*x)^n))/x^2,x)`

[Out] `int((a + b*sin(c + d*(f + g*x)^n))/x^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + d(f + gx)^n\right)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d*(g*x+f)**n))/x**2,x)`

[Out] `Integral((a + b*sin(c + d*(f + g*x)**n))/x**2, x)`

$$3.272 \quad \int x^2 \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^2 dx$$

Optimal. Leaf size=856

$$\frac{iab e^{ic} (f + gx)^3 \Gamma\left(\frac{3}{n}, -id(f + gx)^n\right) (-id(f + gx)^n)^{-3/n}}{g^3 n} + \frac{2^{-2-\frac{3}{n}} b^2 e^{2ic} (f + gx)^3 \Gamma\left(\frac{3}{n}, -2id(f + gx)^n\right) (-id(f + gx)^n)^{-3/n}}{g^3 n}$$

[Out] $\frac{1}{2} * (2*a^2 + b^2) * f^2 * x / g^2 - \frac{1}{2} * (2*a^2 + b^2) * f * (g*x + f)^2 / g^3 + \frac{1}{6} * (2*a^2 + b^2) * (g*x + f)^3 / g^3 + I * a * b * \exp(I * c) * f^2 * (g*x + f) * \text{GAMMA}(1/n, -I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(1/n)} - I * a * b * f^2 * (g*x + f) * \text{GAMMA}(1/n, I * d * (g*x + f)^n) / \exp(I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(1/n)} + 2^{(-2-1/n)} * b^2 * \exp(2 * I * c) * f^2 * (g*x + f) * \text{GAMMA}(1/n, -2 * I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(1/n)} + 2^{(-2-1/n)} * b^2 * f^2 * (g*x + f) * \text{GAMMA}(1/n, 2 * I * d * (g*x + f)^n) / \exp(2 * I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(1/n)} - 2 * I * a * b * \exp(I * c) * f * (g*x + f)^2 * \text{GAMMA}(2/n, -I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(2/n)} + 2 * I * a * b * f * (g*x + f)^2 * \text{GAMMA}(2/n, I * d * (g*x + f)^n) / \exp(I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(2/n)} - 2^{(-1-2/n)} * b^2 * \exp(2 * I * c) * f * (g*x + f)^2 * \text{GAMMA}(2/n, -2 * I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(2/n)} - 2^{(-1-2/n)} * b^2 * f * (g*x + f)^2 * \text{GAMMA}(2/n, 2 * I * d * (g*x + f)^n) / \exp(2 * I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(2/n)} + I * a * b * \exp(I * c) * (g*x + f)^3 * \text{GAMMA}(3/n, -I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(3/n)} - I * a * b * (g*x + f)^3 * \text{GAMMA}(3/n, I * d * (g*x + f)^n) / \exp(I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(3/n)} + 2^{(-2-3/n)} * b^2 * \exp(2 * I * c) * (g*x + f)^3 * \text{GAMMA}(3/n, -2 * I * d * (g*x + f)^n) / g^3 / n / ((-I * d * (g*x + f)^n)^{(3/n)} + 2^{(-2-3/n)} * b^2 * (g*x + f)^3 * \text{GAMMA}(3/n, 2 * I * d * (g*x + f)^n) / \exp(2 * I * c) / g^3 / n / ((I * d * (g*x + f)^n)^{(3/n)})$

Rubi [A] time = 0.97, antiderivative size = 856, normalized size of antiderivative = 1.00, number of steps used = 28, number of rules used = 10, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.454$, Rules used = {3433, 3367, 3366, 2208, 3365, 3425, 6, 3424, 2218, 3423}

$$\frac{iab e^{ic} (f + gx)^3 \text{Gamma}\left(\frac{3}{n}, -id(f + gx)^n\right) (-id(f + gx)^n)^{-3/n}}{g^3 n} + \frac{2^{-2-\frac{3}{n}} b^2 e^{2ic} (f + gx)^3 \text{Gamma}\left(\frac{3}{n}, -2id(f + gx)^n\right) (-id(f + gx)^n)^{-3/n}}{g^3 n}$$

Antiderivative was successfully verified.

[In] Int[x^2*(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] $((2*a^2 + b^2) * f^2 * x) / (2 * g^2) - ((2*a^2 + b^2) * f * (f + g*x)^2) / (2 * g^3) + ((2*a^2 + b^2) * (f + g*x)^3) / (6 * g^3) + (I * a * b * E^{(I * c)} * f^2 * (f + g*x) * \text{Gamma}[n^{(-1)}, (-I) * d * (f + g*x)^n]) / (g^3 * n * ((-I) * d * (f + g*x)^n)^{n^{(-1)}} - (I * a * b * f^2 * (f + g*x) * \text{Gamma}[n^{(-1)}, I * d * (f + g*x)^n]) / (E^{(I * c)} * g^3 * n * (I * d * (f + g*x)^n)^{n^{(-1)}}) + (2^{(-2 - n^{(-1)})} * b^2 * E^{((2 * I) * c)} * f^2 * (f + g*x) * \text{Gamma}[n^{(-1)}, (-2 * I) * d * (f + g*x)^n]) / (g^3 * n * ((-I) * d * (f + g*x)^n)^{n^{(-1)}}) + (2^{(-2 - n^{(-1)})} * b^2 * f^2 * (f + g*x) * \text{Gamma}[n^{(-1)}, (2 * I) * d * (f + g*x)^n]) / (E^{((2 * I) * c)} * g^3 * n * (I * d * (f + g*x)^n)^{n^{(-1)}}) - ((2 * I) * a * b * E^{(I * c)} * f * (f + g*x)^2 * \text{Gamma}[2/n, (-I) * d * (f + g*x)^n]) / (g^3 * n * ((-I) * d * (f + g*x)^n)^{(2/n)} - (2 * I) * a * b * f * (f + g*x)^2 * \text{Gamma}[2/n, I * d * (f + g*x)^n]) / \exp(I * c) / g^3 / n / ((I * d * (f + g*x)^n)^{(2/n)} - 2^{(-1-2/n)} * b^2 * \exp(2 * I * c) * f * (f + g*x)^2 * \text{Gamma}[2/n, -2 * I * d * (f + g*x)^n]) / \exp(2 * I * c) / g^3 / n / ((I * d * (f + g*x)^n)^{(2/n)} + I * a * b * \exp(I * c) * (f + g*x)^3 * \text{Gamma}[3/n, -I * d * (f + g*x)^n]) / g^3 / n / ((-I * d * (f + g*x)^n)^{(3/n)} - I * a * b * (f + g*x)^3 * \text{Gamma}[3/n, I * d * (f + g*x)^n]) / \exp(I * c) / g^3 / n / ((I * d * (f + g*x)^n)^{(3/n)} + 2^{(-2-3/n)} * b^2 * \exp(2 * I * c) * (f + g*x)^3 * \text{Gamma}[3/n, -2 * I * d * (f + g*x)^n]) / g^3 / n / ((-I * d * (f + g*x)^n)^{(3/n)} + 2^{(-2-3/n)} * b^2 * (f + g*x)^3 * \text{Gamma}[3/n, 2 * I * d * (f + g*x)^n]) / \exp(2 * I * c) / g^3 / n / ((I * d * (f + g*x)^n)^{(3/n)})$

$$\begin{aligned} & (f + g*x)^n]/(g^{3*n}*((-I)*d*(f + g*x)^n)^{(2/n)} + ((2*I)*a*b*f*(f + g*x)^2* \\ & \text{Gamma}[2/n, I*d*(f + g*x)^n]/(E^{(I*c)*g^{3*n}*I*d*(f + g*x)^n})^{(2/n)} - (2^{(-} \\ & -1 - 2/n)*b^2*E^{((2*I)*c)*f*(f + g*x)^2*\text{Gamma}[2/n, (-2*I)*d*(f + g*x)^n]}/(\\ & g^{3*n}*((-I)*d*(f + g*x)^n)^{(2/n)} - (2^{(-1 - 2/n)*b^2*f*(f + g*x)^2*\text{Gamma}[2 \\ & /n, (2*I)*d*(f + g*x)^n]}/(E^{((2*I)*c)*g^{3*n}*I*d*(f + g*x)^n})^{(2/n)} + (I* \\ & a*b*E^{(I*c)*f*(f + g*x)^3*\text{Gamma}[3/n, (-I)*d*(f + g*x)^n]}/(g^{3*n}*((-I)*d*(f + \\ & g*x)^n)^{(3/n)} - (I*a*b*(f + g*x)^3*\text{Gamma}[3/n, I*d*(f + g*x)^n]}/(E^{(I*c)* \\ & g^{3*n}*I*d*(f + g*x)^n})^{(3/n)} + (2^{(-2 - 3/n)*b^2*E^{((2*I)*c)*f*(f + g*x)^3* \\ & \text{Gamma}[3/n, (-2*I)*d*(f + g*x)^n]}/(g^{3*n}*((-I)*d*(f + g*x)^n)^{(3/n)} + (2^{(-} \\ & -2 - 3/n)*b^2*f*(f + g*x)^3*\text{Gamma}[3/n, (2*I)*d*(f + g*x)^n]}/(E^{((2*I)*c)*g^{3} \\ & *n*I*d*(f + g*x)^n})^{(3/n)} \end{aligned}$$

Rule 6

$$\text{Int}[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^{(p_.)}, x_Symbol] \text{ :> } \text{Int}[u*((a + b)*v + w)^p, x] \text{ /; } \text{FreeQ}\{a, b, x\} \ \&\& \ \text{!FreeQ}\{v, x\}$$

Rule 2208

$$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_.))^{(n_.)}), x_Symbol] \text{ :> } -\text{Simp}[(F^a * (c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(d*n*(-(b*(c + d*x)^n*\text{Log}[F]))^{(1/n)}), x] \text{ /; } \text{FreeQ}\{F, a, b, c, d, n, x\} \ \&\& \ \text{!IntegerQ}[2/n]$$

Rule 2218

$$\text{Int}[(F_)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_.))^{(n_.)})*((e_.) + (f_.)*(x_.))^{(m_.)}, x_Symbol] \text{ :> } -\text{Simp}[(F^a*(e + f*x)^{(m + 1)}*\text{Gamma}[(m + 1)/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(f*n*(-(b*(c + d*x)^n*\text{Log}[F]))^{((m + 1)/n)}), x] \text{ /; } \text{FreeQ}\{F, a, b, c, d, e, f, m, n, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$$

Rule 3365

$$\text{Int}[\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}], x_Symbol] \text{ :> } \text{Dist}[I/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] - \text{Dist}[I/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] \text{ /; } \text{FreeQ}\{c, d, e, f, n, x\}$$

Rule 3366

$$\text{Int}[\text{Cos}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}], x_Symbol] \text{ :> } \text{Dist}[1/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] + \text{Dist}[1/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] \text{ /; } \text{FreeQ}\{c, d, e, f, n, x\}$$

Rule 3367

$$\text{Int}(((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^{(n_.)}])^{(p_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandTrigReduce}[(a + b*\text{Sin}[c + d*(e + f*x)^n])^p, x], x] \text{ /; } F$$

FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[p, 1]

Rule 3423

Int[((e_)*(x_))^(m_)*Sin[(c_.) + (d_)*(x_)^(n_)], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3424

Int[Cos[(c_.) + (d_)*(x_)^(n_)]*((e_)*(x_))^(m_), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

Int[((e_)*(x_))^(m_)*((a_.) + (b_)*Sin[(c_.) + (d_)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rule 3433

Int[((g_.) + (h_)*(x_))^(m_)*((a_.) + (b_)*Sin[(c_.) + (d_)*((e_.) + (f_)*(x_)^(n_))]^(p_)), x_Symbol] :> Module[{k = If[FractionQ[n], Denominator[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int x^2 (a + b \sin(c + d(f + gx)^n))^2 dx &= \frac{\text{Subst}\left(\int (f^2 (a + b \sin(c + dx^n))^2 - 2fx (a + b \sin(c + dx^n))^2 + x^2 (a + b \sin(c + dx^n))^2 dx, x, f + gx\right)}{g^3} \\
&= \frac{\text{Subst}\left(\int x^2 (a + b \sin(c + dx^n))^2 dx, x, f + gx\right)}{g^3} - \frac{(2f) \text{Subst}\left(\int x (a + b \sin(c + dx^n))^2 dx, x, f + gx\right)}{g^3} \\
&= \frac{\text{Subst}\left(\int \left(a^2 x^2 + \frac{b^2 x^2}{2} - \frac{1}{2} b^2 x^2 \cos(2c + 2dx^n) + 2abx^2 \sin(c + dx^n)\right) dx, x, f + gx\right)}{g^3} \\
&= \frac{(2a^2 + b^2) f^2 x}{2g^2} + \frac{\text{Subst}\left(\int \left(\left(a^2 + \frac{b^2}{2}\right) x^2 - \frac{1}{2} b^2 x^2 \cos(2c + 2dx^n) + 2abx^2 \sin(c + dx^n)\right) dx, x, f + gx\right)}{g^3} \\
&= \frac{(2a^2 + b^2) f^2 x}{2g^2} - \frac{(2a^2 + b^2) f(f + gx)^2}{2g^3} + \frac{(2a^2 + b^2) (f + gx)^3}{6g^3} + \frac{(2ab) f \text{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^3} \\
&= \frac{(2a^2 + b^2) f^2 x}{2g^2} - \frac{(2a^2 + b^2) f(f + gx)^2}{2g^3} + \frac{(2a^2 + b^2) (f + gx)^3}{6g^3} + \frac{iabe^i \text{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^3} \\
&= \frac{(2a^2 + b^2) f^2 x}{2g^2} - \frac{(2a^2 + b^2) f(f + gx)^2}{2g^3} + \frac{(2a^2 + b^2) (f + gx)^3}{6g^3} + \frac{iabe^i \text{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^3}
\end{aligned}$$

Mathematica [A] time = 26.64, size = 786, normalized size = 0.92

$$\frac{1}{12} \left(4a^2 x^3 - \frac{3b(f + gx) \left(4af^2(\sin(c) - i \cos(c)) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right) + 4af^2(\sin(c) + i \cos(c)) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right) \right)}{4af^2(\sin(c) - i \cos(c)) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right) + 4af^2(\sin(c) + i \cos(c)) (-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[x^2*(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] $(4a^2x^3 + 2b^2x^3 - (3b*(f + gx)*((-8*I)*a*f*(f + gx)*\text{Gamma}[2/n, I*d*(f + gx)^n]*(\text{Cos}[c] - I*\text{Sin}[c]))/(I*d*(f + gx)^n)^{(2/n)} + ((8*I)*a*f*(f + gx)*\text{Gamma}[2/n, (-I)*d*(f + gx)^n]*(\text{Cos}[c] + I*\text{Sin}[c]))/((-I)*d*(f + gx)^n)^{(2/n)} + (4*a*f^2*\text{Gamma}[n^(-1), (-I)*d*(f + gx)^n]*((-I)*\text{Cos}[c] + \text{Sin}[c]))/((-I)*d*(f + gx)^n)^{(-1)} + (4*a*(f + gx)^2*\text{Gamma}[3/n, (-I)*d*(f + gx)^n]*((-I)*\text{Cos}[c] + \text{Sin}[c]))/((-I)*d*(f + gx)^n)^{(3/n)} + (4*a*f^2*\text{Gamma}[n^(-1), I*d*(f + gx)^n]*(I*\text{Cos}[c] + \text{Sin}[c]))/(I*d*(f + gx)^n)^{(-1)} + (4*a*(f + gx)^2*\text{Gamma}[3/n, I*d*(f + gx)^n]*(I*\text{Cos}[c] + \text{Sin}[c]))/(I*d*(f + gx)^n)^{(3/n)} - (b*f^2*\text{Gamma}[n^(-1), (2*I)*d*(f + gx)^n]*(\text{Cos}[c] - I*\text{Sin}[c]))^2*(\text{Cosh}[\text{Log}[2]/n] - \text{Sinh}[\text{Log}[2]/n]))/(I*d*(f + gx)^n)^{(-1)} - (b*f^2*\text{Gamma}[n^(-1), (2*I)*d*(f + gx)^n]*(\text{Cos}[c] - I*\text{Sin}[c]))^2*(\text{Cosh}[\text{Log}[2]/n] + \text{Sinh}[\text{Log}[2]/n]))/(I*d*(f + gx)^n)^{(-1)} - (b*f^2*\text{Gamma}[n^(-1), (2*I)*d*(f + gx)^n]*(\text{Cos}[c] + I*\text{Sin}[c]))^2*(\text{Cosh}[\text{Log}[2]/n] - \text{Sinh}[\text{Log}[2]/n]))/(I*d*(f + gx)^n)^{(-1)} - (b*f^2*\text{Gamma}[n^(-1), (2*I)*d*(f + gx)^n]*(\text{Cos}[c] + I*\text{Sin}[c]))^2*(\text{Cosh}[\text{Log}[2]/n] + \text{Sinh}[\text{Log}[2]/n]))/(I*d*(f + gx)^n)^{(-1)}$

```
*Gamma[n^(-1), (-2*I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2*(Cosh[Log[2]/n]
- Sinh[Log[2]/n])/((-I)*d*(f + g*x)^n)^(-1) + (2*b*f*(f + g*x)*Gamma[2/n
, (2*I)*d*(f + g*x)^n]*(Cos[c] - I*Sin[c])^2*(Cosh[Log[4]/n] - Sinh[Log[4]/
n]))/(I*d*(f + g*x)^n)^(2/n) + (2*b*f*(f + g*x)*Gamma[2/n, (-2*I)*d*(f + g*
x)^n]*(Cos[c] + I*Sin[c])^2*(Cosh[Log[4]/n] - Sinh[Log[4]/n]))/((-I)*d*(f +
g*x)^n)^(2/n) - (b*(f + g*x)^2*Gamma[3/n, (2*I)*d*(f + g*x)^n]*(Cos[c] - I
*Sin[c])^2*(Cosh[Log[8]/n] - Sinh[Log[8]/n]))/(I*d*(f + g*x)^n)^(3/n) - (b*
(f + g*x)^2*Gamma[3/n, (-2*I)*d*(f + g*x)^n]*(Cos[c] + I*Sin[c])^2*(Cosh[Lo
g[8]/n] - Sinh[Log[8]/n]))/((-I)*d*(f + g*x)^n)^(3/n))/((g^3*n))/12
```

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(-b^2x^2\cos\left((gx+f)^nd+c\right)^2+2abx^2\sin\left((gx+f)^nd+c\right)+(a^2+b^2)x^2,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")
```

```
[Out] integral(-b^2*x^2*cos((g*x + f)^n*d + c)^2 + 2*a*b*x^2*sin((g*x + f)^n*d +
c) + (a^2 + b^2)*x^2, x)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin\left((gx+f)^nd+c\right) + a\right)^2 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")
```

```
[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^2*x^2, x)
```

maple [F] time = 0.64, size = 0, normalized size = 0.00

$$\int x^2 \left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(a+b*sin(c+d*(g*x+f)^n))^2,x)
```

```
[Out] int(x^2*(a+b*sin(c+d*(g*x+f)^n))^2,x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{3}a^2x^3 + \frac{1}{6}b^2x^3 - \frac{1}{2}b^2 \int x^2 \cos\left(2(gx+f)^nd+2c\right) dx + 2ab \int x^2 \sin\left((gx+f)^nd+c\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")`

[Out] `1/3*a^2*x^3 + 1/6*b^2*x^3 - 1/2*b^2*integrate(x^2*cos(2*(g*x + f)^n*d + 2*c), x) + 2*a*b*integrate(x^2*sin((g*x + f)^n*d + c), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^2 \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + b*sin(c + d*(f + g*x)^n))^2,x)`

[Out] `int(x^2*(a + b*sin(c + d*(f + g*x)^n))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+b*sin(c+d*(g*x+f)**n))**2,x)`

[Out] `Integral(x**2*(a + b*sin(c + d*(f + g*x)**n))**2, x)`

$$3.273 \quad \int x \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^2 dx$$

Optimal. Leaf size=556

$$\frac{(2a^2 + b^2)(f + gx)^2}{4g^2} - \frac{fx(2a^2 + b^2)}{2g} + \frac{iabe^{ic}(f + gx)^2(-id(f + gx)^n)^{-2/n} \Gamma\left(\frac{2}{n}, -id(f + gx)^n\right)}{g^2n} - \frac{iabe^{ic}f(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{g^2n}$$

[Out] $-1/2*(2*a^2+b^2)*f*x/g+1/4*(2*a^2+b^2)*(g*x+f)^2/g^2-I*a*b*\exp(I*c)*f*(g*x+f)*\text{GAMMA}(1/n,-I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(1/n)}+I*a*b*f*(g*x+f)*\text{GAMMA}(1/n,I*d*(g*x+f)^n)/\exp(I*c)/g^2/n/((I*d*(g*x+f)^n)^{(1/n)})-2^{(-2-1/n)}*b^2*\exp(2*I*c)*f*(g*x+f)*\text{GAMMA}(1/n,-2*I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(1/n)})-2^{(-2-1/n)}*b^2*f*(g*x+f)*\text{GAMMA}(1/n,2*I*d*(g*x+f)^n)/\exp(2*I*c)/g^2/n/((I*d*(g*x+f)^n)^{(1/n)})+I*a*b*\exp(I*c)*(g*x+f)^2*\text{GAMMA}(2/n,-I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(2/n)}-I*a*b*(g*x+f)^2*\text{GAMMA}(2/n,I*d*(g*x+f)^n)/\exp(I*c)/g^2/n/((I*d*(g*x+f)^n)^{(2/n)})+4^{(-1-1/n)}*b^2*\exp(2*I*c)*(g*x+f)^2*\text{GAMMA}(2/n,-2*I*d*(g*x+f)^n)/g^2/n/((-I*d*(g*x+f)^n)^{(2/n)})+4^{(-1-1/n)}*b^2*(g*x+f)^2*\text{GAMMA}(2/n,2*I*d*(g*x+f)^n)/\exp(2*I*c)/g^2/n/((I*d*(g*x+f)^n)^{(2/n)})$

Rubi [A] time = 0.46, antiderivative size = 556, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 10, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3433, 3367, 3366, 2208, 3365, 3425, 6, 3424, 2218, 3423}

$$\frac{iabe^{ic}(f + gx)^2(-id(f + gx)^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, -id(f + gx)^n\right)}{g^2n} - \frac{iabe^{ic}f(f + gx)(-id(f + gx)^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -id(f + gx)^n\right)}{g^2n}$$

Antiderivative was successfully verified.

[In] Int[x*(a + b*SIN[c + d*(f + g*x)^n])^2,x]

[Out] $-((2*a^2 + b^2)*f*x)/(2*g) + ((2*a^2 + b^2)*(f + g*x)^2)/(4*g^2) - (I*a*b*\exp(I*c)*f*(f + g*x)*\text{Gamma}[n^{(-1)}, (-I)*d*(f + g*x)^n])/(g^2*n*((-I)*d*(f + g*x)^n)^{n^{(-1)}}) + (I*a*b*f*(f + g*x)*\text{Gamma}[n^{(-1)}, I*d*(f + g*x)^n])/(E^{(I*c)}*g^2*n*(I*d*(f + g*x)^n)^{n^{(-1)}}) - (2^{(-2 - n^{(-1)})}*b^2*\exp((2*I)*c)*f*(f + g*x)*\text{Gamma}[n^{(-1)}, (-2*I)*d*(f + g*x)^n])/(g^2*n*((-I)*d*(f + g*x)^n)^{n^{(-1)}}) - (2^{(-2 - n^{(-1)})}*b^2*f*(f + g*x)*\text{Gamma}[n^{(-1)}, (2*I)*d*(f + g*x)^n])/(E^{(2*I)*c}*g^2*n*(I*d*(f + g*x)^n)^{n^{(-1)}}) + (I*a*b*\exp(I*c)*(f + g*x)^2*\text{Gamma}[2/n, (-I)*d*(f + g*x)^n])/(g^2*n*((-I)*d*(f + g*x)^n)^{(2/n)}) - (I*a*b*(f + g*x)^2*\text{Gamma}[2/n, I*d*(f + g*x)^n])/(E^{(I*c)}*g^2*n*(I*d*(f + g*x)^n)^{(2/n)}) + (4^{(-1 - n^{(-1)})}*b^2*\exp((2*I)*c)*(f + g*x)^2*\text{Gamma}[2/n, (-2*I)*d*(f + g*x)^n])/(g^2*n*((-I)*d*(f + g*x)^n)^{(2/n)}) + (4^{(-1 - n^{(-1)})}*b^2*(f + g*x)^2*\text{Gamma}[2/n, (2*I)*d*(f + g*x)^n])/(E^{(2*I)*c}*g^2*n*(I*d*(f + g*x)^n)^{(2/n)})$

Rule 6

$\text{Int}[(u_.)*((w_.) + (a_.)*(v_.) + (b_.)*(v_.))^p, x_Symbol] \rightarrow \text{Int}[u*((a + b)*v + w)^p, x] \text{ /; FreeQ}\{a, b\}, x \ \&\& \ \text{!FreeQ}\{v, x\}$

Rule 2208

$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_.))^n), x_Symbol] \rightarrow -\text{Simp}[(F^a * (c + d*x)*\text{Gamma}[1/n, -(b*(c + d*x)^n*\text{Log}[F])]) / (d*n*(-(b*(c + d*x)^n*\text{Log}[F]))^(1/n)), x] \text{ /; FreeQ}\{F, a, b, c, d, n\}, x \ \&\& \ \text{!IntegerQ}\{2/n\}$

Rule 2218

$\text{Int}[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_.))^n)*((e_.) + (f_.)*(x_.))^m, x_Symbol] \rightarrow -\text{Simp}[(F^a*(e + f*x)^(m + 1)*\text{Gamma}[m + 1]/n, -(b*(c + d*x)^n*\text{Log}[F])) / (f*n*(-(b*(c + d*x)^n*\text{Log}[F]))^((m + 1)/n)), x] \text{ /; FreeQ}\{F, a, b, c, d, e, f, m, n\}, x \ \&\& \ \text{EqQ}\{d*e - c*f, 0\}$

Rule 3365

$\text{Int}[\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^n], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] - \text{Dist}[I/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] \text{ /; FreeQ}\{c, d, e, f, n\}, x]$

Rule 3366

$\text{Int}[\text{Cos}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^n], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Int}[E^{-(c*I) - d*I*(e + f*x)^n}, x], x] + \text{Dist}[1/2, \text{Int}[E^{(c*I + d*I*(e + f*x)^n}, x], x] \text{ /; FreeQ}\{c, d, e, f, n\}, x]$

Rule 3367

$\text{Int}[(a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^n]^p, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(a + b*\text{Sin}[c + d*(e + f*x)^n])^p, x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, n\}, x \ \&\& \ \text{IGtQ}\{p, 1\}$

Rule 3423

$\text{Int}[(e_.)*(x_.))^m*\text{Sin}[(c_.) + (d_.)*(x_.)^n], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{-(c*I) - d*I*x^n}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{(c*I + d*I*x^n)}, x], x] \text{ /; FreeQ}\{c, d, e, m, n\}, x]$

Rule 3424

```
Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] := Dist[1/2,
  Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I +
d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]
```

Rule 3425

```
Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 3433

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(e_.) + (f
_.)*(x_)^(n_)])^(p_.), x_Symbol] := Module[{k = If[FractionQ[n], Denominat
or[n], 1]}, Dist[k/f^(m + 1), Subst[Int[ExpandIntegrand[(a + b*SIN[c + d*x^
(k*n)])^p, x^(k - 1)*(f*g - e*h + h*x^k)^m, x], x], x, (e + f*x)^(1/k)], x]
] /; FreeQ[{a, b, c, d, e, f, g, h}, x] && IGtQ[p, 0] && IGtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int x (a + b \sin(c + d(f + gx)^n))^2 dx &= \frac{\text{Subst}\left(\int (-f(a + b \sin(c + dx^n))^2 + x(a + b \sin(c + dx^n))^2) dx, x, f + gx\right)}{g^2} \\
&= \frac{\text{Subst}\left(\int x(a + b \sin(c + dx^n))^2 dx, x, f + gx\right)}{g^2} - \frac{f \text{Subst}\left(\int (a + b \sin(c + dx^n))^2 dx, x, f + gx\right)}{g} \\
&= \frac{\text{Subst}\left(\int \left(a^2x + \frac{b^2x}{2} - \frac{1}{2}b^2x \cos(2c + 2dx^n) + 2abx \sin(c + dx^n)\right) dx, x, f + gx\right)}{g^2} \\
&= -\frac{(2a^2 + b^2)fx}{2g} + \frac{\text{Subst}\left(\int \left(\left(a^2 + \frac{b^2}{2}\right)x - \frac{1}{2}b^2x \cos(2c + 2dx^n) + 2abx \sin(c + dx^n)\right) dx, x, f + gx\right)}{g^2} \\
&= -\frac{(2a^2 + b^2)fx}{2g} + \frac{(2a^2 + b^2)(f + gx)^2}{4g^2} + \frac{(2ab) \text{Subst}\left(\int x \sin(c + dx^n) dx, x, f + gx\right)}{g^2} \\
&= -\frac{(2a^2 + b^2)fx}{2g} + \frac{(2a^2 + b^2)(f + gx)^2}{4g^2} - \frac{iabe^{ic}f(f + gx)(-id(f + gx)^n)}{g^{2n}} \\
&= -\frac{(2a^2 + b^2)fx}{2g} + \frac{(2a^2 + b^2)(f + gx)^2}{4g^2} - \frac{iabe^{ic}f(f + gx)(-id(f + gx)^n)}{g^{2n}}
\end{aligned}$$

Mathematica [A] time = 16.57, size = 552, normalized size = 0.99

$$2a^2g^2nx^2 + 4iab(\cos(c) + i\sin(c))(f + gx)^2 (-id(f + gx)^n)^{-2/n} \Gamma\left(\frac{2}{n}, -id(f + gx)^n\right) + 4abf(\sin(c) - i\cos(c))(f -$$

Warning: Unable to verify antiderivative.

[In] Integrate[x*(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] $(2a^2g^2nx^2 + b^2g^2nx^2 - ((4I)ab(f + gx)^2\Gamma[2/n, Id*(f + gx)^n]*(\cos[c] - I\sin[c]))/(Id*(f + gx)^n)^{2/n} + ((4I)ab(f + gx)^2\Gamma[2/n, (-I)d*(f + gx)^n]*(\cos[c] + I\sin[c]))/((-I)d*(f + gx)^n)^{2/n} + (4abf*(f + gx)*\Gamma[n^{(-1)}, (-I)d*(f + gx)^n]*((-I)\cos[c] + \sin[c]))/((-I)d*(f + gx)^n)^{n^{(-1)}} + (4abf*(f + gx)*\Gamma[n^{(-1)}, Id*(f + gx)^n]*(I\cos[c] + \sin[c]))/(Id*(f + gx)^n)^{n^{(-1)}} - (b^2f*(f + gx)*\Gamma[n^{(-1)}, (2I)d*(f + gx)^n]*(\cos[c] - I\sin[c])^2*(\cosh[\log[2]/n] - \sinh[\log[2]/n]))/(Id*(f + gx)^n)^{n^{(-1)}} - (b^2f*(f + gx)*\Gamma[n^{(-1)}, (-2I)d*(f + gx)^n]*(\cos[c] + I\sin[c])^2*(\cosh[\log[2]/n] - \sinh[\log[2]/n]))/((-I)d*(f + gx)^n)^{n^{(-1)}} + (b^2(f + gx)^2\Gamma[2/n, (2I)d*(f + gx)^n]*(\cos[c] - I\sin[c])^2*(\cosh[\log[4]/n] - \sinh[\log[4]/n]))/(Id*(f + gx)^n)^{2/n} + (b^2(f + gx)^2\Gamma[2/n, (-2I)d*(f + gx)^n]*(\cos[c] + I\sin[c])^2*(\cosh[\log[4]/n] - \sinh[\log[4]/n]))/((-I)d*(f + gx)^n)^{2/n})/(4g^2n)$

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(-b^2x\cos\left((gx+f)^nd+c\right)^2+2abx\sin\left((gx+f)^nd+c\right)+(a^2+b^2)x,x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-b^2*x*cos((g*x + f)^n*d + c)^2 + 2*a*b*x*sin((g*x + f)^n*d + c) + (a^2 + b^2)*x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin\left((gx+f)^nd+c\right) + a\right)^2 x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^2*x, x)

maple [F] time = 0.71, size = 0, normalized size = 0.00

$$\int x \left(a + b \sin \left(c + d (gx + f)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+b*sin(c+d*(g*x+f)^n))^2,x)`

[Out] `int(x*(a+b*sin(c+d*(g*x+f)^n))^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{1}{2} a^2 x^2 + \frac{1}{4} b^2 x^2 - \frac{1}{2} b^2 \int x \cos \left(2 (gx + f)^n d + 2c \right) dx + 2ab \int x \sin \left((gx + f)^n d + c \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")`

[Out] `1/2*a^2*x^2 + 1/4*b^2*x^2 - 1/2*b^2*integrate(x*cos(2*(g*x + f)^n*d + 2*c), x) + 2*a*b*integrate(x*sin((g*x + f)^n*d + c), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + b*sin(c + d*(f + g*x)^n))^2,x)`

[Out] `int(x*(a + b*sin(c + d*(f + g*x)^n))^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+b*sin(c+d*(g*x+f)**n))**2,x)`

[Out] `Integral(x*(a + b*sin(c + d*(f + g*x)**n))**2, x)`

3.274 $\int \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^2 dx$

Optimal. Leaf size=261

$$\frac{1}{2}x(2a^2 + b^2) + \frac{iabe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{gn} - \frac{iabe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{gn}$$

[Out] $\frac{1}{2}(2a^2 + b^2)x + Iab \exp(Ic) (g*x+f)^{-1/n} \Gamma(1/n, -I*d*(g*x+f)^n) / g/n / ((-I*d*(g*x+f)^n)^{1/n}) - Iab \exp(Ic) (g*x+f)^{-1/n} \Gamma(1/n, I*d*(g*x+f)^n) / g/n / ((I*d*(g*x+f)^n)^{1/n}) + 2^{(-2-1/n)} b^2 \exp(2*I*c) (g*x+f)^{-1/n} \Gamma(1/n, -2*I*d*(g*x+f)^n) / g/n / ((-I*d*(g*x+f)^n)^{1/n}) + 2^{(-2-1/n)} b^2 \exp(2*I*c) (g*x+f)^{-1/n} \Gamma(1/n, 2*I*d*(g*x+f)^n) / g/n / ((I*d*(g*x+f)^n)^{1/n})$

Rubi [A] time = 0.15, antiderivative size = 261, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3367, 3366, 2208, 3365}

$$\frac{iabe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{gn} - \frac{iabe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right)}{gn}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])^2, x]

[Out] $\frac{((2a^2 + b^2)*x)/2 + (I*a*b*E^{I*c}*(f + g*x)*\Gamma[n^{(-1)}, (-I)*d*(f + g*x)^n]) / (g*n*((-I)*d*(f + g*x)^n)^{(-1)}) - (I*a*b*(f + g*x)*\Gamma[n^{(-1)}, I*d*(f + g*x)^n]) / (E^{I*c}*g*n*(I*d*(f + g*x)^n)^{(-1)}) + (2^{(-2 - n^{(-1)})} * b^2 * E^{(2*I)*c} * (f + g*x) * \Gamma[n^{(-1)}, (-2*I)*d*(f + g*x)^n]) / (g*n*((-I)*d*(f + g*x)^n)^{(-1)}) + (2^{(-2 - n^{(-1)})} * b^2 * (f + g*x) * \Gamma[n^{(-1)}, (2*I)*d*(f + g*x)^n]) / (E^{(2*I)*c} * g*n*(I*d*(f + g*x)^n)^{(-1)})}{1}$

Rule 2208

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a * (c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])] / (d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_) + (d_)*((e_) + (f_)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 3366

```
Int[Cos[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)], x_Symbol] := Dist[1/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] + Dist[1/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]
```

Rule 3367

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(a + b*SIN[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && IGtQ[p, 1]
```

Rubi steps

$$\begin{aligned} \int (a + b \sin(c + d(f + gx)^n))^2 dx &= \int \left(a^2 + \frac{b^2}{2} - \frac{1}{2} b^2 \cos(2c + 2d(f + gx)^n) + 2ab \sin(c + d(f + gx)^n) \right) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (2ab) \int \sin(c + d(f + gx)^n) dx - \frac{1}{2} b^2 \int \cos(2c + 2d(f + gx)^n) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + (iab) \int e^{-ic-id(f+gx)^n} dx - (iab) \int e^{ic+id(f+gx)^n} dx - \frac{1}{4} b^2 \int \cos(2c + 2d(f + gx)^n) dx \\ &= \frac{1}{2} (2a^2 + b^2) x + \frac{iabe^{ic}(f + gx)(-id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, -id(f + gx)^n\right)}{gn} - \frac{1}{4} b^2 \int \cos(2c + 2d(f + gx)^n) dx \end{aligned}$$

Mathematica [A] time = 1.73, size = 381, normalized size = 1.46

$$\frac{4a^2gnx - 4iabe^{-ic}(f + gx)(id(f + gx)^n)^{-1/n} \Gamma\left(\frac{1}{n}, id(f + gx)^n\right) + 4iab(\cos(c) + i \sin(c))(f + gx)(-id(f + gx)^n)^{-1/n}}{4g^2n^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*SIN[c + d*(f + g*x)^n])^2, x]
```

```
[Out] (4*a^2*g*n*x + 2*b^2*g*n*x - ((4*I)*a*b*(f + g*x)*Gamma[n^(-1), I*d*(f + g*x)^n])/(E^(I*c)*(I*d*(f + g*x)^n)^n^(-1)) + (b^2*E^((2*I)*c)*f*(I*d*(f + g*x)^n)^n^(-1)*Gamma[n^(-1), (-2*I)*d*(f + g*x)^n])/(2^n^(-1)*(d^2*(f + g*x)^n)^n^(-1)) + (b^2*E^((2*I)*c)*g*x*(I*d*(f + g*x)^n)^n^(-1)*Gamma[n^(-1), (-2*I)*d*(f + g*x)^n])/(2^n^(-1)*(d^2*(f + g*x)^n)^n^(-1)) + (b^2*f*Gamma[n^(-1), (2*I)*d*(f + g*x)^n])/(2^n^(-1)*E^((2*I)*c)*(I*d*(f + g*x)^n)^n^(-1)) + (b^2*g*x*Gamma[n^(-1), (2*I)*d*(f + g*x)^n])/(2^n^(-1)*E^((2*I)*c)*(I*d*(f + g*x)^n)^n^(-1)) + ((4*I)*a*b*(f + g*x)*Gamma[n^(-1), (-I)*d*(f + g*x)^n]*(Cos[c] + I*SIN[c]))/((-I)*d*(f + g*x)^n)^n^(-1))/(4*g*n)
```


fricas [F] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(-b^2 \cos\left(\left(gx + f\right)^n d + c\right)^2 + 2ab \sin\left(\left(gx + f\right)^n d + c\right) + a^2 + b^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-b^2*cos((g*x + f)^n*d + c)^2 + 2*a*b*sin((g*x + f)^n*d + c) + a^2 + b^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(b \sin\left(\left(gx + f\right)^n d + c\right) + a\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^2, x)

maple [F] time = 0.42, size = 0, normalized size = 0.00

$$\int \left(a + b \sin\left(c + d\left(gx + f\right)^n\right)\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int((a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2x + \frac{1}{2}b^2x - \frac{1}{2}b^2 \int \cos\left(2\left(gx + f\right)^n d + 2c\right) dx + 2ab \int \sin\left(\left(gx + f\right)^n d + c\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] a^2*x + 1/2*b^2*x - 1/2*b^2*integrate(cos(2*(g*x + f)^n*d + 2*c), x) + 2*a*b*integrate(sin((g*x + f)^n*d + c), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \left(a + b \sin\left(c + d\left(f + gx\right)^n\right)\right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d*(f + g*x)^n))^2,x)
```

```
[Out] int((a + b*sin(c + d*(f + g*x)^n))^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(c+d*(g*x+f)**n))**2,x)
```

```
[Out] Integral((a + b*sin(c + d*(f + g*x)**n))**2, x)
```

$$3.275 \quad \int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{(a+b \sin(c+d(f+gx)^n))^2}{x}, x \right)$$

[Out] Unintegrable((a+b*sin(c+d*(g*x+f)^n))^2/x,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])^2/x,x]

[Out] Defer[Int] [(a + b*Sin[c + d*(f + g*x)^n])^2/x, x]

Rubi steps

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx = \int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx$$

Mathematica [A] time = 3.94, size = 0, normalized size = 0.00

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^2/x,x]

[Out] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^2/x, x]

fricas [A] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{b^2 \cos((gx+f)^n d + c)^2 - 2ab \sin((gx+f)^n d + c) - a^2 - b^2}{x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x,x, algorithm="fricas")

[Out] integral(-(b^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*sin((g*x + f)^n*d + c) - a^2 - b^2)/x, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^2/x, x)

maple [A] time = 0.89, size = 0, normalized size = 0.00

$$\int \frac{\left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d*(g*x+f)^n))^2/x,x)

[Out] int((a+b*sin(c+d*(g*x+f)^n))^2/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{2} b^2 \int \frac{\cos\left(2 (gx + f)^n d + 2c\right)}{x} dx + 2 ab \int \frac{\sin\left((gx + f)^n d + c\right)}{x} dx + a^2 \log(x) + \frac{1}{2} b^2 \log(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x,x, algorithm="maxima")

[Out] -1/2*b^2*integrate(cos(2*(g*x + f)^n*d + 2*c)/x, x) + 2*a*b*integrate(sin((g*x + f)^n*d + c)/x, x) + a^2*log(x) + 1/2*b^2*log(x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\left(a + b \sin\left(c + d (f + gx)^n\right)\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*(f + g*x)^n))^2/x, x)`

[Out] `int((a + b*sin(c + d*(f + g*x)^n))^2/x, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + b \sin\left(c + d(f + gx)^n\right)\right)^2}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d*(g*x+f)**n))**2/x, x)`

[Out] `Integral((a + b*sin(c + d*(f + g*x)**n))**2/x, x)`

$$3.276 \quad \int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2}, x \right)$$

[Out] Unintegrable((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])^2/x^2,x]

[Out] Defer[Int][(a + b*Sin[c + d*(f + g*x)^n])^2/x^2, x]

Rubi steps

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx = \int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx$$

Mathematica [A] time = 3.34, size = 0, normalized size = 0.00

$$\int \frac{(a+b \sin(c+d(f+gx)^n))^2}{x^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^2/x^2,x]

[Out] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^2/x^2, x]

fricas [A] time = 0.82, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{b^2 \cos((gx+f)^n d + c)^2 - 2ab \sin((gx+f)^n d + c) - a^2 - b^2}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x, algorithm="fricas")

[Out] integral(-(b^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*sin((g*x + f)^n*d + c) - a^2 - b^2)/x^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^2/x^2, x)

maple [A] time = 0.78, size = 0, normalized size = 0.00

$$\int \frac{\left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x)

[Out] int((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{a^2}{x} - \frac{b^2 x \int \frac{\cos(2(gx+f)^n d + 2c)}{x^2} dx - 4 abx \int \frac{\sin((gx+f)^n d + c)}{x^2} dx + b^2}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d*(g*x+f)^n))^2/x^2,x, algorithm="maxima")

[Out] -a^2/x - 1/2*(b^2*x*integrate(cos(2*(g*x + f)^n*d + 2*c)/x^2, x) - 4*a*b*x*integrate(sin((g*x + f)^n*d + c)/x^2, x) + b^2)/x

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\left(a + b \sin\left(c + d (f + gx)^n\right)\right)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d*(f + g*x)^n))^2/x^2,x)`

[Out] `int((a + b*sin(c + d*(f + g*x)^n))^2/x^2, x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + b \sin\left(c + d(f + gx)^n\right)\right)^2}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d*(g*x+f)**n))**2/x**2,x)`

[Out] `Integral((a + b*sin(c + d*(f + g*x)**n))**2/x**2, x)`

$$3.277 \quad \int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{x^2}{a+b \sin(c+d(f+gx)^n)}, x\right)$$

[Out] Unintegrable(x^2/(a+b*sin(c+d*(g*x+f)^n)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] Defer[Int][x^2/(a + b*Sin[c + d*(f + g*x)^n]), x]

Rubi steps

$$\int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx = \int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx$$

Mathematica [A] time = 1.51, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x^2/(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] Integrate[x^2/(a + b*Sin[c + d*(f + g*x)^n]), x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{b \sin((gx+f)^n d + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(x^2/(b*sin((g*x + f)^n*d + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate(x^2/(b*sin((g*x + f)^n*d + c) + a), x)

maple [A] time = 0.13, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \sin\left(c + d\left(gx + f\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(x^2/(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] integrate(x^2/(b*sin((g*x + f)^n*d + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2}{a + b \sin\left(c + d\left(f + gx\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2/(a + b*sin(c + d*(f + g*x)^n)),x)
```

```
[Out] int(x^2/(a + b*sin(c + d*(f + g*x)^n)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Timed out
```

$$3.278 \quad \int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{x}{a+b \sin(c+d(f+gx)^n)}, x\right)$$

[Out] Unintegrable(x/(a+b*sin(c+d*(g*x+f)^n)), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] Defer[Int][x/(a + b*Sin[c + d*(f + g*x)^n]), x]

Rubi steps

$$\int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx = \int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx$$

Mathematica [A] time = 1.32, size = 0, normalized size = 0.00

$$\int \frac{x}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*Sin[c + d*(f + g*x)^n]), x]

[Out] Integrate[x/(a + b*Sin[c + d*(f + g*x)^n]), x]

fricas [A] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{b \sin\left(\left(gx+f\right)^n d+c\right)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(x/(b*sin((g*x + f)^n*d + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate(x/(b*sin((g*x + f)^n*d + c) + a), x)

maple [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \sin\left(c + d\left(gx + f\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(x/(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] integrate(x/(b*sin((g*x + f)^n*d + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x}{a + b \sin\left(c + d\left(f + gx\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + b*sin(c + d*(f + g*x)^n)),x)
```

```
[Out] int(x/(a + b*sin(c + d*(f + g*x)^n)), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Timed out
```

$$3.279 \quad \int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{a+b \sin(c+d(f+gx)^n)}, x\right)$$

[Out] Unintegrable(1/(a+b*sin(c+d*(g*x+f)^n)), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])^(-1), x]

[Out] Defer[Int] [(a + b*Sin[c + d*(f + g*x)^n])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx = \int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx$$

Mathematica [A] time = 0.28, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \sin(c+d(f+gx)^n)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^(-1), x]

[Out] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^(-1), x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{b \sin\left(\left(gx+f\right)^n d+c\right)+a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(1/(b*sin((g*x + f)^n*d + c) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate(1/(b*sin((g*x + f)^n*d + c) + a), x)

maple [A] time = 0.14, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin\left(c + d\left(gx + f\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(1/(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin\left(\left(gx + f\right)^n d + c\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] integrate(1/(b*sin((g*x + f)^n*d + c) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{a + b \sin\left(c + d\left(f + gx\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*sin(c + d*(f + g*x)^n)),x)`

[Out] `int(1/(a + b*sin(c + d*(f + g*x)^n)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin\left(c + d\left(f + gx\right)^n\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*sin(c+d*(g*x+f)**n)),x)`

[Out] `Integral(1/(a + b*sin(c + d*(f + g*x)**n)), x)`

$$3.280 \quad \int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{1}{x(a+b \sin(c+d(f+gx)^n))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*sin(c+d*(g*x+f)^n)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*(f + g*x)^n])), x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*(f + g*x)^n])), x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx = \int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx$$

Mathematica [A] time = 0.73, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*(f + g*x)^n])), x]

[Out] Integrate[1/(x*(a + b*Sin[c + d*(f + g*x)^n])), x]

fricas [A] time = 0.79, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx \sin\left(\left(gx + f\right)^n d + c\right) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")`

[Out] `integral(1/(b*x*sin((g*x + f)^n*d + c) + a*x), x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left(\left(gx + f\right)^n d + c\right) + a\right)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")`

[Out] `integrate(1/((b*sin((g*x + f)^n*d + c) + a)*x), x)`

maple [A] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{1}{x \left(a + b \sin\left(c + d \left(gx + f\right)^n\right)\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+b*sin(c+d*(g*x+f)^n)),x)`

[Out] `int(1/x/(a+b*sin(c+d*(g*x+f)^n)),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left(\left(gx + f\right)^n d + c\right) + a\right)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")`

[Out] `integrate(1/((b*sin((g*x + f)^n*d + c) + a)*x), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{x \left(a + b \sin\left(c + d \left(f + gx\right)^n\right)\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*sin(c + d*(f + g*x)^n))),x)
```

```
[Out] int(1/(x*(a + b*sin(c + d*(f + g*x)^n))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Timed out
```

$$3.281 \quad \int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{1}{x^2(a+b \sin(c+d(f+gx)^n))}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(c+d*(g*x+f)^n)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])), x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])), x]

Rubi steps

$$\int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx = \int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx$$

Mathematica [A] time = 0.84, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2(a+b \sin(c+d(f+gx)^n))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])), x]

[Out] Integrate[1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{bx^2 \sin((gx+f)^n d + c) + ax^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="fricas")

[Out] integral(1/(b*x^2*sin((g*x + f)^n*d + c) + a*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left((gx + f)^n d + c\right) + a\right) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="giac")

[Out] integrate(1/((b*sin((g*x + f)^n*d + c) + a)*x^2), x)

maple [A] time = 0.11, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \left(a + b \sin\left(c + d (gx + f)^n\right)\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(c+d*(g*x+f)^n)),x)

[Out] int(1/x^2/(a+b*sin(c+d*(g*x+f)^n)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left((gx + f)^n d + c\right) + a\right) x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n)),x, algorithm="maxima")

[Out] integrate(1/((b*sin((g*x + f)^n*d + c) + a)*x^2), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{x^2 \left(a + b \sin\left(c + d (f + gx)^n\right)\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*sin(c + d*(f + g*x)^n))),x)
```

```
[Out] int(1/(x^2*(a + b*sin(c + d*(f + g*x)^n))), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*sin(c+d*(g*x+f)**n)),x)
```

```
[Out] Timed out
```

$$3.282 \quad \int \frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2}, x \right)$$

[Out] Unintegrable(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x^2/(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] Defer[Int][x^2/(a + b*Sin[c + d*(f + g*x)^n])^2, x]

Rubi steps

$$\int \frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2} dx = \int \frac{x^2}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Mathematica [F] time = 180.12, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[x^2/(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] \$Aborted

fricas [A] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{x^2}{b^2 \cos((gx+f)^n d + c)^2 - 2ab \sin((gx+f)^n d + c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-x^2/(b^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*sin((g*x + f)^n*d + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate(x^2/(b*sin((g*x + f)^n*d + c) + a)^2, x)

maple [A] time = 0.68, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] (2*(a*b*g*x^3 + a*b*f*x^2)*cos(2*(g*x + f)^n*d + 2*c)*cos((g*x + f)^n*d + c) + 2*(a*b*g*x^3 + a*b*f*x^2)*cos((g*x + f)^n*d + c) - ((a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x +

```
f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(
2*(g*x + f)^n*d + 2*c))*integrate(-2*(2*(g*x + f)^n*a^2*d*g*n*x^2*cos((g*x
+ f)^n*d + c)^2 + 2*(g*x + f)^n*a^2*d*g*n*x^2*sin((g*x + f)^n*d + c)^2 + (g
*x + f)^n*a*b*d*g*n*x^2*sin((g*x + f)^n*d + c) - ((g*x + f)^n*a*b*d*g*n*x^2
*sin((g*x + f)^n*d + c) + (2*a*b*f*x - (a*b*g*n - 3*a*b*g)*x^2)*cos((g*x +
f)^n*d + c))*cos(2*(g*x + f)^n*d + 2*c) - (2*a*b*f*x - (a*b*g*n - 3*a*b*g)*
x^2)*cos((g*x + f)^n*d + c) + ((g*x + f)^n*a*b*d*g*n*x^2*cos((g*x + f)^n*d
+ c) - 2*b^2*f*x + (b^2*g*n - 3*b^2*g)*x^2 - (2*a*b*f*x - (a*b*g*n - 3*a*b*
g)*x^2)*sin((g*x + f)^n*d + c))*sin(2*(g*x + f)^n*d + 2*c))/((a^2*b^2 - b^4
)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x +
f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*
cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x +
f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g
*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x
+ f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g
*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)
*cos(2*(g*x + f)^n*d + 2*c)), x) + 2*(b^2*g*x^3 + b^2*f*x^2 + (a*b*g*x^3 +
a*b*f*x^2)*sin((g*x + f)^n*d + c))*sin(2*(g*x + f)^n*d + 2*c))/((a^2*b^2 -
b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*
x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g
*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x
+ f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*
d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g
*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)
*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g
*n)*cos(2*(g*x + f)^n*d + 2*c))
```

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x^2}{\left(a + b \sin\left(c + d(f + gx)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + b*sin(c + d*(f + g*x)^n))^2,x)

[Out] int(x^2/(a + b*sin(c + d*(f + g*x)^n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a+b*sin(c+d*(g*x+f)**n))**2,x)

[Out] Timed out

$$3.283 \quad \int \frac{x}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Optimal. Leaf size=23

$$\text{Int} \left(\frac{x}{(a+b \sin(c+d(f+gx)^n))^2}, x \right)$$

[Out] Unintegrable(x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Int[x/(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] Defer[Int][x/(a + b*Sin[c + d*(f + g*x)^n])^2, x]

Rubi steps

$$\int \frac{x}{(a+b \sin(c+d(f+gx)^n))^2} dx = \int \frac{x}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Mathematica [F] time = 180.08, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[x/(a + b*Sin[c + d*(f + g*x)^n])^2,x]

[Out] \$Aborted

fricas [A] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{x}{b^2 \cos((gx+f)^n d + c)^2 - 2ab \sin((gx+f)^n d + c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-x/(b^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*sin((g*x + f)^n*d + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(b \sin\left(\left(gx + f\right)^n d + c\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate(x/(b*sin((g*x + f)^n*d + c) + a)^2, x)

maple [A] time = 3.02, size = 0, normalized size = 0.00

$$\int \frac{x}{\left(a + b \sin\left(c + d\left(gx + f\right)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int(x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] (2*(a*b*g*x^2 + a*b*f*x)*cos(2*(g*x + f)^n*d + 2*c)*cos((g*x + f)^n*d + c) + 2*(a*b*g*x^2 + a*b*f*x)*cos((g*x + f)^n*d + c) - ((a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)*cos(2*(g

```

*x + f)^n*d + 2*c))*integrate(-2*(2*(g*x + f)^n*a^2*d*g*n*x*cos((g*x + f)^n
*d + c)^2 + 2*(g*x + f)^n*a^2*d*g*n*x*sin((g*x + f)^n*d + c)^2 + (g*x + f)^
n*a*b*d*g*n*x*sin((g*x + f)^n*d + c) - ((g*x + f)^n*a*b*d*g*n*x*sin((g*x +
f)^n*d + c) + (a*b*f - (a*b*g*n - 2*a*b*g)*x)*cos((g*x + f)^n*d + c))*cos(2
*(g*x + f)^n*d + 2*c) - (a*b*f - (a*b*g*n - 2*a*b*g)*x)*cos((g*x + f)^n*d +
c) + ((g*x + f)^n*a*b*d*g*n*x*cos((g*x + f)^n*d + c) - b^2*f + (b^2*g*n -
2*b^2*g)*x - (a*b*f - (a*b*g*n - 2*a*b*g)*x)*sin((g*x + f)^n*d + c))*sin(2*
(g*x + f)^n*d + 2*c))/((a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d
+ 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 +
4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)
^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^
2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b
- a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x +
f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)
+ (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)*cos(2*(g*x + f)^n*d + 2*c)), x) + 2*(
b^2*g*x^2 + b^2*f*x + (a*b*g*x^2 + a*b*f*x)*sin((g*x + f)^n*d + c))*sin(2*(
g*x + f)^n*d + 2*c))/((a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d
+ 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 +
4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^
n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2
+ 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b
- a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x +
f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)
+ (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)*cos(2*(g*x + f)^n*d + 2*c))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{x}{\left(a + b \sin\left(c + d(f + gx)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*sin(c + d*(f + g*x)^n))^2,x)

[Out] int(x/(a + b*sin(c + d*(f + g*x)^n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*sin(c+d*(g*x+f)**n))**2,x)

[Out] Timed out

$$3.284 \quad \int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Optimal. Leaf size=21

$$\text{Int} \left(\frac{1}{(a+b \sin(c+d(f+gx)^n))^2}, x \right)$$

[Out] Unintegrable(1/(a+b*sin(c+d*(g*x+f)^n))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d*(f + g*x)^n])^(-2),x]

[Out] Defer[Int] [(a + b*Sin[c + d*(f + g*x)^n])^(-2), x]

Rubi steps

$$\int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx = \int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Mathematica [A] time = 11.58, size = 0, normalized size = 0.00

$$\int \frac{1}{(a+b \sin(c+d(f+gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^(-2),x]

[Out] Integrate[(a + b*Sin[c + d*(f + g*x)^n])^(-2), x]

fricas [A] time = 0.75, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 \cos((gx+f)^n d + c)^2 - 2ab \sin((gx+f)^n d + c) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*sin((g*x + f)^n*d + c) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate((b*sin((g*x + f)^n*d + c) + a)^(-2), x)

maple [A] time = 2.10, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int(1/(a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] (2*(a*b*g*x + a*b*f)*cos(2*(g*x + f)^n*d + 2*c)*cos((g*x + f)^n*d + c) + 2*(a*b*g*x + a*b*f)*cos((g*x + f)^n*d + c) - ((a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)*cos(2*(g*x + f)^n*d + 2*c)

```

n*d + 2*c))*integrate(-2*(2*(g*x + f)^n*a^2*d*n*cos((g*x + f)^n*d + c)^2 +
2*(g*x + f)^n*a^2*d*n*sin((g*x + f)^n*d + c)^2 + (g*x + f)^n*a*b*d*n*sin((g
*x + f)^n*d + c) - ((g*x + f)^n*a*b*d*n*sin((g*x + f)^n*d + c) - (a*b*n - a
*b)*cos((g*x + f)^n*d + c))*cos(2*(g*x + f)^n*d + 2*c) + (a*b*n - a*b)*cos(
(g*x + f)^n*d + c) + ((g*x + f)^n*a*b*d*n*cos((g*x + f)^n*d + c) + b^2*n -
b^2 + (a*b*n - a*b)*sin((g*x + f)^n*d + c))*sin(2*(g*x + f)^n*d + 2*c))/((a
^2*b^2 - b^4)*(g*x + f)^n*d*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b
^2)*(g*x + f)^n*d*n*cos((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^
n*d*n*cos((g*x + f)^n*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(
g*x + f)^n*d*n*sin(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^
n*d*n*sin((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*n*sin((g*x
+ f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*n - 2*(2*(a^3*b - a*b^3)*(g*x
+ f)^n*d*n*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*n)*cos(2
*(g*x + f)^n*d + 2*c)), x) + 2*(b^2*g*x + b^2*f + (a*b*g*x + a*b*f)*sin((g*
x + f)^n*d + c))*sin(2*(g*x + f)^n*d + 2*c))/((a^2*b^2 - b^4)*(g*x + f)^n*d
*g*n*cos(2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*cos
((g*x + f)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*cos((g*x + f)^n
*d + c)*sin(2*(g*x + f)^n*d + 2*c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n*sin(
2*(g*x + f)^n*d + 2*c)^2 + 4*(a^4 - a^2*b^2)*(g*x + f)^n*d*g*n*sin((g*x + f
)^n*d + c)^2 + 4*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n*sin((g*x + f)^n*d + c) +
(a^2*b^2 - b^4)*(g*x + f)^n*d*g*n - 2*(2*(a^3*b - a*b^3)*(g*x + f)^n*d*g*n
*sin((g*x + f)^n*d + c) + (a^2*b^2 - b^4)*(g*x + f)^n*d*g*n)*cos(2*(g*x + f
)^n*d + 2*c))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{\left(a + b \sin\left(c + d(f + gx)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d*(f + g*x)^n))^2,x)

[Out] int(1/(a + b*sin(c + d*(f + g*x)^n))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d*(g*x+f)**n))**2,x)

[Out] Timed out

$$3.285 \quad \int \frac{1}{x(a+b \sin(c+d(f+gx)^n))^2} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{1}{x(a+b \sin(c+d(f+gx)^n))^2}, x \right)$$

[Out] Unintegrable(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Sin[c + d*(f + g*x)^n])^2),x]

[Out] Defer[Int][1/(x*(a + b*Sin[c + d*(f + g*x)^n])^2), x]

Rubi steps

$$\int \frac{1}{x(a+b \sin(c+d(f+gx)^n))^2} dx = \int \frac{1}{x(a+b \sin(c+d(f+gx)^n))^2} dx$$

Mathematica [F] time = 180.08, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Sin[c + d*(f + g*x)^n])^2),x]

[Out] \$Aborted

fricas [A] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 x \cos((gx+f)^n d+c)^2 - 2 abx \sin((gx+f)^n d+c) - (a^2 + b^2)x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x*cos((g*x + f)^n*d + c)^2 - 2*a*b*x*sin((g*x + f)^n*d + c) - (a^2 + b^2)*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2 x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin((g*x + f)^n*d + c) + a)^2*x), x)

maple [A] time = 0.62, size = 0, normalized size = 0.00

$$\int \frac{1}{x \left(a + b \sin\left(c + d \left(gx + f\right)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{x \left(a + b \sin\left(c + d \left(f + gx\right)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x*(a + b*sin(c + d*(f + g*x)^n))^2),x)
```

```
[Out] int(1/(x*(a + b*sin(c + d*(f + g*x)^n))^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*sin(c+d*(g*x+f)**n))**2,x)
```

```
[Out] Timed out
```

$$3.286 \quad \int \frac{1}{x^2 (a + b \sin(c + d(f + gx)^n))^2} dx$$

Optimal. Leaf size=25

$$\text{Int} \left(\frac{1}{x^2 (a + b \sin(c + d(f + gx)^n))^2}, x \right)$$

[Out] Unintegrable(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x^2 (a + b \sin(c + d(f + gx)^n))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])^2),x]

[Out] Defer[Int][1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])^2), x]

Rubi steps

$$\int \frac{1}{x^2 (a + b \sin(c + d(f + gx)^n))^2} dx = \int \frac{1}{x^2 (a + b \sin(c + d(f + gx)^n))^2} dx$$

Mathematica [F] time = 180.12, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[1/(x^2*(a + b*Sin[c + d*(f + g*x)^n])^2),x]

[Out] \$Aborted

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b^2 x^2 \cos((gx + f)^n d + c)^2 - 2 abx^2 \sin((gx + f)^n d + c) - (a^2 + b^2)x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*x^2*cos((g*x + f)^n*d + c)^2 - 2*a*b*x^2*sin((g*x + f)^n*d + c) - (a^2 + b^2)*x^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left((gx + f)^n d + c\right) + a\right)^2 x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="giac")

[Out] integrate(1/((b*sin((g*x + f)^n*d + c) + a)^2*x^2), x)

maple [A] time = 0.64, size = 0, normalized size = 0.00

$$\int \frac{1}{x^2 \left(a + b \sin\left(c + d (gx + f)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

[Out] int(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x^2/(a+b*sin(c+d*(g*x+f)^n))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{x^2 \left(a + b \sin\left(c + d (f + gx)^n\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(x^2*(a + b*sin(c + d*(f + g*x)^n))^2),x)
```

```
[Out] int(1/(x^2*(a + b*sin(c + d*(f + g*x)^n))^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x**2/(a+b*sin(c+d*(g*x+f)**n))**2,x)
```

```
[Out] Timed out
```

$$3.287 \quad \int (ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p dx$$

Optimal. Leaf size=27

$$\text{Int} \left((ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p, x \right)$$

[Out] Unintegrable((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p dx$$

Verification is Not applicable to the result.

[In] Int[(e*x)^m*(a + b*Sin[c + d*(f + g*x)^n])^p,x]

[Out] Defer[Int] [(e*x)^m*(a + b*Sin[c + d*(f + g*x)^n])^p, x]

Rubi steps

$$\int (ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p dx = \int (ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p dx$$

Mathematica [A] time = 2.11, size = 0, normalized size = 0.00

$$\int (ex)^m \left(a + b \sin \left(c + d(f + gx)^n \right) \right)^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e*x)^m*(a + b*Sin[c + d*(f + g*x)^n])^p,x]

[Out] Integrate[(e*x)^m*(a + b*Sin[c + d*(f + g*x)^n])^p, x]

fricas [A] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral} \left((ex)^m \left(b \sin \left((gx + f)^n d + c \right) + a \right)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x, algorithm="fricas")

[Out] integral((e*x)^m*(b*sin((g*x + f)^n*d + c) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m \left(b \sin \left((gx + f)^n d + c \right) + a \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x, algorithm="giac")

[Out] integrate((e*x)^m*(b*sin((g*x + f)^n*d + c) + a)^p, x)

maple [A] time = 1.16, size = 0, normalized size = 0.00

$$\int (ex)^m \left(a + b \sin \left(c + d (gx + f)^n \right) \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x)

[Out] int((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (ex)^m \left(b \sin \left((gx + f)^n d + c \right) + a \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*x)^m*(a+b*sin(c+d*(g*x+f)^n))^p,x, algorithm="maxima")

[Out] integrate((e*x)^m*(b*sin((g*x + f)^n*d + c) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (ex)^m \left(a + b \sin \left(c + d (f + gx)^n \right) \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*x)^m*(a + b*sin(c + d*(f + g*x)^n))^p,x)

[Out] int((e*x)^m*(a + b*sin(c + d*(f + g*x)^n))^p, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*x)**m*(a+b*sin(c+d*(g*x+f)**n))**p,x)
```

```
[Out] Timed out
```

$$3.288 \quad \int (e + fx)^2 \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx$$

Optimal. Leaf size=224

$$ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + \frac{1}{6}bd^3f^2 \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + bd^2ef \sin(c) \operatorname{Ci} \left(\frac{d}{x} \right) - bde^2 \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) - \frac{1}{6}bd^3f^2 \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bd^2ef$$

[Out] a*e^2*x+a*e*f*x^2+1/3*a*f^2*x^3-b*d*e^2*Ci(d/x)*cos(c)+1/6*b*d^3*f^2*Ci(d/x)*cos(c)+b*d*e*f*x*cos(c+d/x)+1/6*b*d*f^2*x^2*cos(c+d/x)+b*d^2*e*f*cos(c)*Si(d/x)+b*d^2*e*f*Ci(d/x)*sin(c)+b*d*e^2*Si(d/x)*sin(c)-1/6*b*d^3*f^2*Si(d/x)*sin(c)+b*e^2*x*sin(c+d/x)-1/6*b*d^2*f^2*x*sin(c+d/x)+b*e*f*x^2*sin(c+d/x)+1/3*b*f^2*x^3*sin(c+d/x)

Rubi [A] time = 0.46, antiderivative size = 224, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3431, 14, 3297, 3303, 3299, 3302}

$$ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + bd^2ef \sin(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) + \frac{1}{6}bd^3f^2 \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) - bde^2 \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) - \frac{1}{6}bd^3f^2 \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bd^2ef$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)^2*(a + b*Sin[c + d/x]),x]

[Out] a*e^2*x + a*e*f*x^2 + (a*f^2*x^3)/3 + b*d*e*f*x*Cos[c + d/x] + (b*d*f^2*x^2*Cos[c + d/x])/6 - b*d*e^2*Cos[c]*CosIntegral[d/x] + (b*d^3*f^2*Cos[c]*CosIntegral[d/x])/6 + b*d^2*e*f*CosIntegral[d/x]*Sin[c] + b*e^2*x*Sin[c + d/x] - (b*d^2*f^2*x*Sin[c + d/x])/6 + b*e*f*x^2*Sin[c + d/x] + (b*f^2*x^3*Sin[c + d/x])/3 + b*d^2*e*f*Cos[c]*SinIntegral[d/x] + b*d*e^2*Sin[c]*SinIntegral[d/x] - (b*d^3*f^2*Sin[c]*SinIntegral[d/x])/6

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int (e + fx)^2 \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx &= -\text{Subst} \left(\int \left(\frac{f^2(a + b \sin(c + dx))}{x^4} + \frac{2ef(a + b \sin(c + dx))}{x^3} + \frac{e^2(a + b \sin(c + dx))}{x^2} \right) dx, x, \frac{1}{x} \right) \\
&= - \left(e^2 \text{Subst} \left(\int \frac{a + b \sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \right) - (2ef) \text{Subst} \left(\int \frac{a + b \sin(c + dx)}{x^3} dx, x, \frac{1}{x} \right) \\
&= - \left(e^2 \text{Subst} \left(\int \left(\frac{a}{x^2} + \frac{b \sin(c + dx)}{x^2} \right) dx, x, \frac{1}{x} \right) \right) - (2ef) \text{Subst} \left(\int \left(\frac{a}{x^3} + \frac{b \sin(c + dx)}{x^3} \right) dx, x, \frac{1}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 - (be^2) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) - (2bef) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^3} dx, x, \frac{1}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + be^2x \sin \left(c + \frac{d}{x} \right) + bafx^2 \sin \left(c + \frac{d}{x} \right) + \frac{1}{3}bf^2x^3 \sin \left(c + \frac{d}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + bdefx \cos \left(c + \frac{d}{x} \right) + \frac{1}{6}bdf^2x^2 \cos \left(c + \frac{d}{x} \right) + be^2x \sin \left(c + \frac{d}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + bdefx \cos \left(c + \frac{d}{x} \right) + \frac{1}{6}bdf^2x^2 \cos \left(c + \frac{d}{x} \right) - bde^2x \sin \left(c + \frac{d}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + bdefx \cos \left(c + \frac{d}{x} \right) + \frac{1}{6}bdf^2x^2 \cos \left(c + \frac{d}{x} \right) - bde^2x \sin \left(c + \frac{d}{x} \right) \\
&= ae^2x + aefx^2 + \frac{1}{3}af^2x^3 + bdefx \cos \left(c + \frac{d}{x} \right) + \frac{1}{6}bdf^2x^2 \cos \left(c + \frac{d}{x} \right) - bde^2x \sin \left(c + \frac{d}{x} \right)
\end{aligned}$$

Mathematica [A] time = 0.62, size = 150, normalized size = 0.67

$$\frac{1}{6} \left(x \left(2a(3e^2 + 3efx + f^2x^2) + b \sin \left(c + \frac{d}{x} \right) (-f^2(d^2 - 2x^2) + 6e^2 + 6efx) + bdf(6e + fx) \cos \left(c + \frac{d}{x} \right) \right) + bdf \cos \left(c + \frac{d}{x} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)^2*(a + b*Sin[c + d/x]),x]

[Out] (b*d*CosIntegral[d/x]*((-6*e^2 + d^2*f^2)*Cos[c] + 6*d*e*f*Sin[c]) + x*(2*a*(3*e^2 + 3*e*f*x + f^2*x^2) + b*d*f*(6*e + f*x)*Cos[c + d/x] + b*(6*e^2 + 6*e*f*x - f^2*(d^2 - 2*x^2))*Sin[c + d/x]) - b*d*(-6*d*e*f*Cos[c] + (-6*e^2 + d^2*f^2)*Sin[c])*SinIntegral[d/x])/6

fricas [A] time = 0.73, size = 224, normalized size = 1.00

$$\frac{1}{3}af^2x^3 + aefx^2 + ae^2x + \frac{1}{12} \left(12bd^2ef \text{Si} \left(\frac{d}{x} \right) + (bd^3f^2 - 6bde^2) \text{Ci} \left(\frac{d}{x} \right) + (bd^3f^2 - 6bde^2) \text{Ci} \left(-\frac{d}{x} \right) \right) \cos(c) + \frac{1}{6} (bdf \cos(c) + bdf \sin(c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] $\frac{1}{3}af^2x^3 + aefx^2 + ae^2x + \frac{1}{12}(12bd^2ef\sin_{\text{integral}}(d/x) + (bd^3f^2 - 6bd^2e^2)\cos_{\text{integral}}(d/x) + (bd^3f^2 - 6bd^2e^2)\cos_{\text{integral}}(-d/x))\cos(c) + \frac{1}{6}(bd^2f^2x^2 + 6bd^2efx)\cos((cx + d)/x) + \frac{1}{6}(3bd^2ef\cos_{\text{integral}}(d/x) + 3bd^2ef\cos_{\text{integral}}(-d/x) - (bd^3f^2 - 6bd^2e^2)\sin_{\text{integral}}(d/x))\sin(c) + \frac{1}{6}(2bf^2x^3 + 6b^2efx^2 - (bd^2f^2 - 6b^2e^2)x)\sin((cx + d)/x)$

giac [B] time = 1.55, size = 1264, normalized size = 5.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2*(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] $\frac{1}{6}(bc^3d^4f^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x) + bc^3d^4f^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x) - 3(cx + d)bc^2d^4f^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)/x + 6bc^3d^3f\cos_{\text{integral}}(-c + (cx + d)/x)e\sin(c) - 6bc^3d^3f\cos(c)e\sin_{\text{integral}}(c - (cx + d)/x) - 3(cx + d)bc^2d^4f^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x + 3(cx + d)^2bc^2d^4f^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)/x^2 - 18(cx + d)bc^2d^3f\cos_{\text{integral}}(-c + (cx + d)/x)e\sin(c)/x + bc^2d^4f^2\sin((cx + d)/x) + 18(cx + d)bc^2d^3f\cos(c)e\sin_{\text{integral}}(c - (cx + d)/x)/x + 3(cx + d)^2bc^2d^4f^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x^2 + bc^2d^4f^2\cos((cx + d)/x) - (cx + d)^3bd^4f^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)/x^3 - 6bc^3d^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)e^2 - 6bc^2d^3f\cos((cx + d)/x)e + 18(cx + d)^2bc^2d^3f\cos_{\text{integral}}(-c + (cx + d)/x)e\sin(c)/x^2 - 2(cx + d)bc^2d^4f^2\sin((cx + d)/x)/x - 18(cx + d)^2bc^2d^3f\cos(c)e\sin_{\text{integral}}(c - (cx + d)/x)/x^2 - (cx + d)^3bd^4f^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x^3 - 6bc^3d^2e^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x) - (cx + d)bd^4f^2\cos((cx + d)/x)/x + 18(cx + d)bc^2d^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)e^2/x + 12(cx + d)bc^2d^3f\cos((cx + d)/x)e/x - 6(cx + d)^3bd^3f\cos_{\text{integral}}(-c + (cx + d)/x)e\sin(c)/x^3 - 2bd^4f^2\sin((cx + d)/x) + (cx + d)^2bd^4f^2\sin((cx + d)/x)/x^2 + 6bc^2d^3f\sin((cx + d)/x) + 6(cx + d)^3bd^3f\cos(c)e\sin_{\text{integral}}(c - (cx + d)/x)/x^3 + 18(cx + d)bc^2d^2e^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x - 2ad^4f^2 - 18(cx + d)^2bc^2d^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)e^2/x^2 + 6ac^2d^3f\cos(c)e - 6(cx + d)^2bd^3f\cos((cx + d)/x)e/x^2 - 6bc^2d^2e^2\sin((cx + d)/x) - 6(cx + d)bd^3f\sin((cx + d)/x)/x - 18(cx + d)^2bc^2d^2e^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x^2 - 6ac^2d^2e^2 + 6(cx + d)^3bd^2\cos(c)\cos_{\text{integral}}(-c + (cx + d)/x)e^2/x^3 - 6(cx + d)ad^3f\cos(c)e/x + 12(cx + d)bc^2d^2e^2\sin((cx + d)/x)/x + 6(cx + d)^3bd^2e^2\sin(c)\sin_{\text{integral}}(c - (cx + d)/x)/x^3 + 12(cx + d)ac^2d^2e^2/$

$$x - 6*(c*x + d)^2*b*d^2*e^2*\sin((c*x + d)/x)/x^2 - 6*(c*x + d)^2*a*d^2*e^2/x^2)/((c^3 - 3*(c*x + d)*c^2/x + 3*(c*x + d)^2*c/x^2 - (c*x + d)^3/x^3)*d)$$

maple [A] time = 0.07, size = 209, normalized size = 0.93

$$-d \left(-\frac{ae^2x}{d} - \frac{aefx^2}{d} - \frac{af^2x^3}{3d} + be^2 \left(-\frac{\sin\left(c + \frac{d}{x}\right)x}{d} - \text{Si}\left(\frac{d}{x}\right)\sin(c) + \text{Ci}\left(\frac{d}{x}\right)\cos(c) \right) \right) + 2bdef \left(-\frac{\sin\left(c + \frac{d}{x}\right)x^2}{2d^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)^2*(a+b*sin(c+d/x)),x)`

[Out] `-d*(-a*e^2*x/d-a/d*e*f*x^2-1/3*a/d*f^2*x^3+b*e^2*(-sin(c+d/x)*x/d-Si(d/x)*sin(c)+Ci(d/x)*cos(c))+2*b*d*e*f*(-1/2*sin(c+d/x)*x^2/d^2-1/2*cos(c+d/x)*x/d-1/2*Si(d/x)*cos(c)-1/2*Ci(d/x)*sin(c))+b*d^2*f^2*(-1/3*sin(c+d/x)*x^3/d^3-1/6*cos(c+d/x)*x^2/d^2+1/6*sin(c+d/x)*x/d+1/6*Si(d/x)*sin(c)-1/6*Ci(d/x)*cos(c)))`

maxima [C] time = 0.55, size = 258, normalized size = 1.15

$$\frac{1}{3}af^2x^3+ae^2x^2-\frac{1}{2}\left(\left(\text{Ei}\left(\frac{id}{x}\right)+\text{Ei}\left(-\frac{id}{x}\right)\right)\cos(c)-\left(-i\text{Ei}\left(\frac{id}{x}\right)+i\text{Ei}\left(-\frac{id}{x}\right)\right)\sin(c)\right)d-2x\sin\left(\frac{cx+d}{x}\right)be^2+\frac{1}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)^2*(a+b*sin(c+d/x)),x, algorithm="maxima")`

[Out] `1/3*a*f^2*x^3 + a*e*f*x^2 - 1/2*((Ei(I*d/x) + Ei(-I*d/x))*cos(c) - (-I*Ei(I*d/x) + I*Ei(-I*d/x))*sin(c))*d - 2*x*sin((c*x + d)/x)*b*e^2 + 1/2*((-I*Ei(I*d/x) + I*Ei(-I*d/x))*cos(c) + (Ei(I*d/x) + Ei(-I*d/x))*sin(c))*d^2 + 2*d*x*cos((c*x + d)/x) + 2*x^2*sin((c*x + d)/x)*b*e*f + 1/12*((Ei(I*d/x) + Ei(-I*d/x))*cos(c) + (I*Ei(I*d/x) - I*Ei(-I*d/x))*sin(c))*d^3 + 2*d*x^2*cos((c*x + d)/x) - 2*(d^2*x - 2*x^3)*sin((c*x + d)/x)*b*f^2 + a*e^2*x`

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (e + fx)^2 \left(a + b \sin\left(c + \frac{d}{x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)^2*(a + b*sin(c + d/x)),x)`

[Out] `int((e + f*x)^2*(a + b*sin(c + d/x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right) (e + fx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2*(a+b*sin(c+d/x)),x)

[Out] Integral((a + b*sin(c + d/x))*(e + f*x)**2, x)

$$3.289 \quad \int (e + fx) \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx$$

Optimal. Leaf size=118

$$aex + \frac{1}{2}afx^2 + \frac{1}{2}bd^2f \sin(c) \operatorname{Ci} \left(\frac{d}{x} \right) - bde \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + \frac{1}{2}bd^2f \cos(c) \operatorname{Si} \left(\frac{d}{x} \right) + bde \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bex \sin \left(c + \frac{d}{x} \right) + \frac{1}{2}bf$$

[Out] a*e*x+1/2*a*f*x^2-b*d*e*Ci(d/x)*cos(c)+1/2*b*d*f*x*cos(c+d/x)+1/2*b*d^2*f*cos(c)*Si(d/x)+1/2*b*d^2*f*Ci(d/x)*sin(c)+b*d*e*Si(d/x)*sin(c)+b*e*x*sin(c+d/x)+1/2*b*f*x^2*sin(c+d/x)

Rubi [A] time = 0.24, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3431, 14, 3297, 3303, 3299, 3302}

$$aex + \frac{1}{2}afx^2 + \frac{1}{2}bd^2f \sin(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) - bde \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) + \frac{1}{2}bd^2f \cos(c) \operatorname{Si} \left(\frac{d}{x} \right) + bde \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) +$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)*(a + b*Sin[c + d/x]),x]

[Out] a*e*x + (a*f*x^2)/2 + (b*d*f*x*cos[c + d/x])/2 - b*d*e*cos[c]*CosIntegral[d/x] + (b*d^2*f*cosIntegral[d/x]*Sin[c])/2 + b*e*x*Sin[c + d/x] + (b*f*x^2*Sin[c + d/x])/2 + (b*d^2*f*cos[c]*SinIntegral[d/x])/2 + b*d*e*Sin[c]*SinIntegral[d/x]

Rule 14

Int[(u_)*((c_)*(x_))^(m_), x_Symbol] := Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3297

Int[((c_.) + (d_)*(x_))^(m_)*sin[(e_.) + (f_)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_)*(x_)]/((c_.) + (d_)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3431

Int[((g_.) + (h_.)*(x_.))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_.))^(n_.)]^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int (e + fx) \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx &= -\text{Subst} \left(\int \left(\frac{f(a + b \sin(c + dx))}{x^3} + \frac{e(a + b \sin(c + dx))}{x^2} \right) dx, x, \frac{1}{x} \right) \\
 &= - \left(e \text{Subst} \left(\int \frac{a + b \sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \right) - f \text{Subst} \left(\int \frac{a + b \sin(c + dx)}{x^3} dx, x, \frac{1}{x} \right) \\
 &= - \left(e \text{Subst} \left(\int \left(\frac{a}{x^2} + \frac{b \sin(c + dx)}{x^2} \right) dx, x, \frac{1}{x} \right) \right) - f \text{Subst} \left(\int \left(\frac{a}{x^3} + \frac{b \sin(c + dx)}{x^3} \right) dx, x, \frac{1}{x} \right) \\
 &= aex + \frac{1}{2}afx^2 - (be) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) - (bf) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^3} dx, x, \frac{1}{x} \right) \\
 &= aex + \frac{1}{2}afx^2 + bex \sin \left(c + \frac{d}{x} \right) + \frac{1}{2}bfx^2 \sin \left(c + \frac{d}{x} \right) - (bde) \text{Subst} \left(\int \frac{\cos(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\
 &= aex + \frac{1}{2}afx^2 + \frac{1}{2}bdfx \cos \left(c + \frac{d}{x} \right) + bex \sin \left(c + \frac{d}{x} \right) + \frac{1}{2}bfx^2 \sin \left(c + \frac{d}{x} \right) - bde \text{Ci} \left(\frac{d}{x} \right) \\
 &= aex + \frac{1}{2}afx^2 + \frac{1}{2}bdfx \cos \left(c + \frac{d}{x} \right) - bde \cos(c) \text{Ci} \left(\frac{d}{x} \right) + bex \sin \left(c + \frac{d}{x} \right) + \frac{1}{2}bfx^2 \sin \left(c + \frac{d}{x} \right) \\
 &= aex + \frac{1}{2}afx^2 + \frac{1}{2}bdfx \cos \left(c + \frac{d}{x} \right) - bde \cos(c) \text{Ci} \left(\frac{d}{x} \right) + \frac{1}{2}bd^2 f \text{Ci} \left(\frac{d}{x} \right) \sin \left(c + \frac{d}{x} \right)
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 79, normalized size = 0.67

$$\frac{1}{2} \left(x(2e + fx) \left(a + b \sin \left(c + \frac{d}{x} \right) \right) + bd \operatorname{Ci} \left(\frac{d}{x} \right) (df \sin(c) - 2e \cos(c)) + bd \operatorname{Si} \left(\frac{d}{x} \right) (df \cos(c) + 2e \sin(c)) + bdfx \cos \left(\frac{cx+d}{x} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*(a + b*Sin[c + d/x]),x]

[Out] (b*d*f*x*Cos[c + d/x] + b*d*CosIntegral[d/x]*(-2*e*Cos[c] + d*f*Sin[c]) + x*(2*e + f*x)*(a + b*Sin[c + d/x]) + b*d*(d*f*Cos[c] + 2*e*Sin[c])*SinIntegral[d/x])/2

fricas [A] time = 0.66, size = 133, normalized size = 1.13

$$\frac{1}{2} bdfx \cos \left(\frac{cx+d}{x} \right) + \frac{1}{2} afx^2 + aex + \frac{1}{2} \left(bd^2 f \operatorname{Si} \left(\frac{d}{x} \right) - bde \operatorname{Ci} \left(\frac{d}{x} \right) - bde \operatorname{Ci} \left(-\frac{d}{x} \right) \right) \cos(c) + \frac{1}{4} \left(bd^2 f \operatorname{Ci} \left(\frac{d}{x} \right) + bd^2 f \operatorname{Ci} \left(-\frac{d}{x} \right) \right) \sin(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] 1/2*b*d*f*x*cos((c*x + d)/x) + 1/2*a*f*x^2 + a*e*x + 1/2*(b*d^2*f*sin_integral(d/x) - b*d*e*cos_integral(d/x) - b*d*e*cos_integral(-d/x))*cos(c) + 1/4*(b*d^2*f*cos_integral(d/x) + b*d^2*f*cos_integral(-d/x) + 4*b*d*e*sin_integral(d/x))*sin(c) + 1/2*(b*f*x^2 + 2*b*e*x)*sin((c*x + d)/x)

giac [B] time = 0.62, size = 530, normalized size = 4.49

$$\frac{bc^2 d^3 f \operatorname{Ci} \left(-c + \frac{cx+d}{x} \right) \sin(c) - bc^2 d^3 f \cos(c) \operatorname{Si} \left(c - \frac{cx+d}{x} \right) - 2bc^2 d^2 \cos(c) \operatorname{Ci} \left(-c + \frac{cx+d}{x} \right) e - \frac{2(cx+d)bcd^3 f \operatorname{Ci} \left(-c + \frac{cx+d}{x} \right)}{x}}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] 1/2*(b*c^2*d^3*f*cos_integral(-c + (c*x + d)/x)*sin(c) - b*c^2*d^3*f*cos(c)*sin_integral(c - (c*x + d)/x) - 2*b*c^2*d^2*cos(c)*cos_integral(-c + (c*x + d)/x)*e - 2*(c*x + d)*b*c*d^3*f*cos_integral(-c + (c*x + d)/x)*sin(c)/x + 2*(c*x + d)*b*c*d^3*f*cos(c)*sin_integral(c - (c*x + d)/x)/x - 2*b*c^2*d^2*e*sin(c)*sin_integral(c - (c*x + d)/x) - b*c*d^3*f*cos((c*x + d)/x) + 4*(c*x + d)*b*c*d^2*cos(c)*cos_integral(-c + (c*x + d)/x)*e/x + (c*x + d)^2*b*d^3*f*cos_integral(-c + (c*x + d)/x)*sin(c)/x^2 - (c*x + d)^2*b*d^3*f*cos(c)*sin_integral(c - (c*x + d)/x)/x^2 + 4*(c*x + d)*b*c*d^2*e*sin(c)*sin_integ

$$\text{ral}(c - (c*x + d)/x)/x + (c*x + d)*b*d^3*f*\cos((c*x + d)/x)/x - 2*(c*x + d)^2*b*d^2*\cos(c)*\cos_integral(-c + (c*x + d)/x)*e/x^2 + b*d^3*f*\sin((c*x + d)/x) - 2*b*c*d^2*e*\sin((c*x + d)/x) - 2*(c*x + d)^2*b*d^2*e*\sin(c)*\sin_integral(c - (c*x + d)/x)/x^2 + a*d^3*f - 2*a*c*d^2*e + 2*(c*x + d)*b*d^2*e*\sin((c*x + d)/x)/x + 2*(c*x + d)*a*d^2*e/x)/((c^2 - 2*(c*x + d)*c/x + (c*x + d)^2/x^2)*d)$$

maple [A] time = 0.06, size = 115, normalized size = 0.97

$$-d \left(-\frac{aex}{d} - \frac{afx^2}{2d} + be \left(-\frac{\sin\left(c + \frac{d}{x}\right)x}{d} - \text{Si}\left(\frac{d}{x}\right)\sin(c) + \text{Ci}\left(\frac{d}{x}\right)\cos(c) \right) \right) + bdf \left(-\frac{\sin\left(c + \frac{d}{x}\right)x^2}{2d^2} - \frac{\cos\left(c + \frac{d}{x}\right)x}{2d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((f*x+e)*(a+b*sin(c+d/x)),x)`

[Out] `-d*(-a*e*x/d-1/2*a/d*f*x^2+b*e*(-sin(c+d/x)*x/d-Si(d/x)*sin(c)+Ci(d/x)*cos(c))+b*d*f*(-1/2*sin(c+d/x)*x^2/d^2-1/2*cos(c+d/x)*x/d-1/2*Si(d/x)*cos(c)-1/2*Ci(d/x)*sin(c)))`

maxima [C] time = 0.43, size = 153, normalized size = 1.30

$$\frac{1}{2}afx^2 - \frac{1}{2} \left(\left(\text{Ei}\left(\frac{id}{x}\right) + \text{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(-i\text{Ei}\left(\frac{id}{x}\right) + i\text{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2x \sin\left(\frac{cx+d}{x}\right) be + \frac{1}{4} \left(\left(-i\text{Ei}\left(\frac{id}{x}\right) + i\text{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(-i\text{Ei}\left(\frac{id}{x}\right) + i\text{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2x \sin\left(\frac{cx+d}{x}\right) be + \frac{1}{4} \left(\left(-i\text{Ei}\left(\frac{id}{x}\right) + i\text{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(-i\text{Ei}\left(\frac{id}{x}\right) + i\text{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2x \sin\left(\frac{cx+d}{x}\right) be$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)*(a+b*sin(c+d/x)),x, algorithm="maxima")`

[Out] `1/2*a*f*x^2 - 1/2*((Ei(I*d/x) + Ei(-I*d/x))*cos(c) - (-I*Ei(I*d/x) + I*Ei(-I*d/x))*sin(c))*d - 2*x*sin((c*x + d)/x))*b*e + 1/4*(((-I*Ei(I*d/x) + I*Ei(-I*d/x))*cos(c) + (Ei(I*d/x) + Ei(-I*d/x))*sin(c))*d^2 + 2*d*x*cos((c*x + d)/x) + 2*x^2*sin((c*x + d)/x))*b*f + a*e*x`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e + fx) \left(a + b \sin\left(c + \frac{d}{x}\right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)*(a + b*sin(c + d/x)),x)`

[Out] `int((e + f*x)*(a + b*sin(c + d/x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right) (e + fx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x)),x)

[Out] Integral((a + b*sin(c + d/x))*(e + f*x), x)

$$3.290 \quad \int \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx$$

Optimal. Leaf size=38

$$ax - bd \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + bd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bx \sin \left(c + \frac{d}{x} \right)$$

[Out] a*x-b*d*Ci(d/x)*cos(c)+b*d*Si(d/x)*sin(c)+b*x*sin(c+d/x)

Rubi [A] time = 0.08, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3361, 3297, 3303, 3299, 3302}

$$ax - bd \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) + bd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bx \sin \left(c + \frac{d}{x} \right)$$

Antiderivative was successfully verified.

[In] Int[a + b*Sin[c + d/x],x]

[Out] a*x - b*d*Cos[c]*CosIntegral[d/x] + b*x*Sin[c + d/x] + b*d*Sin[c]*SinIntegral[d/x]

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)
```

) / d], Int[Cos[(c*f) / d + f*x] / (c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
 NeQ[d*e - c*f, 0]

Rule 3361

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] :> Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sin[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx &= ax + b \int \sin \left(c + \frac{d}{x} \right) dx \\
 &= ax - b \operatorname{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\
 &= ax + bx \sin \left(c + \frac{d}{x} \right) - (bd) \operatorname{Subst} \left(\int \frac{\cos(c + dx)}{x} dx, x, \frac{1}{x} \right) \\
 &= ax + bx \sin \left(c + \frac{d}{x} \right) - (bd \cos(c)) \operatorname{Subst} \left(\int \frac{\cos(dx)}{x} dx, x, \frac{1}{x} \right) + (bd \sin(c)) \operatorname{Subst} \left(\int \frac{1}{x} dx, x, \frac{1}{x} \right) \\
 &= ax - bd \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + bx \sin \left(c + \frac{d}{x} \right) + bd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right)
 \end{aligned}$$

Mathematica [A] time = 0.03, size = 50, normalized size = 1.32

$$ax - bd \left(\cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) - \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) \right) + bx \sin(c) \cos \left(\frac{d}{x} \right) + bx \cos(c) \sin \left(\frac{d}{x} \right)$$

Antiderivative was successfully verified.

[In] Integrate[a + b*Sin[c + d/x], x]

[Out] a*x + b*x*Cos[d/x]*Sin[c] + b*x*Cos[c]*Sin[d/x] - b*d*(Cos[c]*CosIntegral[d/x] - Sin[c]*SinIntegral[d/x])

fricas [A] time = 0.64, size = 52, normalized size = 1.37

$$bd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + bx \sin \left(\frac{cx + d}{x} \right) + ax - \frac{1}{2} \left(bd \operatorname{Ci} \left(\frac{d}{x} \right) + bd \operatorname{Ci} \left(-\frac{d}{x} \right) \right) \cos(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d/x),x, algorithm="fricas")

[Out] b*d*sin(c)*sin_integral(d/x) + b*x*sin((c*x + d)/x) + a*x - 1/2*(b*d*cos_integral(d/x) + b*d*cos_integral(-d/x))*cos(c)

giac [B] time = 0.55, size = 137, normalized size = 3.61

$$ax - \frac{\left(cd^2 \cos(c) \operatorname{Ci}\left(-c + \frac{cx+d}{x}\right) + cd^2 \sin(c) \operatorname{Si}\left(c - \frac{cx+d}{x}\right) - \frac{(cx+d)d^2 \cos(c) \operatorname{Ci}\left(-c + \frac{cx+d}{x}\right)}{x} - \frac{(cx+d)d^2 \sin(c) \operatorname{Si}\left(c - \frac{cx+d}{x}\right)}{x} + d^2 \sin(c) \right)}{\left(c - \frac{cx+d}{x}\right)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d/x),x, algorithm="giac")

[Out] a*x - (c*d^2*cos(c)*cos_integral(-c + (c*x + d)/x) + c*d^2*sin(c)*sin_integral(c - (c*x + d)/x) - (c*x + d)*d^2*cos(c)*cos_integral(-c + (c*x + d)/x)/x - (c*x + d)*d^2*sin(c)*sin_integral(c - (c*x + d)/x)/x + d^2*sin((c*x + d)/x))*b/((c - (c*x + d)/x)*d)

maple [A] time = 0.03, size = 43, normalized size = 1.13

$$ax - bd \left(-\frac{\sin\left(c + \frac{d}{x}\right)x}{d} - \operatorname{Si}\left(\frac{d}{x}\right)\sin(c) + \operatorname{Ci}\left(\frac{d}{x}\right)\cos(c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(a+b*sin(c+d/x),x)

[Out] a*x-b*d*(-sin(c+d/x)*x/d-Si(d/x)*sin(c)+Ci(d/x)*cos(c))

maxima [C] time = 0.36, size = 65, normalized size = 1.71

$$-\frac{1}{2} \left(\left(\operatorname{Ei}\left(\frac{id}{x}\right) + \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(-i \operatorname{Ei}\left(\frac{id}{x}\right) + i \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2x \sin\left(\frac{cx+d}{x}\right) b + ax$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(a+b*sin(c+d/x),x, algorithm="maxima")

[Out] -1/2*(((Ei(I*d/x) + Ei(-I*d/x))*cos(c) - (-I*Ei(I*d/x) + I*Ei(-I*d/x))*sin(c))*d - 2*x*sin((c*x + d)/x))*b + a*x

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int a + b \sin\left(c + \frac{d}{x}\right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(a + b*sin(c + d/x), x)
```

```
[Out] int(a + b*sin(c + d/x), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(a+b*sin(c+d/x), x)
```

```
[Out] Integral(a + b*sin(c + d/x), x)
```


$$3.291 \quad \int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{e+fx} dx$$

Optimal. Leaf size=103

$$\frac{a \log\left(\frac{e}{x} + f\right)}{f} + \frac{a \log(x)}{f} + \frac{b \sin\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{b \sin(c) \text{Ci}\left(\frac{d}{x}\right)}{f} + \frac{b \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{b \cos(c) \text{Si}\left(\frac{d}{x}\right)}{f}$$

[Out] a*ln(f+e/x)/f+a*ln(x)/f+b*cos(c-d*f/e)*Si(d*(f/e+1/x))/f-b*cos(c)*Si(d/x)/f
-b*Ci(d/x)*sin(c)/f+b*Ci(d*(f/e+1/x))*sin(c-d*f/e)/f

Rubi [A] time = 0.28, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3431, 14, 3303, 3299, 3302, 3317}

$$\frac{a \log\left(\frac{e}{x} + f\right)}{f} + \frac{a \log(x)}{f} + \frac{b \sin\left(c - \frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{b \sin(c) \text{CosIntegral}\left(\frac{d}{x}\right)}{f} + \frac{b \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{b \cos(c) \text{Si}\left(\frac{d}{x}\right)}{f}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d/x])/(e + f*x),x]

[Out] (a*Log[f + e/x])/f + (a*Log[x])/f - (b*CosIntegral[d/x]*Sin[c])/f + (b*CosIntegral[d*(f/e + x^(-1))]*Sin[c - (d*f)/e])/f + (b*Cos[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))])/f - (b*Cos[c]*SinIntegral[d/x])/f

Rule 14

Int[(u_)*((c_.)*(x_))^(m_.), x_Symbol] :> Int[ExpandIntegrand[(c*x)^m*u, x], x] /; FreeQ[{c, m}, x] && SumQ[u] && !LinearQ[u, x] && !MatchQ[u, (a_ + (b_.)*(v_)) /; FreeQ[{a, b}, x] && InverseFunctionQ[v]]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_.))]^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{e + fx} dx &= -\text{Subst}\left(\int \left(\frac{a + b \sin(c + dx)}{fx} - \frac{e(a + b \sin(c + dx))}{f(f + ex)}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a + b \sin(c + dx)}{x} dx, x, \frac{1}{x}\right)}{f} + \frac{e \text{Subst}\left(\int \frac{a + b \sin(c + dx)}{f + ex} dx, x, \frac{1}{x}\right)}{f} \\
&= -\frac{\text{Subst}\left(\int \left(\frac{a}{x} + \frac{b \sin(c + dx)}{x}\right) dx, x, \frac{1}{x}\right)}{f} + \frac{e \text{Subst}\left(\int \left(\frac{a}{f + ex} + \frac{b \sin(c + dx)}{f + ex}\right) dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a \log\left(f + \frac{e}{x}\right)}{f} + \frac{a \log(x)}{f} - \frac{b \text{Subst}\left(\int \frac{\sin(c + dx)}{x} dx, x, \frac{1}{x}\right)}{f} + \frac{(be) \text{Subst}\left(\int \frac{\sin(c + dx)}{f + ex} dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a \log\left(f + \frac{e}{x}\right)}{f} + \frac{a \log(x)}{f} - \frac{(b \cos(c)) \text{Subst}\left(\int \frac{\sin(dx)}{x} dx, x, \frac{1}{x}\right)}{f} + \frac{\left(b e \cos\left(c - \frac{df}{e}\right)\right) \text{Subst}\left(\int \frac{\sin(dx)}{f + ex} dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a \log\left(f + \frac{e}{x}\right)}{f} + \frac{a \log(x)}{f} - \frac{b \text{Ci}\left(\frac{d}{x}\right) \sin(c)}{f} + \frac{b \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right) \sin\left(c - \frac{df}{e}\right)}{f} + \frac{b \cos\left(c - \frac{df}{e}\right) \text{Si}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{f}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 83, normalized size = 0.81

$$\frac{a \log(e + fx) + b \sin\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - b \sin(c) \text{Ci}\left(\frac{d}{x}\right) + b \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - b \cos(c) \text{Si}\left(\frac{d}{x}\right)}{f}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sin[c + d/x])/(e + f*x), x]

[Out] (a*Log[e + f*x] - b*CosIntegral[d/x]*Sin[c] + b*CosIntegral[d*(f/e + x^(-1))]*Sin[c - (d*f)/e] + b*Cos[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))]) - b*Cos[c]*SinIntegral[d/x])/f

fricas [A] time = 0.76, size = 133, normalized size = 1.29

$$\frac{2 b \cos(c) \text{Si}\left(\frac{d}{x}\right) - 2 b \cos\left(-\frac{ce - df}{e}\right) \text{Si}\left(\frac{dfx + de}{ex}\right) - 2 a \log(fx + e) + \left(b \text{Ci}\left(\frac{d}{x}\right) + b \text{Ci}\left(-\frac{d}{x}\right)\right) \sin(c) + \left(b \text{Ci}\left(\frac{dfx + de}{ex}\right) + b \text{Ci}\left(-\frac{d}{x}\right)\right) \sin\left(c - \frac{df}{e}\right)}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e), x, algorithm="fricas")

[Out] $-1/2*(2*b*\cos(c)*\sin_integral(d/x) - 2*b*\cos(-(c*e - d*f)/e)*\sin_integral((d*f*x + d*e)/(e*x)) - 2*a*\log(f*x + e) + (b*\cos_integral(d/x) + b*\cos_integral(-d/x))*\sin(c) + (b*\cos_integral((d*f*x + d*e)/(e*x)) + b*\cos_integral(-(d*f*x + d*e)/(e*x)))*\sin(-(c*e - d*f)/e))/f$

giac [A] time = 0.47, size = 172, normalized size = 1.67

$$\frac{bd \operatorname{Ci}\left(\left(df - ce + \frac{(cx+d)e}{x}\right)e^{-1}\right) \sin\left(-\left(df - ce\right)e^{-1}\right) - bd \operatorname{Ci}\left(-c + \frac{cx+d}{x}\right) \sin(c) - bd \cos\left(-\left(df - ce\right)e^{-1}\right) \operatorname{Si}\left(-\left(df - ce\right)e^{-1}\right)}{df}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d/x))/(f*x+e),x, algorithm="giac")`

[Out] $(b*d*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*\sin(-(d*f - c*e)*e^{-1}) - b*d*\cos_integral(-c + (c*x + d)/x)*\sin(c) - b*d*\cos(-(d*f - c*e)*e^{-1})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + b*d*\cos(c)*\sin_integral(c - (c*x + d)/x) + a*d*\log(-d*f + c*e - (c*x + d)*e/x) - a*d*\log(c - (c*x + d)/x))/(d*f)$

maple [A] time = 0.06, size = 142, normalized size = 1.38

$$-\frac{a \ln\left(\frac{d}{x}\right)}{f} + \frac{a \ln\left(e\left(c + \frac{d}{x}\right) - ce + df\right)}{f} + \frac{b \operatorname{Si}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \cos\left(\frac{-ce+df}{e}\right)}{f} - \frac{b \operatorname{Ci}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \sin\left(\frac{-ce+df}{e}\right)}{f} - \frac{b \operatorname{Ci}\left(\frac{d}{x}\right) \sin(c)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(c+d/x))/(f*x+e),x)`

[Out] $-a/f*\ln(d/x)+a/f*\ln(e*(c+d/x)-c*e+d*f)+b/f*\operatorname{Si}(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)-b/f*\operatorname{Ci}(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)-b*\operatorname{Ci}(d/x)*\sin(c)/f-b*\cos(c)*\operatorname{Si}(d/x)/f$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$b \left[\int \frac{\sin\left(\frac{cx+d}{x}\right)}{2\left((fx+e)\cos\left(\frac{cx+d}{x}\right)^2 + (fx+e)\sin\left(\frac{cx+d}{x}\right)^2\right)} dx + \int \frac{\sin\left(\frac{cx+d}{x}\right)}{2(fx+e)} dx \right] + \frac{a \log(fx+e)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d/x))/(f*x+e),x, algorithm="maxima")`

```
[Out] b*(integrate(1/2*sin((c*x + d)/x)/((f*x + e)*cos((c*x + d)/x)^2 + (f*x + e)
*sin((c*x + d)/x)^2), x) + integrate(1/2*sin((c*x + d)/x)/(f*x + e), x)) +
a*log(f*x + e)/f
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d/x))/(e + f*x), x)
```

```
[Out] int((a + b*sin(c + d/x))/(e + f*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(c+d/x))/(f*x+e), x)
```

```
[Out] Integral((a + b*sin(c + d/x))/(e + f*x), x)
```

$$3.292 \quad \int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{(e+fx)^2} dx$$

Optimal. Leaf size=94

$$\frac{a}{e\left(\frac{e}{x}+f\right)} - \frac{bd \cos\left(c-\frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^2} + \frac{bd \sin\left(c-\frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^2} + \frac{b \sin\left(c+\frac{d}{x}\right)}{e\left(\frac{e}{x}+f\right)}$$

[Out] a/e/(f+e/x)-b*d*Ci(d*(f/e+1/x))*cos(c-d*f/e)/e^2+b*d*Si(d*(f/e+1/x))*sin(c-d*f/e)/e^2+b*sin(c+d/x)/e/(f+e/x)

Rubi [A] time = 0.22, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3431, 3317, 3297, 3303, 3299, 3302}

$$\frac{a}{e\left(\frac{e}{x}+f\right)} - \frac{bd \cos\left(c-\frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^2} + \frac{bd \sin\left(c-\frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^2} + \frac{b \sin\left(c+\frac{d}{x}\right)}{e\left(\frac{e}{x}+f\right)}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d/x])/(e + f*x)^2,x]

[Out] a/(e*(f + e/x)) - (b*d*Cos[c - (d*f)/e]*CosIntegral[d*(f/e + x^(-1))])/e^2 + (b*Sin[c + d/x])/(e*(f + e/x)) + (b*d*Sin[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))])/e^2

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
```

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^2} dx &= -\text{Subst}\left(\int \frac{a + b \sin(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a}{(f + ex)^2} + \frac{b \sin(c + dx)}{(f + ex)^2}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{a}{e\left(f + \frac{e}{x}\right)} - b \text{Subst}\left(\int \frac{\sin(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right) \\
&= \frac{a}{e\left(f + \frac{e}{x}\right)} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} - \frac{(bd) \text{Subst}\left(\int \frac{\cos(c+dx)}{f+ex} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{a}{e\left(f + \frac{e}{x}\right)} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} - \frac{\left(bd \cos\left(c - \frac{df}{e}\right)\right) \text{Subst}\left(\int \frac{\cos\left(\frac{df}{e} + dx\right)}{f+ex} dx, x, \frac{1}{x}\right)}{e} + \frac{\left(bd \sin\left(c - \frac{df}{e}\right)\right) \text{Subst}\left(\int \frac{\sin\left(\frac{df}{e} + dx\right)}{f+ex} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{a}{e\left(f + \frac{e}{x}\right)} - \frac{bd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^2} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{bd \sin\left(c - \frac{df}{e}\right) \text{Si}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^2}
\end{aligned}$$

Mathematica [A] time = 0.74, size = 85, normalized size = 0.90

$$\frac{e\left(bfx \sin\left(c + \frac{d}{x}\right) - ae\right)}{f(e+fx)} - \frac{bd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) + bd \sin\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d/x])/(e + f*x)^2,x]

[Out] (-(b*d*Cos[c - (d*f)/e]*CosIntegral[d*(f/e + x^(-1))]) + (e*(-(a*e) + b*f*x*Sin[c + d/x]))/(f*(e + f*x)) + b*d*Sin[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))])/e^2

fricas [A] time = 0.71, size = 164, normalized size = 1.74

$$\frac{2 b e f x \sin\left(\frac{c x+d}{x}\right) - 2 a e^2 - 2\left(b d f^2 x + b d e f\right) \sin\left(-\frac{c e-d f}{e}\right) \text{Si}\left(\frac{d f x+d e}{e x}\right) - \left(\left(b d f^2 x + b d e f\right) \text{Ci}\left(\frac{d f x+d e}{e x}\right) + \left(b d f^2 x + b d e f\right) \text{Si}\left(\frac{d f x+d e}{e x}\right)\right)}{2\left(e^2 f^2 x + e^3 f\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^2,x, algorithm="fricas")

[Out] $\frac{1}{2}*(2*b*e*f*x*\sin((c*x + d)/x) - 2*a*e^2 - 2*(b*d*f^2*x + b*d*e*f)*\sin(-(c*e - d*f)/e)*\sin_integral((d*f*x + d*e)/(e*x)) - ((b*d*f^2*x + b*d*e*f)*\cos_integral((d*f*x + d*e)/(e*x)) + (b*d*f^2*x + b*d*e*f)*\cos_integral(-(d*f*x + d*e)/(e*x)))*\cos(-(c*e - d*f)/e))/(e^2*f^2*x + e^3*f)$

giac [B] time = 0.58, size = 347, normalized size = 3.69

$$bd^3 f \cos\left(-(df - ce)e^{(-1)}\right) \text{Ci}\left(\left(df - ce + \frac{(cx+d)e}{x}\right)e^{(-1)}\right) - bcd^2 \cos\left(-(df - ce)e^{(-1)}\right) \text{Ci}\left(\left(df - ce + \frac{(cx+d)e}{x}\right)e^{(-1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^2,x, algorithm="giac")

[Out] $-(b*d^3*f*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - b*c*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e + b*d^3*f*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - b*c*d^2*e*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + (c*x + d)*b*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e/x + (c*x + d)*b*d^2*e*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x - b*d^2*e*\sin((c*x + d)/x) - a*d^2*e)/((d*f*e^2 - c*e^3 + (c*x + d)*e^3/x)*d)$

maple [A] time = 0.05, size = 144, normalized size = 1.53

$$-d \left(\frac{a}{\left(e\left(c + \frac{d}{x}\right) - ce + df\right)e} + b \left(\frac{\sin\left(c + \frac{d}{x}\right)}{\left(e\left(c + \frac{d}{x}\right) - ce + df\right)e} + \frac{\text{Si}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \sin\left(\frac{-ce+df}{e}\right)}{e} + \frac{\text{Ci}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \cos\left(\frac{-ce+df}{e}\right)}{e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d/x))/(f*x+e)^2,x)

[Out] $-d*(-a/(e*(c+d/x)-c*e+d*f)/e+b*(-\sin(c+d/x)/(e*(c+d/x)-c*e+d*f)/e+(\text{Si}(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)/e+\text{Ci}(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)/e)/e)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$b \left(\int \frac{\sin\left(\frac{cx+d}{x}\right)}{2(f^2x^2 + 2efx + e^2)} dx + \int \frac{\sin\left(\frac{cx+d}{x}\right)}{2\left(\left(f^2x^2 + 2efx + e^2\right) \cos\left(\frac{cx+d}{x}\right)^2 + \left(f^2x^2 + 2efx + e^2\right) \sin\left(\frac{cx+d}{x}\right)^2\right)} dx \right) - \frac{1}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^2,x, algorithm="maxima")

[Out] b*(integrate(1/2*sin((c*x + d)/x)/(f^2*x^2 + 2*e*f*x + e^2), x) + integrate(1/2*sin((c*x + d)/x)/((f^2*x^2 + 2*e*f*x + e^2)*cos((c*x + d)/x)^2 + (f^2*x^2 + 2*e*f*x + e^2)*sin((c*x + d)/x)^2), x) - a/(f^2*x + e*f)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d/x))/(e + f*x)^2,x)

[Out] int((a + b*sin(c + d/x))/(e + f*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)**2,x)

[Out] Integral((a + b*sin(c + d/x))/(e + f*x)**2, x)

$$3.293 \quad \int \frac{a+b \sin\left(c+\frac{d}{x}\right)}{(e+fx)^3} dx$$

Optimal. Leaf size=233

$$\frac{a}{e^2\left(\frac{e}{x}+f\right)} - \frac{af}{2e^2\left(\frac{e}{x}+f\right)^2} - \frac{bd^2f \sin\left(c-\frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{2e^4} - \frac{bd \cos\left(c-\frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^3} - \frac{bd^2f \cos\left(c-\frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{2e^4}$$

[Out] $-1/2*a*f/e^2/(f+e/x)^2+a/e^2/(f+e/x)-b*d*Ci(d*(f/e+1/x))*cos(c-d*f/e)/e^3-1/2*b*d*f*cos(c+d/x)/e^3/(f+e/x)-1/2*b*d^2*f*cos(c-d*f/e)*Si(d*(f/e+1/x))/e^4-1/2*b*d^2*f*Ci(d*(f/e+1/x))*sin(c-d*f/e)/e^4+b*d*Si(d*(f/e+1/x))*sin(c-d*f/e)/e^3-1/2*b*f*sin(c+d/x)/e^2/(f+e/x)^2+b*sin(c+d/x)/e^2/(f+e/x)$

Rubi [A] time = 0.49, antiderivative size = 233, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3431, 3317, 3297, 3303, 3299, 3302}

$$\frac{a}{e^2\left(\frac{e}{x}+f\right)} - \frac{af}{2e^2\left(\frac{e}{x}+f\right)^2} - \frac{bd^2f \sin\left(c-\frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{2e^4} - \frac{bd \cos\left(c-\frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e}+\frac{1}{x}\right)\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d/x])/(e + f*x)^3,x]

[Out] $-(a*f)/(2*e^2*(f + e/x)^2) + a/(e^2*(f + e/x)) - (b*d*f*\text{Cos}[c + d/x])/(2*e^3*(f + e/x)) - (b*d*\text{Cos}[c - (d*f)/e]*\text{CosIntegral}[d*(f/e + x^(-1))])/e^3 - (b*d^2*f*\text{CosIntegral}[d*(f/e + x^(-1))]*\text{Sin}[c - (d*f)/e])/(2*e^4) - (b*f*\text{Sin}[c + d/x])/(2*e^2*(f + e/x)^2) + (b*\text{Sin}[c + d/x])/(e^2*(f + e/x)) - (b*d^2*f*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^(-1))])/e^4 + (b*d*\text{Sin}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^(-1))])/e^3$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n, x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^3} dx &= -\text{Subst}\left(\int\left(-\frac{f(a + b \sin(c + dx))}{e(f + ex)^3} + \frac{a + b \sin(c + dx)}{e(f + ex)^2}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{a + b \sin(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right)}{e} + \frac{f \text{Subst}\left(\int \frac{a + b \sin(c + dx)}{(f + ex)^3} dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{\text{Subst}\left(\int\left(\frac{a}{(f + ex)^2} + \frac{b \sin(c + dx)}{(f + ex)^2}\right) dx, x, \frac{1}{x}\right)}{e} + \frac{f \text{Subst}\left(\int\left(\frac{a}{(f + ex)^3} + \frac{b \sin(c + dx)}{(f + ex)^3}\right) dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{af}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a}{e^2\left(f + \frac{e}{x}\right)} - \frac{b \text{Subst}\left(\int \frac{\sin(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right)}{e} + \frac{(bf) \text{Subst}\left(\int \frac{\sin(c + dx)}{(f + ex)^3} dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{af}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a}{e^2\left(f + \frac{e}{x}\right)} - \frac{bf \sin\left(c + \frac{d}{x}\right)}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)} - \frac{(bd) \text{Subst}\left(\int \frac{\cos(c + dx)}{f + ex} dx, x, \frac{1}{x}\right)}{e^2} \\
&= -\frac{af}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a}{e^2\left(f + \frac{e}{x}\right)} - \frac{bdf \cos\left(c + \frac{d}{x}\right)}{2e^3\left(f + \frac{e}{x}\right)} - \frac{bf \sin\left(c + \frac{d}{x}\right)}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)} - \frac{(bd) \text{Subst}\left(\int \frac{\cos(c + dx)}{f + ex} dx, x, \frac{1}{x}\right)}{e^2} \\
&= -\frac{af}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a}{e^2\left(f + \frac{e}{x}\right)} - \frac{bdf \cos\left(c + \frac{d}{x}\right)}{2e^3\left(f + \frac{e}{x}\right)} - \frac{bd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^3} - \frac{bf \sin\left(c + \frac{d}{x}\right)}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)} \\
&= -\frac{af}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a}{e^2\left(f + \frac{e}{x}\right)} - \frac{bdf \cos\left(c + \frac{d}{x}\right)}{2e^3\left(f + \frac{e}{x}\right)} - \frac{bd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^3} - \frac{bd^2 f \text{Si}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{b \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)}
\end{aligned}$$

Mathematica [A] time = 1.89, size = 151, normalized size = 0.65

$$\frac{e\left(ae^3 + bdf^2x(e + fx)\cos\left(c + \frac{d}{x}\right) - bdfx(2e + fx)\sin\left(c + \frac{d}{x}\right)\right)}{f(e + fx)^2} + bd \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)\left(df \sin\left(c - \frac{df}{e}\right) + 2e \cos\left(c - \frac{df}{e}\right)\right) + bd \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - \frac{bd^2 f \text{Si}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{2e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d/x])/(e + f*x)^3, x]

[Out] -1/2*(b*d*CosIntegral[d*(f/e + x^(-1))]*(2*e*Cos[c - (d*f)/e] + d*f*Sin[c - (d*f)/e]) + (e*(a*e^3 + b*d*f^2*x*(e + f*x))*Cos[c + d/x] - b*e*f*x*(2*e +

$f*x)*\text{Sin}[c + d/x])]/(f*(e + f*x)^2 + b*d*(d*f*\text{Cos}[c - (d*f)/e] - 2*e*\text{Sin}[c - (d*f)/e]))*\text{SinIntegral}[d*(f/e + x^{(-1)})]/e^4$

fricas [A] time = 0.75, size = 429, normalized size = 1.84

$$2ae^4 + 2\left(\left(bdef^3x^2 + 2bde^2f^2x + bde^3f\right)\text{Ci}\left(\frac{dfx+de}{ex}\right) + \left(bdef^3x^2 + 2bde^2f^2x + bde^3f\right)\text{Ci}\left(-\frac{dfx+de}{ex}\right) + \left(bd^2f^4x\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^3,x, algorithm="fricas")

[Out] $-1/4*(2*a*e^4 + 2*((b*d*e*f^3*x^2 + 2*b*d*e^2*f^2*x + b*d*e^3*f)*\text{cos_integral}((d*f*x + d*e)/(e*x)) + (b*d*e*f^3*x^2 + 2*b*d*e^2*f^2*x + b*d*e^3*f)*\text{cos_integral}(-(d*f*x + d*e)/(e*x)) + (b*d^2*f^4*x^2 + 2*b*d^2*e*f^3*x + b*d^2*e^2*f^2)*\text{sin_integral}((d*f*x + d*e)/(e*x)))*\text{cos}(-(c*e - d*f)/e) + 2*(b*d*e*f^3*x^2 + b*d*e^2*f^2*x)*\text{cos}((c*x + d)/x) - ((b*d^2*f^4*x^2 + 2*b*d^2*e*f^3*x + b*d^2*e^2*f^2)*\text{cos_integral}((d*f*x + d*e)/(e*x)) + (b*d^2*f^4*x^2 + 2*b*d^2*e*f^3*x + b*d^2*e^2*f^2)*\text{cos_integral}(-(d*f*x + d*e)/(e*x)) - 4*(b*d*e*f^3*x^2 + 2*b*d*e^2*f^2*x + b*d*e^3*f)*\text{sin_integral}((d*f*x + d*e)/(e*x)))*\text{sin}(-(c*e - d*f)/e) - 2*(b*e^2*f^2*x^2 + 2*b*e^3*f*x)*\text{sin}((c*x + d)/x))/(e^4*f^3*x^2 + 2*e^5*f^2*x + e^6*f)$

giac [B] time = 0.67, size = 1502, normalized size = 6.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^3,x, algorithm="giac")

[Out] $-1/2*(b*d^5*f^3*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*\text{sin}(-(d*f - c*e)*e^{(-1)}) - 2*b*c*d^4*f^2*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e*\text{sin}(-(d*f - c*e)*e^{(-1)}) - b*d^5*f^3*\text{cos}(-(d*f - c*e)*e^{(-1)})*\text{sin_integral}(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + 2*b*c*d^4*f^2*\text{cos}(-(d*f - c*e)*e^{(-1)})*e*\text{sin_integral}(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + 2*b*d^4*f^2*\text{cos}(-(d*f - c*e)*e^{(-1)})*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e + b*c^2*d^3*f*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^2*\text{sin}(-(d*f - c*e)*e^{(-1)}) + 2*(c*x + d)*b*d^4*f^2*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e*\text{sin}(-(d*f - c*e)*e^{(-1)})/x - b*c^2*d^3*f*\text{cos}(-(d*f - c*e)*e^{(-1)})*e^2*\text{sin_integral}(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 2*(c*x + d)*b*d^4*f^2*\text{cos}(-(d*f - c*e)*e^{(-1)})*e*\text{sin_integral}(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x + 2*b*d^4*f^2*e*\text{sin}(-(d*f - c*e)*e^{(-1)})*\text{sin_integral}(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 4*b*c*d^3*f*\text{cos}(-(d*f - c*e)*e^{(-1)})*\text{cos_integral}((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^2 + b*d^4*f^2*\text{cos}((c*x + d)$

$$\begin{aligned}
 & /x) * e - 2 * (c * x + d) * b * c * d^3 * f * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^2 * \sin(-(d * f - c * e) * e^{(-1)}) / x + 2 * (c * x + d) * b * c * d^3 * f * \cos(-(d * f - c * e) * e^{(-1)}) * e^2 * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) / x - 4 * b * c * d^3 * f * e^2 * \sin(-(d * f - c * e) * e^{(-1)}) * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) + 2 * b * c^2 * d^2 * \cos(-(d * f - c * e) * e^{(-1)}) * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^3 - b * c * d^3 * f * \cos((c * x + d) / x) * e^2 + 4 * (c * x + d) * b * d^3 * f * \cos(-(d * f - c * e) * e^{(-1)}) * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^2 / x + (c * x + d)^2 * b * d^3 * f * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^2 * \sin(-(d * f - c * e) * e^{(-1)}) / x^2 - (c * x + d)^2 * b * d^3 * f * \cos(-(d * f - c * e) * e^{(-1)}) * e^2 * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) / x^2 + 2 * b * c^2 * d^2 * e^3 * \sin(-(d * f - c * e) * e^{(-1)}) * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) + 4 * (c * x + d) * b * d^3 * f * e^2 * \sin(-(d * f - c * e) * e^{(-1)}) * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) / x - 4 * (c * x + d) * b * c * d^2 * \cos(-(d * f - c * e) * e^{(-1)}) * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^3 / x + (c * x + d) * b * d^3 * f * \cos((c * x + d) / x) * e^2 / x - b * d^3 * f * e^2 * \sin((c * x + d) / x) - 4 * (c * x + d) * b * c * d^2 * e^3 * \sin(-(d * f - c * e) * e^{(-1)}) * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) / x + 2 * (c * x + d)^2 * b * d^2 * \cos(-(d * f - c * e) * e^{(-1)}) * \cos_integral((d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) * e^3 / x^2 - a * d^3 * f * e^2 + 2 * b * c * d^2 * e^3 * \sin((c * x + d) / x) + 2 * (c * x + d)^2 * b * d^2 * e^3 * \sin(-(d * f - c * e) * e^{(-1)}) * \sin_integral(-(d * f - c * e + (c * x + d) * e / x) * e^{(-1)}) / x^2 + 2 * a * c * d^2 * e^3 - 2 * (c * x + d) * b * d^2 * e^3 * \sin((c * x + d) / x) / x - 2 * (c * x + d) * a * d^2 * e^3 / x) / ((d^2 * f^2 * e^4 - 2 * c * d * f * e^5 + c^2 * e^6 + 2 * (c * x + d) * d * f * e^5 / x - 2 * (c * x + d) * c * e^6 / x + (c * x + d)^2 * e^6 / x^2) * d)
 \end{aligned}$$

maple [B] time = 0.06, size = 527, normalized size = 2.26

$$\left(-d \left(\frac{a}{e^2 \left(e \left(c + \frac{d}{x} \right) - ce + df \right)} - \frac{a (ce - df)}{2e^2 \left(e \left(c + \frac{d}{x} \right) - ce + df \right)^2} + \frac{(ce - df) b \left(\frac{\sin \left(c + \frac{d}{x} \right)}{2 \left(e \left(c + \frac{d}{x} \right) - ce + df \right)^2 e} + \frac{\frac{\cos \left(c + \frac{d}{x} \right)}{\left(e \left(c + \frac{d}{x} \right) - ce + df \right) e} - \frac{\text{Si} \left(\frac{d}{x} \right)}{e}}{e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d/x))/(f*x+e)^3,x)

[Out]
$$\begin{aligned}
 & -d * (-a / e^2 / (e * (c + d / x) - c * e + d * f) - 1 / 2 * a * (c * e - d * f) / e^2 / (e * (c + d / x) - c * e + d * f)^2 + (c * e - d * f) / e * b * (-1 / 2 * \sin(c + d / x) / (e * (c + d / x) - c * e + d * f)^2 / e + 1 / 2 * (-\cos(c + d / x) / (e * (c + d / x) - c * e + d * f) / e - (\text{Si}(d / x + c + (-c * e + d * f) / e) * \cos((-c * e + d * f) / e) / e - \text{Ci}(d / x + c + (-c * e
 \end{aligned}$$

+d*f)/e)*sin((-c*e+d*f)/e)/e)+b/e*(-sin(c+d/x)/(e*(c+d/x)-c*e+d*f)/e+(Si(d/x+c+(-c*e+d*f)/e)*sin((-c*e+d*f)/e)/e+Ci(d/x+c+(-c*e+d*f)/e)*cos((-c*e+d*f)/e)/e)+1/2*c*a/(e*(c+d/x)-c*e+d*f)^2/e-c*b*(-1/2*sin(c+d/x)/(e*(c+d/x)-c*e+d*f)^2/e+1/2*(-cos(c+d/x)/(e*(c+d/x)-c*e+d*f)/e-(Si(d/x+c+(-c*e+d*f)/e)*cos((-c*e+d*f)/e)/e-Ci(d/x+c+(-c*e+d*f)/e)*sin((-c*e+d*f)/e)/e)/e)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$b \left[\int \frac{\sin\left(\frac{cx+d}{x}\right)}{2(f^3x^3 + 3ef^2x^2 + 3e^2fx + e^3)} dx + \int \frac{\sin\left(\frac{cx+d}{x}\right)}{2\left(\left(f^3x^3 + 3ef^2x^2 + 3e^2fx + e^3\right)\cos\left(\frac{cx+d}{x}\right)^2 + \left(f^3x^3 + 3ef^2x^2 + \right.\right.}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)^3,x, algorithm="maxima")

[Out] b*(integrate(1/2*sin((c*x + d)/x)/(f^3*x^3 + 3*e*f^2*x^2 + 3*e^2*f*x + e^3), x) + integrate(1/2*sin((c*x + d)/x)/((f^3*x^3 + 3*e*f^2*x^2 + 3*e^2*f*x + e^3)*cos((c*x + d)/x)^2 + (f^3*x^3 + 3*e*f^2*x^2 + 3*e^2*f*x + e^3)*sin((c*x + d)/x)^2), x) - 1/2*a/(f^3*x^2 + 2*e*f^2*x + e^2*f)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d/x))/(e + f*x)^3,x)

[Out] int((a + b*sin(c + d/x))/(e + f*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \sin\left(c + \frac{d}{x}\right)}{(e + fx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))/(f*x+e)**3,x)

[Out] Integral((a + b*sin(c + d/x))/(e + f*x)**3, x)

$$3.294 \quad \int (e + fx) \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx$$

Optimal. Leaf size=254

$$a^2ex + \frac{1}{2}a^2fx^2 + abd^2f \sin(c) \operatorname{Ci} \left(\frac{d}{x} \right) - 2abde \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + abd^2f \cos(c) \operatorname{Si} \left(\frac{d}{x} \right) + 2abde \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + 2abex \sin \left(c + \frac{d}{x} \right)$$

```
[Out] a^2*e*x+1/2*a^2*f*x^2-2*a*b*d*e*Ci(d/x)*cos(c)-b^2*d^2*f*Ci(2*d/x)*cos(2*c)
+a*b*d*f*x*cos(c+d/x)+a*b*d^2*f*cos(c)*Si(d/x)-b^2*d*e*cos(2*c)*Si(2*d/x)+a
*b*d^2*f*Ci(d/x)*sin(c)+2*a*b*d*e*Si(d/x)*sin(c)-b^2*d*e*Ci(2*d/x)*sin(2*c)
+b^2*d^2*f*Si(2*d/x)*sin(2*c)+2*a*b*e*x*sin(c+d/x)+a*b*f*x^2*sin(c+d/x)+b^2
*d*f*x*cos(c+d/x)*sin(c+d/x)+b^2*e*x*sin(c+d/x)^2+1/2*b^2*f*x^2*sin(c+d/x)^
2
```

Rubi [A] time = 0.62, antiderivative size = 254, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 11, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.550$, Rules used = {3431, 3317, 3297, 3303, 3299, 3302, 3314, 29, 3312, 3313, 12}

$$a^2ex + \frac{1}{2}a^2fx^2 + abd^2f \sin(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) - 2abde \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) + abd^2f \cos(c) \operatorname{Si} \left(\frac{d}{x} \right) + 2abde \sin(c) \operatorname{Si} \left(\frac{d}{x} \right)$$

Antiderivative was successfully verified.

```
[In] Int[(e + f*x)*(a + b*Sin[c + d/x])^2,x]
```

```
[Out] a^2*e*x + (a^2*f*x^2)/2 + a*b*d*f*x*cos[c + d/x] - 2*a*b*d*e*cos[c]*CosInte
gral[d/x] - b^2*d^2*f*cos[2*c]*CosIntegral[(2*d)/x] + a*b*d^2*f*cosIntegral
[d/x]*Sin[c] - b^2*d*e*cosIntegral[(2*d)/x]*Sin[2*c] + 2*a*b*e*x*sin[c + d/
x] + a*b*f*x^2*sin[c + d/x] + b^2*d*f*x*cos[c + d/x]*sin[c + d/x] + b^2*e*x
*sin[c + d/x]^2 + (b^2*f*x^2*sin[c + d/x]^2)/2 + a*b*d^2*f*cos[c]*SinIntegr
al[d/x] + 2*a*b*d*e*sin[c]*SinIntegral[d/x] - b^2*d*e*cos[2*c]*SinIntegral[
(2*d)/x] + b^2*d^2*f*sin[2*c]*SinIntegral[(2*d)/x]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 29

```
Int[(x_)^(-1), x_Symbol] := Simp[Log[x], x]
```

Rule 3297

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]
```

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*SIN[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c,
```

d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
 \int (e + fx) \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx &= -\text{Subst} \left(\int \left(\frac{f(a + b \sin(c + dx))^2}{x^3} + \frac{e(a + b \sin(c + dx))^2}{x^2} \right) dx, x, \frac{1}{x} \right) \\
 &= - \left(e \text{Subst} \left(\int \frac{(a + b \sin(c + dx))^2}{x^2} dx, x, \frac{1}{x} \right) \right) - f \text{Subst} \left(\int \frac{(a + b \sin(c + dx))^2}{x^3} dx, x, \frac{1}{x} \right) \\
 &= - \left(e \text{Subst} \left(\int \left(\frac{a^2}{x^2} + \frac{2ab \sin(c + dx)}{x^2} + \frac{b^2 \sin^2(c + dx)}{x^2} \right) dx, x, \frac{1}{x} \right) \right) - f \text{Subst} \left(\int \frac{(a + b \sin(c + dx))^2}{x^3} dx, x, \frac{1}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 - (2abe) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) - (b^2 e) \text{Subst} \left(\int \frac{\sin^2(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 + 2abex \sin \left(c + \frac{d}{x} \right) + abfx^2 \sin \left(c + \frac{d}{x} \right) + b^2 d f x \cos \left(c + \frac{d}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 + abdfx \cos \left(c + \frac{d}{x} \right) + b^2 d^2 f \log(x) + 2abex \sin \left(c + \frac{d}{x} \right) + abfx^2 \sin \left(c + \frac{d}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 + abdfx \cos \left(c + \frac{d}{x} \right) - 2abde \cos(c) \text{Ci} \left(\frac{d}{x} \right) + 2abex \sin \left(c + \frac{d}{x} \right) + abfx^2 \sin \left(c + \frac{d}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 + abdfx \cos \left(c + \frac{d}{x} \right) - 2abde \cos(c) \text{Ci} \left(\frac{d}{x} \right) + abdfx \cos \left(c + \frac{d}{x} \right) + abfx^2 \sin \left(c + \frac{d}{x} \right) \\
 &= a^2 ex + \frac{1}{2} a^2 f x^2 + abdfx \cos \left(c + \frac{d}{x} \right) - 2abde \cos(c) \text{Ci} \left(\frac{d}{x} \right) - b^2 d^2 f \cos(2c)
 \end{aligned}$$

Mathematica [A] time = 0.56, size = 252, normalized size = 0.99

$$\frac{1}{4} \left(4a^2ex + 2a^2fx^2 + 4abd \operatorname{Ci} \left(\frac{d}{x} \right) (df \sin(c) - 2e \cos(c)) + 4abd^2f \cos(c) \operatorname{Si} \left(\frac{d}{x} \right) + 8abde \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + 8abex \sin(c) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(e + f*x)*(a + b*Sin[c + d/x])^2,x]

[Out] (4*a^2*e*x + 2*b^2*e*x + 2*a^2*f*x^2 + b^2*f*x^2 + 4*a*b*d*f*x*Cos[c + d/x] - 2*b^2*e*x*Cos[2*(c + d/x)] - b^2*f*x^2*Cos[2*(c + d/x)] + 4*a*b*d*CosIntegral[d/x]*(-2*e*Cos[c] + d*f*Sin[c]) - 4*b^2*d*CosIntegral[(2*d)/x]*(d*f*Cos[2*c] + e*Sin[2*c]) + 8*a*b*e*x*Sin[c + d/x] + 4*a*b*f*x^2*Sin[c + d/x] + 2*b^2*d*f*x*Sin[2*(c + d/x)] + 4*a*b*d^2*f*Cos[c]*SinIntegral[d/x] + 8*a*b*d*e*Sin[c]*SinIntegral[d/x] - 4*b^2*d*e*Cos[2*c]*SinIntegral[(2*d)/x] + 4*b^2*d^2*f*Sin[2*c]*SinIntegral[(2*d)/x])/4

fricas [A] time = 0.62, size = 300, normalized size = 1.18

$$abdfx \cos\left(\frac{cx+d}{x}\right) + \frac{1}{2}(a^2+b^2)fx^2 + (a^2+b^2)ex - \frac{1}{2}(b^2fx^2 + 2b^2ex) \cos\left(\frac{cx+d}{x}\right) - \frac{1}{2}\left(b^2d^2f \operatorname{Ci}\left(\frac{2d}{x}\right) + b^2d^2f \operatorname{Si}\left(\frac{2d}{x}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] a*b*d*f*x*cos((c*x + d)/x) + 1/2*(a^2 + b^2)*f*x^2 + (a^2 + b^2)*e*x - 1/2*(b^2*f*x^2 + 2*b^2*e*x)*cos((c*x + d)/x)^2 - 1/2*(b^2*d^2*f*cos_integral(2*d/x) + b^2*d^2*f*cos_integral(-2*d/x) + 2*b^2*d*e*sin_integral(2*d/x))*cos(2*c) + (a*b*d^2*f*sin_integral(d/x) - a*b*d*e*cos_integral(d/x) - a*b*d*e*cos_integral(-d/x))*cos(c) + 1/2*(2*b^2*d^2*f*sin_integral(2*d/x) - b^2*d*e*cos_integral(2*d/x) - b^2*d*e*cos_integral(-2*d/x))*sin(2*c) + 1/2*(a*b*d^2*f*cos_integral(d/x) + a*b*d^2*f*cos_integral(-d/x) + 4*a*b*d*e*sin_integral(d/x))*sin(c) + (b^2*d*f*x*cos((c*x + d)/x) + a*b*f*x^2 + 2*a*b*e*x)*sin((c*x + d)/x)

giac [B] time = 1.07, size = 1145, normalized size = 4.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] -1/4*(4*b^2*c^2*d^3*f*cos(2*c)*cos_integral(-2*c + 2*(c*x + d)/x) - 4*a*b*c^2*d^3*f*cos_integral(-c + (c*x + d)/x)*sin(c) + 4*b^2*c^2*d^3*f*sin(2*c)*sin(c) + (b^2*d*f*x*cos((c*x + d)/x) + a*b*f*x^2 + 2*a*b*e*x)*sin((c*x + d)/x)

```

in_integral(2*c - 2*(c*x + d)/x) + 4*a*b*c^2*d^3*f*cos(c)*sin_integral(c -
(c*x + d)/x) - 8*(c*x + d)*b^2*c*d^3*f*cos(2*c)*cos_integral(-2*c + 2*(c*x
+ d)/x)/x + 8*a*b*c^2*d^2*cos(c)*cos_integral(-c + (c*x + d)/x)*e + 4*b^2*c
^2*d^2*cos_integral(-2*c + 2*(c*x + d)/x)*e*sin(2*c) + 8*(c*x + d)*a*b*c*d^
3*f*cos_integral(-c + (c*x + d)/x)*sin(c)/x - 4*b^2*c^2*d^2*cos(2*c)*e*sin_
integral(2*c - 2*(c*x + d)/x) - 8*(c*x + d)*b^2*c*d^3*f*sin(2*c)*sin_integr
al(2*c - 2*(c*x + d)/x)/x - 8*(c*x + d)*a*b*c*d^3*f*cos(c)*sin_integral(c -
(c*x + d)/x)/x + 8*a*b*c^2*d^2*e*sin(c)*sin_integral(c - (c*x + d)/x) + 4*
a*b*c*d^3*f*cos((c*x + d)/x) + 4*(c*x + d)^2*b^2*d^3*f*cos(2*c)*cos_integra
l(-2*c + 2*(c*x + d)/x)/x^2 - 16*(c*x + d)*a*b*c*d^2*cos(c)*cos_integral(-c
+ (c*x + d)/x)*e/x - 8*(c*x + d)*b^2*c*d^2*cos_integral(-2*c + 2*(c*x + d)
/x)*e*sin(2*c)/x - 4*(c*x + d)^2*a*b*d^3*f*cos_integral(-c + (c*x + d)/x)*s
in(c)/x^2 + 2*b^2*c*d^3*f*sin(2*(c*x + d)/x) + 8*(c*x + d)*b^2*c*d^2*cos(2*
c)*e*sin_integral(2*c - 2*(c*x + d)/x)/x + 4*(c*x + d)^2*b^2*d^3*f*sin(2*c)
*sin_integral(2*c - 2*(c*x + d)/x)/x^2 + 4*(c*x + d)^2*a*b*d^3*f*cos(c)*sin
_integral(c - (c*x + d)/x)/x^2 - 16*(c*x + d)*a*b*c*d^2*e*sin(c)*sin_integr
al(c - (c*x + d)/x)/x + b^2*d^3*f*cos(2*(c*x + d)/x) - 4*(c*x + d)*a*b*d^3*
f*cos((c*x + d)/x)/x - 2*b^2*c*d^2*cos(2*(c*x + d)/x)*e + 8*(c*x + d)^2*a*b
*d^2*cos(c)*cos_integral(-c + (c*x + d)/x)*e/x^2 + 4*(c*x + d)^2*b^2*d^2*co
s_integral(-2*c + 2*(c*x + d)/x)*e*sin(2*c)/x^2 - 2*(c*x + d)*b^2*d^3*f*sin
(2*(c*x + d)/x)/x - 4*a*b*d^3*f*sin((c*x + d)/x) + 8*a*b*c*d^2*e*sin((c*x +
d)/x) - 4*(c*x + d)^2*b^2*d^2*cos(2*c)*e*sin_integral(2*c - 2*(c*x + d)/x)
/x^2 + 8*(c*x + d)^2*a*b*d^2*e*sin(c)*sin_integral(c - (c*x + d)/x)/x^2 - 2
*a^2*d^3*f - b^2*d^3*f + 4*a^2*c*d^2*e + 2*b^2*c*d^2*e + 2*(c*x + d)*b^2*d^
2*cos(2*(c*x + d)/x)*e/x - 8*(c*x + d)*a*b*d^2*e*sin((c*x + d)/x)/x - 4*(c*
x + d)*a^2*d^2*e/x - 2*(c*x + d)*b^2*d^2*e/x)/((c^2 - 2*(c*x + d)*c/x + (c*
x + d)^2/x^2)*d)

```

maple [A] time = 0.10, size = 265, normalized size = 1.04

$$-d \left(-\frac{a^2 e x}{d} - \frac{a^2 f x^2}{2d} + 2abe \left(-\frac{\sin\left(c + \frac{d}{x}\right) x}{d} - \text{Si}\left(\frac{d}{x}\right) \sin(c) + \text{Ci}\left(\frac{d}{x}\right) \cos(c) \right) + 2abdf \left(-\frac{\sin\left(c + \frac{d}{x}\right) x^2}{2d^2} - \frac{\cos\left(c + \frac{d}{x}\right)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)*(a+b*sin(c+d/x))^2,x)

[Out] -d*(-a^2*e*x/d-1/2*a^2/d*f*x^2+2*a*b*e*(-sin(c+d/x)*x/d-Si(d/x)*sin(c)+Ci(d/x)*cos(c))+2*a*b*d*f*(-1/2*sin(c+d/x)*x^2/d^2-1/2*cos(c+d/x)*x/d-1/2*Si(d/x)*cos(c)-1/2*Ci(d/x)*sin(c))-1/2*b^2*e*x/d-1/4*b^2*e*(-2*cos(2*d/x+2*c)*x/d-4*Si(2*d/x)*cos(2*c)-4*Ci(2*d/x)*sin(2*c))-1/4*b^2/d*f*x^2-1/4*b^2*d*f*(-cos(2*d/x+2*c)*x^2/d^2+2*sin(2*d/x+2*c)*x/d+4*Si(2*d/x)*sin(2*c)-4*Ci(2*d/x)*cos(2*c)))

maxima [C] time = 0.56, size = 322, normalized size = 1.27

$$\frac{1}{2} a^2 f x^2 - \left(\left(\operatorname{Ei}\left(\frac{id}{x}\right) + \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(-i \operatorname{Ei}\left(\frac{id}{x}\right) + i \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2 x \sin\left(\frac{cx+d}{x}\right) a b e - \frac{1}{2} \left(\left(-i \operatorname{Ei}\left(\frac{id}{x}\right) + i \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \cos(c) - \left(i \operatorname{Ei}\left(\frac{id}{x}\right) - i \operatorname{Ei}\left(-\frac{id}{x}\right) \right) \sin(c) \right) d - 2 x \sin\left(\frac{cx+d}{x}\right) a b e$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] 1/2*a^2*f*x^2 - (((Ei(I*d/x) + Ei(-I*d/x))*cos(c) - (-I*Ei(I*d/x) + I*Ei(-I*d/x))*sin(c))*d - 2*x*sin((c*x + d)/x))*a*b*e - 1/2*(((-I*Ei(2*I*d/x) + I*Ei(-2*I*d/x))*cos(2*c) + (Ei(2*I*d/x) + Ei(-2*I*d/x))*sin(2*c))*d + x*cos(2*(c*x + d)/x) - x)*b^2*e + 1/2*(((-I*Ei(I*d/x) + I*Ei(-I*d/x))*cos(c) + (Ei(I*d/x) + Ei(-I*d/x))*sin(c))*d^2 + 2*d*x*cos((c*x + d)/x) + 2*x^2*sin((c*x + d)/x))*a*b*f - 1/4*((2*(Ei(2*I*d/x) + Ei(-2*I*d/x))*cos(2*c) - (-2*I*Ei(2*I*d/x) + 2*I*Ei(-2*I*d/x))*sin(2*c))*d^2 + x^2*cos(2*(c*x + d)/x) - 2*d*x*sin(2*(c*x + d)/x) - x^2)*b^2*f + a^2*e*x

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (e + f x) \left(a + b \sin\left(c + \frac{d}{x}\right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)*(a + b*sin(c + d/x))^2,x)

[Out] int((e + f*x)*(a + b*sin(c + d/x))^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin\left(c + \frac{d}{x}\right) \right)^2 (e + f x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)*(a+b*sin(c+d/x))**2,x)

[Out] Integral((a + b*sin(c + d/x))**2*(e + f*x), x)

$$3.295 \quad \int \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx$$

Optimal. Leaf size=94

$$a^2x - 2abd \cos(c) \operatorname{Ci} \left(\frac{d}{x} \right) + 2abd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + 2abx \sin \left(c + \frac{d}{x} \right) - b^2d \sin(2c) \operatorname{Ci} \left(\frac{2d}{x} \right) - b^2d \cos(2c) \operatorname{Si} \left(\frac{2d}{x} \right) + b^2x \sin^2 \left(c + \frac{d}{x} \right)$$

[Out] $a^2x - 2ab*d*\operatorname{Ci}(d/x)*\cos(c) - b^2*d*\cos(2*c)*\operatorname{Si}(2*d/x) + 2ab*x*\sin(c + d/x) - b^2*d*\operatorname{Ci}(2*d/x)*\sin(2*c) + 2ab*d*\operatorname{Si}(d/x)*\sin(c) + b^2*x*\sin(c + d/x)^2$

Rubi [A] time = 0.23, antiderivative size = 94, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.571$, Rules used = {3361, 3317, 3297, 3303, 3299, 3302, 3313, 12}

$$a^2x - 2abd \cos(c) \operatorname{CosIntegral} \left(\frac{d}{x} \right) + 2abd \sin(c) \operatorname{Si} \left(\frac{d}{x} \right) + 2abx \sin \left(c + \frac{d}{x} \right) - b^2d \sin(2c) \operatorname{CosIntegral} \left(\frac{2d}{x} \right) - b^2d \cos(2c) \operatorname{Si} \left(\frac{2d}{x} \right) + b^2x \sin^2 \left(c + \frac{d}{x} \right)$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Sin}[c + d/x])^2, x]$

[Out] $a^2*x - 2*a*b*d*\operatorname{Cos}[c]*\operatorname{CosIntegral}[d/x] - b^2*d*\operatorname{CosIntegral}[(2*d)/x]*\operatorname{Sin}[2*c] + 2*a*b*x*\operatorname{Sin}[c + d/x] + b^2*x*\operatorname{Sin}[c + d/x]^2 + 2*a*b*d*\operatorname{Sin}[c]*\operatorname{SinIntegral}[d/x] - b^2*d*\operatorname{Cos}[2*c]*\operatorname{SinIntegral}[(2*d)/x]$

Rule 12

$\operatorname{Int}[(a_*)(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /;$ FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 3297

$\operatorname{Int}[((c_*) + (d_*)(x_))^{(m_*)}*\operatorname{sin}[(e_*) + (f_*)(x_)], x_Symbol] \rightarrow \operatorname{Simp}[((c + d*x)^{(m + 1)}*\operatorname{Sin}[e + f*x])/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)}*\operatorname{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_*) + (f_*)(x_)]/((c_*) + (d_*)(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /;$ FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sine[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3361

```
Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[x^(1/n - 1)*(a + b*Sine[c + d*x])^p, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx &= -\text{Subst} \left(\int \frac{(a + b \sin(c + dx))^2}{x^2} dx, x, \frac{1}{x} \right) \\
&= -\text{Subst} \left(\int \left(\frac{a^2}{x^2} + \frac{2ab \sin(c + dx)}{x^2} + \frac{b^2 \sin^2(c + dx)}{x^2} \right) dx, x, \frac{1}{x} \right) \\
&= a^2 x - (2ab) \text{Subst} \left(\int \frac{\sin(c + dx)}{x^2} dx, x, \frac{1}{x} \right) - b^2 \text{Subst} \left(\int \frac{\sin^2(c + dx)}{x^2} dx, x, \frac{1}{x} \right) \\
&= a^2 x + 2abx \sin \left(c + \frac{d}{x} \right) + b^2 x \sin^2 \left(c + \frac{d}{x} \right) - (2abd) \text{Subst} \left(\int \frac{\cos(c + dx)}{x} dx, x, \frac{1}{x} \right) \\
&= a^2 x + 2abx \sin \left(c + \frac{d}{x} \right) + b^2 x \sin^2 \left(c + \frac{d}{x} \right) - (b^2 d) \text{Subst} \left(\int \frac{\sin(2c + 2dx)}{x} dx, x, \frac{1}{x} \right) \\
&= a^2 x - 2abd \cos(c) \text{Ci} \left(\frac{d}{x} \right) + 2abx \sin \left(c + \frac{d}{x} \right) + b^2 x \sin^2 \left(c + \frac{d}{x} \right) + 2abd \sin(c) \text{Si} \left(\frac{d}{x} \right) \\
&= a^2 x - 2abd \cos(c) \text{Ci} \left(\frac{d}{x} \right) - b^2 d \text{Ci} \left(\frac{2d}{x} \right) \sin(2c) + 2abx \sin \left(c + \frac{d}{x} \right) + b^2 x \sin^2 \left(c + \frac{d}{x} \right)
\end{aligned}$$

Mathematica [A] time = 0.15, size = 105, normalized size = 1.12

$$\frac{1}{2} \left(2a^2 x - 4abd \cos(c) \text{Ci} \left(\frac{d}{x} \right) + 4abd \sin(c) \text{Si} \left(\frac{d}{x} \right) + 4abx \sin \left(c + \frac{d}{x} \right) - 2b^2 d \sin(2c) \text{Ci} \left(\frac{2d}{x} \right) - 2b^2 d \cos(2c) \text{Si} \left(\frac{2d}{x} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d/x])^2,x]

[Out] (2*a^2*x + b^2*x - b^2*x*cos[2*(c + d/x)] - 4*a*b*d*cos[c]*CosIntegral[d/x] - 2*b^2*d*cosIntegral[(2*d)/x]*Sin[2*c] + 4*a*b*x*sin[c + d/x] + 4*a*b*d*Sin[c]*SinIntegral[d/x] - 2*b^2*d*cos[2*c]*SinIntegral[(2*d)/x])/2

fricas [A] time = 0.74, size = 130, normalized size = 1.38

$$-b^2 x \cos \left(\frac{cx + d}{x} \right)^2 - b^2 d \cos(2c) \text{Si} \left(\frac{2d}{x} \right) + 2abd \sin(c) \text{Si} \left(\frac{d}{x} \right) + 2abx \sin \left(\frac{cx + d}{x} \right) + (a^2 + b^2)x - \left(abd \text{Ci} \left(\frac{d}{x} \right) + ab \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] -b^2*x*cos((c*x + d)/x)^2 - b^2*d*cos(2*c)*sin_integral(2*d/x) + 2*a*b*d*sin(c)*sin_integral(d/x) + 2*a*b*x*sin((c*x + d)/x) + (a^2 + b^2)*x - (a*b*d*

$\cos_integral(d/x) + a*b*d*\cos_integral(-d/x))*\cos(c) - 1/2*(b^2*d*\cos_integral(2*d/x) + b^2*d*\cos_integral(-2*d/x))*\sin(2*c)$

giac [B] time = 0.79, size = 305, normalized size = 3.24

$$\frac{4abcd^2 \cos(c) \operatorname{Ci}\left(-c + \frac{cx+d}{x}\right) + 2b^2cd^2 \operatorname{Ci}\left(-2c + \frac{2(cx+d)}{x}\right) \sin(2c) - 2b^2cd^2 \cos(2c) \operatorname{Si}\left(2c - \frac{2(cx+d)}{x}\right) + 4abcd^2 \cos(2c) \operatorname{Si}\left(2c - \frac{2(cx+d)}{x}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] $-1/2*(4*a*b*c*d^2*\cos(c)*\cos_integral(-c + (c*x + d)/x) + 2*b^2*c*d^2*\cos_integral(-2*c + 2*(c*x + d)/x)*\sin(2*c) - 2*b^2*c*d^2*\cos(2*c)*\sin_integral(2*c - 2*(c*x + d)/x) + 4*a*b*c*d^2*\sin(c)*\sin_integral(c - (c*x + d)/x) - 4*(c*x + d)*a*b*d^2*\cos(c)*\cos_integral(-c + (c*x + d)/x)/x - 2*(c*x + d)*b^2*d^2*\cos_integral(-2*c + 2*(c*x + d)/x)*\sin(2*c)/x + 2*(c*x + d)*b^2*d^2*\cos(2*c)*\sin_integral(2*c - 2*(c*x + d)/x)/x - 4*(c*x + d)*a*b*d^2*\sin(c)*\sin_integral(c - (c*x + d)/x)/x - b^2*d^2*\cos(2*(c*x + d)/x) + 4*a*b*d^2*\sin(c)*\sin_integral(c - (c*x + d)/x) + 2*a^2*d^2 + b^2*d^2)/((c - (c*x + d)/x)*d)$

maple [A] time = 0.09, size = 110, normalized size = 1.17

$$-d \left(-\frac{a^2x}{d} + 2ab \left(-\frac{\sin\left(c + \frac{d}{x}\right)x}{d} - \operatorname{Si}\left(\frac{d}{x}\right) \sin(c) + \operatorname{Ci}\left(\frac{d}{x}\right) \cos(c) \right) - \frac{b^2x}{2d} - \frac{b^2 \left(-\frac{2 \cos\left(\frac{2d}{x} + 2c\right)x}{d} - 4 \operatorname{Si}\left(\frac{2d}{x}\right) \cos(2c) - \dots \right)}{4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d/x))^2,x)

[Out] $-d*(-a^2*x/d+2*a*b*(-\sin(c+d/x)*x/d-\operatorname{Si}(d/x)*\sin(c)+\operatorname{Ci}(d/x)*\cos(c))-1/2*b^2*x/d-1/4*b^2*(-2*\cos(2*d/x+2*c)*x/d-4*\operatorname{Si}(2*d/x)*\cos(2*c)-4*\operatorname{Ci}(2*d/x)*\sin(2*c)))$

maxima [C] time = 0.43, size = 137, normalized size = 1.46

$$-\left(\left(\operatorname{Ei}\left(\frac{id}{x}\right) + \operatorname{Ei}\left(-\frac{id}{x}\right)\right) \cos(c) - \left(-i \operatorname{Ei}\left(\frac{id}{x}\right) + i \operatorname{Ei}\left(-\frac{id}{x}\right)\right) \sin(c)\right)d - 2x \sin\left(\frac{cx+d}{x}\right)ab - \frac{1}{2} \left(\left(-i \operatorname{Ei}\left(\frac{2id}{x}\right) + \dots\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2,x, algorithm="maxima")

```
[Out] -(((Ei(I*d/x) + Ei(-I*d/x))*cos(c) - (-I*Ei(I*d/x) + I*Ei(-I*d/x))*sin(c))*
d - 2*x*sin((c*x + d)/x))*a*b - 1/2*(((I*Ei(2*I*d/x) + I*Ei(-2*I*d/x))*cos
(2*c) + (Ei(2*I*d/x) + Ei(-2*I*d/x))*sin(2*c))*d + x*cos(2*(c*x + d)/x) - x
)*b^2 + a^2*x
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*sin(c + d/x))^2,x)
```

```
[Out] int((a + b*sin(c + d/x))^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(c+d/x))**2,x)
```

```
[Out] Integral((a + b*sin(c + d/x))**2, x)
```

$$3.296 \quad \int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{e + fx} dx$$

Optimal. Leaf size=255

$$\frac{a^2 \log\left(\frac{e}{x} + f\right)}{f} + \frac{a^2 \log(x)}{f} + \frac{2ab \sin\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{2ab \sin(c) \text{Ci}\left(\frac{d}{x}\right)}{f} + \frac{2ab \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{2ab \cos(c) \text{Si}\left(\frac{d}{x}\right)}{f}$$

[Out] $1/2*b^2*Ci(2*d/x)*cos(2*c)/f - 1/2*b^2*Ci(2*d*(f/e+1/x))*cos(2*c-2*d*f/e)/f + a^2*\ln(f+e/x)/f + 1/2*b^2*\ln(f+e/x)/f + a^2*\ln(x)/f + 1/2*b^2*\ln(x)/f + 2*a*b*cos(c-d*f/e)*Si(d*(f/e+1/x))/f - 2*a*b*cos(c)*Si(d/x)/f - 2*a*b*Ci(d/x)*sin(c)/f - 1/2*b^2*Si(2*d/x)*sin(2*c)/f + 1/2*b^2*Si(2*d*(f/e+1/x))*sin(2*c-2*d*f/e)/f + 2*a*b*Ci(d*(f/e+1/x))*sin(c-d*f/e)/f$

Rubi [A] time = 0.66, antiderivative size = 255, normalized size of antiderivative = 1.00, number of steps used = 22, number of rules used = 6, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {3431, 3317, 3303, 3299, 3302, 3312}

$$\frac{a^2 \log\left(\frac{e}{x} + f\right)}{f} + \frac{a^2 \log(x)}{f} + \frac{2ab \sin\left(c - \frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{2ab \sin(c) \text{CosIntegral}\left(\frac{d}{x}\right)}{f} + \frac{2ab \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{f} - \frac{2ab \cos(c) \text{Si}\left(\frac{d}{x}\right)}{f}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Sin[c + d/x])^2/(e + f*x), x]`

[Out] $-(b^2*\text{Cos}[2*c - (2*d*f)/e]*\text{CosIntegral}[2*d*(f/e + x^{-1})])/(2*f) + (b^2*\text{Cos}[2*c]*\text{CosIntegral}[(2*d)/x])/(2*f) + (a^2*\text{Log}[f + e/x])/f + (b^2*\text{Log}[f + e/x])/(2*f) + (a^2*\text{Log}[x])/f + (b^2*\text{Log}[x])/(2*f) - (2*a*b*\text{CosIntegral}[d/x]*\text{Sin}[c])/f + (2*a*b*\text{CosIntegral}[d*(f/e + x^{-1})]*\text{Sin}[c - (d*f)/e])/f + (2*a*b*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{-1})])/f + (b^2*\text{Sin}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{-1})])/(2*f) - (2*a*b*\text{Cos}[c]*\text{SinIntegral}[d/x])/f - (b^2*\text{Sin}[2*c]*\text{SinIntegral}[(2*d)/x])/(2*f)$

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f
_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegran
d[(a + b*Sin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x],
x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p,
0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{e + fx} dx &= -\text{Subst}\left(\int \left(\frac{(a + b \sin(c + dx))^2}{fx} - \frac{e(a + b \sin(c + dx))^2}{f(f + ex)}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{\text{Subst}\left(\int \frac{(a + b \sin(c + dx))^2}{x} dx, x, \frac{1}{x}\right)}{f} + \frac{e \text{Subst}\left(\int \frac{(a + b \sin(c + dx))^2}{f + ex} dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{\text{Subst}\left(\int \left(\frac{a^2}{x} + \frac{2ab \sin(c + dx)}{x} + \frac{b^2 \sin^2(c + dx)}{x}\right) dx, x, \frac{1}{x}\right)}{f} + \frac{e \text{Subst}\left(\int \left(\frac{a^2}{f + ex} + \frac{2ab \sin(c + dx)}{f + ex}\right) dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a^2 \log\left(f + \frac{e}{x}\right)}{f} + \frac{a^2 \log(x)}{f} - \frac{(2ab) \text{Subst}\left(\int \frac{\sin(c + dx)}{x} dx, x, \frac{1}{x}\right)}{f} - \frac{b^2 \text{Subst}\left(\int \frac{\sin^2(c + dx)}{x} dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a^2 \log\left(f + \frac{e}{x}\right)}{f} + \frac{a^2 \log(x)}{f} - \frac{b^2 \text{Subst}\left(\int \left(\frac{1}{2x} - \frac{\cos(2c + 2dx)}{2x}\right) dx, x, \frac{1}{x}\right)}{f} + \frac{(b^2 e) \text{Subst}\left(\int \frac{\sin^2(c + dx)}{f + ex} dx, x, \frac{1}{x}\right)}{f} \\
&= \frac{a^2 \log\left(f + \frac{e}{x}\right)}{f} + \frac{b^2 \log\left(f + \frac{e}{x}\right)}{2f} + \frac{a^2 \log(x)}{f} + \frac{b^2 \log(x)}{2f} - \frac{2ab \text{Ci}\left(\frac{d}{x}\right) \sin(c)}{f} + \frac{2ab \text{Si}\left(\frac{d}{x}\right) \cos(c)}{f} \\
&= \frac{a^2 \log\left(f + \frac{e}{x}\right)}{f} + \frac{b^2 \log\left(f + \frac{e}{x}\right)}{2f} + \frac{a^2 \log(x)}{f} + \frac{b^2 \log(x)}{2f} - \frac{2ab \text{Ci}\left(\frac{d}{x}\right) \sin(c)}{f} + \frac{2ab \text{Si}\left(\frac{d}{x}\right) \cos(c)}{f} \\
&= -\frac{b^2 \cos\left(2c - \frac{2df}{e}\right) \text{Ci}\left(\frac{2d\left(f + \frac{e}{x}\right)}{e}\right)}{2f} + \frac{b^2 \cos(2c) \text{Ci}\left(\frac{2d}{x}\right)}{2f} + \frac{a^2 \log\left(f + \frac{e}{x}\right)}{f} + \frac{b^2 \log\left(f + \frac{e}{x}\right)}{2f}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 195, normalized size = 0.76

$$2a^2 \log(e + fx) + 4ab \sin\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - 4ab \sin(c) \text{Ci}\left(\frac{d}{x}\right) + 4ab \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - 4ab \cos(c) \text{Si}\left(\frac{d}{x}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b*Sin[c + d/x])^2/(e + f*x), x]

[Out] $-(b^2 \cos[2c - (2df)/e] \text{CosIntegral}[2d(f/e + x^{-1})]) + b^2 \cos[2c] \text{CosIntegral}[(2d)/x] + 2a^2 \log[e + f*x] + b^2 \log[e + f*x] - 4a*b \text{CosIntegral}[d/x] \sin[c] + 4a*b \text{CosIntegral}[d(f/e + x^{-1})] \sin[c - (df)/e] + 4a*b \cos[c - (df)/e] \text{SinIntegral}[d(f/e + x^{-1})] + b^2 \sin[2c - (2df)/e] \text{SinIntegral}[d/x]$

$f)/e)*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] - 4*a*b*\text{Cos}[c]*\text{SinIntegral}[d/x] - b^2$
 $*\text{Sin}[2*c]*\text{SinIntegral}[(2*d)/x]/(2*f)$

fricas [A] time = 0.82, size = 288, normalized size = 1.13

$$\frac{2b^2 \sin(2c) \text{Si}\left(\frac{2d}{x}\right) + 8ab \cos(c) \text{Si}\left(\frac{d}{x}\right) + 2b^2 \sin\left(-\frac{2(ce-df)}{e}\right) \text{Si}\left(\frac{2(df x+de)}{ex}\right) - 8ab \cos\left(-\frac{ce-df}{e}\right) \text{Si}\left(\frac{df x+de}{ex}\right) - \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e),x, algorithm="fricas")

[Out] $-1/4*(2*b^2*\sin(2*c)*\text{sin_integral}(2*d/x) + 8*a*b*\cos(c)*\text{sin_integral}(d/x) +$
 $2*b^2*\sin(-2*(c*e - d*f)/e)*\text{sin_integral}(2*(d*f*x + d*e)/(e*x)) - 8*a*b*\cos$
 $\text{(-}(c*e - d*f)/e)*\text{sin_integral}((d*f*x + d*e)/(e*x)) - (b^2*\cos_integral(2*d$
 $/x) + b^2*\cos_integral(-2*d/x))*\cos(2*c) + (b^2*\cos_integral(2*(d*f*x + d*e$
 $)/(e*x)) + b^2*\cos_integral(-2*(d*f*x + d*e)/(e*x))*\cos(-2*(c*e - d*f)/e)$
 $- 2*(2*a^2 + b^2)*\log(f*x + e) + 4*(a*b*\cos_integral(d/x) + a*b*\cos_integra$
 $l(-d/x))*\sin(c) + 4*(a*b*\cos_integral((d*f*x + d*e)/(e*x)) + a*b*\cos_integr$
 $al(-(d*f*x + d*e)/(e*x))*\sin(-(c*e - d*f)/e))/f$

giac [A] time = 5.03, size = 368, normalized size = 1.44

$$\frac{b^2 d \cos\left(-2\left(df - ce\right)e^{(-1)}\right) \text{Ci}\left(2\left(df - ce + \frac{cx+d}{x}\right)e^{(-1)}\right) - b^2 d \cos(2c) \text{Ci}\left(-2c + \frac{2(cx+d)}{x}\right) - 4abd \text{Ci}\left(\left(df - ce + \frac{cx+d}{x}\right)e^{(-1)}\right) - \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e),x, algorithm="giac")

[Out] $-1/2*(b^2*d*\cos(-2*(d*f - c*e)*e^{(-1)})*\cos_integral(2*(d*f - c*e + (c*x + d)$
 $)e/x)*e^{(-1)}) - b^2*d*\cos(2*c)*\cos_integral(-2*c + 2*(c*x + d)/x) - 4*a*b*$
 $d*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*\sin(-(d*f - c*e)*e^{(-1)})$
 $+ 4*a*b*d*\cos_integral(-c + (c*x + d)/x)*\sin(c) + 4*a*b*d*\cos(-(d*f - c*e)$
 $*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + b^2*d*\sin(-2*($
 $d*f - c*e)*e^{(-1)})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - b^$
 $2*d*\sin(2*c)*\sin_integral(2*c - 2*(c*x + d)/x) - 4*a*b*d*\cos(c)*\sin_integra$
 $l(c - (c*x + d)/x) - 2*a^2*d*\log(-d*f + c*e - (c*x + d)*e/x) - b^2*d*\log(-d$
 $*f + c*e - (c*x + d)*e/x) + 2*a^2*d*\log(c - (c*x + d)/x) + b^2*d*\log(c - (c$
 $*x + d)/x))/d*f$

maple [A] time = 0.10, size = 321, normalized size = 1.26

$$\frac{a^2 \ln\left(\frac{d}{x}\right)}{f} + \frac{a^2 \ln\left(e\left(c + \frac{d}{x}\right) - ce + df\right)}{f} + \frac{2ab \text{Si}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \cos\left(\frac{-ce+df}{e}\right)}{f} - \frac{2ab \text{Ci}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \sin\left(\frac{-ce+df}{e}\right)}{f} - \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(c+d/x))^2/(f*x+e),x)`

[Out] $-a^2/f*\ln(d/x)+a^2/f*\ln(e*(c+d/x)-c*e+d*f)+2*a*b/f*Si(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)-2*a*b/f*Ci(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)-2*a*b*\cos(c)*Si(d/x)/f-2*a*b*Ci(d/x)*\sin(c)/f-1/2*b^2/f*\ln(d/x)+1/2*b^2/f*\ln(e*(c+d/x)-c*e+d*f)-1/2*b^2/f*Si(2*d/x+2*c+2*(-c*e+d*f)/e)*\sin(2*(-c*e+d*f)/e)-1/2*b^2/f*Ci(2*d/x+2*c+2*(-c*e+d*f)/e)*\cos(2*(-c*e+d*f)/e)-1/2*b^2*Si(2*d/x)*\sin(2*c)/f+1/2*b^2*Ci(2*d/x)*\cos(2*c)/f$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{a^2 \log(fx + e)}{f} - \frac{\frac{1}{2} b^2 f \int \frac{\cos\left(\frac{2(cx+d)}{x}\right)}{(fx+e) \cos\left(\frac{2(cx+d)}{x}\right)^2 + (fx+e) \sin\left(\frac{2(cx+d)}{x}\right)^2} dx + \frac{1}{2} b^2 f \int \frac{\cos\left(\frac{2(cx+d)}{x}\right)}{fx+e} dx - 2 abf \int \frac{\sin\left(c+\frac{d}{x}\right)}{(fx+e) \left(\cos\left(c+\frac{d}{x}\right)\right)^2 + \sin\left(c+\frac{d}{x}\right)^2} dx}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d/x))^2/(f*x+e),x, algorithm="maxima")`

[Out] $a^2*\log(f*x + e)/f - 1/2*(2*b^2*f*\integrate(1/4*\cos(2*(c*x + d)/x)/((f*x + e)*\cos(2*(c*x + d)/x)^2 + (f*x + e)*\sin(2*(c*x + d)/x)^2), x) + 2*b^2*f*\integrate(1/4*\cos(2*(c*x + d)/x)/(f*x + e), x) - 2*a*b*f*\integrate(\sin((c*x + d)/x)/((f*x + e)*\cos((c*x + d)/x)^2 + (f*x + e)*\sin((c*x + d)/x)^2), x) - 2*a*b*f*\integrate(\sin((c*x + d)/x)/(f*x + e), x) - b^2*\log(f*x + e))/f$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d/x))^2/(e + f*x),x)`

[Out] `int((a + b*sin(c + d/x))^2/(e + f*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{e + fx} dx$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] integrate((a+b*sin(c+d/x))**2/(f*x+e),x)
```

```
[Out] Integral((a + b*sin(c + d/x))**2/(e + f*x), x)
```

$$3.297 \quad \int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + fx)^2} dx$$

Optimal. Leaf size=195

$$\frac{a^2}{e\left(\frac{e}{x} + f\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2} + \frac{2abd \sin\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(\frac{e}{x} + f\right)} - \frac{b^2 d \sin\left(2c - \frac{2df}{e}\right)}{e^2}$$

[Out] a^2/e/(f+e/x)-2*a*b*d*Ci(d*(f/e+1/x))*cos(c-d*f/e)/e^2-b^2*d*cos(2*c-2*d*f/e)*Si(2*d*(f/e+1/x))/e^2-b^2*d*Ci(2*d*(f/e+1/x))*sin(2*c-2*d*f/e)/e^2+2*a*b*d*Si(d*(f/e+1/x))*sin(c-d*f/e)/e^2+2*a*b*sin(c+d/x)/e/(f+e/x)+b^2*sin(c+d/x)^2/e/(f+e/x)

Rubi [A] time = 0.39, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 8, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {3431, 3317, 3297, 3303, 3299, 3302, 3313, 12}

$$\frac{a^2}{e\left(\frac{e}{x} + f\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2} + \frac{2abd \sin\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(\frac{e}{x} + f\right)} - \frac{b^2 d \sin\left(2c - \frac{2df}{e}\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d/x])^2/(e + f*x)^2,x]

[Out] a^2/(e*(f + e/x)) - (2*a*b*d*Cos[c - (d*f)/e]*CosIntegral[d*(f/e + x^(-1))])/e^2 - (b^2*d*CosIntegral[2*d*(f/e + x^(-1))]*Sin[2*c - (2*d*f)/e])/e^2 + (2*a*b*Sin[c + d/x])/(e*(f + e/x)) + (b^2*Sin[c + d/x]^2)/(e*(f + e/x)) + (2*a*b*d*Sin[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))])/e^2 - (b^2*d*Cos[2*c - (2*d*f)/e]*SinIntegral[2*d*(f/e + x^(-1))])/e^2

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]
```

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sine[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])
```

Rule 3431

```
Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_.), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Sine[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]
```

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + fx)^2} dx &= -\text{Subst}\left(\int \frac{(a + b \sin(c + dx))^2}{(f + ex)^2} dx, x, \frac{1}{x}\right) \\
&= -\text{Subst}\left(\int \left(\frac{a^2}{(f + ex)^2} + \frac{2ab \sin(c + dx)}{(f + ex)^2} + \frac{b^2 \sin^2(c + dx)}{(f + ex)^2}\right) dx, x, \frac{1}{x}\right) \\
&= \frac{a^2}{e\left(f + \frac{e}{x}\right)} - (2ab) \text{Subst}\left(\int \frac{\sin(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right) - b^2 \text{Subst}\left(\int \frac{\sin^2(c + dx)}{(f + ex)^2} dx, x, \frac{1}{x}\right) \\
&= \frac{a^2}{e\left(f + \frac{e}{x}\right)} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{b^2 \sin^2\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} - \frac{(2abd) \text{Subst}\left(\int \frac{\cos(c+dx)}{f+ex} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{a^2}{e\left(f + \frac{e}{x}\right)} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{b^2 \sin^2\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} - \frac{(b^2d) \text{Subst}\left(\int \frac{\sin(2c+2dx)}{f+ex} dx, x, \frac{1}{x}\right)}{e} \\
&= \frac{a^2}{e\left(f + \frac{e}{x}\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^2} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{b^2 \sin^2\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{2abd \sin\left(c - \frac{df}{e}\right) \text{Si}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^2} \\
&= \frac{a^2}{e\left(f + \frac{e}{x}\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^2} - \frac{b^2d \text{Ci}\left(\frac{2d\left(f + \frac{e}{x}\right)}{e}\right) \sin\left(2c - \frac{2df}{e}\right)}{e^2} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)} + \frac{b^2 \sin^2\left(c + \frac{d}{x}\right)}{e\left(f + \frac{e}{x}\right)}
\end{aligned}$$

Mathematica [A] time = 1.49, size = 263, normalized size = 1.35

$$\frac{2a^2e^2 + 4abdf(e + fx) \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - 4abdf^2x \sin\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right) - 4abdef \sin\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Sin[c + d/x])^2/(e + f*x)^2,x]

[Out] -1/2*(2*a^2*e^2 + b^2*e^2 + b^2*e*f*x*Cos[2*(c + d/x)] + 4*a*b*d*f*(e + f*x)*Cos[c - (d*f)/e]*CosIntegral[d*(f/e + x^(-1))]) + 2*b^2*d*f*(e + f*x)*CosIntegral[2*d*(f/e + x^(-1))]*Sin[2*c - (2*d*f)/e] - 4*a*b*e*f*x*Sin[c + d/x] - 4*a*b*d*e*f*Sin[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))] - 4*a*b*d*f^2*x*Sin[c - (d*f)/e]*SinIntegral[d*(f/e + x^(-1))] + 2*b^2*d*e*f*Cos[2*c - (2*d*f)/e]*SinIntegral[2*d*(f/e + x^(-1))] + 2*b^2*d*f^2*x*Cos[2*c - (2*d*f)/e]*SinIntegral[2*d*(f/e + x^(-1))]/(e^2*f*(e + f*x))

fricas [A] time = 0.70, size = 343, normalized size = 1.76

$$2b^2efx \cos\left(\frac{cx+d}{x}\right)^2 - 4abefx \sin\left(\frac{cx+d}{x}\right) - b^2efx + (2a^2 + b^2)e^2 + 2(b^2df^2x + b^2def) \cos\left(-\frac{2(ce-df)}{e}\right) \operatorname{Si}\left(\frac{2(df-df)}{e}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e)^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*b^2*e*f*x*\cos((c*x + d)/x)^2 - 4*a*b*e*f*x*\sin((c*x + d)/x) - b^2*e*f*x + (2*a^2 + b^2)*e^2 + 2*(b^2*d*f^2*x + b^2*d*e*f)*\cos(-2*(c*e - d*f)/e)*\sin_integral(2*(d*f*x + d*e)/(e*x)) + 4*(a*b*d*f^2*x + a*b*d*e*f)*\sin(-(c*e - d*f)/e)*\sin_integral((d*f*x + d*e)/(e*x)) + 2*((a*b*d*f^2*x + a*b*d*e*f)*\cos_integral((d*f*x + d*e)/(e*x)) + (a*b*d*f^2*x + a*b*d*e*f)*\cos_integral(-(d*f*x + d*e)/(e*x)))*\cos(-(c*e - d*f)/e) - ((b^2*d*f^2*x + b^2*d*e*f)*\cos_integral(2*(d*f*x + d*e)/(e*x)) + (b^2*d*f^2*x + b^2*d*e*f)*\cos_integral(-2*(d*f*x + d*e)/(e*x)))*\sin(-2*(c*e - d*f)/e))/(e^2*f^2*x + e^3*f)$$

giac [B] time = 0.47, size = 700, normalized size = 3.59

$$4abd^3f \cos\left(-(df - ce)e^{(-1)}\right) \operatorname{Ci}\left(\left(df - ce + \frac{(cx+d)e}{x}\right)e^{(-1)}\right) - 4abcd^2 \cos\left(-(df - ce)e^{(-1)}\right) \operatorname{Ci}\left(\left(df - ce + \frac{(cx+d)e}{x}\right)e^{(-1)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e)^2,x, algorithm="giac")

[Out]
$$-1/2*(4*a*b*d^3*f*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 4*a*b*c*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e + 2*b^2*d^3*f*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*\sin(-2*(d*f - c*e)*e^{(-1)}) - 2*b^2*c*d^2*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e*\sin(-2*(d*f - c*e)*e^{(-1)}) + 4*a*b*d^3*f*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 4*a*b*c*d^2*e*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 2*b^2*d^3*f*\cos(-2*(d*f - c*e)*e^{(-1)})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + 2*b^2*c*d^2*\cos(-2*(d*f - c*e)*e^{(-1)})*e*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + 4*(c*x + d)*a*b*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e/x + 2*(c*x + d)*b^2*d^2*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e*\sin(-2*(d*f - c*e)*e^{(-1)})/x + 4*(c*x + d)*a*b*d^2*e*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x - 2*(c*x + d)*b^2*d^2*\cos(-2*(d*f - c*e)*e^{(-1)})*e*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})$$

+ d)*e/x)*e^(-1))/x + b^2*d^2*cos(2*(c*x + d)/x)*e - 4*a*b*d^2*e*sin((c*x + d)/x) - 2*a^2*d^2*e - b^2*d^2*e)/((d*f*e^2 - c*e^3 + (c*x + d)*e^3/x)*d)

maple [A] time = 0.09, size = 308, normalized size = 1.58

$$-d \left(-\frac{a^2}{\left(e\left(c + \frac{d}{x}\right) - ce + df\right)e} + 2ab \left(-\frac{\sin\left(c + \frac{d}{x}\right)}{\left(e\left(c + \frac{d}{x}\right) - ce + df\right)e} + \frac{\operatorname{Si}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \sin\left(\frac{-ce+df}{e}\right)}{e} + \frac{\operatorname{Ci}\left(\frac{d}{x} + c + \frac{-ce+df}{e}\right) \cos\left(\frac{-ce+df}{e}\right)}{e} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*sin(c+d/x))^2/(f*x+e)^2,x)

[Out] -d*(-a^2/(e*(c+d/x)-c*e+d*f)/e+2*a*b*(-sin(c+d/x)/(e*(c+d/x)-c*e+d*f)/e+(Si(d/x+c+(-c*e+d*f)/e)*sin((-c*e+d*f)/e)/e+Ci(d/x+c+(-c*e+d*f)/e)*cos((-c*e+d*f)/e)/e)-1/2*b^2/(e*(c+d/x)-c*e+d*f)/e-1/4*b^2*(-2*cos(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)/e-2*(2*Si(2*d/x+2*c+(-c*e+d*f)/e)*cos(2*(-c*e+d*f)/e)/e-2*Ci(2*d/x+2*c+(-c*e+d*f)/e)*sin(2*(-c*e+d*f)/e)/e)/e)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e)^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + f x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*sin(c + d/x))^2/(e + f*x)^2,x)

```
[Out] int((a + b*sin(c + d/x))^2/(e + f*x)^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + fx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(c+d/x))**2/(f*x+e)**2,x)
```

```
[Out] Integral((a + b*sin(c + d/x))**2/(e + f*x)**2, x)
```

$$3.298 \quad \int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + fx)^3} dx$$

Optimal. Leaf size=470

$$\frac{a^2}{e^2 \left(\frac{e}{x} + f\right)} - \frac{a^2 f}{2e^2 \left(\frac{e}{x} + f\right)^2} - \frac{abd^2 f \sin\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^4} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^3} - \frac{abd^2 f \cos\left(c - \frac{df}{e}\right)}{e^4}$$

[Out] $-1/2*a^2*f/e^2/(f+e/x)^2+a^2/e^2/(f+e/x)+b^2*d^2*f*Ci(2*d*(f/e+1/x))*cos(2*c-2*d*f/e)/e^4-2*a*b*d*Ci(d*(f/e+1/x))*cos(c-d*f/e)/e^3-a*b*d*f*cos(c+d/x)/e^3/(f+e/x)-a*b*d^2*f*cos(c-d*f/e)*Si(d*(f/e+1/x))/e^4-b^2*d*cos(2*c-2*d*f/e)*Si(2*d*(f/e+1/x))/e^3-b^2*d*Ci(2*d*(f/e+1/x))*sin(2*c-2*d*f/e)/e^3-b^2*d^2*f*Si(2*d*(f/e+1/x))*sin(2*c-2*d*f/e)/e^4-a*b*d^2*f*Ci(d*(f/e+1/x))*sin(c-d*f/e)/e^4+2*a*b*d*Si(d*(f/e+1/x))*sin(c-d*f/e)/e^3-a*b*f*sin(c+d/x)/e^2/(f+e/x)^2+2*a*b*sin(c+d/x)/e^2/(f+e/x)-b^2*d*f*cos(c+d/x)*sin(c+d/x)/e^3/(f+e/x)-1/2*b^2*f*sin(c+d/x)^2/e^2/(f+e/x)^2+b^2*sin(c+d/x)^2/e^2/(f+e/x)$

Rubi [A] time = 0.96, antiderivative size = 470, normalized size of antiderivative = 1.00, number of steps used = 27, number of rules used = 11, integrand size = 22, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3431, 3317, 3297, 3303, 3299, 3302, 3314, 31, 3312, 3313, 12}

$$\frac{a^2}{e^2 \left(\frac{e}{x} + f\right)} - \frac{a^2 f}{2e^2 \left(\frac{e}{x} + f\right)^2} - \frac{abd^2 f \sin\left(c - \frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^4} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{CosIntegral}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Sin[c + d/x])^2/(e + f*x)^3,x]

[Out] $-(a^2*f)/(2*e^2*(f + e/x)^2) + a^2/(e^2*(f + e/x)) - (a*b*d*f*\text{Cos}[c + d/x])/(e^3*(f + e/x)) - (2*a*b*d*\text{Cos}[c - (d*f)/e]*\text{CosIntegral}[d*(f/e + x^(-1))])/e^3 + (b^2*d^2*f*\text{Cos}[2*c - (2*d*f)/e]*\text{CosIntegral}[2*d*(f/e + x^(-1))])/e^4 - (b^2*d*\text{CosIntegral}[2*d*(f/e + x^(-1))]*\text{Sin}[2*c - (2*d*f)/e])/e^3 - (a*b*d^2*f*\text{CosIntegral}[d*(f/e + x^(-1))]*\text{Sin}[c - (d*f)/e])/e^4 - (a*b*f*\text{Sin}[c + d/x])/(e^2*(f + e/x)^2) + (2*a*b*\text{Sin}[c + d/x])/(e^2*(f + e/x)) - (b^2*d*f*\text{Cos}[c + d/x]*\text{Sin}[c + d/x])/(e^3*(f + e/x)) - (b^2*f*\text{Sin}[c + d/x]^2)/(2*e^2*(f + e/x)^2) + (b^2*\text{Sin}[c + d/x]^2)/(e^2*(f + e/x)) - (a*b*d^2*f*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^(-1))])/e^4 + (2*a*b*d*\text{Sin}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^(-1))])/e^3 - (b^2*d*\text{Cos}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^(-1))])/e^3 - (b^2*d^2*f*\text{Sin}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^(-1))])/e^4$

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 31

```
Int[((a_) + (b_)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x,
x]]/b, x] /; FreeQ[{a, b}, x]
```

Rule 3297

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Simp[((
c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c
+ d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1
]
```

Rule 3299

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Simp[SinInte
gral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]
```

Rule 3302

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Simp[CosInte
gral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -
c*f, 0]
```

Rule 3303

```
Int[sin[(e_) + (f_)*(x_)]/((c_) + (d_)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3313

```
Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
```

1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3317

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])

Rule 3431

Int[((g_.) + (h_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)]^(p_.)), x_Symbol] := Dist[1/(n*f), Subst[Int[ExpandIntegrand[(a + b*Ssin[c + d*x])^p, x^(1/n - 1)*(g - (e*h)/f + (h*x^(1/n))/f)^m, x], x], x, (e + f*x)^n], x] /; FreeQ[{a, b, c, d, e, f, g, h, m}, x] && IGtQ[p, 0] && IntegerQ[1/n]

Rubi steps

$$\begin{aligned}
\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + fx)^3} dx &= -\text{Subst}\left(\int\left(-\frac{f(a + b \sin(c + dx))^2}{e(f + ex)^3} + \frac{(a + b \sin(c + dx))^2}{e(f + ex)^2}\right) dx, x, \frac{1}{x}\right) \\
&= -\frac{\text{Subst}\left(\int \frac{(a+b \sin(c+dx))^2}{(f+ex)^2} dx, x, \frac{1}{x}\right)}{e} + \frac{f \text{Subst}\left(\int \frac{(a+b \sin(c+dx))^2}{(f+ex)^3} dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{\text{Subst}\left(\int\left(\frac{a^2}{(f+ex)^2} + \frac{2ab \sin(c+dx)}{(f+ex)^2} + \frac{b^2 \sin^2(c+dx)}{(f+ex)^2}\right) dx, x, \frac{1}{x}\right)}{e} + \frac{f \text{Subst}\left(\int\left(\frac{a^2}{(f+ex)^3} + \frac{2ab \sin(c+dx)}{(f+ex)^3} + \frac{b^2 \sin^2(c+dx)}{(f+ex)^3}\right) dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{(2ab) \text{Subst}\left(\int \frac{\sin(c+dx)}{(f+ex)^2} dx, x, \frac{1}{x}\right)}{e} - \frac{b^2 \text{Subst}\left(\int \frac{\sin^2(c+dx)}{(f+ex)^2} dx, x, \frac{1}{x}\right)}{e} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{abf \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)^2} + \frac{2ab \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)} - \frac{b^2 d f \cos\left(c + \frac{d}{x}\right)}{e^3\left(f + \frac{e}{x}\right)} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{abdf \cos\left(c + \frac{d}{x}\right)}{e^3\left(f + \frac{e}{x}\right)} + \frac{b^2 d^2 f \log\left(f + \frac{e}{x}\right)}{e^4} - \frac{abf \sin\left(c + \frac{d}{x}\right)}{e^2\left(f + \frac{e}{x}\right)} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{abdf \cos\left(c + \frac{d}{x}\right)}{e^3\left(f + \frac{e}{x}\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^3} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{abdf \cos\left(c + \frac{d}{x}\right)}{e^3\left(f + \frac{e}{x}\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^3} \\
&= -\frac{a^2 f}{2e^2\left(f + \frac{e}{x}\right)^2} + \frac{a^2}{e^2\left(f + \frac{e}{x}\right)} - \frac{abdf \cos\left(c + \frac{d}{x}\right)}{e^3\left(f + \frac{e}{x}\right)} - \frac{2abd \cos\left(c - \frac{df}{e}\right) \text{Ci}\left(\frac{d\left(f + \frac{e}{x}\right)}{e}\right)}{e^3} +
\end{aligned}$$

Mathematica [A] time = 3.49, size = 740, normalized size = 1.57

$$\frac{2a^2 e^4 + 4abdf(e + fx)^2 \text{Ci}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)\left(df \sin\left(c - \frac{df}{e}\right) + 2e \cos\left(c - \frac{df}{e}\right)\right) + 4abd^2 e^2 f^2 \cos\left(c - \frac{df}{e}\right) \text{Si}\left(d\left(\frac{f}{e} + \frac{1}{x}\right)\right)}{e^4}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*SIN[c + d/x])^2/(e + f*x)^3,x]

[Out]
$$\begin{aligned} & -1/4*(2*a^2*e^4 + b^2*e^4 + 4*a*b*d*e^2*f^2*x*\text{Cos}[c + d/x] + 4*a*b*d*e*f^3*x^2*\text{Cos}[c + d/x] + 2*b^2*e^3*f*x*\text{Cos}[2*(c + d/x)] + b^2*e^2*f^2*x^2*\text{Cos}[2*(c + d/x)] - 4*b^2*d*f*(e + f*x)^2*\text{CosIntegral}[2*d*(f/e + x^{(-1)})]*(d*f*\text{Cos}[2*c - (2*d*f)/e] - e*\text{Sin}[2*c - (2*d*f)/e]) + 4*a*b*d*f*(e + f*x)^2*\text{CosIntegral}[d*(f/e + x^{(-1)})]*(2*e*\text{Cos}[c - (d*f)/e] + d*f*\text{Sin}[c - (d*f)/e]) - 8*a*b*e^3*f*x*\text{Sin}[c + d/x] - 4*a*b*e^2*f^2*x^2*\text{Sin}[c + d/x] + 2*b^2*d*e^2*f^2*x*\text{Sin}[2*(c + d/x)] + 2*b^2*d*e*f^3*x^2*\text{Sin}[2*(c + d/x)] + 4*a*b*d^2*e^2*f^2*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] + 8*a*b*d^2*e*f^3*x*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] + 4*a*b*d^2*f^4*x^2*\text{Cos}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] - 8*a*b*d*e^3*f*\text{Sin}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] - 16*a*b*d*e^2*f^2*x*\text{Sin}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] - 8*a*b*d*e*f^3*x^2*\text{Sin}[c - (d*f)/e]*\text{SinIntegral}[d*(f/e + x^{(-1)})] + 4*b^2*d*e^3*f*\text{Cos}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] + 8*b^2*d*e^2*f^2*x*\text{Cos}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] + 4*b^2*d*e*f^3*x^2*\text{Cos}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] + 4*b^2*d^2*e^2*f^2*\text{Sin}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] + 8*b^2*d^2*e*f^3*x*\text{Sin}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})] + 4*b^2*d^2*f^4*x^2*\text{Sin}[2*c - (2*d*f)/e]*\text{SinIntegral}[2*d*(f/e + x^{(-1)})])/(e^4*f*(e + f*x)^2) \end{aligned}$$

fricas [A] time = 0.88, size = 926, normalized size = 1.97

$$b^2e^2f^2x^2 + 2b^2e^3fx - (2a^2 + b^2)e^4 - 2(b^2e^2f^2x^2 + 2b^2e^3fx)\cos\left(\frac{cx+d}{x}\right)^2 - 4\left((abdef^3x^2 + 2abde^2f^2x + abde^3f\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e)^3,x, algorithm="fricas")

[Out]
$$\begin{aligned} & 1/4*(b^2*e^2*f^2*x^2 + 2*b^2*e^3*f*x - (2*a^2 + b^2)*e^4 - 2*(b^2*e^2*f^2*x^2 + 2*b^2*e^3*f*x)*\text{cos}((c*x + d)/x)^2 - 4*((a*b*d*e*f^3*x^2 + 2*a*b*d*e^2*f^2*x + a*b*d*e^3*f)*\text{cos_integral}((d*f*x + d*e)/(e*x)) + (a*b*d*e*f^3*x^2 + 2*a*b*d*e^2*f^2*x + a*b*d*e^3*f)*\text{cos_integral}(-(d*f*x + d*e)/(e*x)) + (a*b*d^2*f^4*x^2 + 2*a*b*d^2*e*f^3*x + a*b*d^2*e^2*f^2)*\text{sin_integral}((d*f*x + d*e)/(e*x))) * \text{cos}(-(c*e - d*f)/e) + 2*((b^2*d^2*f^4*x^2 + 2*b^2*d^2*e*f^3*x + b^2*d^2*e^2*f^2)*\text{cos_integral}(2*(d*f*x + d*e)/(e*x)) + (b^2*d^2*f^4*x^2 + 2*b^2*d^2*e*f^3*x + b^2*d^2*e^2*f^2)*\text{cos_integral}(-2*(d*f*x + d*e)/(e*x)) - 2*(b^2*d*e*f^3*x^2 + 2*b^2*d*e^2*f^2*x + b^2*d*e^3*f)*\text{sin_integral}(2*(d*f*x + d*e)/(e*x))) * \text{cos}(-2*(c*e - d*f)/e) - 4*(a*b*d*e*f^3*x^2 + a*b*d*e^2*f^2*x)*\text{cos}((c*x + d)/x) + 2*((a*b*d^2*f^4*x^2 + 2*a*b*d^2*e*f^3*x + a*b*d^2*e^2*f^2)*\text{cos_integral}((d*f*x + d*e)/(e*x)) + (a*b*d^2*f^4*x^2 + 2*a*b*d^2*e*f^3*x + a*b*d^2*e^2*f^2)*\text{cos_integral}(-(d*f*x + d*e)/(e*x)) - 4*(a*b*d*e*f^3*x^2 + 2*a*b*d*e^2*f^2*x + a*b*d*e^3*f)*\text{sin_integral}((d*f*x + d*e)/(e*x))) * \end{aligned}$$

$$\begin{aligned} & \sin(-(c*e - d*f)/e) + 2*((b^2*d*e*f^3*x^2 + 2*b^2*d*e^2*f^2*x + b^2*d*e^3*f) \\ &)*\cos_integral(2*(d*f*x + d*e)/(e*x)) + (b^2*d*e*f^3*x^2 + 2*b^2*d*e^2*f^2*x \\ & + b^2*d*e^3*f)*\cos_integral(-2*(d*f*x + d*e)/(e*x)) + 2*(b^2*d^2*f^4*x^2 \\ & + 2*b^2*d^2*e*f^3*x + b^2*d^2*e^2*f^2)*\sin_integral(2*(d*f*x + d*e)/(e*x)) \\ & *\sin(-2*(c*e - d*f)/e) + 4*(a*b*e^2*f^2*x^2 + 2*a*b*e^3*f*x - (b^2*d*e*f^3*x^2 \\ & + b^2*d*e^2*f^2*x)*\cos((c*x + d)/x))*\sin((c*x + d)/x))/(e^4*f^3*x^2 + 2 \\ & *e^5*f^2*x + e^6*f) \end{aligned}$$

giac [B] time = 0.62, size = 3062, normalized size = 6.51

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*sin(c+d/x))^2/(f*x+e)^3,x, algorithm="giac")

[Out] $\frac{1}{4}*(4*b^2*d^5*f^3*\cos(-2*(d*f - c*e)*e^{-1})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1}) - 8*b^2*c*d^4*f^2*\cos(-2*(d*f - c*e)*e^{-1})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})*e - 4*a*b*d^5*f^3*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*\sin(-(d*f - c*e)*e^{-1}) + 8*a*b*c*d^4*f^2*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*e*\sin(-(d*f - c*e)*e^{-1}) + 4*a*b*d^5*f^3*\cos(-(d*f - c*e)*e^{-1})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1}) - 8*a*b*c*d^4*f^2*\cos(-(d*f - c*e)*e^{-1})*e*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 4*b^2*d^5*f^3*\sin(-2*(d*f - c*e)*e^{-1})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{-1}) - 8*b^2*c*d^4*f^2*e*\sin(-2*(d*f - c*e)*e^{-1})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 4*b^2*c^2*d^3*f*\cos(-2*(d*f - c*e)*e^{-1})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})*e^2 + 8*(c*x + d)*b^2*d^4*f^2*\cos(-2*(d*f - c*e)*e^{-1})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})*e/x - 8*a*b*d^4*f^2*\cos(-(d*f - c*e)*e^{-1})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*e - 4*a*b*c^2*d^3*f*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*e^2*\sin(-(d*f - c*e)*e^{-1}) - 8*(c*x + d)*a*b*d^4*f^2*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*e*\sin(-(d*f - c*e)*e^{-1})/x - 4*b^2*d^4*f^2*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})*e*\sin(-2*(d*f - c*e)*e^{-1}) + 4*a*b*c^2*d^3*f*\cos(-(d*f - c*e)*e^{-1})*e^2*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 8*(c*x + d)*a*b*d^4*f^2*\cos(-(d*f - c*e)*e^{-1})*e*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1})/x - 8*a*b*d^4*f^2*e*\sin(-(d*f - c*e)*e^{-1})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 4*b^2*d^4*f^2*\cos(-2*(d*f - c*e)*e^{-1})*e*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 4*b^2*c^2*d^3*f*e^2*\sin(-2*(d*f - c*e)*e^{-1})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{-1}) + 8*(c*x + d)*b^2*d^4*f^2*e*\sin(-2*(d*f - c*e)*e^{-1})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})/x - 8*(c*x + d)*b^2*c*d^3*f*\cos(-2*(d*f - c*e)*e^{-1})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{-1})*e^2/x + 16*a*b*c*d^3*f*\cos(-(d*f - c*e)*e^{-1})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{-1})*e^2 - 4*a*b*d^4*f^2*\cos((c*x + d)/x)*e + 8*(c*x + d)*a*b*c*d^3*f*\cos_integral((d*f - c*e + ($

$$\begin{aligned}
& c*x + d)*e/x)*e^{(-1)})*e^2*\sin(-(d*f - c*e)*e^{(-1)})/x + 8*b^2*c*d^3*f*\cos_in \\
& tegral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^2*\sin(-2*(d*f - c*e)*e^{(-1)}) \\
& - 2*b^2*d^4*f^2*e*\sin(2*(c*x + d)/x) - 8*(c*x + d)*a*b*c*d^3*f*\cos(-(d*f - \\
& c*e)*e^{(-1)})*e^2*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x + 16* \\
& a*b*c*d^3*f*e^2*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + \\
& d)*e/x)*e^{(-1)}) - 8*b^2*c*d^3*f*\cos(-2*(d*f - c*e)*e^{(-1)})*e^2*\sin_integral \\
& (-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) - 8*(c*x + d)*b^2*c*d^3*f*e^2*\sin(- \\
& 2*(d*f - c*e)*e^{(-1)})*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x \\
& - 8*a*b*c^2*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + \\
& d)*e/x)*e^{(-1)})*e^3 + 4*a*b*c*d^3*f*\cos((c*x + d)/x)*e^2 + 4*(c*x + d)^2*b^ \\
& 2*d^3*f*\cos(-2*(d*f - c*e)*e^{(-1)})*\cos_integral(2*(d*f - c*e + (c*x + d)*e/ \\
& x)*e^{(-1)})*e^2/x^2 - 16*(c*x + d)*a*b*d^3*f*\cos(-(d*f - c*e)*e^{(-1)})*\cos_in \\
& tegral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^2/x - 4*(c*x + d)^2*a*b*d^3*f* \\
& \cos_integral((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^2*\sin(-(d*f - c*e)*e^{(-1 \\
&))/x^2 - 4*b^2*c^2*d^2*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e \\
& ^3*\sin(-2*(d*f - c*e)*e^{(-1)}) - 8*(c*x + d)*b^2*d^3*f*\cos_integral(2*(d*f - \\
& c*e + (c*x + d)*e/x)*e^{(-1)})*e^2*\sin(-2*(d*f - c*e)*e^{(-1)})/x + 2*b^2*c*d^ \\
& 3*f*e^2*\sin(2*(c*x + d)/x) + 4*(c*x + d)^2*a*b*d^3*f*\cos(-(d*f - c*e)*e^{(-1 \\
&))*e^2*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x^2 - 8*a*b*c^2*d^ \\
& 2*e^3*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + d)*e/x)*e^ \\
& (-1)) - 16*(c*x + d)*a*b*d^3*f*e^2*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(\\
& d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x + 4*b^2*c^2*d^2*\cos(-2*(d*f - c*e)*e^{(\\
& -1)})*e^3*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)}) + 8*(c*x + d)* \\
& b^2*d^3*f*\cos(-2*(d*f - c*e)*e^{(-1)})*e^2*\sin_integral(-2*(d*f - c*e + (c*x \\
& + d)*e/x)*e^{(-1)})/x + 4*(c*x + d)^2*b^2*d^3*f*e^2*\sin(-2*(d*f - c*e)*e^{(-1 \\
&))*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x^2 + 16*(c*x + d)*a* \\
& b*c*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral((d*f - c*e + (c*x + d)*e/x)*e \\
& ^(-1))*e^3/x - b^2*d^3*f*\cos(2*(c*x + d)/x)*e^2 - 4*(c*x + d)*a*b*d^3*f*\cos \\
& ((c*x + d)/x)*e^2/x + 8*(c*x + d)*b^2*c*d^2*\cos_integral(2*(d*f - c*e + (c* \\
& x + d)*e/x)*e^{(-1)})*e^3*\sin(-2*(d*f - c*e)*e^{(-1)})/x - 2*(c*x + d)*b^2*d^3* \\
& f*e^2*\sin(2*(c*x + d)/x)/x + 4*a*b*d^3*f*e^2*\sin((c*x + d)/x) + 16*(c*x + d \\
&)*a*b*c*d^2*e^3*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c*e + (c*x + \\
& d)*e/x)*e^{(-1)})/x - 8*(c*x + d)*b^2*c*d^2*\cos(-2*(d*f - c*e)*e^{(-1)})*e^3*si \\
& n_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x + 2*b^2*c*d^2*\cos(2*(c* \\
& x + d)/x)*e^3 - 8*(c*x + d)^2*a*b*d^2*\cos(-(d*f - c*e)*e^{(-1)})*\cos_integral \\
& ((d*f - c*e + (c*x + d)*e/x)*e^{(-1)})*e^3/x^2 + 2*a^2*d^3*f*e^2 + b^2*d^3*f* \\
& e^2 - 4*(c*x + d)^2*b^2*d^2*\cos_integral(2*(d*f - c*e + (c*x + d)*e/x)*e^{(- \\
& 1))*e^3*\sin(-2*(d*f - c*e)*e^{(-1)})/x^2 - 8*a*b*c*d^2*e^3*\sin((c*x + d)/x) - \\
& 8*(c*x + d)^2*a*b*d^2*e^3*\sin(-(d*f - c*e)*e^{(-1)})*\sin_integral(-(d*f - c* \\
& e + (c*x + d)*e/x)*e^{(-1)})/x^2 + 4*(c*x + d)^2*b^2*d^2*\cos(-2*(d*f - c*e)*e \\
& ^(-1))*e^3*\sin_integral(-2*(d*f - c*e + (c*x + d)*e/x)*e^{(-1)})/x^2 - 4*a^2* \\
& c*d^2*e^3 - 2*b^2*c*d^2*e^3 - 2*(c*x + d)*b^2*d^2*\cos(2*(c*x + d)/x)*e^3/x \\
& + 8*(c*x + d)*a*b*d^2*e^3*\sin((c*x + d)/x)/x + 4*(c*x + d)*a^2*d^2*e^3/x + \\
& 2*(c*x + d)*b^2*d^2*e^3/x)/((d^2*f^2*e^4 - 2*c*d*f*e^5 + c^2*e^6 + 2*(c*x + \\
& d)*d*f*e^5/x - 2*(c*x + d)*c*e^6/x + (c*x + d)^2*e^6/x^2)*d)
\end{aligned}$$

maple [B] time = 0.10, size = 1124, normalized size = 2.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*sin(c+d/x))^2/(f*x+e)^3,x)`

[Out]
$$-d*(-a^2/e^2/(e*(c+d/x)-c*e+d*f)-1/2*a^2*(c*e-d*f)/e^2/(e*(c+d/x)-c*e+d*f)^2+2*(c*e-d*f)/e*a*b*(-1/2*\sin(c+d/x)/(e*(c+d/x)-c*e+d*f)^2/e+1/2*(-\cos(c+d/x)/(e*(c+d/x)-c*e+d*f)/e-(\operatorname{Si}(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)/e-\operatorname{Ci}(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)/e)+2*a*b/e*(-\sin(c+d/x)/(e*(c+d/x)-c*e+d*f)/e+(\operatorname{Si}(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)/e+\operatorname{Ci}(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)/e)-1/2*b^2/e^2/(e*(c+d/x)-c*e+d*f)-1/4*(c*e-d*f)/e^2*b^2/(e*(c+d/x)-c*e+d*f)^2-1/4*(c*e-d*f)/e*b^2*(-\cos(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)^2/e-(-2*\sin(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)/e+2*(2*\operatorname{Si}(2*d/x+2*c+2*(-c*e+d*f)/e)*\sin(2*(-c*e+d*f)/e)/e+2*\operatorname{Ci}(2*d/x+2*c+2*(-c*e+d*f)/e)*\cos(2*(-c*e+d*f)/e)/e)/e)-1/4*b^2/e*(-2*\cos(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)/e-2*(2*\operatorname{Si}(2*d/x+2*c+2*(-c*e+d*f)/e)*\cos(2*(-c*e+d*f)/e)/e-2*\operatorname{Ci}(2*d/x+2*c+2*(-c*e+d*f)/e)*\sin(2*(-c*e+d*f)/e)/e)/e)+1/2*c*a^2/(e*(c+d/x)-c*e+d*f)^2/e-2*c*a*b*(-1/2*\sin(c+d/x)/(e*(c+d/x)-c*e+d*f)^2/e+1/2*(-\cos(c+d/x)/(e*(c+d/x)-c*e+d*f)/e-(\operatorname{Si}(d/x+c+(-c*e+d*f)/e)*\cos((-c*e+d*f)/e)/e-\operatorname{Ci}(d/x+c+(-c*e+d*f)/e)*\sin((-c*e+d*f)/e)/e)/e)+1/4*c*b^2/(e*(c+d/x)-c*e+d*f)^2/e+1/4*c*b^2*(-\cos(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)^2/e-(-2*\sin(2*d/x+2*c)/(e*(c+d/x)-c*e+d*f)/e+2*(2*\operatorname{Si}(2*d/x+2*c+2*(-c*e+d*f)/e)*\sin(2*(-c*e+d*f)/e)/e+2*\operatorname{Ci}(2*d/x+2*c+2*(-c*e+d*f)/e)*\cos(2*(-c*e+d*f)/e)/e)/e))$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*sin(c+d/x))^2/(f*x+e)^3,x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2}{(e + f x)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*sin(c + d/x))^2/(e + f*x)^3,x)`

```
[Out] int((a + b*sin(c + d/x))^2/(e + f*x)^3, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*sin(c+d/x))**2/(f*x+e)**3,x)
```

```
[Out] Timed out
```


$$3.299 \quad \int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)}, x\right)$$

[Out] Unintegrable((f*x+e)^2/(a+b*sin(c+d/x)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

[Out] Defer[Int] [(e + f*x)^2/(a + b*Sin[c + d/x]), x]

Rubi steps

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx = \int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Mathematica [A] time = 1.07, size = 0, normalized size = 0.00

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

[Out] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

fricas [A] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{f^2 x^2 + 2 e f x + e^2}{b \sin\left(\frac{c x + d}{x}\right) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] integral((f^2*x^2 + 2*e*f*x + e^2)/(b*sin((c*x + d)/x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] integrate((f*x + e)^2/(b*sin(c + d/x) + a), x)

maple [A] time = 1.52, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2/(a+b*sin(c+d/x)),x)

[Out] int((f*x+e)^2/(a+b*sin(c+d/x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="maxima")

[Out] integrate((f*x + e)^2/(b*sin(c + d/x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e + f x)^2}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2/(a + b*sin(c + d/x)),x)

[Out] int((e + f*x)^2/(a + b*sin(c + d/x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2/(a+b*sin(c+d/x)),x)

[Out] Timed out

$$3.300 \quad \int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)}, x\right)$$

[Out] Unintegrable((f*x+e)/(a+b*sin(c+d/x)), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)/(a + b*Sin[c + d/x]), x]

[Out] Defer[Int] [(e + f*x)/(a + b*Sin[c + d/x]), x]

Rubi steps

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx = \int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Mathematica [A] time = 0.58, size = 0, normalized size = 0.00

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)/(a + b*Sin[c + d/x]), x]

[Out] Integrate[(e + f*x)/(a + b*Sin[c + d/x]), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx + e}{b \sin\left(\frac{cx+d}{x}\right) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] integral((f*x + e)/(b*sin((c*x + d)/x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a), x)

maple [A] time = 1.43, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)/(a+b*sin(c+d/x)),x)

[Out] int((f*x+e)/(a+b*sin(c+d/x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="maxima")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{e + f x}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e + f*x)/(a + b*sin(c + d/x)),x)
```

```
[Out] int((e + f*x)/(a + b*sin(c + d/x)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x)
```

```
[Out] Timed out
```

$$3.301 \quad \int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{a+b \sin\left(c+\frac{d}{x}\right)}, x\right)$$

[Out] Unintegrable(1/(a+b*sin(c+d/x)), x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d/x])^(-1), x]

[Out] Defer[Int][(a + b*Sin[c + d/x])^(-1), x]

Rubi steps

$$\int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx = \int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Mathematica [A] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{1}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d/x])^(-1), x]

[Out] Integrate[(a + b*Sin[c + d/x])^(-1), x]

fricas [A] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{1}{b \sin \left(\frac{cx+d}{x} \right) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] integral(1/(b*sin((c*x + d)/x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin \left(c + \frac{d}{x} \right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] integrate(1/(b*sin(c + d/x) + a), x)

maple [A] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin \left(c + \frac{d}{x} \right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(c+d/x)),x)

[Out] int(1/(a+b*sin(c+d/x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{b \sin \left(c + \frac{d}{x} \right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x)),x, algorithm="maxima")

[Out] integrate(1/(b*sin(c + d/x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d/x)),x)

[Out] int(1/(a + b*sin(c + d/x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x)),x)

[Out] Integral(1/(a + b*sin(c + d/x)), x)

$$3.302 \quad \int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)}, x\right)$$

[Out] Unintegrable((f*x+e)/(a+b*sin(c+d/x)), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)/(a + b*Sin[c + d/x]), x]

[Out] Defer[Int] [(e + f*x)/(a + b*Sin[c + d/x]), x]

Rubi steps

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx = \int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Mathematica [A] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{e+fx}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)/(a + b*Sin[c + d/x]), x]

[Out] Integrate[(e + f*x)/(a + b*Sin[c + d/x]), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{fx + e}{b \sin\left(\frac{cx+d}{x}\right) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] integral((f*x + e)/(b*sin((c*x + d)/x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a), x)

maple [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)/(a+b*sin(c+d/x)),x)

[Out] int((f*x+e)/(a+b*sin(c+d/x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x)),x, algorithm="maxima")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{e + f x}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e + f*x)/(a + b*sin(c + d/x)),x)`

[Out] `int((e + f*x)/(a + b*sin(c + d/x)), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((f*x+e)/(a+b*sin(c+d/x)),x)`

[Out] Timed out

$$3.303 \quad \int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)}, x\right)$$

[Out] Unintegrable((f*x+e)^2/(a+b*sin(c+d/x)), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

[Out] Defer[Int] [(e + f*x)^2/(a + b*Sin[c + d/x]), x]

Rubi steps

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx = \int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Mathematica [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{(e+fx)^2}{a+b \sin\left(c+\frac{d}{x}\right)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

[Out] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x]), x]

fricas [A] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{f^2 x^2 + 2 e f x + e^2}{b \sin\left(\frac{c x + d}{x}\right) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="fricas")

[Out] integral((f^2*x^2 + 2*e*f*x + e^2)/(b*sin((c*x + d)/x) + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="giac")

[Out] integrate((f*x + e)^2/(b*sin(c + d/x) + a), x)

maple [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2/(a+b*sin(c+d/x)),x)

[Out] int((f*x+e)^2/(a+b*sin(c+d/x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{b \sin\left(c + \frac{d}{x}\right) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x)),x, algorithm="maxima")

[Out] integrate((f*x + e)^2/(b*sin(c + d/x) + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e + f x)^2}{a + b \sin\left(c + \frac{d}{x}\right)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2/(a + b*sin(c + d/x)),x)

[Out] int((e + f*x)^2/(a + b*sin(c + d/x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2/(a+b*sin(c+d/x)),x)

[Out] Timed out

$$3.304 \quad \int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}, x\right)$$

[Out] Unintegrable((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^2/(a + b*Sin[c + d/x])^2,x]

[Out] Defer[Int] [(e + f*x)^2/(a + b*Sin[c + d/x])^2, x]

Rubi steps

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx = \int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Mathematica [A] time = 126.31, size = 0, normalized size = 0.00

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x])^2,x]

[Out] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x])^2, x]

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{f^2 x^2 + 2 e f x + e^2}{b^2 \cos\left(\frac{c x + d}{x}\right)^2 - 2 a b \sin\left(\frac{c x + d}{x}\right) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] integral(-(f^2*x^2 + 2*e*f*x + e^2)/(b^2*cos((c*x + d)/x)^2 - 2*a*b*sin((c*x + d)/x) - a^2 - b^2), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] Timed out

maple [A] time = 5.01, size = 0, normalized size = 0.00

$$\int \frac{(f x + e)^2}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

[Out] int((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e + f x)^2}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2/(a + b*sin(c + d/x))^2,x)

[Out] int((e + f*x)^2/(a + b*sin(c + d/x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2/(a+b*sin(c+d/x))**2,x)

[Out] Timed out

$$3.305 \quad \int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}, x\right)$$

[Out] Unintegrable((f*x+e)/(a+b*sin(c+d/x))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)/(a + b*Sin[c + d/x])^2,x]

[Out] Defer[Int][(e + f*x)/(a + b*Sin[c + d/x])^2, x]

Rubi steps

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx = \int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Mathematica [A] time = 19.40, size = 0, normalized size = 0.00

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)/(a + b*Sin[c + d/x])^2,x]

[Out] Integrate[(e + f*x)/(a + b*Sin[c + d/x])^2, x]

fricas [A] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{fx + e}{b^2 \cos\left(\frac{cx+d}{x}\right)^2 - 2ab \sin\left(\frac{cx+d}{x}\right) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] integral(-(f*x + e)/(b^2*cos((c*x + d)/x)^2 - 2*a*b*sin((c*x + d)/x) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{\left(b \sin\left(c + \frac{d}{x}\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a)^2, x)

maple [A] time = 3.79, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)/(a+b*sin(c+d/x))^2,x)

[Out] int((f*x+e)/(a+b*sin(c+d/x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] -(2*(a*b*f*x^3 + a*b*e*x^2)*cos(2*(c*x + d)/x)*cos((c*x + d)/x) + 2*(a*b*f*x^3 + a*b*e*x^2)*cos((c*x + d)/x) + ((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2

```

+ 4*(a^4 - a^2*b^2)*d*cos((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x +
d)/x)*sin(2*(c*x + d)/x) + (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4
- a^2*b^2)*d*sin((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a
^2*b^2 - b^4)*d - 2*(2*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)
*d)*cos(2*(c*x + d)/x))*integrate(-2*(2*(a^2*d*f*x + a^2*d*e)*cos((c*x + d)
/x)^2 + 2*(a^2*d*f*x + a^2*d*e)*sin((c*x + d)/x)^2 + ((3*a*b*f*x^2 + 2*a*b*
e*x)*cos((c*x + d)/x) - (a*b*d*f*x + a*b*d*e)*sin((c*x + d)/x))*cos(2*(c*x
+ d)/x) + (3*a*b*f*x^2 + 2*a*b*e*x)*cos((c*x + d)/x) + (3*b^2*f*x^2 + 2*b^2
*e*x + (a*b*d*f*x + a*b*d*e)*cos((c*x + d)/x) + (3*a*b*f*x^2 + 2*a*b*e*x)*s
in((c*x + d)/x))*sin(2*(c*x + d)/x) + (a*b*d*f*x + a*b*d*e)*sin((c*x + d)/x
))/((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*cos((c*x +
d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*(c*x + d)/x) + (a^2*b
^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*sin((c*x + d)/x)^2 +
4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a^3*b - a
*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c*x + d)/x)), x) + 2*(
b^2*f*x^3 + b^2*e*x^2 + (a*b*f*x^3 + a*b*e*x^2)*sin((c*x + d)/x))*sin(2*(c*
x + d)/x))/((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*co
s((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*(c*x + d)/x)
+ (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*sin((c*x + d
)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a
^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c*x + d)/x))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{e + f x}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)/(a + b*sin(c + d/x))^2, x)

[Out] int((e + f*x)/(a + b*sin(c + d/x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))**2, x)

[Out] Timed out

$$3.306 \quad \int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}, x\right)$$

[Out] Unintegrable(1/(a+b*sin(c+d/x))^2,x)

Rubi [A] time = 0.01, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(a + b*Sin[c + d/x])^(-2), x]

[Out] Defer[Int][(a + b*Sin[c + d/x])^(-2), x]

Rubi steps

$$\int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx = \int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Mathematica [A] time = 3.37, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b*Sin[c + d/x])^(-2), x]

[Out] Integrate[(a + b*Sin[c + d/x])^(-2), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{1}{b^2 \cos\left(\frac{cx+d}{x}\right)^2 - 2ab \sin\left(\frac{cx+d}{x}\right) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] integral(-1/(b^2*cos((c*x + d)/x)^2 - 2*a*b*sin((c*x + d)/x) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(b \sin\left(c + \frac{d}{x}\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] integrate((b*sin(c + d/x) + a)^(-2), x)

maple [A] time = 3.13, size = 0, normalized size = 0.00

$$\int \frac{1}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*sin(c+d/x))^2,x)

[Out] int(1/(a+b*sin(c+d/x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] -(2*a*b*x^2*cos(2*(c*x + d)/x)*cos((c*x + d)/x) + 2*a*b*x^2*cos((c*x + d)/x) + ((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*cos((c*x

```

+ d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*(c*x + d)/x) + (a^2*
b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*sin((c*x + d)/x)^2
+ 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a^3*b -
a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c*x + d)/x))*integrat
e(-2*(2*a^2*d*cos((c*x + d)/x)^2 + 2*a^2*d*sin((c*x + d)/x)^2 + 2*a*b*x*cos
((c*x + d)/x) + a*b*d*sin((c*x + d)/x) + (2*a*b*x*cos((c*x + d)/x) - a*b*d*
sin((c*x + d)/x))*cos(2*(c*x + d)/x) + (a*b*d*cos((c*x + d)/x) + 2*a*b*x*si
n((c*x + d)/x) + 2*b^2*x)*sin(2*(c*x + d)/x))/((a^2*b^2 - b^4)*d*cos(2*(c*x
+ d)/x)^2 + 4*(a^4 - a^2*b^2)*d*cos((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*c
os((c*x + d)/x)*sin(2*(c*x + d)/x) + (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2
+ 4*(a^4 - a^2*b^2)*d*sin((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x +
d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*
b^2 - b^4)*d)*cos(2*(c*x + d)/x)), x) + 2*(a*b*x^2*sin((c*x + d)/x) + b^2*x
^2)*sin(2*(c*x + d)/x))/((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 -
a^2*b^2)*d*cos((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*
(c*x + d)/x) + (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d
*sin((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4
)*d - 2*(2*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c
*x + d)/x))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + b*sin(c + d/x))^2,x)

[Out] int(1/(a + b*sin(c + d/x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*sin(c+d/x))**2,x)

[Out] Timed out

$$3.307 \quad \int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}, x\right)$$

[Out] Unintegrable((f*x+e)/(a+b*sin(c+d/x))^2,x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)/(a + b*Sin[c + d/x])^2,x]

[Out] Defer[Int][(e + f*x)/(a + b*Sin[c + d/x])^2, x]

Rubi steps

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx = \int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Mathematica [A] time = 2.93, size = 0, normalized size = 0.00

$$\int \frac{e+fx}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)/(a + b*Sin[c + d/x])^2,x]

[Out] Integrate[(e + f*x)/(a + b*Sin[c + d/x])^2, x]

fricas [A] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{fx + e}{b^2 \cos\left(\frac{cx+d}{x}\right)^2 - 2ab \sin\left(\frac{cx+d}{x}\right) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] integral(-(f*x + e)/(b^2*cos((c*x + d)/x)^2 - 2*a*b*sin((c*x + d)/x) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{\left(b \sin\left(c + \frac{d}{x}\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] integrate((f*x + e)/(b*sin(c + d/x) + a)^2, x)

maple [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)/(a+b*sin(c+d/x))^2,x)

[Out] int((f*x+e)/(a+b*sin(c+d/x))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] -(2*(a*b*f*x^3 + a*b*e*x^2)*cos(2*(c*x + d)/x)*cos((c*x + d)/x) + 2*(a*b*f*x^3 + a*b*e*x^2)*cos((c*x + d)/x) + ((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2

```

+ 4*(a^4 - a^2*b^2)*d*cos((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x +
d)/x)*sin(2*(c*x + d)/x) + (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4
- a^2*b^2)*d*sin((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a
^2*b^2 - b^4)*d - 2*(2*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)
*d)*cos(2*(c*x + d)/x))*integrate(-2*(2*(a^2*d*f*x + a^2*d*e)*cos((c*x + d)
/x)^2 + 2*(a^2*d*f*x + a^2*d*e)*sin((c*x + d)/x)^2 + ((3*a*b*f*x^2 + 2*a*b*
e*x)*cos((c*x + d)/x) - (a*b*d*f*x + a*b*d*e)*sin((c*x + d)/x))*cos(2*(c*x
+ d)/x) + (3*a*b*f*x^2 + 2*a*b*e*x)*cos((c*x + d)/x) + (3*b^2*f*x^2 + 2*b^2
*e*x + (a*b*d*f*x + a*b*d*e)*cos((c*x + d)/x) + (3*a*b*f*x^2 + 2*a*b*e*x)*s
in((c*x + d)/x))*sin(2*(c*x + d)/x) + (a*b*d*f*x + a*b*d*e)*sin((c*x + d)/x
))/((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*cos((c*x +
d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*(c*x + d)/x) + (a^2*b
^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*sin((c*x + d)/x)^2 +
4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a^3*b - a
*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c*x + d)/x)), x) + 2*(
b^2*f*x^3 + b^2*e*x^2 + (a*b*f*x^3 + a*b*e*x^2)*sin((c*x + d)/x))*sin(2*(c*
x + d)/x))/((a^2*b^2 - b^4)*d*cos(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*co
s((c*x + d)/x)^2 + 4*(a^3*b - a*b^3)*d*cos((c*x + d)/x)*sin(2*(c*x + d)/x)
+ (a^2*b^2 - b^4)*d*sin(2*(c*x + d)/x)^2 + 4*(a^4 - a^2*b^2)*d*sin((c*x + d
)/x)^2 + 4*(a^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d - 2*(2*(a
^3*b - a*b^3)*d*sin((c*x + d)/x) + (a^2*b^2 - b^4)*d)*cos(2*(c*x + d)/x))

```

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{e + f x}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)/(a + b*sin(c + d/x))^2, x)

[Out] int((e + f*x)/(a + b*sin(c + d/x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*sin(c+d/x))**2, x)

[Out] Timed out

$$3.308 \quad \int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Optimal. Leaf size=25

$$\text{Int}\left(\frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2}, x\right)$$

[Out] Unintegrable((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^2/(a + b*Sin[c + d/x])^2,x]

[Out] Defer[Int] [(e + f*x)^2/(a + b*Sin[c + d/x])^2, x]

Rubi steps

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx = \int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Mathematica [A] time = 113.16, size = 0, normalized size = 0.00

$$\int \frac{(e+fx)^2}{\left(a+b \sin\left(c+\frac{d}{x}\right)\right)^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x])^2,x]

[Out] Integrate[(e + f*x)^2/(a + b*Sin[c + d/x])^2, x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral} \left(-\frac{f^2 x^2 + 2efx + e^2}{b^2 \cos\left(\frac{cx+d}{x}\right)^2 - 2ab \sin\left(\frac{cx+d}{x}\right) - a^2 - b^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="fricas")

[Out] integral(-(f^2*x^2 + 2*e*f*x + e^2)/(b^2*cos((c*x + d)/x)^2 - 2*a*b*sin((c*x + d)/x) - a^2 - b^2), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx + e)^2}{\left(b \sin\left(c + \frac{d}{x}\right) + a\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="giac")

[Out] integrate((f*x + e)^2/(b*sin(c + d/x) + a)^2, x)

maple [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(fx + e)^2}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

[Out] int((f*x+e)^2/(a+b*sin(c+d/x))^2,x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^2/(a+b*sin(c+d/x))^2,x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{(e + f x)^2}{\left(a + b \sin\left(c + \frac{d}{x}\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^2/(a + b*sin(c + d/x))^2,x)

[Out] int((e + f*x)^2/(a + b*sin(c + d/x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)**2/(a+b*sin(c+d/x))**2,x)

[Out] Timed out

$$3.309 \quad \int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Optimal. Leaf size=25

$$\text{Int} \left((e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p, x \right)$$

[Out] Unintegrable((f*x+e)^m*(a+b*sin(c+d/x))^p,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Verification is Not applicable to the result.

[In] Int[(e + f*x)^m*(a + b*Sin[c + d/x])^p,x]

[Out] Defer[Int][(e + f*x)^m*(a + b*Sin[c + d/x])^p, x]

Rubi steps

$$\int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx = \int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Mathematica [A] time = 1.50, size = 0, normalized size = 0.00

$$\int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Verification is Not applicable to the result.

[In] Integrate[(e + f*x)^m*(a + b*Sin[c + d/x])^p,x]

[Out] Integrate[(e + f*x)^m*(a + b*Sin[c + d/x])^p, x]

fricas [A] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left((fx + e)^m \left(b \sin \left(\frac{cx + d}{x} \right) + a \right)^p, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*sin(c+d/x))^p,x, algorithm="fricas")

[Out] integral((f*x + e)^m*(b*sin((c*x + d)/x) + a)^p, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^m \left(b \sin \left(c + \frac{d}{x} \right) + a \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*sin(c+d/x))^p,x, algorithm="giac")

[Out] integrate((f*x + e)^m*(b*sin(c + d/x) + a)^p, x)

maple [A] time = 0.64, size = 0, normalized size = 0.00

$$\int (fx + e)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)^m*(a+b*sin(c+d/x))^p,x)

[Out] int((f*x+e)^m*(a+b*sin(c+d/x))^p,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (fx + e)^m \left(b \sin \left(c + \frac{d}{x} \right) + a \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)^m*(a+b*sin(c+d/x))^p,x, algorithm="maxima")

[Out] integrate((f*x + e)^m*(b*sin(c + d/x) + a)^p, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int (e + fx)^m \left(a + b \sin \left(c + \frac{d}{x} \right) \right)^p dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)^m*(a + b*sin(c + d/x))^p,x)


```
[Out] int((e + f*x)^m*(a + b*sin(c + d/x))^p, x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((f*x+e)**m*(a+b*sin(c+d/x))**p,x)
```

```
[Out] Timed out
```

3.310 $\int x^m \sqrt[3]{c \sin^3(a + bx)} dx$

Optimal. Leaf size=115

$$\frac{e^{ia} x^m (-ibx)^{-m} \csc(a + bx) \Gamma(m + 1, -ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b} - \frac{e^{-ia} x^m (ibx)^{-m} \csc(a + bx) \Gamma(m + 1, ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b}$$

[Out] $-1/2 * \exp(I*a) * x^m * \csc(b*x+a) * \text{GAMMA}(1+m, -I*b*x) * (c * \sin(b*x+a)^3)^{(1/3)} / b / ((-I*b*x)^m) - 1/2 * x^m * \csc(b*x+a) * \text{GAMMA}(1+m, I*b*x) * (c * \sin(b*x+a)^3)^{(1/3)} / b / \exp(I*a) / ((I*b*x)^m)$

Rubi [A] time = 0.29, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6720, 3308, 2181}

$$\frac{e^{ia} x^m (-ibx)^{-m} \csc(a + bx) \Gamma(m + 1, -ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b} - \frac{e^{-ia} x^m (ibx)^{-m} \csc(a + bx) \Gamma(m + 1, ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^m * (c * \text{Sin}[a + b*x]^3)^{(1/3)}, x]$

[Out] $-(E^{(I*a)} * x^m * \text{Csc}[a + b*x] * \text{Gamma}[1 + m, (-I)*b*x] * (c * \text{Sin}[a + b*x]^3)^{(1/3)}) / (2*b*((-I)*b*x)^m) - (x^m * \text{Csc}[a + b*x] * \text{Gamma}[1 + m, I*b*x] * (c * \text{Sin}[a + b*x]^3)^{(1/3)}) / (2*b * E^{(I*a)} * (I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_.) * ((e_.) + (f_.) * (x_))) * ((c_.) + (d_.) * (x_))^{(m_)}, x_Symbol] \rightarrow -\text{Simp}[(F^{(g*(e - (c*f)/d))} * (c + d*x)^{\text{FracPart}[m]} * \text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d]) * (c + d*x)] / (d * (-(f*g*\text{Log}[F])/d)^{(\text{IntPart}[m] + 1)} * (-(f*g*\text{Log}[F] * (c + d*x))/d)^{\text{FracPart}[m]}), x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\& \ !\text{IntegerQ}[m]$

Rule 3308

$\text{Int}(((c_.) + (d_.) * (x_))^{(m_.)} * \sin[(e_.) + (f_.) * (x_)], x_Symbol] \rightarrow \text{Dist}[I/2, \text{Int}[(c + d*x)^m / E^{I*(e + f*x)}, x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m * E^{I*(e + f*x)}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x]$

Rule 6720

$\text{Int}[(u_.) * ((a_.) * (v_))^{(m_.)} ^{(p_)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]} * (a*v^m)^{\text{FracPart}[p]}) / v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /; \text{FreeQ}\{a, m, p\}, x \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ !\text{FreeQ}[v, x] \ \&\& \ !(\text{EqQ}[a, 1] \ \&\& \ \text{EqQ}[m, 1]) \ \&\& \ !(\text{EqQ}$

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x^m \sqrt[3]{c \sin^3(a + bx)} dx &= \left(\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int x^m \sin(a + bx) dx \\ &= \frac{1}{2} \left(i \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int e^{-i(a+bx)} x^m dx - \frac{1}{2} \left(i \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int e^{i(a+bx)} x^m dx \\ &= -\frac{e^{ia} x^m (-ibx)^{-m} \csc(a + bx) \Gamma(1 + m, -ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b} - \frac{e^{-ia} x^m (ibx)^{-m} \csc(a + bx) \Gamma(1 + m, ibx) \sqrt[3]{c \sin^3(a + bx)}}{2b} \end{aligned}$$

Mathematica [A] time = 0.12, size = 94, normalized size = 0.82

$$\frac{e^{-ia} x^m (b^2 x^2)^{-m} \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} (e^{2ia} (ibx)^m \Gamma(m + 1, -ibx) + (-ibx)^m \Gamma(m + 1, ibx))}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*(c*Sin[a + b*x]^3)^(1/3), x]

[Out] -1/2*(x^m*Csc[a + b*x]*(E^((2*I)*a)*(I*b*x)^m*Gamma[1 + m, (-I)*b*x] + ((-I)*b*x)^m*Gamma[1 + m, I*b*x])*(c*Sin[a + b*x]^3)^(1/3)/(b*E^(I*a)*(b^2*x^2)^m)

fricas [A] time = 0.76, size = 80, normalized size = 0.70

$$\frac{\left(e^{(-m \log(ib) - ia)} \Gamma(m + 1, ibx) + e^{(-m \log(-ib) + ia)} \Gamma(m + 1, -ibx) \right) \left(-(c \cos(bx + a)^2 - c) \sin(bx + a) \right)^{\frac{1}{3}}}{2b \sin(bx + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(1/3), x, algorithm="fricas")

[Out] -1/2*(e^(-m*log(I*b) - I*a)*gamma(m + 1, I*b*x) + e^(-m*log(-I*b) + I*a)*gamma(m + 1, -I*b*x))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)/(b*sin(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)*x^m, x)

maple [F] time = 0.30, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3 (bx + a) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(b*x+a)^3)^(1/3),x)

[Out] int(x^m*(c*sin(b*x+a)^3)^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin (bx + a)^3 \right)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(1/3),x, algorithm="maxima")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)*x^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \left(c \sin (a + bx)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(a + b*x)^3)^(1/3),x)

[Out] int(x^m*(c*sin(a + b*x)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sqrt[3]{c \sin^3 (a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*(c*sin(b*x+a)**3)**(1/3),x)

[Out] Integral(x**m*(c*sin(a + b*x)**3)**(1/3), x)

3.311 $\int x^3 \sqrt[3]{c \sin^3(a + bx)} dx$

Optimal. Leaf size=96

$$-\frac{6\sqrt[3]{c \sin^3(a + bx)}}{b^4} + \frac{6x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b^3} + \frac{3x^2 \sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{x^3 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

[Out] $-6*(c*\sin(b*x+a)^3)^{(1/3)}/b^4+3*x^2*(c*\sin(b*x+a)^3)^{(1/3)}/b^2+6*x*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/b^3-x^3*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/b$

Rubi [A] time = 0.21, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6720, 3296, 2637}

$$\frac{3x^2 \sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{6\sqrt[3]{c \sin^3(a + bx)}}{b^4} + \frac{6x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b^3} - \frac{x^3 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3*(c*\text{Sin}[a + b*x]^3)^{(1/3)}, x]$

[Out] $(-6*(c*\text{Sin}[a + b*x]^3)^{(1/3)})/b^4 + (3*x^2*(c*\text{Sin}[a + b*x]^3)^{(1/3)})/b^2 + (6*x*\text{Cot}[a + b*x]*(c*\text{Sin}[a + b*x]^3)^{(1/3)})/b^3 - (x^3*\text{Cot}[a + b*x]*(c*\text{Sin}[a + b*x]^3)^{(1/3)})/b$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /;$ FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt[3]{c \sin^3(a+bx)} dx &= \left(\csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int x^3 \sin(a+bx) dx \\
&= -\frac{x^3 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b} + \frac{\left(3 \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int x^2 \cos(a+bx) dx}{b} \\
&= \frac{3x^2 \sqrt[3]{c \sin^3(a+bx)}}{b^2} - \frac{x^3 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b} - \frac{\left(6 \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int x \cos(a+bx) dx}{b^2} \\
&= \frac{3x^2 \sqrt[3]{c \sin^3(a+bx)}}{b^2} + \frac{6x \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b^3} - \frac{x^3 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b} \\
&= -\frac{6 \sqrt[3]{c \sin^3(a+bx)}}{b^4} + \frac{3x^2 \sqrt[3]{c \sin^3(a+bx)}}{b^2} + \frac{6x \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b^3} - \frac{x^3 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 47, normalized size = 0.49

$$-\frac{\left(bx \left(b^2 x^2 - 6 \right) \cot(a+bx) - 3b^2 x^2 + 6 \right) \sqrt[3]{c \sin^3(a+bx)}}{b^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c*Sin[a + b*x]^3)^(1/3),x]

[Out] -(((6 - 3*b^2*x^2 + b*x*(-6 + b^2*x^2))*Cot[a + b*x])*(c*Sin[a + b*x]^3)^(1/3))/b^4)

fricas [A] time = 0.60, size = 74, normalized size = 0.77

$$-\frac{\left((b^3 x^3 - 6bx) \cos(bx+a) - 3(b^2 x^2 - 2) \sin(bx+a) \right) \left(-(c \cos(bx+a)^2 - c) \sin(bx+a) \right)^{\frac{1}{3}}}{b^4 \sin(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(1/3),x, algorithm="fricas")

[Out] -((b^3*x^3 - 6*b*x)*cos(b*x + a) - 3*(b^2*x^2 - 2)*sin(b*x + a))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)/(b^4*sin(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx+a) \right)^{\frac{1}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)*x^3, x)

maple [C] time = 0.19, size = 151, normalized size = 1.57

$$\frac{i(b^3x^3 + 3ib^2x^2 - 6bx - 6i)\left(ic\left(e^{2i(bx+a)} - 1\right)^3 e^{-3i(bx+a)}\right)^{\frac{1}{3}} e^{2i(bx+a)} - i\left(ic\left(e^{2i(bx+a)} - 1\right)^3 e^{-3i(bx+a)}\right)^{\frac{1}{3}} (b^3x^3 - 3ib^2x^2 + 6bx + 6i)}{2b^4\left(e^{2i(bx+a)} - 1\right) \cdot 2\left(e^{2i(bx+a)} - 1\right)b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(b*x+a)^3)^(1/3),x)

[Out]
$$-1/2*I/b^4*(b^3*x^3+3*I*b^2*x^2-6*b*x-6*I)/(\exp(2*I*(b*x+a))-1)*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}*\exp(2*I*(b*x+a))-1/2*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}/(\exp(2*I*(b*x+a))-1)*(b^3*x^3-3*I*b^2*x^2-6*b*x+6*I)/b^4$$

maxima [A] time = 1.15, size = 146, normalized size = 1.52

$$3((bx + a) \cos(bx + a) - \sin(bx + a))a^2c^{\frac{1}{3}} - 3\left(\left((bx + a)^2 - 2\right) \cos(bx + a) - 2(bx + a) \sin(bx + a)\right)ac^{\frac{1}{3}} + \frac{\sin(bx + a)}{\cos(bx + a)}$$

$$2b^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(1/3),x, algorithm="maxima")

[Out]
$$1/2*(3*((b*x + a)*\cos(b*x + a) - \sin(b*x + a))*a^2*c^{1/3} - 3*((b*x + a)^2 - 2)*\cos(b*x + a) - 2*(b*x + a)*\sin(b*x + a))*a*c^{1/3} + 4*a^3*c^{1/3}/(\sin(b*x + a)^2/(\cos(b*x + a) + 1)^2 + 1) + (((b*x + a)^3 - 6*b*x - 6*a)*\cos(b*x + a) - 3*((b*x + a)^2 - 2)*\sin(b*x + a))*c^{1/3})/b^4$$

mupad [B] time = 5.71, size = 109, normalized size = 1.14

$$\frac{2^{1/3}(c(3\sin(a+bx) - \sin(3a+3bx)))^{1/3}(3b^2x^2 - 12\sin(a+bx)^2 + 6bx\sin(2a+2bx) + 3b^2x^2(2\sin(a+bx) - \sin(3a+3bx)))}{4b^4\sin(a+bx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(a + b*x)^3)^(1/3),x)

[Out] $(2^{(1/3)}*(c*(3*\sin(a + b*x) - \sin(3*a + 3*b*x)))^{(1/3)}*(3*b^2*x^2 - 12*\sin(a + b*x)^2 + 6*b*x*\sin(2*a + 2*b*x) + 3*b^2*x^2*(2*\sin(a + b*x)^2 - 1) - b^3*x^3*\sin(2*a + 2*b*x)))/(4*b^4*\sin(a + b*x)^2)$

sympy [A] time = 21.52, size = 143, normalized size = 1.49

$$\left\{ \begin{array}{ll} \frac{x^4 \sqrt[3]{c \sin^3(a)}}{4} & \text{for } b = 0 \\ 0 & \text{for } a = -bx \vee a = \dots \\ -\frac{\sqrt[3]{c} x^3 \sqrt[3]{\sin^3(a+bx)} \cos(a+bx)}{b \sin(a+bx)} + \frac{3 \sqrt[3]{c} x^2 \sqrt[3]{\sin^3(a+bx)}}{b^2} + \frac{6 \sqrt[3]{c} x \sqrt[3]{\sin^3(a+bx)} \cos(a+bx)}{b^3 \sin(a+bx)} - \frac{6 \sqrt[3]{c} \sqrt[3]{\sin^3(a+bx)}}{b^4} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(c*sin(b*x+a)**3)**(1/3),x)`

[Out] `Piecewise((x**4*(c*sin(a)**3)**(1/3)/4, Eq(b, 0)), (0, Eq(a, -b*x) | Eq(a, -b*x + pi)), (-c**(1/3)*x**3*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b*sin(a + b*x)) + 3*c**(1/3)*x**2*(sin(a + b*x)**3)**(1/3)/b**2 + 6*c**(1/3)*x*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b**3*sin(a + b*x)) - 6*c**(1/3)*(sin(a + b*x)**3)**(1/3)/b**4, True))`

3.312 $\int x^2 \sqrt[3]{c \sin^3(a + bx)} dx$

Optimal. Leaf size=74

$$\frac{2 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b^3} + \frac{2x \sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{x^2 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

[Out] $2*x*(c*\sin(b*x+a)^3)^{(1/3)}/b^2+2*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/b^3-x^2*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/b$

Rubi [A] time = 0.18, antiderivative size = 74, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6720, 3296, 2638}

$$\frac{2x \sqrt[3]{c \sin^3(a + bx)}}{b^2} + \frac{2 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b^3} - \frac{x^2 \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

Antiderivative was successfully verified.

[In] `Int[x^2*(c*Sin[a + b*x]^3)^(1/3),x]`

[Out] $(2*x*(c*\sin[a + b*x]^3)^{(1/3)})/b^2 + (2*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(1/3)})/b^3 - (x^2*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(1/3)})/b$

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 6720

`Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])`

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt[3]{c \sin^3(a+bx)} dx &= \left(\csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int x^2 \sin(a+bx) dx \\
&= -\frac{x^2 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b} + \frac{\left(2 \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int x \cos(a+bx) dx}{b} \\
&= \frac{2x \sqrt[3]{c \sin^3(a+bx)}}{b^2} - \frac{x^2 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b} - \frac{\left(2 \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right)}{b^2} \\
&= \frac{2x \sqrt[3]{c \sin^3(a+bx)}}{b^2} + \frac{2 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b^3} - \frac{x^2 \cot(a+bx) \sqrt[3]{c \sin^3(a+bx)}}{b}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 40, normalized size = 0.54

$$\frac{\left((2 - b^2 x^2) \cot(a+bx) + 2bx \right) \sqrt[3]{c \sin^3(a+bx)}}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c*Sin[a + b*x]^3)^(1/3),x]

[Out] ((2*b*x + (2 - b^2*x^2)*Cot[a + b*x])*(c*Sin[a + b*x]^3)^(1/3))/b^3

fricas [A] time = 0.68, size = 64, normalized size = 0.86

$$\frac{(2bx \sin(bx+a) - (b^2x^2 - 2) \cos(bx+a)) \left(-(c \cos(bx+a)^2 - c) \sin(bx+a) \right)^{\frac{1}{3}}}{b^3 \sin(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(1/3),x, algorithm="fricas")

[Out] (2*b*x*sin(b*x + a) - (b^2*x^2 - 2)*cos(b*x + a))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)/(b^3*sin(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx+a)^3)^{\frac{1}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)*x^2, x)

maple [C] time = 0.18, size = 133, normalized size = 1.80

$$\frac{i(x^2b^2 + 2ibx - 2) \left(ic(e^{2i(bx+a)} - 1)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} e^{2i(bx+a)} - i \left(ic(e^{2i(bx+a)} - 1)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} (x^2b^2 - 2ibx - 2)}{2b^3 (e^{2i(bx+a)} - 1) b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(b*x+a)^3)^(1/3), x)

[Out] $-1/2*I/b^3*(x^2*b^2+2*I*b*x-2)/(\exp(2*I*(b*x+a))-1)*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}*\exp(2*I*(b*x+a))-1/2*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}/(\exp(2*I*(b*x+a))-1)*(x^2*b^2-2*I*b*x-2)/b^3$

maxima [A] time = 1.37, size = 99, normalized size = 1.34

$$\frac{2((bx+a)\cos(bx+a) - \sin(bx+a))ac^{\frac{1}{3}} - \left(((bx+a)^2 - 2)\cos(bx+a) - 2(bx+a)\sin(bx+a) \right)c^{\frac{1}{3}} + \frac{4a^2}{\sin(bx+a)}}{2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(1/3), x, algorithm="maxima")

[Out] $-1/2*(2*((bx+a)*\cos(bx+a) - \sin(bx+a))*a*c^{1/3} - (((bx+a)^2 - 2)*\cos(bx+a) - 2*(bx+a)*\sin(bx+a))*c^{1/3} + 4*a^2*c^{1/3}/(\sin(bx+a)^2/(\cos(bx+a) + 1)^2 + 1))/b^3$

mupad [B] time = 5.49, size = 88, normalized size = 1.19

$$\frac{(2c(3\sin(a+bx) - \sin(3a+3bx)))^{1/3} \left(\sin(2a+2bx) + bx - \frac{b^2x^2\sin(2a+2bx)}{2} - bx\cos(2a+2bx) \right)}{b^3(\cos(2a+2bx) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a + b*x)^3)^(1/3), x)

[Out] $-((2*c*(3*\sin(a + b*x) - \sin(3*a + 3*b*x)))^{1/3}*(\sin(2*a + 2*b*x) + b*x - (b^2*x^2*\sin(2*a + 2*b*x))/2 - b*x*\cos(2*a + 2*b*x)))/(b^3*(\cos(2*a + 2*b*x) - 1))$

sympy [A] time = 9.54, size = 117, normalized size = 1.58

$$\left\{ \begin{array}{ll} 0 & \text{for } a = -bx \vee a = -bx + \pi \\ \frac{x^3 \sqrt[3]{c \sin^3(a)}}{3} & \text{for } b = 0 \\ -\frac{\sqrt[3]{c} x^2 \sqrt{\sin^3(a+bx) \cos(a+bx)}}{b \sin(a+bx)} + \frac{2 \sqrt[3]{c} x \sqrt{\sin^3(a+bx)}}{b^2} + \frac{2 \sqrt[3]{c} \sqrt{\sin^3(a+bx) \cos(a+bx)}}{b^3 \sin(a+bx)} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(c*sin(b*x+a)**3)**(1/3),x)
```

```
[Out] Piecewise((0, Eq(a, -b*x) | Eq(a, -b*x + pi)), (x**3*(c*sin(a)**3)**(1/3)/3, Eq(b, 0)), (-c**(1/3)*x**2*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b*sin(a + b*x)) + 2*c**(1/3)*x*(sin(a + b*x)**3)**(1/3)/b**2 + 2*c**(1/3)*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b**3*sin(a + b*x)), True))
```

3.313 $\int x \sqrt[3]{c \sin^3(a + bx)} dx$

Optimal. Leaf size=45

$$\frac{\sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

[Out] (c*sin(b*x+a)^3)^(1/3)/b^2-x*cot(b*x+a)*(c*sin(b*x+a)^3)^(1/3)/b

Rubi [A] time = 0.13, antiderivative size = 45, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {6720, 3296, 2637}

$$\frac{\sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}$$

Antiderivative was successfully verified.

[In] Int[x*(c*Sin[a + b*x]^3)^(1/3), x]

[Out] (c*Sin[a + b*x]^3)^(1/3)/b^2 - (x*Cot[a + b*x]*(c*Sin[a + b*x]^3)^(1/3))/b

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[
[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
\int x \sqrt[3]{c \sin^3(a + bx)} dx &= \left(\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int x \sin(a + bx) dx \\
&= -\frac{x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b} + \frac{\left(\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int \cos(a + bx) dx}{b} \\
&= \frac{\sqrt[3]{c \sin^3(a + bx)}}{b^2} - \frac{x \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{b}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 30, normalized size = 0.67

$$\frac{(1 - bx \cot(a + bx)) \sqrt[3]{c \sin^3(a + bx)}}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c*Sin[a + b*x]^3)^(1/3),x]

[Out] ((1 - b*x*Cot[a + b*x])*(c*Sin[a + b*x]^3)^(1/3))/b^2

fricas [A] time = 0.67, size = 55, normalized size = 1.22

$$\frac{(bx \cos(bx + a) - \sin(bx + a)) \left(-(c \cos(bx + a)^2 - c) \sin(bx + a) \right)^{\frac{1}{3}}}{b^2 \sin(bx + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)^3)^(1/3),x, algorithm="fricas")

[Out] -(b*x*cos(b*x + a) - sin(b*x + a))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)/(b^2*sin(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{\frac{1}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)*x, x)

maple [C] time = 0.18, size = 117, normalized size = 2.60

$$\frac{i(bx+i)\left(ic\left(e^{2i(bx+a)}-1\right)^3 e^{-3i(bx+a)}\right)^{\frac{1}{3}} e^{2i(bx+a)}}{2b^2\left(e^{2i(bx+a)}-1\right)} - \frac{i\left(ic\left(e^{2i(bx+a)}-1\right)^3 e^{-3i(bx+a)}\right)^{\frac{1}{3}}(bx-i)}{2\left(e^{2i(bx+a)}-1\right)b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*sin(b*x+a)^3)^(1/3),x)`

[Out] $-1/2*I/b^2*(b*x+I)/(\exp(2*I*(b*x+a))-1)*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}*\exp(2*I*(b*x+a))-1/2*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}/(\exp(2*I*(b*x+a))-1)*(b*x-I)/b^2$

maxima [A] time = 0.94, size = 60, normalized size = 1.33

$$\frac{((bx+a)\cos(bx+a)-\sin(bx+a))c^{\frac{1}{3}} + \frac{4ac^{\frac{1}{3}}}{\frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2}+1}}{2b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*sin(b*x+a)^3)^(1/3),x, algorithm="maxima")`

[Out] $1/2*(((b*x+a)*\cos(b*x+a)-\sin(b*x+a))*c^{1/3}+4*a*c^{1/3}/(\sin(b*x+a)^2/(\cos(b*x+a)+1)^2+1))/b^2$

mupad [B] time = 5.14, size = 63, normalized size = 1.40

$$\frac{\left(\frac{\sin(a+bx)^2}{2} - \frac{bx \sin(2a+2bx)}{4}\right) (2c(3\sin(a+bx) - \sin(3a+3bx)))^{1/3}}{b^2 \sin(a+bx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*sin(a+b*x)^3)^(1/3),x)`

[Out] $((\sin(a+bx)^2/2 - (bx*\sin(2*a+2*b*x))/4)*(2*c*(3*\sin(a+bx) - \sin(3*a+3*b*x))))^{1/3}/(b^2*\sin(a+bx)^2)$

sympy [A] time = 4.51, size = 76, normalized size = 1.69

$$\begin{cases} 0 & \text{for } a = -bx \vee a = -bx + \pi \\ \frac{x^2 \sqrt[3]{c \sin^3(a)}}{2} & \text{for } b = 0 \\ -\frac{\sqrt[3]{c} x \sqrt[3]{\sin^3(a+bx) \cos(a+bx)}}{b \sin(a+bx)} + \frac{\sqrt[3]{c} \sqrt[3]{\sin^3(a+bx)}}{b^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*sin(b*x+a)**3)**(1/3),x)
```

```
[Out] Piecewise((0, Eq(a, -b*x) | Eq(a, -b*x + pi)), (x**2*(c*sin(a)**3)**(1/3)/2, Eq(b, 0)), (-c**(1/3)*x*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b*sin(a + b*x)) + c**(1/3)*(sin(a + b*x)**3)**(1/3)/b**2, True))
```


3.314 $\int \sqrt[3]{c \sin^3(a + bx)} dx$

Optimal. Leaf size=25

$$-\frac{\cot(a + bx)\sqrt[3]{c \sin^3(a + bx)}}{b}$$

[Out] $-\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/b$

Rubi [A] time = 0.02, antiderivative size = 25, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3207, 2638}

$$-\frac{\cot(a + bx)\sqrt[3]{c \sin^3(a + bx)}}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x]^3)^{(1/3)}, x]$

[Out] $-\left(\cot[a + b*x]*(c*\text{Sin}[a + b*x]^3)^{(1/3)}\right)/b$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3207

$\text{Int}[(u_.)*((b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[\left((b*\text{ff}^n)^{\text{IntPart}[p]}*(b*\text{Sin}[e + f*x]^n)^{\text{FracPart}[p]}\right)/(\text{Sin}[e + f*x]/\text{ff})^{(n*\text{FracPart}[p])}, \text{Int}[\text{ActivateTrig}[u]*(\text{Sin}[e + f*x]/\text{ff})^{(n*p)}, x], x]] /; \text{FreeQ}[\{b, e, f, n, p\}, x] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[n] \&\& (\text{EqQ}[u, 1] \|\ \text{MatchQ}[u, ((d_.)*(trig_)[e + f*x])^{(m_.)} /; \text{FreeQ}[\{d, m\}, x] \&\& \text{MemberQ}[\{\sin, \cos, \tan, \cot, \sec, \csc\}, \text{trig}]])$

Rubi steps

$$\begin{aligned} \int \sqrt[3]{c \sin^3(a + bx)} dx &= \left(\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int \sin(a + bx) dx \\ &= -\frac{\cot(a + bx)\sqrt[3]{c \sin^3(a + bx)}}{b} \end{aligned}$$

Mathematica [A] time = 0.06, size = 25, normalized size = 1.00

$$-\frac{\cot(a+bx)\sqrt[3]{c\sin^3(a+bx)}}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(1/3), x]

[Out] -((Cot[a + b*x]*(c*Sin[a + b*x]^3)^(1/3))/b)

fricas [A] time = 0.56, size = 43, normalized size = 1.72

$$-\frac{\left(-\left(c\cos(bx+a)^2-c\right)\sin(bx+a)\right)^{\frac{1}{3}}\cos(bx+a)}{b\sin(bx+a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3), x, algorithm="fricas")

[Out] -((-c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)*cos(b*x + a)/(b*sin(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c\sin(bx+a)^3\right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3), x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3), x)

maple [C] time = 0.26, size = 105, normalized size = 4.20

$$-\frac{i\left(ic\left(e^{2i(bx+a)}-1\right)^3e^{-3i(bx+a)}\right)^{\frac{1}{3}}e^{2i(bx+a)}}{2b\left(e^{2i(bx+a)}-1\right)}-\frac{i\left(ic\left(e^{2i(bx+a)}-1\right)^3e^{-3i(bx+a)}\right)^{\frac{1}{3}}}{2b\left(e^{2i(bx+a)}-1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(1/3), x)

[Out] -1/2*I/b/(exp(2*I*(b*x+a))-1)*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(1/3)*exp(2*I*(b*x+a))-1/2*I/b/(exp(2*I*(b*x+a))-1)*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(1/3)

maxima [A] time = 1.22, size = 31, normalized size = 1.24

$$-\frac{2c^{\frac{1}{3}}}{b\left(\frac{\sin(bx+a)^2}{(\cos(bx+a)+1)^2} + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3),x, algorithm="maxima")

[Out] -2*c^(1/3)/(b*(sin(b*x + a)^2/(cos(b*x + a) + 1)^2 + 1))

mupad [B] time = 4.85, size = 49, normalized size = 1.96

$$-\frac{\sin(2a + 2bx) (2c (3 \sin(a + bx) - \sin(3a + 3bx)))^{1/3}}{4b \sin(a + bx)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(1/3),x)

[Out] -(sin(2*a + 2*b*x)*(2*c*(3*sin(a + b*x) - sin(3*a + 3*b*x)))^(1/3))/(4*b*sin(a + b*x)^2)

sympy [A] time = 1.82, size = 53, normalized size = 2.12

$$\begin{cases} 0 & \text{for } a = -bx \vee a = -bx + \pi \\ x\sqrt[3]{c \sin^3(a)} & \text{for } b = 0 \\ -\frac{\sqrt[3]{c} \sqrt[3]{\sin^3(a+bx)} \cos(a+bx)}{b \sin(a+bx)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(1/3),x)

[Out] Piecewise((0, Eq(a, -b*x) | Eq(a, -b*x + pi)), (x*(c*sin(a)**3)**(1/3), Eq(b, 0)), (-c**(1/3)*(sin(a + b*x)**3)**(1/3)*cos(a + b*x)/(b*sin(a + b*x)), True))

$$3.315 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x} dx$$

Optimal. Leaf size=55

$$\sin(a)\text{Ci}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} + \cos(a)\text{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)}$$

[Out] $\cos(a)*\csc(b*x+a)*\text{Si}(b*x)*(c*\sin(b*x+a)^3)^{(1/3)}+\text{Ci}(b*x)*\csc(b*x+a)*\sin(a)*(c*\sin(b*x+a)^3)^{(1/3)}$

Rubi [A] time = 0.17, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6720, 3303, 3299, 3302}

$$\sin(a)\text{CosIntegral}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} + \cos(a)\text{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x]^3)^{(1/3)}/x, x]$

[Out] $\text{CosIntegral}[b*x]*\text{Csc}[a + b*x]*\text{Sin}[a]*(c*\text{Sin}[a + b*x]^3)^{(1/3)} + \text{Cos}[a]*\text{Csc}[a + b*x]*(c*\text{Sin}[a + b*x]^3)^{(1/3)}*\text{SinIntegral}[b*x]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x\} \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /; \text{FreeQ}\{a, m, p\}, x$

] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x} dx &= \left(\csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\sin(a+bx)}{x} dx \\ &= \left(\cos(a) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\sin(bx)}{x} dx + \left(\csc(a+bx) \sin(a) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\sin(bx)}{x} dx \\ &= \text{Ci}(bx) \csc(a+bx) \sin(a) \sqrt[3]{c \sin^3(a+bx)} + \cos(a) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \text{Si}(bx) \end{aligned}$$

Mathematica [A] time = 0.05, size = 36, normalized size = 0.65

$$\csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} (\sin(a) \text{Ci}(bx) + \cos(a) \text{Si}(bx))$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(1/3)/x,x]

[Out] Csc[a + b*x]*(c*Sin[a + b*x]^3)^(1/3)*(CosIntegral[b*x]*Sin[a] + Cos[a]*SinIntegral[b*x])

fricas [A] time = 0.79, size = 80, normalized size = 1.45

$$\frac{4^{\frac{1}{3}} \left(2 \cdot 4^{\frac{2}{3}} \cos(a) \text{Si}(bx) + \left(4^{\frac{2}{3}} \text{Ci}(bx) + 4^{\frac{2}{3}} \text{Ci}(-bx) \right) \sin(a) \right) \left(-\left(c \cos(bx+a)^2 - c \right) \sin(bx+a) \right)^{\frac{1}{3}} \sin(bx+a)}{8 \left(\cos(bx+a)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x,x, algorithm="fricas")

[Out] -1/8*4^(1/3)*(2*4^(2/3)*cos(a)*sin_integral(b*x) + (4^(2/3)*cos_integral(b*x) + 4^(2/3)*cos_integral(-b*x))*sin(a))*(-(c*cos(b*x+a)^2 - c)*sin(b*x+a))^(1/3)*sin(b*x+a)/(cos(b*x+a)^2 - 1)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx+a)^3 \right)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)/x, x)

maple [C] time = 0.19, size = 228, normalized size = 4.15

$$\frac{\operatorname{Ei}(1, -ibx) \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} e^{i(bx+2a)}}{2 \left(e^{2i(bx+a)} - 1 \right)} - \frac{i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} e^{ibx} \pi \operatorname{csgn}(bx)}{2 \left(e^{2i(bx+a)} - 1 \right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(1/3)/x,x)

[Out] $-\frac{1}{2} \operatorname{Ei}(1, -I*b*x) / (\exp(2*I*(b*x+a)) - 1) * (I*c*(\exp(2*I*(b*x+a)) - 1)^3 * \exp(-3*I*(b*x+a)))^{1/3} * \exp(I*(b*x+2*a)) - \frac{1}{2} I * (I*c*(\exp(2*I*(b*x+a)) - 1)^3 * \exp(-3*I*(b*x+a)))^{1/3} / (\exp(2*I*(b*x+a)) - 1) * \exp(I*b*x) * \pi * \operatorname{csgn}(b*x) + I * (I*c*(\exp(2*I*(b*x+a)) - 1)^3 * \exp(-3*I*(b*x+a)))^{1/3} / (\exp(2*I*(b*x+a)) - 1) * \exp(I*b*x) * \operatorname{Si}(b*x) + \frac{1}{2} * (I*c*(\exp(2*I*(b*x+a)) - 1)^3 * \exp(-3*I*(b*x+a)))^{1/3} / (\exp(2*I*(b*x+a)) - 1) * \exp(I*b*x) * \operatorname{Ei}(1, -I*b*x)$

maxima [C] time = 1.21, size = 42, normalized size = 0.76

$$\frac{1}{4} ((i E_1(i b x) - i E_1(-i b x)) \cos(a) + (E_1(i b x) + E_1(-i b x)) \sin(a)) c^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x,x, algorithm="maxima")

[Out] $\frac{1}{4} * ((I * \operatorname{exp_integral_e}(1, I*b*x) - I * \operatorname{exp_integral_e}(1, -I*b*x)) * \cos(a) + (\operatorname{exp_integral_e}(1, I*b*x) + \operatorname{exp_integral_e}(1, -I*b*x)) * \sin(a)) * c^{1/3}$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(c \sin(a + b x)^3)^{1/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(1/3)/x,x)

[Out] int((c*sin(a + b*x)^3)^(1/3)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(1/3)/x,x)

[Out] Integral((c*sin(a + b*x)**3)**(1/3)/x, x)

$$3.316 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x^2} dx$$

Optimal. Leaf size=77

$$b \cos(a) \text{Ci}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - b \sin(a) \text{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{\sqrt[3]{c \sin^3(a+bx)}}{x}$$

[Out] $-(c \sin(bx+a)^3)^{(1/3)}/x + b \text{Ci}(bx) \cos(a) \csc(bx+a) (c \sin(bx+a)^3)^{(1/3)} - b \csc(bx+a) \text{Si}(bx) \sin(a) (c \sin(bx+a)^3)^{(1/3)}$

Rubi [A] time = 0.18, antiderivative size = 77, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6720, 3297, 3303, 3299, 3302}

$$b \cos(a) \text{CosIntegral}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - b \sin(a) \text{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{\sqrt[3]{c \sin^3(a+bx)}}{x}$$

Antiderivative was successfully verified.

[In] Int[(cSin[a + b*x]^3)^(1/3)/x^2,x]

[Out] $-(c \sin[a + b*x]^3)^{(1/3)}/x + b \cos[a] \text{CosIntegral}[b*x] \csc[a + b*x] (c \sin[a + b*x]^3)^{(1/3)} - b \csc[a + b*x] \sin[a] (c \sin[a + b*x]^3)^{(1/3)} \text{SinIntegral}[b*x]$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303


```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x^2} dx &= \left(\csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\sin(a+bx)}{x^2} dx \\ &= -\frac{\sqrt[3]{c \sin^3(a+bx)}}{x} + \left(b \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\cos(a+bx)}{x} dx \\ &= -\frac{\sqrt[3]{c \sin^3(a+bx)}}{x} + \left(b \cos(a) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} \right) \int \frac{\cos(bx)}{x} dx - \left(b \csc(a+bx) \right) \int \frac{\sin(bx)}{x} dx \\ &= -\frac{\sqrt[3]{c \sin^3(a+bx)}}{x} + b \cos(a) \text{Ci}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - b \csc(a+bx) \text{Si}(bx) \end{aligned}$$

Mathematica [A] time = 0.19, size = 51, normalized size = 0.66

$$\frac{\sqrt[3]{c \sin^3(a+bx)} (bx \cos(a) \text{Ci}(bx) \csc(a+bx) - bx \sin(a) \text{Si}(bx) \csc(a+bx) - 1)}{x}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*Sin[a + b*x]^3)^(1/3)/x^2,x]
```

```
[Out] ((c*Sin[a + b*x]^3)^(1/3)*(-1 + b*x*Cos[a]*CosIntegral[b*x]*Csc[a + b*x] -
b*x*Csc[a + b*x]*Sin[a]*SinIntegral[b*x]))/x
```

fricas [A] time = 0.64, size = 112, normalized size = 1.45

$$\frac{4^{\frac{1}{3}} \left(2 \cdot 4^{\frac{2}{3}} \cos(bx+a)^2 - \left(2 \cdot 4^{\frac{2}{3}} bx \sin(a) \text{Si}(bx) - \left(4^{\frac{2}{3}} bx \text{Ci}(bx) + 4^{\frac{2}{3}} bx \text{Ci}(-bx) \right) \cos(a) \right) \sin(bx+a) - 2 \cdot 4^{\frac{2}{3}} \right)}{8 \left(x \cos(bx+a)^2 - x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^2,x, algorithm="fricas")

[Out] $-1/8*4^{1/3}*(2*4^{2/3}*\cos(b*x + a)^2 - (2*4^{2/3}*b*x*\sin(a)*\sin_integral(b*x) - (4^{2/3}*b*x*\cos_integral(b*x) + 4^{2/3}*b*x*\cos_integral(-b*x))*\cos(a))*\sin(b*x + a) - 2*4^{2/3})*(-(c*\cos(b*x + a)^2 - c)*\sin(b*x + a))^{1/3}/(x*\cos(b*x + a)^2 - x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx + a)^3)^{\frac{1}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)/x^2, x)

maple [C] time = 0.20, size = 155, normalized size = 2.01

$$\frac{ib \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} \left(\frac{ie^{2i(bx+a)}}{bx} - \text{Ei}(1, -ibx) e^{i(bx+2a)} \right)}{2e^{2i(bx+a)} - 2} - \frac{i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} b \left(\frac{i}{bx} + e^{ibx} \text{Ei}(1, -ibx) \right)}{2 \left(e^{2i(bx+a)} - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(1/3)/x^2,x)

[Out] $1/2*I*b/(\exp(2*I*(b*x+a))-1)*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}*(I/b/x*\exp(2*I*(b*x+a))-Ei(1, -I*b*x)*\exp(I*(b*x+2*a)))-1/2*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{1/3}/(\exp(2*I*(b*x+a))-1)*b*(I/b/x+\exp(I*b*x)*Ei(1, I*b*x))$

maxima [C] time = 1.03, size = 243, normalized size = 3.16

$$\frac{\left((8\sqrt{3} - 8i)E_2(ibx) + (8\sqrt{3} + 8i)E_2(-ibx) \right) \cos(a)^3 + \left((8\sqrt{3} - 8i)E_2(ibx) + (8\sqrt{3} + 8i)E_2(-ibx) \right) \cos(a) \sin(a)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^2,x, algorithm="maxima")

[Out] $1/64*((8*\sqrt{3} - 8*I)*\exp_integral_e(2, I*b*x) + (8*\sqrt{3} + 8*I)*\exp_integral_e(2, -I*b*x))*\cos(a)^3 + ((8*\sqrt{3} - 8*I)*\exp_integral_e(2, I*b*x) + (8*\sqrt{3} + 8*I)*\exp_integral_e(2, -I*b*x))*\cos(a)\sin(a)$

) + (8*sqrt(3) + 8*I)*exp_integral_e(2, -I*b*x))*cos(a)*sin(a)^2 + 8*((-I*sqrt(3) - 1)*exp_integral_e(2, I*b*x) + (I*sqrt(3) - 1)*exp_integral_e(2, -I*b*x))*sin(a)^3 - ((8*sqrt(3) + 8*I)*exp_integral_e(2, I*b*x) + (8*sqrt(3) - 8*I)*exp_integral_e(2, -I*b*x))*cos(a) + 8*(((-I*sqrt(3) - 1)*exp_integral_e(2, I*b*x) + (I*sqrt(3) - 1)*exp_integral_e(2, -I*b*x))*cos(a)^2 + (I*sqrt(3) - 1)*exp_integral_e(2, I*b*x) + (-I*sqrt(3) - 1)*exp_integral_e(2, -I*b*x))*sin(a))*b*c^(1/3)/(a*cos(a)^2 + a*sin(a)^2 - (b*x + a)*(cos(a)^2 + sin(a)^2))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + bx)^3)^{1/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(1/3)/x^2,x)

[Out] int((c*sin(a + b*x)^3)^(1/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(1/3)/x**2,x)

[Out] Integral((c*sin(a + b*x)**3)**(1/3)/x**2, x)

$$3.317 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx)}}{x^3} dx$$

Optimal. Leaf size=116

$$-\frac{1}{2}b^2 \sin(a) \operatorname{Ci}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{1}{2}b^2 \cos(a) \operatorname{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{\sqrt[3]{c \sin^3(a+bx)}}{2x^2} - \frac{bc}{2x}$$

[Out] $-\frac{1}{2}*(c*\sin(b*x+a)^3)^{(1/3)}/x^2 - \frac{1}{2}*b*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(1/3)}/x - \frac{1}{2}*b^2*\cos(a)*\csc(b*x+a)*\operatorname{Si}(b*x)*(c*\sin(b*x+a)^3)^{(1/3)} - \frac{1}{2}*b^2*\operatorname{Ci}(b*x)*\csc(b*x+a)*\sin(a)*(c*\sin(b*x+a)^3)^{(1/3)}$

Rubi [A] time = 0.21, antiderivative size = 116, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6720, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}b^2 \sin(a) \operatorname{CosIntegral}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{1}{2}b^2 \cos(a) \operatorname{Si}(bx) \csc(a+bx) \sqrt[3]{c \sin^3(a+bx)} - \frac{\sqrt[3]{c \sin^3(a+bx)}}{2x^2} - \frac{bc}{2x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*\sin[a + b*x]^3)^{(1/3)}/x^3, x]$

[Out] $-(c*\sin[a + b*x]^3)^{(1/3)}/(2*x^2) - (b*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(1/3)})/(2*x) - (b^2*\operatorname{CosIntegral}[b*x]*\operatorname{Csc}[a + b*x]*\sin[a]*(c*\sin[a + b*x]^3)^{(1/3)})/2 - (b^2*\cos[a]*\operatorname{Csc}[a + b*x]*(c*\sin[a + b*x]^3)^{(1/3})*\operatorname{SinIntegral}[b*x])/2$

Rule 3297

$\operatorname{Int}[(c + d*x)^m * \sin[e + f*x], x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{m+1} * \sin[e + f*x] / (d*(m+1)), x] - \operatorname{Dist}[f / (d*(m+1)), \operatorname{Int}[(c + d*x)^m * \cos[e + f*x], x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[e + f*x] / (c + d*x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x] / d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[e + f*x] / (c + d*x), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f*x] / d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \&\& \operatorname{EqQ}[d*(e - \pi/2) - c*f, 0]$

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt[3]{c \sin^3(a + bx)}}{x^3} dx &= \left(\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int \frac{\sin(a + bx)}{x^3} dx \\
 &= -\frac{\sqrt[3]{c \sin^3(a + bx)}}{2x^2} + \frac{1}{2} \left(b \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int \frac{\cos(a + bx)}{x^2} dx \\
 &= -\frac{\sqrt[3]{c \sin^3(a + bx)}}{2x^2} - \frac{b \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{2x} - \frac{1}{2} \left(b^2 \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \int \frac{1}{x} dx \\
 &= -\frac{\sqrt[3]{c \sin^3(a + bx)}}{2x^2} - \frac{b \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{2x} - \frac{1}{2} \left(b^2 \cos(a) \csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} \right) \ln|x| \\
 &= -\frac{\sqrt[3]{c \sin^3(a + bx)}}{2x^2} - \frac{b \cot(a + bx) \sqrt[3]{c \sin^3(a + bx)}}{2x} - \frac{1}{2} b^2 \text{Ci}(bx) \csc(a + bx) \sin(a) \sqrt[3]{c \sin^3(a + bx)}
 \end{aligned}$$

Mathematica [A] time = 0.14, size = 69, normalized size = 0.59

$$\frac{\csc(a + bx) \sqrt[3]{c \sin^3(a + bx)} (b^2 x^2 \sin(a) \text{Ci}(bx) + b^2 x^2 \cos(a) \text{Si}(bx) + \sin(a + bx) + bx \cos(a + bx))}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(1/3)/x^3,x]

[Out] -1/2*(Csc[a + b*x]*(c*Sin[a + b*x]^3)^(1/3)*(b*x*Cos[a + b*x] + b^2*x^2*CosIntegral[b*x]*Sin[a] + Sin[a + b*x] + b^2*x^2*Cos[a]*SinIntegral[b*x]))/x^2

fricas [A] time = 0.64, size = 140, normalized size = 1.21

$$\frac{4^{\frac{1}{3}} \left(2 \cdot 4^{\frac{2}{3}} \cos(bx + a)^2 - \left(2 \cdot 4^{\frac{2}{3}} b^2 x^2 \cos(a) \operatorname{Si}(bx) + 2 \cdot 4^{\frac{2}{3}} bx \cos(bx + a) + \left(4^{\frac{2}{3}} b^2 x^2 \operatorname{Ci}(bx) + 4^{\frac{2}{3}} b^2 x^2 \operatorname{Ci}(-bx) \right) \right) \right)}{16 \left(x^2 \cos(bx + a)^2 - x^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^3,x, algorithm="fricas")

[Out] -1/16*4^(1/3)*(2*4^(2/3)*cos(b*x + a)^2 - (2*4^(2/3)*b^2*x^2*cos(a)*sin_integral(b*x) + 2*4^(2/3)*b*x*cos(b*x + a) + (4^(2/3)*b^2*x^2*cos_integral(b*x) + 4^(2/3)*b^2*x^2*cos_integral(-b*x))*sin(a))*sin(b*x + a) - 2*4^(2/3)*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(1/3)/(x^2*cos(b*x + a)^2 - x^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx + a)^3)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^3,x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(1/3)/x^3, x)

maple [C] time = 0.20, size = 183, normalized size = 1.58

$$\frac{b^2 \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} \left(\frac{e^{2i(bx+a)}}{2x^2b^2} + \frac{ie^{2i(bx+a)}}{2bx} - \frac{\operatorname{Ei}(1,-ibx)e^{i(bx+2a)}}{2} \right)}{2 \left(e^{2i(bx+a)} - 1 \right)} + \frac{\left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{1}{3}} b^2 \left(\frac{1}{2x^2b^2} - \right)}{2 e^{2i(bx+a)} - 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(1/3)/x^3,x)

[Out] -1/2*b^2/(exp(2*I*(b*x+a))-1)*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(1/3)*(1/2/x^2/b^2*exp(2*I*(b*x+a))+1/2*I/b/x*exp(2*I*(b*x+a))-1/2*Ei(1,-I*b*x)*exp(I*(b*x+2*a)))+1/2*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(1/3)/(exp(2*I*(b*x+a))-1)*b^2*(1/2/x^2/b^2-1/2*I/b/x-1/2*exp(I*b*x)*Ei(1,I*b*x))

maxima [C] time = 1.01, size = 270, normalized size = 2.33

$$\frac{\left((8\sqrt{3} - 8i)E_3(ibx) + (8\sqrt{3} + 8i)E_3(-ibx) \right) \cos(a)^3 + \left((8\sqrt{3} - 8i)E_3(ibx) + (8\sqrt{3} + 8i)E_3(-ibx) \right) \cos(a)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(1/3)/x^3,x, algorithm="maxima")

[Out]
$$-1/64 * ((8*\sqrt{3} - 8*I)*\exp_integral_e(3, I*b*x) + (8*\sqrt{3} + 8*I)*\exp_integral_e(3, -I*b*x)) * \cos(a)^3 + ((8*\sqrt{3} - 8*I)*\exp_integral_e(3, I*b*x) + (8*\sqrt{3} + 8*I)*\exp_integral_e(3, -I*b*x)) * \cos(a) * \sin(a)^2 + 8 * ((-I*\sqrt{3} - 1)*\exp_integral_e(3, I*b*x) + (I*\sqrt{3} - 1)*\exp_integral_e(3, -I*b*x)) * \sin(a)^3 - ((8*\sqrt{3} + 8*I)*\exp_integral_e(3, I*b*x) + (8*\sqrt{3} - 8*I)*\exp_integral_e(3, -I*b*x)) * \cos(a) + 8 * (((-I*\sqrt{3} - 1)*\exp_integral_e(3, I*b*x) + (I*\sqrt{3} - 1)*\exp_integral_e(3, -I*b*x)) * \cos(a)^2 + (I*\sqrt{3} - 1)*\exp_integral_e(3, I*b*x) + (-I*\sqrt{3} - 1)*\exp_integral_e(3, -I*b*x)) * \sin(a) * b^2 * c^{1/3} / (a^2 * \cos(a)^2 + a^2 * \sin(a)^2 + (b*x + a)^2 * (\cos(a)^2 + \sin(a)^2) - 2 * (a * \cos(a)^2 + a * \sin(a)^2) * (b*x + a))$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + bx)^3)^{1/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(1/3)/x^3,x)

[Out] int((c*sin(a + b*x)^3)^(1/3)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(1/3)/x**3,x)

[Out] Integral((c*sin(a + b*x)**3)**(1/3)/x**3, x)

3.318 $\int x^m \sqrt[3]{c \sin^3(a + bx^2)} dx$

Optimal. Leaf size=153

$$\frac{1}{4}ie^{ia}x^{m+1}(-ibx^2)^{\frac{1}{2}(-m-1)}\csc(a+bx^2)\Gamma\left(\frac{m+1}{2},-ibx^2\right)\sqrt[3]{c\sin^3(a+bx^2)}-\frac{1}{4}ie^{-ia}x^{m+1}(ibx^2)^{\frac{1}{2}(-m-1)}\csc(a+bx^2)$$

[Out] 1/4*I*exp(I*a)*x^(1+m)*(-I*b*x^2)^(-1/2-1/2*m)*csc(b*x^2+a)*GAMMA(1/2+1/2*m, -I*b*x^2)*(c*sin(b*x^2+a)^3)^(1/3)-1/4*I*x^(1+m)*(I*b*x^2)^(-1/2-1/2*m)*csc(b*x^2+a)*GAMMA(1/2+1/2*m, I*b*x^2)*(c*sin(b*x^2+a)^3)^(1/3)/exp(I*a)

Rubi [A] time = 0.30, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3389, 2218}

$$\frac{1}{4}ie^{ia}x^{m+1}(-ibx^2)^{\frac{1}{2}(-m-1)}\csc(a+bx^2)\Gamma\left(\frac{m+1}{2},-ibx^2\right)\sqrt[3]{c\sin^3(a+bx^2)}-\frac{1}{4}ie^{-ia}x^{m+1}(ibx^2)^{\frac{1}{2}(-m-1)}\csc(a+bx^2)$$

Antiderivative was successfully verified.

[In] Int[x^m*(c*Sin[a + b*x^2]^3)^(1/3),x]

[Out] (I/4)*E^(I*a)*x^(1 + m)*((-I)*b*x^2)^((-1 - m)/2)*Csc[a + b*x^2]*Gamma[(1 + m)/2, (-I)*b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3) - ((I/4)*x^(1 + m)*(I*b*x^2)^((-1 - m)/2)*Csc[a + b*x^2]*Gamma[(1 + m)/2, I*b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3))/E^(I*a)

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3389

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^p_, x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x^m \sqrt[3]{c \sin^3(a + bx^2)} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int x^m \sin(a + bx^2) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int e^{-ia - ibx^2} x^m dx - \frac{1}{2} \left(i \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int e^{ia + ibx^2} x^m dx \\ &= \frac{1}{4} i e^{ia} x^{1+m} (-ibx^2)^{\frac{1}{2}(-1-m)} \csc(a + bx^2) \Gamma\left(\frac{1+m}{2}, -ibx^2\right) \sqrt[3]{c \sin^3(a + bx^2)} - \frac{1}{4} i e^{-ia} x^{1+m} (ibx^2)^{\frac{1}{2}(-1-m)} \csc(a + bx^2) \Gamma\left(\frac{1+m}{2}, ibx^2\right) \sqrt[3]{c \sin^3(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.31, size = 138, normalized size = 0.90

$$\frac{1}{4} i x^{m+1} (b^2 x^4)^{\frac{1}{2}(-m-1)} \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \left((\cos(a) + i \sin(a)) (ibx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, -ibx^2\right) - (\cos(a) - i \sin(a)) (ibx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, ibx^2\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^m*(c*Sin[a + b*x^2]^3)^(1/3), x]

[Out] (I/4)*x^(1 + m)*(b^2*x^4)^((-1 - m)/2)*Csc[a + b*x^2]*(-(((I)*b*x^2)^((1 + m)/2)*Gamma[(1 + m)/2, I*b*x^2]*(Cos[a] - I*Sin[a])) + (I*b*x^2)^((1 + m)/2)*Gamma[(1 + m)/2, (-I)*b*x^2]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^2]^3)^(1/3)

fricas [A] time = 0.73, size = 98, normalized size = 0.64

$$\frac{\left(e^{\left(-\frac{1}{2}(m-1)\log(ib)-ia\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, ibx^2\right) + e^{\left(-\frac{1}{2}(m-1)\log(-ib)+ia\right)} \Gamma\left(\frac{1}{2}m + \frac{1}{2}, -ibx^2\right) \right) \left(-\left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)}{4 b \sin(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(1/3), x, algorithm="fricas")

[Out] -1/4*(e^(-1/2*(m - 1)*log(I*b) - I*a)*gamma(1/2*m + 1/2, I*b*x^2) + e^(-1/2*(m - 1)*log(-I*b) + I*a)*gamma(1/2*m + 1/2, -I*b*x^2))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(1/3)/(b*sin(b*x^2 + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)*x^m, x)

maple [F] time = 0.34, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3(bx^2 + a) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(b*x^2+a)^3)^(1/3),x)

[Out] int(x^m*(c*sin(b*x^2+a)^3)^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="maxima")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)*x^m, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \left(c \sin(bx^2 + a)^3 \right)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(a + b*x^2)^3)^(1/3),x)

[Out] int(x^m*(c*sin(a + b*x^2)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sqrt[3]{c \sin^3(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*(c*sin(b*x**2+a)**3)**(1/3),x)

[Out] Integral(x**m*(c*sin(a + b*x**2)**3)**(1/3), x)

3.319 $\int x^3 \sqrt[3]{c \sin^3(a + bx^2)} dx$

Optimal. Leaf size=58

$$\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2b^2} - \frac{x^2 \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}$$

[Out] $1/2*(c*\sin(b*x^2+a)^3)^{(1/3)}/b^2-1/2*x^2*\cot(b*x^2+a)*(c*\sin(b*x^2+a)^3)^{(1/3)}/b$

Rubi [A] time = 0.18, antiderivative size = 58, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3379, 3296, 2637}

$$\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2b^2} - \frac{x^2 \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c*Sin[a + b*x^2]^3)^(1/3),x]

[Out] (c*Sin[a + b*x^2]^3)^(1/3)/(2*b^2) - (x^2*Cot[a + b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3))/(2*b)

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3379

Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt[3]{c \sin^3(a + bx^2)} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int x^3 \sin(a + bx^2) dx \\
&= \frac{1}{2} \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int x \sin(a + bx) dx, x, x^2 \right) \\
&= -\frac{x^2 \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b} + \frac{\left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int dx, x, x^2 \right)}{2b} \\
&= \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2b^2} - \frac{x^2 \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 38, normalized size = 0.66

$$-\frac{(bx^2 \cot(a + bx^2) - 1) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(c*Sin[a + b*x^2]^3)^(1/3),x]
```

```
[Out] -1/2*((-1 + b*x^2*Cot[a + b*x^2])*(c*Sin[a + b*x^2]^3)^(1/3))/b^2
```

fricas [A] time = 0.70, size = 67, normalized size = 1.16

$$-\frac{(bx^2 \cos(bx^2 + a) - \sin(bx^2 + a)) \left(-\left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)^{\frac{1}{3}}}{2b^2 \sin(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="fricas")
```

```
[Out] -1/2*(b*x^2*cos(b*x^2 + a) - sin(b*x^2 + a))*(-(c*cos(b*x^2 + a)^2 - c)*sin
(b*x^2 + a))^(1/3)/(b^2*sin(b*x^2 + a))
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a) \right)^{\frac{1}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)*x^3, x)

maple [C] time = 0.22, size = 135, normalized size = 2.33

$$\frac{i(bx^2 + i) \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{2i(bx^2+a)} - i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} (bx^2 - i)}{4b^2 \left(e^{2i(bx^2+a)} - 1 \right) \quad 4 \left(e^{2i(bx^2+a)} - 1 \right) b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(b*x^2+a)^3)^(1/3),x)

[Out] -1/4*I/b^2*(b*x^2+I)/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)*exp(2*I*(b*x^2+a))-1/4*I*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)/(exp(2*I*(b*x^2+a))-1)*(b*x^2-I)/b^2

maxima [A] time = 1.00, size = 32, normalized size = 0.55

$$\frac{(bx^2 \cos(bx^2 + a) - \sin(bx^2 + a))c^{\frac{1}{3}}}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="maxima")

[Out] 1/4*(b*x^2*cos(b*x^2 + a) - sin(b*x^2 + a))*c^(1/3)/b^2

mupad [B] time = 5.19, size = 71, normalized size = 1.22

$$\frac{\left(\frac{\sin(bx^2+a)^2}{4} - \frac{bx^2 \sin(2bx^2+2a)}{8} \right) \left(-2c \left(\sin(3bx^2 + 3a) - 3 \sin(bx^2 + a) \right) \right)^{1/3}}{b^2 \sin(bx^2 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(c*sin(a + b*x^2)^3)^(1/3),x)
```

```
[Out] ((sin(a + b*x^2)^2/4 - (b*x^2*sin(2*a + 2*b*x^2))/8)*(-2*c*(sin(3*a + 3*b*x^2) - 3*sin(a + b*x^2)))^(1/3))/(b^2*sin(a + b*x^2)^2)
```

sympy [A] time = 23.19, size = 92, normalized size = 1.59

$$\begin{cases} \frac{x^4 \sqrt[3]{c \sin^3(a)}}{4} & \text{for } b = 0 \\ 0 & \text{for } a = -bx^2 \vee a = -bx^2 + \pi \\ -\frac{\sqrt[3]{c} x^2 \sqrt[3]{\sin^3(a+bx^2)} \cos(a+bx^2)}{2b \sin(a+bx^2)} + \frac{\sqrt[3]{c} \sqrt[3]{\sin^3(a+bx^2)}}{2b^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(c*sin(b*x**2+a)**3)**(1/3),x)
```

```
[Out] Piecewise((x**4*(c*sin(a)**3)**(1/3)/4, Eq(b, 0)), (0, Eq(a, -b*x**2) | Eq(a, -b*x**2 + pi)), (-c**(1/3)*x**2*(sin(a + b*x**2)**3)**(1/3)*cos(a + b*x**2)/(2*b*sin(a + b*x**2)) + c**(1/3)*(sin(a + b*x**2)**3)**(1/3)/(2*b**2), True))
```

3.320 $\int x^2 \sqrt[3]{c \sin^3(a + bx^2)} dx$

Optimal. Leaf size=155

$$\frac{\sqrt{\frac{\pi}{2}} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^{3/2}}$$

[Out] $-1/2*x*\cot(b*x^2+a)*(c*\sin(b*x^2+a)^3)^{(1/3)}/b+1/4*\cos(a)*\csc(b*x^2+a)*\text{FresnelC}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*(c*\sin(b*x^2+a)^3)^{(1/3)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-1/4*\csc(b*x^2+a)*\text{FresnelS}(x*b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*(c*\sin(b*x^2+a)^3)^{(1/3)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}$

Rubi [A] time = 0.21, antiderivative size = 155, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3385, 3354, 3352, 3351}

$$\frac{\sqrt{\frac{\pi}{2}} \cos(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^{3/2}} - \frac{\sqrt{\frac{\pi}{2}} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)}, x]$

[Out] $-(x*\text{Cot}[a + b*x^2]*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)})/(2*b) + (\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a]*\text{Csc}[a + b*x^2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x]*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)})/(2*b^{(3/2)}) - (\text{Sqrt}[\text{Pi}/2]*\text{Csc}[a + b*x^2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*x]*\text{Sin}[a]*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)})/(2*b^{(3/2)})$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3354

$\text{Int}[\text{Cos}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \text{Dist}[\text{Cos}[c], \text{Int}[\text{Cos}[d*(e + f*x)^2], x], x] - \text{Dist}[\text{Sin}[c], \text{Int}[\text{Sin}[d*(e + f*x)^2], x], x] /; \text{FreeQ}\{c, d, e, f\}, x]$

Rule 3385

```
Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := -Simp[(e^(
(n - 1)*(e*x)^(m - n + 1)*Cos[c + d*x^n])/(d*n), x] + Dist[(e^n*(m - n + 1)
)/(d*n), Int[(e*x)^(m - n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] &&
IGtQ[n, 0] && LtQ[n, m + 1]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int x^2 \sqrt[3]{c \sin^3(a + bx^2)} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int x^2 \sin(a + bx^2) dx \\ &= -\frac{x \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b} + \frac{\left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \cos(a + bx^2) dx}{2b} \\ &= -\frac{x \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b} + \frac{\left(\cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \cos(a + bx^2) dx}{2b} \\ &= -\frac{x \cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b} + \frac{\sqrt{\frac{\pi}{2}} \cos(a) \csc(a + bx^2) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \sqrt[3]{c \sin^3(a + bx^2)}}{2b^{3/2}} \end{aligned}$$

Mathematica [A] time = 0.27, size = 105, normalized size = 0.68

$$\frac{\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \left(-\sqrt{2\pi} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) + \sqrt{2\pi} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) + 2\sqrt{b} x \cos(a + bx^2) \right)}{4b^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(c*Sin[a + b*x^2]^3)^(1/3),x]
```

```
[Out] -1/4*(Csc[a + b*x^2]*(2*Sqrt[b]*x*Cos[a + b*x^2] - Sqrt[2*Pi]*Cos[a]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*x] + Sqrt[2*Pi]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*x]*Sin[a])*(c*Sin[a + b*x^2]^3)^(1/3))/b^(3/2)
```


fricas [A] time = 0.60, size = 156, normalized size = 1.01

$$\frac{4^{\frac{1}{3}} \left(4^{\frac{2}{3}} \sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) C \left(\sqrt{2} x \sqrt{\frac{b}{\pi}} \right) \sin(bx^2 + a) - 4^{\frac{2}{3}} \sqrt{2} \pi \sqrt{\frac{b}{\pi}} S \left(\sqrt{2} x \sqrt{\frac{b}{\pi}} \right) \sin(bx^2 + a) \sin(a) - 2 \cdot 4^{\frac{2}{3}} bx \cos(bx^2 + a) \right)}{16 \left(b^2 \cos(bx^2 + a)^2 - b^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="fricas")

[Out] $-1/16 \cdot 4^{1/3} \cdot (4^{2/3} \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/\pi} \cdot \cos(a) \cdot \text{fresnel_cos}(\sqrt{2} \cdot x \cdot \sqrt{b/\pi}) \cdot \sin(b \cdot x^2 + a) - 4^{2/3} \cdot \sqrt{2} \cdot \pi \cdot \sqrt{b/\pi} \cdot \text{fresnel_sin}(\sqrt{2} \cdot x \cdot \sqrt{b/\pi}) \cdot \sin(b \cdot x^2 + a) \cdot \sin(a) - 2 \cdot 4^{2/3} \cdot b \cdot x \cdot \cos(b \cdot x^2 + a) \cdot \sin(b \cdot x^2 + a)) \cdot (-c \cdot \cos(b \cdot x^2 + a)^2 - c) \cdot \sin(b \cdot x^2 + a)^{1/3} / (b^2 \cdot \cos(b \cdot x^2 + a)^2 - b^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)*x^2, x)

maple [C] time = 0.28, size = 240, normalized size = 1.55

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} \left(-\frac{ix e^{2i(bx^2+a)}}{2b} + \frac{i\sqrt{\pi} \operatorname{erf}(\sqrt{-ib} x) e^{i(bx^2+2a)}}{4b\sqrt{-ib}} \right)}{2 e^{2i(bx^2+a)} - 2} - \frac{ix \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}}}{4b \left(e^{2i(bx^2+a)} - 1 \right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(b*x^2+a)^3)^(1/3),x)

[Out] $1/2 / (\exp(2I*(b*x^2+a)) - 1) * (I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} * (-1/2*I/b*x*\exp(2I*(b*x^2+a)) + 1/4*I/b*\pi^{1/2}/(-I*b)^{1/2}*\operatorname{erf}((-I*b)^{1/2}*x)*\exp(I*(b*x^2+2*a))) - 1/4*I*x/b/(\exp(2I*(b*x^2+a)) - 1) * (I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} + 1/8*I*(I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} / (\exp(2I*(b*x^2+a)) - 1) * \exp(I*b*x^2)/b*\pi^{1/2}/(I*b)^{1/2}*\operatorname{erf}((I*b)^{1/2}*x)$

maxima [C] time = 0.96, size = 73, normalized size = 0.47

$$\frac{8b^2c^{\frac{1}{3}}x \cos(bx^2 + a) + \sqrt{2}\sqrt{\pi}(((i-1)\cos(a) + (i+1)\sin(a))\operatorname{erf}(\sqrt{ib}x) + (-(i+1)\cos(a) - (i-1)\sin(a))\operatorname{erf}(\sqrt{-ib}x))}{32b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="maxima")

[Out] 1/32*(8*b^2*c^(1/3)*x*cos(b*x^2 + a) + sqrt(2)*sqrt(pi)*(((I - 1)*cos(a) + (I + 1)*sin(a))*erf(sqrt(I*b)*x) + (-(I + 1)*cos(a) - (I - 1)*sin(a))*erf(sqrt(-I*b)*x))*b^(3/2)*c^(1/3))/b^3

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(c \sin(bx^2 + a)^3 \right)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a + b*x^2)^3)^(1/3),x)

[Out] int(x^2*(c*sin(a + b*x^2)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt[3]{c \sin^3(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(c*sin(b*x**2+a)**3)**(1/3),x)

[Out] Integral(x**2*(c*sin(a + b*x**2)**3)**(1/3), x)

3.321 $\int x \sqrt[3]{c \sin^3(a + bx^2)} dx$

Optimal. Leaf size=31

$$\frac{\cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}$$

[Out] $-1/2 * \cot(b*x^2+a) * (c*\sin(b*x^2+a)^3)^{(1/3)} / b$

Rubi [A] time = 0.10, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6715, 3207, 2638}

$$\frac{\cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)}, x]$

[Out] $-(\text{Cot}[a + b*x^2]*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)})/(2*b)$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3207

$\text{Int}[(u_.)*((b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)})^{(p_.)}, x_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[(b*\text{ff}^n)^{\text{IntPart}[p]}*(b*\text{Sin}[e + f*x]^n)^{\text{FracPart}[p]} / (\text{Sin}[e + f*x]/\text{ff})^{(n*\text{FracPart}[p])}, \text{Int}[\text{ActivateTrig}[u]*(\text{Sin}[e + f*x]/\text{ff})^{(n*p)}, x], x] /;$ FreeQ[{b, e, f, n, p}, x] && !IntegerQ[p] && IntegerQ[n] && (EqQ[u, 1] || MatchQ[u, ((d_.)*(trig_)[e + f*x])^{(m_.)} /; FreeQ[{d, m}, x] && MemberQ[{sin, cos, tan, cot, sec, csc}, trig])

Rule 6715

$\text{Int}[(u_.)*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(m + 1), \text{Subst}[\text{Int}[\text{SubstFor}[x^{(m + 1)}, u, x], x, x^{(m + 1)}], x] /;$ FreeQ[m, x] && NeQ[m, -1] && FunctionQ[fQ[x^{(m + 1)}, u, x]

Rubi steps

$$\begin{aligned}
\int x \sqrt[3]{c \sin^3(a + bx^2)} dx &= \frac{1}{2} \text{Subst} \left(\int \sqrt[3]{c \sin^3(a + bx)} dx, x, x^2 \right) \\
&= \frac{1}{2} \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int \sin(a + bx) dx, x, x^2 \right) \\
&= -\frac{\cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}
\end{aligned}$$

Mathematica [A] time = 0.06, size = 31, normalized size = 1.00

$$-\frac{\cot(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c*Sin[a + b*x^2]^3)^(1/3),x]

[Out] -1/2*(Cot[a + b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3))/b

fricas [A] time = 0.57, size = 51, normalized size = 1.65

$$\frac{\left(-\left(c \cos(bx^2 + a)^2 - c\right) \sin(bx^2 + a)\right)^{\frac{1}{3}} \cos(bx^2 + a)}{2 b \sin(bx^2 + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="fricas")

[Out] -1/2*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(1/3)*cos(b*x^2 + a)/(b*sin(b*x^2 + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)\right)^{\frac{1}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)*x, x)

maple [C] time = 0.28, size = 119, normalized size = 3.84

$$\frac{i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{2i(bx^2+a)}}{4b \left(e^{2i(bx^2+a)} - 1 \right)} - \frac{i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}}}{4b \left(e^{2i(bx^2+a)} - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*sin(b*x^2+a)^3)^(1/3),x)`

[Out] `-1/4*I/b/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)*exp(2*I*(b*x^2+a))-1/4*I/b/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)`

maxima [A] time = 0.96, size = 16, normalized size = 0.52

$$\frac{c^{\frac{1}{3}} \cos(bx^2 + a)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(c*sin(b*x^2+a)^3)^(1/3),x, algorithm="maxima")`

[Out] `1/4*c^(1/3)*cos(b*x^2 + a)/b`

mupad [B] time = 4.82, size = 53, normalized size = 1.71

$$\frac{\sin(2bx^2 + 2a) \left(-2c \left(\sin(3bx^2 + 3a) - 3 \sin(bx^2 + a) \right) \right)^{1/3}}{8b \sin(bx^2 + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(c*sin(a + b*x^2)^3)^(1/3),x)`

[Out] `-(sin(2*a + 2*b*x^2)*(-2*c*(sin(3*a + 3*b*x^2) - 3*sin(a + b*x^2)))^(1/3))/(8*b*sin(a + b*x^2)^2)`

sympy [A] time = 4.42, size = 66, normalized size = 2.13

$$\begin{cases} 0 & \text{for } a = -bx^2 \vee a = -bx^2 + \pi \\ \frac{x^2 \sqrt[3]{c \sin^3(a)}}{2} & \text{for } b = 0 \\ -\frac{\sqrt[3]{c} \sqrt[3]{\sin^3(a+bx^2)} \cos(a+bx^2)}{2b \sin(a+bx^2)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*sin(b*x**2+a)**3)**(1/3),x)
```

```
[Out] Piecewise((0, Eq(a, -b*x**2) | Eq(a, -b*x**2 + pi)), (x**2*(c*sin(a)**3)**(1/3)/2, Eq(b, 0)), (-c**(1/3)*(sin(a + b*x**2)**3)**(1/3)*cos(a + b*x**2)/(2*b*sin(a + b*x**2)), True))
```

3.322 $\int \sqrt[3]{c \sin^3(a + bx^2)} dx$

Optimal. Leaf size=117

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}} + \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}}$$

[Out] $1/2 * \cos(a) * \csc(b * x^2 + a) * \text{FresnelS}(x * b^{(1/2)} * 2^{(1/2)} / \text{Pi}^{(1/2)}) * (c * \sin(b * x^2 + a))^3^{(1/3)} * 2^{(1/2)} * \text{Pi}^{(1/2)} / b^{(1/2)} + 1/2 * \csc(b * x^2 + a) * \text{FresnelC}(x * b^{(1/2)} * 2^{(1/2)} / \text{Pi}^{(1/2)}) * \sin(a) * (c * \sin(b * x^2 + a))^3^{(1/3)} * 2^{(1/2)} * \text{Pi}^{(1/2)} / b^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3353, 3352, 3351}

$$\frac{\sqrt{\frac{\pi}{2}} \sin(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}} + \frac{\sqrt{\frac{\pi}{2}} \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c * \text{Sin}[a + b * x^2]^3)^{(1/3)}, x]$

[Out] $(\text{Sqrt}[\text{Pi}/2] * \text{Cos}[a] * \text{Csc}[a + b * x^2] * \text{FresnelS}[\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}] * x] * (c * \text{Sin}[a + b * x^2]^3)^{(1/3)}) / \text{Sqrt}[b] + (\text{Sqrt}[\text{Pi}/2] * \text{Csc}[a + b * x^2] * \text{FresnelC}[\text{Sqrt}[b] * \text{Sqrt}[2/\text{Pi}] * x] * \text{Sin}[a] * (c * \text{Sin}[a + b * x^2]^3)^{(1/3)}) / \text{Sqrt}[b]$

Rule 3351

$\text{Int}[\text{Sin}[(d_.) * ((e_.) + (f_.) * (x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelS}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /;$ FreeQ[{d, e, f}, x]

Rule 3352

$\text{Int}[\text{Cos}[(d_.) * ((e_.) + (f_.) * (x_.))^2], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2] * \text{FresnelC}[\text{Sqrt}[2/\text{Pi}] * \text{Rt}[d, 2] * (e + f * x)]) / (f * \text{Rt}[d, 2]), x] /;$ FreeQ[{d, e, f}, x]

Rule 3353

$\text{Int}[\text{Sin}[(c_.) + (d_.) * ((e_.) + (f_.) * (x_.))^2], x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d * (e + f * x)^2], x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d * (e + f * x)^2], x], x] /;$ FreeQ[{c, d, e, f}, x]

Rule 6720

```
Int[(u_)*((a_)*(v_)^(m_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int \sqrt[3]{c \sin^3(a + bx^2)} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \sin(a + bx^2) dx \\ &= \left(\cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \sin(bx^2) dx + \left(\csc(a + bx^2) \sin(a) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \cos(bx^2) dx \\ &= \frac{\sqrt{\frac{\pi}{2}} \cos(a) \csc(a + bx^2) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}} + \frac{\sqrt{\frac{\pi}{2}} \csc(a + bx^2) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \sqrt[3]{c \sin^3(a + bx^2)}}{\sqrt{b}} \end{aligned}$$

Mathematica [A] time = 0.12, size = 80, normalized size = 0.68

$$\frac{\sqrt{\frac{\pi}{2}} \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \left(\sin(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) + \cos(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \right)}{\sqrt{b}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*Sin[a + b*x^2]^3)^(1/3),x]
```

```
[Out] (Sqrt[Pi/2]*Csc[a + b*x^2]*(Cos[a]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*x] + Fresnel
C[Sqrt[b]*Sqrt[2/Pi]*x]*Sin[a])*(c*Sin[a + b*x^2]^3)^(1/3))/Sqrt[b]
```

fricas [A] time = 0.77, size = 128, normalized size = 1.09

$$\frac{4^{\frac{1}{3}} \left(4^{\frac{2}{3}} \sqrt{2} \pi \sqrt{\frac{b}{\pi}} \cos(a) S\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) \sin(bx^2 + a) + 4^{\frac{2}{3}} \sqrt{2} \pi \sqrt{\frac{b}{\pi}} C\left(\sqrt{2} x \sqrt{\frac{b}{\pi}}\right) \sin(bx^2 + a) \sin(a) \right) \left(-\left(c \cos(bx^2 + a) \right)^2 - c \right)}{8 \left(b \cos(bx^2 + a)^2 - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*sin(b*x^2+a)^3)^(1/3),x, algorithm="fricas")
```

```
[Out] -1/8*4^(1/3)*(4^(2/3)*sqrt(2)*pi*sqrt(b/pi)*cos(a)*fresnel_sin(sqrt(2)*x*sq
rt(b/pi))*sin(b*x^2 + a) + 4^(2/3)*sqrt(2)*pi*sqrt(b/pi)*fresnel_cos(sqrt(2)
)*x*sqrt(b/pi))*sin(b*x^2 + a)*sin(a))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2
+ a))^(1/3)/(b*cos(b*x^2 + a)^2 - b)
```


giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3), x)

maple [C] time = 0.23, size = 157, normalized size = 1.34

$$\frac{\operatorname{erf}(\sqrt{-ib} x) \sqrt{\pi} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{i(bx^2+2a)} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{ibx^2} \sqrt{\pi} \operatorname{erf}(\sqrt{ib} x)}{4\sqrt{-ib} \left(e^{2i(bx^2+a)} - 1 \right)} \quad \frac{\operatorname{erf}(\sqrt{-ib} x) \sqrt{\pi} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{i(bx^2+2a)} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} e^{ibx^2} \sqrt{\pi} \operatorname{erf}(\sqrt{ib} x)}{4 \left(e^{2i(bx^2+a)} - 1 \right) \sqrt{ib}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(1/3),x)

[Out] 1/4*erf((-I*b)^(1/2)*x)/(-I*b)^(1/2)*Pi^(1/2)/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)*exp(I*(b*x^2+2*a))-1/4*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)/(exp(2*I*(b*x^2+a))-1)*exp(I*b*x^2)*Pi^(1/2)/(I*b)^(1/2)*erf((I*b)^(1/2)*x)

maxima [C] time = 1.93, size = 51, normalized size = 0.44

$$\frac{\sqrt{2} \sqrt{\pi} \left((-i+1) \cos(a) + (i-1) \sin(a) \right) \operatorname{erf}(\sqrt{ib} x) + \left((i-1) \cos(a) - (i+1) \sin(a) \right) \operatorname{erf}(\sqrt{-ib} x)}{16 \sqrt{b}} c^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3),x, algorithm="maxima")

[Out] 1/16*sqrt(2)*sqrt(pi)*((-I + 1)*cos(a) + (I - 1)*sin(a))*erf(sqrt(I*b)*x) + ((I - 1)*cos(a) - (I + 1)*sin(a))*erf(sqrt(-I*b)*x)*c^(1/3)/sqrt(b)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((c*sin(a + b*x^2)^3)^(1/3),x)
```

```
[Out] int((c*sin(a + b*x^2)^3)^(1/3), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \sqrt[3]{c \sin^3(a + bx^2)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*sin(b*x**2+a)**3)**(1/3),x)
```

```
[Out] Integral((c*sin(a + b*x**2)**3)**(1/3), x)
```

$$3.323 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x} dx$$

Optimal. Leaf size=73

$$\frac{1}{2} \sin(a) \text{Ci}(bx^2) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} + \frac{1}{2} \cos(a) \text{Si}(bx^2) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)}$$

[Out] 1/2*cos(a)*csc(b*x^2+a)*Si(b*x^2)*(c*sin(b*x^2+a)^3)^(1/3)+1/2*Ci(b*x^2)*csc(b*x^2+a)*sin(a)*(c*sin(b*x^2+a)^3)^(1/3)

Rubi [A] time = 0.12, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3377, 3376, 3375}

$$\frac{1}{2} \sin(a) \text{CosIntegral}(bx^2) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} + \frac{1}{2} \cos(a) \text{Si}(bx^2) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^2]^3)^(1/3)/x,x]

[Out] (CosIntegral[b*x^2]*Csc[a + b*x^2]*Sin[a]*(c*Sin[a + b*x^2]^3)^(1/3))/2 + (Cos[a]*Csc[a + b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3)*SinIntegral[b*x^2])/2

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3377

Int[Sin[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Sin[c], Int[Cos[d*x^n]/x, x], x] + Dist[Cos[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] / ; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \frac{\sin(a + bx^2)}{x} dx \\ &= \left(\cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \frac{\sin(bx^2)}{x} dx + \left(\csc(a + bx^2) \sin(a) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \frac{1}{x} dx \\ &= \frac{1}{2} \text{Ci}(bx^2) \csc(a + bx^2) \sin(a) \sqrt[3]{c \sin^3(a + bx^2)} + \frac{1}{2} \cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.06, size = 47, normalized size = 0.64

$$\frac{1}{2} \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \left(\sin(a) \text{Ci}(bx^2) + \cos(a) \text{Si}(bx^2) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(1/3)/x,x]

[Out] (Csc[a + b*x^2]*(c*Sin[a + b*x^2]^3)^(1/3)*(CosIntegral[b*x^2]*Sin[a] + Cos[a]*SinIntegral[b*x^2]))/2

fricas [A] time = 0.47, size = 94, normalized size = 1.29

$$\frac{4^{\frac{1}{3}} \left(2 \cdot 4^{\frac{2}{3}} \cos(a) \text{Si}(bx^2) + \left(4^{\frac{2}{3}} \text{Ci}(bx^2) + 4^{\frac{2}{3}} \text{Ci}(-bx^2) \right) \sin(a) \right) \left(-\left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)^{\frac{1}{3}} \sin(bx^2 + a)}{16 \left(\cos(bx^2 + a)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x,x, algorithm="fricas")

[Out] -1/16*4^(1/3)*(2*4^(2/3)*cos(a)*sin_integral(b*x^2) + (4^(2/3)*cos_integral(b*x^2) + 4^(2/3)*cos_integral(-b*x^2))*sin(a))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(1/3)*sin(b*x^2 + a)/(cos(b*x^2 + a)^2 - 1)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)/x, x)

maple [C] time = 0.22, size = 268, normalized size = 3.67

$$\frac{\operatorname{Ei}\left(1, -ibx^2\right)\left(\operatorname{ic}\left(e^{2i(bx^2+a)} - 1\right)^3 e^{-3i(bx^2+a)}\right)^{\frac{1}{3}} e^{i(bx^2+2a)} i\left(\operatorname{ic}\left(e^{2i(bx^2+a)} - 1\right)^3 e^{-3i(bx^2+a)}\right)^{\frac{1}{3}} e^{ibx^2} \pi \operatorname{csgn}\left(bx^2\right)}{4\left(e^{2i(bx^2+a)} - 1\right)} - \frac{i\left(\operatorname{ic}\left(e^{2i(bx^2+a)} - 1\right)^3 e^{-3i(bx^2+a)}\right)^{\frac{1}{3}} e^{ibx^2} \pi \operatorname{csgn}\left(bx^2\right)}{4\left(e^{2i(bx^2+a)} - 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(1/3)/x,x)

[Out]
$$-1/4*\operatorname{Ei}\left(1, -I*b*x^2\right)/\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)*\left(I*c*\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)\right)^3*\exp\left(-3*I*(b*x^2+a)\right)\right)^{1/3}*\exp\left(I*(b*x^2+2*a)\right)-1/4*I*\left(I*c*\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)\right)^3*\exp\left(-3*I*(b*x^2+a)\right)\right)^{1/3}/\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)*\exp\left(I*b*x^2\right)*\operatorname{Pi}*\operatorname{csgn}\left(b*x^2\right)+1/2*I*\left(I*c*\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)\right)^3*\exp\left(-3*I*(b*x^2+a)\right)\right)^{1/3}/\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)*\exp\left(I*b*x^2\right)*\operatorname{Si}\left(b*x^2\right)+1/4*\left(I*c*\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)\right)^3*\exp\left(-3*I*(b*x^2+a)\right)\right)^{1/3}/\left(\exp\left(2*I*(b*x^2+a)\right)-1\right)*\exp\left(I*b*x^2\right)*\operatorname{Ei}\left(1, -I*b*x^2\right)$$

maxima [C] time = 2.93, size = 47, normalized size = 0.64

$$\frac{1}{8}\left(\left(i\operatorname{Ei}\left(ibx^2\right)-i\operatorname{Ei}\left(-ibx^2\right)\right)\cos(a)-\left(\operatorname{Ei}\left(ibx^2\right)+\operatorname{Ei}\left(-ibx^2\right)\right)\sin(a)\right)c^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x,x, algorithm="maxima")

[Out]
$$1/8*\left(\left(I*\operatorname{Ei}\left(I*b*x^2\right)-I*\operatorname{Ei}\left(-I*b*x^2\right)\right)*\cos(a)-\left(\operatorname{Ei}\left(I*b*x^2\right)+\operatorname{Ei}\left(-I*b*x^2\right)\right)*\sin(a)\right)*c^{1/3}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(c \sin\left(bx^2 + a\right)\right)^{1/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(1/3)/x,x)

[Out] int((c*sin(a + b*x^2)^3)^(1/3)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(1/3)/x,x)

[Out] Integral((c*sin(a + b*x**2)**3)**(1/3)/x, x)

$$3.324 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x^2} dx$$

Optimal. Leaf size=135

$$\sqrt{2\pi} \sqrt{b} \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} - \sqrt{2\pi} \sqrt{b} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)}$$

[Out] $-(c \sin(b x^2+a)^3)^{(1/3)}/x+\cos(a)*\csc(b x^2+a)*\text{FresnelC}(x b^{(1/2)} * 2^{(1/2)}/\text{Pi}^{(1/2)})*(c \sin(b x^2+a)^3)^{(1/3)}*b^{(1/2)} * 2^{(1/2)} * \text{Pi}^{(1/2)}-\csc(b x^2+a)*\text{FresnelS}(x b^{(1/2)} * 2^{(1/2)}/\text{Pi}^{(1/2)})*\sin(a)*(c \sin(b x^2+a)^3)^{(1/3)}*b^{(1/2)} * 2^{(1/2)} * \text{Pi}^{(1/2)}$

Rubi [A] time = 0.16, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3387, 3354, 3352, 3351}

$$\sqrt{2\pi} \sqrt{b} \cos(a) \text{FresnelC}\left(\sqrt{\frac{2}{\pi}} \sqrt{b} x\right) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} - \sqrt{2\pi} \sqrt{b} \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^2]^3)^(1/3)/x^2,x]

[Out] $-\left(\frac{c \sin(a+b x^2)^3}{x}\right)^{(1/3)}+\text{Sqrt}[b]*\text{Sqrt}[2 * \text{Pi}]*\text{Cos}[a]*\text{Csc}[a+b x^2]*\text{FresnelC}[\text{Sqrt}[b]*\text{Sqrt}[2 / \text{Pi}]*x]*(c \sin(a+b x^2)^3)^{(1/3)}-\text{Sqrt}[b]*\text{Sqrt}[2 * \text{Pi}]*\text{Csc}[a+b x^2]*\text{FresnelS}[\text{Sqrt}[b]*\text{Sqrt}[2 / \text{Pi}]*x]*\sin[a]*(c \sin(a+b x^2)^3)^{(1/3)}$

Rule 3351

Int[Sin[(d_.)*((e_.)+(f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e+f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.)+(f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e+f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_.)+(d_.)*((e_.)+(f_.)*(x_))^(2)], x_Symbol] := Dist[Cos[c], Int[Cos[d*(e+f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e+f*x)^2], x], x] /

; FreeQ[{c, d, e, f}, x]

Rule 3387

Int[((e_.)*(x_))^(m_)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] := Simp[((e*x)^(m + 1)*Sin[c + d*x^n])/(e*(m + 1)), x] - Dist[(d*n)/(e^n*(m + 1)), Int[(e*x)^(m + n)*Cos[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[m, -1]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x^2} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \frac{\sin(a + bx^2)}{x^2} dx \\ &= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x} + \left(2b \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \cos(a + bx^2) dx \\ &= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x} + \left(2b \cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \cos(bx^2) dx - 1 \\ &= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x} + \sqrt{b} \sqrt{2\pi} \cos(a) \csc(a + bx^2) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \sqrt[3]{c \sin^3(a + bx^2)} \end{aligned}$$

Mathematica [A] time = 0.28, size = 105, normalized size = 0.78

$$\frac{\sqrt[3]{c \sin^3(a + bx^2)} \left(\sqrt{2\pi} \sqrt{b} x \cos(a) C\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) - \sqrt{2\pi} \sqrt{b} x \sin(a) S\left(\sqrt{b} \sqrt{\frac{2}{\pi}} x\right) \csc(a + bx^2) - 1 \right)}{x}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(1/3)/x^2,x]

[Out] ((-1 + Sqrt[b]*Sqrt[2*Pi]*x*Cos[a]*Csc[a + b*x^2]*FresnelC[Sqrt[b]*Sqrt[2/Pi]*x] - Sqrt[b]*Sqrt[2*Pi]*x*Csc[a + b*x^2]*FresnelS[Sqrt[b]*Sqrt[2/Pi]*x]*Sin[a])*(c*Sin[a + b*x^2]^3)^(1/3))/x

fricas [A] time = 0.71, size = 150, normalized size = 1.11

$$\frac{4^{\frac{1}{3}} \left(4^{\frac{2}{3}} \sqrt{2} \pi x \sqrt{\frac{b}{\pi}} \cos(a) C \left(\sqrt{2} x \sqrt{\frac{b}{\pi}} \right) \sin(bx^2 + a) - 4^{\frac{2}{3}} \sqrt{2} \pi x \sqrt{\frac{b}{\pi}} S \left(\sqrt{2} x \sqrt{\frac{b}{\pi}} \right) \sin(bx^2 + a) \sin(a) + 4^{\frac{2}{3}} \cos \right)}{4 \left(x \cos(bx^2 + a)^2 - x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^2,x, algorithm="fricas")

[Out] -1/4*4^(1/3)*(4^(2/3)*sqrt(2)*pi*x*sqrt(b/pi)*cos(a)*fresnel_cos(sqrt(2)*x*sqrt(b/pi))*sin(b*x^2 + a) - 4^(2/3)*sqrt(2)*pi*x*sqrt(b/pi)*fresnel_sin(sqrt(2)*x*sqrt(b/pi))*sin(b*x^2 + a)*sin(a) + 4^(2/3)*cos(b*x^2 + a)^2 - 4^(2/3))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(1/3)/(x*cos(b*x^2 + a)^2 - x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)/x^2, x)

maple [C] time = 0.24, size = 232, normalized size = 1.72

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} \left(-\frac{e^{2i(bx^2+a)}}{x} + \frac{ib\sqrt{\pi} \operatorname{erf}(\sqrt{-ib}x) e^{i(bx^2+2a)}}{\sqrt{-ib}} \right)}{2e^{2i(bx^2+a)} - 2} + \frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}}}{2x \left(e^{2i(bx^2+a)} - 1 \right)} + i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(1/3)/x^2,x)

[Out] 1/2/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)*(-1/x*exp(2*I*(b*x^2+a))+I*b*Pi^(1/2)/(-I*b)^(1/2)*erf((-I*b)^(1/2)*x)*exp(I*(b*x^2+2*a)))+1/2/x/(exp(2*I*(b*x^2+a))-1)*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)+1/2*I*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(1/3)/(exp(2*I*(b*x^2+a))-1)*exp(I*b*x^2)*b*Pi^(1/2)/(I*b)^(1/2)*erf((I*b)^(1/2)*x)

maxima [C] time = 2.45, size = 76, normalized size = 0.56

$$\frac{\sqrt{bx^2} \left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, ibx^2\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -ibx^2\right) \right) \cos(a) + \left((i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, ibx^2\right) - (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -ibx^2\right) \right) \sin(a)}{16x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^2,x, algorithm="maxima")

[Out] 1/16*sqrt(b*x^2)*(((I - 1)*sqrt(2)*gamma(-1/2, I*b*x^2) - (I + 1)*sqrt(2)*gamma(-1/2, -I*b*x^2))*cos(a) + ((I + 1)*sqrt(2)*gamma(-1/2, I*b*x^2) - (I - 1)*sqrt(2)*gamma(-1/2, -I*b*x^2))*sin(a))*c^(1/3)/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(bx^2 + a)^3)^{1/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(1/3)/x^2,x)

[Out] int((c*sin(a + b*x^2)^3)^(1/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(1/3)/x**2,x)

[Out] Integral((c*sin(a + b*x**2)**3)**(1/3)/x**2, x)

$$3.325 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{x^3} dx$$

Optimal. Leaf size=98

$$\frac{1}{2}b \cos(a) \operatorname{Ci}(bx^2) \operatorname{csc}(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} - \frac{1}{2}b \sin(a) \operatorname{Si}(bx^2) \operatorname{csc}(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} - \frac{\sqrt[3]{c \sin^3(a+bx^2)}}{2}$$

[Out] $-1/2*(c*\sin(b*x^2+a)^3)^{(1/3)}/x^2+1/2*b*\operatorname{Ci}(b*x^2)*\cos(a)*\operatorname{csc}(b*x^2+a)*(c*\sin(b*x^2+a)^3)^{(1/3)}-1/2*b*\operatorname{csc}(b*x^2+a)*\operatorname{Si}(b*x^2)*\sin(a)*(c*\sin(b*x^2+a)^3)^{(1/3)}$

Rubi [A] time = 0.20, antiderivative size = 98, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6720, 3379, 3297, 3303, 3299, 3302}

$$\frac{1}{2}b \cos(a) \operatorname{CosIntegral}(bx^2) \operatorname{csc}(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)} - \frac{1}{2}b \sin(a) \operatorname{Si}(bx^2) \operatorname{csc}(a+bx^2) \sqrt[3]{c \sin^3(a+bx^2)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*\sin[a + b*x^2]^3)^{(1/3)}/x^3, x]$

[Out] $-(c*\sin[a + b*x^2]^3)^{(1/3)}/(2*x^2) + (b*\cos[a]*\operatorname{CosIntegral}[b*x^2]*\operatorname{Csc}[a + b*x^2]*(c*\sin[a + b*x^2]^3)^{(1/3)})/2 - (b*\operatorname{Csc}[a + b*x^2]*\sin[a]*(c*\sin[a + b*x^2]^3)^{(1/3})*\operatorname{SinIntegral}[b*x^2])/2$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m+1)*\sin[e + f*x]}/(d*(m+1)), x] - \operatorname{Dist}[f/(d*(m+1)), \operatorname{Int}[(c + d*x)^{(m+1)*\cos[e + f*x]}, x], x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f*x]/d, x] /; \operatorname{FreeQ}\{c, d, e, f\}, x] \&\& \operatorname{EqQ}[d*(e - \pi/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3379

```
Int[(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_.), x_Symbol
] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*SIN[c + d*x])^p
, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(
m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(
m + 1)/n], 0]))
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^p, x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x^3} dx &= \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \int \frac{\sin(a + bx^2)}{x^3} dx \\
&= \frac{1}{2} \left(\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int \frac{\sin(a + bx)}{x^2} dx, x, x^2 \right) \\
&= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2x^2} + \frac{1}{2} \left(b \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int \frac{\cos(a + bx)}{x} dx, x, x^2 \right) \\
&= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2x^2} + \frac{1}{2} \left(b \cos(a) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \right) \text{Subst} \left(\int \frac{\cos(bx)}{x} dx, x, x^2 \right) \\
&= -\frac{\sqrt[3]{c \sin^3(a + bx^2)}}{2x^2} + \frac{1}{2} b \cos(a) \text{Ci}(bx^2) \csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} - \frac{1}{2} b \csc(a) \text{Si}(bx^2) \sqrt[3]{c \sin^3(a + bx^2)}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 67, normalized size = 0.68

$$\frac{\csc(a + bx^2) \sqrt[3]{c \sin^3(a + bx^2)} \left(-bx^2 \cos(a) \text{Ci}(bx^2) + bx^2 \sin(a) \text{Si}(bx^2) + \sin(a + bx^2) \right)}{2x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(1/3)/x^3,x]

[Out] $-1/2*(\text{Csc}[a + b*x^2]*(c*\text{Sin}[a + b*x^2]^3)^{(1/3)*(- (b*x^2*\text{Cos}[a]*\text{CosIntegral}[b*x^2]) + \text{Sin}[a + b*x^2] + b*x^2*\text{Sin}[a]*\text{SinIntegral}[b*x^2])})/x^2$

fricas [A] time = 0.62, size = 138, normalized size = 1.41

$$\frac{4^{\frac{1}{3}} \left(2 \cdot 4^{\frac{2}{3}} \cos(bx^2 + a)^2 - \left(2 \cdot 4^{\frac{2}{3}} bx^2 \sin(a) \text{Si}(bx^2) - \left(4^{\frac{2}{3}} bx^2 \text{Ci}(bx^2) + 4^{\frac{2}{3}} bx^2 \text{Ci}(-bx^2) \right) \cos(a) \right) \sin(bx^2 + a) \right)}{16 \left(x^2 \cos(bx^2 + a)^2 - x^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^3,x, algorithm="fricas")

[Out] $-1/16*4^{(1/3)}*(2*4^{(2/3)}*\cos(b*x^2 + a)^2 - (2*4^{(2/3)}*b*x^2*\sin(a)*\sin_integral(b*x^2) - (4^{(2/3)}*b*x^2*\cos_integral(b*x^2) + 4^{(2/3)}*b*x^2*\cos_integral(-b*x^2))*\cos(a))*\sin(b*x^2 + a) - 2*4^{(2/3)}*(-(c*\cos(b*x^2 + a)^2 - c)*\sin(b*x^2 + a))^{(1/3)}/(x^2*\cos(b*x^2 + a)^2 - x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx^2 + a)^3 \right)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^3,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(1/3)/x^3, x)

maple [C] time = 0.23, size = 214, normalized size = 2.18

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} \left(-\frac{e^{2i(bx^2+a)}}{2x^2} - \frac{ib \text{Ei}(1, -ibx^2) e^{i(bx^2+2a)}}{2} \right)}{2e^{2i(bx^2+a)} - 2} + \frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{1}{3}} i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 \right)}{4x^2 \left(e^{2i(bx^2+a)} - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(1/3)/x^3,x)

[Out] $\frac{1}{2} / (\exp(2I*(b*x^2+a)) - 1) * (I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} * (-1/2/x^2 * \exp(2I*(b*x^2+a)) - 1/2*I*b*Ei(1, -I*b*x^2) * \exp(I*(b*x^2+2*a))) + 1/4/x^2 / (\exp(2I*(b*x^2+a)) - 1) * (I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} - 1/4*I*(I*c*(\exp(2I*(b*x^2+a)) - 1)^3 * \exp(-3I*(b*x^2+a)))^{1/3} / (\exp(2I*(b*x^2+a)) - 1) * \exp(I*b*x^2) * b*Ei(1, I*b*x^2)$

maxima [C] time = 2.73, size = 52, normalized size = 0.53

$$-\frac{1}{8} \left((\Gamma(-1, i b x^2) + \Gamma(-1, -i b x^2)) \cos(a) - (i \Gamma(-1, i b x^2) - i \Gamma(-1, -i b x^2)) \sin(a) \right) b c^{\frac{1}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(1/3)/x^3,x, algorithm="maxima")

[Out] $-1/8 * ((\text{gamma}(-1, I*b*x^2) + \text{gamma}(-1, -I*b*x^2)) * \cos(a) - (I*\text{gamma}(-1, I*b*x^2) - I*\text{gamma}(-1, -I*b*x^2)) * \sin(a)) * b*c^{1/3}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(bx^2 + a)^3)^{1/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(1/3)/x^3,x)

[Out] int((c*sin(a + b*x^2)^3)^(1/3)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx^2)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(1/3)/x**3,x)

[Out] Integral((c*sin(a + b*x**2)**3)**(1/3)/x**3, x)

3.326 $\int x^m \sqrt[3]{c \sin^3(a + bx^n)} dx$

Optimal. Leaf size=157

$$\frac{ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}} \csc(a+bx^n) \Gamma\left(\frac{m+1}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}} \csc(a+bx^n) \Gamma\left(\frac{m+1}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a+bx^n)}}{2n}$$

[Out] $1/2*I*\exp(I*a)*x^{(1+m)}*csc(a+b*x^n)*GAMMA((1+m)/n, -I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(1/3)}/n/((-I*b*x^n)^{((1+m)/n)}) - 1/2*I*x^{(1+m)}*csc(a+b*x^n)*GAMMA((1+m)/n, I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(1/3)}/\exp(I*a)/n/((I*b*x^n)^{((1+m)/n)})$

Rubi [A] time = 0.38, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{ia}x^{m+1}(-ibx^n)^{-\frac{m+1}{n}} \csc(a+bx^n) \Gamma\left(\frac{m+1}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^{m+1}(ibx^n)^{-\frac{m+1}{n}} \csc(a+bx^n) \Gamma\left(\frac{m+1}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a+bx^n)}}{2n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^m*(c*\sin[a + b*x^n]^3)^{(1/3)}, x]$

[Out] $((I/2)*E^{(I*a)}*x^{(1+m)}*Csc[a + b*x^n]*Gamma[(1+m)/n, (-I)*b*x^n]*(c*\sin[a + b*x^n]^3)^{(1/3)})/(n*((-I)*b*x^n)^{((1+m)/n)}) - ((I/2)*x^{(1+m)}*Csc[a + b*x^n]*Gamma[(1+m)/n, I*b*x^n]*(c*\sin[a + b*x^n]^3)^{(1/3)})/(E^{(I*a)}*n*(I*b*x^n)^{((1+m)/n)})$

Rule 2218

$\text{Int}[(F_.)^{((a_.) + (b_.)*((c_.) + (d_.)*(x_.)^{(n_)}))}*((e_.) + (f_.)*(x_.)^{(m_.)}), x_Symbol] :> -\text{Simp}[(F^a*(e + f*x)^{(m+1)}*Gamma[(m+1)/n, -(b*(c + d*x)^n*\text{Log}[F]])]/(f*n*(-(b*(c + d*x)^n*\text{Log}[F]))^{((m+1)/n)}), x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \&\& \text{EqQ}[d*e - c*f, 0]$

Rule 3423

$\text{Int}[(e_.)*(x_.)^{(m_.)}*\sin[(c_.) + (d_.)*(x_.)^{(n_)}], x_Symbol] :> \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{-(c*I) - d*I*x^n}, x], x] - \text{Dist}[I/2, \text{Int}[(e*x)^m*E^{(c*I + d*I*x^n)}, x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x_Symbol] :> \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /; \text{FreeQ}\{a, m, p\}, x]$

] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x^m \sqrt[3]{c \sin^3(a + bx^n)} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int x^m \sin(a + bx^n) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{-ia - ibx^n} x^m dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{ia + ibx^n} x^m dx \\ &= \frac{ie^{ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \csc(a + bx^n) \Gamma\left(\frac{1+m}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia} x^{1+m} (ibx^n)^{-\frac{1+m}{n}} \csc(a + bx^n) \Gamma\left(\frac{1+m}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} \end{aligned}$$

Mathematica [A] time = 0.35, size = 142, normalized size = 0.90

$$\frac{ix^{m+1} (b^2 x^{2n})^{-\frac{m+1}{n}} \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (ibx^n)^{\frac{m+1}{n}} \Gamma\left(\frac{m+1}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*(c*Sin[a + b*x^n]^3)^(1/3),x]

[Out] ((I/2)*x^(1 + m)*Csc[a + b*x^n]*(-(((-I)*b*x^n)^((1 + m)/n)*Gamma[(1 + m)/n, I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^((1 + m)/n)*Gamma[(1 + m)/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3)/(n*(b^2*x^(2*n))^(1/3))

fricas [F] time = 0.77, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{1}{3}} x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a)^(1/3)*x^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="giac")`

[Out] `integrate((c*sin(b*x^n + a)^3)^(1/3)*x^m, x)`

maple [F] time = 0.49, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3(a + b x^n) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(c*sin(a+b*x^n)^3)^(1/3),x)`

[Out] `int(x^m*(c*sin(a+b*x^n)^3)^(1/3),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{1}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^m*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="maxima")`

[Out] `integrate((c*sin(b*x^n + a)^3)^(1/3)*x^m, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \left(c \sin(a + b x^n)^3 \right)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(c*sin(a + b*x^n)^3)^(1/3),x)`

[Out] `int(x^m*(c*sin(a + b*x^n)^3)^(1/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \sqrt[3]{c \sin^3(a + b x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(c*sin(a+b*x**n)**3)**(1/3),x)`

[Out] `Integral(x**m*(c*sin(a + b*x**n)**3)**(1/3), x)`

3.327 $\int x^3 \sqrt[3]{c \sin^3(a + bx^n)} dx$

Optimal. Leaf size=143

$$\frac{ie^{ia}x^4(-ibx^n)^{-4/n}\Gamma\left(\frac{4}{n},-ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^4(ibx^n)^{-4/n}\Gamma\left(\frac{4}{n},ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n}$$

[Out] 1/2*I*exp(I*a)*x^4*csc(a+b*x^n)*GAMMA(4/n,-I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/n/((-I*b*x^n)^(4/n))-1/2*I*x^4*csc(a+b*x^n)*GAMMA(4/n,I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/exp(I*a)/n/((I*b*x^n)^(4/n))

Rubi [A] time = 0.28, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{ia}x^4(-ibx^n)^{-4/n}\Gamma\left(\frac{4}{n},-ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^4(ibx^n)^{-4/n}\Gamma\left(\frac{4}{n},ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c*Sin[a + b*x^n]^3)^(1/3),x]

[Out] ((I/2)*E^(I*a)*x^4*Csc[a + b*x^n]*Gamma[4/n, (-I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(n*((-I)*b*x^n)^(4/n)) - ((I/2)*x^4*Csc[a + b*x^n]*Gamma[4/n, I*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(E^(I*a)*n*(I*b*x^n)^(4/n))

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^((m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3423

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x^3 \sqrt[3]{c \sin^3(a + bx^n)} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int x^3 \sin(a + bx^n) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{-ia - ibx^n} x^3 dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{ia + ibx^n} x^3 dx \\ &= \frac{ie^{ia} x^4 (-ibx^n)^{-4/n} \csc(a + bx^n) \Gamma\left(\frac{4}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia} x^4 (ibx^n)^{-4/n} \csc(a + bx^n) \Gamma\left(\frac{4}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} \end{aligned}$$

Mathematica [A] time = 0.20, size = 129, normalized size = 0.90

$$\frac{ix^4 (b^2 x^{2n})^{-4/n} \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (ibx^n)^{4/n} \Gamma\left(\frac{4}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (-ibx^n)^{4/n} \Gamma\left(\frac{4}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c*Sin[a + b*x^n]^3)^(1/3), x]

[Out] ((I/2)*x^4*Csc[a + b*x^n]*(-(((-I)*b*x^n)^(4/n)*Gamma[4/n, I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^(4/n)*Gamma[4/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))) * (c*Sin[a + b*x^n]^3)^(1/3) / (n*(b^2*x^(2*n))^(4/n))

fricas [F] time = 0.83, size = 0, normalized size = 0.00

$$\text{integral} \left(\left(-(c \cos(bx^n + a)^2 - c) \sin(bx^n + a) \right)^{\frac{1}{3}} x^3, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(1/3), x, algorithm="fricas")

[Out] integral((- (c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(1/3)*x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{1}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x^3, x)

maple [F] time = 0.25, size = 0, normalized size = 0.00

$$\int x^3 \left(c \left(\sin^3(a + b x^n) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(a+b*x^n)^3)^(1/3),x)

[Out] int(x^3*(c*sin(a+b*x^n)^3)^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{1}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="maxima")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \left(c \sin(a + b x^n)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(a + b*x^n)^3)^(1/3),x)

[Out] int(x^3*(c*sin(a + b*x^n)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt[3]{c \sin^3(a + b x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(c*sin(a+b*x**n)**3)**(1/3),x)

[Out] Integral(x**3*(c*sin(a + b*x**n)**3)**(1/3), x)

3.328 $\int x^2 \sqrt[3]{c \sin^3(a + bx^n)} dx$

Optimal. Leaf size=143

$$\frac{ie^{ia}x^3(-ibx^n)^{-3/n}\Gamma\left(\frac{3}{n},-ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^3(ibx^n)^{-3/n}\Gamma\left(\frac{3}{n},ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n}$$

[Out] 1/2*I*exp(I*a)*x^3*csc(a+b*x^n)*GAMMA(3/n,-I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/n/((-I*b*x^n)^(3/n))-1/2*I*x^3*csc(a+b*x^n)*GAMMA(3/n,I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/exp(I*a)/n/((I*b*x^n)^(3/n))

Rubi [A] time = 0.27, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{ia}x^3(-ibx^n)^{-3/n}\Gamma\left(\frac{3}{n},-ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n} - \frac{ie^{-ia}x^3(ibx^n)^{-3/n}\Gamma\left(\frac{3}{n},ibx^n\right)\csc(a+bx^n)\sqrt[3]{c\sin^3(a+bx^n)}}{2n}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c*Sin[a + b*x^n]^3)^(1/3),x]

[Out] ((I/2)*E^(I*a)*x^3*Csc[a + b*x^n]*Gamma[3/n, (-I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(n*((-I)*b*x^n)^(3/n)) - ((I/2)*x^3*Csc[a + b*x^n]*Gamma[3/n, I*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(E^(I*a)*n*(I*b*x^n)^(3/n))

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^((m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3423

Int[((e_.)*(x_))^(m_.)*Sin[(c_.) + (d_.)*(x_)^(n_)], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x^2 \sqrt[3]{c \sin^3(a + bx^n)} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int x^2 \sin(a + bx^n) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{-ia - ibx^n} x^2 dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{ia + ibx^n} x^2 dx \\ &= \frac{ie^{ia} x^3 (-ibx^n)^{-3/n} \csc(a + bx^n) \Gamma\left(\frac{3}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia} x^3 (ibx^n)^{-3/n} \csc(a + bx^n) \Gamma\left(\frac{3}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} \end{aligned}$$

Mathematica [A] time = 0.19, size = 129, normalized size = 0.90

$$\frac{ix^3 (b^2 x^{2n})^{-3/n} \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (ibx^n)^{3/n} \Gamma\left(\frac{3}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (-ibx^n)^{3/n} \Gamma\left(\frac{3}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c*Sin[a + b*x^n]^3)^(1/3),x]

[Out] ((I/2)*x^3*Csc[a + b*x^n]*(-(((I)*b*x^n)^(3/n)*Gamma[3/n, I*b*x^n]*(Cos[a] - I*Sin[a]))) + (I*b*x^n)^(3/n)*Gamma[3/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3)/(n*(b^2*x^(2*n))^(3/n))

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{1}{3}} x^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a)^(1/3)*x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{1}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x^2, x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int x^2 \left(c \left(\sin^3(a + b x^n) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a+b*x^n)^3)^(1/3),x)

[Out] int(x^2*(c*sin(a+b*x^n)^3)^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{1}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="maxima")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(c \sin(a + b x^n)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a + b*x^n)^3)^(1/3),x)

[Out] int(x^2*(c*sin(a + b*x^n)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt[3]{c \sin^3(a + b x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(c*sin(a+b*x**n)**3)**(1/3),x)

[Out] Integral(x**2*(c*sin(a + b*x**n)**3)**(1/3), x)

3.329 $\int x \sqrt[3]{c \sin^3(a + bx^n)} dx$

Optimal. Leaf size=143

$$\frac{ie^{iax^2} (-ibx^n)^{-2/n} \Gamma\left(\frac{2}{n}, -ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-iax^2} (ibx^n)^{-2/n} \Gamma\left(\frac{2}{n}, ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n}$$

[Out] $1/2 * I * \exp(I * a) * x^2 * \csc(a + b * x^n) * \text{GAMMA}(2/n, -I * b * x^n) * (c * \sin(a + b * x^n)^3)^{(1/3)} / n / ((-I * b * x^n)^{(2/n)}) - 1/2 * I * x^2 * \csc(a + b * x^n) * \text{GAMMA}(2/n, I * b * x^n) * (c * \sin(a + b * x^n)^3)^{(1/3)} / \exp(I * a) / n / ((I * b * x^n)^{(2/n)})$

Rubi [A] time = 0.19, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{iax^2} (-ibx^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, -ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-iax^2} (ibx^n)^{-2/n} \text{Gamma}\left(\frac{2}{n}, ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x * (c * \text{Sin}[a + b * x^n]^3)^{(1/3)}, x]$

[Out] $((I/2) * E^{(I * a)} * x^2 * \text{Csc}[a + b * x^n] * \text{Gamma}[2/n, (-I) * b * x^n] * (c * \text{Sin}[a + b * x^n]^3)^{(1/3)}) / (n * ((-I) * b * x^n)^{(2/n)}) - ((I/2) * x^2 * \text{Csc}[a + b * x^n] * \text{Gamma}[2/n, I * b * x^n] * (c * \text{Sin}[a + b * x^n]^3)^{(1/3)}) / (E^{(I * a)} * n * (I * b * x^n)^{(2/n)})$

Rule 2218

$\text{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_))^{(n_.)}) * ((e_.) + (f_.) * (x_))^{(m_.)}], x_Symbol] := -\text{Simp}[(F^a * (e + f * x)^{(m + 1)} * \text{Gamma}[(m + 1)/n, -(b * (c + d * x))^n * \text{Log}[F]]) / (f * n * (-(b * (c + d * x))^n * \text{Log}[F]))^{((m + 1)/n)}, x] /; \text{FreeQ}\{F, a, b, c, d, e, f, m, n\}, x] \&\& \text{EqQ}[d * e - c * f, 0]$

Rule 3423

$\text{Int}[(e_.) * (x_)^{(m_.)} * \text{Sin}[(c_.) + (d_.) * (x_)^{(n_.)}], x_Symbol] := \text{Dist}[I/2, \text{Int}[(e * x)^m * E^{-(c * I) - d * I * x^n}], x], x] - \text{Dist}[I/2, \text{Int}[(e * x)^m * E^{(c * I) + d * I * x^n}], x], x] /; \text{FreeQ}\{c, d, e, m, n\}, x]$

Rule 6720

$\text{Int}[(u_.) * ((a_.) * (v_)^{(m_.)})^{(p_.)}, x_Symbol] := \text{Dist}[(a^{\text{IntPart}[p]} * (a * v^m)^{\text{FracPart}[p]}) / v^{(m * \text{FracPart}[p])}, \text{Int}[u * v^{(m * p)}, x], x] /; \text{FreeQ}\{a, m, p\}, x] \&\& !\text{IntegerQ}[p] \&\& !\text{FreeQ}[v, x] \&\& !(\text{EqQ}[a, 1] \&\& \text{EqQ}[m, 1]) \&\& !(\text{EqQ}$

[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int x \sqrt[3]{c \sin^3(a + bx^n)} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int x \sin(a + bx^n) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{-ia - ibx^n} x dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{ia - ibx^n} x dx \\ &= \frac{ie^{ia} x^2 (-ibx^n)^{-2/n} \csc(a + bx^n) \Gamma\left(\frac{2}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia} x^2 (ibx^n)^{-2/n} \csc(a + bx^n) \Gamma\left(\frac{2}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} \end{aligned}$$

Mathematica [A] time = 0.18, size = 129, normalized size = 0.90

$$\frac{ix^2 (b^2 x^{2n})^{-2/n} \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (ibx^n)^{2/n} \Gamma\left(\frac{2}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (-ibx^n)^{2/n} \Gamma\left(\frac{2}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c*Sin[a + b*x^n]^3)^(1/3), x]

[Out] ((I/2)*x^2*Csc[a + b*x^n]*(-(((-I)*b*x^n)^(2/n)*Gamma[2/n, I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^(2/n)*Gamma[2/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3))/(n*(b^2*x^(2*n))^(2/n))

fricas [F] time = 0.68, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{1}{3}} x, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(1/3), x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a)^(1/3)*x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3\right)^{\frac{1}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x, x)

maple [F] time = 0.31, size = 0, normalized size = 0.00

$$\int x \left(c \left(\sin^3(a + b x^n) \right) \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(a+b*x^n)^3)^(1/3),x)

[Out] int(x*(c*sin(a+b*x^n)^3)^(1/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{1}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(1/3),x, algorithm="maxima")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)*x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \left(c \sin(a + b x^n)^3 \right)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(a + b*x^n)^3)^(1/3),x)

[Out] int(x*(c*sin(a + b*x^n)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt[3]{c \sin^3(a + b x^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x**n)**3)**(1/3),x)

[Out] Integral(x*(c*sin(a + b*x**n)**3)**(1/3), x)

3.330 $\int \sqrt[3]{c \sin^3(a + bx^n)} dx$

Optimal. Leaf size=135

$$\frac{ie^{ia}x(-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia}x(ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n}$$

[Out] $1/2*I*\exp(I*a)*x*\csc(a+b*x^n)*\text{GAMMA}(1/n, -I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(1/3)}/n/((-I*b*x^n)^{(1/n)})-1/2*I*x*\csc(a+b*x^n)*\text{GAMMA}(1/n, I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(1/3)}/\exp(I*a)/n/((I*b*x^n)^{(1/n)})$

Rubi [A] time = 0.05, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {6720, 3365, 2208}

$$\frac{ie^{ia}x(-ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia}x(ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, ibx^n\right) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{2n}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^n]^3)^(1/3), x]

[Out] $((I/2)*E^{I*a}*x*Csc[a + b*x^n]*\text{Gamma}[n^{-1}, (-I)*b*x^n]*(c*\sin[a + b*x^n]^3)^{(1/3)})/(n*((-I)*b*x^n)^{n^{-1}}) - ((I/2)*x*Csc[a + b*x^n]*\text{Gamma}[n^{-1}, I*b*x^n]*(c*\sin[a + b*x^n]^3)^{(1/3)})/(E^{I*a}*n*(I*b*x^n)^{n^{-1}})$

Rule 2208

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_)), x_Symbol] :> -Simp[(F^a*(c + d*x)*Gamma[1/n, -(b*(c + d*x)^n*Log[F]])]/(d*n*(-(b*(c + d*x)^n*Log[F]))^(1/n)), x] /; FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3365

Int[Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)], x_Symbol] :> Dist[I/2, Int[E^(-(c*I) - d*I*(e + f*x)^n), x], x] - Dist[I/2, Int[E^(c*I + d*I*(e + f*x)^n), x], x] /; FreeQ[{c, d, e, f, n}, x]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \sqrt[3]{c \sin^3(a + bx^n)} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \sin(a + bx^n) dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{-ia - ibx^n} dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int e^{ia + ibx^n} dx \\ &= \frac{ie^{ia} x (-ibx^n)^{-1/n} \csc(a + bx^n) \Gamma\left(\frac{1}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} - \frac{ie^{-ia} x (ibx^n)^{-1/n} \csc(a + bx^n) \Gamma\left(\frac{1}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2n} \end{aligned}$$

Mathematica [A] time = 0.14, size = 119, normalized size = 0.88

$$\frac{ix (b^2 x^{2n})^{-1/n} \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (ibx^n)^{1/n} \Gamma\left(\frac{1}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (-ibx^n)^{1/n} \Gamma\left(\frac{1}{n}, ibx^n\right) \right)}{2n}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^n]^3)^(1/3),x]

[Out] ((I/2)*x*Csc[a + b*x^n]*(-(((I)*b*x^n)^n^(-1)*Gamma[n^(-1), I*b*x^n]*(Cos[a] - I*Sin[a])) + (I*b*x^n)^n^(-1)*Gamma[n^(-1), (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3))/(n*(b^2*x^(2*n))^n^(-1))

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{1}{3}}, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(1/3), x

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3), x)

maple [F] time = 0.28, size = 0, normalized size = 0.00

$$\int (c(\sin^3(a + bx^n)))^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(1/3), x)

[Out] int((c*sin(a+b*x^n)^3)^(1/3), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3), x, algorithm="maxima")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (c \sin(a + bx^n)^3)^{\frac{1}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(1/3), x)

[Out] int((c*sin(a + b*x^n)^3)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{c \sin^3(a + bx^n)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(1/3), x)

[Out] Integral((c*sin(a + b*x**n)**3)**(1/3), x)

$$3.331 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^n)}}{x} dx$$

Optimal. Leaf size=73

$$\frac{\sin(a)\text{Ci}(bx^n) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{n} + \frac{\cos(a)\text{Si}(bx^n) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{n}$$

[Out] $\cos(a)*\csc(a+b*x^n)*\text{Si}(b*x^n)*(c*\sin(a+b*x^n)^3)^{(1/3)}/n+\text{Ci}(b*x^n)*\csc(a+b*x^n)*\sin(a)*(c*\sin(a+b*x^n)^3)^{(1/3)}/n$

Rubi [A] time = 0.15, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3377, 3376, 3375}

$$\frac{\sin(a)\text{CosIntegral}(bx^n) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{n} + \frac{\cos(a)\text{Si}(bx^n) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x^n]^3)^{(1/3)}/x, x]$

[Out] $(\text{CosIntegral}[b*x^n]*\text{Csc}[a + b*x^n]*\text{Sin}[a]*(c*\text{Sin}[a + b*x^n]^3)^{(1/3)})/n + (\text{Cos}[a]*\text{Csc}[a + b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(1/3})*\text{SinIntegral}[b*x^n])/n$

Rule 3375

$\text{Int}[\text{Sin}[(d_.)*(x_)^(n_)]/(x_), x_Symbol] \text{ :> } \text{Simp}[\text{SinIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3376

$\text{Int}[\text{Cos}[(d_.)*(x_)^(n_)]/(x_), x_Symbol] \text{ :> } \text{Simp}[\text{CosIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3377

$\text{Int}[\text{Sin}[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] \text{ :> } \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*x^n]/x, x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*x^n]/x, x], x] / ; \text{FreeQ}\{c, d, n\}, x]$

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] \text{ :> } \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] / ; \text{FreeQ}\{a, m, p\}, x]$

] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{\sin(a + bx^n)}{x} dx \\ &= \left(\cos(a) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{\sin(bx^n)}{x} dx + \left(\csc(a + bx^n) \sin(a) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{\cos(bx^n)}{x} dx \\ &= \frac{\text{Ci}(bx^n) \csc(a + bx^n) \sin(a) \sqrt[3]{c \sin^3(a + bx^n)}}{n} + \frac{\cos(a) \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)}}{n} \end{aligned}$$

Mathematica [A] time = 0.08, size = 47, normalized size = 0.64

$$\frac{\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} (\sin(a) \text{Ci}(bx^n) + \cos(a) \text{Si}(bx^n))}{n}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^n]^3)^(1/3)/x,x]

[Out] (Csc[a + b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3)*(CosIntegral[b*x^n]*Sin[a] + Cos[a]*SinIntegral[b*x^n]))/n

fricas [A] time = 0.89, size = 98, normalized size = 1.34

$$\frac{4^{\frac{1}{3}} \left(4^{\frac{2}{3}} \text{Ci}(bx^n) \sin(a) + 4^{\frac{2}{3}} \text{Ci}(-bx^n) \sin(a) + 2 \cdot 4^{\frac{2}{3}} \cos(a) \text{Si}(bx^n) \right) \left(-\left(c \cos(bx^n + a)^2 - c \right) \sin(bx^n + a) \right)^{\frac{1}{3}} \sin(bx^n + a)}{8 \left(n \cos(bx^n + a)^2 - n \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x,x, algorithm="fricas")

[Out] -1/8*4^(1/3)*(4^(2/3)*cos_integral(b*x^n)*sin(a) + 4^(2/3)*cos_integral(-b*x^n)*sin(a) + 2*4^(2/3)*cos(a)*sin_integral(b*x^n))*(-(c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(1/3)*sin(b*x^n + a)/(n*cos(b*x^n + a)^2 - n)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^n + a)^3)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)/x, x)

maple [C] time = 0.34, size = 280, normalized size = 3.84

$$\frac{\operatorname{Ei}(1, -ibx^n) \left(ic \left(e^{2i(a+bx^n)} - 1 \right)^3 e^{-3i(a+bx^n)} \right)^{\frac{1}{3}} e^{i(bx^n+2a)} - i \left(ic \left(e^{2i(a+bx^n)} - 1 \right)^3 e^{-3i(a+bx^n)} \right)^{\frac{1}{3}} e^{ibx^n} \pi \operatorname{csgn}(bx^n)}{2n \left(e^{2i(a+bx^n)} - 1 \right)} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(1/3)/x,x)

[Out] $-1/2 * \operatorname{Ei}(1, -I * b * x^n) / n / (\exp(2 * I * (a + b * x^n)) - 1) * (I * c * (\exp(2 * I * (a + b * x^n)) - 1)^3 * \exp(-3 * I * (a + b * x^n)))^{1/3} * \exp(I * (b * x^n + 2 * a)) - 1/2 * I * (I * c * (\exp(2 * I * (a + b * x^n)) - 1)^3 * \exp(-3 * I * (a + b * x^n)))^{1/3} / (\exp(2 * I * (a + b * x^n)) - 1) * \exp(I * b * x^n) / n * \pi * \operatorname{csgn}(b * x^n) + I * (I * c * (\exp(2 * I * (a + b * x^n)) - 1)^3 * \exp(-3 * I * (a + b * x^n)))^{1/3} / (\exp(2 * I * (a + b * x^n)) - 1) * \exp(I * b * x^n) / n * \operatorname{Si}(b * x^n) + 1/2 * (I * c * (\exp(2 * I * (a + b * x^n)) - 1)^3 * \exp(-3 * I * (a + b * x^n)))^{1/3} / (\exp(2 * I * (a + b * x^n)) - 1) * \exp(I * b * x^n) / n * \operatorname{Ei}(1, -I * b * x^n)$

maxima [C] time = 2.33, size = 144, normalized size = 1.97

$$\frac{\left((\sqrt{3} + i) \operatorname{Ei}(ibx^n) - (\sqrt{3} + i) \operatorname{Ei}(-ibx^n) - (\sqrt{3} - i) \operatorname{Ei}\left(ibe^{(n \log(x))}\right) + (\sqrt{3} - i) \operatorname{Ei}\left(-ibe^{(n \log(x))}\right) \right) \cos(a) - \left((-i \right.$$

8

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x,x, algorithm="maxima")

[Out] $1/8 * (((\sqrt{3} + I) * \operatorname{Ei}(I * b * x^n) - (\sqrt{3} + I) * \operatorname{Ei}(-I * b * x^n) - (\sqrt{3} - I) * \operatorname{Ei}(I * b * e^{(n * \operatorname{conjugate}(\log(x)))}) + (\sqrt{3} - I) * \operatorname{Ei}(-I * b * e^{(n * \operatorname{conjugate}(\log(x)))})) * \cos(a) - ((-I * \sqrt{3} + 1) * \operatorname{Ei}(I * b * x^n) + (-I * \sqrt{3} + 1) * \operatorname{Ei}(-I * b * x^n) + (I * \sqrt{3} + 1) * \operatorname{Ei}(I * b * e^{(n * \operatorname{conjugate}(\log(x)))}) + (I * \sqrt{3} + 1) * \operatorname{Ei}(-I * b * e^{(n * \operatorname{conjugate}(\log(x)))})) * \sin(a)) * c^{1/3} / n$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + b x^n)^3)^{1/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(a + b*x^n)^3)^(1/3)/x,x)`

[Out] `int((c*sin(a + b*x^n)^3)^(1/3)/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(a+b*x**n)**3)**(1/3)/x,x)`

[Out] `Integral((c*sin(a + b*x**n)**3)**(1/3)/x, x)`

$$3.332 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^n)}}{x^2} dx$$

Optimal. Leaf size=139

$$\frac{ie^{ia} (-ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, -ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx} - \frac{ie^{-ia} (ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx}$$

[Out] 1/2*I*exp(I*a)*(-I*b*x^n)^(1/n)*csc(a+b*x^n)*GAMMA(-1/n,-I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/n/x-1/2*I*(I*b*x^n)^(1/n)*csc(a+b*x^n)*GAMMA(-1/n,I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/exp(I*a)/n/x

Rubi [A] time = 0.20, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{ia} (-ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, -ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx} - \frac{ie^{-ia} (ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx}$$

Antiderivative was successfully verified.

[In] Int[(c*SIN[a + b*x^n]^3)^(1/3)/x^2,x]

[Out] ((I/2)*E^(I*a)*((-I)*b*x^n)^n^(-1)*Csc[a + b*x^n]*Gamma[-n^(-1), (-I)*b*x^n]*(c*SIN[a + b*x^n]^3)^(1/3))/(n*x) - ((I/2)*(I*b*x^n)^n^(-1)*Csc[a + b*x^n]*Gamma[-n^(-1), I*b*x^n]*(c*SIN[a + b*x^n]^3)^(1/3))/(E^(I*a)*n*x)

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_))^(n_))*((e_) + (f_)*(x_))^(m_), x_Symbol] := -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x))^n*Log[F]])/(f*n*(-(b*(c + d*x))^n*Log[F]))^(m + 1)/n), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3423

Int[((e_)*(x_))^(m_)*Sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := Dist[I/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 6720

Int[(u_)*((a_)*(v_))^(m_)]^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]

] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x^2} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{\sin(a + bx^n)}{x^2} dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{e^{-ia - ibx^n}}{x^2} dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{e^{ia + ibx^n}}{x^2} dx \\ &= \frac{ie^{ia} (-ibx^n)^{\frac{1}{n}} \csc(a + bx^n) \Gamma\left(-\frac{1}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2nx} - \frac{ie^{-ia} (ibx^n)^{\frac{1}{n}} \csc(a + bx^n) \Gamma\left(-\frac{1}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2nx} \end{aligned}$$

Mathematica [A] time = 0.16, size = 110, normalized size = 0.79

$$\frac{i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (-ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, ibx^n\right) \right)}{2nx}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^n]^3)^(1/3)/x^2,x]

[Out] ((I/2)*Csc[a + b*x^n]*(-(I*b*x^n)^n^(-1)*Gamma[-n^(-1), I*b*x^n]*(Cos[a] - I*Sin[a])) + ((-I)*b*x^n)^n^(-1)*Gamma[-n^(-1), (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3)/(n*x)

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\left(-(c \cos(bx^n + a)^2 - c) \sin(bx^n + a) \right)^{\frac{1}{3}}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x^2,x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a)^(1/3)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^n + a)^3)^{\frac{1}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)/x^2, x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{(c(\sin^3(a + bx^n)))^{\frac{1}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(1/3)/x^2,x)

[Out] int((c*sin(a+b*x^n)^3)^(1/3)/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^n + a)^3)^{\frac{1}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x^2,x, algorithm="maxima")

[Out] integrate((c*sin(b*x^n + a)^3)^(1/3)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + bx^n)^3)^{1/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(1/3)/x^2,x)

[Out] int((c*sin(a + b*x^n)^3)^(1/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(1/3)/x**2,x)

[Out] Integral((c*sin(a + b*x**n)**3)**(1/3)/x**2, x)

$$3.333 \quad \int \frac{\sqrt[3]{c \sin^3(a+bx^n)}}{x^3} dx$$

Optimal. Leaf size=143

$$\frac{ie^{ia} (-ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, -ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx^2} - \frac{ie^{-ia} (ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx^2}$$

[Out] 1/2*I*exp(I*a)*(-I*b*x^n)^(2/n)*csc(a+b*x^n)*GAMMA(-2/n,-I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/n/x^2-1/2*I*(I*b*x^n)^(2/n)*csc(a+b*x^n)*GAMMA(-2/n,I*b*x^n)*(c*sin(a+b*x^n)^3)^(1/3)/exp(I*a)/n/x^2

Rubi [A] time = 0.21, antiderivative size = 143, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.150$, Rules used = {6720, 3423, 2218}

$$\frac{ie^{ia} (-ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, -ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx^2} - \frac{ie^{-ia} (ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, ibx^n\right) \csc(a+bx^n) \sqrt[3]{c \sin^3(a+bx^n)}}{2nx^2}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^n]^3)^(1/3)/x^3,x]

[Out] ((I/2)*E^(I*a)*((-I)*b*x^n)^(2/n)*Csc[a + b*x^n]*Gamma[-2/n, (-I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(n*x^2) - ((I/2)*(I*b*x^n)^(2/n)*Csc[a + b*x^n]*Gamma[-2/n, I*b*x^n]*(c*Sin[a + b*x^n]^3)^(1/3))/(E^(I*a)*n*x^2)

Rule 2218

Int[(F_)^((a_) + (b_)*((c_) + (d_)*(x_)^(n_)))*((e_) + (f_)*(x_)^(m_)), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3423

Int[((e_)*(x_)^(m_))*Sin[(c_) + (d_)*(x_)^(n_)], x_Symbol] :> Dist[I/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] - Dist[I/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 6720

Int[(u_)*((a_)*(v_)^(m_))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]

] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt[3]{c \sin^3(a + bx^n)}}{x^3} dx &= \left(\csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{\sin(a + bx^n)}{x^3} dx \\ &= \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{e^{-ia - ibx^n}}{x^3} dx - \frac{1}{2} \left(i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \right) \int \frac{e^{ia + ibx^n}}{x^3} dx \\ &= \frac{ie^{ia} (-ibx^n)^{2/n} \csc(a + bx^n) \Gamma\left(-\frac{2}{n}, -ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2nx^2} - \frac{ie^{-ia} (ibx^n)^{2/n} \csc(a + bx^n) \Gamma\left(-\frac{2}{n}, ibx^n\right) \sqrt[3]{c \sin^3(a + bx^n)}}{2nx^2} \end{aligned}$$

Mathematica [A] time = 0.17, size = 114, normalized size = 0.80

$$\frac{i \csc(a + bx^n) \sqrt[3]{c \sin^3(a + bx^n)} \left((\cos(a) + i \sin(a)) (-ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, -ibx^n\right) - (\cos(a) - i \sin(a)) (ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, ibx^n\right) \right)}{2nx^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^n]^3)^(1/3)/x^3,x]

[Out] ((I/2)*Csc[a + b*x^n]*(-(I*b*x^n)^(2/n)*Gamma[-2/n, I*b*x^n]*(Cos[a] - I*Sin[a])) + ((-I)*b*x^n)^(2/n)*Gamma[-2/n, (-I)*b*x^n]*(Cos[a] + I*Sin[a]))*(c*Sin[a + b*x^n]^3)^(1/3)/(n*x^2)

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{1}{3}}}{x^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(1/3)/x^3,x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a)^(1/3)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^n + a)^3)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(a+b*x^n)^3)^(1/3)/x^3,x, algorithm="giac")`

[Out] `integrate((c*sin(b*x^n + a)^3)^(1/3)/x^3, x)`

maple [F] time = 0.25, size = 0, normalized size = 0.00

$$\int \frac{\left(c \left(\sin^3(a + b x^n)\right)\right)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(a+b*x^n)^3)^(1/3)/x^3,x)`

[Out] `int((c*sin(a+b*x^n)^3)^(1/3)/x^3,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(b x^n + a)\right)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(a+b*x^n)^3)^(1/3)/x^3,x, algorithm="maxima")`

[Out] `integrate((c*sin(b*x^n + a)^3)^(1/3)/x^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(c \sin(a + b x^n)\right)^{\frac{1}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(a + b*x^n)^3)^(1/3)/x^3,x)`

[Out] `int((c*sin(a + b*x^n)^3)^(1/3)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{c \sin^3(a + b x^n)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(a+b*x**n)**3)**(1/3)/x**3,x)`

[Out] `Integral((c*sin(a + b*x**n)**3)**(1/3)/x**3, x)`

$$3.334 \quad \int x^m \left(c \sin^3(a + bx) \right)^{2/3} dx$$

Optimal. Leaf size=169

$$\frac{x^{m+1} \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{2(m+1)} + \frac{ie^{2ia} 2^{-m-3} x^m (-ibx)^{-m} \csc^2(a + bx) \Gamma(m+1, -2ibx) \left(c \sin^3(a + bx) \right)^{2/3}}{b} - \frac{ie^{-2ia} 2^{-m-3} x^m (ibx)^{-m} \csc^2(a + bx) \Gamma(m+1, 2ibx) \left(c \sin^3(a + bx) \right)^{2/3}}{b}$$

[Out] 1/2*x^(1+m)*csc(b*x+a)^2*(c*sin(b*x+a)^3)^(2/3)/(1+m)+I*2^(-3-m)*exp(2*I*a)*x^m*csc(b*x+a)^2*GAMMA(1+m,-2*I*b*x)*(c*sin(b*x+a)^3)^(2/3)/b/((-I*b*x)^m)-I*2^(-3-m)*x^m*csc(b*x+a)^2*GAMMA(1+m,2*I*b*x)*(c*sin(b*x+a)^3)^(2/3)/b/exp(2*I*a)/((I*b*x)^m)

Rubi [A] time = 0.30, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6720, 3312, 3307, 2181}

$$\frac{ie^{2ia} 2^{-m-3} x^m (-ibx)^{-m} \csc^2(a + bx) \Gamma(m+1, -2ibx) \left(c \sin^3(a + bx) \right)^{2/3}}{b} - \frac{ie^{-2ia} 2^{-m-3} x^m (ibx)^{-m} \csc^2(a + bx) \Gamma(m+1, 2ibx) \left(c \sin^3(a + bx) \right)^{2/3}}{b}$$

Antiderivative was successfully verified.

[In] Int[x^m*(c*SIN[a + b*x]^3)^(2/3),x]

[Out] (x^(1 + m)*Csc[a + b*x]^2*(c*SIN[a + b*x]^3)^(2/3))/(2*(1 + m)) + (I*2^(-3 - m)*E^((2*I)*a)*x^m*Csc[a + b*x]^2*Gamma[1 + m, (-2*I)*b*x]*(c*SIN[a + b*x]^3)^(2/3))/(b*((-I)*b*x)^m) - (I*2^(-3 - m)*x^m*Csc[a + b*x]^2*Gamma[1 + m, (2*I)*b*x]*(c*SIN[a + b*x]^3)^(2/3))/(b*E^((2*I)*a)*(I*b*x)^m)

Rule 2181

Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d]*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3307

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rule 3312


```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
 \int x^m (c \sin^3(a + bx))^{2/3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int x^m \sin^2(a + bx) dx \\
 &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \left(\frac{x^m}{2} - \frac{1}{2} x^m \cos(2a + 2bx) \right) dx \\
 &= \frac{x^{1+m} \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}}{2(1+m)} - \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int x^m \\
 &= \frac{x^{1+m} \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}}{2(1+m)} - \frac{1}{4} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int e^{-i} \\
 &= \frac{x^{1+m} \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}}{2(1+m)} + \frac{i 2^{-3-m} e^{2ia} x^m (-ibx)^{-m} \csc^2(a + bx) \Gamma(1+m)}{b}
 \end{aligned}$$

Mathematica [A] time = 0.53, size = 142, normalized size = 0.84

$$\frac{2^{-m-3} x^m (b^2 x^2)^{-m} \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \left(-i(m+1)(\cos(a) - i \sin(a))^2 (-ibx)^m \Gamma(m+1, 2ibx) + i(m+1) \right)}{b(m+1)}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^m*(c*Sin[a + b*x]^3)^(2/3),x]
```

```
[Out] (2^(-3 - m)*x^m*Csc[a + b*x]^2*(2^(2 + m)*b*x*(b^2*x^2)^m - I*(1 + m)*((-I)
*b*x)^m*Gamma[1 + m, (2*I)*b*x]*(Cos[a] - I*Sin[a])^2 + I*(1 + m)*(I*b*x)^m
*Gamma[1 + m, (-2*I)*b*x]*(Cos[a] + I*Sin[a])^2)*(c*Sin[a + b*x]^3)^(2/3))/
(b*(1 + m)*(b^2*x^2)^m)
```

fricas [A] time = 0.80, size = 112, normalized size = 0.66

$$\frac{\left(4 b x x^m - (i m + i) e^{(-m \log(2i b) - 2i a)} \Gamma(m + 1, 2i b x) - (-i m - i) e^{(-m \log(-2i b) + 2i a)} \Gamma(m + 1, -2i b x)\right) \left(-\left(c \cos(bx + a)\right)^{\frac{2}{3}}\right)}{8 \left((b m + b) \cos(bx + a)^2 - b m - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(2/3),x, algorithm="fricas")

[Out] -1/8*(4*b*x*x^m - (I*m + I)*e^(-m*log(2*I*b) - 2*I*a)*gamma(m + 1, 2*I*b*x) - (-I*m - I)*e^(-m*log(-2*I*b) + 2*I*a)*gamma(m + 1, -2*I*b*x))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(2/3)/((b*m + b)*cos(b*x + a)^2 - b*m - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx + a)\right)^{\frac{2}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)*x^m, x)

maple [F] time = 0.31, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3(bx + a)\right)\right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(b*x+a)^3)^(2/3),x)

[Out] int(x^m*(c*sin(b*x+a)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left((m + 1) \int x^m \cos(2bx + 2a) dx - e^{(m \log(x) + \log(x))}\right) c^{\frac{2}{3}}}{4(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x+a)^3)^(2/3),x, algorithm="maxima")

[Out] 1/4*((m + 1)*integrate(x^m*cos(2*b*x + 2*a), x) - e^(m*log(x) + log(x)))*c^(2/3)/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m (c \sin(a + bx)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(c*sin(a + b*x)^3)^(2/3),x)`

[Out] `int(x^m*(c*sin(a + b*x)^3)^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m (c \sin^3(a + bx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(c*sin(b*x+a)**3)**(2/3),x)`

[Out] `Integral(x**m*(c*sin(a + b*x)**3)**(2/3), x)`

$$3.335 \quad \int x^3 \left(c \sin^3(a + bx) \right)^{2/3} dx$$

Optimal. Leaf size=165

$$-\frac{3 \left(c \sin^3(a + bx) \right)^{2/3}}{8b^4} + \frac{3x \cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^3} + \frac{3x^2 \left(c \sin^3(a + bx) \right)^{2/3}}{4b^2} - \frac{3x^2 \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{8b^2}$$

[Out] $-3/8*(c*\sin(b*x+a)^3)^{(2/3)}/b^4+3/4*x^2*(c*\sin(b*x+a)^3)^{(2/3)}/b^2+3/4*x*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b^3-1/2*x^3*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b-3/8*x^2*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}/b^2+1/8*x^4*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}$

Rubi [A] time = 0.19, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6720, 3311, 30, 3310}

$$\frac{3x^2 \left(c \sin^3(a + bx) \right)^{2/3}}{4b^2} - \frac{3x^2 \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{8b^2} - \frac{3 \left(c \sin^3(a + bx) \right)^{2/3}}{8b^4} + \frac{3x \cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^3}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c*SIN[a + b*x]^3)^(2/3),x]

[Out] $(-3*(c*\sin[a + b*x]^3)^{(2/3)})/(8*b^4) + (3*x^2*(c*\sin[a + b*x]^3)^{(2/3)})/(4*b^2) + (3*x*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(2/3)})/(4*b^3) - (x^3*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(2/3)})/(2*b) - (3*x^2*\csc[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)})/(8*b^2) + (x^4*\csc[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)})/8$

Rule 30

Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*SIN[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist

```
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int x^3 (c \sin^3(a + bx))^{2/3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int x^3 \sin^2(a + bx) dx \\ &= \frac{3x^2 (c \sin^3(a + bx))^{2/3}}{4b^2} - \frac{x^3 \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \\ &= -\frac{3 (c \sin^3(a + bx))^{2/3}}{8b^4} + \frac{3x^2 (c \sin^3(a + bx))^{2/3}}{4b^2} + \frac{3x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{4b^3} \\ &= -\frac{3 (c \sin^3(a + bx))^{2/3}}{8b^4} + \frac{3x^2 (c \sin^3(a + bx))^{2/3}}{4b^2} + \frac{3x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{4b^3} \end{aligned}$$

Mathematica [A] time = 0.30, size = 79, normalized size = 0.48

$$\frac{\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \left((6bx - 4b^3x^3) \sin(2(a + bx)) + (3 - 6b^2x^2) \cos(2(a + bx)) + 2b^4x^4 \right)}{16b^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(c*Sin[a + b*x]^3)^(2/3), x]
```

```
[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(2*b^4*x^4 + (3 - 6*b^2*x^2)*Cos[2
*(a + b*x)] + (6*b*x - 4*b^3*x^3)*Sin[2*(a + b*x)]))/(16*b^4)
```

fricas [A] time = 0.64, size = 111, normalized size = 0.67

$$\frac{(2b^4x^4 + 6b^2x^2 - 6(2b^2x^2 - 1) \cos(bx + a)^2 - 4(2b^3x^3 - 3bx) \cos(bx + a) \sin(bx + a) - 3) \left(-(c \cos(bx + a))^{2/3} \right)}{16(b^4 \cos(bx + a)^2 - b^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(2/3),x, algorithm="fricas")

[Out] $-1/16*(2*b^4*x^4 + 6*b^2*x^2 - 6*(2*b^2*x^2 - 1)*\cos(b*x + a)^2 - 4*(2*b^3*x^3 - 3*b*x)*\cos(b*x + a)*\sin(b*x + a) - 3)*(-c*\cos(b*x + a)^2 - c)*\sin(b*x + a))^{2/3}/(b^4*\cos(b*x + a)^2 - b^4)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{\frac{2}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)*x^3, x)

maple [C] time = 0.20, size = 208, normalized size = 1.26

$$\frac{x^4 \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2i(bx+a)} i \left(4b^3 x^3 + 6ib^2 x^2 - 6bx - 3i \right) \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{8 \left(e^{2i(bx+a)} - 1 \right)^2 + 32b^4 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(b*x+a)^3)^(2/3),x)

[Out] $-1/8*x^4/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(2*I*(b*x+a))-1/32*I/b^4*(4*b^3*x^3+6*I*b^2*x^2-6*b*x-3*I)/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(4*I*(b*x+a))+1/32*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}/(\exp(2*I*(b*x+a))-1)^2*(4*b^3*x^3-6*I*b^2*x^2-6*b*x+3*I)/b^4$

maxima [B] time = 1.24, size = 286, normalized size = 1.73

$$32 \left(c^{\frac{2}{3}} \arctan \left(\frac{\sin(bx+a)}{\cos(bx+a)+1} \right) - \frac{\frac{c^{\frac{2}{3}} \sin(bx+a)}{\cos(bx+a)+1} - \frac{c^{\frac{2}{3}} \sin(bx+a)^3}{(\cos(bx+a)+1)^3}}{\frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1} \right) a^3 + 6 \left(2 (bx+a)^2 - 2 (bx+a) \sin(2bx+2a) - \cos(2bx+2a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(b*x+a)^3)^(2/3),x, algorithm="maxima")

```
[Out] -1/32*(32*(c^(2/3)*arctan(sin(b*x + a)/(cos(b*x + a) + 1)) - (c^(2/3)*sin(b*x + a)/(cos(b*x + a) + 1) - c^(2/3)*sin(b*x + a)^3/(cos(b*x + a) + 1)^3)/(2*sin(b*x + a)^2/(cos(b*x + a) + 1)^2 + sin(b*x + a)^4/(cos(b*x + a) + 1)^4 + 1))*a^3 + 6*(2*(b*x + a)^2 - 2*(b*x + a)*sin(2*b*x + 2*a) - cos(2*b*x + 2*a))*a^2*c^(2/3) - 2*(4*(b*x + a)^3 - 6*(b*x + a)*cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*a*c^(2/3) + (2*(b*x + a)^4 - 3*(2*(b*x + a)^2 - 1)*cos(2*b*x + 2*a) - 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*sin(2*b*x + 2*a))*c^(2/3))/b^4
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (c \sin(a + bx)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^3*(c*sin(a + b*x)^3)^(2/3), x)
```

```
[Out] int(x^3*(c*sin(a + b*x)^3)^(2/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (c \sin^3(a + bx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(c*sin(b*x+a)**3)**(2/3), x)
```

```
[Out] Integral(x**3*(c*sin(a + b*x)**3)**(2/3), x)
```

3.336 $\int x^2 \left(c \sin^3(a + bx) \right)^{2/3} dx$

Optimal. Leaf size=139

$$\frac{\cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^3} + \frac{x \left(c \sin^3(a + bx) \right)^{2/3}}{2b^2} - \frac{x \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^2} + \frac{1}{6} x^3 \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}$$

[Out] $1/2*x*(c*\sin(b*x+a)^3)^{(2/3)}/b^2+1/4*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b^3-1/2*x^2*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b-1/4*x*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}/b^2+1/6*x^3*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}$

Rubi [A] time = 0.16, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6720, 3311, 30, 2635, 8}

$$\frac{x \left(c \sin^3(a + bx) \right)^{2/3}}{2b^2} + \frac{\cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^3} - \frac{x \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{4b^2} - \frac{x^2 \cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{2b}$$

Antiderivative was successfully verified.

[In] `Int[x^2*(c*Sin[a + b*x]^3)^(2/3),x]`

[Out] $(x*(c*\sin[a + b*x]^3)^{(2/3)})/(2*b^2) + (\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(2/3)})/(4*b^3) - (x^2*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(2/3)})/(2*b) - (x*\csc[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)})/(4*b^2) + (x^3*\csc[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)})/6$

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 30

`Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 3311


```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int x^2 (c \sin^3(a + bx))^{2/3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int x^2 \sin^2(a + bx) dx \\ &= \frac{x (c \sin^3(a + bx))^{2/3}}{2b^2} - \frac{x^2 \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \\ &= \frac{x (c \sin^3(a + bx))^{2/3}}{2b^2} + \frac{\cot(a + bx) (c \sin^3(a + bx))^{2/3}}{4b^3} - \frac{x^2 \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} \\ &= \frac{x (c \sin^3(a + bx))^{2/3}}{2b^2} + \frac{\cot(a + bx) (c \sin^3(a + bx))^{2/3}}{4b^3} - \frac{x^2 \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} \end{aligned}$$

Mathematica [A] time = 0.28, size = 69, normalized size = 0.50

$$\frac{\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \left((3 - 6b^2x^2) \sin(2(a + bx)) - 6bx \cos(2(a + bx)) + 4b^3x^3 \right)}{24b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(c*Sin[a + b*x]^3)^(2/3), x]
```

```
[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(4*b^3*x^3 - 6*b*x*Cos[2*(a + b*x)] + (3 - 6*b^2*x^2)*Sin[2*(a + b*x)]))/(24*b^3)
```

fricas [A] time = 0.79, size = 95, normalized size = 0.68

$$\frac{(2b^3x^3 - 6bx \cos(bx + a))^2 - 3(2b^2x^2 - 1) \cos(bx + a) \sin(bx + a) + 3bx \left(-(c \cos(bx + a))^2 - c \right) \sin(bx + a)}{12(b^3 \cos(bx + a)^2 - b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(2/3),x, algorithm="fricas")

[Out] $-1/12*(2*b^3*x^3 - 6*b*x*\cos(b*x + a)^2 - 3*(2*b^2*x^2 - 1)*\cos(b*x + a)*\sin(b*x + a) + 3*b*x*(-(c*\cos(b*x + a)^2 - c)*\sin(b*x + a))^(2/3)/(b^3*\cos(b*x + a)^2 - b^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{\frac{2}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)*x^2, x)

maple [C] time = 0.18, size = 190, normalized size = 1.37

$$\frac{x^3 \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2i(bx+a)} i \left(2x^2 b^2 + 2ibx - 1 \right) \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)} i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{6 \left(e^{2i(bx+a)} - 1 \right)^2} - \frac{i \left(2x^2 b^2 + 2ibx - 1 \right) \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{16b^3 \left(e^{2i(bx+a)} - 1 \right)^2} + \frac{i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{16b^3 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(b*x+a)^3)^(2/3),x)

[Out] $-1/6*x^3/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^(2/3)*\exp(2*I*(b*x+a))-1/16*I/b^3*(2*x^2*b^2+2*I*b*x-1)/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^(2/3)*\exp(4*I*(b*x+a))+1/16*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^(2/3)/(\exp(2*I*(b*x+a))-1)^2*(2*x^2*b^2-2*I*b*x-1)/b^3$

maxima [A] time = 0.60, size = 219, normalized size = 1.58

$$48 \left(c^{\frac{2}{3}} \arctan \left(\frac{\sin(bx+a)}{\cos(bx+a)+1} \right) - \frac{\frac{c^{\frac{2}{3}} \sin(bx+a)}{\cos(bx+a)+1} - \frac{c^{\frac{2}{3}} \sin(bx+a)^3}{(\cos(bx+a)+1)^3}}{\frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1} \right) a^2 + 6 \left(2 (bx+a)^2 - 2 (bx+a) \sin(2bx+2a) - \cos(2bx+2a) \right)$$

$48b^3$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x+a)^3)^(2/3),x, algorithm="maxima")

```
[Out] 1/48*(48*(c^(2/3)*arctan(sin(b*x + a)/(cos(b*x + a) + 1)) - (c^(2/3)*sin(b*x + a)/(cos(b*x + a) + 1) - c^(2/3)*sin(b*x + a)^3/(cos(b*x + a) + 1)^3)/(2*sin(b*x + a)^2/(cos(b*x + a) + 1)^2 + sin(b*x + a)^4/(cos(b*x + a) + 1)^4 + 1))*a^2 + 6*(2*(b*x + a)^2 - 2*(b*x + a)*sin(2*b*x + 2*a) - cos(2*b*x + 2*a))*a*c^(2/3) - (4*(b*x + a)^3 - 6*(b*x + a)*cos(2*b*x + 2*a) - 3*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*c^(2/3))/b^3
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (c \sin(a + bx)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^2*(c*sin(a + b*x)^3)^(2/3), x)
```

```
[Out] int(x^2*(c*sin(a + b*x)^3)^(2/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (c \sin^3(a + bx))^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2*(c*sin(b*x+a)**3)**(2/3), x)
```

```
[Out] Integral(x**2*(c*sin(a + b*x)**3)**(2/3), x)
```

$$3.337 \quad \int x \left(c \sin^3(a + bx) \right)^{2/3} dx$$

Optimal. Leaf size=79

$$\frac{(c \sin^3(a + bx))^{2/3}}{4b^2} + \frac{1}{4}x^2 \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} - \frac{x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b}$$

[Out] $1/4*(c*\sin(b*x+a)^3)^{(2/3)}/b^2-1/2*x*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b+1/4*x^2*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}$

Rubi [A] time = 0.10, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {6720, 3310, 30}

$$\frac{(c \sin^3(a + bx))^{2/3}}{4b^2} + \frac{1}{4}x^2 \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} - \frac{x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b}$$

Antiderivative was successfully verified.

[In] Int[x*(c*Sin[a + b*x]^3)^(2/3),x]

[Out] $(c*\sin[a + b*x]^3)^{(2/3)}/(4*b^2) - (x*\cot[a + b*x]*(c*\sin[a + b*x]^3)^{(2/3)})/(2*b) + (x^2*\csc[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)})/4$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^p_, x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
\int x (c \sin^3(a + bx))^{2/3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int x \sin^2(a + bx) dx \\
&= \frac{(c \sin^3(a + bx))^{2/3}}{4b^2} - \frac{x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \\
&= \frac{(c \sin^3(a + bx))^{2/3}}{4b^2} - \frac{x \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{4} x^2 \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.18, size = 55, normalized size = 0.70

$$\frac{\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} (2bx(\sin(2(a + bx)) - bx) + \cos(2(a + bx)))}{8b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c*Sin[a + b*x]^3)^(2/3),x]

[Out] -1/8*(Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(Cos[2*(a + b*x)] + 2*b*x*(-(b*x) + Sin[2*(a + b*x)])))/b^2

fricas [A] time = 0.59, size = 82, normalized size = 1.04

$$\frac{(2b^2x^2 - 4bx \cos(bx + a) \sin(bx + a) - 2 \cos(bx + a)^2 + 1) \left(-(c \cos(bx + a)^2 - c) \sin(bx + a) \right)^{2/3}}{8(b^2 \cos(bx + a)^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)^3)^(2/3),x, algorithm="fricas")

[Out] -1/8*(2*b^2*x^2 - 4*b*x*cos(b*x + a)*sin(b*x + a) - 2*cos(b*x + a)^2 + 1)*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(2/3)/(b^2*cos(b*x + a)^2 - b^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{2/3} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)*x, x)

maple [C] time = 0.18, size = 174, normalized size = 2.20

$$\frac{x^2 \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2i(bx+a)} i (2bx + i) \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)} i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 \right)^{\frac{2}{3}}}{4 \left(e^{2i(bx+a)} - 1 \right)^2} + \frac{i (2bx + i) \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{16b^2 \left(e^{2i(bx+a)} - 1 \right)^2} + \frac{i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 \right)^{\frac{2}{3}}}{16 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(b*x+a)^3)^(2/3), x)

[Out] $-1/4*x^2/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(2*I*(b*x+a))-1/16*I/b^2*(2*b*x+I)/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(4*I*(b*x+a))+1/16*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}/(\exp(2*I*(b*x+a))-1)^2*(2*b*x-I)/b^2$

maxima [B] time = 0.49, size = 162, normalized size = 2.05

$$\frac{16 \left(c^{\frac{2}{3}} \arctan \left(\frac{\sin(bx+a)}{\cos(bx+a)+1} \right) - \frac{\frac{c^{\frac{2}{3}} \sin(bx+a)}{\cos(bx+a)+1} - \frac{c^{\frac{2}{3}} \sin(bx+a)^3}{(\cos(bx+a)+1)^3}}{\frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1} \right) a + (2(bx+a)^2 - 2(bx+a)\sin(2bx+2a) - \cos(2bx+2a))}{16b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)^3)^(2/3), x, algorithm="maxima")

[Out] $-1/16*(16*(c^{2/3}*\arctan(\sin(b*x + a)/(\cos(b*x + a) + 1))) - (c^{2/3}*\sin(b*x + a)/(\cos(b*x + a) + 1) - c^{2/3}*\sin(b*x + a)^3/(\cos(b*x + a) + 1)^3)/(2*\sin(b*x + a)^2/(\cos(b*x + a) + 1)^2 + \sin(b*x + a)^4/(\cos(b*x + a) + 1)^4 + 1))*a + (2*(b*x + a)^2 - 2*(b*x + a)*\sin(2*b*x + 2*a) - \cos(2*b*x + 2*a))*c^{2/3}/b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x (c \sin(a + b x)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(a + b*x)^3)^(2/3), x)

[Out] int(x*(c*sin(a + b*x)^3)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \left(c \sin^3(a + bx) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x+a)**3)**(2/3),x)

[Out] Integral(x*(c*sin(a + b*x)**3)**(2/3), x)

$$3.338 \quad \int \left(c \sin^3(a + bx) \right)^{2/3} dx$$

Optimal. Leaf size=55

$$\frac{1}{2}x \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3} - \frac{\cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{2b}$$

[Out] $-1/2*\cot(b*x+a)*(c*\sin(b*x+a)^3)^{(2/3)}/b+1/2*x*\csc(b*x+a)^2*(c*\sin(b*x+a)^3)^{(2/3)}$

Rubi [A] time = 0.02, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3207, 2635, 8}

$$\frac{1}{2}x \csc^2(a + bx) \left(c \sin^3(a + bx) \right)^{2/3} - \frac{\cot(a + bx) \left(c \sin^3(a + bx) \right)^{2/3}}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x]^3)^{(2/3)}, x]$

[Out] $-(\text{Cot}[a + b*x]*(c*\text{Sin}[a + b*x]^3)^{(2/3)})/(2*b) + (x*\text{Csc}[a + b*x]^2*(c*\text{Sin}[a + b*x]^3)^{(2/3)})/2$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2635

$\text{Int}[(b_)*\sin[(c_)+(d_)*(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 3207

$\text{Int}[(u_)*((b_)*\sin[(e_)+(f_)*(x_)]^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}[\{\text{ff} = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[(b*\text{ff}^n)^{\text{IntPart}[p]}*(b*\text{Sin}[e + f*x]^n)^{\text{FracPart}[p]}/(\text{Sin}[e + f*x]/\text{ff})^{(n*\text{FracPart}[p])}, \text{Int}[\text{ActivateTrig}[u]*(\text{Sin}[e + f*x]/\text{ff})^{(n*p)}, x], x] /; \text{FreeQ}[\{b, e, f, n, p\}, x] \ \&\& \ !\text{IntegerQ}[p] \ \&\& \ \text{IntegerQ}[n] \ \&\& \ (\text{EqQ}[u, 1] \ || \ \text{MatchQ}[u, ((d_)*(trig_)[e + f*x])^{(m_)}] /; \text{FreeQ}[\{d, m\}, x] \ \&\& \ \text{MemberQ}[\{\sin, \cos, \tan, \cot, \sec, \csc\}, \text{trig}]])$

Rubi steps

$$\begin{aligned}
\int (c \sin^3(a + bx))^{2/3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \sin^2(a + bx) dx \\
&= -\frac{\cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int 1 dx \\
&= -\frac{\cot(a + bx) (c \sin^3(a + bx))^{2/3}}{2b} + \frac{1}{2} x \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 47, normalized size = 0.85

$$\frac{(2(a + bx) - \sin(2(a + bx))) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(2/3),x]

[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(2*(a + b*x) - Sin[2*(a + b*x)]))/ (4*b)

fricas [A] time = 0.66, size = 60, normalized size = 1.09

$$-\frac{(bx - \cos(bx + a) \sin(bx + a)) \left(-\left(c \cos(bx + a)^2 - c \right) \sin(bx + a) \right)^{2/3}}{2 \left(b \cos(bx + a)^2 - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3),x, algorithm="fricas")

[Out] -1/2*(b*x - cos(b*x + a)*sin(b*x + a))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(2/3)/(b*cos(b*x + a)^2 - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx + a)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3), x)

maple [C] time = 0.27, size = 158, normalized size = 2.87

$$\frac{x \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2i(bx+a)} - i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)} + i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)}{2 \left(e^{2i(bx+a)} - 1 \right)^2} - \frac{i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{4i(bx+a)}}{8b \left(e^{2i(bx+a)} - 1 \right)^2} + \frac{i \left(i c \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)}{8 \left(e^{2i(bx+a)} - 1 \right)^2 b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(2/3), x)

[Out] $-1/2*x/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(2*I*(b*x+a))-1/8*I/b/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}*\exp(4*I*(b*x+a))+1/8*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{2/3}/(\exp(2*I*(b*x+a))-1)^2/b$

maxima [B] time = 0.52, size = 116, normalized size = 2.11

$$\frac{c^{\frac{2}{3}} \arctan\left(\frac{\sin(bx+a)}{\cos(bx+a)+1}\right) - \frac{\frac{c^{\frac{2}{3}} \sin(bx+a)}{\cos(bx+a)+1} - \frac{c^{\frac{2}{3}} \sin(bx+a)^3}{(\cos(bx+a)+1)^3}}{\frac{2 \sin(bx+a)^2}{(\cos(bx+a)+1)^2} + \frac{\sin(bx+a)^4}{(\cos(bx+a)+1)^4} + 1}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3), x, algorithm="maxima")

[Out] $(c^{2/3}*\arctan(\sin(b*x + a)/(\cos(b*x + a) + 1)) - (c^{2/3}*\sin(b*x + a)/(\cos(b*x + a) + 1) - c^{2/3}*\sin(b*x + a)^3/(\cos(b*x + a) + 1)^3)/(2*\sin(b*x + a)^2/(\cos(b*x + a) + 1)^2 + \sin(b*x + a)^4/(\cos(b*x + a) + 1)^4 + 1))/b$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int (c \sin(a + bx)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(2/3), x)

[Out] int((c*sin(a + b*x)^3)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin^3(a + bx))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*sin(b*x+a)**3)**(2/3),x)
```

```
[Out] Integral((c*sin(a + b*x)**3)**(2/3), x)
```

$$3.339 \quad \int \frac{(c \sin^3(a+bx))^{2/3}}{x} dx$$

Optimal. Leaf size=99

$$-\frac{1}{2} \cos(2a) \text{Ci}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + \frac{1}{2} \sin(2a) \text{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + \frac{1}{2} \log(x) \csc^2$$

[Out] $-1/2 * \text{Ci}(2 * b * x) * \cos(2 * a) * \csc(b * x + a)^2 * (c * \sin(b * x + a)^3)^{(2/3)} + 1/2 * \csc(b * x + a)^2 * \ln(x) * (c * \sin(b * x + a)^3)^{(2/3)} + 1/2 * \csc(b * x + a)^2 * \text{Si}(2 * b * x) * \sin(2 * a) * (c * \sin(b * x + a)^3)^{(2/3)}$

Rubi [A] time = 0.21, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {6720, 3312, 3303, 3299, 3302}

$$-\frac{1}{2} \cos(2a) \text{CosIntegral}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + \frac{1}{2} \sin(2a) \text{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + \frac{1}{2} \log(x) \csc^2$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c * \text{Sin}[a + b * x]^3)^{(2/3)} / x, x]$

[Out] $-(\text{Cos}[2 * a] * \text{CosIntegral}[2 * b * x] * \text{Csc}[a + b * x]^2 * (c * \text{Sin}[a + b * x]^3)^{(2/3)}) / 2 + (\text{Csc}[a + b * x]^2 * \text{Log}[x] * (c * \text{Sin}[a + b * x]^3)^{(2/3)}) / 2 + (\text{Csc}[a + b * x]^2 * \text{Sin}[2 * a] * (c * \text{Sin}[a + b * x]^3)^{(2/3)} * \text{SinIntegral}[2 * b * x]) / 2$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f * x] / d, x] / ; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d * e - c * f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f * x] / d, x] / ; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d * (e - \text{Pi}/2) - c * f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)(x_)] / ((c_.) + (d_.)(x_)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d * e - c * f) / d], \text{Int}[\text{Sin}[(c * f) / d + f * x] / (c + d * x), x], x] + \text{Dist}[\text{Sin}[(d * e - c * f) / d], \text{Int}[\text{Cos}[(c * f) / d + f * x] / (c + d * x), x], x] / ; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{NeQ}[d * e - c * f, 0]$

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int \frac{(c \sin^3(a + bx))^{2/3}}{x} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin^2(a + bx)}{x} dx \\ &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \left(\frac{1}{2x} - \frac{\cos(2a + 2bx)}{2x} \right) dx \\ &= \frac{1}{2} \csc^2(a + bx) \log(x) (c \sin^3(a + bx))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\cos(2a + 2bx)}{x} dx \\ &= \frac{1}{2} \csc^2(a + bx) \log(x) (c \sin^3(a + bx))^{2/3} - \frac{1}{2} \left(\cos(2a) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\cos(2bx)}{x} dx \\ &= -\frac{1}{2} \cos(2a) \text{Ci}(2bx) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} + \frac{1}{2} \csc^2(a + bx) \log(x) (c \sin^3(a + bx))^{2/3} \end{aligned}$$

Mathematica [A] time = 0.08, size = 50, normalized size = 0.51

$$\frac{1}{2} \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} (-\cos(2a) \text{Ci}(2bx) + \sin(2a) \text{Si}(2bx) + \log(x))$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*Sin[a + b*x]^3)^(2/3)/x,x]
```

```
[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(-(Cos[2*a]*CosIntegral[2*b*x]) +
Log[x] + Sin[2*a]*SinIntegral[2*b*x]))/2
```

fricas [A] time = 0.78, size = 88, normalized size = 0.89

$$\frac{4^{\frac{2}{3}} \left(2 \cdot 4^{\frac{1}{3}} \sin(2a) \text{Si}(2bx) - \left(4^{\frac{1}{3}} \text{Ci}(2bx) + 4^{\frac{1}{3}} \text{Ci}(-2bx) \right) \cos(2a) + 2 \cdot 4^{\frac{1}{3}} \log(x) \right) \left(-\left(c \cos(bx + a)^2 - c \right) \sin^2(bx + a) \right)}{16 \left(\cos(bx + a)^2 - 1 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x,x, algorithm="fricas")

[Out] $-1/16*4^{(2/3)}*(2*4^{(1/3)}*\sin(2*a)*\sin_integral(2*b*x) - (4^{(1/3)}*\cos_integral(2*b*x) + 4^{(1/3)}*\cos_integral(-2*b*x))*\cos(2*a) + 2*4^{(1/3)}*\log(x))*(-(c*\cos(b*x + a)^2 - c)*\sin(b*x + a))^{(2/3)}/(\cos(b*x + a)^2 - 1)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx + a)^3)^{\frac{2}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)/x, x)

maple [C] time = 0.19, size = 283, normalized size = 2.86

$$\frac{i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2ibx} \pi \operatorname{csgn}(bx) - i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2ibx} \operatorname{Si}(2bx)}{4 \left(e^{2i(bx+a)} - 1 \right)^2} - \frac{i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} e^{2ibx} \operatorname{Si}(2bx)}{2 \left(e^{2i(bx+a)} - 1 \right)^2} - \frac{\left(ic \left(e^{2i(bx+a)} - 1 \right)^3 \right)^{\frac{2}{3}}}{4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(2/3)/x,x)

[Out] $1/4*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}/(\exp(2*I*(b*x+a))-1)^2*\exp(2*I*b*x)*\pi*\operatorname{csgn}(b*x) - 1/2*I*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}/(\exp(2*I*(b*x+a))-1)^2*\exp(2*I*b*x)*\operatorname{Si}(2*b*x) - 1/4*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}/(\exp(2*I*(b*x+a))-1)^2*\exp(2*I*b*x)*\operatorname{Ei}(1, -2*I*b*x) - 1/4*\operatorname{Ei}(1, -2*I*b*x)/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}*\exp(2*I*(b*x+2*a)) - 1/2*\ln(x)/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}*\exp(2*I*(b*x+a))$

maxima [C] time = 1.11, size = 52, normalized size = 0.53

$$-\frac{1}{8} \left((E_1(2i bx) + E_1(-2i bx)) \cos(2a) + (-i E_1(2i bx) + i E_1(-2i bx)) \sin(2a) + 2 \log(bx) \right) c^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x,x, algorithm="maxima")

[Out] $-1/8*((\exp_integral_e(1, 2*I*b*x) + \exp_integral_e(1, -2*I*b*x))*\cos(2*a) + (-I*\exp_integral_e(1, 2*I*b*x) + I*\exp_integral_e(1, -2*I*b*x))*\sin(2*a) + 2*\log(b*x))*c^{(2/3)}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + b x)^3)^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(a + b*x)^3)^(2/3)/x,x)`

[Out] `int((c*sin(a + b*x)^3)^(2/3)/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + b x))^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(b*x+a)**3)**(2/3)/x,x)`

[Out] `Integral((c*sin(a + b*x)**3)**(2/3)/x, x)`

$$3.340 \quad \int \frac{(c \sin^3(a+bx))^{2/3}}{x^2} dx$$

Optimal. Leaf size=86

$$b \sin(2a) \operatorname{Ci}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + b \cos(2a) \operatorname{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - \frac{(c \sin^3(a+bx))^{2/3}}{x}$$

[Out] $-(c*\sin(b*x+a)^3)^{(2/3)}/x+b*\cos(2*a)*\csc(b*x+a)^2*\operatorname{Si}(2*b*x)*(c*\sin(b*x+a)^3)^{(2/3)}+b*\operatorname{Ci}(2*b*x)*\csc(b*x+a)^2*\sin(2*a)*(c*\sin(b*x+a)^3)^{(2/3)}$

Rubi [A] time = 0.18, antiderivative size = 86, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {6720, 3313, 12, 3303, 3299, 3302}

$$b \sin(2a) \operatorname{CosIntegral}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} + b \cos(2a) \operatorname{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - \frac{(c \sin^3(a+bx))^{2/3}}{x}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*\sin[a + b*x]^3)^{(2/3)}/x^2, x]$

[Out] $-\left(\frac{c*\sin[a + b*x]^3}{x}\right)^{(2/3)} + b*\operatorname{CosIntegral}[2*b*x]*\operatorname{Csc}[a + b*x]^2*\sin[2*a]*(c*\sin[a + b*x]^3)^{(2/3)} + b*\cos[2*a]*\operatorname{Csc}[a + b*x]^2*(c*\sin[a + b*x]^3)^{(2/3)}*\operatorname{SinIntegral}[2*b*x]$

Rule 12

$\operatorname{Int}[(a_*)*(u_), x_Symbol] \rightarrow \operatorname{Dist}[a, \operatorname{Int}[u, x], x] /; \operatorname{FreeQ}[a, x] \ \&\& \ !\operatorname{MatchQ}[u, (b_*)*(v_)] /; \operatorname{FreeQ}[b, x]$

Rule 3299

$\operatorname{Int}[\sin[(e_*) + (f_*)*(x_)]/((c_*) + (d_*)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[(e_*) + (f_*)*(x_)]/((c_*) + (d_*)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \pi/2 + f*x]/d, x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \operatorname{EqQ}[d*(e - \pi/2) - c*f, 0]$

Rule 3303


```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx))^{2/3}}{x^2} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin^2(a + bx)}{x^2} dx \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{x} + \left(2b \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin(2a + 2bx)}{2x} dx \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{x} + \left(b \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin(2a + 2bx)}{x} dx \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{x} + \left(b \cos(2a) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin(2bx)}{x} dx + \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{x} + b \operatorname{Ci}(2bx) \csc^2(a + bx) \sin(2a) (c \sin^3(a + bx))^{2/3} + b \cos(2a) \operatorname{Si}(2bx) (c \sin^3(a + bx))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 65, normalized size = 0.76

$$\frac{\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} (2bx \sin(2a) \operatorname{Ci}(2bx) + 2bx \cos(2a) \operatorname{Si}(2bx) + \cos(2(a + bx)) - 1)}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(2/3)/x^2,x]

[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(-1 + Cos[2*(a + b*x)] + 2*b*x*CosIntegral[2*b*x]*Sin[2*a] + 2*b*x*Cos[2*a]*SinIntegral[2*b*x]))/(2*x)

fricas [A] time = 0.67, size = 108, normalized size = 1.26

$$\frac{4^{\frac{2}{3}} \left(2 \cdot 4^{\frac{1}{3}} b x \cos(2a) \operatorname{Si}(2bx) + 2 \cdot 4^{\frac{1}{3}} \cos(bx + a)^2 + \left(4^{\frac{1}{3}} b x \operatorname{Ci}(2bx) + 4^{\frac{1}{3}} b x \operatorname{Ci}(-2bx) \right) \sin(2a) - 2 \cdot 4^{\frac{1}{3}} \right) \left(-(c \cos(bx + a)^2 - x) \right)}{8 \left(x \cos(bx + a)^2 - x \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x^2,x, algorithm="fricas")

[Out] -1/8*4^(2/3)*(2*4^(1/3)*b*x*cos(2*a)*sin_integral(2*b*x) + 2*4^(1/3)*cos(b*x + a)^2 + (4^(1/3)*b*x*cos_integral(2*b*x) + 4^(1/3)*b*x*cos_integral(-2*b*x))*sin(2*a) - 2*4^(1/3))*(-(c*cos(b*x + a)^2 - c)*sin(b*x + a))^(2/3)/(x*cos(b*x + a)^2 - x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx + a)^3)^{\frac{2}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x + a)^3)^(2/3)/x^2, x)

maple [C] time = 0.20, size = 211, normalized size = 2.45

$$\frac{i \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} b \left(\frac{i}{bx} + 2 e^{2ibx} \operatorname{Ei}(1, 2ibx) \right)}{4 \left(e^{2i(bx+a)} - 1 \right)^2} + \frac{ib \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} \left(\frac{ie^{4i(bx+a)}}{xb} - 2 \operatorname{Ei}(1, -2ibx) \right)}{4 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x+a)^3)^(2/3)/x^2,x)

[Out] 1/4*I*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(2/3)/(exp(2*I*(b*x+a))-1)^2*b*(I/b/x+2*exp(2*I*b*x)*Ei(1,2*I*b*x))+1/4*I*b/(exp(2*I*(b*x+a))-1)^2*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(2/3)*(I/x/b*exp(4*I*(b*x+a))-2*Ei(1,-2*I*b*x)*exp(2*I*(b*x+2*a)))+1/2/x/(exp(2*I*(b*x+a))-1)^2*(I*c*(exp(2*I*(b*x+a))-1)^3*exp(-3*I*(b*x+a)))^(2/3)*exp(2*I*(b*x+a))

maxima [C] time = 1.05, size = 280, normalized size = 3.26

$$\frac{(64((-i\sqrt{3} + 1)E_2(2ibx) + (i\sqrt{3} + 1)E_2(-2ibx))\cos(2a)^3 - ((64\sqrt{3} + 64i)E_2(2ibx) + (64\sqrt{3} - 64i)E_2(-2ibx))\sin(2a)^3}{(a\cos(2a)^2 + a\sin(2a)^2 - (bx + a)(\cos(2a)^2 + \sin(2a)^2))^{2/3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x^2,x, algorithm="maxima")

[Out] 1/1024*(64*((-I*sqrt(3) + 1)*exp_integral_e(2, 2*I*b*x) + (I*sqrt(3) + 1)*exp_integral_e(2, -2*I*b*x))*cos(2*a)^3 - ((64*sqrt(3) + 64*I)*exp_integral_e(2, 2*I*b*x) + (64*sqrt(3) - 64*I)*exp_integral_e(2, -2*I*b*x))*sin(2*a)^3 + 64*(((-I*sqrt(3) + 1)*exp_integral_e(2, 2*I*b*x) + (I*sqrt(3) + 1)*exp_integral_e(2, -2*I*b*x))*cos(2*a) - 4)*sin(2*a)^2 + 64*((I*sqrt(3) + 1)*exp_integral_e(2, 2*I*b*x) + (-I*sqrt(3) + 1)*exp_integral_e(2, -2*I*b*x))*cos(2*a) - 256*cos(2*a)^2 - (((64*sqrt(3) + 64*I)*exp_integral_e(2, 2*I*b*x) + (64*sqrt(3) - 64*I)*exp_integral_e(2, -2*I*b*x))*cos(2*a)^2 - (64*sqrt(3) - 64*I)*exp_integral_e(2, 2*I*b*x) - (64*sqrt(3) + 64*I)*exp_integral_e(2, -2*I*b*x))*sin(2*a))*b*c^(2/3)/(a*cos(2*a)^2 + a*sin(2*a)^2 - (b*x + a)*(cos(2*a)^2 + sin(2*a)^2))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + bx)^3)^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(2/3)/x^2,x)

[Out] int((c*sin(a + b*x)^3)^(2/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + bx))^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(2/3)/x**2,x)

[Out] Integral((c*sin(a + b*x)**3)**(2/3)/x**2, x)

$$3.341 \quad \int \frac{(c \sin^3(a+bx))^{2/3}}{x^3} dx$$

Optimal. Leaf size=119

$$b^2 \cos(2a) \text{Ci}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - b^2 \sin(2a) \text{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - \frac{(c \sin^3(a+bx))^{2/3}}{2x^2}$$

[Out] -1/2*(c*sin(b*x+a)^3)^(2/3)/x^2-b*cot(b*x+a)*(c*sin(b*x+a)^3)^(2/3)/x+b^2*Ci(2*b*x)*cos(2*a)*csc(b*x+a)^2*(c*sin(b*x+a)^3)^(2/3)-b^2*csc(b*x+a)^2*Si(2*b*x)*sin(2*a)*(c*sin(b*x+a)^3)^(2/3)

Rubi [A] time = 0.23, antiderivative size = 119, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {6720, 3314, 29, 3312, 3303, 3299, 3302}

$$b^2 \cos(2a) \text{CosIntegral}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - b^2 \sin(2a) \text{Si}(2bx) \csc^2(a+bx) (c \sin^3(a+bx))^{2/3} - \frac{(c \sin^3(a+bx))^{2/3}}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x]^3)^(2/3)/x^3,x]

[Out] -(c*Sin[a + b*x]^3)^(2/3)/(2*x^2) - (b*Cot[a + b*x]*(c*Sin[a + b*x]^3)^(2/3))/x + b^2*Cos[2*a]*CosIntegral[2*b*x]*Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3) - b^2*Csc[a + b*x]^2*Sin[2*a]*(c*Sin[a + b*x]^3)^(2/3)*SinIntegral[2*b*x]

Rule 29

Int[(x_)^(-1), x_Symbol] :> Simp[Log[x], x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbo
l] := Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(
b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e +
f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)
^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e +
f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c,
d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx))^{2/3}}{x^3} dx &= \left(\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \int \frac{\sin^2(a + bx)}{x^3} dx \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{2x^2} - \frac{b \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{x} + \left(b^2 \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \log(x) \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{2x^2} - \frac{b \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{x} + b^2 \csc^2(a + bx) \log(x) (c \sin^3(a + bx))^{2/3} \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{2x^2} - \frac{b \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{x} + \left(b^2 \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \log(x) \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{2x^2} - \frac{b \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{x} + \left(b^2 \cos(2a) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3} \right) \log(x) \\
&= -\frac{(c \sin^3(a + bx))^{2/3}}{2x^2} - \frac{b \cot(a + bx) (c \sin^3(a + bx))^{2/3}}{x} + b^2 \cos(2a) \text{Ci}(2bx) \csc^2(a + bx) (c \sin^3(a + bx))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.21, size = 85, normalized size = 0.71

$$\frac{\csc^2(a + bx) (c \sin^3(a + bx))^{2/3} (4b^2 x^2 \cos(2a) \text{Ci}(2bx) - 4b^2 x^2 \sin(2a) \text{Si}(2bx) - 2bx \sin(2(a + bx))) + \cos(2(a + bx)) (c \sin^3(a + bx))^{2/3}}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x]^3)^(2/3)/x^3,x]

[Out] (Csc[a + b*x]^2*(c*Sin[a + b*x]^3)^(2/3)*(-1 + Cos[2*(a + b*x)] + 4*b^2*x^2*Cos[2*a]*CosIntegral[2*b*x] - 2*b*x*Sin[2*(a + b*x)] - 4*b^2*x^2*Sin[2*a]*SinIntegral[2*b*x]))/(4*x^2)

fricas [A] time = 0.60, size = 142, normalized size = 1.19

$$\frac{4^{2/3} \left(2 \cdot 4^{1/3} b^2 x^2 \sin(2a) \text{Si}(2bx) + 2 \cdot 4^{1/3} bx \cos(bx + a) \sin(bx + a) - 4^{1/3} \cos(bx + a)^2 - \left(4^{1/3} b^2 x^2 \text{Ci}(2bx) + 4^{1/3} b^2 x^2 \sin(2a) \text{Si}(2bx) \right) \right)}{8(x^2 \cos(bx + a)^2 - x^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)^3)^(2/3)/x^3,x, algorithm="fricas")

[Out] 1/8*4^(2/3)*(2*4^(1/3)*b^2*x^2*sin(2*a)*sin_integral(2*b*x) + 2*4^(1/3)*b*x*cos(b*x + a)*sin(b*x + a) - 4^(1/3)*cos(b*x + a)^2 - (4^(1/3)*b^2*x^2*cos_

$\text{integral}(2*b*x) + 4^{(1/3)}*b^2*x^2*\cos_integral(-2*b*x))*\cos(2*a) + 4^{(1/3)}$
 $*(-(c*\cos(b*x + a)^2 - c)*\sin(b*x + a))^{(2/3)}/(x^2*\cos(b*x + a)^2 - x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx + a)^3)^{\frac{2}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(b*x+a)^3)^(2/3)/x^3,x, algorithm="giac")`

[Out] `integrate((c*sin(b*x + a)^3)^(2/3)/x^3, x)`

maple [C] time = 0.20, size = 238, normalized size = 2.00

$$\frac{\left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} b^2 \left(\frac{1}{2x^2b^2} - \frac{i}{bx} - 2 e^{2ibx} \text{Ei}(1, 2ibx) \right)}{4 \left(e^{2i(bx+a)} - 1 \right)^2} - \frac{b^2 \left(ic \left(e^{2i(bx+a)} - 1 \right)^3 e^{-3i(bx+a)} \right)^{\frac{2}{3}} \left(\frac{e^{4i(bx+a)}}{2x^2b^2} + \dots \right)}{4 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(b*x+a)^3)^(2/3)/x^3,x)`

[Out] $-1/4*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}/(\exp(2*I*(b*x+a))-1)^2*b^2*(1/2/x^2/b^2-I/b/x-2*\exp(2*I*b*x)*\text{Ei}(1, 2*I*b*x))-1/4*b^2/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}*(1/2/x^2/b^2*\exp(4*I*(b*x+a))+I/x/b*\exp(4*I*(b*x+a))-2*\text{Ei}(1, -2*I*b*x)*\exp(2*I*(b*x+2*a)))+1/4/x^2/(\exp(2*I*(b*x+a))-1)^2*(I*c*(\exp(2*I*(b*x+a))-1)^3*\exp(-3*I*(b*x+a)))^{(2/3)}*\exp(2*I*(b*x+a))$

maxima [C] time = 1.68, size = 311, normalized size = 2.61

$$\frac{(128((-i\sqrt{3} + 1)E_3(2ibx) + (i\sqrt{3} + 1)E_3(-2ibx))\cos(2a)^3 - ((128\sqrt{3} + 128i)E_3(2ibx) + (128\sqrt{3} - 128i)E_3(-2ibx))\sin(2a)^3 + 128(((128\sqrt{3} + 128i)E_3(2ibx) + (128\sqrt{3} - 128i)E_3(-2ibx))\cos(2a) - 2)\sin(2a)^2 + 128((128\sqrt{3} + 128i)E_3(2ibx) + (128\sqrt{3} - 128i)E_3(-2ibx))\sin(2a))}{4 \left(e^{2i(bx+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(b*x+a)^3)^(2/3)/x^3,x, algorithm="maxima")`

[Out] $-1/2048*(128*((-I*\text{sqrt}(3) + 1)*\text{exp_integral_e}(3, 2*I*b*x) + (I*\text{sqrt}(3) + 1)*\text{exp_integral_e}(3, -2*I*b*x))*\cos(2*a)^3 - ((128*\text{sqrt}(3) + 128*I)*\text{exp_integral_e}(3, 2*I*b*x) + (128*\text{sqrt}(3) - 128*I)*\text{exp_integral_e}(3, -2*I*b*x))*\sin(2*a)^3 + 128(((128*\text{sqrt}(3) + 128i)*\text{exp_integral_e}(3, 2*I*b*x) + (128*\text{sqrt}(3) + 128i)*\text{exp_integral_e}(3, -2*I*b*x))*\cos(2*a) - 2)*\sin(2*a)^2 + 128((128*\text{sqrt}(3) + 128i)*\text{exp_integral_e}(3, 2*I*b*x) + (128*\text{sqrt}(3) - 128i)*\text{exp_integral_e}(3, -2*I*b*x))*\sin(2*a))$

$1) \exp_{\text{integral_e}}(3, 2Ib*x) + (-I\sqrt{3} + 1) \exp_{\text{integral_e}}(3, -2Ib*x) \cos(2a) - 256 \cos(2a)^2 - ((128\sqrt{3} + 128I) \exp_{\text{integral_e}}(3, 2Ib*x) + (128\sqrt{3} - 128I) \exp_{\text{integral_e}}(3, -2Ib*x)) \cos(2a)^2 - (128\sqrt{3} - 128I) \exp_{\text{integral_e}}(3, 2Ib*x) - (128\sqrt{3} + 128I) \exp_{\text{integral_e}}(3, -2Ib*x) \sin(2a) \cdot b^2 c^{2/3} / (a^2 \cos(2a)^2 + a^2 \sin(2a)^2 + (b*x + a)^2 (\cos(2a)^2 + \sin(2a)^2) - 2(a \cos(2a)^2 + a \sin(2a)^2) (b*x + a))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + bx)^3)^{2/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x)^3)^(2/3)/x^3,x)

[Out] int((c*sin(a + b*x)^3)^(2/3)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + bx))^{2/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x+a)**3)**(2/3)/x**3,x)

[Out] Integral((c*sin(a + b*x)**3)**(2/3)/x**3, x)

3.342 $\int x^m \left(c \sin^3 (a + bx^2) \right)^{2/3} dx$

Optimal. Leaf size=209

$$\frac{x^{m+1} \csc^2(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3}}{2(m+1)} + e^{2ia} 2^{-\frac{m}{2} - \frac{7}{2}} x^{m+1} (-ibx^2)^{\frac{1}{2}(-m-1)} \csc^2(a + bx^2) \Gamma\left(\frac{m+1}{2}, -2ibx^2\right) \left(c \sin^3(a + bx^2) \right)^{2/3}$$

```
[Out] 1/2*x^(1+m)*csc(b*x^2+a)^2*(c*sin(b*x^2+a)^3)^(2/3)/(1+m)+2^(-7/2-1/2*m)*exp(2*I*a)*x^(1+m)*(-I*b*x^2)^(-1/2-1/2*m)*csc(b*x^2+a)^2*GAMMA(1/2+1/2*m,-2*I*b*x^2)*(c*sin(b*x^2+a)^3)^(2/3)+2^(-7/2-1/2*m)*x^(1+m)*(I*b*x^2)^(-1/2-1/2*m)*csc(b*x^2+a)^2*GAMMA(1/2+1/2*m,2*I*b*x^2)*(c*sin(b*x^2+a)^3)^(2/3)/exp(2*I*a)
```

Rubi [A] time = 0.28, antiderivative size = 209, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3403, 3390, 2218}

$$e^{2ia} 2^{-\frac{m}{2} - \frac{7}{2}} x^{m+1} (-ibx^2)^{\frac{1}{2}(-m-1)} \csc^2(a + bx^2) \Gamma\left(\frac{m+1}{2}, -2ibx^2\right) \left(c \sin^3(a + bx^2) \right)^{2/3} + e^{-2ia} 2^{-\frac{m}{2} - \frac{7}{2}} x^{m+1} (ibx^2)^{\frac{1}{2}(-m-1)} \csc^2(a + bx^2) \Gamma\left(\frac{m+1}{2}, 2ibx^2\right) \left(c \sin^3(a + bx^2) \right)^{2/3}$$

Antiderivative was successfully verified.

```
[In] Int[x^m*(c*Sin[a + b*x^2]^3)^(2/3),x]
```

```
[Out] (x^(1+m)*Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3))/(2*(1+m)) + 2^(-7/2 - m/2)*E^((2*I)*a)*x^(1+m)*((-I)*b*x^2)^((-1 - m)/2)*Csc[a + b*x^2]^2*Gamma[(1+m)/2, (-2*I)*b*x^2]*(c*Sin[a + b*x^2]^3)^(2/3) + (2^(-7/2 - m/2)*x^(1+m)*(I*b*x^2)^((-1 - m)/2)*Csc[a + b*x^2]^2*Gamma[(1+m)/2, (2*I)*b*x^2]*(c*Sin[a + b*x^2]^3)^(2/3))/E^((2*I)*a)
```

Rule 2218

```
Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]
```

Rule 3390

```
Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_.), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-c*I - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m}, x] && IGtQ[n, 0]
```

Rule 3403

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int x^m (c \sin^3(a + bx^2))^{2/3} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int x^m \sin^2(a + bx^2) dx \\
&= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \left(\frac{x^m}{2} - \frac{1}{2} x^m \cos(2a + 2bx^2) \right) dx \\
&= \frac{x^{1+m} \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{2(1+m)} - \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \\
&= \frac{x^{1+m} \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{2(1+m)} - \frac{1}{4} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \\
&= \frac{x^{1+m} \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{2(1+m)} + 2^{-\frac{7}{2}-\frac{m}{2}} e^{2ia} x^{1+m} (-ibx^2)^{\frac{1}{2}(-1-m)} \csc^2(a
\end{aligned}$$

Mathematica [A] time = 0.89, size = 189, normalized size = 0.90

$$\frac{2^{\frac{1}{2}(-m-7)} x^{m+1} (b^2 x^4)^{\frac{1}{2}(-m-1)} \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \left((m+1)(\cos(2a) - i \sin(2a)) (-ibx^2)^{\frac{m+1}{2}} \Gamma\left(\frac{m+1}{2}, 2\right) \right)}{m+1}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^m*(c*SIN[a + b*x^2]^3)^(2/3),x]
```

```
[Out] (2^((-7 - m)/2)*x^(1 + m)*(b^2*x^4)^((-1 - m)/2)*Csc[a + b*x^2]^2*(2^((5 +
m)/2)*(b^2*x^4)^((1 + m)/2) + (1 + m)*((-I)*b*x^2)^((1 + m)/2)*Gamma[(1 + m
)/2, (2*I)*b*x^2]*(Cos[2*a] - I*SIN[2*a]) + (1 + m)*(I*b*x^2)^((1 + m)/2)*G
amma[(1 + m)/2, (-2*I)*b*x^2]*(Cos[2*a] + I*SIN[2*a]))*(c*SIN[a + b*x^2]^3
^(2/3))/(1 + m)
```

fricas [A] time = 0.67, size = 130, normalized size = 0.62

$$\frac{\left(8 b x x^m - (i m + i) e^{\left(-\frac{1}{2}(m-1) \log(2 i b)-2 i a\right)} \Gamma\left(\frac{1}{2} m + \frac{1}{2}, 2 i b x^2\right) - (-i m - i) e^{\left(-\frac{1}{2}(m-1) \log(-2 i b)+2 i a\right)} \Gamma\left(\frac{1}{2} m + \frac{1}{2}, -2 i b x^2\right)\right)}{16\left((b m + b) \cos\left(b x^2 + a\right)^2 - b m - b\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="fricas")

[Out] -1/16*(8*b*x*x^m - (I*m + I)*e^(-1/2*(m - 1)*log(2*I*b) - 2*I*a)*gamma(1/2*m + 1/2, 2*I*b*x^2) - (-I*m - I)*e^(-1/2*(m - 1)*log(-2*I*b) + 2*I*a)*gamma(1/2*m + 1/2, -2*I*b*x^2))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(2/3) /((b*m + b)*cos(b*x^2 + a)^2 - b*m - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin\left(b x^2 + a\right)^3\right)^{\frac{2}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)*x^m, x)

maple [F] time = 0.31, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3\left(b x^2 + a\right)\right)\right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(b*x^2+a)^3)^(2/3),x)

[Out] int(x^m*(c*sin(b*x^2+a)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left(x x^m - (m + 1) \int x^m \cos\left(2 b x^2 + 2 a\right) dx\right) c^{\frac{2}{3}}}{4(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="maxima")

[Out] $-1/4*(x*x^m - (m + 1)*\text{integrate}(x^m*\cos(2*b*x^2 + 2*a), x))*c^{(2/3)}/(m + 1)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^m \left(c \sin(bx^2 + a) \right)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(x^m*(c*\sin(a + b*x^2)^3)^{(2/3)}, x)$

[Out] $\text{int}(x^m*(c*\sin(a + b*x^2)^3)^{(2/3)}, x)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \left(c \sin^3(a + bx^2) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}(x**m*(c*\sin(b*x**2+a)**3)**(2/3), x)$

[Out] $\text{Integral}(x**m*(c*\sin(a + b*x**2)**3)**(2/3), x)$

$$3.343 \quad \int x^3 \left(c \sin^3 (a + bx^2) \right)^{2/3} dx$$

Optimal. Leaf size=91

$$\frac{\left(c \sin^3 (a + bx^2) \right)^{2/3}}{8b^2} - \frac{x^2 \cot (a + bx^2) \left(c \sin^3 (a + bx^2) \right)^{2/3}}{4b} + \frac{1}{8} x^4 \csc^2 (a + bx^2) \left(c \sin^3 (a + bx^2) \right)^{2/3}$$

[Out] $1/8*(c*\sin(b*x^2+a)^3)^{(2/3)}/b^2-1/4*x^2*\cot(b*x^2+a)*(c*\sin(b*x^2+a)^3)^{(2/3)}/b+1/8*x^4*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}$

Rubi [A] time = 0.18, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3379, 3310, 30}

$$\frac{\left(c \sin^3 (a + bx^2) \right)^{2/3}}{8b^2} - \frac{x^2 \cot (a + bx^2) \left(c \sin^3 (a + bx^2) \right)^{2/3}}{4b} + \frac{1}{8} x^4 \csc^2 (a + bx^2) \left(c \sin^3 (a + bx^2) \right)^{2/3}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c*Sin[a + b*x^2]^3)^(2/3),x]

[Out] $(c*\sin[a + b*x^2]^3)^{(2/3)}/(8*b^2) - (x^2*\cot[a + b*x^2]*(c*\sin[a + b*x^2]^3)^{(2/3)})/(4*b) + (x^4*\csc[a + b*x^2]^2*(c*\sin[a + b*x^2]^3)^{(2/3)})/8$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3379

Int[(x_)^(m_)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] := Dist[1/n, Subst[Int[x^(Simplify[(m + 1)/n] - 1)*(a + b*Sin[c + d*x])^p, x], x, x^n], x] /; FreeQ[{a, b, c, d, m, n, p}, x] && IntegerQ[Simplify[(m + 1)/n]] && (EqQ[p, 1] || EqQ[m, n - 1] || (IntegerQ[p] && GtQ[Simplify[(m + 1)/n], 0]))

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int x^3 (c \sin^3(a + bx^2))^{2/3} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int x^3 \sin^2(a + bx^2) dx \\ &= \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \text{Subst} \left(\int x \sin^2(a + bx) dx, x, x^2 \right) \\ &= \frac{(c \sin^3(a + bx^2))^{2/3}}{8b^2} - \frac{x^2 \cot(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4b} + \frac{1}{4} \left(\csc^2(a + bx^2) \right) (c \sin^3(a + bx^2))^{2/3} \\ &= \frac{(c \sin^3(a + bx^2))^{2/3}}{8b^2} - \frac{x^2 \cot(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4b} + \frac{1}{8} x^4 \csc^2(a + bx^2) \end{aligned}$$

Mathematica [A] time = 0.23, size = 67, normalized size = 0.74

$$\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} (2bx^2 (\sin(2(a + bx^2)) - bx^2) + \cos(2(a + bx^2)))}{16b^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^3*(c*Sin[a + b*x^2]^3)^(2/3),x]
```

```
[Out] -1/16*(Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3)*(Cos[2*(a + b*x^2)] + 2*
b*x^2*(-(b*x^2) + Sin[2*(a + b*x^2)])))/b^2
```

fricas [A] time = 0.89, size = 96, normalized size = 1.05

$$\frac{\left(2b^2x^4 - 4bx^2 \cos(bx^2 + a) \sin(bx^2 + a) - 2 \cos(bx^2 + a)^2 + 1 \right) \left(-\left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)^{2/3}}{16 \left(b^2 \cos(bx^2 + a)^2 - b^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^3*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="fricas")
```

[Out] $-1/16*(2*b^2*x^4 - 4*b*x^2*\cos(b*x^2 + a)*\sin(b*x^2 + a) - 2*\cos(b*x^2 + a)^2 + 1)*(-(c*\cos(b*x^2 + a)^2 - c)*\sin(b*x^2 + a))^{2/3}/(b^2*\cos(b*x^2 + a)^2 - b^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a) \right)^3 x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="giac")`

[Out] `integrate((c*sin(b*x^2 + a)^3)^(2/3)*x^3, x)`

maple [C] time = 0.22, size = 200, normalized size = 2.20

$$\frac{x^4 \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2i(bx^2+a)} i (2bx^2 + i) \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)} i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{8 \left(e^{2i(bx^2+a)} - 1 \right)^2} + \frac{i (2bx^2 + i) \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)} i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{32b^2 \left(e^{2i(bx^2+a)} - 1 \right)^2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(c*sin(b*x^2+a)^3)^(2/3),x)`

[Out] $-1/8*x^4/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{2/3}*\exp(2*I*(b*x^2+a))-1/32*I/b^2*(2*b*x^2+I)/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{2/3}*\exp(4*I*(b*x^2+a))+1/32*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{2/3}/(\exp(2*I*(b*x^2+a))-1)^2*(2*b*x^2-I)/b^2$

maxima [A] time = 0.63, size = 47, normalized size = 0.52

$$\frac{(2b^2x^4 - 2bx^2 \sin(2bx^2 + 2a) - \cos(2bx^2 + 2a))c^{\frac{2}{3}}}{32b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^3*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="maxima")`

[Out] $-1/32*(2*b^2*x^4 - 2*b*x^2*\sin(2*b*x^2 + 2*a) - \cos(2*b*x^2 + 2*a))*c^{2/3}/b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 \left(c \sin(bx^2 + a) \right)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(c*sin(a + b*x^2)^3)^(2/3), x)`

[Out] `int(x^3*(c*sin(a + b*x^2)^3)^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \left(c \sin^3(a + bx^2) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(c*sin(b*x**2+a)**3)**(2/3), x)`

[Out] `Integral(x**3*(c*sin(a + b*x**2)**3)**(2/3), x)`

$$3.344 \quad \int x^2 \left(c \sin^3 (a + bx^2) \right)^{2/3} dx$$

Optimal. Leaf size=195

$$\frac{\sqrt{\pi} \sin(2a) C\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{16b^{3/2}} + \frac{\sqrt{\pi} \cos(2a) S\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{16b^{3/2}}$$

[Out] $1/6*x^3*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)} - 1/8*x*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}*\sin(2*b*x^2+2*a)/b + 1/16*\cos(2*a)*\csc(b*x^2+a)^2*\text{FresnelS}(2*x*b^{(1/2)}/\text{Pi}^{(1/2)})*(c*\sin(b*x^2+a)^3)^{(2/3)}*\text{Pi}^{(1/2)}/b^{(3/2)} + 1/16*\csc(b*x^2+a)^2*\text{FresnelC}(2*x*b^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a)*(c*\sin(b*x^2+a)^3)^{(2/3)}*\text{Pi}^{(1/2)}/b^{(3/2)}$

Rubi [A] time = 0.23, antiderivative size = 195, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {6720, 3403, 3386, 3353, 3352, 3351}

$$\frac{\sqrt{\pi} \sin(2a) \text{FresnelC}\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{16b^{3/2}} + \frac{\sqrt{\pi} \cos(2a) S\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{16b^{3/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}, x]$

[Out] $(x^3*\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/6 + (\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a]*\text{Cs}c[a + b*x^2]^2*\text{FresnelS}[(2*\text{Sqrt}[b]*x)/\text{Sqrt}[\text{Pi}]]*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/(16*b^{(3/2)}) + (\text{Sqrt}[\text{Pi}]*\text{Csc}[a + b*x^2]^2*\text{FresnelC}[(2*\text{Sqrt}[b]*x)/\text{Sqrt}[\text{Pi}]]*\text{Sin}[2*a]*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/(16*b^{(3/2)}) - (x*\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}*\text{Sin}[2*a + 2*b*x^2])/(8*b)$

Rule 3351

$\text{Int}[\text{Sin}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3352

$\text{Int}[\text{Cos}[(d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Simp}[(\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Rt}[d, 2]*(e + f*x)])/(f*\text{Rt}[d, 2]), x] /; \text{FreeQ}\{d, e, f\}, x]$

Rule 3353

$\text{Int}[\text{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^{2}], x_Symbol] \rightarrow \text{Dist}[\text{Sin}[c], \text{Int}[\text{Cos}[d*(e + f*x)^2], x], x] + \text{Dist}[\text{Cos}[c], \text{Int}[\text{Sin}[d*(e + f*x)^2], x], x] /$

; FreeQ[{c, d, e, f}, x]

Rule 3386

Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] :> Simp[(e^(n - 1)*(e*x)^(m - n + 1)*Sin[c + d*x^n])/(d*n), x] - Dist[(e^n*(m - n + 1))/(d*n), Int[(e*x)^(m - n)*Sin[c + d*x^n], x], x] /; FreeQ[{c, d, e}, x] && IGtQ[n, 0] && LtQ[n, m + 1]

Rule 3403

Int[((e_.)*(x_))^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x] /; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^p, x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
 \int x^2 (c \sin^3(a + bx^2))^{2/3} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int x^2 \sin^2(a + bx^2) dx \\
 &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \left(\frac{x^2}{2} - \frac{1}{2} x^2 \cos(2a + 2bx^2) \right) dx \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \sin^2(a + bx^2) dx \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{x \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \sin(2a + 2bx^2)}{8b} \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{x \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \sin(2a + 2bx^2)}{8b} \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} + \frac{\sqrt{\pi} \cos(2a) \csc^2(a + bx^2) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) (c \sin^3(a + bx^2))^{2/3}}{16b^{3/2}}
 \end{aligned}$$

Mathematica [A] time = 0.29, size = 113, normalized size = 0.58

$$\frac{\csc^2(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3} \left(3\sqrt{\pi} \sin(2a) C\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) + 3\sqrt{\pi} \cos(2a) S\left(\frac{2\sqrt{bx}}{\sqrt{\pi}}\right) + 2\sqrt{bx} (4bx^2 - 3 \sin(2(a + bx^2))) \right)}{48b^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c*Sin[a + b*x^2]^3)^(2/3), x]

[Out] (Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3)*(3*Sqrt[Pi]*Cos[2*a]*FresnelS[(2*Sqrt[b]*x)/Sqrt[Pi]] + 3*Sqrt[Pi]*FresnelC[(2*Sqrt[b]*x)/Sqrt[Pi]]*Sin[2*a] + 2*Sqrt[b]*x*(4*b*x^2 - 3*Sin[2*(a + b*x^2)])))/(48*b^(3/2))

fricas [A] time = 0.85, size = 146, normalized size = 0.75

$$\frac{4^{2/3} \left(8 \cdot 4^{1/3} b^2 x^3 - 12 \cdot 4^{1/3} b x \cos(bx^2 + a) \sin(bx^2 + a) + 3 \cdot 4^{1/3} \pi \sqrt{\frac{b}{\pi}} \cos(2a) S\left(2x\sqrt{\frac{b}{\pi}}\right) + 3 \cdot 4^{1/3} \pi \sqrt{\frac{b}{\pi}} C\left(2x\sqrt{\frac{b}{\pi}}\right) \right)}{192 \left(b^2 \cos(bx^2 + a)^2 - b^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x^2+a)^3)^(2/3), x, algorithm="fricas")

[Out] -1/192*4^(2/3)*(8*4^(1/3)*b^2*x^3 - 12*4^(1/3)*b*x*cos(b*x^2 + a)*sin(b*x^2 + a) + 3*4^(1/3)*pi*sqrt(b/pi)*cos(2*a)*fresnel_sin(2*x*sqrt(b/pi)) + 3*4^(1/3)*pi*sqrt(b/pi)*fresnel_cos(2*x*sqrt(b/pi))*sin(2*a))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a)^(2/3)/(b^2*cos(b*x^2 + a)^2 - b^2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a) \right)^3 x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(b*x^2+a)^3)^(2/3), x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)*x^2, x)

maple [C] time = 0.27, size = 309, normalized size = 1.58

$$\frac{ix \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{2/3} - i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{2/3} e^{2ibx^2} \sqrt{\pi} \sqrt{2} \operatorname{erf}(\sqrt{2} \sqrt{ib} x) \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 \right)^{2/3}}{16b \left(e^{2i(bx^2+a)} - 1 \right)^2} + \frac{ix \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{2/3} - i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{2/3} e^{2ibx^2} \sqrt{\pi} \sqrt{2} \operatorname{erf}(\sqrt{2} \sqrt{ib} x) \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 \right)^{2/3}}{64 \left(e^{2i(bx^2+a)} - 1 \right)^2 b \sqrt{ib}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(c*sin(b*x^2+a)^3)^(2/3),x)`

[Out] $\frac{1}{16} \frac{I x}{b} \frac{(\exp(2 I (b x^2+a))-1)^{-2} (I c (\exp(2 I (b x^2+a))-1)^3 \exp(-3 I (b x^2+a)))^{2/3} - 1/64 I (I c (\exp(2 I (b x^2+a))-1)^3 \exp(-3 I (b x^2+a)))^{2/3}}{(\exp(2 I (b x^2+a))-1)^2 \exp(2 I b x^2) / b \pi^{1/2} 2^{1/2} / (I b)^{1/2}} + \frac{1}{4} \frac{(\exp(2 I (b x^2+a))-1)^{-2} (I c (\exp(2 I (b x^2+a))-1)^3 \exp(-3 I (b x^2+a)))^{2/3} * (-1/4 I x / b \exp(4 I (b x^2+a)) + 1/8 I / b \pi^{1/2} / (-2 I b)^{1/2} * \operatorname{erf}((-2 I b)^{1/2} x) * \exp(2 I (b x^2+2 a))) - 1/6 x^3 / (\exp(2 I (b x^2+a))-1)^2 (I c (\exp(2 I (b x^2+a))-1)^3 \exp(-3 I (b x^2+a)))^{2/3} * \exp(2 I (b x^2+a))}{768 b^3}$

maxima [C] time = 0.66, size = 98, normalized size = 0.50

$$\frac{4^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} \left(-(3i+3) \cos(2a) + (3i-3) \sin(2a) \right) \operatorname{erf}(\sqrt{2i b} x) + \left((3i-3) \cos(2a) - (3i+3) \sin(2a) \right) \operatorname{erf}(\sqrt{-2i b} x)}{768 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="maxima")`

[Out] $\frac{1}{768} (4^{1/4} \sqrt{2} \sqrt{\pi} \left(-(3I+3) \cos(2a) + (3I-3) \sin(2a) \right) * \operatorname{erf}(\sqrt{2I b} x) + \left((3I-3) \cos(2a) - (3I+3) \sin(2a) \right) * \operatorname{erf}(\sqrt{-2I b} x)) * b^{3/2} * c^{2/3} - 16 * (4 b^3 x^3 - 3 b^2 x \sin(2 b x^2 + 2 a)) * c^{2/3} / b^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 \left(c \sin(b x^2 + a) \right)^3 \frac{2}{3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(c*sin(a + b*x^2)^3)^(2/3),x)`

[Out] `int(x^2*(c*sin(a + b*x^2)^3)^(2/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \left(c \sin^3(a + b x^2) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(c*sin(b*x**2+a)**3)**(2/3),x)`

[Out] `Integral(x**2*(c*sin(a + b*x**2)**3)**(2/3), x)`

$$3.345 \quad \int x \left(c \sin^3 (a + bx^2) \right)^{2/3} dx$$

Optimal. Leaf size=65

$$\frac{1}{4}x^2 \csc^2(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3} - \frac{\cot(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3}}{4b}$$

[Out] $-1/4*\cot(b*x^2+a)*(c*\sin(b*x^2+a)^3)^{(2/3)}/b+1/4*x^2*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}$

Rubi [A] time = 0.10, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6715, 3207, 2635, 8}

$$\frac{1}{4}x^2 \csc^2(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3} - \frac{\cot(a + bx^2) \left(c \sin^3(a + bx^2) \right)^{2/3}}{4b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}, x]$

[Out] $-(\text{Cot}[a + b*x^2]*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/(4*b) + (x^2*\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/4$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2635

$\text{Int}[(b_.*\sin[(c_.) + (d_.)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3207

$\text{Int}[(u_.*((b_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_)})^{(p_)}, x_Symbol] \rightarrow \text{With}\{\{ff = \text{FreeFactors}[\text{Sin}[e + f*x], x]\}, \text{Dist}[(b*ff^n)^{\text{IntPart}[p]}*(b*\text{Sin}[e + f*x]^{n*\text{FracPart}[p]})/(\text{Sin}[e + f*x]/ff)^{(n*\text{FracPart}[p])}, \text{Int}[\text{ActivateTrig}[u]*(\text{Sin}[e + f*x]/ff)^{(n*p)}, x], x]\} /; \text{FreeQ}\{b, e, f, n, p\}, x] \&\& !\text{IntegerQ}[p] \&\& \text{IntegerQ}[n] \&\& (\text{EqQ}[u, 1] || \text{MatchQ}[u, ((d_.)*(\text{trig}_)[e + f*x])^{(m_.)}) /; \text{FreeQ}\{d, m\}, x] \&\& \text{MemberQ}\{\{\sin, \cos, \tan, \cot, \sec, \csc\}, \text{trig}\})$

Rule 6715

`Int[(u_)*(x_)^(m_.), x_Symbol] := Dist[1/(m + 1), Subst[Int[SubstFor[x^(m + 1), u, x], x], x, x^(m + 1)], x] /; FreeQ[m, x] && NeQ[m, -1] && FunctionOfQ[x^(m + 1), u, x]`

Rubi steps

$$\begin{aligned}
 \int x (c \sin^3(a + bx^2))^{2/3} dx &= \frac{1}{2} \text{Subst} \left(\int (c \sin^3(a + bx))^{2/3} dx, x, x^2 \right) \\
 &= \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \text{Subst} \left(\int \sin^2(a + bx) dx, x, x^2 \right) \\
 &= -\frac{\cot(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4b} + \frac{1}{4} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \text{Subst} \left(\int \sin^2(a + bx) dx, x, x^2 \right) \\
 &= -\frac{\cot(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4b} + \frac{1}{4} x^2 \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}
 \end{aligned}$$

Mathematica [A] time = 0.11, size = 55, normalized size = 0.85

$$\frac{(2(a + bx^2) - \sin(2(a + bx^2))) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[x*(c*Sin[a + b*x^2]^3)^(2/3),x]

[Out] (Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3)*(2*(a + b*x^2) - Sin[2*(a + b*x^2)]))/(8*b)

fricas [A] time = 0.76, size = 72, normalized size = 1.11

$$\frac{(bx^2 - \cos(bx^2 + a) \sin(bx^2 + a)) \left(-\left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)^{2/3}}{4 \left(b \cos(bx^2 + a)^2 - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="fricas")

[Out] -1/4*(b*x^2 - cos(b*x^2 + a)*sin(b*x^2 + a))*(-(c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(2/3)/(b*cos(b*x^2 + a)^2 - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a) \right)^{\frac{2}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)*x, x)

maple [C] time = 0.28, size = 182, normalized size = 2.80

$$\frac{x^2 \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2i(bx^2+a)} - i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)} - i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)}}{4 \left(e^{2i(bx^2+a)} - 1 \right)^2} - \frac{i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)}}{16b \left(e^{2i(bx^2+a)} - 1 \right)^2} + \frac{i \left(i c \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{4i(bx^2+a)}}{16 \left(e^{2i(bx^2+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(b*x^2+a)^3)^(2/3),x)

[Out]
$$-1/4*x^2/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^(2/3)*\exp(2*I*(b*x^2+a))-1/16*I/b/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^(2/3)*\exp(4*I*(b*x^2+a))+1/16*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^(2/3)/(\exp(2*I*(b*x^2+a))-1)^{2/2}$$

maxima [A] time = 0.97, size = 28, normalized size = 0.43

$$\frac{(2bx^2 - \sin(2bx^2 + 2a))c^{\frac{2}{3}}}{16b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(b*x^2+a)^3)^(2/3),x, algorithm="maxima")

[Out]
$$-1/16*(2*b*x^2 - \sin(2*b*x^2 + 2*a))*c^{(2/3)}/b$$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \left(c \sin(bx^2 + a) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*(c*sin(a + b*x^2)^3)^(2/3),x)
```

```
[Out] int(x*(c*sin(a + b*x^2)^3)^(2/3), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \left(c \sin^3(a + bx^2) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*sin(b*x**2+a)**3)**(2/3),x)
```

```
[Out] Integral(x*(c*sin(a + b*x**2)**3)**(2/3), x)
```


$$3.346 \quad \int \left(c \sin^3 (a + bx^2) \right)^{2/3} dx$$

Optimal. Leaf size=148

$$\frac{\sqrt{\pi} \cos(2a) C\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{4\sqrt{b}} + \frac{\sqrt{\pi} \sin(2a) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{4\sqrt{b}}$$

[Out] $1/2*x*csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}-1/4*\cos(2*a)*csc(b*x^2+a)^2*FresnelC(2*x*b^{(1/2)}/\pi^{(1/2)})*(c*\sin(b*x^2+a)^3)^{(2/3)*\pi^{(1/2)}/b^{(1/2)}+1/4}$
 $*csc(b*x^2+a)^2*FresnelS(2*x*b^{(1/2)}/\pi^{(1/2)})*\sin(2*a)*(c*\sin(b*x^2+a)^3)^{(2/3)*\pi^{(1/2)}/b^{(1/2)}}$

Rubi [A] time = 0.06, antiderivative size = 148, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {6720, 3357, 3354, 3352, 3351}

$$\frac{\sqrt{\pi} \cos(2a) \text{FresnelC}\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{4\sqrt{b}} + \frac{\sqrt{\pi} \sin(2a) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) \csc^2(a + bx^2) \left(c \sin^3(a + bx^2)\right)^{2/3}}{4\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^2]^3)^(2/3), x]

[Out] $(x*Csc[a + b*x^2]^2*(c*\sin[a + b*x^2]^3)^{(2/3)})/2 - (\text{Sqrt}[\pi]*\text{Cos}[2*a]*Csc[a + b*x^2]^2*\text{FresnelC}[(2*\text{Sqrt}[b]*x)/\text{Sqrt}[\pi]]*(c*\sin[a + b*x^2]^3)^{(2/3)})/(4*\text{Sqrt}[b]) + (\text{Sqrt}[\pi]*Csc[a + b*x^2]^2*\text{FresnelS}[(2*\text{Sqrt}[b]*x)/\text{Sqrt}[\pi]]*\sin[2*a]*(c*\sin[a + b*x^2]^3)^{(2/3)})/(4*\text{Sqrt}[b])$

Rule 3351

Int[Sin[(d_)*((e_) + (f_)*(x_))^(2)], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_)*((e_) + (f_)*(x_))^(2)], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3354

Int[Cos[(c_) + (d_)*((e_) + (f_)*(x_))^(2)], x_Symbol] :> Dist[Cos[c], Int[Cos[d*(e + f*x)^2], x], x] - Dist[Sin[c], Int[Sin[d*(e + f*x)^2], x], x] /; FreeQ[{c, d, e, f}, x]

Rule 3357

Int[((a_.) + (b_.)*Sin[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^(n_)])^(p_), x_Symbol] := Int[ExpandTrigReduce[(a + b*Sin[c + d*(e + f*x)^n])^p, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IGtQ[p, 1] && IGtQ[n, 1]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
 \int (c \sin^3(a + bx^2))^{2/3} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \sin^2(a + bx^2) dx \\
 &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \left(\frac{1}{2} - \frac{1}{2} \cos(2a + 2bx^2) \right) dx \\
 &= \frac{1}{2} x \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \cos(2a + 2bx^2) dx \\
 &= \frac{1}{2} x \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{1}{2} \left(\cos(2a) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \cos(2bx^2) dx \\
 &= \frac{1}{2} x \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} - \frac{\sqrt{\pi} \cos(2a) \csc^2(a + bx^2) C\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) (c \sin^3(a + bx^2))^{2/3}}{4\sqrt{b}}
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 93, normalized size = 0.63

$$\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \left(-\sqrt{\pi} \cos(2a) C\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) + \sqrt{\pi} \sin(2a) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) + 2\sqrt{b}x \right)}{4\sqrt{b}}$$

Antiderivative was successfully verified.

[In] Integrate[(c*SIN[a + b*x^2]^3)^(2/3),x]

[Out] (Csc[a + b*x^2]^2*(2*Sqrt[b]*x - Sqrt[Pi]*Cos[2*a]*FresnelC[(2*Sqrt[b]*x)/Sqrt[Pi]] + Sqrt[Pi]*FresnelS[(2*Sqrt[b]*x)/Sqrt[Pi]]*Sin[2*a])*(c*SIN[a + b*x^2]^3)^(2/3)/(4*Sqrt[b])

fricas [A] time = 0.77, size = 114, normalized size = 0.77

$$\frac{4^{\frac{2}{3}} \left(4^{\frac{1}{3}} \pi \sqrt{\frac{b}{\pi}} \cos(2a) C \left(2x \sqrt{\frac{b}{\pi}} \right) - 4^{\frac{1}{3}} \pi \sqrt{\frac{b}{\pi}} S \left(2x \sqrt{\frac{b}{\pi}} \right) \sin(2a) - 2 \cdot 4^{\frac{1}{3}} b x \right) \left(- \left(c \cos(bx^2 + a)^2 - c \right) \sin(bx^2 + a) \right)}{16 \left(b \cos(bx^2 + a)^2 - b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3),x, algorithm="fricas")

[Out] 1/16*4^(2/3)*(4^(1/3)*pi*sqrt(b/pi)*cos(2*a)*fresnel_cos(2*x*sqrt(b/pi)) - 4^(1/3)*pi*sqrt(b/pi)*fresnel_sin(2*x*sqrt(b/pi))*sin(2*a) - 2*4^(1/3)*b*x)*(- (c*cos(b*x^2 + a)^2 - c)*sin(b*x^2 + a))^(2/3)/(b*cos(b*x^2 + a)^2 - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^2 + a)^3 \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3), x)

maple [C] time = 0.25, size = 224, normalized size = 1.51

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} \sqrt{\pi} \sqrt{2} \operatorname{erf}(\sqrt{2} \sqrt{ib} x) \operatorname{erf}(\sqrt{-2ib} x) \sqrt{\pi} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{16 \left(e^{2i(bx^2+a)} - 1 \right)^2 \sqrt{ib}} + \frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} \sqrt{\pi} \sqrt{2} \operatorname{erf}(\sqrt{2} \sqrt{ib} x) \operatorname{erf}(\sqrt{-2ib} x) \sqrt{\pi} \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{8 \sqrt{-2ib} \left(e^{2i(bx^2+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(2/3),x)

[Out] 1/16*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(2/3)/(exp(2*I*(b*x^2+a))-1)^2*exp(2*I*b*x^2)*Pi^(1/2)*2^(1/2)/(I*b)^(1/2)*erf(2^(1/2)*(I*b)^(1/2)*x)+1/8*erf((-2*I*b)^(1/2)*x)/(-2*I*b)^(1/2)*Pi^(1/2)/(exp(2*I*(b*x^2+a))-1)^2*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(2/3)*exp(2*I*(b*x^2+2*a))-1/2*x/(exp(2*I*(b*x^2+a))-1)^2*(I*c*(exp(2*I*(b*x^2+a))-1)^3*exp(-3*I*(b*x^2+a)))^(2/3)*exp(2*I*(b*x^2+a))

maxima [C] time = 0.75, size = 76, normalized size = 0.51

$$\frac{4^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} \left(((i-1) \cos(2a) + (i+1) \sin(2a)) \operatorname{erf}(\sqrt{2ib} x) + (-(i+1) \cos(2a) - (i-1) \sin(2a)) \operatorname{erf}(\sqrt{-2ib} x) \right)}{64 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3),x, algorithm="maxima")

[Out] $-1/64*(4^{(1/4)}*\sqrt{2}*\sqrt{\pi})*((I - 1)*\cos(2*a) + (I + 1)*\sin(2*a))*\operatorname{erf}(\sqrt{2*I*b}*x) + (- (I + 1)*\cos(2*a) - (I - 1)*\sin(2*a))*\operatorname{erf}(\sqrt{-2*I*b}*x) * b^{(3/2)} * c^{(2/3)} + 16*b^2*c^{(2/3)*x}/b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \left(c \sin(bx^2 + a)^3 \right)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(2/3),x)

[Out] int((c*sin(a + b*x^2)^3)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin^3(a + bx^2) \right)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(2/3),x)

[Out] Integral((c*sin(a + b*x**2)**3)**(2/3), x)

$$3.347 \quad \int \frac{(c \sin^3(a+bx^2))^{2/3}}{x} dx$$

Optimal. Leaf size=115

$$-\frac{1}{4} \cos(2a) \text{Ci}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \frac{1}{4} \sin(2a) \text{Si}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} -$$

[Out] $-1/4 * \text{Ci}(2*b*x^2) * \cos(2*a) * \csc(b*x^2+a)^2 * (c*\sin(b*x^2+a)^3)^{(2/3)} + 1/2 * \csc(b*x^2+a)^2 * \ln(x) * (c*\sin(b*x^2+a)^3)^{(2/3)} + 1/4 * \csc(b*x^2+a)^2 * \text{Si}(2*b*x^2) * \sin(2*a) * (c*\sin(b*x^2+a)^3)^{(2/3)}$

Rubi [A] time = 0.13, antiderivative size = 115, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3403, 3378, 3376, 3375}

$$-\frac{1}{4} \cos(2a) \text{CosIntegral}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \frac{1}{4} \sin(2a) \text{Si}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}/x, x]$

[Out] $-(\text{Cos}[2*a] * \text{CosIntegral}[2*b*x^2] * \text{Csc}[a + b*x^2]^2 * (c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/4 + (\text{Csc}[a + b*x^2]^2 * \text{Log}[x] * (c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/2 + (\text{Csc}[a + b*x^2]^2 * \text{Sin}[2*a] * (c*\text{Sin}[a + b*x^2]^3)^{(2/3)} * \text{SinIntegral}[2*b*x^2])/4$

Rule 3375

$\text{Int}[\text{Sin}[(d_*)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3376

$\text{Int}[\text{Cos}[(d_*)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[d*x^n]/n, x] / ; \text{FreeQ}\{d, n\}, x]$

Rule 3378

$\text{Int}[\text{Cos}[(c_*) + (d_*)*(x_)^{(n_)}]/(x_), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[c], \text{Int}[\text{Cos}[d*x^n]/x, x], x] - \text{Dist}[\text{Sin}[c], \text{Int}[\text{Sin}[d*x^n]/x, x], x] / ; \text{FreeQ}\{c, d, n\}, x]$

Rule 3403

$\text{Int}[(e_*)*(x_)^{(m_)}*((a_*) + (b_*)*\text{Sin}[(c_*) + (d_*)*(x_)^{(n_)}])^{(p_)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(e*x)^m, (a + b*\text{Sin}[c + d*x^n])^p, x], x]$

/; FreeQ[{a, b, c, d, e, m}, x] && IGtQ[p, 1] && IGtQ[n, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int \frac{(c \sin^3(a + bx^2))^{2/3}}{x} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \frac{\sin^2(a + bx^2)}{x} dx \\ &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \left(\frac{1}{2x} - \frac{\cos(2a + 2bx^2)}{2x} \right) dx \\ &= \frac{1}{2} \csc^2(a + bx^2) \log(x) (c \sin^3(a + bx^2))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \\ &= \frac{1}{2} \csc^2(a + bx^2) \log(x) (c \sin^3(a + bx^2))^{2/3} - \frac{1}{2} \left(\cos(2a) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \\ &= -\frac{1}{4} \cos(2a) \text{Ci}(2bx^2) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} + \frac{1}{2} \csc^2(a + bx^2) \log(x) (c \sin^3(a + bx^2))^{2/3} \end{aligned}$$

Mathematica [A] time = 0.10, size = 60, normalized size = 0.52

$$\frac{1}{4} \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \left(-\cos(2a) \text{Ci}(2bx^2) + \sin(2a) \text{Si}(2bx^2) + 2 \log(x) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(2/3)/x,x]

[Out] (Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3)*(-(Cos[2*a]*CosIntegral[2*b*x^2]) + 2*Log[x] + Sin[2*a]*SinIntegral[2*b*x^2]))/4

fricas [A] time = 0.68, size = 100, normalized size = 0.87

$$\frac{4^{\frac{2}{3}} \left(2 \cdot 4^{\frac{1}{3}} \sin(2a) \text{Si}(2bx^2) - \left(4^{\frac{1}{3}} \text{Ci}(2bx^2) + 4^{\frac{1}{3}} \text{Ci}(-2bx^2) \right) \cos(2a) + 4 \cdot 4^{\frac{1}{3}} \log(x) \right) \left(-\left(c \cos(bx^2 + a) \right)^2 - c \right)}{32 \left(\cos(bx^2 + a) \right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x,x, algorithm="fricas")

[Out] $-1/32*4^{(2/3)}*(2*4^{(1/3)}*\sin(2*a)*\sin_integral(2*b*x^2) - (4^{(1/3)}*\cos_integral(2*b*x^2) + 4^{(1/3)}*\cos_integral(-2*b*x^2))*\cos(2*a) + 4*4^{(1/3)}*\log(x))*(-(c*\cos(b*x^2 + a)^2 - c)*\sin(b*x^2 + a))^{(2/3)}/(\cos(b*x^2 + a)^2 - 1)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^2 + a)^3)^{\frac{2}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)/x, x)

maple [C] time = 0.22, size = 331, normalized size = 2.88

$$\frac{i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} \pi \operatorname{csgn}(bx^2)}{8 \left(e^{2i(bx^2+a)} - 1 \right)^2} - \frac{i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} \operatorname{Si}(2bx^2)}{4 \left(e^{2i(bx^2+a)} - 1 \right)^2} - \frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} \operatorname{Si}(2bx^2)}{4 \left(e^{2i(bx^2+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(2/3)/x,x)

[Out] $1/8*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}/(\exp(2*I*(b*x^2+a))-1)^2*\exp(2*I*b*x^2)*\pi*\operatorname{csgn}(b*x^2)-1/4*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}/(\exp(2*I*(b*x^2+a))-1)^2*\exp(2*I*b*x^2)*\operatorname{Si}(2*b*x^2)-1/8*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}/(\exp(2*I*(b*x^2+a))-1)^2*\exp(2*I*b*x^2)*\operatorname{Ei}(1,-2*I*b*x^2)-1/8*\operatorname{Ei}(1,-2*I*b*x^2)/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*\exp(2*I*(b*x^2+2*a))-1/2*\ln(x)/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*\exp(2*I*(b*x^2+a))$

maxima [C] time = 1.26, size = 55, normalized size = 0.48

$$\frac{1}{16} \left(\left(\operatorname{Ei}(2ibx^2) + \operatorname{Ei}(-2ibx^2) \right) \cos(2a) - \left(-i \operatorname{Ei}(2ibx^2) + i \operatorname{Ei}(-2ibx^2) \right) \sin(2a) - 4 \log(x) \right) c^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x,x, algorithm="maxima")

[Out] 1/16*((Ei(2*I*b*x^2) + Ei(-2*I*b*x^2))*cos(2*a) - (-I*Ei(2*I*b*x^2) + I*Ei(-2*I*b*x^2))*sin(2*a) - 4*log(x))*c^(2/3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(c \sin(bx^2 + a)\right)^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(2/3)/x,x)

[Out] int((c*sin(a + b*x^2)^3)^(2/3)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin^3(a + bx^2)\right)^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(2/3)/x,x)

[Out] Integral((c*sin(a + b*x**2)**3)**(2/3)/x, x)

$$3.348 \quad \int \frac{(c \sin^3(a+bx^2))^{2/3}}{x^2} dx$$

Optimal. Leaf size=132

$$\sqrt{\pi} \sqrt{b} \sin(2a) C \left(\frac{2\sqrt{b}x}{\sqrt{\pi}} \right) \operatorname{csc}^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \sqrt{\pi} \sqrt{b} \cos(2a) S \left(\frac{2\sqrt{b}x}{\sqrt{\pi}} \right) \operatorname{csc}^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3}$$

[Out] $-(c*\sin(b*x^2+a)^3)^{(2/3)}/x+\cos(2*a)*\operatorname{csc}(b*x^2+a)^2*\operatorname{FresnelS}(2*x*b^{(1/2)}/\operatorname{Pi}^{(1/2)})*(c*\sin(b*x^2+a)^3)^{(2/3)}*b^{(1/2)}*\operatorname{Pi}^{(1/2)}+\operatorname{csc}(b*x^2+a)^2*\operatorname{FresnelC}(2*x*b^{(1/2)}/\operatorname{Pi}^{(1/2)})*\sin(2*a)*(c*\sin(b*x^2+a)^3)^{(2/3)}*b^{(1/2)}*\operatorname{Pi}^{(1/2)}$

Rubi [A] time = 0.15, antiderivative size = 132, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {6720, 3393, 4573, 3373, 3353, 3352, 3351}

$$\sqrt{\pi} \sqrt{b} \sin(2a) \operatorname{FresnelC} \left(\frac{2\sqrt{b}x}{\sqrt{\pi}} \right) \operatorname{csc}^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \sqrt{\pi} \sqrt{b} \cos(2a) S \left(\frac{2\sqrt{b}x}{\sqrt{\pi}} \right) \operatorname{csc}^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c*\operatorname{Sin}[a + b*x^2]^3)^{(2/3)}/x^2, x]$

[Out] $-(c*\operatorname{Sin}[a + b*x^2]^3)^{(2/3)}/x + \operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Cos}[2*a]*\operatorname{Csc}[a + b*x^2]^2*\operatorname{FresnelS}[(2*\operatorname{Sqrt}[b]*x)/\operatorname{Sqrt}[\operatorname{Pi}]]*(c*\operatorname{Sin}[a + b*x^2]^3)^{(2/3)} + \operatorname{Sqrt}[b]*\operatorname{Sqrt}[\operatorname{Pi}]*\operatorname{Csc}[a + b*x^2]^2*\operatorname{FresnelC}[(2*\operatorname{Sqrt}[b]*x)/\operatorname{Sqrt}[\operatorname{Pi}]]*\sin[2*a]*(c*\operatorname{Sin}[a + b*x^2]^3)^{(2/3)}$

Rule 3351

$\operatorname{Int}[\operatorname{Sin}[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{FresnelS}[\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Rt}[d, 2]*(e + f*x)])/(f*\operatorname{Rt}[d, 2]), x] /; \operatorname{FreeQ}[\{d, e, f\}, x]$

Rule 3352

$\operatorname{Int}[\operatorname{Cos}[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Sqrt}[\operatorname{Pi}/2]*\operatorname{FresnelC}[\operatorname{Sqrt}[2/\operatorname{Pi}]*\operatorname{Rt}[d, 2]*(e + f*x)])/(f*\operatorname{Rt}[d, 2]), x] /; \operatorname{FreeQ}[\{d, e, f\}, x]$

Rule 3353

$\operatorname{Int}[\operatorname{Sin}[(c_.) + (d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Sin}[c], \operatorname{Int}[\operatorname{Cos}[d*(e + f*x)^2], x], x] + \operatorname{Dist}[\operatorname{Cos}[c], \operatorname{Int}[\operatorname{Sin}[d*(e + f*x)^2], x], x] /; \operatorname{FreeQ}[\{c, d, e, f\}, x]$

Rule 3373

$\text{Int}[(a_.) + (b_.)*\text{Sin}[u_.]^{\text{p}_.}], x_Symbol] \text{ :> Int}[(a + b*\text{Sin}[\text{ExpandToSum}[u, x]])^p, x] \text{ /; FreeQ}\{a, b, p\}, x] \ \&\& \ \text{BinomialQ}[u, x] \ \&\& \ \text{!BinomialMatchQ}[u, x]$

Rule 3393

$\text{Int}[(x_.)^{\text{m}_.}*\text{Sin}[(a_.) + (b_.)*(x_.)^{\text{n}_.}]^{\text{p}_.}], x_Symbol] \text{ :> Simp}[(x^{\text{m} + 1})*\text{Sin}[a + b*x^n]^p / (\text{m} + 1), x] - \text{Dist}[(b*n*p) / (\text{m} + 1), \text{Int}[\text{Sin}[a + b*x^n]^{\text{p} - 1}*\text{Cos}[a + b*x^n], x], x] \text{ /; FreeQ}\{a, b\}, x] \ \&\& \ \text{IGtQ}[p, 1] \ \&\& \ \text{EqQ}[\text{m} + n, 0] \ \&\& \ \text{NeQ}[n, 1] \ \&\& \ \text{IntegerQ}[n]$

Rule 4573

$\text{Int}[\text{Cos}[w_.]^{\text{p}_.}*(u_.)*\text{Sin}[v_.]^{\text{p}_.}], x_Symbol] \text{ :> Dist}[1/2^p, \text{Int}[u*\text{Sin}[2*v]^p, x], x] \text{ /; EqQ}[w, v] \ \&\& \ \text{IntegerQ}[p]$

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{\text{m}_.})^{\text{p}_.}], x_Symbol] \text{ :> Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{\text{m}*\text{FracPart}[p]}, \text{Int}[u*v^{\text{m}*p}, x], x] \text{ /; FreeQ}\{a, m, p\}, x] \ \&\& \ \text{!IntegerQ}[p] \ \&\& \ \text{!FreeQ}[v, x] \ \&\& \ \text{!(EqQ}[a, 1] \ \&\& \ \text{EqQ}[m, 1]) \ \&\& \ \text{!(EqQ}[v, x] \ \&\& \ \text{EqQ}[m, 1])}$

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x^2} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \frac{\sin^2(a + bx^2)}{x^2} dx \\
&= -\frac{(c \sin^3(a + bx^2))^{2/3}}{x} + \left(4b \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \cos(a + bx^2) \sin(a + bx^2) dx \\
&= -\frac{(c \sin^3(a + bx^2))^{2/3}}{x} + \left(2b \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \sin(2(a + bx^2)) dx \\
&= -\frac{(c \sin^3(a + bx^2))^{2/3}}{x} + \left(2b \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \sin(2a + 2bx^2) dx \\
&= -\frac{(c \sin^3(a + bx^2))^{2/3}}{x} + \left(2b \cos(2a) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \sin(2bx^2) dx \\
&= -\frac{(c \sin^3(a + bx^2))^{2/3}}{x} + \sqrt{b} \sqrt{\pi} \cos(2a) \csc^2(a + bx^2) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) (c \sin^3(a + bx^2))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.20, size = 107, normalized size = 0.81

$$\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \left(2\sqrt{\pi} \sqrt{b} x \sin(2a) C\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) + 2\sqrt{\pi} \sqrt{b} x \cos(2a) S\left(\frac{2\sqrt{b}x}{\sqrt{\pi}}\right) + \cos(2(a + bx^2)) \right)}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(2/3)/x^2,x]

[Out] (Csc[a + b*x^2]^2*(-1 + Cos[2*(a + b*x^2)]) + 2*Sqrt[b]*Sqrt[Pi]*x*Cos[2*a]*FresnelS[(2*Sqrt[b]*x)/Sqrt[Pi]] + 2*Sqrt[b]*Sqrt[Pi]*x*FresnelC[(2*Sqrt[b]*x)/Sqrt[Pi]]*Sin[2*a])*(c*Sin[a + b*x^2]^3)^(2/3)/(2*x)

fricas [A] time = 0.70, size = 127, normalized size = 0.96

$$\frac{4^{\frac{2}{3}} \left(4^{\frac{1}{3}} \pi x \sqrt{\frac{b}{\pi}} \cos(2a) S\left(2x \sqrt{\frac{b}{\pi}}\right) + 4^{\frac{1}{3}} \pi x \sqrt{\frac{b}{\pi}} C\left(2x \sqrt{\frac{b}{\pi}}\right) \sin(2a) + 4^{\frac{1}{3}} \cos(bx^2 + a)^2 - 4^{\frac{1}{3}} \right) \left(-\left(c \cos(bx^2 + a) \right)^{2/3} \right)}{4 \left(x \cos(bx^2 + a) \right)^2 - x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^2,x, algorithm="fricas")

[Out] -1/4*4^(2/3)*(4^(1/3)*pi*x*sqrt(b/pi)*cos(2*a)*fresnel_sin(2*x*sqrt(b/pi)) + 4^(1/3)*pi*x*sqrt(b/pi)*fresnel_cos(2*x*sqrt(b/pi))*sin(2*a) + 4^(1/3)*co

$s(b*x^2 + a)^2 - 4^{(1/3)}*(-(c*\cos(b*x^2 + a)^2 - c)*\sin(b*x^2 + a))^{(2/3)}/(x*\cos(b*x^2 + a)^2 - x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^2 + a))^{\frac{2}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)/x^2, x)

maple [C] time = 0.25, size = 301, normalized size = 2.28

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{4x \left(e^{2i(bx^2+a)} - 1 \right)^2} - \frac{i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} b \sqrt{\pi} \sqrt{2} \operatorname{erf}(\sqrt{2} \sqrt{ib} x)}{4 \left(e^{2i(bx^2+a)} - 1 \right)^2 \sqrt{ib}} + \frac{ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)}}{4x \left(e^{2i(bx^2+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(2/3)/x^2,x)

[Out] $-1/4/x/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}-1/4*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}/(\exp(2*I*(b*x^2+a))-1)^2*\exp(2*I*b*x^2)*b*Pi^{(1/2)}*2^{(1/2)}/(I*b)^{(1/2)}*\operatorname{erf}(2^{(1/2)}*(I*b)^{(1/2)}*x)+1/4/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*(-1/x*\exp(4*I*(b*x^2+a))+2*I*b*Pi^{(1/2)})/(-2*I*b)^{(1/2)}*\operatorname{erf}((-2*I*b)^{(1/2)}*x)*\exp(2*I*(b*x^2+2*a))+1/2/x/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*\exp(2*I*(b*x^2+a))$

maxima [C] time = 1.07, size = 90, normalized size = 0.68

$$\frac{\sqrt{2} \sqrt{bx^2} \left(\left(- (i+1) \sqrt{2} \Gamma \left(-\frac{1}{2}, 2i bx^2 \right) + (i-1) \sqrt{2} \Gamma \left(-\frac{1}{2}, -2i bx^2 \right) \right) \cos(2a) + \left((i-1) \sqrt{2} \Gamma \left(-\frac{1}{2}, 2i bx^2 \right) - (i+1) \sqrt{2} \Gamma \left(-\frac{1}{2}, -2i bx^2 \right) \right) \cos(2a) \right)}{32x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^2,x, algorithm="maxima")

[Out] $1/32*(\sqrt{2}*\sqrt{b*x^2}*((-(I + 1)*\sqrt{2})*\gamma(-1/2, 2*I*b*x^2) + (I - 1)*\sqrt{2})*\gamma(-1/2, -2*I*b*x^2))*\cos(2*a) + ((I - 1)*\sqrt{2})*\gamma(-1/2,$

$2*I*b*x^2) - (I + 1)*sqrt(2)*gamma(-1/2, -2*I*b*x^2))*sin(2*a))*c^(2/3) + 8*c^(2/3))/x$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\left(c \sin(bx^2 + a)\right)^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^2)^3)^(2/3)/x^2, x)

[Out] int((c*sin(a + b*x^2)^3)^(2/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin^3(a + bx^2)\right)^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x**2+a)**3)**(2/3)/x**2, x)

[Out] Integral((c*sin(a + b*x**2)**3)**(2/3)/x**2, x)

$$3.349 \quad \int \frac{(c \sin^3(a+bx^2))^{2/3}}{x^3} dx$$

Optimal. Leaf size=161

$$\frac{1}{2}b \sin(2a) \text{Ci}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \frac{1}{2}b \cos(2a) \text{Si}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} -$$

[Out] $-1/4*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}/x^2+1/4*\cos(2*b*x^2+2*a)*\csc(b*x^2+a)^2*(c*\sin(b*x^2+a)^3)^{(2/3)}/x^2+1/2*b*\cos(2*a)*\csc(b*x^2+a)^2*\text{Si}(2*b*x^2)*(c*\sin(b*x^2+a)^3)^{(2/3)}+1/2*b*\text{Ci}(2*b*x^2)*\csc(b*x^2+a)^2*\sin(2*a)*(c*\sin(b*x^2+a)^3)^{(2/3)}$

Rubi [A] time = 0.21, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {6720, 3403, 3380, 3297, 3303, 3299, 3302}

$$\frac{1}{2}b \sin(2a) \text{CosIntegral}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3} + \frac{1}{2}b \cos(2a) \text{Si}(2bx^2) \csc^2(a+bx^2) (c \sin^3(a+bx^2))^{2/3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}/x^3, x]$

[Out] $-(\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/(4*x^2) + (\text{Cos}[2*(a + b*x^2)]*\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/(4*x^2) + (b*\text{CosIntegral}[2*b*x^2]*\text{Csc}[a + b*x^2]^2*\text{Sin}[2*a]*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)})/2 + (b*\text{Cos}[2*a]*\text{Csc}[a + b*x^2]^2*(c*\text{Sin}[a + b*x^2]^3)^{(2/3)}*\text{SinIntegral}[2*b*x^2])/2$

Rule 3297

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \text{Simp}[(c + d*x)^{(m + 1)*\text{Sin}[e + f*x]}/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)*\text{Cos}[e + f*x]}, x], x] /;$ $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /;$ $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /;$ $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) -$

$c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rule 3380

$\text{Int}[(a_.) + \text{Cos}[(c_.) + (d_.)*(x_.)^{(n_.)}]*(b_.)]^{(p_.)}*(x_.)^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/n, \text{Subst}[\text{Int}[x^{(\text{Simplify}[(m + 1)/n] - 1)*(a + b*\text{Cos}[c + d*x])^p}, x], x, x^n], x] /; \text{FreeQ}\{a, b, c, d, m, n, p\}, x] \&\& \text{IntegerQ}[\text{Simplify}[(m + 1)/n]] \&\& (\text{EqQ}[p, 1] \parallel \text{EqQ}[m, n - 1] \parallel (\text{IntegerQ}[p] \&\& \text{GtQ}[\text{Simplify}[(m + 1)/n], 0]))$

Rule 3403

$\text{Int}[(e_.)*(x_.)^{(m_.)}*((a_.) + (b_.)*\text{Sin}[(c_.) + (d_.)*(x_.)^{(n_.)})]^{(p_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(e*x)^m, (a + b*\text{Sin}[c + d*x^n])^p, x], x] /; \text{FreeQ}\{a, b, c, d, e, m\}, x] \&\& \text{IGtQ}[p, 1] \&\& \text{IGtQ}[n, 0]$

Rule 6720

$\text{Int}[(u_.)*((a_.)*(v_.)^{(m_.)})^{(p_.)}, x_Symbol] \rightarrow \text{Dist}[(a^{\text{IntPart}[p]}*(a*v^m)^{\text{FracPart}[p]})/v^{(m*\text{FracPart}[p])}, \text{Int}[u*v^{(m*p)}, x], x] /; \text{FreeQ}\{a, m, p\}, x] \&\& !\text{IntegerQ}[p] \&\& !\text{FreeQ}[v, x] \&\& !(\text{EqQ}[a, 1] \&\& \text{EqQ}[m, 1]) \&\& !(\text{EqQ}[v, x] \&\& \text{EqQ}[m, 1])$

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x^3} dx &= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \frac{\sin^2(a + bx^2)}{x^3} dx \\
&= \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \left(\frac{1}{2x^3} - \frac{\cos(2a + 2bx^2)}{2x^3} \right) dx \\
&= -\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} - \frac{1}{2} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \int \frac{\cos(2(a + bx^2))}{x^3} dx \\
&= -\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} - \frac{1}{4} \left(\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} \right) \text{Subst} \\
&= -\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} + \frac{\cos(2(a + bx^2)) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} \\
&= -\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} + \frac{\cos(2(a + bx^2)) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} \\
&= -\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2} + \frac{\cos(2(a + bx^2)) \csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3}}{4x^2}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 79, normalized size = 0.49

$$\frac{\csc^2(a + bx^2) (c \sin^3(a + bx^2))^{2/3} (2bx^2 \sin(2a) \text{Ci}(2bx^2) + 2bx^2 \cos(2a) \text{Si}(2bx^2) + \cos(2(a + bx^2)) - 1)}{4x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^2]^3)^(2/3)/x^3,x]

[Out] (Csc[a + b*x^2]^2*(c*Sin[a + b*x^2]^3)^(2/3)*(-1 + Cos[2*(a + b*x^2)]) + 2*b*x^2*CosIntegral[2*b*x^2]*Sin[2*a] + 2*b*x^2*Cos[2*a]*SinIntegral[2*b*x^2])/(4*x^2)

fricas [A] time = 0.70, size = 132, normalized size = 0.82

$$\frac{4^{\frac{2}{3}} \left(2 \cdot 4^{\frac{1}{3}} bx^2 \cos(2a) \text{Si}(2bx^2) + 2 \cdot 4^{\frac{1}{3}} \cos(bx^2 + a)^2 + \left(4^{\frac{1}{3}} bx^2 \text{Ci}(2bx^2) + 4^{\frac{1}{3}} bx^2 \text{Ci}(-2bx^2) \right) \sin(2a) - 2 \cdot \dots \right)}{16 \left(x^2 \cos(bx^2 + a)^2 - x^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^3,x, algorithm="fricas")

[Out] $-1/16*4^{(2/3)}*(2*4^{(1/3)}*b*x^2*\cos(2*a)*\sin_integral(2*b*x^2) + 2*4^{(1/3)}*\cos(b*x^2 + a)^2 + (4^{(1/3)}*b*x^2*\cos_integral(2*b*x^2) + 4^{(1/3)}*b*x^2*\cos_integral(-2*b*x^2))*\sin(2*a) - 2*4^{(1/3)}*(-(c*\cos(b*x^2 + a)^2 - c)*\sin(b*x^2 + a))^{(2/3)}/(x^2*\cos(b*x^2 + a)^2 - x^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^2 + a))^{\frac{2}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^3,x, algorithm="giac")

[Out] integrate((c*sin(b*x^2 + a)^3)^(2/3)/x^3, x)

maple [C] time = 0.23, size = 277, normalized size = 1.72

$$\frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}}}{8x^2 \left(e^{2i(bx^2+a)} - 1 \right)^2} + \frac{i \left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 e^{-3i(bx^2+a)} \right)^{\frac{2}{3}} e^{2ibx^2} b \operatorname{Ei}(1, 2ibx^2)}{4 \left(e^{2i(bx^2+a)} - 1 \right)^2} + \frac{\left(ic \left(e^{2i(bx^2+a)} - 1 \right)^3 \right)^{\frac{2}{3}}}{8x^2 \left(e^{2i(bx^2+a)} - 1 \right)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(b*x^2+a)^3)^(2/3)/x^3,x)

[Out] $-1/8/x^2/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}+1/4*I*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}/(\exp(2*I*(b*x^2+a))-1)^2*\exp(2*I*b*x^2)*b*\operatorname{Ei}(1, 2*I*b*x^2)+1/4/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*(-1/2/x^2*\exp(4*I*(b*x^2+a))-I*b*\operatorname{Ei}(1, -2*I*b*x^2)*\exp(2*I*(b*x^2+2*a)))+1/4/x^2/(\exp(2*I*(b*x^2+a))-1)^2*(I*c*(\exp(2*I*(b*x^2+a))-1)^3*\exp(-3*I*(b*x^2+a)))^{(2/3)}*\exp(2*I*(b*x^2+a))$

maxima [C] time = 1.12, size = 64, normalized size = 0.40

$$\frac{\left(\left(i \Gamma(-1, 2ibx^2) - i \Gamma(-1, -2ibx^2) \right) \cos(2a) + \left(\Gamma(-1, 2ibx^2) + \Gamma(-1, -2ibx^2) \right) \sin(2a) \right) bx^2 - 1 \right) c^{\frac{2}{3}}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(b*x^2+a)^3)^(2/3)/x^3,x, algorithm="maxima")

[Out] $-1/8 * (((I * \gamma(-1, 2 * I * b * x^2) - I * \gamma(-1, -2 * I * b * x^2)) * \cos(2 * a) + (\gamma(-1, 2 * I * b * x^2) + \gamma(-1, -2 * I * b * x^2)) * \sin(2 * a)) * b * x^2 - 1) * c^{2/3} / x^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(bx^2 + a))^3}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*sin(a + b*x^2)^3)^(2/3)/x^3, x)`

[Out] `int((c*sin(a + b*x^2)^3)^(2/3)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + bx^2))^{2/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*sin(b*x**2+a)**3)**(2/3)/x**3, x)`

[Out] `Integral((c*sin(a + b*x**2)**3)**(2/3)/x**3, x)`

$$3.350 \quad \int x^m \left(c \sin^3 (a + bx^n) \right)^{2/3} dx$$

Optimal. Leaf size=217

$$\frac{x^{m+1} \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3}}{2(m+1)} + \frac{e^{2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (-ibx^n)^{-\frac{m+1}{n}} \csc^2(a + bx^n) \Gamma\left(\frac{m+1}{n}, -2ibx^n\right) \left(c \sin^3(a + bx^n) \right)^{2/3}}{n}$$

[Out] $1/2*x^{(1+m)}*\csc(a+b*x^n)^2*(c*\sin(a+b*x^n)^3)^{(2/3)}/(1+m)+\exp(2*I*a)*x^{(1+m)}*\csc(a+b*x^n)^2*\text{GAMMA}((1+m)/n,-2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/(2^{((1+m+2*n)/n)})/n/((-I*b*x^n)^{((1+m)/n)})+x^{(1+m)}*\csc(a+b*x^n)^2*\text{GAMMA}((1+m)/n,2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/(2^{((1+m+2*n)/n)})/\exp(2*I*a)/n/((I*b*x^n)^{((1+m)/n)})$

Rubi [A] time = 0.36, antiderivative size = 217, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (-ibx^n)^{-\frac{m+1}{n}} \csc^2(a + bx^n) \text{Gamma}\left(\frac{m+1}{n}, -2ibx^n\right) \left(c \sin^3(a + bx^n) \right)^{2/3}}{n} + \frac{e^{-2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (ibx^n)^{2/3}}{n}$$

Antiderivative was successfully verified.

[In] Int[x^m*(c*Sin[a + b*x^n]^3)^(2/3),x]

[Out] $(x^{(1+m)}*\text{Csc}[a + b*x^n]^2*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(2*(1+m)) + (E^{((2*I)*a)}*x^{(1+m)}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[(1+m)/n, (-2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(2^{((1+m+2*n)/n)}*n*((-I)*b*x^n)^{((1+m)/n)}) + (x^{(1+m)}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[(1+m)/n, (2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(2^{((1+m+2*n)/n)}*E^{((2*I)*a)}*n*(I*b*x^n)^{((1+m)/n)})$

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_)^n))*((e_.) + (f_.)*(x_)^m), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m+1)*Gamma[(m+1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m+1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_.) + (d_.)*(x_)^n]*((e_.)*(x_)^m), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

```
Int[((e_.)*(x_)^(m_.))*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[
v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int x^m (c \sin^3(a + bx^n))^{2/3} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^m \sin^2(a + bx^n) dx \\
&= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{x^m}{2} - \frac{1}{2} x^m \cos(2a + 2bx^n) \right) dx \\
&= \frac{x^{1+m} \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2(1+m)} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \\
&= \frac{x^{1+m} \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2(1+m)} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \\
&= \frac{x^{1+m} \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2(1+m)} + \frac{2^{-\frac{1+m+2n}{n}} e^{2ia} x^{1+m} (-ibx^n)^{-\frac{1+m}{n}} \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{(m+1)n}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 194, normalized size = 0.89

$$\frac{e^{-2ia} 2^{-\frac{m+2n+1}{n}} x^{m+1} (b^2 x^{2n})^{-\frac{m+1}{n}} \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \left(e^{2ia} n 2^{\frac{m+n+1}{n}} (b^2 x^{2n})^{\frac{m+1}{n}} + e^{4ia} (m+1) (ibx^n)^{\frac{m+1}{n}} \right)}{(m+1)n}$$

Antiderivative was successfully verified.

```
[In] Integrate[x^m*(c*Sin[a + b*x^n]^3)^(2/3),x]
```

```
[Out] (x^(1+m)*Csc[a + b*x^n]^2*(2^((1+m+n)/n)*E^((2*I)*a)*n*(b^2*x^(2*n))^(
((1+m)/n) + E^((4*I)*a)*(1+m)*(I*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, (-
2*I)*b*x^n] + (1+m)*((-I)*b*x^n)^((1+m)/n)*Gamma[(1+m)/n, (2*I)*b*x^n]
```

)]*(c*Sin[a + b*x^n]^3)^(2/3))/(2^((1 + m + 2*n)/n)*E^((2*I)*a)*(1 + m)*n*(b^2*x^(2*n))^(1 + m)/n))

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{2}{3}} x^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)*x^m, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3\right)^{\frac{2}{3}} x^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)*x^m, x)

maple [F] time = 0.42, size = 0, normalized size = 0.00

$$\int x^m \left(c \left(\sin^3(a + b x^n)\right)\right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*(c*sin(a+b*x^n)^3)^(2/3),x)

[Out] int(x^m*(c*sin(a+b*x^n)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left(x x^m - (m + 1) \int x^m \cos(2 b x^n + 2 a) dx\right) c^{\frac{2}{3}}}{4(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="maxima")

[Out] -1/4*(x*x^m - (m + 1)*integrate(x^m*cos(2*b*x^n + 2*a), x))*c^(2/3)/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int x^m (c \sin(a + b x^n)^3)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^m*(c*sin(a + b*x^n)^3)^(2/3),x)`

[Out] `int(x^m*(c*sin(a + b*x^n)^3)^(2/3), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**m*(c*sin(a+b*x**n)**3)**(2/3),x)`

[Out] Timed out

$$3.351 \quad \int x^3 \left(c \sin^3 (a + bx^n) \right)^{2/3} dx$$

Optimal. Leaf size=188

$$\frac{1}{8} x^4 \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3} + \frac{e^{2ia} 4^{-\frac{2}{n}-1} x^4 (-ibx^n)^{-4/n} \Gamma\left(\frac{4}{n}, -2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n}$$

[Out] 1/8*x^4*csc(a+b*x^n)^2*(c*sin(a+b*x^n)^3)^(2/3)+4^(-1-2/n)*exp(2*I*a)*x^4*csc(a+b*x^n)^2*GAMMA(4/n,-2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/n/((-I*b*x^n)^(4/n))+4^(-1-2/n)*x^4*csc(a+b*x^n)^2*GAMMA(4/n,2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/exp(2*I*a)/n/((I*b*x^n)^(4/n))

Rubi [A] time = 0.34, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia} 4^{-\frac{2}{n}-1} x^4 (-ibx^n)^{-4/n} \Gamma\left(\frac{4}{n}, -2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n} + \frac{e^{-2ia} 4^{-\frac{2}{n}-1} x^4 (ibx^n)^{-4/n} \Gamma\left(\frac{4}{n}, 2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n}$$

Antiderivative was successfully verified.

[In] Int[x^3*(c*SIN[a + b*x^n]^3)^(2/3),x]

[Out] (x^4*Csc[a + b*x^n]^2*(c*SIN[a + b*x^n]^3)^(2/3))/8 + (4^(-1 - 2/n)*E^((2*I)*a)*x^4*Csc[a + b*x^n]^2*Gamma[4/n, (-2*I)*b*x^n]*(c*SIN[a + b*x^n]^3)^(2/3))/(n*((-I)*b*x^n)^(4/n)) + (4^(-1 - 2/n)*x^4*Csc[a + b*x^n]^2*Gamma[4/n, (2*I)*b*x^n]*(c*SIN[a + b*x^n]^3)^(2/3))/(E^((2*I)*a)*n*(I*b*x^n)^(4/n))

Rule 2218

Int[(F_)^((a_) + (b_)*(c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_)^(m_)), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_) + (d_)*(x_)^(n_)]*((e_)*(x_)^(m_)), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

Int[((e_)*(x_)^(m_))*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]

/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
 \int x^3 (c \sin^3(a + bx^n))^{2/3} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^3 \sin^2(a + bx^n) dx \\
 &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{x^3}{2} - \frac{1}{2} x^3 \cos(2a + 2bx^n) \right) dx \\
 &= \frac{1}{8} x^4 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^3 \cos(2a + 2bx^n) dx \\
 &= \frac{1}{8} x^4 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^3 \cos(2a + 2bx^n) dx \\
 &= \frac{1}{8} x^4 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} + \frac{4^{-1-\frac{2}{n}} e^{2ia} x^4 (-ibx^n)^{-4/n} \csc^2(a + bx^n) \Gamma\left(\frac{4}{n}\right)}{n}
 \end{aligned}$$

Mathematica [A] time = 0.54, size = 161, normalized size = 0.86

$$\frac{e^{-2ia} 2^{-\frac{4}{n}-3} x^4 (b^2 x^{2n})^{-4/n} \csc^2(a + bx^n) \left(e^{2ia} 16^{\frac{1}{n}} n (b^2 x^{2n})^{4/n} + 2e^{4ia} (ibx^n)^{4/n} \Gamma\left(\frac{4}{n}, -2ibx^n\right) + 2(-ibx^n)^{4/n} \Gamma\left(\frac{4}{n}, 2ibx^n\right) \right)}{n}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(c*Sin[a + b*x^n]^3)^(2/3), x]

[Out] (2^(-3 - 4/n)*x^4*Csc[a + b*x^n]^2*(16^n^(-1)*E^((2*I)*a)*n*(b^2*x^(2*n))^(-4/n) + 2*E^((4*I)*a)*(I*b*x^n)^(4/n)*Gamma[4/n, (-2*I)*b*x^n] + 2*((-I)*b*x^n)^(4/n)*Gamma[4/n, (2*I)*b*x^n])*(c*Sin[a + b*x^n]^3)^(2/3)/(E^((2*I)*a)*n*(b^2*x^(2*n))^(4/n))

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\left(-(c \cos(bx^n + a))^2 - c \right) \sin(bx^n + a) \right)^{\frac{2}{3}} x^3, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)*x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{2}{3}} x^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)*x^3, x)

maple [F] time = 0.27, size = 0, normalized size = 0.00

$$\int x^3 (c (\sin^3(a + bx^n)))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(a+b*x^n)^3)^(2/3),x)

[Out] int(x^3*(c*sin(a+b*x^n)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{16} \left(x^4 - 4 \int x^3 \cos(2bx^n + 2a) dx \right) c^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="maxima")

[Out] -1/16*(x^4 - 4*integrate(x^3*cos(2*b*x^n + 2*a), x))*c^(2/3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (c \sin(a + bx^n)^3)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(c*sin(a + b*x^n)^3)^(2/3),x)

[Out] int(x^3*(c*sin(a + b*x^n)^3)^(2/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(c*sin(a+b*x**n)**3)**(2/3),x)

[Out] Timed out

$$3.352 \quad \int x^2 \left(c \sin^3 (a + bx^n) \right)^{2/3} dx$$

Optimal. Leaf size=188

$$\frac{1}{6} x^3 \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3} + \frac{e^{2ia} 2^{-\frac{3}{n}-2} x^3 (-ibx^n)^{-3/n} \Gamma\left(\frac{3}{n}, -2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n}$$

[Out] 1/6*x^3*csc(a+b*x^n)^2*(c*sin(a+b*x^n)^3)^(2/3)+2^(-2-3/n)*exp(2*I*a)*x^3*csc(a+b*x^n)^2*GAMMA(3/n,-2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/n/((-I*b*x^n)^(3/n))+2^(-2-3/n)*x^3*csc(a+b*x^n)^2*GAMMA(3/n,2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/exp(2*I*a)/n/((I*b*x^n)^(3/n))

Rubi [A] time = 0.31, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia} 2^{-\frac{3}{n}-2} x^3 (-ibx^n)^{-3/n} \Gamma\left(\frac{3}{n}, -2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n} + \frac{e^{-2ia} 2^{-\frac{3}{n}-2} x^3 (ibx^n)^{-3/n} \Gamma\left(\frac{3}{n}, 2ibx^n\right) \csc^2 (a + bx^n) \left(c \sin^3 (a + bx^n) \right)^{2/3}}{n}$$

Antiderivative was successfully verified.

[In] Int[x^2*(c*Sin[a + b*x^n]^3)^(2/3), x]

[Out] (x^3*Csc[a + b*x^n]^2*(c*Sin[a + b*x^n]^3)^(2/3))/6 + (2^(-2 - 3/n)*E^((2*I)*a)*x^3*Csc[a + b*x^n]^2*Gamma[3/n, (-2*I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(2/3))/(n*((-I)*b*x^n)^(3/n)) + (2^(-2 - 3/n)*x^3*Csc[a + b*x^n]^2*Gamma[3/n, (2*I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(2/3))/(E^((2*I)*a)*n*(I*b*x^n)^(3/n))

Rule 2218

Int[(F_)^((a_) + (b_)*(c_) + (d_)*(x_)^(n_))*((e_) + (f_)*(x_)^(m_)), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_) + (d_)*(x_)^(n_)]*((e_)*(x_)^(m_)), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

Int[((e_)*(x_)^(m_))*((a_) + (b_)*Sin[(c_) + (d_)*(x_)^(n_)])^(p_), x_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*Sin[c + d*x^n])^p, x], x]

/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]

Rule 6720

Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned}
 \int x^2 (c \sin^3(a + bx^n))^{2/3} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^2 \sin^2(a + bx^n) dx \\
 &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{x^2}{2} - \frac{1}{2} x^2 \cos(2a + 2bx^n) \right) dx \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^2 \cos(2a + 2bx^n) dx \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int x^2 \cos(2a + 2bx^n) dx \\
 &= \frac{1}{6} x^3 \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} + \frac{2^{-2-\frac{3}{n}} e^{2ia} x^3 (-ibx^n)^{-3/n} \csc^2(a + bx^n) \Gamma\left(\frac{3}{n}, 2ibx^n\right)}{n}
 \end{aligned}$$

Mathematica [A] time = 0.56, size = 168, normalized size = 0.89

$$\frac{e^{-2ia} 2^{-\frac{3}{n}-2} x^3 (b^2 x^{2n})^{-3/n} \csc^2(a + bx^n) \left(e^{2ia} 2^{\frac{n+3}{n}} n (b^2 x^{2n})^{3/n} + 3e^{4ia} (ibx^n)^{3/n} \Gamma\left(\frac{3}{n}, -2ibx^n\right) + 3(-ibx^n)^{3/n} \Gamma\left(\frac{3}{n}, 2ibx^n\right) \right)}{3n}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*(c*Sin[a + b*x^n]^3)^(2/3),x]

[Out] (2^(-2 - 3/n)*x^3*Csc[a + b*x^n]^2*(2^((3 + n)/n)*E^((2*I)*a)*n*(b^2*x^(2*n))^((3/n) + 3*E^((4*I)*a)*(I*b*x^n)^(3/n)*Gamma[3/n, (-2*I)*b*x^n] + 3*((-I)*b*x^n)^(3/n)*Gamma[3/n, (2*I)*b*x^n])*(c*Sin[a + b*x^n]^3)^(2/3))/(3*E^((2*I)*a)*n*(b^2*x^(2*n))^((3/n))

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral} \left(\left(-(c \cos(bx^n + a))^2 - c \right) \sin(bx^n + a) \right)^{\frac{2}{3}} x^2, x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)*x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{2}{3}} x^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)*x^2, x)

maple [F] time = 0.34, size = 0, normalized size = 0.00

$$\int x^2 (c (\sin^3(a + bx^n)))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a+b*x^n)^3)^(2/3),x)

[Out] int(x^2*(c*sin(a+b*x^n)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{12} \left(x^3 - 3 \int x^2 \cos(2bx^n + 2a) dx \right) c^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="maxima")

[Out] -1/12*(x^3 - 3*integrate(x^2*cos(2*b*x^n + 2*a), x))*c^(2/3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (c \sin(a + bx^n)^3)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(c*sin(a + b*x^n)^3)^(2/3),x)

[Out] int(x^2*(c*sin(a + b*x^n)^3)^(2/3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(c*sin(a+b*x**n)**3)**(2/3),x)

[Out] Timed out

3.353 $\int x \left(c \sin^3 (a + bx^n) \right)^{2/3} dx$

Optimal. Leaf size=188

$$\frac{1}{4}x^2 \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} + \frac{e^{2ia} 4^{-\frac{1}{n}-1} x^2 (-ibx^n)^{-2/n} \Gamma\left(\frac{2}{n}, -2ibx^n\right) \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3}}{n}$$

[Out] 1/4*x^2*csc(a+b*x^n)^2*(c*sin(a+b*x^n)^3)^(2/3)+4^(-1-1/n)*exp(2*I*a)*x^2*csc(a+b*x^n)^2*GAMMA(2/n,-2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/n/((-I*b*x^n)^(2/n))+4^(-1-1/n)*x^2*csc(a+b*x^n)^2*GAMMA(2/n,2*I*b*x^n)*(c*sin(a+b*x^n)^3)^(2/3)/exp(2*I*a)/n/((I*b*x^n)^(2/n))

Rubi [A] time = 0.24, antiderivative size = 188, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia} 4^{-\frac{1}{n}-1} x^2 (-ibx^n)^{-2/n} \Gamma\left(\frac{2}{n}, -2ibx^n\right) \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3}}{n} + \frac{e^{-2ia} 4^{-\frac{1}{n}-1} x^2 (ibx^n)^{-2/n} \Gamma\left(\frac{2}{n}, 2ibx^n\right) \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3}}{n}$$

Antiderivative was successfully verified.

[In] Int[x*(c*Sin[a + b*x^n]^3)^(2/3),x]

[Out] (x^2*Csc[a + b*x^n]^2*(c*Sin[a + b*x^n]^3)^(2/3))/4 + (4^(-1 - n^(-1)))*E^((2*I)*a)*x^2*Csc[a + b*x^n]^2*Gamma[2/n, (-2*I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(2/3)/(n*((-I)*b*x^n)^(2/n)) + (4^(-1 - n^(-1)))*x^2*Csc[a + b*x^n]^2*Gamma[2/n, (2*I)*b*x^n]*(c*Sin[a + b*x^n]^3)^(2/3)/(E^((2*I)*a)*n*(I*b*x^n)^(2/n))

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])])/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_.) + (d_.)*(x_)^(n_)]*((e_.)*(x_))^(m_.), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned} \int x \left(c \sin^3(a + bx^n) \right)^{2/3} dx &= \left(\csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} \right) \int x \sin^2(a + bx^n) dx \\ &= \left(\csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} \right) \int \left(\frac{x}{2} - \frac{1}{2} x \cos(2a + 2bx^n) \right) dx \\ &= \frac{1}{4} x^2 \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} \right) \int \cos(2a + 2bx^n) dx \\ &= \frac{1}{4} x^2 \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} - \frac{1}{4} \left(\csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} \right) \int \cos(2a + 2bx^n) dx \\ &= \frac{1}{4} x^2 \csc^2(a + bx^n) \left(c \sin^3(a + bx^n) \right)^{2/3} + \frac{4^{-1-\frac{1}{n}} e^{2ia} x^2 (-ibx^n)^{-2/n} \csc^2(a + bx^n) \Gamma\left(\frac{2}{n}\right)}{n} \end{aligned}$$

Mathematica [A] time = 0.56, size = 160, normalized size = 0.85

$$\frac{e^{-2ia} 4^{-\frac{n+1}{n}} x^2 (b^2 x^{2n})^{-2/n} \csc^2(a + bx^n) \left(e^{2ia} 4^{\frac{1}{n}} n (b^2 x^{2n})^{2/n} + e^{4ia} (ibx^n)^{2/n} \Gamma\left(\frac{2}{n}\right) - 2ibx^n \right) + (-ibx^n)^{2/n} \Gamma\left(\frac{2}{n}\right) 2ibx^n}{n}$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(c*SIN[a + b*x^n]^3)^(2/3), x]
```

```
[Out] (x^2*Csc[a + b*x^n]^2*(4^n^(-1)*E^((2*I)*a)*n*(b^2*x^(2*n))^(-2/n) + E^((4*I)*
a)*(I*b*x^n)^(2/n)*Gamma[2/n, (-2*I)*b*x^n] + ((-I)*b*x^n)^(2/n)*Gamma[2/
n, (2*I)*b*x^n])*(c*SIN[a + b*x^n]^3)^(2/3)/(4^((1 + n)/n)*E^((2*I)*a)*n*(
b^2*x^(2*n))^(-2/n)
```

fricas [F] time = 0.58, size = 0, normalized size = 0.00

$$\text{integral} \left(\left(-\left(c \cos(bx^n + a)^2 - c \right) \sin(bx^n + a) \right)^{\frac{2}{3}} x, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)*x, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin(bx^n + a)^3 \right)^{\frac{2}{3}} x dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)*x, x)

maple [F] time = 0.41, size = 0, normalized size = 0.00

$$\int x \left(c \left(\sin^3(a + bx^n) \right) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(a+b*x^n)^3)^(2/3),x)

[Out] int(x*(c*sin(a+b*x^n)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{8} \left(x^2 - 2 \int x \cos(2bx^n + 2a) dx \right) c^{\frac{2}{3}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(c*sin(a+b*x^n)^3)^(2/3),x, algorithm="maxima")

[Out] -1/8*(x^2 - 2*integrate(x*cos(2*b*x^n + 2*a), x))*c^(2/3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x \left(c \sin(a + bx^n)^3 \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*(c*sin(a + b*x^n)^3)^(2/3),x)

[Out] int(x*(c*sin(a + b*x^n)^3)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \left(c \sin^3(a + bx^n) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(c*sin(a+b*x**n)**3)**(2/3),x)
```

```
[Out] Integral(x*(c*sin(a + b*x**n)**3)**(2/3), x)
```

3.354 $\int (c \sin^3(a + bx^n))^{2/3} dx$

Optimal. Leaf size=178

$$\frac{1}{2} x \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} + \frac{e^{2ia} 2^{-\frac{1}{n}-2} x (-ibx^n)^{-1/n} \Gamma\left(\frac{1}{n}, -2ibx^n\right) \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{n} +$$

[Out] $\frac{1}{2} x \csc(a + b x^n)^2 (c \sin(a + b x^n)^3)^{2/3} + 2^{-(2-1/n)} \exp(2 I a) x \csc(a + b x^n)^2 \text{GAMMA}(1/n, -2 I b x^n) (c \sin(a + b x^n)^3)^{2/3} / n / ((-I b x^n)^{1/n}) + 2^{-(2-1/n)} x \csc(a + b x^n)^2 \text{GAMMA}(1/n, 2 I b x^n) (c \sin(a + b x^n)^3)^{2/3} / \exp(2 I a) / n / ((I b x^n)^{1/n})$

Rubi [A] time = 0.09, antiderivative size = 178, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3367, 3366, 2208}

$$\frac{e^{2ia} 2^{-\frac{1}{n}-2} x (-ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, -2ibx^n\right) \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{n} + \frac{e^{-2ia} 2^{-\frac{1}{n}-2} x (ibx^n)^{-1/n} \text{Gamma}\left(\frac{1}{n}, 2ibx^n\right) \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{n}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c \sin[a + b x^n]^3)^{2/3}, x]$

[Out] $(x \csc[a + b x^n]^2 (c \sin[a + b x^n]^3)^{2/3}) / 2 + (2^{-(2-n(-1))} E^{((2 I) a)} x \csc[a + b x^n]^2 \text{Gamma}[n(-1), (-2 I) b x^n] (c \sin[a + b x^n]^3)^{(2/3)}) / (n ((-I) b x^n)^{n(-1)}) + (2^{-(2-n(-1))} x \csc[a + b x^n]^2 \text{Gamma}[n(-1), (2 I) b x^n] (c \sin[a + b x^n]^3)^{(2/3)}) / (E^{((2 I) a)} n (I b x^n)^{n(-1)})$

Rule 2208

$\text{Int}[(F_)^{((a_.) + (b_.) * ((c_.) + (d_.) * (x_))^{(n_.)})}, x_Symbol] \rightarrow -\text{Simp}[(F^a * (c + d * x) * \text{Gamma}[1/n, -(b * (c + d * x)^n * \text{Log}[F]])] / (d * n * (-(b * (c + d * x)^n * \text{Log}[F]))^{(1/n)}), x] /;$ FreeQ[{F, a, b, c, d, n}, x] && !IntegerQ[2/n]

Rule 3366

$\text{Int}[\text{Cos}[(c_.) + (d_.) * ((e_.) + (f_.) * (x_))^{(n_.)}], x_Symbol] \rightarrow \text{Dist}[1/2, \text{Int}[E^{-(c * I) - d * I * (e + f * x)^n}, x], x] + \text{Dist}[1/2, \text{Int}[E^{(c * I + d * I * (e + f * x)^n}, x], x] /;$ FreeQ[{c, d, e, f, n}, x]

Rule 3367

$\text{Int}[(a_.) + (b_.) * \text{Sin}[(c_.) + (d_.) * ((e_.) + (f_.) * (x_))^{(n_.)}], x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(a + b * \text{Sin}[c + d * (e + f * x)^n])^p, x], x] /;$ FreeQ[{a, b, c, d, e, f, n, p}, x]

reeQ[{a, b, c, d, e, f, n}, x] && IGtQ[p, 1]

Rule 6720

Int[(u_)*((a_)*(v_)^(m_))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[v, x] && EqQ[m, 1])

Rubi steps

$$\begin{aligned} \int (c \sin^3(a + bx^n))^{2/3} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \sin^2(a + bx^n) dx \\ &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{1}{2} - \frac{1}{2} \cos(2a + 2bx^n) \right) dx \\ &= \frac{1}{2} x \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \cos(2a + 2bx^n) dx \\ &= \frac{1}{2} x \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int e^{-2ia - 2ibx^n} dx \\ &= \frac{1}{2} x \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} + \frac{2^{-2-\frac{1}{n}} e^{2ia} x (-ibx^n)^{-1/n} \csc^2(a + bx^n) \Gamma\left(\frac{1}{n}, -2ibx^n\right) + (-ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, 2ibx^n\right)}{n} \end{aligned}$$

Mathematica [A] time = 0.27, size = 149, normalized size = 0.84

$$\frac{e^{-2ia} 2^{-\frac{1}{n}-2} x (b^2 x^{2n})^{-1/n} \csc^2(a + bx^n) \left(e^{2ia} 2^{\frac{1}{n}+1} n (b^2 x^{2n})^{\frac{1}{n}} + e^{4ia} (ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, -2ibx^n\right) + (-ibx^n)^{\frac{1}{n}} \Gamma\left(\frac{1}{n}, 2ibx^n\right) \right)}{n}$$

Antiderivative was successfully verified.

[In] Integrate[(c*Sin[a + b*x^n]^3)^(2/3), x]

[Out] (2^(-2 - n^(-1))*x*Csc[a + b*x^n]^2*(2^(1 + n^(-1))*E^((2*I)*a)*n*(b^2*x^(2*n))^n^(-1) + E^((4*I)*a)*(I*b*x^n)^n^(-1)*Gamma[n^(-1), (-2*I)*b*x^n] + ((-I)*b*x^n)^n^(-1)*Gamma[n^(-1), (2*I)*b*x^n])*(c*Sin[a + b*x^n]^3)^(2/3)/(E^((2*I)*a)*n*(b^2*x^(2*n))^n^(-1))

fricas [F] time = 0.74, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(-\left(c \cos(bx^n + a)^2 - c\right) \sin(bx^n + a)\right)^{\frac{2}{3}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3),x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c \sin(bx^n + a)^3)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3),x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3), x)

maple [F] time = 0.35, size = 0, normalized size = 0.00

$$\int (c (\sin^3(a + bx^n)))^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(2/3),x)

[Out] int((c*sin(a+b*x^n)^3)^(2/3),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$-\frac{1}{4} c^{\frac{2}{3}} \left(x - \int \cos(2bx^n + 2a) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3),x, algorithm="maxima")

[Out] -1/4*c^(2/3)*(x - integrate(cos(2*b*x^n + 2*a), x))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (c \sin(a + bx^n)^3)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(2/3),x)

[Out] int((c*sin(a + b*x^n)^3)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \left(c \sin^3(a + bx^n) \right)^{\frac{2}{3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(2/3),x)

[Out] Integral((c*sin(a + b*x**n)**3)**(2/3), x)

$$3.355 \quad \int \frac{(c \sin^3(a+bx^n))^{2/3}}{x} dx$$

Optimal. Leaf size=121

$$\frac{\cos(2a)\text{Ci}(2bx^n) \csc^2(a+bx^n) (c \sin^3(a+bx^n))^{2/3}}{2n} + \frac{\sin(2a)\text{Si}(2bx^n) \csc^2(a+bx^n) (c \sin^3(a+bx^n))^{2/3}}{2n} + \frac{1}{2} \ln(x)$$

[Out] $-1/2*\text{Ci}(2*b*x^n)*\cos(2*a)*\csc(a+b*x^n)^2*(c*\sin(a+b*x^n)^3)^{(2/3)}/n+1/2*\csc(a+b*x^n)^2*\ln(x)*(c*\sin(a+b*x^n)^3)^{(2/3)}+1/2*\csc(a+b*x^n)^2*\text{Si}(2*b*x^n)*\sin(2*a)*(c*\sin(a+b*x^n)^3)^{(2/3)}/n$

Rubi [A] time = 0.18, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {6720, 3425, 3378, 3376, 3375}

$$\frac{\cos(2a)\text{CosIntegral}(2bx^n) \csc^2(a+bx^n) (c \sin^3(a+bx^n))^{2/3}}{2n} + \frac{\sin(2a)\text{Si}(2bx^n) \csc^2(a+bx^n) (c \sin^3(a+bx^n))^{2/3}}{2n} + \frac{1}{2} \ln(x)$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^n]^3)^(2/3)/x,x]

[Out] $-(\text{Cos}[2*a]*\text{CosIntegral}[2*b*x^n]*\text{Csc}[a + b*x^n]^2*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(2*n) + (\text{Csc}[a + b*x^n]^2*\text{Log}[x]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/2 + (\text{Csc}[a + b*x^n]^2*\text{Sin}[2*a]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)}*\text{SinIntegral}[2*b*x^n])/ (2*n)$

Rule 3375

Int[Sin[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[SinIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3376

Int[Cos[(d_.)*(x_)^(n_)]/(x_), x_Symbol] := Simp[CosIntegral[d*x^n]/n, x] / ; FreeQ[{d, n}, x]

Rule 3378

Int[Cos[(c_) + (d_.)*(x_)^(n_)]/(x_), x_Symbol] := Dist[Cos[c], Int[Cos[d*x^n]/x, x], x] - Dist[Sin[c], Int[Sin[d*x^n]/x, x], x] / ; FreeQ[{c, d, n}, x]

Rule 3425

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx^n))^{2/3}}{x} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{\sin^2(a + bx^n)}{x} dx \\
&= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{1}{2x} - \frac{\cos(2a + 2bx^n)}{2x} \right) dx \\
&= \frac{1}{2} \csc^2(a + bx^n) \log(x) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \\
&= \frac{1}{2} \csc^2(a + bx^n) \log(x) (c \sin^3(a + bx^n))^{2/3} - \frac{1}{2} \left(\cos(2a) \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \\
&= -\frac{\cos(2a) \text{Ci}(2bx^n) \csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2n} + \frac{1}{2} \csc^2(a + bx^n) \log(x) (c \sin^3(a + bx^n))^{2/3}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 63, normalized size = 0.52

$$\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \left(-\cos(2a) \text{Ci}(2bx^n) + \sin(2a) \text{Si}(2bx^n) + n \log(x) \right)}{2n}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*SIN[a + b*x^n]^3)^(2/3)/x, x]
```

```
[Out] (Csc[a + b*x^n]^2*(c*SIN[a + b*x^n]^3)^(2/3)*(-(Cos[2*a]*CosIntegral[2*b*x^n]) + n*Log[x] + Sin[2*a]*SinIntegral[2*b*x^n]))/(2*n)
```

fricas [A] time = 0.73, size = 106, normalized size = 0.88

$$\frac{4^{\frac{2}{3}} \left(4^{\frac{1}{3}} \cos(2a) \text{Ci}(2bx^n) + 4^{\frac{1}{3}} \cos(2a) \text{Ci}(-2bx^n) - 2 \cdot 4^{\frac{1}{3}} n \log(x) - 2 \cdot 4^{\frac{1}{3}} \sin(2a) \text{Si}(2bx^n) \right) \left(-\left(c \cos(bx^n + a) \right) \right)}{16 \left(n \cos(bx^n + a)^2 - n \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x,x, algorithm="fricas")

[Out] $\frac{1}{16} 4^{2/3} (4^{1/3} \cos(2a) \cos_integral(2bx^n) + 4^{1/3} \cos(2a) \cos_integral(-2bx^n) - 2 \cdot 4^{1/3} n \log(x) - 2 \cdot 4^{1/3} \sin(2a) \sin_integral(2bx^n)) \cdot (-c \cos(bx^n + a)^2 - c) \sin(bx^n + a)^{2/3} / (n \cos(bx^n + a)^2 - n)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin(bx^n + a)^3)^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x,x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)/x, x)

maple [C] time = 0.36, size = 343, normalized size = 2.83

$$\frac{i \left(ic \left(e^{2i(a+bx^n)} - 1 \right)^3 e^{-3i(a+bx^n)} \right)^{2/3} e^{2ibx^n} \pi \operatorname{csgn}(bx^n)}{4 \left(e^{2i(a+bx^n)} - 1 \right)^2 n} - \frac{i \left(ic \left(e^{2i(a+bx^n)} - 1 \right)^3 e^{-3i(a+bx^n)} \right)^{2/3} e^{2ibx^n} \operatorname{Si}(2bx^n)}{2 \left(e^{2i(a+bx^n)} - 1 \right)^2 n} - \frac{ic \left(e^{2i(a+bx^n)} - 1 \right)^3 e^{-3i(a+bx^n)}}{4 \left(e^{2i(a+bx^n)} - 1 \right)^2 n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(2/3)/x,x)

[Out] $\frac{1}{4} I * (I * c * (\exp(2I * (a + b * x^n)) - 1)^3 \exp(-3I * (a + b * x^n)))^{2/3} / (\exp(2I * (a + b * x^n)) - 1)^2 \exp(2I * b * x^n) / n * \pi * \operatorname{csgn}(b * x^n) - 1/2 * I * (I * c * (\exp(2I * (a + b * x^n)) - 1)^3 \exp(-3I * (a + b * x^n)))^{2/3} / (\exp(2I * (a + b * x^n)) - 1)^2 \exp(2I * b * x^n) / n * \operatorname{Si}(2 * b * x^n) - 1/4 * (I * c * (\exp(2I * (a + b * x^n)) - 1)^3 \exp(-3I * (a + b * x^n)))^{2/3} / (\exp(2I * (a + b * x^n)) - 1)^2 \exp(2I * b * x^n) / n * \operatorname{Ei}(1, -2I * b * x^n) - 1/4 * \operatorname{Ei}(1, -2I * b * x^n) / n / (\exp(2I * (a + b * x^n)) - 1)^2 * (I * c * (\exp(2I * (a + b * x^n)) - 1)^3 \exp(-3I * (a + b * x^n)))^{2/3} * \exp(2I * (b * x^n + 2 * a)) - 1/2 * \ln(x) / (\exp(2I * (a + b * x^n)) - 1)^2 * (I * c * (\exp(2I * (a + b * x^n)) - 1)^3 \exp(-3I * (a + b * x^n)))^{2/3} * \exp(2I * (a + b * x^n))$

maxima [C] time = 1.03, size = 153, normalized size = 1.26

$$\frac{\left((i\sqrt{3} + 1) \operatorname{Ei}(2i bx^n) + (i\sqrt{3} + 1) \operatorname{Ei}(-2i bx^n) + (-i\sqrt{3} + 1) \operatorname{Ei}\left(2i b e^{(n \log(x))}\right) + (-i\sqrt{3} + 1) \operatorname{Ei}\left(-2i b e^{(n \log(x))}\right) \right)}{4 \left(e^{2i(a+bx^n)} - 1 \right)^2 n}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x,x, algorithm="maxima")

[Out] 1/16*(((I*sqrt(3) + 1)*Ei(2*I*b*x^n) + (I*sqrt(3) + 1)*Ei(-2*I*b*x^n) + (-I*sqrt(3) + 1)*Ei(2*I*b*e^(n*conjugate(log(x)))) + (-I*sqrt(3) + 1)*Ei(-2*I*b*e^(n*conjugate(log(x)))))*cos(2*a) - 4*n*log(x) - ((sqrt(3) - I)*Ei(2*I*b*x^n) - (sqrt(3) - I)*Ei(-2*I*b*x^n) - (sqrt(3) + I)*Ei(2*I*b*e^(n*conjugate(log(x)))) + (sqrt(3) + I)*Ei(-2*I*b*e^(n*conjugate(log(x)))))*sin(2*a))*c^(2/3)/n

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + b x^n)^3)^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(2/3)/x,x)

[Out] int((c*sin(a + b*x^n)^3)^(2/3)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + b x^n))^{2/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(2/3)/x,x)

[Out] Integral((c*sin(a + b*x**n)**3)**(2/3)/x, x)

$$3.356 \quad \int \frac{(c \sin^3(a+bx^n))^{2/3}}{x^2} dx$$

Optimal. Leaf size=180

$$\frac{\csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{2x} + \frac{e^{2ia} 2^{\frac{1}{n}-2} (-ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, -2ibx^n\right) \csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx} + \frac{e^{-2ia} 2^{\frac{1}{n}-2} (ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, 2ibx^n\right) \csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx}$$

[Out] $-1/2*\csc(a+b*x^n)^2*(c*\sin(a+b*x^n)^3)^{(2/3)}/x+2^{(-2+1/n)}*\exp(2*I*a)*(-I*b*x^n)^{(1/n)}*\csc(a+b*x^n)^2*\text{GAMMA}(-1/n,-2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/n/x+2^{(-2+1/n)}*(I*b*x^n)^{(1/n)}*\csc(a+b*x^n)^2*\text{GAMMA}(-1/n,2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/\exp(2*I*a)/n/x$

Rubi [A] time = 0.28, antiderivative size = 180, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia} 2^{\frac{1}{n}-2} (-ibx^n)^{\frac{1}{n}} \text{Gamma}\left(-\frac{1}{n}, -2ibx^n\right) \csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx} + \frac{e^{-2ia} 2^{\frac{1}{n}-2} (ibx^n)^{\frac{1}{n}} \text{Gamma}\left(-\frac{1}{n}, 2ibx^n\right) \csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx}$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^n]^3)^(2/3)/x^2,x]

[Out] $-(\text{Csc}[a + b*x^n]^2*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(2*x) + (2^{(-2 + n^{(-1)})}*E^{(2*I)*a})*((-I)*b*x^n)^{n^{(-1)}}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[-n^{(-1)}, (-2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)}/(n*x) + (2^{(-2 + n^{(-1)})}*(I*b*x^n)^{n^{(-1)}}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[-n^{(-1)}, (2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(E^{((2*I)*a)*n*x})$

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_.), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] :> Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] :> Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x
] && !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx^n))^{2/3}}{x^2} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{\sin^2(a + bx^n)}{x^2} dx \\
&= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{1}{2x^2} - \frac{\cos(2a + 2bx^n)}{2x^2} \right) dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2x} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{\cos}{x} dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2x} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{e^{-2ia}}{x} dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{2x} + \frac{2^{-2+\frac{1}{n}} e^{2ia} (-ibx^n)^{\frac{1}{n}} \csc^2(a + bx^n) \Gamma\left(-\frac{1}{n}, -2ibx^n\right)}{nx}
\end{aligned}$$

Mathematica [A] time = 0.34, size = 125, normalized size = 0.69

$$\frac{e^{-2ia} \csc^2(a + bx^n) \left(e^{4ia} 2^{\frac{1}{n}} (-ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, -2ibx^n\right) - 2e^{2ia} n + 2^{\frac{1}{n}} (ibx^n)^{\frac{1}{n}} \Gamma\left(-\frac{1}{n}, 2ibx^n\right) \right) (c \sin^3(a + bx^n))^{2/3}}{4nx}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*SIN[a + b*x^n]^3)^(2/3)/x^2,x]
```

```
[Out] (Csc[a + b*x^n]^2*(-2*E^((2*I)*a)*n + 2^n^(-1)*E^((4*I)*a)*((-I)*b*x^n)^n^(-1)*Gamma[-n^(-1), (-2*I)*b*x^n] + 2^n^(-1)*(I*b*x^n)^n^(-1)*Gamma[-n^(-1), (2*I)*b*x^n])*(c*SIN[a + b*x^n]^3)^(2/3)/(4*E^((2*I)*a)*n*x)
```

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\left(-\left(c \cos(bx^n + a)^2 - c \right) \sin(bx^n + a) \right)^{\frac{2}{3}}}{x^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^2,x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)/x^2, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx^n + a) \right)^{\frac{2}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^2,x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)/x^2, x)

maple [F] time = 0.35, size = 0, normalized size = 0.00

$$\int \frac{\left(c \left(\sin^3(a + bx^n) \right) \right)^{\frac{2}{3}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(2/3)/x^2,x)

[Out] int((c*sin(a+b*x^n)^3)^(2/3)/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left(x \int \frac{\cos(2bx^n + 2a)}{x^2} dx + 1 \right) c^{\frac{2}{3}}}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^2,x, algorithm="maxima")

[Out] 1/4*(x*integrate(cos(2*b*x^n + 2*a)/x^2, x) + 1)*c^(2/3)/x

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + b x^n)^3)^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(2/3)/x^2,x)

[Out] int((c*sin(a + b*x^n)^3)^(2/3)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(c \sin^3(a + b x^n))^{2/3}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(2/3)/x**2,x)

[Out] Integral((c*sin(a + b*x**n)**3)**(2/3)/x**2, x)

$$3.357 \quad \int \frac{(c \sin^3(a+bx^n))^{2/3}}{x^3} dx$$

Optimal. Leaf size=184

$$\frac{csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{4x^2} + \frac{e^{2ia}4^{\frac{1}{n}-1}(-ibx^n)^{2/n}\Gamma\left(-\frac{2}{n}, -2ibx^n\right)csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx^2} + \dots$$

[Out] $-1/4*csc(a+b*x^n)^2*(c*\sin(a+b*x^n)^3)^{(2/3)}/x^2+4^{(-1+1/n)}*\exp(2*I*a)*(-I*b*x^n)^{(2/n)}*csc(a+b*x^n)^2*\text{GAMMA}(-2/n,-2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/n/x^2+4^{(-1+1/n)}*(I*b*x^n)^{(2/n)}*csc(a+b*x^n)^2*\text{GAMMA}(-2/n,2*I*b*x^n)*(c*\sin(a+b*x^n)^3)^{(2/3)}/\exp(2*I*a)/n/x^2$

Rubi [A] time = 0.27, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {6720, 3425, 3424, 2218}

$$\frac{e^{2ia}4^{\frac{1}{n}-1}(-ibx^n)^{2/n}\text{Gamma}\left(-\frac{2}{n}, -2ibx^n\right)csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx^2} + \frac{e^{-2ia}4^{\frac{1}{n}-1}(ibx^n)^{2/n}\text{Gamma}\left(-\frac{2}{n}, 2ibx^n\right)csc^2(a+bx^n)(c \sin^3(a+bx^n))^{2/3}}{nx^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[(c*Sin[a + b*x^n]^3)^(2/3)/x^3, x]

[Out] $-(\text{Csc}[a + b*x^n]^2*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(4*x^2) + (4^{(-1 + n^{(-1)})}*E^{((2*I)*a)}*((-I)*b*x^n)^{(2/n)}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[-2/n, (-2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(n*x^2) + (4^{(-1 + n^{(-1)})}*(I*b*x^n)^{(2/n)}*\text{Csc}[a + b*x^n]^2*\text{Gamma}[-2/n, (2*I)*b*x^n]*(c*\text{Sin}[a + b*x^n]^3)^{(2/3)})/(E^{((2*I)*a)}*n*x^2)$

Rule 2218

Int[(F_)^((a_.) + (b_.)*((c_.) + (d_.)*(x_))^(n_))*((e_.) + (f_.)*(x_))^(m_.), x_Symbol] :> -Simp[(F^a*(e + f*x)^(m + 1)*Gamma[(m + 1)/n, -(b*(c + d*x)^n*Log[F]])]/(f*n*(-(b*(c + d*x)^n*Log[F]))^((m + 1)/n)), x] /; FreeQ[{F, a, b, c, d, e, f, m, n}, x] && EqQ[d*e - c*f, 0]

Rule 3424

Int[Cos[(c_.) + (d_.)*(x_)]^(n_)*((e_.)*(x_))^(m_.), x_Symbol] :> Dist[1/2, Int[(e*x)^m*E^(-(c*I) - d*I*x^n), x], x] + Dist[1/2, Int[(e*x)^m*E^(c*I + d*I*x^n), x], x] /; FreeQ[{c, d, e, m, n}, x]

Rule 3425

```
Int[((e_.)*(x_)^(m_.)*((a_.) + (b_.)*Sin[(c_.) + (d_.)*(x_)^(n_)])^(p_), x
_Symbol] := Int[ExpandTrigReduce[(e*x)^m, (a + b*SIN[c + d*x^n])^p, x], x]
/; FreeQ[{a, b, c, d, e, m, n}, x] && IGtQ[p, 0]
```

Rule 6720

```
Int[(u_.)*((a_.)*(v_)^(m_.))^(p_), x_Symbol] := Dist[(a^IntPart[p]*(a*v^m)^
FracPart[p])/v^(m*FracPart[p]), Int[u*v^(m*p), x], x] /; FreeQ[{a, m, p}, x]
&& !IntegerQ[p] && !FreeQ[v, x] && !(EqQ[a, 1] && EqQ[m, 1]) && !(EqQ[
[v, x] && EqQ[m, 1])
```

Rubi steps

$$\begin{aligned}
\int \frac{(c \sin^3(a + bx^n))^{2/3}}{x^3} dx &= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{\sin^2(a + bx^n)}{x^3} dx \\
&= \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \left(\frac{1}{2x^3} - \frac{\cos(2a + 2bx^n)}{2x^3} \right) dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{4x^2} - \frac{1}{2} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{\cos}{x^3} dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{4x^2} - \frac{1}{4} \left(\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3} \right) \int \frac{e^{-2ia} + e^{2ia}}{x^3} dx \\
&= -\frac{\csc^2(a + bx^n) (c \sin^3(a + bx^n))^{2/3}}{4x^2} + \frac{4^{-1+\frac{1}{n}} e^{2ia} (-ibx^n)^{2/n} \csc^2(a + bx^n) \Gamma\left(-\frac{2}{n}, -2ibx^n\right) - e^{-2ia} n + 4^{\frac{1}{n}} (ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, 2ibx^n\right)}{nx^2}
\end{aligned}$$

Mathematica [A] time = 0.36, size = 129, normalized size = 0.70

$$\frac{e^{-2ia} \csc^2(a + bx^n) \left(e^{4ia} 4^{\frac{1}{n}} (-ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, -2ibx^n\right) - e^{2ia} n + 4^{\frac{1}{n}} (ibx^n)^{2/n} \Gamma\left(-\frac{2}{n}, 2ibx^n\right) \right) (c \sin^3(a + bx^n))^{2/3}}{4nx^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*SIN[a + b*x^n]^3)^(2/3)/x^3,x]
```

```
[Out] (Csc[a + b*x^n]^2*(-E^((2*I)*a)*n) + 4^n^(-1)*E^((4*I)*a)*((-I)*b*x^n)^(2/
n)*Gamma[-2/n, (-2*I)*b*x^n] + 4^n^(-1)*(I*b*x^n)^(2/n)*Gamma[-2/n, (2*I)*b
*x^n])*(c*SIN[a + b*x^n]^3)^(2/3)/(4*E^((2*I)*a)*n*x^2)
```


fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\left(-\left(c \cos(bx^n + a)^2 - c \right) \sin(bx^n + a) \right)^{\frac{2}{3}}}{x^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^3,x, algorithm="fricas")

[Out] integral((-c*cos(b*x^n + a)^2 - c)*sin(b*x^n + a))^(2/3)/x^3, x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\left(c \sin(bx^n + a) \right)^{\frac{2}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^3,x, algorithm="giac")

[Out] integrate((c*sin(b*x^n + a)^3)^(2/3)/x^3, x)

maple [F] time = 0.27, size = 0, normalized size = 0.00

$$\int \frac{\left(c \left(\sin^3(a + bx^n) \right) \right)^{\frac{2}{3}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a+b*x^n)^3)^(2/3)/x^3,x)

[Out] int((c*sin(a+b*x^n)^3)^(2/3)/x^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\left(2x^2 \int \frac{\cos(2bx^n + 2a)}{x^3} dx + 1 \right) c^{\frac{2}{3}}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x^n)^3)^(2/3)/x^3,x, algorithm="maxima")

[Out] 1/8*(2*x^2*integrate(cos(2*b*x^n + 2*a)/x^3, x) + 1)*c^(2/3)/x^2

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c \sin(a + b x^n)^3)^{2/3}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c*sin(a + b*x^n)^3)^(2/3)/x^3,x)

[Out] int((c*sin(a + b*x^n)^3)^(2/3)/x^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c*sin(a+b*x**n)**3)**(2/3)/x**3,x)

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```
(* ::Text:: *)
```

```
(*The following summarizes the type number assigned an *)
```

```
(*expression based on the functions it involves*)
```

```
(*1 = rational function*)
```

```
(*2 = algebraic function*)
```

```
(*3 = elementary function*)
```

```
(*4 = special function*)
```

```
(*5 = hyperpergeometric function*)
```

```
(*6 = appell function*)
```

```
(*7 = rootsum function*)
```

```
(*8 = integrate function*)
```

```
(*9 = unknown function*)
```

```
ExpnType[expn_] :=
```

```
  If[AtomQ[expn],
```

```
    1,
```

```
  If[ListQ[expn],
```

```
    Max[Map[ExpnType,expn]],
```

```
  If[Head[expn]===Power,
```

```
    If[IntegerQ[expn[[2]]],
```

```
      ExpnType[expn[[1]],
```

```
    If[Head[expn[[2]]]===Rational,
```

```
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
```

```
        1,
```

```
        Max[ExpnType[expn[[1]],2]],
```

```
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]]],
```

```
  If[Head[expn]===Plus || Head[expn]===Times,
```

```
    Max[ExpnType[First[expn],ExpnType[Rest[expn]]],
```

```
  If[ElementaryFunctionQ[Head[expn]],
```

```
    Max[3,ExpnType[expn[[1]]],
```

```
  If[SpecialFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
```

```
  If[HypergeometricFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
```

```
  If[AppellFunctionQ[Head[expn]],
```

```
    Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],
```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
    debug:=false;

    leaf_count_result:=leafcount(result);
    #do NOT call ExpnType() if leaf size is too large. Recursion problem
    if leaf_count_result > 500000 then
        return "B";
    fi;

    leaf_count_optimal:=leafcount(optimal);

    ExpnType_result:=ExpnType(result);
    ExpnType_optimal:=ExpnType(optimal);

    if debug then
        print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
            ExpnType_optimal);
    fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
    return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
    if debug then
        print("ExpnType_result<=ExpnType_optimal");
    fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```



```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
                    asinh,acosh,atanh,acoth,asech,acsch
                    ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
                    gamma,loggamma,digamma,zeta,polylog,LambertW,
                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
                    ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+' or type
(expn,'*')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

expnType_result = expnType(result)
expnType_optimal = expnType(optimal)

```

```

if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

if expnType_result <= expnType_optimal:
    if result.has(I):
        if optimal.has(I): #both result and optimal complex

```



```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```