

Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.1.2-g-sin-^p-a+b-cos-^m

Nasser M. Abbasi

July 17, 2021

Compiled on July 17, 2021 at 6:45am

Contents

1	Introduction	3
1.1	Listing of CAS systems tested	3
1.2	Results	3
1.3	Performance	7
1.4	list of integrals that has no closed form antiderivative	8
1.5	list of integrals solved by CAS but has no known antiderivative	8
1.6	list of integrals solved by CAS but failed verification	8
1.7	Timing	9
1.8	Verification	9
1.9	Important notes about some of the results	9
1.9.1	Important note about Maxima results	9
1.9.2	Important note about FriCAS and Giac/XCAS results	10
1.9.3	Important note about finding leaf size of antiderivative	10
1.9.4	Important note about Mupad results	11
1.10	Design of the test system	11
2	detailed summary tables of results	13
2.1	List of integrals sorted by grade for each CAS	13
2.1.1	Rubi	13
2.1.2	Mathematica	13
2.1.3	Maple	13
2.1.4	Maxima	13
2.1.5	FriCAS	14
2.1.6	Sympy	14
2.1.7	Giac	14
2.1.8	Mupad	14
2.2	Detailed conclusion table per each integral for all CAS systems	15
2.3	Detailed conclusion table specific for Rubi results	29
3	Listing of integrals	33
3.1	$\int \frac{\sin^4(x)}{a+a \cos(x)} dx$	33
3.2	$\int \frac{\sin^3(x)}{a+a \cos(x)} dx$	36
3.3	$\int \frac{\sin^2(x)}{a+a \cos(x)} dx$	38
3.4	$\int \frac{\sin(x)}{a+a \cos(x)} dx$	40

3.5	$\int \frac{1}{a+a \cos(x)} dx$	42
3.6	$\int \frac{\csc(x)}{a+a \cos(x)} dx$	44
3.7	$\int \frac{\csc^2(x)}{a+a \cos(x)} dx$	47
3.8	$\int \frac{\csc^3(x)}{a+a \cos(x)} dx$	50
3.9	$\int \frac{\csc^4(x)}{a+a \cos(x)} dx$	53
3.10	$\int \frac{\sin(2x)}{1+\cos(2x)} dx$	56
3.11	$\int \frac{\sin(2x)}{1-\cos(2x)} dx$	58
3.12	$\int \frac{\sin(x)}{(1+\cos(x))^2} dx$	60
3.13	$\int \frac{\sin(x)}{(1-\cos(x))^2} dx$	62
3.14	$\int \frac{\sin^2(x)}{(1+\cos(x))^2} dx$	64
3.15	$\int \frac{\sin^2(x)}{(1-\cos(x))^2} dx$	66
3.16	$\int \frac{\sin^3(x)}{(1+\cos(x))^2} dx$	68
3.17	$\int \frac{\sin^3(x)}{(1-\cos(x))^2} dx$	70
3.18	$\int \frac{\sin(x)}{(1+\cos(x))^3} dx$	72
3.19	$\int \frac{\sin(x)}{(1-\cos(x))^3} dx$	74
3.20	$\int \frac{\sin^2(x)}{(1+\cos(x))^3} dx$	76
3.21	$\int \frac{\sin^2(x)}{(1-\cos(x))^3} dx$	78
3.22	$\int \frac{\sin^3(x)}{(1+\cos(x))^3} dx$	80
3.23	$\int \frac{\sin^3(x)}{(1-\cos(x))^3} dx$	82
3.24	$\int \frac{\sin^4(x)}{a+b \cos(x)} dx$	84
3.25	$\int \frac{\sin^3(x)}{a+b \cos(x)} dx$	88
3.26	$\int \frac{\sin^2(x)}{a+b \cos(x)} dx$	90
3.27	$\int \frac{\sin(x)}{a+b \cos(x)} dx$	94
3.28	$\int \frac{1}{a+b \cos(x)} dx$	96
3.29	$\int \frac{\csc(x)}{a+b \cos(x)} dx$	99
3.30	$\int \frac{\csc^2(x)}{a+b \cos(x)} dx$	102
3.31	$\int \frac{\csc^3(x)}{a+b \cos(x)} dx$	105
3.32	$\int \frac{\csc^4(x)}{a+b \cos(x)} dx$	108
3.33	$\int (a+b \cos(c+dx))(e \sin(c+dx))^{7/2} dx$	112
3.34	$\int (a+b \cos(c+dx))(e \sin(c+dx))^{5/2} dx$	115
3.35	$\int (a+b \cos(c+dx))(e \sin(c+dx))^{3/2} dx$	118
3.36	$\int (a+b \cos(c+dx))\sqrt{e \sin(c+dx)} dx$	121
3.37	$\int \frac{a+b \cos(c+dx)}{\sqrt{e \sin(c+dx)}} dx$	124
3.38	$\int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{3/2}} dx$	127
3.39	$\int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{5/2}} dx$	130
3.40	$\int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{7/2}} dx$	133
3.41	$\int (a+b \cos(c+dx))^2(e \sin(c+dx))^{7/2} dx$	136
3.42	$\int (a+b \cos(c+dx))^2(e \sin(c+dx))^{5/2} dx$	139

3.43	$\int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2} dx$	142
3.44	$\int (a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)} dx$	145
3.45	$\int \frac{(a+b \cos(c+dx))^2}{\sqrt{e \sin(c+dx)}} dx$	148
3.46	$\int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{3/2}} dx$	151
3.47	$\int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{5/2}} dx$	154
3.48	$\int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{7/2}} dx$	157
3.49	$\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{7/2} dx$	160
3.50	$\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{5/2} dx$	164
3.51	$\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{3/2} dx$	167
3.52	$\int (a + b \cos(c + dx))^3 \sqrt{e \sin(c + dx)} dx$	170
3.53	$\int \frac{(a+b \cos(c+dx))^3}{\sqrt{e \sin(c+dx)}} dx$	173
3.54	$\int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{3/2}} dx$	176
3.55	$\int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{5/2}} dx$	179
3.56	$\int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{7/2}} dx$	182
3.57	$\int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{9/2}} dx$	185
3.58	$\int \frac{(e \sin(c+dx))^{11/2}}{a+b \cos(c+dx)} dx$	188
3.59	$\int \frac{(e \sin(c+dx))^{9/2}}{a+b \cos(c+dx)} dx$	194
3.60	$\int \frac{(e \sin(c+dx))^{7/2}}{a+b \cos(c+dx)} dx$	200
3.61	$\int \frac{(e \sin(c+dx))^{5/2}}{a+b \cos(c+dx)} dx$	206
3.62	$\int \frac{(e \sin(c+dx))^{3/2}}{a+b \cos(c+dx)} dx$	211
3.63	$\int \frac{\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx$	216
3.64	$\int \frac{1}{(a+b \cos(c+dx)) \sqrt{e \sin(c+dx)}} dx$	220
3.65	$\int \frac{1}{(a+b \cos(c+dx)) (e \sin(c+dx))^{3/2}} dx$	224
3.66	$\int \frac{1}{(a+b \cos(c+dx)) (e \sin(c+dx))^{5/2}} dx$	229
3.67	$\int \frac{1}{(a+b \cos(c+dx)) (e \sin(c+dx))^{7/2}} dx$	234
3.68	$\int \frac{(e \sin(c+dx))^{11/2}}{(a+b \cos(c+dx))^2} dx$	239
3.69	$\int \frac{(e \sin(c+dx))^{9/2}}{(a+b \cos(c+dx))^2} dx$	246
3.70	$\int \frac{(e \sin(c+dx))^{7/2}}{(a+b \cos(c+dx))^2} dx$	252
3.71	$\int \frac{(e \sin(c+dx))^{5/2}}{(a+b \cos(c+dx))^2} dx$	258
3.72	$\int \frac{(e \sin(c+dx))^{3/2}}{(a+b \cos(c+dx))^2} dx$	263
3.73	$\int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^2} dx$	268
3.74	$\int \frac{1}{(a+b \cos(c+dx))^2 \sqrt{e \sin(c+dx)}} dx$	273
3.75	$\int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{3/2}} dx$	278
3.76	$\int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{5/2}} dx$	284
3.77	$\int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{7/2}} dx$	290
3.78	$\int \frac{(e \sin(c+dx))^{13/2}}{(a+b \cos(c+dx))^3} dx$	296
3.79	$\int \frac{(e \sin(c+dx))^{11/2}}{(a+b \cos(c+dx))^3} dx$	302
3.80	$\int \frac{(e \sin(c+dx))^{9/2}}{(a+b \cos(c+dx))^3} dx$	308

3.81	$\int \frac{(e \sin(c+dx))^{7/2}}{(a+b \cos(c+dx))^3} dx$	313
3.82	$\int \frac{(e \sin(c+dx))^{5/2}}{(a+b \cos(c+dx))^3} dx$	318
3.83	$\int \frac{(e \sin(c+dx))^{3/2}}{(a+b \cos(c+dx))^3} dx$	324
3.84	$\int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^3} dx$	330
3.85	$\int \frac{1}{(a+b \cos(c+dx))^3 \sqrt{e \sin(c+dx)}} dx$	336
3.86	$\int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{3/2}} dx$	342
3.87	$\int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{5/2}} dx$	349
3.88	$\int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{7/2}} dx$	357
4	Listing of Grading functions	363
4.0.1	Mathematica and Rubi grading function	363
4.0.2	Maple grading function	365
4.0.3	Sympy grading function	368
4.0.4	SageMath grading function	370

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [88]. This is test number [86].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric₂F₁ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (88)	% 0.00 (0)
Mathematica	% 100.00 (88)	% 0.00 (0)
Maple	% 100.00 (88)	% 0.00 (0)
Maxima	% 30.68 (27)	% 69.32 (61)
Fricas	% 36.36 (32)	% 63.64 (56)
Sympy	% 25.00 (22)	% 75.00 (66)
Giac	% 36.36 (32)	% 63.64 (56)
Mupad	% 38.64 (34)	% 61.36 (54)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	97.73	2.27	0.00	0.00
Mathematica	63.64	0.00	36.36	0.00
Maple	59.09	40.91	0.00	0.00
Maxima	25.00	5.68	0.00	69.32
Fricas	31.82	4.55	0.00	63.64
Sympy	15.91	9.09	0.00	75.00
Giac	32.95	3.41	0.00	63.64
Mupad	0.00	38.64	0.00	61.36

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This the typical normal failure F.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned F(-1).

The third is due to an exception generated. Assigned F(-2). This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	0	0.00 %	0.00 %	0.00 %
Maple	0	0.00 %	0.00 %	0.00 %
Maxima	61	59.02 %	32.79 %	8.20 %
Fricas	56	44.64 %	55.36 %	0.00 %
Sympy	66	36.36 %	63.64 %	0.00 %
Giac	56	73.21 %	25.00 %	1.79 %
Mupad	54	100.00 %	0.00 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS


1.3 Performance


The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.50	226.90	1.05	142.50	1.00
Mathematica	4.37	420.63	1.36	101.50	1.04
Maple	0.68	1216.55	3.11	227.00	1.80
Maxima	0.63	27.85	1.32	14.00	1.00
Fricas	0.98	62.09	1.60	20.50	1.27
Sympy	4.66	91.50	3.42	14.50	1.71
Giac	0.59	40.88	1.22	14.00	1.01
Mupad	0.30	80.32	1.45	13.00	0.93

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.





1.4 list of integrals that has no closed form antiderivative

{

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be identified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'  
'display2d : false'
```

```
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error Exception raised: NotImplementedError

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at https://ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))
```

```
except Exception as ee:
    leafCount =1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer. the problem number.
2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntax.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
The following field present only in Rubi and Mathematica Tables
13. integer. 1 if result was verified or 0 if not verified.
The following fields present only in Rubi Tables
14. integer. Number of rules used.
15. integer. Integrand leaf size.
16. real number. Ratio of field 14 over field 15
17. integer. 1 if result was verified or 0 if not verified.
18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

B grade: { 10, 11 }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57 }

B grade: { }

C grade: { 15, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

F grade: { }

2.1.3 Maple

A grade: { 2, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 66 }

B grade: { 1, 3, 11, 24, 26, 44, 58, 59, 60, 61, 62, 63, 64, 65, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

C grade: { }

F grade: { }

2.1.4 Maxima

A grade: { 2, 4, 5, 6, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 27, 29, 31 }

B grade: { 1, 3, 7, 9, 11 }

C grade: { }

F grade: { 24, 26, 28, 30, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30 }

B grade: { 10, 11, 31, 32 }

C grade: { }

F grade: { 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

2.1.6 Sympy

A grade: { 4, 5, 10, 12, 13, 14, 15, 18, 19, 20, 21, 26, 27, 28 }

B grade: { 1, 2, 3, 11, 16, 17, 22, 23 }

C grade: { }

F grade: { 6, 7, 8, 9, 24, 25, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 25, 26, 27, 28, 29, 30, 31 }

B grade: { 11, 24, 32 }

C grade: { }

F grade: { 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

2.1.8 Mupad

A grade: { }

B grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 36, 37 }

C grade: { }

F grade: { 33, 34, 35, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	31	31	25	68	94	24	294	45	34
normalized size	1	1.00	0.81	2.19	3.03	0.77	9.48	1.45	1.10
time (sec)	N/A	0.043	0.041	0.049	0.625	0.776	1.244	0.376	0.382
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	19	19	13	16	14	14	51	14	11
normalized size	1	1.00	0.68	0.84	0.74	0.74	2.68	0.74	0.58
time (sec)	N/A	0.040	0.012	0.037	0.614	1.339	0.664	2.407	0.249
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	13	13	17	31	42	10	46	25	10
normalized size	1	1.00	1.31	2.38	3.23	0.77	3.54	1.92	0.77
time (sec)	N/A	0.038	0.008	0.043	0.843	0.848	0.373	0.508	0.292
Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	13	12	12	8	10	10
normalized size	1	1.00	1.20	1.30	1.20	1.20	0.80	1.00	1.00
time (sec)	N/A	0.024	0.006	0.028	0.633	0.759	0.123	0.365	0.057
Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	11	11	10	9	12	11	5	8	8
normalized size	1	1.00	0.91	0.82	1.09	1.00	0.45	0.73	0.73
time (sec)	N/A	0.010	0.005	0.024	0.678	0.895	0.177	0.348	0.293

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	42	33	31	37	0	34	20
normalized size	1	1.00	1.83	1.43	1.35	1.61	0.00	1.48	0.87
time (sec)	N/A	0.050	0.034	0.053	0.675	0.801	0.000	0.372	0.285
Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	30	29	41	26	0	37	35
normalized size	1	1.00	1.25	1.21	1.71	1.08	0.00	1.54	1.46
time (sec)	N/A	0.046	0.049	0.051	0.618	0.859	0.000	0.416	0.320
Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	60	55	58	83	0	52	45
normalized size	1	1.00	1.22	1.12	1.18	1.69	0.00	1.06	0.92
time (sec)	N/A	0.074	0.112	0.062	1.160	0.938	0.000	0.595	0.289
Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	38	45	70	53	0	59	45
normalized size	1	1.00	1.03	1.22	1.89	1.43	0.00	1.59	1.22
time (sec)	N/A	0.048	0.058	0.062	0.544	0.775	0.000	1.015	0.372
Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	A	A	A	B	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	5	11	5	10	9	11	10	9	7
normalized size	1	2.20	1.00	2.00	1.80	2.20	2.00	1.80	1.40
time (sec)	N/A	0.021	0.003	0.021	0.470	0.877	0.106	0.300	0.264
Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	B	A	B	B	B	B	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	3	13	3	12	9	11	8	11	9
normalized size	1	4.33	1.00	4.00	3.00	3.67	2.67	3.67	3.00
time (sec)	N/A	0.022	0.004	0.024	0.307	0.970	0.110	0.411	0.077

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	6	6	12	7	6	6	5	6	6
normalized size	1	1.00	2.00	1.17	1.00	1.00	0.83	1.00	1.00
time (sec)	N/A	0.019	0.008	0.024	0.603	0.980	0.320	0.484	0.251
Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	11	6	6	5	6	6
normalized size	1	1.00	1.20	1.10	0.60	0.60	0.50	0.60	0.60
time (sec)	N/A	0.019	0.009	0.035	0.759	1.221	0.323	0.527	0.248
Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	18	11	23	18	7	10	10
normalized size	1	1.00	1.29	0.79	1.64	1.29	0.50	0.71	0.71
time (sec)	N/A	0.031	0.006	0.044	0.910	1.104	0.464	0.461	0.298
Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	26	13	23	16	8	12	10
normalized size	1	1.00	1.62	0.81	1.44	1.00	0.50	0.75	0.62
time (sec)	N/A	0.031	0.011	0.070	1.137	1.409	0.875	0.372	0.305
Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	13	11	10	12	58	10	10
normalized size	1	1.00	1.30	1.10	1.00	1.20	5.80	1.00	1.00
time (sec)	N/A	0.036	0.019	0.040	0.569	1.519	0.461	0.441	0.247
Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	13	11	10	12	58	12	10
normalized size	1	1.00	1.08	0.92	0.83	1.00	4.83	1.00	0.83
time (sec)	N/A	0.036	0.017	0.056	0.295	1.031	0.471	0.404	0.044

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	10	10	12	9	8	14	14	8	8
normalized size	1	1.00	1.20	0.90	0.80	1.40	1.40	0.80	0.80
time (sec)	N/A	0.019	0.008	0.025	1.209	0.823	0.548	1.053	0.035
Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	11	8	14	15	8	8
normalized size	1	1.00	1.00	0.92	0.67	1.17	1.25	0.67	0.67
time (sec)	N/A	0.019	0.011	0.039	0.498	0.945	0.551	0.478	0.036
Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	12	9	12	20	7	8	8
normalized size	1	1.00	0.86	0.64	0.86	1.43	0.50	0.57	0.57
time (sec)	N/A	0.031	0.027	0.050	0.618	1.068	0.794	0.426	0.259
Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	12	9	12	22	10	8	8
normalized size	1	1.00	0.75	0.56	0.75	1.38	0.62	0.50	0.50
time (sec)	N/A	0.031	0.032	0.073	0.297	0.787	1.332	0.980	0.353
Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	14	14	18	15	14	21	126	14	14
normalized size	1	1.00	1.29	1.07	1.00	1.50	9.00	1.00	1.00
time (sec)	N/A	0.038	0.008	0.053	0.457	0.812	0.585	0.355	0.043
Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	B	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	29	17	16	22	126	18	16
normalized size	1	1.00	1.45	0.85	0.80	1.10	6.30	0.90	0.80
time (sec)	N/A	0.037	0.011	0.073	0.765	0.667	0.584	0.409	0.044

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	F(-1)	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	96	315	0	243	0	194	1677
normalized size	1	1.00	0.92	3.03	0.00	2.34	0.00	1.87	16.12
time (sec)	N/A	0.256	0.210	0.041	0.000	1.055	0.000	0.524	1.112
Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F(-1)	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	40	40	40	45	38	41	0	39	38
normalized size	1	1.00	1.00	1.12	0.95	1.02	0.00	0.98	0.95
time (sec)	N/A	0.061	0.056	0.025	0.294	0.663	0.000	0.446	0.092
Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	54	108	0	154	991	90	74
normalized size	1	1.00	0.92	1.83	0.00	2.61	16.80	1.53	1.25
time (sec)	N/A	0.109	0.081	0.036	0.000	1.211	88.657	0.353	0.488
Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	12	12	12	13	12	15	17	13	12
normalized size	1	1.00	1.00	1.08	1.00	1.25	1.42	1.08	1.00
time (sec)	N/A	0.025	0.015	0.018	0.473	0.949	0.289	0.423	0.043
Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	41	36	0	137	144	61	38
normalized size	1	1.00	0.98	0.86	0.00	3.26	3.43	1.45	0.90
time (sec)	N/A	0.026	0.023	0.022	0.000	1.033	3.394	0.925	0.483
Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	50	54	47	52	0	54	52
normalized size	1	1.00	0.94	1.02	0.89	0.98	0.00	1.02	0.98
time (sec)	N/A	0.072	0.043	0.038	0.334	0.964	0.000	0.370	0.212

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	66	78	0	230	0	91	86
normalized size	1	1.00	0.99	1.16	0.00	3.43	0.00	1.36	1.28
time (sec)	N/A	0.095	0.323	0.047	0.000	1.092	0.000	0.433	0.472
Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	B	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	92	92	99	114	115	181	0	136	112
normalized size	1	1.00	1.08	1.24	1.25	1.97	0.00	1.48	1.22
time (sec)	N/A	0.154	0.429	0.056	0.698	1.058	0.000	0.441	0.508
Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F(-2)	B	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	112	153	0	459	0	206	184
normalized size	1	1.00	1.02	1.39	0.00	4.17	0.00	1.87	1.67
time (sec)	N/A	0.271	0.637	0.056	0.000	1.081	0.000	1.406	0.558
Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	129	129	108	127	0	0	0	0	-1
normalized size	1	1.00	0.84	0.98	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.097	0.852	0.224	0.000	0.865	0.000	0.000	0.000
Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	80	171	0	0	0	0	-1
normalized size	1	1.00	0.80	1.71	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.070	0.516	0.237	0.000	0.696	0.000	0.000	0.000
Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	100	100	80	116	0	0	0	0	-1
normalized size	1	1.00	0.80	1.16	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.462	0.208	0.000	1.674	0.000	0.000	0.000

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	60	117	0	0	0	0	60
normalized size	1	1.00	0.88	1.72	0.00	0.00	0.00	0.00	0.88
time (sec)	N/A	0.049	0.098	0.229	0.000	1.002	0.000	0.000	0.494
Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	54	92	0	0	0	0	50
normalized size	1	1.00	0.82	1.39	0.00	0.00	0.00	0.00	0.76
time (sec)	N/A	0.051	0.202	0.156	0.000	1.121	0.000	0.000	0.724
Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	96	96	58	153	0	0	0	0	-1
normalized size	1	1.00	0.60	1.59	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.073	0.117	0.218	0.000	1.656	0.000	0.000	0.000
Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	59	124	0	0	0	0	-1
normalized size	1	1.00	0.58	1.22	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.152	0.242	0.000	1.629	0.000	0.000	0.000
Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	74	187	0	0	0	0	-1
normalized size	1	1.00	0.56	1.43	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.091	0.245	0.299	0.000	0.596	0.000	0.000	0.000
Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	157	228	0	0	0	0	-1
normalized size	1	1.00	0.81	1.18	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.190	1.667	0.240	0.000	1.130	0.000	0.000	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	116	332	0	0	0	0	-1
normalized size	1	1.00	0.75	2.16	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.161	0.802	0.265	0.000	1.149	0.000	0.000	0.000
Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	154	154	117	229	0	0	0	0	-1
normalized size	1	1.00	0.76	1.49	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.168	0.816	0.242	0.000	0.849	0.000	0.000	0.000
Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	83	294	0	0	0	0	-1
normalized size	1	1.00	0.73	2.58	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.131	0.269	0.247	0.000	1.073	0.000	0.000	0.000
Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	79	170	0	0	0	0	-1
normalized size	1	1.00	0.69	1.49	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.129	0.379	0.216	0.000	1.172	0.000	0.000	0.000
Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	75	277	0	0	0	0	-1
normalized size	1	1.00	0.64	2.35	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.138	0.235	0.229	0.000	0.734	0.000	0.000	0.000
Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	124	124	76	190	0	0	0	0	-1
normalized size	1	1.00	0.61	1.53	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.139	0.264	0.228	0.000	0.886	0.000	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	109	327	0	0	0	0	-1
normalized size	1	1.00	0.66	1.98	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.171	0.474	0.262	0.000	0.685	0.000	0.000	0.000
Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	242	242	205	252	0	0	0	0	-1
normalized size	1	1.00	0.85	1.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.320	2.485	0.318	0.000	1.051	0.000	0.000	0.000
Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	149	356	0	0	0	0	-1
normalized size	1	1.00	0.74	1.76	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.293	1.389	0.434	0.000	1.138	0.000	0.000	0.000
Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	202	202	147	226	0	0	0	0	-1
normalized size	1	1.00	0.73	1.12	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.298	1.200	0.298	0.000	1.148	0.000	0.000	0.000
Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	105	315	0	0	0	0	-1
normalized size	1	1.00	0.65	1.96	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.250	0.551	0.399	0.000	0.874	0.000	0.000	0.000
Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	157	157	98	210	0	0	0	0	-1
normalized size	1	1.00	0.62	1.34	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.243	0.711	0.268	0.000	1.077	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	165	165	101	313	0	0	0	0	-1
normalized size	1	1.00	0.61	1.90	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.253	0.319	0.322	0.000	1.121	0.000	0.000	0.000
Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	102	214	0	0	0	0	-1
normalized size	1	1.00	0.60	1.27	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.260	0.824	0.312	0.000	0.869	0.000	0.000	0.000
Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	192	192	130	351	0	0	0	0	-1
normalized size	1	1.00	0.68	1.83	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.271	0.610	0.340	0.000	1.291	0.000	0.000	0.000
Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	144	241	0	0	0	0	-1
normalized size	1	1.00	0.75	1.25	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.274	0.622	0.334	0.000	1.095	0.000	0.000	0.000
Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	544	544	2035	2930	0	0	0	0	-1
normalized size	1	1.00	3.74	5.39	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.899	17.628	1.112	0.000	0.000	0.000	0.000	0.000
Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	461	461	834	2051	0	0	0	0	-1
normalized size	1	1.00	1.81	4.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.336	14.992	1.068	0.000	0.000	0.000	0.000	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	474	474	1955	2087	0	0	0	0	-1
normalized size	1	1.00	4.12	4.40	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.337	15.526	0.849	0.000	0.000	0.000	0.000	0.000
Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	399	399	757	1247	0	0	0	0	-1
normalized size	1	1.00	1.90	3.13	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.898	14.529	0.866	0.000	0.000	0.000	0.000	0.000
Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	410	410	434	1314	0	0	0	0	-1
normalized size	1	1.00	1.06	3.20	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.904	5.818	0.868	0.000	0.000	0.000	0.000	0.000
Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	302	302	361	815	0	0	0	0	-1
normalized size	1	1.00	1.20	2.70	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.607	1.802	0.870	0.000	0.000	0.000	0.000	0.000
Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	307	307	261	855	0	0	0	0	-1
normalized size	1	1.00	0.85	2.79	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.588	1.605	0.825	0.000	0.000	0.000	0.000	0.000
Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	426	426	791	1248	0	0	0	0	-1
normalized size	1	1.00	1.86	2.93	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.964	14.747	0.868	0.000	0.000	0.000	0.000	0.000

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	F(-1)	F(-1)	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	447	447	1192	845	0	0	0	0	-1
normalized size	1	1.00	2.67	1.89	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.013	11.252	0.984	0.000	0.000	0.000	0.000	0.000
Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	501	501	881	1807	0	0	0	0	-1
normalized size	1	1.00	1.76	3.61	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.355	6.576	0.790	0.000	0.000	0.000	0.000	0.000
Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	557	557	2029	4706	0	0	0	0	-1
normalized size	1	1.00	3.64	8.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.557	15.365	1.596	0.000	0.000	0.000	0.000	0.000
Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	473	473	835	3595	0	0	0	0	-1
normalized size	1	1.00	1.77	7.60	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.157	14.708	1.724	0.000	0.000	0.000	0.000	0.000
Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	487	487	1956	3396	0	0	0	0	-1
normalized size	1	1.00	4.02	6.97	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.151	14.597	1.543	0.000	0.000	0.000	0.000	0.000
Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	404	404	366	3174	0	0	0	0	-1
normalized size	1	1.00	0.91	7.86	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.842	20.200	0.919	0.000	0.000	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	418	418	614	2148	0	0	0	0	-1
normalized size	1	1.00	1.47	5.14	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.907	9.221	1.556	0.000	0.000	0.000	0.000	0.000
Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	438	438	786	1384	0	0	0	0	-1
normalized size	1	1.00	1.79	3.16	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.905	13.938	1.210	0.000	0.000	0.000	0.000	0.000
Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	445	445	1182	1351	0	0	0	0	-1
normalized size	1	1.00	2.66	3.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.933	10.122	1.256	0.000	0.000	0.000	0.000	0.000
Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	507	507	865	4318	0	0	0	0	-1
normalized size	1	1.00	1.71	8.52	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.271	6.486	1.132	0.000	0.000	0.000	0.000	0.000
Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	530	530	1257	2143	0	0	0	0	-1
normalized size	1	1.00	2.37	4.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.367	13.169	1.671	0.000	0.000	0.000	0.000	0.000
Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	590	590	950	2888	0	0	0	0	-1
normalized size	1	1.00	1.61	4.89	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.680	6.609	2.082	0.000	0.000	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	590	590	930	7803	0	0	0	0	-1
normalized size	1	1.00	1.58	13.23	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.473	15.022	2.882	0.000	0.000	0.000	0.000	0.000
Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	604	604	2024	7238	0	0	0	0	-1
normalized size	1	1.00	3.35	11.98	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.582	14.577	2.677	0.000	0.000	0.000	0.000	0.000
Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	498	498	837	5791	0	0	0	0	-1
normalized size	1	1.00	1.68	11.63	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.115	14.363	2.385	0.000	0.000	0.000	0.000	0.000
Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	512	512	1954	5404	0	0	0	0	-1
normalized size	1	1.00	3.82	10.55	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.138	14.556	2.458	0.000	0.000	0.000	0.000	0.000
Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	520	520	831	4303	0	0	0	0	-1
normalized size	1	1.00	1.60	8.28	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.120	14.356	2.227	0.000	0.000	0.000	0.000	0.000
Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-1)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	534	534	1211	4116	0	0	0	0	-1
normalized size	1	1.00	2.27	7.71	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.210	10.388	2.240	0.000	0.000	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	529	529	837	2986	0	0	0	0	-1
normalized size	1	1.00	1.58	5.64	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.212	14.333	1.947	0.000	0.000	0.000	0.000	0.000
Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	535	535	1226	2918	0	0	0	0	-1
normalized size	1	1.00	2.29	5.45	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.229	11.369	2.118	0.000	0.000	0.000	0.000	0.000
Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	611	611	922	4913	0	0	0	0	-1
normalized size	1	1.00	1.51	8.04	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.647	6.536	2.845	0.000	0.000	0.000	0.000	0.000
Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F(-2)	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	629	629	1308	4661	0	0	0	0	-1
normalized size	1	1.00	2.08	7.41	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	1.775	14.488	3.143	0.000	0.000	0.000	0.000	0.000
Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	B	F(-1)	F(-1)	F(-1)	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	700	700	1014	5638	0	0	0	0	-1
normalized size	1	1.00	1.45	8.05	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	2.118	6.709	3.374	0.000	0.000	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [78] had the largest ratio of [.5200]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	3	3	1.00	13	0.231
2	A	2	1	1.00	13	0.077
3	A	2	2	1.00	13	0.154
4	A	2	2	1.00	11	0.182
5	A	1	1	1.00	8	0.125
6	A	4	3	1.00	11	0.273
7	A	3	3	1.00	13	0.231
8	A	4	3	1.00	13	0.231
9	A	3	2	1.00	13	0.154
10	B	2	2	2.20	13	0.154
11	B	2	2	4.33	15	0.133
12	A	2	2	1.00	9	0.222
13	A	2	2	1.00	11	0.182
14	A	2	2	1.00	11	0.182
15	A	2	2	1.00	13	0.154
16	A	3	2	1.00	11	0.182
17	A	3	2	1.00	13	0.154
18	A	2	2	1.00	9	0.222
19	A	2	2	1.00	11	0.182
20	A	1	1	1.00	11	0.091
21	A	1	1	1.00	13	0.077
22	A	3	2	1.00	11	0.182
23	A	3	2	1.00	13	0.154
24	A	5	5	1.00	13	0.385
25	A	3	2	1.00	13	0.154
26	A	4	4	1.00	13	0.308
27	A	2	2	1.00	11	0.182
28	A	2	2	1.00	8	0.250
29	A	6	4	1.00	11	0.364
30	A	4	4	1.00	13	0.308
31	A	4	3	1.00	13	0.231
32	A	5	5	1.00	13	0.385
33	A	5	4	1.00	23	0.174
34	A	4	4	1.00	23	0.174
35	A	4	4	1.00	23	0.174

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
36	A	3	3	1.00	23	0.130
37	A	3	3	1.00	23	0.130
38	A	4	4	1.00	23	0.174
39	A	4	4	1.00	23	0.174
40	A	5	4	1.00	23	0.174
41	A	6	5	1.00	25	0.200
42	A	5	5	1.00	25	0.200
43	A	5	5	1.00	25	0.200
44	A	4	4	1.00	25	0.160
45	A	4	4	1.00	25	0.160
46	A	4	4	1.00	25	0.160
47	A	4	4	1.00	25	0.160
48	A	5	5	1.00	25	0.200
49	A	7	6	1.00	25	0.240
50	A	6	6	1.00	25	0.240
51	A	6	6	1.00	25	0.240
52	A	5	5	1.00	25	0.200
53	A	5	5	1.00	25	0.200
54	A	5	5	1.00	25	0.200
55	A	5	5	1.00	25	0.200
56	A	5	5	1.00	25	0.200
57	A	5	5	1.00	25	0.200
58	A	15	12	1.00	25	0.480
59	A	14	12	1.00	25	0.480
60	A	14	12	1.00	25	0.480
61	A	13	11	1.00	25	0.440
62	A	13	11	1.00	25	0.440
63	A	9	7	1.00	25	0.280
64	A	9	7	1.00	25	0.280
65	A	13	11	1.00	25	0.440
66	A	13	11	1.00	25	0.440
67	A	14	12	1.00	25	0.480
68	A	15	12	1.00	25	0.480
69	A	14	12	1.00	25	0.480
70	A	14	12	1.00	25	0.480
71	A	13	11	1.00	25	0.440

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
72	A	13	11	1.00	25	0.440
73	A	13	11	1.00	25	0.440
74	A	13	11	1.00	25	0.440
75	A	14	12	1.00	25	0.480
76	A	14	12	1.00	25	0.480
77	A	15	12	1.00	25	0.480
78	A	15	13	1.00	25	0.520
79	A	15	13	1.00	25	0.520
80	A	14	12	1.00	25	0.480
81	A	14	12	1.00	25	0.480
82	A	14	12	1.00	25	0.480
83	A	14	12	1.00	25	0.480
84	A	14	12	1.00	25	0.480
85	A	14	12	1.00	25	0.480
86	A	15	13	1.00	25	0.520
87	A	15	13	1.00	25	0.520
88	A	16	13	1.00	25	0.520

Chapter 3

Listing of integrals

$$3.1 \quad \int \frac{\sin^4(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=31

$$\frac{x}{2a} - \frac{\sin^3(x)}{3a} - \frac{\sin(x) \cos(x)}{2a}$$

[Out] 1/2*x/a-1/2*cos(x)*sin(x)/a-1/3*sin(x)^3/a

Rubi [A] time = 0.04, antiderivative size = 31, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {2682, 2635, 8}

$$\frac{x}{2a} - \frac{\sin^3(x)}{3a} - \frac{\sin(x) \cos(x)}{2a}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^4/(a + a*Cos[x]),x]

[Out] x/(2*a) - (Cos[x]*Sin[x])/(2*a) - Sin[x]^3/(3*a)

Rule 8

Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x] * (b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2682

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1))/(b*f*(p - 1)), x] + Dist[g^2/a, Int[(g*Cos[e + f*x])^(p - 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && GtQ[p, 1] && IntegerQ[2*p]

Rubi steps

$$\begin{aligned} \int \frac{\sin^4(x)}{a + a \cos(x)} dx &= -\frac{\sin^3(x)}{3a} + \frac{\int \sin^2(x) dx}{a} \\ &= -\frac{\cos(x) \sin(x)}{2a} - \frac{\sin^3(x)}{3a} + \frac{\int 1 dx}{2a} \\ &= \frac{x}{2a} - \frac{\cos(x) \sin(x)}{2a} - \frac{\sin^3(x)}{3a} \end{aligned}$$

Mathematica [A] time = 0.04, size = 25, normalized size = 0.81

$$\frac{6x - 3 \sin(x) - 3 \sin(2x) + \sin(3x)}{12a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^4/(a + a*Cos[x]),x]

[Out] (6*x - 3*Sin[x] - 3*Sin[2*x] + Sin[3*x])/(12*a)

fricas [A] time = 0.78, size = 24, normalized size = 0.77

$$\frac{(2 \cos(x)^2 - 3 \cos(x) - 2) \sin(x) + 3x}{6a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+a*cos(x)),x, algorithm="fricas")

[Out] 1/6*((2*cos(x)^2 - 3*cos(x) - 2)*sin(x) + 3*x)/a

giac [A] time = 0.38, size = 45, normalized size = 1.45

$$\frac{x}{2a} + \frac{3 \tan\left(\frac{1}{2}x\right)^5 - 8 \tan\left(\frac{1}{2}x\right)^3 - 3 \tan\left(\frac{1}{2}x\right)}{3 \left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)^3 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+a*cos(x)),x, algorithm="giac")

[Out] 1/2*x/a + 1/3*(3*tan(1/2*x)^5 - 8*tan(1/2*x)^3 - 3*tan(1/2*x))/((tan(1/2*x)^2 + 1)^3*a)

maple [B] time = 0.05, size = 68, normalized size = 2.19

$$\frac{\tan^5\left(\frac{x}{2}\right)}{a \left(\tan^2\left(\frac{x}{2}\right) + 1\right)^3} - \frac{8 \left(\tan^3\left(\frac{x}{2}\right)\right)}{3a \left(\tan^2\left(\frac{x}{2}\right) + 1\right)^3} - \frac{\tan\left(\frac{x}{2}\right)}{a \left(\tan^2\left(\frac{x}{2}\right) + 1\right)^3} + \frac{x}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^4/(a+a*cos(x)),x)

[Out] 1/a/(tan(1/2*x)^2+1)^3*tan(1/2*x)^5-8/3/a/(tan(1/2*x)^2+1)^3*tan(1/2*x)^3-1/a/(tan(1/2*x)^2+1)^3*tan(1/2*x)+1/2*x/a

maxima [B] time = 0.62, size = 94, normalized size = 3.03

$$-\frac{\frac{3 \sin(x)}{\cos(x)+1} + \frac{8 \sin(x)^3}{(\cos(x)+1)^3} - \frac{3 \sin(x)^5}{(\cos(x)+1)^5}}{3 \left(a + \frac{3a \sin(x)^2}{(\cos(x)+1)^2} + \frac{3a \sin(x)^4}{(\cos(x)+1)^4} + \frac{a \sin(x)^6}{(\cos(x)+1)^6}\right)} + \frac{\arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+a*cos(x)),x, algorithm="maxima")

[Out] $-1/3*(3*\sin(x)/(\cos(x) + 1) + 8*\sin(x)^3/(\cos(x) + 1)^3 - 3*\sin(x)^5/(\cos(x) + 1)^5)/(a + 3*a*\sin(x)^2/(\cos(x) + 1)^2 + 3*a*\sin(x)^4/(\cos(x) + 1)^4 + a*\sin(x)^6/(\cos(x) + 1)^6) + \arctan(\sin(x)/(\cos(x) + 1))/a$

mupad [B] time = 0.38, size = 34, normalized size = 1.10

$$\frac{x}{2a} - \frac{\sin(x)}{3a} + \frac{\cos(x)^2 \sin(x)}{3a} - \frac{\cos(x) \sin(x)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^4/(a + a*cos(x)),x)

[Out] $x/(2*a) - \sin(x)/(3*a) + (\cos(x)^2*\sin(x))/(3*a) - (\cos(x)*\sin(x))/(2*a)$

sympy [B] time = 1.24, size = 294, normalized size = 9.48

$$\frac{3x \tan^6\left(\frac{x}{2}\right)}{6a \tan^6\left(\frac{x}{2}\right) + 18a \tan^4\left(\frac{x}{2}\right) + 18a \tan^2\left(\frac{x}{2}\right) + 6a} + \frac{9x \tan^4\left(\frac{x}{2}\right)}{6a \tan^6\left(\frac{x}{2}\right) + 18a \tan^4\left(\frac{x}{2}\right) + 18a \tan^2\left(\frac{x}{2}\right) + 6a} + \frac{1}{6a \tan^6\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**4/(a+a*cos(x)),x)

[Out] $3*x*\tan(x/2)**6/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) + 9*x*\tan(x/2)**4/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) + 9*x*\tan(x/2)**2/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) + 3*x/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) + 6*\tan(x/2)**5/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) - 16*\tan(x/2)**3/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a) - 6*\tan(x/2)/(6*a*\tan(x/2)**6 + 18*a*\tan(x/2)**4 + 18*a*\tan(x/2)**2 + 6*a)$

$$3.2 \quad \int \frac{\sin^3(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=19

$$\frac{\cos^2(x)}{2a} - \frac{\cos(x)}{a}$$

[Out] $-\cos(x)/a+1/2*\cos(x)^2/a$

Rubi [A] time = 0.04, antiderivative size = 19, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {2667}

$$\frac{\cos^2(x)}{2a} - \frac{\cos(x)}{a}$$

Antiderivative was successfully verified.

[In] `Int[Sin[x]^3/(a + a*Cos[x]),x]`

[Out] $-(\text{Cos}[x]/a) + \text{Cos}[x]^2/(2*a)$

Rule 2667

`Int[cos[(e_.) + (f_.)*(x_.)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])`

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{a + a \cos(x)} dx &= -\frac{\text{Subst}\left(\int (a - x) dx, x, a \cos(x)\right)}{a^3} \\ &= -\frac{\cos(x)}{a} + \frac{\cos^2(x)}{2a} \end{aligned}$$

Mathematica [A] time = 0.01, size = 13, normalized size = 0.68

$$\frac{2 \sin^4\left(\frac{x}{2}\right)}{a}$$

Antiderivative was successfully verified.

[In] `Integrate[Sin[x]^3/(a + a*Cos[x]),x]`

[Out] $(2*\text{Sin}[x/2]^4)/a$

fricas [A] time = 1.34, size = 14, normalized size = 0.74

$$\frac{\cos(x)^2 - 2 \cos(x)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^3/(a+a*cos(x)),x, algorithm="fricas")`

[Out] $1/2*(\cos(x)^2 - 2*\cos(x))/a$

giac [A] time = 2.41, size = 14, normalized size = 0.74

$$\frac{\cos(x)^2 - 2 \cos(x)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(a+a*cos(x)),x, algorithm="giac")

[Out] 1/2*(cos(x)^2 - 2*cos(x))/a

maple [A] time = 0.04, size = 16, normalized size = 0.84

$$\frac{\frac{(\cos^2(x))}{2} - \cos(x)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(a+a*cos(x)),x)

[Out] 1/a*(1/2*cos(x)^2-cos(x))

maxima [A] time = 0.61, size = 14, normalized size = 0.74

$$\frac{\cos(x)^2 - 2 \cos(x)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(a+a*cos(x)),x, algorithm="maxima")

[Out] 1/2*(cos(x)^2 - 2*cos(x))/a

mupad [B] time = 0.25, size = 11, normalized size = 0.58

$$\frac{\cos(x) (\cos(x) - 2)}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(a + a*cos(x)),x)

[Out] (cos(x)*(cos(x) - 2))/(2*a)

sympy [B] time = 0.66, size = 51, normalized size = 2.68

$$-\frac{4 \tan^2\left(\frac{x}{2}\right)}{a \tan^4\left(\frac{x}{2}\right) + 2a \tan^2\left(\frac{x}{2}\right) + a} - \frac{2}{a \tan^4\left(\frac{x}{2}\right) + 2a \tan^2\left(\frac{x}{2}\right) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(a+a*cos(x)),x)

[Out] -4*tan(x/2)**2/(a*tan(x/2)**4 + 2*a*tan(x/2)**2 + a) - 2/(a*tan(x/2)**4 + 2*a*tan(x/2)**2 + a)

3.3 $\int \frac{\sin^2(x)}{a+a \cos(x)} dx$

Optimal. Leaf size=13

$$\frac{x}{a} - \frac{\sin(x)}{a}$$

[Out] x/a-sin(x)/a

Rubi [A] time = 0.04, antiderivative size = 13, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2682, 8}

$$\frac{x}{a} - \frac{\sin(x)}{a}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2/(a + a*Cos[x]),x]

[Out] x/a - Sin[x]/a

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2682

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^p_]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1))/(b*f*(p - 1)), x] + Dist[g^2/a, Int[(g*Cos[e + f*x])^(p - 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && GtQ[p, 1] && IntegerQ[2*p]

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(x)}{a + a \cos(x)} dx &= -\frac{\sin(x)}{a} + \frac{\int 1 dx}{a} \\ &= \frac{x}{a} - \frac{\sin(x)}{a} \end{aligned}$$

Mathematica [A] time = 0.01, size = 17, normalized size = 1.31

$$\frac{2 \left(\frac{x}{2} - \frac{\sin(x)}{2} \right)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(a + a*Cos[x]),x]

[Out] (2*(x/2 - Sin[x]/2))/a

fricas [A] time = 0.85, size = 10, normalized size = 0.77

$$\frac{x - \sin(x)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+a*cos(x)),x, algorithm="fricas")

[Out] $(x - \sin(x))/a$

giac [A] time = 0.51, size = 25, normalized size = 1.92

$$\frac{x}{a} - \frac{2 \tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^2/(a+a*cos(x)),x, algorithm="giac")`

[Out] $x/a - 2*\tan(1/2*x)/((\tan(1/2*x)^2 + 1)*a)$

maple [B] time = 0.04, size = 31, normalized size = 2.38

$$-\frac{2 \tan\left(\frac{x}{2}\right)}{a\left(\tan^2\left(\frac{x}{2}\right) + 1\right)} + \frac{2 \arctan\left(\tan\left(\frac{x}{2}\right)\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)^2/(a+a*cos(x)),x)`

[Out] $-2/a*\tan(1/2*x)/(\tan(1/2*x)^2+1)+2/a*\arctan(\tan(1/2*x))$

maxima [B] time = 0.84, size = 42, normalized size = 3.23

$$\frac{2 \arctan\left(\frac{\sin(x)}{\cos(x)+1}\right)}{a} - \frac{2 \sin(x)}{\left(a + \frac{a \sin(x)^2}{(\cos(x)+1)^2}\right)(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)^2/(a+a*cos(x)),x, algorithm="maxima")`

[Out] $2*\arctan(\sin(x)/(\cos(x) + 1))/a - 2*\sin(x)/((a + a*\sin(x)^2/(\cos(x) + 1)^2)*(\cos(x) + 1))$

mupad [B] time = 0.29, size = 10, normalized size = 0.77

$$\frac{x - \sin(x)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)^2/(a + a*cos(x)),x)`

[Out] $(x - \sin(x))/a$

sympy [B] time = 0.37, size = 46, normalized size = 3.54

$$\frac{x \tan^2\left(\frac{x}{2}\right)}{a \tan^2\left(\frac{x}{2}\right) + a} + \frac{x}{a \tan^2\left(\frac{x}{2}\right) + a} - \frac{2 \tan\left(\frac{x}{2}\right)}{a \tan^2\left(\frac{x}{2}\right) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)**2/(a+a*cos(x)),x)`

[Out] $x*\tan(x/2)**2/(a*\tan(x/2)**2 + a) + x/(a*\tan(x/2)**2 + a) - 2*\tan(x/2)/(a*\tan(x/2)**2 + a)$

$$3.4 \quad \int \frac{\sin(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=10

$$-\frac{\log(\cos(x) + 1)}{a}$$

[Out] $-\ln(1+\cos(x))/a$

Rubi [A] time = 0.02, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2667, 31}

$$-\frac{\log(\cos(x) + 1)}{a}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(a + a*Cos[x]),x]

[Out] $-(\text{Log}[1 + \text{Cos}[x]])/a$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^{(m + (p - 1)/2)*(a - x)^{((p - 1)/2)}, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a² - b², 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])}}

Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{a + a \cos(x)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, a \cos(x)\right)}{a} \\ &= -\frac{\log(1 + \cos(x))}{a} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.20

$$-\frac{2 \log\left(\cos\left(\frac{x}{2}\right)\right)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(a + a*Cos[x]),x]

[Out] $(-2*\text{Log}[\text{Cos}[x/2]])/a$

fricas [A] time = 0.76, size = 12, normalized size = 1.20

$$-\frac{\log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+a*cos(x)),x, algorithm="fricas")

[Out] -log(1/2*cos(x) + 1/2)/a

giac [A] time = 0.37, size = 10, normalized size = 1.00

$$-\frac{\log(\cos(x) + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+a*cos(x)),x, algorithm="giac")

[Out] -log(cos(x) + 1)/a

maple [A] time = 0.03, size = 13, normalized size = 1.30

$$-\frac{\ln(a + a \cos(x))}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a+a*cos(x)),x)

[Out] -ln(a+a*cos(x))/a

maxima [A] time = 0.63, size = 12, normalized size = 1.20

$$-\frac{\log(a \cos(x) + a)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+a*cos(x)),x, algorithm="maxima")

[Out] -log(a*cos(x) + a)/a

mupad [B] time = 0.06, size = 10, normalized size = 1.00

$$-\frac{\ln(\cos(x) + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a + a*cos(x)),x)

[Out] -log(cos(x) + 1)/a

sympy [A] time = 0.12, size = 8, normalized size = 0.80

$$-\frac{\log(\cos(x) + 1)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+a*cos(x)),x)

[Out] -log(cos(x) + 1)/a

$$3.5 \quad \int \frac{1}{a+a \cos(x)} dx$$

Optimal. Leaf size=11

$$\frac{\sin(x)}{a \cos(x) + a}$$

[Out] sin(x)/(a+a*cos(x))

Rubi [A] time = 0.01, antiderivative size = 11, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {2648}

$$\frac{\sin(x)}{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[x])^(-1), x]

[Out] Sin[x]/(a + a*Cos[x])

Rule 2648

Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{1}{a + a \cos(x)} dx = \frac{\sin(x)}{a + a \cos(x)}$$

Mathematica [A] time = 0.00, size = 10, normalized size = 0.91

$$\frac{\tan\left(\frac{x}{2}\right)}{a}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[x])^(-1), x]

[Out] Tan[x/2]/a

fricas [A] time = 0.89, size = 11, normalized size = 1.00

$$\frac{\sin(x)}{a \cos(x) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(x)),x, algorithm="fricas")

[Out] sin(x)/(a*cos(x) + a)

giac [A] time = 0.35, size = 8, normalized size = 0.73

$$\frac{\tan\left(\frac{1}{2}x\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(x)),x, algorithm="giac")

[Out] tan(1/2*x)/a

maple [A] time = 0.02, size = 9, normalized size = 0.82

$$\frac{\tan\left(\frac{x}{2}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a*cos(x)),x)

[Out] 1/a*tan(1/2*x)

maxima [A] time = 0.68, size = 12, normalized size = 1.09

$$\frac{\sin(x)}{a(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(x)),x, algorithm="maxima")

[Out] sin(x)/(a*(cos(x) + 1))

mupad [B] time = 0.29, size = 8, normalized size = 0.73

$$\frac{\tan\left(\frac{x}{2}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a*cos(x)),x)

[Out] tan(x/2)/a

sympy [A] time = 0.18, size = 5, normalized size = 0.45

$$\frac{\tan\left(\frac{x}{2}\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(x)),x)

[Out] tan(x/2)/a

$$3.6 \quad \int \frac{\csc(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=23

$$\frac{1}{2(a \cos(x) + a)} - \frac{\tanh^{-1}(\cos(x))}{2a}$$

[Out] -1/2*arctanh(cos(x))/a+1/2/(a+a*cos(x))

Rubi [A] time = 0.05, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$, Rules used = {2667, 44, 206}

$$\frac{1}{2(a \cos(x) + a)} - \frac{\tanh^{-1}(\cos(x))}{2a}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]/(a + a*Cos[x]),x]

[Out] -ArcTanh[Cos[x]]/(2*a) + 1/(2*(a + a*Cos[x]))

Rule 44

Int[((a_) + (b_)*(x_)^(m_))*((c_) + (d_)*(x_)^(n_)), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] & NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 206

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[Rt[-b, 2]*x]/Rt[a, 2])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2667

Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\csc(x)}{a+a \cos(x)} dx &= -\left(a \operatorname{Subst}\left(\int \frac{1}{(a-x)(a+x)^2} dx, x, a \cos(x)\right)\right) \\ &= -\left(a \operatorname{Subst}\left(\int \left(\frac{1}{2a(a+x)^2} + \frac{1}{2a(a^2-x^2)}\right) dx, x, a \cos(x)\right)\right) \\ &= \frac{1}{2(a+a \cos(x))} - \frac{1}{2} \operatorname{Subst}\left(\int \frac{1}{a^2-x^2} dx, x, a \cos(x)\right) \\ &= -\frac{\tanh^{-1}(\cos(x))}{2a} + \frac{1}{2(a+a \cos(x))} \end{aligned}$$

Mathematica [A] time = 0.03, size = 42, normalized size = 1.83

$$\frac{1 - 2 \cos^2\left(\frac{x}{2}\right) \left(\log\left(\cos\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right)\right)\right)}{2a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]/(a + a*Cos[x]), x]

[Out] (1 - 2*Cos[x/2]^2*(Log[Cos[x/2]] - Log[Sin[x/2]]))/(2*a*(1 + Cos[x]))

fricas [A] time = 0.80, size = 37, normalized size = 1.61

$$\frac{(\cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) - (\cos(x) + 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) - 2}{4(a \cos(x) + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+a*cos(x)), x, algorithm="fricas")

[Out] -1/4*((cos(x) + 1)*log(1/2*cos(x) + 1/2) - (cos(x) + 1)*log(-1/2*cos(x) + 1/2) - 2)/(a*cos(x) + a)

giac [A] time = 0.37, size = 34, normalized size = 1.48

$$-\frac{\log(\cos(x) + 1)}{4a} + \frac{\log(-\cos(x) + 1)}{4a} + \frac{1}{2a(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+a*cos(x)), x, algorithm="giac")

[Out] -1/4*log(cos(x) + 1)/a + 1/4*log(-cos(x) + 1)/a + 1/2/(a*(cos(x) + 1))

maple [A] time = 0.05, size = 33, normalized size = 1.43

$$\frac{\ln(-1 + \cos(x))}{4a} + \frac{1}{2a(\cos(x) + 1)} - \frac{\ln(\cos(x) + 1)}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)/(a+a*cos(x)), x)

[Out] 1/4/a*ln(-1+cos(x))+1/2/a/(cos(x)+1)-1/4*ln(cos(x)+1)/a

maxima [A] time = 0.68, size = 31, normalized size = 1.35

$$-\frac{\log(\cos(x) + 1)}{4a} + \frac{\log(\cos(x) - 1)}{4a} + \frac{1}{2(a \cos(x) + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+a*cos(x)), x, algorithm="maxima")

[Out] -1/4*log(cos(x) + 1)/a + 1/4*log(cos(x) - 1)/a + 1/2/(a*cos(x) + a)

mupad [B] time = 0.28, size = 20, normalized size = 0.87

$$\frac{1}{2a(\cos(x) + 1)} - \frac{\operatorname{atanh}(\cos(x))}{2a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)*(a + a*cos(x))), x)

[Out] 1/(2*a*(cos(x) + 1)) - atanh(cos(x))/(2*a)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\csc(x)}{\cos(x)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+a*cos(x)),x)

[Out] Integral(csc(x)/(cos(x) + 1), x)/a

$$3.7 \quad \int \frac{\csc^2(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=24

$$\frac{\csc(x)}{3(a \cos(x) + a)} - \frac{2 \cot(x)}{3a}$$

[Out] $-2/3*\cot(x)/a+1/3*\csc(x)/(a+a*\cos(x))$

Rubi [A] time = 0.05, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {2672, 3767, 8}

$$\frac{\csc(x)}{3(a \cos(x) + a)} - \frac{2 \cot(x)}{3a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Csc}[x]^2/(a + a*\text{Cos}[x]), x]$

[Out] $(-2*\text{Cot}[x])/(3*a) + \text{Csc}[x]/(3*(a + a*\text{Cos}[x]))$

Rule 8

$\text{Int}[a_, x_Symbol] \rightarrow \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

Rule 2672

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^p*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^m, x_Symbol] \rightarrow \text{Simp}[(b*(g*\cos[e + f*x])^{p+1}*(a + b*\sin[e + f*x])^m)/(a*f*g*\text{Simplify}[2*m + p + 1]), x] + \text{Dist}[\text{Simplify}[m + p + 1]/(a*\text{Simplify}[2*m + p + 1]), \text{Int}[(g*\cos[e + f*x])^p*(a + b*\sin[e + f*x])^{m+1}, x], x] /; \text{FreeQ}\{a, b, e, f, g, m, p\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{ILtQ}[\text{Simplify}[m + p + 1], 0] \&\& \text{NeQ}[2*m + p + 1, 0] \&\& !\text{IGtQ}[m, 0]$

Rule 3767

$\text{Int}[\csc[(c_.) + (d_.)*(x_.)]^{n_}, x_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\csc^2(x)}{a+a \cos(x)} dx &= \frac{\csc(x)}{3(a+a \cos(x))} + \frac{2 \int \csc^2(x) dx}{3a} \\ &= \frac{\csc(x)}{3(a+a \cos(x))} - \frac{2 \text{Subst}(\int 1 dx, x, \cot(x))}{3a} \\ &= -\frac{2 \cot(x)}{3a} + \frac{\csc(x)}{3(a+a \cos(x))} \end{aligned}$$

Mathematica [A] time = 0.05, size = 30, normalized size = 1.25

$$-\frac{(2 \cos(x) + \cos(2x)) \csc\left(\frac{x}{2}\right) \sec^3\left(\frac{x}{2}\right)}{12a}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2/(a + a*Cos[x]),x]

[Out] -1/12*((2*Cos[x] + Cos[2*x])*Csc[x/2]*Sec[x/2]^3)/a

fricas [A] time = 0.86, size = 26, normalized size = 1.08

$$\frac{2 \cos(x)^2 + 2 \cos(x) - 1}{3(a \cos(x) + a) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+a*cos(x)),x, algorithm="fricas")

[Out] -1/3*(2*cos(x)^2 + 2*cos(x) - 1)/((a*cos(x) + a)*sin(x))

giac [A] time = 0.42, size = 37, normalized size = 1.54

$$\frac{a^2 \tan\left(\frac{1}{2}x\right)^3 + 6a^2 \tan\left(\frac{1}{2}x\right)}{12a^3} - \frac{1}{4a \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+a*cos(x)),x, algorithm="giac")

[Out] 1/12*(a^2*tan(1/2*x)^3 + 6*a^2*tan(1/2*x))/a^3 - 1/4/(a*tan(1/2*x))

maple [A] time = 0.05, size = 29, normalized size = 1.21

$$\frac{\frac{\tan^3\left(\frac{x}{2}\right)}{3} + 2 \tan\left(\frac{x}{2}\right) - \frac{1}{\tan\left(\frac{x}{2}\right)}}{4a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^2/(a+a*cos(x)),x)

[Out] 1/4/a*(1/3*tan(1/2*x)^3+2*tan(1/2*x)-1/tan(1/2*x))

maxima [B] time = 0.62, size = 41, normalized size = 1.71

$$\frac{\frac{6 \sin(x)}{\cos(x)+1} + \frac{\sin(x)^3}{(\cos(x)+1)^3}}{12a} - \frac{\cos(x) + 1}{4a \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+a*cos(x)),x, algorithm="maxima")

[Out] 1/12*(6*sin(x)/(cos(x) + 1) + sin(x)^3/(cos(x) + 1)^3)/a - 1/4*(cos(x) + 1)/(a*sin(x))

mupad [B] time = 0.32, size = 35, normalized size = 1.46

$$\frac{-8 \cos\left(\frac{x}{2}\right)^4 + 4 \cos\left(\frac{x}{2}\right)^2 + 1}{12a \cos\left(\frac{x}{2}\right)^3 \sin\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)^2*(a + a*cos(x))),x)

[Out] (4*cos(x/2)^2 - 8*cos(x/2)^4 + 1)/(12*a*cos(x/2)^3*sin(x/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\csc^2(x)}{\cos(x)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)**2/(a+a*cos(x)), x)

[Out] Integral(csc(x)**2/(cos(x) + 1), x)/a

$$3.8 \quad \int \frac{\csc^3(x)}{a+a \cos(x)} dx$$

Optimal. Leaf size=49

$$\frac{a}{8(a \cos(x) + a)^2} - \frac{1}{8(a - a \cos(x))} + \frac{1}{4(a \cos(x) + a)} - \frac{3 \tanh^{-1}(\cos(x))}{8a}$$

[Out] -3/8*arctanh(cos(x))/a-1/8/(a-a*cos(x))+1/8*a/(a+a*cos(x))^2+1/4/(a+a*cos(x))

Rubi [A] time = 0.07, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {2667, 44, 206}

$$\frac{a}{8(a \cos(x) + a)^2} - \frac{1}{8(a - a \cos(x))} + \frac{1}{4(a \cos(x) + a)} - \frac{3 \tanh^{-1}(\cos(x))}{8a}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^3/(a + a*Cos[x]),x]

[Out] (-3*ArcTanh[Cos[x]])/(8*a) - 1/(8*(a - a*Cos[x])) + a/(8*(a + a*Cos[x])^2) + 1/(4*(a + a*Cos[x]))

Rule 44

Int[((a_) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] := Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[b*c - a*d, 0] && ILtQ[m, 0] && IntegerQ[n] && !(IGtQ[n, 0] && LtQ[m + n + 2, 0])

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\csc^3(x)}{a+a \cos(x)} dx &= -\left(a^3 \text{Subst}\left(\int \frac{1}{(a-x)^2(a+x)^3} dx, x, a \cos(x)\right)\right) \\ &= -\left(a^3 \text{Subst}\left(\int \left(\frac{1}{8a^3(a-x)^2} + \frac{1}{4a^2(a+x)^3} + \frac{1}{4a^3(a+x)^2} + \frac{3}{8a^3(a^2-x^2)}\right) dx, x, a \cos(x)\right)\right) \\ &= -\frac{1}{8(a-a \cos(x))} + \frac{a}{8(a+a \cos(x))^2} + \frac{1}{4(a+a \cos(x))} - \frac{3}{8} \text{Subst}\left(\int \frac{1}{a^2-x^2} dx, x, a \cos(x)\right) \\ &= -\frac{3 \tanh^{-1}(\cos(x))}{8a} - \frac{1}{8(a-a \cos(x))} + \frac{a}{8(a+a \cos(x))^2} + \frac{1}{4(a+a \cos(x))} \end{aligned}$$

Mathematica [A] time = 0.11, size = 60, normalized size = 1.22

$$\frac{-2 \cot^2\left(\frac{x}{2}\right) + \sec^2\left(\frac{x}{2}\right) - 12 \cos^2\left(\frac{x}{2}\right) \left(\log\left(\cos\left(\frac{x}{2}\right)\right) - \log\left(\sin\left(\frac{x}{2}\right)\right)\right) + 4}{16a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^3/(a + a*Cos[x]), x]

[Out] (4 - 2*Cot[x/2]^2 - 12*Cos[x/2]^2*(Log[Cos[x/2]] - Log[Sin[x/2]])) + Sec[x/2]^2)/(16*a*(1 + Cos[x]))

fricas [A] time = 0.94, size = 83, normalized size = 1.69

$$\frac{6 \cos(x)^2 - 3 \left(\cos(x)^3 + \cos(x)^2 - \cos(x) - 1\right) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 3 \left(\cos(x)^3 + \cos(x)^2 - \cos(x) - 1\right) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)}{16 \left(a \cos(x)^3 + a \cos(x)^2 - a \cos(x) - a\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+a*cos(x)), x, algorithm="fricas")

[Out] 1/16*(6*cos(x)^2 - 3*(cos(x)^3 + cos(x)^2 - cos(x) - 1)*log(1/2*cos(x) + 1/2) + 3*(cos(x)^3 + cos(x)^2 - cos(x) - 1)*log(-1/2*cos(x) + 1/2) + 6*cos(x) - 4)/(a*cos(x)^3 + a*cos(x)^2 - a*cos(x) - a)

giac [A] time = 0.59, size = 52, normalized size = 1.06

$$-\frac{3 \log(\cos(x) + 1)}{16 a} + \frac{3 \log(-\cos(x) + 1)}{16 a} + \frac{3 \cos(x)^2 + 3 \cos(x) - 2}{8 a (\cos(x) + 1)^2 (\cos(x) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+a*cos(x)), x, algorithm="giac")

[Out] -3/16*log(cos(x) + 1)/a + 3/16*log(-cos(x) + 1)/a + 1/8*(3*cos(x)^2 + 3*cos(x) - 2)/(a*(cos(x) + 1)^2*(cos(x) - 1))

maple [A] time = 0.06, size = 55, normalized size = 1.12

$$\frac{1}{8a(-1 + \cos(x))} + \frac{3 \ln(-1 + \cos(x))}{16a} + \frac{1}{8a(\cos(x) + 1)^2} + \frac{1}{4a(\cos(x) + 1)} - \frac{3 \ln(\cos(x) + 1)}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^3/(a+a*cos(x)), x)

[Out] 1/8/a/(-1+cos(x))+3/16/a*ln(-1+cos(x))+1/8/a/(cos(x)+1)^2+1/4/a/(cos(x)+1)-3/16*ln(cos(x)+1)/a

maxima [A] time = 1.16, size = 58, normalized size = 1.18

$$\frac{3 \cos(x)^2 + 3 \cos(x) - 2}{8 \left(a \cos(x)^3 + a \cos(x)^2 - a \cos(x) - a\right)} - \frac{3 \log(\cos(x) + 1)}{16 a} + \frac{3 \log(\cos(x) - 1)}{16 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+a*cos(x)), x, algorithm="maxima")

[Out] 1/8*(3*cos(x)^2 + 3*cos(x) - 2)/(a*cos(x)^3 + a*cos(x)^2 - a*cos(x) - a) - 3/16*log(cos(x) + 1)/a + 3/16*log(cos(x) - 1)/a

mupad [B] time = 0.29, size = 45, normalized size = 0.92

$$\frac{\frac{3 \cos(x)^2}{8} + \frac{3 \cos(x)}{8} - \frac{1}{4}}{-a \cos(x)^3 - a \cos(x)^2 + a \cos(x) + a} - \frac{3 \operatorname{atanh}(\cos(x))}{8 a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sin(x)^3*(a + a*cos(x))),x)`

[Out] `- ((3*cos(x))/8 + (3*cos(x)^2)/8 - 1/4)/(a + a*cos(x) - a*cos(x)^2 - a*cos(x)^3) - (3*atanh(cos(x)))/(8*a)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{\csc^3(x)}{\cos(x)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)**3/(a+a*cos(x)),x)`

[Out] `Integral(csc(x)**3/(cos(x) + 1), x)/a`

3.9 $\int \frac{\csc^4(x)}{a+a \cos(x)} dx$

Optimal. Leaf size=37

$$-\frac{4 \cot^3(x)}{15a} - \frac{4 \cot(x)}{5a} + \frac{\csc^3(x)}{5(a \cos(x) + a)}$$

[Out] $-4/5*\cot(x)/a-4/15*\cot(x)^3/a+1/5*\csc(x)^3/(a+a*\cos(x))$

Rubi [A] time = 0.05, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2672, 3767}

$$-\frac{4 \cot^3(x)}{15a} - \frac{4 \cot(x)}{5a} + \frac{\csc^3(x)}{5(a \cos(x) + a)}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^4/(a + a*Cos[x]),x]

[Out] $(-4*\cot[x])/(5*a) - (4*\cot[x]^3)/(15*a) + \text{Csc}[x]^3/(5*(a + a*\cos[x]))$

Rule 2672

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_), x_Symbol] :> Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(a*f*g*Simplify[2*m + p + 1]), x] + Dist[Simplify[m + p + 1]/(a*Simplify[2*m + p + 1]), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, e, f, g, m, p}, x] && EqQ[a^2 - b^2, 0] && ILtQ[Simplify[m + p + 1], 0] && NeQ[2*m + p + 1, 0] && !IGtQ[m, 0]

Rule 3767

Int[csc[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\csc^4(x)}{a+a \cos(x)} dx &= \frac{\csc^3(x)}{5(a+a \cos(x))} + \frac{4 \int \csc^4(x) dx}{5a} \\ &= \frac{\csc^3(x)}{5(a+a \cos(x))} - \frac{4 \text{Subst}\left(\int (1+x^2) dx, x, \cot(x)\right)}{5a} \\ &= -\frac{4 \cot(x)}{5a} - \frac{4 \cot^3(x)}{15a} + \frac{\csc^3(x)}{5(a+a \cos(x))} \end{aligned}$$

Mathematica [A] time = 0.06, size = 38, normalized size = 1.03

$$\frac{(-6 \cos(x) - 2 \cos(2x) + 2 \cos(3x) + \cos(4x)) \csc^3(x)}{15a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^4/(a + a*Cos[x]),x]

[Out] $((-6*\cos[x] - 2*\cos[2*x] + 2*\cos[3*x] + \cos[4*x])*Csc[x]^3)/(15*a*(1 + \cos[x]))$

fricas [A] time = 0.77, size = 53, normalized size = 1.43

$$\frac{8 \cos(x)^4 + 8 \cos(x)^3 - 12 \cos(x)^2 - 12 \cos(x) + 3}{15 (a \cos(x)^3 + a \cos(x)^2 - a \cos(x) - a) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^4/(a+a*cos(x)),x, algorithm="fricas")`

[Out] $-1/15*(8*\cos(x)^4 + 8*\cos(x)^3 - 12*\cos(x)^2 - 12*\cos(x) + 3)/((a*\cos(x)^3 + a*\cos(x)^2 - a*\cos(x) - a)*\sin(x))$

giac [A] time = 1.01, size = 59, normalized size = 1.59

$$-\frac{12 \tan\left(\frac{1}{2}x\right)^2 + 1}{48 a \tan\left(\frac{1}{2}x\right)^3} + \frac{3 a^4 \tan\left(\frac{1}{2}x\right)^5 + 20 a^4 \tan\left(\frac{1}{2}x\right)^3 + 90 a^4 \tan\left(\frac{1}{2}x\right)}{240 a^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^4/(a+a*cos(x)),x, algorithm="giac")`

[Out] $-1/48*(12*\tan(1/2*x)^2 + 1)/(a*\tan(1/2*x)^3) + 1/240*(3*a^4*\tan(1/2*x)^5 + 20*a^4*\tan(1/2*x)^3 + 90*a^4*\tan(1/2*x))/a^5$

maple [A] time = 0.06, size = 45, normalized size = 1.22

$$\frac{\frac{\tan^5\left(\frac{x}{2}\right)}{5} + \frac{4(\tan^3\left(\frac{x}{2}\right))}{3} + 6 \tan\left(\frac{x}{2}\right) - \frac{1}{3 \tan\left(\frac{x}{2}\right)^3} - \frac{4}{\tan\left(\frac{x}{2}\right)}}{16a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)^4/(a+a*cos(x)),x)`

[Out] $1/16/a*(1/5*\tan(1/2*x)^5+4/3*\tan(1/2*x)^3+6*\tan(1/2*x)-1/3/\tan(1/2*x)^3-4/\tan(1/2*x))$

maxima [B] time = 0.54, size = 70, normalized size = 1.89

$$\frac{\frac{90 \sin(x)}{\cos(x)+1} + \frac{20 \sin(x)^3}{(\cos(x)+1)^3} + \frac{3 \sin(x)^5}{(\cos(x)+1)^5} - \left(\frac{12 \sin(x)^2}{(\cos(x)+1)^2} + 1\right)(\cos(x) + 1)^3}{240 a} - \frac{1}{48 a \sin(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^4/(a+a*cos(x)),x, algorithm="maxima")`

[Out] $1/240*(90*\sin(x)/(\cos(x) + 1) + 20*\sin(x)^3/(\cos(x) + 1)^3 + 3*\sin(x)^5/(\cos(x) + 1)^5)/a - 1/48*(12*\sin(x)^2/(\cos(x) + 1)^2 + 1)*(\cos(x) + 1)^3/(a*\sin(x)^3)$

mupad [B] time = 0.37, size = 45, normalized size = 1.22

$$\frac{3 \tan\left(\frac{x}{2}\right)^8 + 20 \tan\left(\frac{x}{2}\right)^6 + 90 \tan\left(\frac{x}{2}\right)^4 - 60 \tan\left(\frac{x}{2}\right)^2 - 5}{240 a \tan\left(\frac{x}{2}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(1/(sin(x)^4*(a + a*cos(x))),x)
```

```
[Out] (90*tan(x/2)^4 - 60*tan(x/2)^2 + 20*tan(x/2)^6 + 3*tan(x/2)^8 - 5)/(240*a*tan(x/2)^3)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\frac{\int \frac{\csc^4(x)}{\cos(x)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(x)**4/(a+a*cos(x)),x)
```

```
[Out] Integral(csc(x)**4/(cos(x) + 1), x)/a
```

$$3.10 \quad \int \frac{\sin(2x)}{1+\cos(2x)} dx$$

Optimal. Leaf size=5

$$-\log(\cos(x))$$

[Out] $-\ln(\cos(x))$

Rubi [B] time = 0.02, antiderivative size = 11, normalized size of antiderivative = 2.20, number of steps used = 2, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2667, 31}

$$-\frac{1}{2} \log(\cos(2x) + 1)$$

Antiderivative was successfully verified.

[In] Int[Sin[2*x]/(1 + Cos[2*x]),x]

[Out] -Log[1 + Cos[2*x]]/2

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^{(m + (p - 1)/2)}*(a - x)^{((p - 1)/2)}, x], x, b*Sin[e + f*x], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a² - b², 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])}

Rubi steps

$$\begin{aligned} \int \frac{\sin(2x)}{1+\cos(2x)} dx &= -\left(\frac{1}{2} \text{Subst}\left(\int \frac{1}{1+x} dx, x, \cos(2x)\right)\right) \\ &= -\frac{1}{2} \log(1 + \cos(2x)) \end{aligned}$$

Mathematica [A] time = 0.00, size = 5, normalized size = 1.00

$$-\log(\cos(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[2*x]/(1 + Cos[2*x]),x]

[Out] -Log[Cos[x]]

fricas [B] time = 0.88, size = 11, normalized size = 2.20

$$-\frac{1}{2} \log\left(\frac{1}{2} \cos(2x) + \frac{1}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2*x)/(1+cos(2*x)),x, algorithm="fricas")

[Out] $-1/2 \cdot \log(1/2 \cdot \cos(2x) + 1/2)$

giac [A] time = 0.30, size = 9, normalized size = 1.80

$$-\frac{1}{2} \log(\cos(2x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1+cos(2*x)),x, algorithm="giac")`

[Out] $-1/2 \cdot \log(\cos(2x) + 1)$

maple [A] time = 0.02, size = 10, normalized size = 2.00

$$-\frac{\ln(1 + \cos(2x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(2*x)/(1+cos(2*x)),x)`

[Out] $-1/2 \cdot \ln(1 + \cos(2x))$

maxima [A] time = 0.47, size = 9, normalized size = 1.80

$$-\frac{1}{2} \log(\cos(2x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1+cos(2*x)),x, algorithm="maxima")`

[Out] $-1/2 \cdot \log(\cos(2x) + 1)$

mupad [B] time = 0.26, size = 7, normalized size = 1.40

$$-\frac{\ln(\cos(x)^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(2*x)/(cos(2*x) + 1),x)`

[Out] $-\log(\cos(x)^2)/2$

sympy [A] time = 0.11, size = 10, normalized size = 2.00

$$-\frac{\log(\cos(2x) + 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1+cos(2*x)),x)`

[Out] $-\log(\cos(2x) + 1)/2$

$$3.11 \quad \int \frac{\sin(2x)}{1-\cos(2x)} dx$$

Optimal. Leaf size=3

$$\log(\sin(x))$$

[Out] ln(sin(x))

Rubi [B] time = 0.02, antiderivative size = 13, normalized size of antiderivative = 4.33, number of steps used = 2, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {2667, 31}

$$\frac{1}{2} \log(1 - \cos(2x))$$

Antiderivative was successfully verified.

[In] Int[Sin[2*x]/(1 - Cos[2*x]),x]

[Out] Log[1 - Cos[2*x]]/2

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^{(m + (p - 1)/2)}*(a - x)^{((p - 1)/2)}, x], x, b*Sin[e + f*x], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a² - b², 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])}

Rubi steps

$$\begin{aligned} \int \frac{\sin(2x)}{1-\cos(2x)} dx &= \frac{1}{2} \text{Subst} \left(\int \frac{1}{1+x} dx, x, -\cos(2x) \right) \\ &= \frac{1}{2} \log(1 - \cos(2x)) \end{aligned}$$

Mathematica [A] time = 0.00, size = 3, normalized size = 1.00

$$\log(\sin(x))$$

Antiderivative was successfully verified.

[In] Integrate[Sin[2*x]/(1 - Cos[2*x]),x]

[Out] Log[Sin[x]]

fricas [B] time = 0.97, size = 11, normalized size = 3.67

$$\frac{1}{2} \log \left(-\frac{1}{2} \cos(2x) + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(2*x)/(1-cos(2*x)),x, algorithm="fricas")

[Out] $1/2 \cdot \log(-1/2 \cdot \cos(2x) + 1/2)$

giac [B] time = 0.41, size = 11, normalized size = 3.67

$$\frac{1}{2} \log(-\cos(2x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1-cos(2*x)),x, algorithm="giac")`

[Out] $1/2 \cdot \log(-\cos(2x) + 1)$

maple [B] time = 0.02, size = 12, normalized size = 4.00

$$\frac{\ln(1 - \cos(2x))}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(2*x)/(1-cos(2*x)),x)`

[Out] $1/2 \cdot \ln(1 - \cos(2x))$

maxima [B] time = 0.31, size = 9, normalized size = 3.00

$$\frac{1}{2} \log(\cos(2x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1-cos(2*x)),x, algorithm="maxima")`

[Out] $1/2 \cdot \log(\cos(2x) - 1)$

mupad [B] time = 0.08, size = 9, normalized size = 3.00

$$\frac{\ln(-\sin(x)^2)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(-sin(2*x)/(cos(2*x) - 1),x)`

[Out] $\log(-\sin(x)^2)/2$

sympy [B] time = 0.11, size = 8, normalized size = 2.67

$$\frac{\log(\cos(2x) - 1)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(2*x)/(1-cos(2*x)),x)`

[Out] $\log(\cos(2x) - 1)/2$

$$3.12 \quad \int \frac{\sin(x)}{(1+\cos(x))^2} dx$$

Optimal. Leaf size=6

$$\frac{1}{\cos(x) + 1}$$

[Out] 1/(1+cos(x))

Rubi [A] time = 0.02, antiderivative size = 6, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {2667, 32}

$$\frac{1}{\cos(x) + 1}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(1 + Cos[x])^2, x]

[Out] (1 + Cos[x])^(-1)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\int \frac{\sin(x)}{(1 + \cos(x))^2} dx = -\text{Subst}\left(\int \frac{1}{(1 + x)^2} dx, x, \cos(x)\right) = \frac{1}{1 + \cos(x)}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 2.00

$$\frac{1}{2} \sec^2\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(1 + Cos[x])^2, x]

[Out] Sec[x/2]^2/2

fricas [A] time = 0.98, size = 6, normalized size = 1.00

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x))^2,x, algorithm="fricas")

[Out] $1/(\cos(x) + 1)$

giac [A] time = 0.48, size = 6, normalized size = 1.00

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x))^2,x, algorithm="giac")`

[Out] $1/(\cos(x) + 1)$

maple [A] time = 0.02, size = 7, normalized size = 1.17

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)/(cos(x)+1)^2,x)`

[Out] $1/(\cos(x)+1)$

maxima [A] time = 0.60, size = 6, normalized size = 1.00

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x))^2,x, algorithm="maxima")`

[Out] $1/(\cos(x) + 1)$

mupad [B] time = 0.25, size = 6, normalized size = 1.00

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(sin(x)/(cos(x) + 1)^2,x)`

[Out] $1/(\cos(x) + 1)$

sympy [A] time = 0.32, size = 5, normalized size = 0.83

$$\frac{1}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(sin(x)/(1+cos(x))**2,x)`

[Out] $1/(\cos(x) + 1)$

$$3.13 \quad \int \frac{\sin(x)}{(1-\cos(x))^2} dx$$

Optimal. Leaf size=10

$$-\frac{1}{1-\cos(x)}$$

[Out] -1/(1-cos(x))

Rubi [A] time = 0.02, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2667, 32}

$$-\frac{1}{1-\cos(x)}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(1 - Cos[x])^2,x]

[Out] -(1 - Cos[x])^(-1)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2], x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{(1-\cos(x))^2} dx &= \text{Subst} \left(\int \frac{1}{(1+x)^2} dx, x, -\cos(x) \right) \\ &= -\frac{1}{1-\cos(x)} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.20

$$-\frac{1}{2} \csc^2 \left(\frac{x}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(1 - Cos[x])^2,x]

[Out] -1/2*Csc[x/2]^2

fricas [A] time = 1.22, size = 6, normalized size = 0.60

$$\frac{1}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^2,x, algorithm="fricas")

[Out] 1/(cos(x) - 1)

giac [A] time = 0.53, size = 6, normalized size = 0.60

$$\frac{1}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^2,x, algorithm="giac")

[Out] 1/(cos(x) - 1)

maple [A] time = 0.04, size = 11, normalized size = 1.10

$$-\frac{1}{1 - \cos(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(1-cos(x))^2,x)

[Out] -1/(1-cos(x))

maxima [A] time = 0.76, size = 6, normalized size = 0.60

$$\frac{1}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^2,x, algorithm="maxima")

[Out] 1/(cos(x) - 1)

mupad [B] time = 0.25, size = 6, normalized size = 0.60

$$\frac{1}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(cos(x) - 1)^2,x)

[Out] 1/(cos(x) - 1)

sympy [A] time = 0.32, size = 5, normalized size = 0.50

$$\frac{1}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))**2,x)

[Out] 1/(cos(x) - 1)

$$3.14 \quad \int \frac{\sin^2(x)}{(1+\cos(x))^2} dx$$

Optimal. Leaf size=14

$$\frac{2 \sin(x)}{\cos(x) + 1} - x$$

[Out] `-x+2*sin(x)/(1+cos(x))`

Rubi [A] time = 0.03, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2680, 8}

$$\frac{2 \sin(x)}{\cos(x) + 1} - x$$

Antiderivative was successfully verified.

[In] `Int[Sin[x]^2/(1 + Cos[x])^2,x]`

[Out] `-x + (2*Sin[x])/(1 + Cos[x])`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 2680

`Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Simp[(2*g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(2*m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(2*m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2*m, 2*p]`

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(x)}{(1 + \cos(x))^2} dx &= \frac{2 \sin(x)}{1 + \cos(x)} - \int 1 dx \\ &= -x + \frac{2 \sin(x)}{1 + \cos(x)} \end{aligned}$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.29

$$2 \tan\left(\frac{x}{2}\right) - 2 \tan^{-1}\left(\tan\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] `Integrate[Sin[x]^2/(1 + Cos[x])^2,x]`

[Out] `-2*ArcTan[Tan[x/2]] + 2*Tan[x/2]`

fricas [A] time = 1.10, size = 18, normalized size = 1.29

$$\frac{x \cos(x) + x - 2 \sin(x)}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^2,x, algorithm="fricas")

[Out] $-(x \cos(x) + x - 2 \sin(x)) / (\cos(x) + 1)$

giac [A] time = 0.46, size = 10, normalized size = 0.71

$$-x + 2 \tan\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^2,x, algorithm="giac")

[Out] $-x + 2 \tan(1/2*x)$

maple [A] time = 0.04, size = 11, normalized size = 0.79

$$2 \tan\left(\frac{x}{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(cos(x)+1)^2,x)

[Out] $2 \tan(1/2*x) - x$

maxima [A] time = 0.91, size = 23, normalized size = 1.64

$$\frac{2 \sin(x)}{\cos(x) + 1} - 2 \arctan\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^2,x, algorithm="maxima")

[Out] $2 \sin(x) / (\cos(x) + 1) - 2 \arctan(\sin(x) / (\cos(x) + 1))$

mupad [B] time = 0.30, size = 10, normalized size = 0.71

$$2 \tan\left(\frac{x}{2}\right) - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(cos(x) + 1)^2,x)

[Out] $2 \tan(x/2) - x$

sympy [A] time = 0.46, size = 7, normalized size = 0.50

$$-x + 2 \tan\left(\frac{x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**2/(1+cos(x))**2,x)

[Out] $-x + 2 \tan(x/2)$

$$3.15 \quad \int \frac{\sin^2(x)}{(1-\cos(x))^2} dx$$

Optimal. Leaf size=16

$$-x - \frac{2 \sin(x)}{1 - \cos(x)}$$

[Out] `-x-2*sin(x)/(1-cos(x))`

Rubi [A] time = 0.03, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2680, 8}

$$-x - \frac{2 \sin(x)}{1 - \cos(x)}$$

Antiderivative was successfully verified.

[In] `Int[Sin[x]^2/(1 - Cos[x])^2,x]`

[Out] `-x - (2*Sin[x])/(1 - Cos[x])`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 2680

`Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := Simp[(2*g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(2*m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(2*m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 2), x], x] /; FreeQ[{a, b, e, f, g}, x] && EqQ[a^2 - b^2, 0] && LeQ[m, -2] && GtQ[p, 1] && NeQ[2*m + p + 1, 0] && !ILtQ[m + p + 1, 0] && IntegersQ[2*m, 2*p]`

Rubi steps

$$\begin{aligned} \int \frac{\sin^2(x)}{(1-\cos(x))^2} dx &= -\frac{2 \sin(x)}{1 - \cos(x)} - \int 1 dx \\ &= -x - \frac{2 \sin(x)}{1 - \cos(x)} \end{aligned}$$

Mathematica [C] time = 0.01, size = 26, normalized size = 1.62

$$-2 \cot\left(\frac{x}{2}\right) {}_2F_1\left(-\frac{1}{2}, 1; \frac{1}{2}; -\tan^2\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] `Integrate[Sin[x]^2/(1 - Cos[x])^2,x]`

[Out] `-2*Cot[x/2]*Hypergeometric2F1[-1/2, 1, 1/2, -Tan[x/2]^2]`

fricas [A] time = 1.41, size = 16, normalized size = 1.00

$$\frac{x \sin(x) + 2 \cos(x) + 2}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^2,x, algorithm="fricas")

[Out] -(x*sin(x) + 2*cos(x) + 2)/sin(x)

giac [A] time = 0.37, size = 12, normalized size = 0.75

$$-x - \frac{2}{\tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^2,x, algorithm="giac")

[Out] -x - 2/tan(1/2*x)

maple [A] time = 0.07, size = 13, normalized size = 0.81

$$-\frac{2}{\tan\left(\frac{x}{2}\right)} - x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(1-cos(x))^2,x)

[Out] -2/tan(1/2*x)-x

maxima [A] time = 1.14, size = 23, normalized size = 1.44

$$-\frac{2(\cos(x) + 1)}{\sin(x)} - 2 \arctan\left(\frac{\sin(x)}{\cos(x) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^2,x, algorithm="maxima")

[Out] -2*(cos(x) + 1)/sin(x) - 2*arctan(sin(x)/(cos(x) + 1))

mupad [B] time = 0.31, size = 10, normalized size = 0.62

$$-x - 2 \cot\left(\frac{x}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(cos(x) - 1)^2,x)

[Out] -x - 2*cot(x/2)

sympy [A] time = 0.88, size = 8, normalized size = 0.50

$$-x - \frac{2}{\tan\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**2/(1-cos(x))**2,x)

[Out] -x - 2/tan(x/2)

$$3.16 \quad \int \frac{\sin^3(x)}{(1+\cos(x))^2} dx$$

Optimal. Leaf size=10

$$\cos(x) - 2 \log(\cos(x) + 1)$$

[Out] $\cos(x) - 2 * \ln(1 + \cos(x))$

Rubi [A] time = 0.04, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2667, 43}

$$\cos(x) - 2 \log(\cos(x) + 1)$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Sin}[x]^3 / (1 + \text{Cos}[x])^2, x]$

[Out] $\text{Cos}[x] - 2 * \text{Log}[1 + \text{Cos}[x]]$

Rule 43

$\text{Int}[(a_. + (b_.)(x_.))^{(m_.)}((c_.) + (d_.)(x_.))^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(a + b*x)^m*(c + d*x)^n, x], x] /;$ FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2667

$\text{Int}[\cos[(e_.) + (f_.)(x_.)]^{(p_.)}((a_.) + (b_.)\sin[(e_.) + (f_.)(x_.)])^{(m_.)}, x_Symbol] \rightarrow \text{Dist}[1/(b^p*f), \text{Subst}[\text{Int}[(a + x)^{(m + (p - 1)/2)}*(a - x)^{((p - 1)/2)}, x], x, b*\text{Sin}[e + f*x]], x] /;$ FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{(1 + \cos(x))^2} dx &= -\text{Subst} \left(\int \frac{1-x}{1+x} dx, x, \cos(x) \right) \\ &= -\text{Subst} \left(\int \left(-1 + \frac{2}{1+x} \right) dx, x, \cos(x) \right) \\ &= \cos(x) - 2 \log(1 + \cos(x)) \end{aligned}$$

Mathematica [A] time = 0.02, size = 13, normalized size = 1.30

$$\cos(x) - 4 \log \left(\cos \left(\frac{x}{2} \right) \right) - 1$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[\text{Sin}[x]^3 / (1 + \text{Cos}[x])^2, x]$

[Out] $-1 + \text{Cos}[x] - 4 * \text{Log}[\text{Cos}[x/2]]$

fricas [A] time = 1.52, size = 12, normalized size = 1.20

$$\cos(x) - 2 \log \left(\frac{1}{2} \cos(x) + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^2,x, algorithm="fricas")

[Out] cos(x) - 2*log(1/2*cos(x) + 1/2)

giac [A] time = 0.44, size = 10, normalized size = 1.00

$$\cos(x) - 2 \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^2,x, algorithm="giac")

[Out] cos(x) - 2*log(cos(x) + 1)

maple [A] time = 0.04, size = 11, normalized size = 1.10

$$\cos(x) - 2 \ln(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x)+1)^2,x)

[Out] cos(x)-2*ln(cos(x)+1)

maxima [A] time = 0.57, size = 10, normalized size = 1.00

$$\cos(x) - 2 \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^2,x, algorithm="maxima")

[Out] cos(x) - 2*log(cos(x) + 1)

mupad [B] time = 0.25, size = 10, normalized size = 1.00

$$\cos(x) - 2 \ln(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x) + 1)^2,x)

[Out] cos(x) - 2*log(cos(x) + 1)

sympy [B] time = 0.46, size = 58, normalized size = 5.80

$$-\frac{2 \log(\cos(x) + 1) \cos(x)}{\cos(x) + 1} - \frac{2 \log(\cos(x) + 1)}{\cos(x) + 1} + \frac{\sin^2(x)}{\cos(x) + 1} + \frac{2 \cos^2(x)}{\cos(x) + 1} - \frac{2}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(1+cos(x))**2,x)

[Out] -2*log(cos(x) + 1)*cos(x)/(cos(x) + 1) - 2*log(cos(x) + 1)/(cos(x) + 1) + sin(x)**2/(cos(x) + 1) + 2*cos(x)**2/(cos(x) + 1) - 2/(cos(x) + 1)

$$3.17 \quad \int \frac{\sin^3(x)}{(1-\cos(x))^2} dx$$

Optimal. Leaf size=12

$$\cos(x) + 2 \log(1 - \cos(x))$$

[Out] cos(x)+2*ln(1-cos(x))

Rubi [A] time = 0.04, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2667, 43}

$$\cos(x) + 2 \log(1 - \cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^3/(1 - Cos[x])^2,x]

[Out] Cos[x] + 2*Log[1 - Cos[x]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{(1-\cos(x))^2} dx &= \text{Subst} \left(\int \frac{1-x}{1+x} dx, x, -\cos(x) \right) \\ &= \text{Subst} \left(\int \left(-1 + \frac{2}{1+x} \right) dx, x, -\cos(x) \right) \\ &= \cos(x) + 2 \log(1 - \cos(x)) \end{aligned}$$

Mathematica [A] time = 0.02, size = 13, normalized size = 1.08

$$\cos(x) + 4 \log \left(\sin \left(\frac{x}{2} \right) \right) - 1$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^3/(1 - Cos[x])^2,x]

[Out] -1 + Cos[x] + 4*Log[Sin[x/2]]

fricas [A] time = 1.03, size = 12, normalized size = 1.00

$$\cos(x) + 2 \log \left(-\frac{1}{2} \cos(x) + \frac{1}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^2,x, algorithm="fricas")

[Out] cos(x) + 2*log(-1/2*cos(x) + 1/2)

giac [A] time = 0.40, size = 12, normalized size = 1.00

$$\cos(x) + 2 \log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^2,x, algorithm="giac")

[Out] cos(x) + 2*log(-cos(x) + 1)

maple [A] time = 0.06, size = 11, normalized size = 0.92

$$\cos(x) + 2 \ln(-1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(1-cos(x))^2,x)

[Out] cos(x)+2*ln(-1+cos(x))

maxima [A] time = 0.30, size = 10, normalized size = 0.83

$$\cos(x) + 2 \log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^2,x, algorithm="maxima")

[Out] cos(x) + 2*log(cos(x) - 1)

mupad [B] time = 0.04, size = 10, normalized size = 0.83

$$2 \ln(\cos(x) - 1) + \cos(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x) - 1)^2,x)

[Out] 2*log(cos(x) - 1) + cos(x)

sympy [B] time = 0.47, size = 58, normalized size = 4.83

$$\frac{2 \log(\cos(x) - 1) \cos(x)}{\cos(x) - 1} - \frac{2 \log(\cos(x) - 1)}{\cos(x) - 1} + \frac{\sin^2(x)}{\cos(x) - 1} + \frac{2 \cos^2(x)}{\cos(x) - 1} - \frac{2}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(1-cos(x))**2,x)

[Out] 2*log(cos(x) - 1)*cos(x)/(cos(x) - 1) - 2*log(cos(x) - 1)/(cos(x) - 1) + sin(x)**2/(cos(x) - 1) + 2*cos(x)**2/(cos(x) - 1) - 2/(cos(x) - 1)

$$3.18 \quad \int \frac{\sin(x)}{(1+\cos(x))^3} dx$$

Optimal. Leaf size=10

$$\frac{1}{2(\cos(x) + 1)^2}$$

[Out] 1/2/(1+cos(x))^2

Rubi [A] time = 0.02, antiderivative size = 10, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 9, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {2667, 32}

$$\frac{1}{2(\cos(x) + 1)^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(1 + Cos[x])^3,x]

[Out] 1/(2*(1 + Cos[x])^2)

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2], x], x, b*Sine[e + f*x], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{(1 + \cos(x))^3} dx &= -\text{Subst} \left(\int \frac{1}{(1 + x)^3} dx, x, \cos(x) \right) \\ &= \frac{1}{2(1 + \cos(x))^2} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.20

$$\frac{1}{8} \sec^4 \left(\frac{x}{2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(1 + Cos[x])^3,x]

[Out] Sec[x/2]^4/8

fricas [A] time = 0.82, size = 14, normalized size = 1.40

$$\frac{1}{2(\cos(x)^2 + 2 \cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x))^3,x, algorithm="fricas")

[Out] 1/2/(cos(x)^2 + 2*cos(x) + 1)

giac [A] time = 1.05, size = 8, normalized size = 0.80

$$\frac{1}{2(\cos(x) + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x))^3,x, algorithm="giac")

[Out] 1/2/(cos(x) + 1)^2

maple [A] time = 0.02, size = 9, normalized size = 0.90

$$\frac{1}{2(\cos(x) + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(cos(x)+1)^3,x)

[Out] 1/2/(cos(x)+1)^2

maxima [A] time = 1.21, size = 8, normalized size = 0.80

$$\frac{1}{2(\cos(x) + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x))^3,x, algorithm="maxima")

[Out] 1/2/(cos(x) + 1)^2

mupad [B] time = 0.04, size = 8, normalized size = 0.80

$$\frac{1}{2(\cos(x) + 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(cos(x) + 1)^3,x)

[Out] 1/(2*(cos(x) + 1)^2)

sympy [A] time = 0.55, size = 14, normalized size = 1.40

$$\frac{1}{2\cos^2(x) + 4\cos(x) + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1+cos(x))**3,x)

[Out] 1/(2*cos(x)**2 + 4*cos(x) + 2)

$$3.19 \quad \int \frac{\sin(x)}{(1-\cos(x))^3} dx$$

Optimal. Leaf size=12

$$-\frac{1}{2(1-\cos(x))^2}$$

[Out] -1/2/(1-cos(x))^2

Rubi [A] time = 0.02, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2667, 32}

$$-\frac{1}{2(1-\cos(x))^2}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(1 - Cos[x])^3, x]

[Out] -1/(2*(1 - Cos[x])^2)

Rule 32

Int[(a_.) + (b_.)*(x_)^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^(p - 1)/2, x], x, b*SIN[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{(1-\cos(x))^3} dx &= \text{Subst} \left(\int \frac{1}{(1+x)^3} dx, x, -\cos(x) \right) \\ &= -\frac{1}{2(1-\cos(x))^2} \end{aligned}$$

Mathematica [A] time = 0.01, size = 12, normalized size = 1.00

$$-\frac{1}{8} \csc^4\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(1 - Cos[x])^3, x]

[Out] -1/8*Csc[x/2]^4

fricas [A] time = 0.94, size = 14, normalized size = 1.17

$$-\frac{1}{2(\cos(x)^2 - 2\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^3,x, algorithm="fricas")

[Out] -1/2/(cos(x)^2 - 2*cos(x) + 1)

giac [A] time = 0.48, size = 8, normalized size = 0.67

$$-\frac{1}{2(\cos(x) - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^3,x, algorithm="giac")

[Out] -1/2/(cos(x) - 1)^2

maple [A] time = 0.04, size = 11, normalized size = 0.92

$$-\frac{1}{2(1 - \cos(x))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(1-cos(x))^3,x)

[Out] -1/2/(1-cos(x))^2

maxima [A] time = 0.50, size = 8, normalized size = 0.67

$$-\frac{1}{2(\cos(x) - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))^3,x, algorithm="maxima")

[Out] -1/2/(cos(x) - 1)^2

mupad [B] time = 0.04, size = 8, normalized size = 0.67

$$-\frac{1}{2(\cos(x) - 1)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-sin(x)/(cos(x) - 1)^3,x)

[Out] -1/(2*(cos(x) - 1)^2)

sympy [A] time = 0.55, size = 15, normalized size = 1.25

$$-\frac{1}{2\cos^2(x) - 4\cos(x) + 2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(1-cos(x))**3,x)

[Out] -1/(2*cos(x)**2 - 4*cos(x) + 2)

$$3.20 \quad \int \frac{\sin^2(x)}{(1+\cos(x))^3} dx$$

Optimal. Leaf size=14

$$\frac{\sin^3(x)}{3(\cos(x)+1)^3}$$

[Out] 1/3*sin(x)^3/(1+cos(x))^3

Rubi [A] time = 0.03, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2671}

$$\frac{\sin^3(x)}{3(\cos(x)+1)^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2/(1 + Cos[x])^3,x]

[Out] Sin[x]^3/(3*(1 + Cos[x])^3)

Rule 2671

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_), x_Symbol] :> Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(a*f*g*m), x] /; FreeQ[{a, b, e, f, g, m, p}, x] && EqQ[a^2 - b^2, 0] && EqQ[Simplify[m + p + 1], 0] && !ILtQ[p, 0]
```

Rubi steps

$$\int \frac{\sin^2(x)}{(1+\cos(x))^3} dx = \frac{\sin^3(x)}{3(1+\cos(x))^3}$$

Mathematica [A] time = 0.03, size = 12, normalized size = 0.86

$$\frac{1}{3} \tan^3\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(1 + Cos[x])^3,x]

[Out] Tan[x/2]^3/3

fricas [A] time = 1.07, size = 20, normalized size = 1.43

$$-\frac{(\cos(x)-1)\sin(x)}{3(\cos(x)^2+2\cos(x)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^3,x, algorithm="fricas")

[Out] -1/3*(cos(x) - 1)*sin(x)/(cos(x)^2 + 2*cos(x) + 1)

giac [A] time = 0.43, size = 8, normalized size = 0.57

$$\frac{1}{3} \tan^3\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^3,x, algorithm="giac")

[Out] 1/3*tan(1/2*x)^3

maple [A] time = 0.05, size = 9, normalized size = 0.64

$$\frac{\left(\tan^3\left(\frac{x}{2}\right)\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(cos(x)+1)^3,x)

[Out] 1/3*tan(1/2*x)^3

maxima [A] time = 0.62, size = 12, normalized size = 0.86

$$\frac{\sin(x)^3}{3(\cos(x) + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1+cos(x))^3,x, algorithm="maxima")

[Out] 1/3*sin(x)^3/(cos(x) + 1)^3

mupad [B] time = 0.26, size = 8, normalized size = 0.57

$$\frac{\tan\left(\frac{x}{2}\right)^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(cos(x) + 1)^3,x)

[Out] tan(x/2)^3/3

sympy [A] time = 0.79, size = 7, normalized size = 0.50

$$\frac{\tan^3\left(\frac{x}{2}\right)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**2/(1+cos(x))**3,x)

[Out] tan(x/2)**3/3

$$3.21 \quad \int \frac{\sin^2(x)}{(1-\cos(x))^3} dx$$

Optimal. Leaf size=16

$$-\frac{\sin^3(x)}{3(1-\cos(x))^3}$$

[Out] -1/3*sin(x)^3/(1-cos(x))^3

Rubi [A] time = 0.03, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$, Rules used = {2671}

$$-\frac{\sin^3(x)}{3(1-\cos(x))^3}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2/(1 - Cos[x])^3,x]

[Out] -Sin[x]^3/(3*(1 - Cos[x])^3)

Rule 2671

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] :> Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(a*f*g*m), x] /; FreeQ[{a, b, e, f, g, m, p}, x] && EqQ[a^2 - b^2, 0] && EqQ[Simplify[m + p + 1], 0] && !ILtQ[p, 0]
```

Rubi steps

$$\int \frac{\sin^2(x)}{(1-\cos(x))^3} dx = -\frac{\sin^3(x)}{3(1-\cos(x))^3}$$

Mathematica [A] time = 0.03, size = 12, normalized size = 0.75

$$-\frac{1}{3} \cot^3\left(\frac{x}{2}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(1 - Cos[x])^3,x]

[Out] -1/3*Cot[x/2]^3

fricas [A] time = 0.79, size = 22, normalized size = 1.38

$$\frac{\cos(x)^2 + 2 \cos(x) + 1}{3(\cos(x) - 1) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^3,x, algorithm="fricas")

[Out] 1/3*(cos(x)^2 + 2*cos(x) + 1)/((cos(x) - 1)*sin(x))

giac [A] time = 0.98, size = 8, normalized size = 0.50

$$-\frac{1}{3 \tan\left(\frac{1}{2} x\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^3,x, algorithm="giac")

[Out] -1/3/tan(1/2*x)^3

maple [A] time = 0.07, size = 9, normalized size = 0.56

$$-\frac{1}{3 \tan\left(\frac{x}{2}\right)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(1-cos(x))^3,x)

[Out] -1/3/tan(1/2*x)^3

maxima [A] time = 0.30, size = 12, normalized size = 0.75

$$-\frac{(\cos(x) + 1)^3}{3 \sin(x)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(1-cos(x))^3,x, algorithm="maxima")

[Out] -1/3*(cos(x) + 1)^3/sin(x)^3

mupad [B] time = 0.35, size = 8, normalized size = 0.50

$$-\frac{\cot\left(\frac{x}{2}\right)^3}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-sin(x)^2/(cos(x) - 1)^3,x)

[Out] -cot(x/2)^3/3

sympy [A] time = 1.33, size = 10, normalized size = 0.62

$$-\frac{1}{3 \tan^3\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**2/(1-cos(x))**3,x)

[Out] -1/(3*tan(x/2)**3)

$$3.22 \quad \int \frac{\sin^3(x)}{(1+\cos(x))^3} dx$$

Optimal. Leaf size=14

$$\frac{2}{\cos(x)+1} + \log(\cos(x)+1)$$

[Out] 2/(1+cos(x))+ln(1+cos(x))

Rubi [A] time = 0.04, antiderivative size = 14, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2667, 43}

$$\frac{2}{\cos(x)+1} + \log(\cos(x)+1)$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^3/(1 + Cos[x])^3,x]

[Out] 2/(1 + Cos[x]) + Log[1 + Cos[x]]

Rule 43

Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && LeQ[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])

Rule 2667

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2])

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{(1+\cos(x))^3} dx &= -\text{Subst}\left(\int \frac{1-x}{(1+x)^2} dx, x, \cos(x)\right) \\ &= -\text{Subst}\left(\int \left(\frac{1}{-1-x} + \frac{2}{(1+x)^2}\right) dx, x, \cos(x)\right) \\ &= \frac{2}{1+\cos(x)} + \log(1+\cos(x)) \end{aligned}$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.29

$$\tan^2\left(\frac{x}{2}\right) + 2 \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^3/(1 + Cos[x])^3,x]

[Out] 2*Log[Cos[x/2]] + Tan[x/2]^2

fricas [A] time = 0.81, size = 21, normalized size = 1.50

$$\frac{(\cos(x) + 1) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + 2}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^3,x, algorithm="fricas")

[Out] ((cos(x) + 1)*log(1/2*cos(x) + 1/2) + 2)/(cos(x) + 1)

giac [A] time = 0.36, size = 14, normalized size = 1.00

$$\frac{2}{\cos(x) + 1} + \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^3,x, algorithm="giac")

[Out] 2/(cos(x) + 1) + log(cos(x) + 1)

maple [A] time = 0.05, size = 15, normalized size = 1.07

$$\frac{2}{\cos(x) + 1} + \ln(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x)+1)^3,x)

[Out] 2/(cos(x)+1)+ln(cos(x)+1)

maxima [A] time = 0.46, size = 14, normalized size = 1.00

$$\frac{2}{\cos(x) + 1} + \log(\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1+cos(x))^3,x, algorithm="maxima")

[Out] 2/(cos(x) + 1) + log(cos(x) + 1)

mupad [B] time = 0.04, size = 14, normalized size = 1.00

$$\ln(\cos(x) + 1) + \frac{2}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(cos(x) + 1)^3,x)

[Out] log(cos(x) + 1) + 2/(cos(x) + 1)

sympy [B] time = 0.59, size = 126, normalized size = 9.00

$$\frac{2 \log(\cos(x) + 1) \cos^2(x)}{2 \cos^2(x) + 4 \cos(x) + 2} + \frac{4 \log(\cos(x) + 1) \cos(x)}{2 \cos^2(x) + 4 \cos(x) + 2} + \frac{2 \log(\cos(x) + 1)}{2 \cos^2(x) + 4 \cos(x) + 2} + \frac{\sin^2(x)}{2 \cos^2(x) + 4 \cos(x) + 2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(1+cos(x))**3,x)

[Out] 2*log(cos(x) + 1)*cos(x)**2/(2*cos(x)**2 + 4*cos(x) + 2) + 4*log(cos(x) + 1)*cos(x)/(2*cos(x)**2 + 4*cos(x) + 2) + 2*log(cos(x) + 1)/(2*cos(x)**2 + 4*cos(x) + 2) + sin(x)**2/(2*cos(x)**2 + 4*cos(x) + 2) + 2*cos(x)/(2*cos(x)**2 + 4*cos(x) + 2) + 2/(2*cos(x)**2 + 4*cos(x) + 2)

$$3.23 \quad \int \frac{\sin^3(x)}{(1-\cos(x))^3} dx$$

Optimal. Leaf size=20

$$-\frac{2}{1-\cos(x)} - \log(1-\cos(x))$$

[Out] -2/(1-cos(x))-ln(1-cos(x))

Rubi [A] time = 0.04, antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2667, 43}

$$-\frac{2}{1-\cos(x)} - \log(1-\cos(x))$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^3/(1 - Cos[x])^3,x]

[Out] -2/(1 - Cos[x]) - Log[1 - Cos[x]]

Rule 43

```
Int[((a_.) + (b_.)*(x_))^(m_.)*((c_.) + (d_.)*(x_))^(n_.), x_Symbol] :> Int
[ExpandIntegrand[(a + b*x)^m*(c + d*x)^n, x], x] /; FreeQ[{a, b, c, d, n},
x] && NeQ[b*c - a*d, 0] && IGtQ[m, 0] && (!IntegerQ[n] || (EqQ[c, 0] && Le
Q[7*m + 4*n + 4, 0]) || LtQ[9*m + 5*(n + 1), 0] || GtQ[m + n + 2, 0])
```

Rule 2667

```
Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m
_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^(m + (p - 1)/2)*(a - x)
^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && In
tegerQ[(p - 1)/2] && EqQ[a^2 - b^2, 0] && (GeQ[p, -1] || !IntegerQ[m + 1/2
])
```

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{(1-\cos(x))^3} dx &= \text{Subst} \left(\int \frac{1-x}{(1+x)^2} dx, x, -\cos(x) \right) \\ &= \text{Subst} \left(\int \left(\frac{1}{-1-x} + \frac{2}{(1+x)^2} \right) dx, x, -\cos(x) \right) \\ &= -\frac{2}{1-\cos(x)} - \log(1-\cos(x)) \end{aligned}$$

Mathematica [A] time = 0.01, size = 29, normalized size = 1.45

$$-\cot^2\left(\frac{x}{2}\right) - 2 \log\left(\tan\left(\frac{x}{2}\right)\right) - 2 \log\left(\cos\left(\frac{x}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^3/(1 - Cos[x])^3,x]

[Out] -Cot[x/2]^2 - 2*Log[Cos[x/2]] - 2*Log[Tan[x/2]]

fricas [A] time = 0.67, size = 22, normalized size = 1.10

$$\frac{(\cos(x) - 1) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right) - 2}{\cos(x) - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^3,x, algorithm="fricas")

[Out] -((cos(x) - 1)*log(-1/2*cos(x) + 1/2) - 2)/(cos(x) - 1)

giac [A] time = 0.41, size = 18, normalized size = 0.90

$$\frac{2}{\cos(x) - 1} - \log(-\cos(x) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^3,x, algorithm="giac")

[Out] 2/(cos(x) - 1) - log(-cos(x) + 1)

maple [A] time = 0.07, size = 17, normalized size = 0.85

$$\frac{2}{-1 + \cos(x)} - \ln(-1 + \cos(x))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(1-cos(x))^3,x)

[Out] 2/(-1+cos(x))-ln(-1+cos(x))

maxima [A] time = 0.76, size = 16, normalized size = 0.80

$$\frac{2}{\cos(x) - 1} - \log(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(1-cos(x))^3,x, algorithm="maxima")

[Out] 2/(cos(x) - 1) - log(cos(x) - 1)

mupad [B] time = 0.04, size = 16, normalized size = 0.80

$$\frac{2}{\cos(x) - 1} - \ln(\cos(x) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(-sin(x)^3/(cos(x) - 1)^3,x)

[Out] 2/(cos(x) - 1) - log(cos(x) - 1)

sympy [B] time = 0.58, size = 126, normalized size = 6.30

$$\frac{2 \log(\cos(x) - 1) \cos^2(x)}{2 \cos^2(x) - 4 \cos(x) + 2} + \frac{4 \log(\cos(x) - 1) \cos(x)}{2 \cos^2(x) - 4 \cos(x) + 2} - \frac{2 \log(\cos(x) - 1)}{2 \cos^2(x) - 4 \cos(x) + 2} - \frac{\sin^2(x)}{2 \cos^2(x) - 4 \cos(x) + 2} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(1-cos(x))**3,x)

[Out] -2*log(cos(x) - 1)*cos(x)**2/(2*cos(x)**2 - 4*cos(x) + 2) + 4*log(cos(x) - 1)*cos(x)/(2*cos(x)**2 - 4*cos(x) + 2) - 2*log(cos(x) - 1)/(2*cos(x)**2 - 4*cos(x) + 2) - sin(x)**2/(2*cos(x)**2 - 4*cos(x) + 2) + 2*cos(x)/(2*cos(x)**2 - 4*cos(x) + 2) - 2/(2*cos(x)**2 - 4*cos(x) + 2)

3.24 $\int \frac{\sin^4(x)}{a+b \cos(x)} dx$

Optimal. Leaf size=104

$$-\frac{ax(2a^2-3b^2)}{2b^4} + \frac{\sin(x)(2(a^2-b^2)-ab\cos(x))}{2b^3} + \frac{2(a-b)^{3/2}(a+b)^{3/2}\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^4} - \frac{\sin^3(x)}{3b}$$

[Out] $-1/2*a*(2*a^2-3*b^2)*x/b^4+2*(a-b)^{(3/2)}*(a+b)^{(3/2)}*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)})/b^4+1/2*(2*a^2-2*b^2-a*b*\cos(x))*\sin(x)/b^3-1/3*\sin(x)^3/b$

Rubi [A] time = 0.26, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {2695, 2865, 2735, 2659, 205}

$$-\frac{ax(2a^2-3b^2)}{2b^4} + \frac{\sin(x)(2(a^2-b^2)-ab\cos(x))}{2b^3} + \frac{2(a-b)^{3/2}(a+b)^{3/2}\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^4} - \frac{\sin^3(x)}{3b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^4/(a + b*Cos[x]), x]

[Out] $-(a*(2*a^2-3*b^2)*x)/(2*b^4) + (2*(a-b)^{(3/2)}*(a+b)^{(3/2)}*\text{ArcTan}[\text{Sqrt}[a-b]*\text{Tan}[x/2)]/\text{Sqrt}[a+b])/b^4 + ((2*(a^2-b^2)-a*b*\cos[x])*Sin[x])/(2*b^3) - \sin[x]^3/(3*b)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2695

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p-1)*(a + b*Sin[e + f*x])^(m+1))/(b*f*(m+p)), x] + Dist[(g^2*(p-1))/(b*(m+p)), Int[(g*Cos[e + f*x])^(p-2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rule 2865

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p-1)*(a + b*Sin[e + f*x])^(m+1)*(b*c*(m+p+1) - a*d*

$p + b*d*(m + p)*\text{Sin}[e + f*x])]/(b^2*f*(m + p)*(m + p + 1)), x] + \text{Dist}[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^(p - 2)*(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p)))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[p, 1] \&\& \text{NeQ}[m + p, 0] \&\& \text{NeQ}[m + p + 1, 0] \&\& \text{IntegerQ}[2*m]$

Rubi steps

$$\begin{aligned} \int \frac{\sin^4(x)}{a + b \cos(x)} dx &= -\frac{\sin^3(x)}{3b} - \frac{\int \frac{(-b-a \cos(x)) \sin^2(x)}{a+b \cos(x)} dx}{b} \\ &= \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2b^3} - \frac{\sin^3(x)}{3b} - \frac{\int \frac{b(a^2-2b^2)+a(2a^2-3b^2) \cos(x)}{a+b \cos(x)} dx}{2b^3} \\ &= -\frac{a(2a^2 - 3b^2)x}{2b^4} + \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2b^3} - \frac{\sin^3(x)}{3b} + \frac{(a^2 - b^2)^2 \int \frac{1}{a+b \cos(x)} dx}{b^4} \\ &= -\frac{a(2a^2 - 3b^2)x}{2b^4} + \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2b^3} - \frac{\sin^3(x)}{3b} + \frac{(2(a^2 - b^2)^2) \text{Subst}\left(\int \frac{1}{u} du\right)}{b^4} \\ &= -\frac{a(2a^2 - 3b^2)x}{2b^4} + \frac{2(a-b)^{3/2}(a+b)^{3/2} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^4} + \frac{(2(a^2 - b^2) - ab \cos(x)) \sin(x)}{2b^3} \end{aligned}$$

Mathematica [A] time = 0.21, size = 96, normalized size = 0.92

$$\frac{-12a^3x + 3b(4a^2 - 5b^2)\sin(x) - 24(b^2 - a^2)^{3/2} \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{b^2-a^2}}\right) + 18ab^2x - 3ab^2\sin(2x) + b^3\sin(3x)}{12b^4}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^4/(a + b*Cos[x]), x]

[Out] $(-12*a^3*x + 18*a*b^2*x - 24*(-a^2 + b^2)^{(3/2)}*\text{ArcTanh}[\frac{(a - b)*\text{Tan}[x/2]}{\text{Sqrt}[-a^2 + b^2]}] + 3*b*(4*a^2 - 5*b^2)*\text{Sin}[x] - 3*a*b^2*\text{Sin}[2*x] + b^3*\text{Sin}[3*x])/(12*b^4)$

fricas [A] time = 1.06, size = 243, normalized size = 2.34

$$\frac{3(a^2 - b^2)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2}(a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) + 3(2a^3 - 3ab^2)x - (2b^3 \cos(x)^2 - 3a^2b \cos(x) + 6a^2b - 8b^3) \sin(x)}{6b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+b*cos(x)), x, algorithm="fricas")

[Out] $[-1/6*(3*(a^2 - b^2)*\text{sqrt}(-a^2 + b^2)*\log((2*a*b*\cos(x) + (2*a^2 - b^2)*\cos(x)^2 + 2*\text{sqrt}(-a^2 + b^2)*(a*\cos(x) + b)*\sin(x) - a^2 + 2*b^2)/(b^2*\cos(x)^2 + 2*a*b*\cos(x) + a^2)) + 3*(2*a^3 - 3*a*b^2)*x - (2*b^3*\cos(x)^2 - 3*a*b^2*\cos(x) + 6*a^2*b - 8*b^3)*\sin(x)]/b^4, 1/6*(6*(a^2 - b^2)^{(3/2)}*\text{arctan}(-(a*\cos(x) + b)/(\text{sqrt}(a^2 - b^2)*\sin(x))) - 3*(2*a^3 - 3*a*b^2)*x + (2*b^3*\cos(x)^2 - 3*a*b^2*\cos(x) + 6*a^2*b - 8*b^3)*\sin(x)]/b^4]$

giac [B] time = 0.52, size = 194, normalized size = 1.87

$$\frac{(2a^3 - 3ab^2)x}{2b^4} - \frac{2(a^4 - 2a^2b^2 + b^4) \left(\pi \left[\frac{x}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a + 2b) + \arctan \left(-\frac{a \tan(\frac{1}{2}x) - b \tan(\frac{1}{2}x)}{\sqrt{a^2 - b^2}} \right) \right)}{\sqrt{a^2 - b^2} b^4} + \frac{6a^2 \tan(\frac{1}{2}x)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+b*cos(x)),x, algorithm="giac")

[Out] $-\frac{1}{2}*(2*a^3 - 3*a*b^2)*x/b^4 - 2*(a^4 - 2*a^2*b^2 + b^4)*(pi*\text{floor}(1/2*x/pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*x) - b*\tan(1/2*x))/\sqrt{a^2 - b^2}))/(\sqrt{a^2 - b^2}*b^4) + 1/3*(6*a^2*\tan(1/2*x)^5 + 3*a*b*\tan(1/2*x)^5 - 6*b^2*\tan(1/2*x)^5 + 12*a^2*\tan(1/2*x)^3 - 20*b^2*\tan(1/2*x)^3 + 6*a^2*\tan(1/2*x) - 3*a*b*\tan(1/2*x) - 6*b^2*\tan(1/2*x))/((\tan(1/2*x)^2 + 1)^3*b^3)$

maple [B] time = 0.04, size = 315, normalized size = 3.03

$$\frac{2 \arctan\left(\frac{\tan(\frac{x}{2})(a-b)}{\sqrt{(a-b)(a+b)}}\right) a^4}{b^4 \sqrt{(a-b)(a+b)}} - \frac{4 \arctan\left(\frac{\tan(\frac{x}{2})(a-b)}{\sqrt{(a-b)(a+b)}}\right) a^2}{b^2 \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\frac{\tan(\frac{x}{2})(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}} + \frac{2 \left(\tan^5\left(\frac{x}{2}\right)\right) a^2}{b^3 \left(\tan^2\left(\frac{x}{2}\right) + 1\right)^3} + \frac{\left(\tan^5\left(\frac{x}{2}\right)\right) a}{b^2 \left(\tan^2\left(\frac{x}{2}\right) + 1\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^4/(a+b*cos(x)),x)

[Out] $\frac{2/b^4/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{(1/2)})*a^4 - 4/b^2/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{(1/2)})*a^2 + 2/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{(1/2)}) + 2/b^3/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)^5*a^2 + 1/b^2/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)^5*a^2/b/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)^5 + 4/b^3/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)^3*a^2 - 20/3/b/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)^3 + 2/b^3/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)*a^2 - 2/b/(\tan(1/2*x)^2+1)^3*\tan(1/2*x) - 1/b^2/(\tan(1/2*x)^2+1)^3*\tan(1/2*x)*a^2 - 2/b^4*\arctan(\tan(1/2*x))*a^3 + 3/b^2*\arctan(\tan(1/2*x))*a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^4/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 1.11, size = 1677, normalized size = 16.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^4/(a + b*cos(x)),x)

[Out] $((4*\tan(x/2)^3*(3*a^2 - 5*b^2))/(3*b^3) - (\tan(x/2)*(a*b - 2*a^2 + 2*b^2))/b^3 + (\tan(x/2)^5*(a*b + 2*a^2 - 2*b^2))/b^3)/(3*\tan(x/2)^2 + 3*\tan(x/2)^4 + \tan(x/2)^6 + 1) - (2*atanh((64*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^6)))/(\tan(x/2)^2 + 1))$

$$\begin{aligned}
& 2)^{(1/2)}) / (128*a*b^2 + 112*a^2*b - 352*a^3 - 64*b^3 + (16*a^4)/b + (320*a^5) / b^2 - (112*a^6)/b^3 - (96*a^7)/b^4 + (48*a^8)/b^5) + (144*a^2*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^2)^{(1/2)}) / (128*a*b^4 + 16*a^4*b + 320*a^5 - 64*b^5 + 112*a^2*b^3 - 352*a^3*b^2 - (112*a^6)/b - (96*a^7)/b^2 + (48*a^8)/b^3) + (80*a^3*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^2)^{(1/2)}) / (128*a*b^5 + 320*a^5*b - 112*a^6 - 64*b^6 + 112*a^2*b^4 - 352*a^3*b^3 + 16*a^4*b^2 - (96*a^7)/b + (48*a^8)/b^2) - (144*a^4*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^2)^{(1/2)}) / (128*a*b^6 - 112*a^6*b - 96*a^7 - 64*b^7 + 112*a^2*b^5 - 352*a^3*b^4 + 16*a^4*b^3 + 320*a^5*b^2 + (48*a^8)/b) + (48*a^5*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^2)^{(1/2)}) / (128*a*b^7 - 96*a^7*b + 48*a^8 - 64*b^8 + 112*a^2*b^6 - 352*a^3*b^5 + 16*a^4*b^4 + 320*a^5*b^3 - 112*a^6*b^2) - (192*a*\tan(x/2)*(b^6 - a^6 - 3*a^2*b^4 + 3*a^4*b^2)^{(1/2)}) / (128*a*b^3 - 352*a^3*b + 16*a^4 - 64*b^4 + 112*a^2*b^2 + (320*a^5)/b - (112*a^6)/b^2 - (96*a^7)/b^3 + (48*a^8)/b^4) * (- (a + b)^3 * (a - b)^3)^{(1/2)} / b^4 + (a*atan(((a*(2*a^2 - 3*b^2)*((8*\tan(x/2)*(4*a*b^8 - 16*a^8*b + 8*a^9 - 4*b^9 + 7*a^2*b^7 + 11*a^3*b^6 - 39*a^4*b^5 - 3*a^5*b^4 + 48*a^6*b^3 - 16*a^7*b^2)))/b^6 - (a*((8*(2*a*b^12 - 4*b^13 + 10*a^2*b^11 - 6*a^3*b^10 - 6*a^4*b^9 + 4*a^5*b^8)))/b^9 - (a*\tan(x/2)*(2*a^2 - 3*b^2)*(8*a*b^10 - 16*a^2*b^9 + 8*a^3*b^8)*4i)/b^10)*(2*a^2 - 3*b^2)*1i)/(2*b^4)))/(2*b^4) + (a*(2*a^2 - 3*b^2)*((8*\tan(x/2)*(4*a*b^8 - 16*a^8*b + 8*a^9 - 4*b^9 + 7*a^2*b^7 + 11*a^3*b^6 - 39*a^4*b^5 - 3*a^5*b^4 + 48*a^6*b^3 - 16*a^7*b^2)))/b^6 + (a*((8*(2*a*b^12 - 4*b^13 + 10*a^2*b^11 - 6*a^3*b^10 - 6*a^4*b^9 + 4*a^5*b^8)))/b^9 + (a*\tan(x/2)*(2*a^2 - 3*b^2)*(8*a*b^10 - 16*a^2*b^9 + 8*a^3*b^8)*4i)/b^10)*(2*a^2 - 3*b^2)*1i)/(2*b^4)))/(2*b^4) / ((16*(6*a^10*b - 6*a*b^10 - 4*a^11 + 15*a^2*b^9 + 10*a^3*b^8 - 49*a^4*b^7 + 8*a^5*b^6 + 59*a^6*b^5 - 26*a^7*b^4 - 31*a^8*b^3 + 18*a^9*b^2))/b^9 + (a*(2*a^2 - 3*b^2)*((8*\tan(x/2)*(4*a*b^8 - 16*a^8*b + 8*a^9 - 4*b^9 + 7*a^2*b^7 + 11*a^3*b^6 - 39*a^4*b^5 - 3*a^5*b^4 + 48*a^6*b^3 - 16*a^7*b^2)))/b^6 - (a*((8*(2*a*b^12 - 4*b^13 + 10*a^2*b^11 - 6*a^3*b^10 - 6*a^4*b^9 + 4*a^5*b^8)))/b^9 - (a*\tan(x/2)*(2*a^2 - 3*b^2)*(8*a*b^10 - 16*a^2*b^9 + 8*a^3*b^8)*4i)/b^10)*(2*a^2 - 3*b^2)*1i)/(2*b^4))*1i)/(2*b^4) - (a*(2*a^2 - 3*b^2)*((8*\tan(x/2)*(4*a*b^8 - 16*a^8*b + 8*a^9 - 4*b^9 + 7*a^2*b^7 + 11*a^3*b^6 - 39*a^4*b^5 - 3*a^5*b^4 + 48*a^6*b^3 - 16*a^7*b^2)))/b^6 + (a*((8*(2*a*b^12 - 4*b^13 + 10*a^2*b^11 - 6*a^3*b^10 - 6*a^4*b^9 + 4*a^5*b^8)))/b^9 + (a*\tan(x/2)*(2*a^2 - 3*b^2)*(8*a*b^10 - 16*a^2*b^9 + 8*a^3*b^8)*4i)/b^10)*(2*a^2 - 3*b^2)*1i)/(2*b^4))*1i)/(2*b^4)) * (2*a^2 - 3*b^2) / b^4
\end{aligned}$$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**4/(a+b*cos(x)),x)

[Out] Timed out

$$3.25 \quad \int \frac{\sin^3(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=40

$$\frac{(a^2 - b^2) \log(a + b \cos(x))}{b^3} - \frac{a \cos(x)}{b^2} + \frac{\cos^2(x)}{2b}$$

[Out] $-a \cos(x)/b^2 + 1/2 \cos(x)^2/b + (a^2 - b^2) \ln(a + b \cos(x))/b^3$

Rubi [A] time = 0.06, antiderivative size = 40, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.154$, Rules used = {2668, 697}

$$\frac{(a^2 - b^2) \log(a + b \cos(x))}{b^3} - \frac{a \cos(x)}{b^2} + \frac{\cos^2(x)}{2b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^3/(a + b*Cos[x]),x]

[Out] $-((a \cos[x])/b^2) + \cos[x]^2/(2*b) + ((a^2 - b^2) \log[a + b \cos[x]])/b^3$

Rule 697

Int[((d_) + (e_)*(x_))^(m_)*((a_) + (c_)*(x_)^2)^(p_), x_Symbol] :> Int[ExpandIntegrand[(d + e*x)^m*(a + c*x^2)^p, x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && IGtQ[p, 0]

Rule 2668

Int[cos[(e_) + (f_)*(x_)]^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sine[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\sin^3(x)}{a + b \cos(x)} dx &= -\frac{\text{Subst}\left(\int \frac{b^2 - x^2}{a + x} dx, x, b \cos(x)\right)}{b^3} \\ &= -\frac{\text{Subst}\left(\int \left(a - x + \frac{-a^2 + b^2}{a + x}\right) dx, x, b \cos(x)\right)}{b^3} \\ &= -\frac{a \cos(x)}{b^2} + \frac{\cos^2(x)}{2b} + \frac{(a^2 - b^2) \log(a + b \cos(x))}{b^3} \end{aligned}$$

Mathematica [A] time = 0.06, size = 40, normalized size = 1.00

$$\frac{(a^2 - b^2) \log(a + b \cos(x))}{b^3} - \frac{a \cos(x)}{b^2} + \frac{\cos(2x)}{4b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^3/(a + b*Cos[x]),x]

[Out] $-((a \cos[x])/b^2) + \cos[2*x]/(4*b) + ((a^2 - b^2) \log[a + b \cos[x]])/b^3$

fricas [A] time = 0.66, size = 41, normalized size = 1.02

$$\frac{b^2 \cos(x)^2 - 2ab \cos(x) + 2(a^2 - b^2) \log(-b \cos(x) - a)}{2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(a+b*cos(x)),x, algorithm="fricas")

[Out] 1/2*(b^2*cos(x)^2 - 2*a*b*cos(x) + 2*(a^2 - b^2)*log(-b*cos(x) - a))/b^3

giac [A] time = 0.45, size = 39, normalized size = 0.98

$$\frac{b \cos(x)^2 - 2a \cos(x)}{2b^2} + \frac{(a^2 - b^2) \log(|b \cos(x) + a|)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(a+b*cos(x)),x, algorithm="giac")

[Out] 1/2*(b*cos(x)^2 - 2*a*cos(x))/b^2 + (a^2 - b^2)*log(abs(b*cos(x) + a))/b^3

maple [A] time = 0.02, size = 45, normalized size = 1.12

$$\frac{\cos^2(x)}{2b} - \frac{a \cos(x)}{b^2} + \frac{\ln(a + b \cos(x)) a^2}{b^3} - \frac{\ln(a + b \cos(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(a+b*cos(x)),x)

[Out] 1/2*cos(x)^2/b-a*cos(x)/b^2+1/b^3*ln(a+b*cos(x))*a^2-ln(a+b*cos(x))/b

maxima [A] time = 0.29, size = 38, normalized size = 0.95

$$\frac{b \cos(x)^2 - 2a \cos(x)}{2b^2} + \frac{(a^2 - b^2) \log(b \cos(x) + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^3/(a+b*cos(x)),x, algorithm="maxima")

[Out] 1/2*(b*cos(x)^2 - 2*a*cos(x))/b^2 + (a^2 - b^2)*log(b*cos(x) + a)/b^3

mupad [B] time = 0.09, size = 38, normalized size = 0.95

$$\frac{\cos(x)^2}{2b} + \frac{\ln(a + b \cos(x)) (a^2 - b^2)}{b^3} - \frac{a \cos(x)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^3/(a + b*cos(x)),x)

[Out] cos(x)^2/(2*b) + (log(a + b*cos(x))*(a^2 - b^2))/b^3 - (a*cos(x))/b^2

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**3/(a+b*cos(x)),x)

[Out] Timed out

3.26 $\int \frac{\sin^2(x)}{a+b \cos(x)} dx$

Optimal. Leaf size=59

$$\frac{ax}{b^2} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^2} - \frac{\sin(x)}{b}$$

[Out] $a*x/b^2 - \sin(x)/b - 2*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)})*(a-b)^{(1/2)}*(a+b)^{(1/2)}/b^2$

Rubi [A] time = 0.11, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {2695, 2735, 2659, 205}

$$\frac{ax}{b^2} - \frac{2\sqrt{a-b}\sqrt{a+b} \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^2} - \frac{\sin(x)}{b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]^2/(a + b*Cos[x]),x]

[Out] $(a*x)/b^2 - (2*\text{Sqrt}[a - b]*\text{Sqrt}[a + b]*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x/2])/\text{Sqrt}[a + b]])/b^2 - \text{Sin}[x]/b$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2695

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^p*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m, x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]

Rule 2735

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(x_), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\sin^2(x)}{a+b\cos(x)} dx &= -\frac{\sin(x)}{b} - \frac{\int \frac{-b-a\cos(x)}{a+b\cos(x)} dx}{b} \\
&= \frac{ax}{b^2} - \frac{\sin(x)}{b} + \left(1 - \frac{a^2}{b^2}\right) \int \frac{1}{a+b\cos(x)} dx \\
&= \frac{ax}{b^2} - \frac{\sin(x)}{b} + \left(2\left(1 - \frac{a^2}{b^2}\right)\right) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right) \\
&= \frac{ax}{b^2} - \frac{2\sqrt{a-b}\sqrt{a+b}\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{b^2} - \frac{\sin(x)}{b}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 54, normalized size = 0.92

$$\frac{-2\sqrt{b^2-a^2}\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{b^2-a^2}}\right)+ax-b\sin(x)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]^2/(a + b*Cos[x]), x]

[Out] (a*x - 2*Sqrt[-a^2 + b^2]*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]] - b*Sin[x])/b^2

fricas [A] time = 1.21, size = 154, normalized size = 2.61

$$\left[\frac{2ax - 2b\sin(x) + \sqrt{-a^2 + b^2} \log\left(\frac{2ab\cos(x) + (2a^2 - b^2)\cos(x)^2 + 2\sqrt{-a^2 + b^2}(a\cos(x) + b)\sin(x) - a^2 + 2b^2}{b^2\cos(x)^2 + 2ab\cos(x) + a^2}\right)}{2b^2}, \frac{ax - b\sin(x) - \sqrt{-a^2 + b^2} \arctan\left(\frac{(a-b)\tan\left(\frac{x}{2}\right)}{\sqrt{-a^2 + b^2}}\right)}{b^2} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+b*cos(x)), x, algorithm="fricas")

[Out] [1/2*(2*a*x - 2*b*sin(x) + sqrt(-a^2 + b^2)*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2)))/b^2, (a*x - b*sin(x) - sqrt(a^2 - b^2)*arc tan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x)))/b^2]

giac [A] time = 0.35, size = 90, normalized size = 1.53

$$\frac{ax}{b^2} + \frac{2\left(\pi\left[\frac{x}{2\pi} + \frac{1}{2}\right]\text{sgn}(-2a + 2b) + \arctan\left(-\frac{a\tan\left(\frac{1}{2}x\right) - b\tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right)\right)\sqrt{a^2 - b^2}}{b^2} - \frac{2\tan\left(\frac{1}{2}x\right)}{\left(\tan\left(\frac{1}{2}x\right)^2 + 1\right)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+b*cos(x)), x, algorithm="giac")

[Out] a*x/b^2 + 2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x))/sqrt(a^2 - b^2)))*sqrt(a^2 - b^2)/b^2 - 2*tan(1/2*x)/((tan(1/2*x)^2 + 1)*b)

maple [B] time = 0.04, size = 108, normalized size = 1.83

$$-\frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right) a^2}{b^2 \sqrt{(a-b)(a+b)}} + \frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}} - \frac{2 \tan\left(\frac{x}{2}\right)}{b \left(\tan^2\left(\frac{x}{2}\right) + 1\right)} + \frac{2 \arctan\left(\tan\left(\frac{x}{2}\right)\right) a}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(a+b*cos(x)),x)

[Out] $-2/b^2/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{(1/2)})*a^2 + 2/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*x)*(a-b)/((a-b)*(a+b))^{(1/2)}) - 2/b*\tan(1/2*x)/(\tan(1/2*x)^2+1) + 2/b^2*\arctan(\tan(1/2*x))*a$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)^2/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.49, size = 74, normalized size = 1.25

$$\frac{2 \operatorname{atanh}\left(\frac{\sin\left(\frac{x}{2}\right) \sqrt{b^2 - a^2}}{a \cos\left(\frac{x}{2}\right) + b \cos\left(\frac{x}{2}\right)}\right) \sqrt{b^2 - a^2}}{b^2} - \frac{\sin(x)}{b} + \frac{2 a \operatorname{atan}\left(\frac{\sin\left(\frac{x}{2}\right)}{\cos\left(\frac{x}{2}\right)}\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)^2/(a + b*cos(x)),x)

[Out] $(2*\operatorname{atanh}((\sin(x/2)*(b^2 - a^2)^{(1/2)})/(a*\cos(x/2) + b*\cos(x/2)))*(b^2 - a^2)^{(1/2)})/b^2 - \sin(x)/b + (2*a*\operatorname{atan}(\sin(x/2)/\cos(x/2)))/b^2$

sympy [A] time = 88.66, size = 991, normalized size = 16.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)**2/(a+b*cos(x)),x)

[Out] Piecewise((zoo*(-log(tan(x/2) - 1)*tan(x/2)**2/(tan(x/2)**2 + 1) - log(tan(x/2) - 1)/(tan(x/2)**2 + 1) + log(tan(x/2) + 1)*tan(x/2)**2/(tan(x/2)**2 + 1) + log(tan(x/2) + 1)/(tan(x/2)**2 + 1) - 2*tan(x/2)/(tan(x/2)**2 + 1)), Eq(a, 0) & Eq(b, 0)), (-x*tan(x/2)**2/(b*tan(x/2)**2 + b) - x/(b*tan(x/2)**2 + b) - 2*tan(x/2)/(b*tan(x/2)**2 + b), Eq(a, -b)), ((x*sin(x)**2/2 + x*cos(x)**2/2 - sin(x)*cos(x)/2)/a, Eq(b, 0)), (x*tan(x/2)**2/(b*tan(x/2)**2 + b) + x/(b*tan(x/2)**2 + b) - 2*tan(x/2)/(b*tan(x/2)**2 + b), Eq(a, b)), (a*x*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2/(b**2*sqrt(-a/(a - b) - b/(a - b)))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) + a*x*sqrt(-a/(a - b) - b/(a - b))/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) - a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))*tan(x/2)**2/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) - a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b)))

```

+ a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))*tan(x/2)**2/(b**2*sqrt(-a/
(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) + a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) - 2*b*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) - b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))*tan(x/2)**2/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) - b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) + b*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))*tan(x/2)**2/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))) + b*log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(b**2*sqrt(-a/(a - b) - b/(a - b))*tan(x/2)**2 + b**2*sqrt(-a/(a - b) - b/(a - b))), True))

```

$$3.27 \quad \int \frac{\sin(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=12

$$\frac{\log(a + b \cos(x))}{b}$$

[Out] $-\ln(a+b*\cos(x))/b$

Rubi [A] time = 0.03, antiderivative size = 12, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2668, 31}

$$\frac{\log(a + b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Int[Sin[x]/(a + b*Cos[x]),x]

[Out] $-(\text{Log}[a + b*\text{Cos}[x]])/b$

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2668

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b² - x²)^{((p - 1)/2)}, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a² - b², 0]}

Rubi steps

$$\begin{aligned} \int \frac{\sin(x)}{a + b \cos(x)} dx &= -\frac{\text{Subst}\left(\int \frac{1}{a+x} dx, x, b \cos(x)\right)}{b} \\ &= -\frac{\log(a + b \cos(x))}{b} \end{aligned}$$

Mathematica [A] time = 0.02, size = 12, normalized size = 1.00

$$\frac{\log(a + b \cos(x))}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sin[x]/(a + b*Cos[x]),x]

[Out] $-(\text{Log}[a + b*\text{Cos}[x]])/b$

fricas [A] time = 0.95, size = 15, normalized size = 1.25

$$\frac{\log(-b \cos(x) - a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b*cos(x)),x, algorithm="fricas")

[Out] $-\log(-b\cos(x) - a)/b$

giac [A] time = 0.42, size = 13, normalized size = 1.08

$$-\frac{\log(|b\cos(x) + a|)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b*cos(x)),x, algorithm="giac")

[Out] $-\log(\text{abs}(b\cos(x) + a))/b$

maple [A] time = 0.02, size = 13, normalized size = 1.08

$$-\frac{\ln(a + b\cos(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a+b*cos(x)),x)

[Out] $-\ln(a+b\cos(x))/b$

maxima [A] time = 0.47, size = 12, normalized size = 1.00

$$-\frac{\log(b\cos(x) + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b*cos(x)),x, algorithm="maxima")

[Out] $-\log(b\cos(x) + a)/b$

mupad [B] time = 0.04, size = 12, normalized size = 1.00

$$-\frac{\ln(a + b\cos(x))}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sin(x)/(a + b*cos(x)),x)

[Out] $-\log(a + b\cos(x))/b$

sympy [A] time = 0.29, size = 17, normalized size = 1.42

$$\begin{cases} -\frac{\log\left(\frac{a}{b} + \cos(x)\right)}{b} & \text{for } b \neq 0 \\ -\frac{\cos(x)}{a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sin(x)/(a+b*cos(x)),x)

[Out] Piecewise((-log(a/b + cos(x))/b, Ne(b, 0)), (-cos(x)/a, True))

$$3.28 \quad \int \frac{1}{a+b \cos(x)} dx$$

Optimal. Leaf size=42

$$\frac{2 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}}$$

[Out] 2*arctan((a-b)^(1/2)*tan(1/2*x)/(a+b)^(1/2))/(a-b)^(1/2)/(a+b)^(1/2)

Rubi [A] time = 0.03, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {2659, 205}

$$\frac{2 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[x])^(-1), x]

[Out] (2*ArcTan[(Sqrt[a - b]*Tan[x/2])/Sqrt[a + b]])/(Sqrt[a - b]*Sqrt[a + b])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{1}{a+b \cos(x)} dx &= 2 \text{Subst} \left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right) \right) \\ &= \frac{2 \tan^{-1} \left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+b}} \end{aligned}$$

Mathematica [A] time = 0.02, size = 41, normalized size = 0.98

$$\frac{2 \tanh^{-1} \left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2-a^2}} \right)}{\sqrt{b^2-a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[x])^(-1), x]

[Out] (-2*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2]

fricas [A] time = 1.03, size = 137, normalized size = 3.26

$$\left[\frac{\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) \arctan\left(-\frac{a \cos(x) + b}{\sqrt{a^2 - b^2} \sin(x)}\right)}{2(a^2 - b^2)}, \frac{\arctan\left(-\frac{a \cos(x) + b}{\sqrt{a^2 - b^2} \sin(x)}\right)}{\sqrt{a^2 - b^2}} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(x)),x, algorithm="fricas")

[Out] [-1/2*sqrt(-a^2 + b^2)*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2))/(a^2 - b^2), arctan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x)))/sqrt(a^2 - b^2)]

giac [A] time = 0.92, size = 61, normalized size = 1.45

$$\frac{2\left(\pi\left[\frac{x}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a + 2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right)\right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(x)),x, algorithm="giac")

[Out] -2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x))/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2)

maple [A] time = 0.02, size = 36, normalized size = 0.86

$$\frac{2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(x)),x)

[Out] 2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*x)*(a-b)/((a-b)*(a+b))^(1/2))

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see 'assume?' for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.48, size = 38, normalized size = 0.90

$$\frac{2 \operatorname{atan}\left(\frac{\tan\left(\frac{x}{2}\right)(2a-2b)}{2\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a + b*cos(x)),x)`

[Out] $(2*\operatorname{atan}((\tan(x/2)*(2*a - 2*b))/(2*(a^2 - b^2)^{(1/2)})))/(a^2 - b^2)^{(1/2)}$

sympy [A] time = 3.39, size = 144, normalized size = 3.43

$$\left\{ \begin{array}{ll} \infty \left(-\log \left(\tan \left(\frac{x}{2} \right) - 1 \right) + \log \left(\tan \left(\frac{x}{2} \right) + 1 \right) \right) & \text{for } a = 0 \wedge b = 0 \\ \frac{1}{b \tan \left(\frac{x}{2} \right)} & \text{for } a = -b \\ \frac{\tan \left(\frac{x}{2} \right)}{b} & \text{for } a = b \\ \frac{\log \left(-\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{a \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} - \frac{\log \left(\sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} + \tan \left(\frac{x}{2} \right) \right)}{a \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}} - b \sqrt{-\frac{a}{a-b} - \frac{b}{a-b}}} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a+b*cos(x)),x)`

[Out] `Piecewise((zoo*(-log(tan(x/2) - 1) + log(tan(x/2) + 1)), Eq(a, 0) & Eq(b, 0)), (1/(b*tan(x/2)), Eq(a, -b)), (tan(x/2)/b, Eq(a, b)), (log(-sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*sqrt(-a/(a - b) - b/(a - b)) - b*sqrt(-a/(a - b) - b/(a - b))) - log(sqrt(-a/(a - b) - b/(a - b)) + tan(x/2))/(a*sqrt(-a/(a - b) - b/(a - b)) - b*sqrt(-a/(a - b) - b/(a - b))), True))`

$$3.29 \quad \int \frac{\csc(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=53

$$\frac{b \log(a + b \cos(x))}{a^2 - b^2} + \frac{\log(1 - \cos(x))}{2(a + b)} - \frac{\log(\cos(x) + 1)}{2(a - b)}$$

[Out] 1/2*ln(1-cos(x))/(a+b)-1/2*ln(1+cos(x))/(a-b)+b*ln(a+b*cos(x))/(a^2-b^2)

Rubi [A] time = 0.07, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.364$, Rules used = {2668, 706, 31, 633}

$$\frac{b \log(a + b \cos(x))}{a^2 - b^2} + \frac{\log(1 - \cos(x))}{2(a + b)} - \frac{\log(\cos(x) + 1)}{2(a - b)}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]/(a + b*Cos[x]),x]

[Out] Log[1 - Cos[x]]/(2*(a + b)) - Log[1 + Cos[x]]/(2*(a - b)) + (b*Log[a + b*Cos[x]])/(a^2 - b^2)

Rule 31

Int[((a_) + (b_.)*(x_))⁽⁻¹⁾, x_Symbol] :> Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 633

Int[((d_) + (e_.)*(x_))/((a_) + (c_.)*(x_)^2), x_Symbol] :> With[{q = Rt[-(a*c), 2]}, Dist[e/2 + (c*d)/(2*q), Int[1/(-q + c*x), x], x] + Dist[e/2 - (c*d)/(2*q), Int[1/(q + c*x), x], x]] /; FreeQ[{a, c, d, e}, x] && NiceSqrtQ[-(a*c)]

Rule 706

Int[1/(((d_) + (e_.)*(x_))*((a_) + (c_.)*(x_)^2)), x_Symbol] :> Dist[e^2/(c*d^2 + a*e^2), Int[1/(d + e*x), x], x] + Dist[1/(c*d^2 + a*e^2), Int[(c*d - c*e*x)/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e}, x] && NeQ[c*d^2 + a*e^2, 0]

Rule 2668

Int[cos[(e_.) + (f_.)*(x_)]^{(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] :> Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^{(p - 1)/2}, x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]}

Rubi steps

$$\begin{aligned}
\int \frac{\csc(x)}{a + b \cos(x)} dx &= - \left(b \operatorname{Subst} \left(\int \frac{1}{(a+x)(b^2-x^2)} dx, x, b \cos(x) \right) \right) \\
&= \frac{b \operatorname{Subst} \left(\int \frac{1}{a+x} dx, x, b \cos(x) \right)}{a^2 - b^2} + \frac{b \operatorname{Subst} \left(\int \frac{-a+x}{b^2-x^2} dx, x, b \cos(x) \right)}{a^2 - b^2} \\
&= \frac{b \log(a + b \cos(x))}{a^2 - b^2} + \frac{\operatorname{Subst} \left(\int \frac{1}{-b-x} dx, x, b \cos(x) \right)}{2(a-b)} - \frac{\operatorname{Subst} \left(\int \frac{1}{b-x} dx, x, b \cos(x) \right)}{2(a+b)} \\
&= \frac{\log(1 - \cos(x))}{2(a+b)} - \frac{\log(1 + \cos(x))}{2(a-b)} + \frac{b \log(a + b \cos(x))}{a^2 - b^2}
\end{aligned}$$

Mathematica [A] time = 0.04, size = 50, normalized size = 0.94

$$\frac{(a-b) \log(1 - \cos(x)) - (a+b) \log(\cos(x) + 1) + 2b \log(a + b \cos(x))}{2(a-b)(a+b)}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]/(a + b*Cos[x]), x]

[Out] ((a - b)*Log[1 - Cos[x]] - (a + b)*Log[1 + Cos[x]] + 2*b*Log[a + b*Cos[x]]) / (2*(a - b)*(a + b))

fricas [A] time = 0.96, size = 52, normalized size = 0.98

$$\frac{2b \log(-b \cos(x) - a) - (a+b) \log\left(\frac{1}{2} \cos(x) + \frac{1}{2}\right) + (a-b) \log\left(-\frac{1}{2} \cos(x) + \frac{1}{2}\right)}{2(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b*cos(x)), x, algorithm="fricas")

[Out] 1/2*(2*b*log(-b*cos(x) - a) - (a + b)*log(1/2*cos(x) + 1/2) + (a - b)*log(-1/2*cos(x) + 1/2))/(a^2 - b^2)

giac [A] time = 0.37, size = 54, normalized size = 1.02

$$\frac{b^2 \log(|b \cos(x) + a|)}{a^2 b - b^3} - \frac{\log(\cos(x) + 1)}{2(a-b)} + \frac{\log(-\cos(x) + 1)}{2(a+b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b*cos(x)), x, algorithm="giac")

[Out] b^2*log(abs(b*cos(x) + a))/(a^2*b - b^3) - 1/2*log(cos(x) + 1)/(a - b) + 1/2*log(-cos(x) + 1)/(a + b)

maple [A] time = 0.04, size = 54, normalized size = 1.02

$$\frac{b \ln(a + b \cos(x))}{(a-b)(a+b)} + \frac{\ln(-1 + \cos(x))}{2a + 2b} - \frac{\ln(\cos(x) + 1)}{2a - 2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)/(a+b*cos(x)), x)

[Out] b/(a-b)/(a+b)*ln(a+b*cos(x))+1/(2*a+2*b)*ln(-1+cos(x))-1/(2*a-2*b)*ln(cos(x)+1)

maxima [A] time = 0.33, size = 47, normalized size = 0.89

$$\frac{b \log(b \cos(x) + a)}{a^2 - b^2} - \frac{\log(\cos(x) + 1)}{2(a - b)} + \frac{\log(\cos(x) - 1)}{2(a + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b*cos(x)),x, algorithm="maxima")

[Out] b*log(b*cos(x) + a)/(a^2 - b^2) - 1/2*log(cos(x) + 1)/(a - b) + 1/2*log(cos(x) - 1)/(a + b)

mupad [B] time = 0.21, size = 52, normalized size = 0.98

$$\frac{\ln(\cos(x) - 1)}{2(a + b)} - \frac{\ln(\cos(x) + 1)}{2(a - b)} + \frac{b \ln(a + b \cos(x))}{a^2 - b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)*(a + b*cos(x))),x)

[Out] log(cos(x) - 1)/(2*(a + b)) - log(cos(x) + 1)/(2*(a - b)) + (b*log(a + b*cos(x)))/(a^2 - b^2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\csc(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)/(a+b*cos(x)),x)

[Out] Integral(csc(x)/(a + b*cos(x)), x)

$$3.30 \quad \int \frac{\csc^2(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=67

$$\frac{\csc(x)(b - a \cos(x))}{a^2 - b^2} - \frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}}$$

[Out] $-2*b^2*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)))/(a-b)^{(3/2)/(a+b)^{(3/2)}+(b-a*\cos(x))*\csc(x)/(a^2-b^2)$

Rubi [A] time = 0.09, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {2696, 12, 2659, 205}

$$\frac{\csc(x)(b - a \cos(x))}{a^2 - b^2} - \frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^2/(a + b*Cos[x]),x]

[Out] $(-2*b^2*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x/2])/(\text{Sqrt}[a + b])]/((a - b)^{(3/2)}*(a + b)^{(3/2))} + ((b - a*\text{Cos}[x])*\text{Csc}[x])/(a^2 - b^2)$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2696

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)]^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b - a*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*(a^2*(p + 2) - b^2*(m + p + 2) + a*b*(m + p + 3)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegersQ[2*m, 2*p]

Rubi steps

$$\begin{aligned}
\int \frac{\csc^2(x)}{a + b \cos(x)} dx &= \frac{(b - a \cos(x)) \csc(x)}{a^2 - b^2} + \frac{\int \frac{b^2}{a + b \cos(x)} dx}{-a^2 + b^2} \\
&= \frac{(b - a \cos(x)) \csc(x)}{a^2 - b^2} - \frac{b^2 \int \frac{1}{a + b \cos(x)} dx}{a^2 - b^2} \\
&= \frac{(b - a \cos(x)) \csc(x)}{a^2 - b^2} - \frac{(2b^2) \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{x}{2}\right)\right)}{a^2 - b^2} \\
&= -\frac{2b^2 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}(a+b)^{3/2}} + \frac{(b - a \cos(x)) \csc(x)}{a^2 - b^2}
\end{aligned}$$

Mathematica [A] time = 0.32, size = 66, normalized size = 0.99

$$\frac{\csc(x)(b - a \cos(x))}{a^2 - b^2} - \frac{2b^2 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^2/(a + b*Cos[x]), x]

[Out] (-2*b^2*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]]/(-a^2 + b^2)^(3/2) + ((b - a*Cos[x])*Csc[x])/(a^2 - b^2)

fricas [A] time = 1.09, size = 230, normalized size = 3.43

$$\frac{\sqrt{-a^2 + b^2} b^2 \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)^2 + 2\sqrt{-a^2 + b^2} (a \cos(x) + b) \sin(x) - a^2 + 2b^2}{b^2 \cos(x)^2 + 2ab \cos(x) + a^2}\right) \sin(x) + 2a^2b - 2b^3 - 2(a^3 - ab^2)}{2(a^4 - 2a^2b^2 + b^4) \sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b*cos(x)), x, algorithm="fricas")

[Out] [1/2*(sqrt(-a^2 + b^2)*b^2*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2))*sin(x) + 2*a^2*b - 2*b^3 - 2*(a^3 - a*b^2)*cos(x))/((a^4 - 2*a^2*b^2 + b^4)*sin(x)), -(sqrt(a^2 - b^2)*b^2*arctan(-(a*cos(x) + b)/(sqrt(a^2 - b^2)*sin(x)))*sin(x) - a^2*b + b^3 + (a^3 - a*b^2)*cos(x))/((a^4 - 2*a^2*b^2 + b^4)*sin(x))]

giac [A] time = 0.43, size = 91, normalized size = 1.36

$$\frac{2\left(\pi\left[\frac{x}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a + 2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}}\right)\right) b^2}{(a^2 - b^2)^{3/2}} + \frac{\tan\left(\frac{1}{2}x\right)}{2(a-b)} - \frac{1}{2(a+b) \tan\left(\frac{1}{2}x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^2/(a+b*cos(x)), x, algorithm="giac")

[Out] 2*(pi*floor(1/2*x/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*x) - b*tan(1/2*x))/sqrt(a^2 - b^2)))*b^2/(a^2 - b^2)^(3/2) + 1/2*tan(1/2*x)/(a - b) - 1/2/((a + b)*tan(1/2*x))

maple [A] time = 0.05, size = 78, normalized size = 1.16

$$\frac{\tan\left(\frac{x}{2}\right)}{2a-2b} - \frac{2b^2 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)(a+b)\sqrt{(a-b)(a+b)}} - \frac{1}{2(a+b)\tan\left(\frac{x}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(csc(x)^2/(a+b*cos(x)),x)`

[Out] `1/2/(a-b)*tan(1/2*x)-2/(a-b)/(a+b)*b^2/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*x)*(a-b)/((a-b)*(a+b))^(1/2))-1/2/(a+b)/tan(1/2*x)`

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)^2/(a+b*cos(x)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.47, size = 86, normalized size = 1.28

$$\frac{\tan\left(\frac{x}{2}\right)}{2a-2b} - \frac{2b^2 \operatorname{atan}\left(\frac{\tan\left(\frac{x}{2}\right)(a^2-b^2)}{(a+b)^{3/2}\sqrt{a-b}}\right)}{(a+b)^{3/2}(a-b)^{3/2}} - \frac{a-b}{\tan\left(\frac{x}{2}\right)(a+b)(2a-2b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(sin(x)^2*(a+b*cos(x))),x)`

[Out] `tan(x/2)/(2*a-2*b) - (2*b^2*atan((tan(x/2)*(a^2-b^2))/((a+b)^(3/2)*(a-b)^(1/2))))/((a+b)^(3/2)*(a-b)^(3/2)) - (a-b)/(tan(x/2)*(a+b)*(2*a-2*b))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\csc^2(x)}{a+b\cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(csc(x)**2/(a+b*cos(x)),x)`

[Out] `Integral(csc(x)**2/(a+b*cos(x)),x)`

$$3.31 \quad \int \frac{\csc^3(x)}{a+b \cos(x)} dx$$

Optimal. Leaf size=92

$$\frac{\csc^2(x)(b-a \cos(x))}{2(a^2-b^2)} - \frac{b^3 \log(a+b \cos(x))}{(a^2-b^2)^2} + \frac{(a+2b) \log(1-\cos(x))}{4(a+b)^2} - \frac{(a-2b) \log(\cos(x)+1)}{4(a-b)^2}$$

[Out] 1/2*(b-a*cos(x))*csc(x)^2/(a^2-b^2)+1/4*(a+2*b)*ln(1-cos(x))/(a+b)^2-1/4*(a-2*b)*ln(1+cos(x))/(a-b)^2-b^3*ln(a+b*cos(x))/(a^2-b^2)^2

Rubi [A] time = 0.15, antiderivative size = 92, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {2668, 741, 801}

$$-\frac{b^3 \log(a+b \cos(x))}{(a^2-b^2)^2} + \frac{\csc^2(x)(b-a \cos(x))}{2(a^2-b^2)} + \frac{(a+2b) \log(1-\cos(x))}{4(a+b)^2} - \frac{(a-2b) \log(\cos(x)+1)}{4(a-b)^2}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^3/(a + b*Cos[x]), x]

[Out] ((b - a*Cos[x])*Csc[x]^2)/(2*(a^2 - b^2)) + ((a + 2*b)*Log[1 - Cos[x]])/(4*(a + b)^2) - ((a - 2*b)*Log[1 + Cos[x]])/(4*(a - b)^2) - (b^3*Log[a + b*Cos[x]])/(a^2 - b^2)^2

Rule 741

Int[((d_) + (e_.)*(x_))^(m_)*((a_) + (c_.)*(x_)^2)^(p_), x_Symbol] := -Simp[((d + e*x)^(m + 1)*(a + c*x^2)^(p + 1))/(2*a*(p + 1)*(c*d^2 + a*e^2)), x] + Dist[1/(2*a*(p + 1)*(c*d^2 + a*e^2)), Int[(d + e*x)^m*Simp[c*d^2*(2*p + 3) + a*e^2*(m + 2*p + 3) + c*e*d*(m + 2*p + 4)*x, x]*(a + c*x^2)^(p + 1), x], x] /; FreeQ[{a, c, d, e, m}, x] && NeQ[c*d^2 + a*e^2, 0] && LtQ[p, -1] && IntQuadraticQ[a, 0, c, d, e, m, p, x]

Rule 801

Int[(((d_) + (e_.)*(x_))^(m_)*((f_.) + (g_.)*(x_)))/((a_) + (c_.)*(x_)^2), x_Symbol] := Int[ExpandIntegrand[((d + e*x)^m*(f + g*x))/(a + c*x^2), x], x] /; FreeQ[{a, c, d, e, f, g}, x] && NeQ[c*d^2 + a*e^2, 0] && IntegerQ[m]

Rule 2668

Int[cos[(e_.) + (f_.)*(x_)]^(p_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.), x_Symbol] := Dist[1/(b^p*f), Subst[Int[(a + x)^m*(b^2 - x^2)^((p - 1)/2), x], x, b*Sin[e + f*x]], x] /; FreeQ[{a, b, e, f, m}, x] && IntegerQ[(p - 1)/2] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\csc^3(x)}{a + b \cos(x)} dx &= - \left(b^3 \operatorname{Subst} \left(\int \frac{1}{(a+x)(b^2-x^2)^2} dx, x, b \cos(x) \right) \right) \\
&= \frac{(b - a \cos(x)) \csc^2(x)}{2(a^2 - b^2)} - \frac{b \operatorname{Subst} \left(\int \frac{a^2 - 2b^2 + ax}{(a+x)(b^2-x^2)} dx, x, b \cos(x) \right)}{2(a^2 - b^2)} \\
&= \frac{(b - a \cos(x)) \csc^2(x)}{2(a^2 - b^2)} - \frac{b \operatorname{Subst} \left(\int \left(\frac{(a-b)(a+2b)}{2b(a+b)(b-x)} + \frac{2b^2}{(a-b)(a+b)(a+x)} + \frac{(a-2b)(a+b)}{2(a-b)b(b+x)} \right) dx, x, b \cos(x) \right)}{2(a^2 - b^2)} \\
&= \frac{(b - a \cos(x)) \csc^2(x)}{2(a^2 - b^2)} + \frac{(a + 2b) \log(1 - \cos(x))}{4(a+b)^2} - \frac{(a - 2b) \log(1 + \cos(x))}{4(a-b)^2} - \frac{b^3 \log(a + b \cos(x))}{(a^2 - b^2)^2}
\end{aligned}$$

Mathematica [A] time = 0.43, size = 99, normalized size = 1.08

$$\frac{1}{8} \left(-\frac{8b^3 \log(a + b \cos(x))}{(a^2 - b^2)^2} - \frac{\csc^2\left(\frac{x}{2}\right)}{a + b} + \frac{\sec^2\left(\frac{x}{2}\right)}{a - b} + \frac{4(a + 2b) \log\left(\sin\left(\frac{x}{2}\right)\right)}{(a + b)^2} - \frac{4(a - 2b) \log\left(\cos\left(\frac{x}{2}\right)\right)}{(a - b)^2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^3/(a + b*Cos[x]), x]

[Out] $(-\operatorname{Csc}[x/2]^2/(a + b)) - (4*(a - 2*b)*\operatorname{Log}[\operatorname{Cos}[x/2]])/(a - b)^2 - (8*b^3*\operatorname{Log}[a + b*\operatorname{Cos}[x]])/(a^2 - b^2)^2 + (4*(a + 2*b)*\operatorname{Log}[\operatorname{Sin}[x/2]])/(a + b)^2 + \operatorname{Sec}[x/2]^2/(a - b)/8$

fricas [B] time = 1.06, size = 181, normalized size = 1.97

$$\frac{2a^2b - 2b^3 - 2(a^3 - ab^2)\cos(x) + 4(b^3\cos(x)^2 - b^3)\log(-b\cos(x) - a) - (a^3 - 3ab^2 - 2b^3 - (a^3 - 3ab^2 - 2b^3)\cos(x))}{4(a^4 - 2a^2b^2 + b^4 - (a^4 - 2a^2b^2 + b^4)\cos(x)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+b*cos(x)),x, algorithm="fricas")

[Out] $1/4*(2*a^2*b - 2*b^3 - 2*(a^3 - a*b^2)*\cos(x) + 4*(b^3*\cos(x)^2 - b^3)*\log(-b*\cos(x) - a) - (a^3 - 3*a*b^2 - 2*b^3 - (a^3 - 3*a*b^2 - 2*b^3)*\cos(x)^2)*\log(1/2*\cos(x) + 1/2) + (a^3 - 3*a*b^2 + 2*b^3 - (a^3 - 3*a*b^2 + 2*b^3)*\cos(x)^2)*\log(-1/2*\cos(x) + 1/2))/(a^4 - 2*a^2*b^2 + b^4 - (a^4 - 2*a^2*b^2 + b^4)*\cos(x)^2)$

giac [A] time = 0.44, size = 136, normalized size = 1.48

$$-\frac{b^4 \log(|b \cos(x) + a|)}{a^4 b - 2 a^2 b^3 + b^5} - \frac{(a - 2 b) \log(\cos(x) + 1)}{4(a^2 - 2 ab + b^2)} + \frac{(a + 2 b) \log(-\cos(x) + 1)}{4(a^2 + 2 ab + b^2)} - \frac{a^2 b - b^3 - (a^3 - ab^2) \cos(x)}{2(a + b)^2 (a - b)^2 (\cos(x) + 1) (\cos(x) - 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+b*cos(x)),x, algorithm="giac")

[Out] $-b^4*\log(\operatorname{abs}(b*\cos(x) + a))/(a^4*b - 2*a^2*b^3 + b^5) - 1/4*(a - 2*b)*\log(\cos(x) + 1)/(a^2 - 2*a*b + b^2) + 1/4*(a + 2*b)*\log(-\cos(x) + 1)/(a^2 + 2*a*b + b^2) - 1/2*(a^2*b - b^3 - (a^3 - a*b^2)*\cos(x))/((a + b)^2*(a - b)^2*(\cos(x) + 1)*(\cos(x) - 1))$

maple [A] time = 0.06, size = 114, normalized size = 1.24

$$-\frac{b^3 \ln(a + b \cos(x))}{(a + b)^2 (a - b)^2} + \frac{1}{(4a + 4b)(-1 + \cos(x))} + \frac{\ln(-1 + \cos(x)) a}{4(a + b)^2} + \frac{\ln(-1 + \cos(x)) b}{2(a + b)^2} + \frac{1}{(4a - 4b)(\cos(x) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^3/(a+b*cos(x)), x)

[Out] $-b^3/(a+b)^2/(a-b)^2*\ln(a+b*\cos(x))+1/(4*a+4*b)/(-1+\cos(x))+1/4/(a+b)^2*\ln(-1+\cos(x))*a+1/2/(a+b)^2*\ln(-1+\cos(x))*b+1/(4*a-4*b)/(\cos(x)+1)-1/4/(a-b)^2*\ln(\cos(x)+1)*a+1/2/(a-b)^2*\ln(\cos(x)+1)*b$

maxima [A] time = 0.70, size = 115, normalized size = 1.25

$$-\frac{b^3 \log(b \cos(x) + a)}{a^4 - 2a^2b^2 + b^4} - \frac{(a - 2b) \log(\cos(x) + 1)}{4(a^2 - 2ab + b^2)} + \frac{(a + 2b) \log(\cos(x) - 1)}{4(a^2 + 2ab + b^2)} + \frac{a \cos(x) - b}{2((a^2 - b^2) \cos(x)^2 - a^2 + b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^3/(a+b*cos(x)), x, algorithm="maxima")

[Out] $-b^3*\log(b*\cos(x) + a)/(a^4 - 2*a^2*b^2 + b^4) - 1/4*(a - 2*b)*\log(\cos(x) + 1)/(a^2 - 2*a*b + b^2) + 1/4*(a + 2*b)*\log(\cos(x) - 1)/(a^2 + 2*a*b + b^2) + 1/2*(a*\cos(x) - b)/((a^2 - b^2)*\cos(x)^2 - a^2 + b^2)$

mupad [B] time = 0.51, size = 112, normalized size = 1.22

$$\ln(\cos(x) - 1) \left(\frac{b}{4(a + b)^2} + \frac{1}{4(a + b)} \right) + \frac{\frac{b}{2(a^2 - b^2)} - \frac{a \cos(x)}{2(a^2 - b^2)}}{\sin(x)^2} - \frac{b^3 \ln(a + b \cos(x))}{a^4 - 2a^2b^2 + b^4} - \frac{\ln(\cos(x) + 1)(a - 2b)}{4(a - b)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(sin(x)^3*(a + b*cos(x))), x)

[Out] $\log(\cos(x) - 1)*(b/(4*(a + b)^2) + 1/(4*(a + b))) + (b/(2*(a^2 - b^2))) - (a*\cos(x))/(2*(a^2 - b^2))/\sin(x)^2 - (b^3*\log(a + b*\cos(x)))/(a^4 + b^4 - 2*a^2*b^2) - (\log(\cos(x) + 1)*(a - 2*b))/(4*(a - b)^2)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\csc^3(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)**3/(a+b*cos(x)), x)

[Out] Integral(csc(x)**3/(a + b*cos(x)), x)

3.32 $\int \frac{\csc^4(x)}{a+b \cos(x)} dx$

Optimal. Leaf size=110

$$\frac{\csc^3(x)(b - a \cos(x))}{3(a^2 - b^2)} - \frac{\csc(x)(a(2a^2 - 5b^2)\cos(x) + 3b^3)}{3(a^2 - b^2)^2} + \frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}}$$

[Out] $2*b^4*\arctan((a-b)^{(1/2)}*\tan(1/2*x)/(a+b)^{(1/2)})/(a-b)^{(5/2)/(a+b)^{(5/2)}-1/3*(3*b^3+a*(2*a^2-5*b^2)*\cos(x))*\csc(x)/(a^2-b^2)^2+1/3*(b-a*\cos(x))*\csc(x)^3/(a^2-b^2)$

Rubi [A] time = 0.27, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.385$, Rules used = {2696, 2866, 12, 2659, 205}

$$\frac{\csc^3(x)(b - a \cos(x))}{3(a^2 - b^2)} - \frac{\csc(x)(a(2a^2 - 5b^2)\cos(x) + 3b^3)}{3(a^2 - b^2)^2} + \frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[Csc[x]^4/(a + b*Cos[x]),x]

[Out] $(2*b^4*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[x/2])/\text{Sqrt}[a + b]])/((a - b)^{(5/2)}*(a + b)^{(5/2)}) - ((3*b^3 + a*(2*a^2 - 5*b^2)*\text{Cos}[x])*Csc[x])/(3*(a^2 - b^2)^2) + ((b - a*\text{Cos}[x])*Csc[x]^3)/(3*(a^2 - b^2))$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2659

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 2696

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b - a*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*(a^2*(p + 2) - b^2*(m + p + 2) + a*b*(m + p + 3)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegersQ[2*m, 2*p]

Rule 2866

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(g*

$\text{os}[e + f*x]^{(p + 1)} * (a + b*\text{Sin}[e + f*x])^{(m + 1)} * (b*c - a*d - (a*c - b*d) * \text{Sin}[e + f*x]) / (f*g*(a^2 - b^2)^{(p + 1)})$, x] + Dist[1/(g^2*(a^2 - b^2)^{(p + 1))}, Int[(g*Cos[e + f*x])^{(p + 2)}*(a + b*Sin[e + f*x])^m* Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]

Rubi steps

$$\begin{aligned}
 \int \frac{\csc^4(x)}{a + b \cos(x)} dx &= \frac{(b - a \cos(x)) \csc^3(x)}{3(a^2 - b^2)} - \frac{\int \frac{(-2a^2 + 3b^2 - 2ab \cos(x)) \csc^2(x)}{a + b \cos(x)} dx}{3(a^2 - b^2)} \\
 &= -\frac{(3b^3 + a(2a^2 - 5b^2) \cos(x)) \csc(x)}{3(a^2 - b^2)^2} + \frac{(b - a \cos(x)) \csc^3(x)}{3(a^2 - b^2)} + \frac{\int \frac{3b^4}{a + b \cos(x)} dx}{3(a^2 - b^2)^2} \\
 &= -\frac{(3b^3 + a(2a^2 - 5b^2) \cos(x)) \csc(x)}{3(a^2 - b^2)^2} + \frac{(b - a \cos(x)) \csc^3(x)}{3(a^2 - b^2)} + \frac{b^4 \int \frac{1}{a + b \cos(x)} dx}{(a^2 - b^2)^2} \\
 &= -\frac{(3b^3 + a(2a^2 - 5b^2) \cos(x)) \csc(x)}{3(a^2 - b^2)^2} + \frac{(b - a \cos(x)) \csc^3(x)}{3(a^2 - b^2)} + \frac{(2b^4) \text{Subst}\left(\int \frac{1}{a + b + (a - b) \cos(x)} dx\right)}{(a^2 - b^2)} \\
 &= \frac{2b^4 \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{x}{2}\right)}{\sqrt{a+b}}\right)}{(a - b)^{5/2}(a + b)^{5/2}} - \frac{(3b^3 + a(2a^2 - 5b^2) \cos(x)) \csc(x)}{3(a^2 - b^2)^2} + \frac{(b - a \cos(x)) \csc^3(x)}{3(a^2 - b^2)}
 \end{aligned}$$

Mathematica [A] time = 0.64, size = 112, normalized size = 1.02

$$\frac{\csc^3(x) \left((9ab^2 - 6a^3) \cos(x) + (2a^2 - 5b^2) (a \cos(3x) + 2b) + 6b^3 \cos(2x) \right)}{12(a - b)^2(a + b)^2} - \frac{2b^4 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{x}{2}\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Csc[x]^4/(a + b*Cos[x]), x]

[Out] (-2*b^4*ArcTanh[((a - b)*Tan[x/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (((-6*a^3 + 9*a*b^2)*Cos[x] + 6*b^3*Cos[2*x] + (2*a^2 - 5*b^2)*(2*b + a*Cos[3*x]))*Csc[x]^3)/(12*(a - b)^2*(a + b)^2)

fricas [B] time = 1.08, size = 459, normalized size = 4.17

$$\left[\frac{2a^4b - 10a^2b^3 + 8b^5 + 2(2a^5 - 7a^3b^2 + 5ab^4) \cos(x)^3 + 3(b^4 \cos(x)^2 - b^4) \sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(x) + (2a^2 - b^2) \cos(x)}{6(a^6 - 3a^4b^2 + 3a^2b^4 - b^6 - (a^6 - 3a^4b^2))}\right)}{6(a^6 - 3a^4b^2 + 3a^2b^4 - b^6 - (a^6 - 3a^4b^2))} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^4/(a+b*cos(x)), x, algorithm="fricas")

[Out] [1/6*(2*a^4*b - 10*a^2*b^3 + 8*b^5 + 2*(2*a^5 - 7*a^3*b^2 + 5*a*b^4)*cos(x)^3 + 3*(b^4*cos(x)^2 - b^4)*sqrt(-a^2 + b^2)*log((2*a*b*cos(x) + (2*a^2 - b^2)*cos(x)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(x) + b)*sin(x) - a^2 + 2*b^2)/(b^2*cos(x)^2 + 2*a*b*cos(x) + a^2))*sin(x) + 6*(a^2*b^3 - b^5)*cos(x)^2 - 6*(a

$$\sqrt[5]{-3a^3b^2 + 2ab^4} \cos(x) / ((a^6 - 3a^4b^2 + 3a^2b^4 - b^6 - (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) \cos(x)^2) \sin(x)), 1/3(a^4b - 5a^2b^3 + 4b^5 + (2a^5 - 7a^3b^2 + 5ab^4) \cos(x)^3 - 3(b^4 \cos(x)^2 - b^4) \sqrt{a^2 - b^2} \arctan(-(a \cos(x) + b) / (\sqrt{a^2 - b^2} \sin(x))) \sin(x) + 3(a^2b^3 - b^5) \cos(x)^2 - 3(a^5 - 3a^3b^2 + 2ab^4) \cos(x)) / ((a^6 - 3a^4b^2 + 3a^2b^4 - b^6 - (a^6 - 3a^4b^2 + 3a^2b^4 - b^6) \cos(x)^2) \sin(x))]$$

giac [B] time = 1.41, size = 206, normalized size = 1.87

$$\frac{2 \left(\pi \left\lfloor \frac{x}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a + 2b) + \arctan \left(-\frac{a \tan\left(\frac{1}{2}x\right) - b \tan\left(\frac{1}{2}x\right)}{\sqrt{a^2 - b^2}} \right) \right) b^4}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{a^2 \tan\left(\frac{1}{2}x\right)^3 - 2ab \tan\left(\frac{1}{2}x\right)^3 + b^2 \tan\left(\frac{1}{2}x\right)^3}{24(a^3 - 3a^2b + 3ab^2 - b^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^4/(a+b*cos(x)),x, algorithm="giac")

[Out] $-2(\pi \lfloor 1/2x/\pi + 1/2 \rfloor \operatorname{sgn}(-2a + 2b) + \arctan(-(a \tan(1/2x) - b \tan(1/2x)) / \sqrt{a^2 - b^2})) b^4 / ((a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}) + 1/24(a^2 \tan(1/2x)^3 - 2ab \tan(1/2x)^3 + b^2 \tan(1/2x)^3 + 9a^2 \tan(1/2x) - 24ab \tan(1/2x) + 15b^2 \tan(1/2x)) / (a^3 - 3a^2b + 3ab^2 - b^3) - 1/24(9a^2 \tan(1/2x)^2 + 15b \tan(1/2x)^2 + a + b) / ((a^2 + 2ab + b^2) \tan(1/2x)^3)$

maple [A] time = 0.06, size = 153, normalized size = 1.39

$$\frac{a \left(\tan^3\left(\frac{x}{2}\right) \right)}{24(a-b)^2} - \frac{\left(\tan^3\left(\frac{x}{2}\right) \right) b}{24(a-b)^2} + \frac{3a \tan\left(\frac{x}{2}\right)}{8(a-b)^2} - \frac{5 \tan\left(\frac{x}{2}\right) b}{8(a-b)^2} + \frac{2b^4 \arctan\left(\frac{\tan\left(\frac{x}{2}\right)(a-b)}{\sqrt{(a-b)(a+b)}}\right)}{(a-b)^2 (a+b)^2 \sqrt{(a-b)(a+b)}} - \frac{1}{24(a+b) \tan\left(\frac{x}{2}\right)^3} - \frac{1}{8(a-b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(csc(x)^4/(a+b*cos(x)),x)

[Out] $1/24/(a-b)^2 a \tan(1/2x)^3 - 1/24/(a-b)^2 \tan(1/2x)^3 b + 3/8/(a-b)^2 a \tan(1/2x) - 5/8/(a-b)^2 \tan(1/2x) b + 2/(a-b)^2 (a+b)^2 b^4 / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2x)(a-b) / ((a-b)(a+b))^{1/2}) - 1/24/(a+b) \tan(1/2x)^3 - 3/8/(a+b)^2 \tan(1/2x) a - 5/8/(a+b)^2 \tan(1/2x) b$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(csc(x)^4/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details) Is 4*b^2-4*a^2 positive or negative?

mupad [B] time = 0.56, size = 184, normalized size = 1.67

$$\tan\left(\frac{x}{2}\right) \left(\frac{4}{8a-8b} - \frac{8a+8b}{(8a-8b)^2} \right) + \frac{\tan\left(\frac{x}{2}\right)^3}{3(8a-8b)} - \frac{\frac{a^2-2ab+b^2}{3(a+b)} - \frac{\tan\left(\frac{x}{2}\right)^2(-3a^3+a^2b+7ab^2-5b^3)}{(a+b)^2}}{\tan\left(\frac{x}{2}\right)^3(8a^2-16ab+8b^2)} + \frac{2b^4 \operatorname{atan}\left(\frac{\tan\left(\frac{x}{2}\right)(a^4-2a^2b^2)}{(a+b)^{5/2}(a-b)^{5/2}}\right)}{(a+b)^{5/2}(a-b)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.


```
[In] int(1/(sin(x)^4*(a + b*cos(x))),x)
```

```
[Out] tan(x/2)*(4/(8*a - 8*b) - (8*a + 8*b)/(8*a - 8*b)^2) + tan(x/2)^3/(3*(8*a -
8*b)) - ((a^2 - 2*a*b + b^2)/(3*(a + b)) - (tan(x/2)^2*(7*a*b^2 + a^2*b -
3*a^3 - 5*b^3))/(a + b)^2)/(tan(x/2)^3*(8*a^2 - 16*a*b + 8*b^2)) + (2*b^4*a
tan((tan(x/2)*(a^4 + b^4 - 2*a^2*b^2))/((a + b)^(5/2)*(a - b)^(3/2))))/((a
+ b)^(5/2)*(a - b)^(5/2))
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\csc^4(x)}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(csc(x)**4/(a+b*cos(x)),x)
```

```
[Out] Integral(csc(x)**4/(a + b*cos(x)), x)
```

3.33 $\int (a + b \cos(c + dx))(e \sin(c + dx))^{7/2} dx$

Optimal. Leaf size=129

$$\frac{10ae^4 \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{21d\sqrt{e \sin(c + dx)}} - \frac{10ae^3 \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} - \frac{2ae \cos(c + dx) (e \sin(c + dx))^{5/2}}{7d} + \dots$$

[Out] $-2/7*a*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(5/2)}/d+2/9*b*(e*\sin(d*x+c))^{(9/2)}/d/e-10/21*a*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/(e*\sin(d*x+c))^{(1/2)}-10/21*a*e^3*\cos(d*x+c)*(e*\sin(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.10, antiderivative size = 129, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2635, 2642, 2641}

$$-\frac{10ae^3 \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} + \frac{10ae^4 \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{21d\sqrt{e \sin(c + dx)}} - \frac{2ae \cos(c + dx) (e \sin(c + dx))^{5/2}}{7d} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(e*\text{Sin}[c + d*x])^{(7/2)}, x]$

[Out] $(10*a*e^4*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[\text{Sin}[c + d*x]])/(21*d*Sqrt[e*\text{Sin}[c + d*x]]) - (10*a*e^3*\text{Cos}[c + d*x]*Sqrt[e*\text{Sin}[c + d*x]])/(21*d) - (2*a*e*\text{Cos}[c + d*x]*(e*\text{Sin}[c + d*x])^{(5/2)})/(7*d) + (2*b*(e*\text{Sin}[c + d*x])^{(9/2)})/(9*d*e)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_)]^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /;$ $\text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_)]], x_Symbol] \rightarrow \text{Dist}[Sqrt[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /;$ $\text{FreeQ}\{b, c, d, x\}$

Rule 2669

$\text{Int}[(\cos[(e_*) + (f_*)*(x_)]*(g_*))^{(p_)*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_)]), x_Symbol] \rightarrow -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)})/(f*g*(p+1)), x] + \text{Dist}[a, \text{Int}[(g*\text{Cos}[e + f*x])^p, x], x] /;$ $\text{FreeQ}\{a, b, e, f, g, p, x\} \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(e \sin(c + dx))^{7/2} dx &= \frac{2b(e \sin(c + dx))^{9/2}}{9de} + a \int (e \sin(c + dx))^{7/2} dx \\
&= -\frac{2ae \cos(c + dx)(e \sin(c + dx))^{5/2}}{7d} + \frac{2b(e \sin(c + dx))^{9/2}}{9de} + \frac{1}{7} (5ae^2 \cos^2(c + dx) - 2ae \cos(c + dx) + a) \sqrt{e \sin(c + dx)} \\
&= -\frac{10ae^3 \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} - \frac{2ae \cos(c + dx)(e \sin(c + dx))^{5/2}}{7d} \\
&= -\frac{10ae^3 \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} - \frac{2ae \cos(c + dx)(e \sin(c + dx))^{5/2}}{7d} \\
&= \frac{10ae^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{21d \sqrt{e \sin(c + dx)}} - \frac{10ae^3 \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d}
\end{aligned}$$

Mathematica [A] time = 0.85, size = 108, normalized size = 0.84

$$\frac{e^3 \sqrt{e \sin(c + dx)} \left(\sqrt{\sin(c + dx)} (-138a \cos(c + dx) + 18a \cos(3(c + dx)) - 28b \cos(2(c + dx)) + 7b \cos(4(c + dx))) \right)}{252d \sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(7/2), x]

[Out] (e^3*(-120*a*EllipticF[(-2*c + Pi - 2*d*x)/4, 2] + (21*b - 138*a*Cos[c + d*x] - 28*b*Cos[2*(c + d*x)] + 18*a*Cos[3*(c + d*x)] + 7*b*Cos[4*(c + d*x)])*Sqrt[Sin[c + d*x]])*Sqrt[e*Sin[c + d*x]])/(252*d*Sqrt[Sin[c + d*x]])

fricas [F] time = 0.86, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(b e^3 \cos(dx + c)^3 + a e^3 \cos(dx + c)^2 - b e^3 \cos(dx + c) - a e^3\right) \sqrt{e \sin(dx + c)} \sin(dx + c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(7/2), x, algorithm="fricas")

[Out] integral(-(b*e^3*cos(d*x + c)^3 + a*e^3*cos(d*x + c)^2 - b*e^3*cos(d*x + c) - a*e^3)*sqrt(e*sin(d*x + c))*sin(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) (e \sin(dx + c))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.22, size = 127, normalized size = 0.98

$$\frac{2b(e \sin(dx+c))^{9/2}}{9e} - \frac{e^4 a \left(-6(\sin^5(dx+c)) + 5\sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - 4(\sin^3(dx+c)) + 10\sin(dx+c) \right)}{21 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(e*sin(d*x+c))^(7/2), x)

```
[Out] (2/9/e*b*(e*sin(d*x+c))^(9/2)-1/21*e^4*a*(-6*sin(d*x+c)^5+5*(-sin(d*x+c)+1)
^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1
/2),1/2*2^(1/2))-4*sin(d*x+c)^3+10*sin(d*x+c))/cos(d*x+c)/(e*sin(d*x+c))^(1
/2))/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) (e \sin(dx + c))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(7/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c + dx))^{7/2} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x)),x)
```

```
[Out] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x)), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

3.34 $\int (a + b \cos(c + dx))(e \sin(c + dx))^{5/2} dx$

Optimal. Leaf size=100

$$\frac{6ae^2 E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d \sqrt{\sin(c + dx)}} - \frac{2ae \cos(c + dx)(e \sin(c + dx))^{3/2}}{5d} + \frac{2b(e \sin(c + dx))^{7/2}}{7de}$$

[Out] $-2/5*a*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(3/2)}/d+2/7*b*(e*\sin(d*x+c))^{(7/2)}/d/e-6/5*a*e^2*(\sin(1/2*c+1/4*\text{Pi}+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*\text{Pi}+1/2*d*x)*\text{EllipticE}(\cos(1/2*c+1/4*\text{Pi}+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2635, 2640, 2639}

$$\frac{6ae^2 E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d \sqrt{\sin(c + dx)}} - \frac{2ae \cos(c + dx)(e \sin(c + dx))^{3/2}}{5d} + \frac{2b(e \sin(c + dx))^{7/2}}{7de}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*(e*\text{Sin}[c + d*x])^{(5/2)}, x]$

[Out] $(6*a*e^2*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(5*d*\text{Sqrt}[\text{Sin}[c + d*x]]) - (2*a*e*\text{Cos}[c + d*x]*(e*\text{Sin}[c + d*x])^{(3/2)})/(5*d) + (2*b*(e*\text{Sin}[c + d*x])^{(7/2)})/(7*d*e)$

Rule 2635

$\text{Int}[(b_*\sin[(c_*) + (d_*)*(x_*)])^{(n_*)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2640

$\text{Int}[\text{Sqrt}[(b_*\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2669

$\text{Int}[(\cos[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)])), x_Symbol] := -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)})/(f*g*(p+1)), x] + \text{Dist}[a, \text{Int}[(g*\text{Cos}[e + f*x])^p, x], x] /; \text{FreeQ}[\{a, b, e, f, g, p\}, x] \&\& (\text{IntegerQ}[2*p] || \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(e \sin(c + dx))^{5/2} dx &= \frac{2b(e \sin(c + dx))^{7/2}}{7de} + a \int (e \sin(c + dx))^{5/2} dx \\
&= -\frac{2ae \cos(c + dx)(e \sin(c + dx))^{3/2}}{5d} + \frac{2b(e \sin(c + dx))^{7/2}}{7de} + \frac{1}{5} (3ae^2) \sqrt{e \sin(c + dx)} \\
&= -\frac{2ae \cos(c + dx)(e \sin(c + dx))^{3/2}}{5d} + \frac{2b(e \sin(c + dx))^{7/2}}{7de} + \frac{(3ae^2 \sqrt{e \sin(c + dx)})}{5d} \\
&= \frac{6ae^2 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d \sqrt{\sin(c + dx)}} - \frac{2ae \cos(c + dx)(e \sin(c + dx))^{3/2}}{5d}
\end{aligned}$$

Mathematica [A] time = 0.52, size = 80, normalized size = 0.80

$$\frac{2(e \sin(c + dx))^{5/2} \left(\sin^3(c + dx) (5b \sin^2(c + dx) - 7a \cos(c + dx)) - 21aE\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) \right)}{35d \sin^5(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(5/2), x]

[Out] (2*(e*Sin[c + d*x])^(5/2)*(-21*a*EllipticE[(-2*c + Pi - 2*d*x)/4, 2] + Sin[c + d*x]^(3/2)*(-7*a*Cos[c + d*x] + 5*b*Sin[c + d*x]^2)))/(35*d*Sin[c + d*x]^(5/2))

fricas [F] time = 0.70, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(b e^2 \cos(dx + c)^3 + a e^2 \cos(dx + c)^2 - b e^2 \cos(dx + c) - a e^2\right) \sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(-(b*e^2*cos(d*x + c)^3 + a*e^2*cos(d*x + c)^2 - b*e^2*cos(d*x + c) - a*e^2)*sqrt(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)(e \sin(dx + c))^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(5/2), x)

maple [A] time = 0.24, size = 171, normalized size = 1.71

$$\frac{2b(e \sin(dx+c))^{7/2}}{7e} - \frac{e^3 a \left(6 \sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - 3 \sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \right)}{5 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(e*sin(d*x+c))^(5/2), x)

[Out] (2/7/e*b*(e*sin(d*x+c))^(7/2)-1/5*e^3*a*(6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2), 1/2*2^(1/2))-

$3*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}*\text{EllipticF}((- \sin(dx+c)+1)^{1/2}, 1/2*2^{1/2})-2*\sin(dx+c)^4+2*\sin(dx+c)^2)/\cos(dx+c) / (e*\sin(dx+c))^{1/2})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) (e \sin(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))*(e*sin(dx+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b*cos(dx + c) + a)*(e*sin(dx + c))^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c + dx))^{5/2} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x)),x)

[Out] int((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))*(e*sin(dx+c))**(5/2),x)

[Out] Timed out

3.35 $\int (a + b \cos(c + dx))(e \sin(c + dx))^{3/2} dx$

Optimal. Leaf size=100

$$\frac{2ae^2\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3d\sqrt{e\sin(c+dx)}} - \frac{2ae\cos(c+dx)\sqrt{e\sin(c+dx)}}{3d} + \frac{2b(e\sin(c+dx))^{5/2}}{5de}$$

[Out] $2/5*b*(e*\sin(d*x+c))^(5/2)/d/e-2/3*a*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*\sin(d*x+c)^(1/2)/d/(e*\sin(d*x+c))^(1/2)-2/3*a*e*\cos(d*x+c)*(e*\sin(d*x+c))^(1/2)/d$

Rubi [A] time = 0.07, antiderivative size = 100, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2635, 2642, 2641}

$$\frac{2ae^2\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3d\sqrt{e\sin(c+dx)}} - \frac{2ae\cos(c+dx)\sqrt{e\sin(c+dx)}}{3d} + \frac{2b(e\sin(c+dx))^{5/2}}{5de}$$

Antiderivative was successfully verified.

[In] `Int[(a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(3/2), x]`

[Out] $(2*a*e^2*\text{EllipticF}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(3*d*\text{Sqrt}[e*\text{Sin}[c + d*x]]) - (2*a*e*\text{Cos}[c + d*x]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(3*d) + (2*b*(e*\text{Sin}[c + d*x])^(5/2))/(5*d*e)$

Rule 2635

`Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]`

Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

Rule 2642

`Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]`

Rule 2669

`Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])`

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(e \sin(c + dx))^{3/2} dx &= \frac{2b(e \sin(c + dx))^{5/2}}{5de} + a \int (e \sin(c + dx))^{3/2} dx \\
&= -\frac{2ae \cos(c + dx) \sqrt{e \sin(c + dx)}}{3d} + \frac{2b(e \sin(c + dx))^{5/2}}{5de} + \frac{1}{3} (ae^2) \\
&= -\frac{2ae \cos(c + dx) \sqrt{e \sin(c + dx)}}{3d} + \frac{2b(e \sin(c + dx))^{5/2}}{5de} + \frac{(ae^2 \sqrt{\sin(c + dx)})}{3d} \\
&= \frac{2ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3d \sqrt{e \sin(c + dx)}} - \frac{2ae \cos(c + dx) \sqrt{e \sin(c + dx)}}{3d}
\end{aligned}$$

Mathematica [A] time = 0.46, size = 80, normalized size = 0.80

$$\frac{2(e \sin(c + dx))^{3/2} \left(\sqrt{\sin(c + dx)} (3b \sin^2(c + dx) - 5a \cos(c + dx)) - 5a F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) \right)}{15d \sin^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(3/2), x]

[Out] (2*(e*Sin[c + d*x])^(3/2)*(-5*a*EllipticF[(-2*c + Pi - 2*d*x)/4, 2] + Sqrt[
Sin[c + d*x]]*(-5*a*Cos[c + d*x] + 3*b*Sin[c + d*x]^2)))/(15*d*Sin[c + d*x]
^(3/2))

fricas [F] time = 1.67, size = 0, normalized size = 0.00

$$\text{integral}((be \cos(dx + c) + ae) \sqrt{e \sin(dx + c)} \sin(dx + c), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((b*e*cos(d*x + c) + a*e)*sqrt(e*sin(d*x + c))*sin(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) (e \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.21, size = 116, normalized size = 1.16

$$\frac{2b(e \sin(dx+c))^{\frac{5}{2}}}{5e} - \frac{e^2 a \left(\sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - 2(\sin^3(dx+c)+2 \sin(dx+c)) \right)}{3 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(e*sin(d*x+c))^(3/2), x)

[Out] (2/5/e*b*(e*sin(d*x+c))^(5/2)-1/3*e^2*a*((-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)
)^2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2), 1/2*2^(1/2))-2*
sin(d*x+c)^3+2*sin(d*x+c))/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a) (e \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c + dx))^{\frac{3}{2}} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x)),x)

[Out] int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (e \sin(c + dx))^{\frac{3}{2}} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))**(3/2),x)

[Out] Integral((e*sin(c + d*x))**(3/2)*(a + b*cos(c + d*x)), x)

3.36 $\int (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)} dx$

Optimal. Leaf size=68

$$\frac{2aE\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{d\sqrt{\sin(c + dx)}} + \frac{2b(e \sin(c + dx))^{3/2}}{3de}$$

[Out] $2/3*b*(e*\sin(d*x+c))^(3/2)/d/e-2*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*(e*\sin(d*x+c))^(1/2)/d/\sin(d*x+c)^(1/2)$

Rubi [A] time = 0.05, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {2669, 2640, 2639}

$$\frac{2aE\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{d\sqrt{\sin(c + dx)}} + \frac{2b(e \sin(c + dx))^{3/2}}{3de}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])*\text{Sqrt}[e*\text{Sin}[c + d*x]],x]$

[Out] $(2*a*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(d*\text{Sqrt}[\text{Sin}[c + d*x]]) + (2*b*(e*\text{Sin}[c + d*x])^(3/2))/(3*d*e)$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{P}i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2640

$\text{Int}[\text{Sqrt}[(b_)*\sin[(c_.) + (d_.)*(x_.)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2669

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] \rightarrow -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + \text{Dist}[a, \text{Int}[(g*\text{Cos}[e + f*x])^p, x], x] /; \text{FreeQ}[\{a, b, e, f, g, p\}, x] \&\& (\text{IntegerQ}[2*p] \parallel \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)} dx &= \frac{2b(e \sin(c + dx))^{3/2}}{3de} + a \int \sqrt{e \sin(c + dx)} dx \\ &= \frac{2b(e \sin(c + dx))^{3/2}}{3de} + \frac{(a\sqrt{e \sin(c + dx)}) \int \sqrt{\sin(c + dx)} dx}{\sqrt{\sin(c + dx)}} \\ &= \frac{2aE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{d\sqrt{\sin(c + dx)}} + \frac{2b(e \sin(c + dx))^{3/2}}{3de} \end{aligned}$$

Mathematica [A] time = 0.10, size = 60, normalized size = 0.88

$$\frac{2\sqrt{e \sin(c + dx)} \left(b \sin^3(c + dx) - 3aE\left(\frac{1}{4}(-2c - 2dx + \pi)\middle|2\right) \right)}{3d\sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])*sqrt[e*sin[c + d*x]],x]

[Out] (2*sqrt[e*sin[c + d*x]]*(-3*a*EllipticE[(-2*c + Pi - 2*d*x)/4, 2] + b*sin[c + d*x]^(3/2)))/(3*d*sqrt[sin[c + d*x]])

fricas [F] time = 1.00, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b \cos(dx + c) + a\right)\sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)\sqrt{e \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c)), x)

maple [A] time = 0.23, size = 117, normalized size = 1.72

$$\frac{\frac{2b(e \sin(dx+c))^{\frac{3}{2}}}{3e} - \frac{ae \sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \left(2 \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right)\right)}{\cos(dx+c)\sqrt{e \sin(dx+c)}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))*(e*sin(d*x+c))^(1/2),x)

[Out] (2/3*b/e*(e*sin(d*x+c))^(3/2)-a*e*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*(2*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2)))/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)\sqrt{e \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c)), x)

mupad [B] time = 0.49, size = 60, normalized size = 0.88

$$\frac{2b \sin(c + dx) \sqrt{e \sin(c + dx)}}{3d} + \frac{2a \sqrt{e \sin(c + dx)} E\left(\frac{c}{2} - \frac{\pi}{4} + \frac{dx}{2} \middle| 2\right)}{d \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x)),x)

[Out] (2*b*sin(c + d*x)*(e*sin(c + d*x))^(1/2))/(3*d) + (2*a*(e*sin(c + d*x))^(1/2)*ellipticE(c/2 - pi/4 + (d*x)/2, 2))/(d*sin(c + d*x)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{e \sin(c + dx)} (a + b \cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(e*sin(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(e*sin(c + d*x))*(a + b*cos(c + d*x)), x)
```

$$3.37 \quad \int \frac{a+b \cos(c+dx)}{\sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=66

$$\frac{2a\sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{d\sqrt{e \sin(c+dx)}} + \frac{2b\sqrt{e \sin(c+dx)}}{de}$$

[Out] $-2*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/(e*\sin(d*x+c))^{(1/2)}+2*b*(e*\sin(d*x+c))^{(1/2)}/d/e$

Rubi [A] time = 0.05, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.130$, Rules used = {2669, 2642, 2641}

$$\frac{2a\sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{d\sqrt{e \sin(c+dx)}} + \frac{2b\sqrt{e \sin(c+dx)}}{de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])/Sqrt[e*Sin[c + d*x]],x]

[Out] (2*a*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[Sin[c + d*x]]/(d*Sqrt[e*Sin[c + d*x]]) + (2*b*Sqrt[e*Sin[c + d*x]])/(d*e)

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x, x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rubi steps

$$\begin{aligned} \int \frac{a+b \cos(c+dx)}{\sqrt{e \sin(c+dx)}} dx &= \frac{2b\sqrt{e \sin(c+dx)}}{de} + a \int \frac{1}{\sqrt{e \sin(c+dx)}} dx \\ &= \frac{2b\sqrt{e \sin(c+dx)}}{de} + \frac{(a\sqrt{\sin(c+dx)}) \int \frac{1}{\sqrt{\sin(c+dx)}} dx}{\sqrt{e \sin(c+dx)}} \\ &= \frac{2aF\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right)\sqrt{\sin(c+dx)}}{d\sqrt{e \sin(c+dx)}} + \frac{2b\sqrt{e \sin(c+dx)}}{de} \end{aligned}$$

Mathematica [A] time = 0.20, size = 54, normalized size = 0.82

$$\frac{2 \left(b \sin(c + dx) - a \sqrt{\sin(c + dx)} F \left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2 \right) \right)}{d \sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])/Sqrt[e*Sin[c + d*x]],x]

[Out] (2*(-(a*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]]) + b*Sin[c + d*x]))/(d*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 1.12, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(b \cos(dx + c) + a) \sqrt{e \sin(dx + c)}}{e \sin(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))/(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)/sqrt(e*sin(d*x + c)), x)

maple [A] time = 0.16, size = 92, normalized size = 1.39

$$\frac{a \sqrt{-\sin(dx + c) + 1} \sqrt{2 \sin(dx + c) + 2} \left(\sqrt{\sin(dx + c)} \text{EllipticF} \left(\sqrt{-\sin(dx + c) + 1}, \frac{\sqrt{2}}{2} \right) - 2 \sin(dx + c) \right)}{\cos(dx + c) \sqrt{e \sin(dx + c)} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x)

[Out] -1/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-2*sin(d*x+c)*cos(d*x+c)*b)/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)/sqrt(e*sin(d*x + c)), x)

mupad [B] time = 0.72, size = 50, normalized size = 0.76

$$\frac{2 \sqrt{\sin(c + dx)} \left(a F \left(\frac{\pi}{4} - \frac{c}{2} - \frac{dx}{2} \middle| 2 \right) - b \sqrt{\sin(c + dx)} \right)}{d \sqrt{e \sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*cos(c + d*x))/(e*sin(c + d*x))^(1/2), x)
```

```
[Out] -(2*sin(c + d*x)^(1/2)*(a*ellipticF(pi/4 - c/2 - (d*x)/2, 2) - b*sin(c + d*x)^(1/2)))/(d*(e*sin(c + d*x))^(1/2))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{a + b \cos(c + dx)}{\sqrt{e \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))**(1/2), x)
```

```
[Out] Integral((a + b*cos(c + d*x))/sqrt(e*sin(c + d*x)), x)
```


$$3.38 \quad \int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=96

$$-\frac{2aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c+dx)}}{de^2\sqrt{\sin(c+dx)}} - \frac{2a\cos(c+dx)}{de\sqrt{e\sin(c+dx)}} - \frac{2b}{de\sqrt{e\sin(c+dx)}}$$

[Out] $-2*b/d/e/(e*\sin(d*x+c))^{(1/2)}-2*a*\cos(d*x+c)/d/e/(e*\sin(d*x+c))^{(1/2)}+2*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/e^2/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 96, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2636, 2640, 2639}

$$-\frac{2aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c+dx)}}{de^2\sqrt{\sin(c+dx)}} - \frac{2a\cos(c+dx)}{de\sqrt{e\sin(c+dx)}} - \frac{2b}{de\sqrt{e\sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(3/2), x]

[Out] $(-2*b)/(d*e*\text{Sqrt}[e*\text{Sin}[c + d*x]]) - (2*a*\text{Cos}[c + d*x])/(d*e*\text{Sqrt}[e*\text{Sin}[c + d*x]]) - (2*a*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(d*e^2*\text{Sqrt}[\text{Sin}[c + d*x]])$

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{3/2}} dx &= -\frac{2b}{de\sqrt{e \sin(c + dx)}} + a \int \frac{1}{(e \sin(c + dx))^{3/2}} dx \\
&= -\frac{2b}{de\sqrt{e \sin(c + dx)}} - \frac{2a \cos(c + dx)}{de\sqrt{e \sin(c + dx)}} - \frac{a \int \sqrt{e \sin(c + dx)} dx}{e^2} \\
&= -\frac{2b}{de\sqrt{e \sin(c + dx)}} - \frac{2a \cos(c + dx)}{de\sqrt{e \sin(c + dx)}} - \frac{(a\sqrt{e \sin(c + dx)}) \int \sqrt{\sin(c + dx)} dx}{e^2 \sqrt{\sin(c + dx)}} \\
&= -\frac{2b}{de\sqrt{e \sin(c + dx)}} - \frac{2a \cos(c + dx)}{de\sqrt{e \sin(c + dx)}} - \frac{2aE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 \sqrt{\sin(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 58, normalized size = 0.60

$$\frac{2\left(a \cos(c + dx) - a\sqrt{\sin(c + dx)} E\left(\frac{1}{4}(-2c - 2dx + \pi)\middle| 2\right) + b\right)}{de\sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(3/2), x]

[Out] (-2*(b + a*Cos[c + d*x] - a*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]]))/(d*e*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 1.66, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b \cos(dx + c) + a)\sqrt{e \sin(dx + c)}}{e^2 \cos(dx + c)^2 - e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(-(b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))/(e^2*cos(d*x + c)^2 - e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)/(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.22, size = 153, normalized size = 1.59

$$\frac{2\sqrt{-\sin(dx + c) + 1} \sqrt{2 \sin(dx + c) + 2} \left(\sqrt{\sin(dx + c)}\right) \text{EllipticE}\left(\sqrt{-\sin(dx + c) + 1}, \frac{\sqrt{2}}{2}\right) a - a\sqrt{-\sin(dx + c)}}{e \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))/(e*sin(d*x+c))^(3/2), x)

[Out] (2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2), 1/2*2^(1/2))*a-a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2))/e

$2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((- \sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) - 2 * a * \cos(dx+c)^2 - 2 * b * \cos(dx+c) / e / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))/(e*sin(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b*cos(dx + c) + a)/(e*sin(dx + c))^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + dx))/(e*sin(c + dx))^(3/2),x)

[Out] int((a + b*cos(c + dx))/(e*sin(c + dx))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(dx+c))/(e*sin(dx+c))**(3/2),x)

[Out] Integral((a + b*cos(c + dx))/(e*sin(c + dx))**(3/2), x)

$$3.39 \quad \int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=102

$$\frac{2a\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3de^2\sqrt{e\sin(c+dx)}} - \frac{2a\cos(c+dx)}{3de(e\sin(c+dx))^{3/2}} - \frac{2b}{3de(e\sin(c+dx))^{3/2}}$$

[Out] $-2/3*b/d/e/(e*\sin(d*x+c))^{(3/2)}-2/3*a*\cos(d*x+c)/d/e/(e*\sin(d*x+c))^{(3/2)}-2/3*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/e^2/(e*\sin(d*x+c))^{(1/2)}$

Rubi [A] time = 0.07, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2636, 2642, 2641}

$$\frac{2a\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3de^2\sqrt{e\sin(c+dx)}} - \frac{2a\cos(c+dx)}{3de(e\sin(c+dx))^{3/2}} - \frac{2b}{3de(e\sin(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(5/2),x]

[Out] $(-2*b)/(3*d*e*(e*\sin[c + d*x])^{(3/2)}) - (2*a*\cos[c + d*x])/(3*d*e*(e*\sin[c + d*x])^{(3/2)}) + (2*a*\text{EllipticF}[(c - \pi/2 + d*x)/2, 2]*\text{Sqrt}[\sin[c + d*x]])/(3*d*e^2*\text{Sqrt}[e*\sin[c + d*x]])$

Rule 2636

Int[((b_)*sin[(c_.) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_.) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_)*(x_)]*(g_))^(p_)*((a_.) + (b_)*sin[(e_.) + (f_)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{5/2}} dx &= -\frac{2b}{3de(e \sin(c + dx))^{3/2}} + a \int \frac{1}{(e \sin(c + dx))^{5/2}} dx \\
&= -\frac{2b}{3de(e \sin(c + dx))^{3/2}} - \frac{2a \cos(c + dx)}{3de(e \sin(c + dx))^{3/2}} + \frac{a \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{3e^2} \\
&= -\frac{2b}{3de(e \sin(c + dx))^{3/2}} - \frac{2a \cos(c + dx)}{3de(e \sin(c + dx))^{3/2}} + \frac{(a\sqrt{\sin(c + dx)}) \int \frac{1}{\sqrt{\sin(c+dx)}} dx}{3e^2\sqrt{e \sin(c + dx)}} \\
&= -\frac{2b}{3de(e \sin(c + dx))^{3/2}} - \frac{2a \cos(c + dx)}{3de(e \sin(c + dx))^{3/2}} + \frac{2aF\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{\sin(c + dx)}}{3de^2\sqrt{e \sin(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 59, normalized size = 0.58

$$\frac{2\left(a \cos(c + dx) + a \sin^3(c + dx)F\left(\frac{1}{4}(-2c - 2dx + \pi)\middle| 2\right) + b\right)}{3de(e \sin(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(5/2), x]

[Out] (-2*(b + a*Cos[c + d*x] + a*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x])^(3/2))/(3*d*e*(e*Sin[c + d*x])^(3/2))

fricas [F] time = 1.63, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b \cos(dx + c) + a)\sqrt{e \sin(dx + c)}}{(e^3 \cos(dx + c)^2 - e^3) \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(-(b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))/((e^3*cos(d*x + c)^2 - e^3)*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)/(e*sin(d*x + c))^(5/2), x)

maple [A] time = 0.24, size = 124, normalized size = 1.22

$$\frac{2b}{3e(e \sin(dx+c))^{3/2}} - \frac{a\left(\sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} \left(\sin^2(dx+c)\right) \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - 2(\sin^3(dx+c)) + 2 \sin(dx+c)\right)}{3e^2 \sin(dx+c)^2 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2), x)

[Out] $(-2/3*b/e/(e*\sin(d*x+c))^{3/2}-1/3*a/e^2*((-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{5/2}*EllipticF((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2))-2*\sin(d*x+c)^3+2*\sin(d*x+c))/\sin(d*x+c)^2/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)/(e*sin(d*x + c))^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))/(e*sin(c + d*x))^(5/2),x)

[Out] int((a + b*cos(c + d*x))/(e*sin(c + d*x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))**(5/2),x)

[Out] Integral((a + b*cos(c + d*x))/(e*sin(c + d*x))**(5/2), x)

$$3.40 \quad \int \frac{a+b \cos(c+dx)}{(e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=131

$$\frac{6aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c+dx)}}{5de^4\sqrt{\sin(c+dx)}} - \frac{6a\cos(c+dx)}{5de^3\sqrt{e\sin(c+dx)}} - \frac{2a\cos(c+dx)}{5de(e\sin(c+dx))^{5/2}} - \frac{2b}{5de(e\sin(c+dx))^{5/2}}$$

[Out] $-2/5*b/d/e/(e*\sin(d*x+c))^{(5/2)}-2/5*a*\cos(d*x+c)/d/e/(e*\sin(d*x+c))^{(5/2)}-6/5*a*\cos(d*x+c)/d/e^3/(e*\sin(d*x+c))^{(1/2)}+6/5*a*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/e^4/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 23, $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$, Rules used = {2669, 2636, 2640, 2639}

$$\frac{6a\cos(c+dx)}{5de^3\sqrt{e\sin(c+dx)}} - \frac{6aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c+dx)}}{5de^4\sqrt{\sin(c+dx)}} - \frac{2a\cos(c+dx)}{5de(e\sin(c+dx))^{5/2}} - \frac{2b}{5de(e\sin(c+dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(7/2), x]

[Out] $(-2*b)/(5*d*e*(e*\sin[c + d*x])^{(5/2)}) - (2*a*\cos[c + d*x])/(5*d*e*(e*\sin[c + d*x])^{(5/2)}) - (6*a*\cos[c + d*x])/(5*d*e^3*\sqrt{e*\sin[c + d*x]}) - (6*a*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/(5*d*e^4*\sqrt{\sin[c + d*x]})$

Rule 2636

Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_) + (f_)*(x_)]*(g_))^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rubi steps

$$\begin{aligned}
\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{7/2}} dx &= -\frac{2b}{5de(e \sin(c + dx))^{5/2}} + a \int \frac{1}{(e \sin(c + dx))^{7/2}} dx \\
&= -\frac{2b}{5de(e \sin(c + dx))^{5/2}} - \frac{2a \cos(c + dx)}{5de(e \sin(c + dx))^{5/2}} + \frac{(3a) \int \frac{1}{(e \sin(c+dx))^{3/2}} dx}{5e^2} \\
&= -\frac{2b}{5de(e \sin(c + dx))^{5/2}} - \frac{2a \cos(c + dx)}{5de(e \sin(c + dx))^{5/2}} - \frac{6a \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{(3a) \int \sqrt{e \sin(c + dx)}}{5e^4} \\
&= -\frac{2b}{5de(e \sin(c + dx))^{5/2}} - \frac{2a \cos(c + dx)}{5de(e \sin(c + dx))^{5/2}} - \frac{6a \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{(3a \sqrt{e \sin(c + dx)})}{5e^4} \\
&= -\frac{2b}{5de(e \sin(c + dx))^{5/2}} - \frac{2a \cos(c + dx)}{5de(e \sin(c + dx))^{5/2}} - \frac{6a \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{6aE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\right)}{5de^4}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 74, normalized size = 0.56

$$\frac{-7a \cos(c + dx) + 3a \cos(3(c + dx)) + 12a \sin^{\frac{5}{2}}(c + dx)E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) - 4b}{10de(e \sin(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])/(e*Sin[c + d*x])^(7/2), x]

[Out] (-4*b - 7*a*Cos[c + d*x] + 3*a*Cos[3*(c + d*x)] + 12*a*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(5/2))/(10*d*e*(e*Sin[c + d*x])^(5/2))

fricas [F] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b \cos(dx + c) + a)\sqrt{e \sin(dx + c)}}{e^4 \cos(dx + c)^4 - 2e^4 \cos(dx + c)^2 + e^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2), x, algorithm="fricas")

[Out] integral((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))/(e^4*cos(d*x + c)^4 - 2*e^4*cos(d*x + c)^2 + e^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)/(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.30, size = 187, normalized size = 1.43

$$-\frac{2b}{5e(e \sin(dx+c))^{5/2}} + \frac{a\left(6\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sin^{\frac{7}{2}}(dx+c)\right) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) - 3\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sin^{\frac{7}{2}}(dx+c)\right)\right)}{5e^3 \sin(dx+c)^3 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2),x)

[Out] $(-2/5*b/e/(e*\sin(d*x+c))^{(5/2)}+1/5*a/e^3*(6*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticE}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-3*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticF}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+6*\sin(d*x+c)^5-4*\sin(d*x+c)^3-2*\sin(d*x+c))/\sin(d*x+c)^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{b \cos(dx + c) + a}{(e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)/(e*sin(d*x + c))^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + b \cos(c + dx)}{(e \sin(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))/(e*sin(c + d*x))^(7/2),x)

[Out] int((a + b*cos(c + d*x))/(e*sin(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))/(e*sin(d*x+c))**(7/2),x)

[Out] Timed out

3.41 $\int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{7/2} dx$

Optimal. Leaf size=193

$$\frac{10e^4 (11a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{231d\sqrt{e \sin(c + dx)}} - \frac{10e^3 (11a^2 + 2b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{231d} - \frac{2e (11a^2 + 2b^2)}{231d}$$

[Out] $-2/77*(11*a^2+2*b^2)*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(5/2)}/d+26/99*a*b*(e*\sin(d*x+c))^{(9/2)}/d/e+2/11*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{(9/2)}/d/e-10/231*(11*a^2+2*b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/(e*\sin(d*x+c))^{(1/2)}-10/231*(11*a^2+2*b^2)*e^3*\cos(d*x+c)*(e*\sin(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.19, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2692, 2669, 2635, 2642, 2641}

$$-\frac{10e^3 (11a^2 + 2b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{231d} + \frac{10e^4 (11a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{231d\sqrt{e \sin(c + dx)}} - \frac{2e (11a^2 + 2b^2)}{231d}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(7/2), x]

[Out] $(10*(11*a^2 + 2*b^2)*e^4*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[\sin[c + d*x]])/(231*d*Sqrt[e*\sin[c + d*x]]) - (10*(11*a^2 + 2*b^2)*e^3*\cos[c + d*x]*Sqrt[e*\sin[c + d*x]])/(231*d) - (2*(11*a^2 + 2*b^2)*e*\cos[c + d*x]*(e*\sin[c + d*x])^{(5/2)})/(77*d) + (26*a*b*(e*\sin[c + d*x])^{(9/2)})/(99*d*e) + (2*b*(a + b*\cos[c + d*x]*(e*\sin[c + d*x])^{(9/2)}))/(11*d*e)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[\sin[c + d*x]]/Sqrt[b*\sin[c + d*x]], Int[1/Sqrt[\sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2692

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] :> -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m, x]

$x]^{(m-1)}/(f*g*(m+p)), x] + \text{Dist}[1/(m+p), \text{Int}[(g*\text{Cos}[e+f*x])^p*(a+b*\text{Sin}[e+f*x])^{(m-2)}*(b^2*(m-1)+a^2*(m+p)+a*b*(2*m+p-1)*\text{Sin}[e+f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, g, p\}, x] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m+p, 0] \&\& (\text{IntegersQ}[2*m, 2*p] \mid\mid \text{IntegerQ}[m])$

Rubi steps

$$\begin{aligned} \int (a+b \cos(c+dx))^2 (e \sin(c+dx))^{7/2} dx &= \frac{2b(a+b \cos(c+dx))(e \sin(c+dx))^{9/2}}{11de} + \frac{2}{11} \int \left(\frac{11a^2}{2} + b^2 + \frac{13}{2}a \right. \\ &= \frac{26ab(e \sin(c+dx))^{9/2}}{99de} + \frac{2b(a+b \cos(c+dx))(e \sin(c+dx))^{9/2}}{11de} + \\ &= -\frac{2(11a^2+2b^2)e \cos(c+dx)(e \sin(c+dx))^{5/2}}{77d} + \frac{26ab(e \sin(c+dx))^{9/2}}{99de} \\ &= -\frac{10(11a^2+2b^2)e^3 \cos(c+dx)\sqrt{e \sin(c+dx)}}{231d} - \frac{2(11a^2+2b^2)e^{9/2}}{99de} \\ &= -\frac{10(11a^2+2b^2)e^3 \cos(c+dx)\sqrt{e \sin(c+dx)}}{231d} - \frac{2(11a^2+2b^2)e^{9/2}}{99de} \\ &= \frac{10(11a^2+2b^2)e^4 F\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right)\sqrt{\sin(c+dx)}}{231d\sqrt{e \sin(c+dx)}} - \frac{10(11a^2+2b^2)e^{9/2}}{99de} \end{aligned}$$

Mathematica [A] time = 1.67, size = 157, normalized size = 0.81

$$(e \sin(c+dx))^{7/2} \left(\frac{1}{6} \csc^3(c+dx) (-6(506a^2+71b^2) \cos(c+dx) + 396a^2 \cos(3(c+dx)) - 1232ab \cos(2(c+dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a+b*Cos[c+d*x])^2*(e*Sin[c+d*x])^(7/2),x]

[Out] (((((924*a*b - 6*(506*a^2 + 71*b^2)*Cos[c + d*x] - 1232*a*b*Cos[2*(c + d*x)] + 396*a^2*Cos[3*(c + d*x)] - 117*b^2*Cos[3*(c + d*x)] + 308*a*b*Cos[4*(c + d*x)] + 63*b^2*Cos[5*(c + d*x)])*Csc[c + d*x]^3)/6 - (40*(11*a^2 + 2*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2])/Sin[c + d*x]^(7/2))*(e*Sin[c + d*x])^(7/2))/(924*d)

fricas [F] time = 1.13, size = 0, normalized size = 0.00

$$\text{integral} \left(-(b^2 e^3 \cos(dx+c)^4 + 2 a b e^3 \cos(dx+c)^3 - 2 a b e^3 \cos(dx+c) + (a^2 - b^2) e^3 \cos(dx+c)^2 - a^2 e^3) \sqrt{e \sin(dx+c)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(-(b^2*e^3*cos(d*x+c)^4 + 2*a*b*e^3*cos(d*x+c)^3 - 2*a*b*e^3*cos(d*x+c) + (a^2-b^2)*e^3*cos(d*x+c)^2 - a^2*e^3)*sqrt(e*sin(d*x+c))*sin(d*x+c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 (e \sin(dx+c))^{7/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.24, size = 228, normalized size = 1.18

$$\frac{4ab(e \sin(dx+c))^{\frac{9}{2}}}{9e} - \frac{e^4 \left(-42b^2 \sin(dx+c) (\cos^6(dx+c)) + (-66a^2+72b^2) (\cos^4(dx+c)) \sin(dx+c) + (176a^2-10b^2) (\cos^2(dx+c)) \sin(dx+c) + 55 \sqrt{-\sin(dx+c)} \right)}{9e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(7/2),x)

[Out] (4/9/e*a*b*(e*sin(d*x+c))^(9/2)-1/231*e^4*(-42*b^2*sin(d*x+c)*cos(d*x+c)^6+(-66*a^2+72*b^2)*cos(d*x+c)^4*sin(d*x+c)+(176*a^2-10*b^2)*cos(d*x+c)^2*sin(d*x+c)+55*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+10*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c + dx))^{\frac{7}{2}} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(e*sin(d*x+c))**(7/2),x)

[Out] Timed out

3.42 $\int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2} dx$

Optimal. Leaf size=154

$$\frac{2e^2(9a^2 + 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c + dx)}}{15d\sqrt{\sin(c + dx)}} - \frac{2e(9a^2 + 2b^2)\cos(c + dx)(e\sin(c + dx))^{3/2}}{45d} + \frac{22ab(e\sin(c + dx))^{5/2}}{63d}$$

[Out] $-2/45*(9*a^2+2*b^2)*e*\cos(d*x+c)*(e*\sin(d*x+c))^(3/2)/d+22/63*a*b*(e*\sin(d*x+c))^(7/2)/d/e+2/9*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^(7/2)/d/e-2/15*(9*a^2+2*b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*E$
 $llipticE(\cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*(e*\sin(d*x+c))^(1/2)/d/\sin(d*x+c)^(1/2)$

Rubi [A] time = 0.16, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2692, 2669, 2635, 2640, 2639}

$$\frac{2e^2(9a^2 + 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c + dx)}}{15d\sqrt{\sin(c + dx)}} - \frac{2e(9a^2 + 2b^2)\cos(c + dx)(e\sin(c + dx))^{3/2}}{45d} + \frac{22ab(e\sin(c + dx))^{5/2}}{63d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(e*\text{Sin}[c + d*x])^{5/2}, x]$

[Out] $(2*(9*a^2 + 2*b^2)*e^2*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(15*d*\text{Sqrt}[\text{Sin}[c + d*x]]) - (2*(9*a^2 + 2*b^2)*e*\text{Cos}[c + d*x]*(e*\text{Sin}[c + d*x])^{3/2})/(45*d) + (22*a*b*(e*\text{Sin}[c + d*x])^{7/2})/(63*d*e) + (2*b*(a + b*\text{Cos}[c + d*x]*(e*\text{Sin}[c + d*x])^{7/2})/(9*d*e)$

Rule 2635

$\text{Int}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]^{(n_*)}, x_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \&\& \text{GtQ}\{n, 1\} \&\& \text{IntegerQ}\{2*n\}$

Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2640

$\text{Int}[\text{Sqrt}[(b_*)*\sin[(c_*) + (d_*)*(x_*)]], x_Symbol] := \text{Dist}[\text{Sqrt}[b*\text{Sin}[c + d*x]]/\text{Sqrt}[\text{Sin}[c + d*x]], \text{Int}[\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

Rule 2669

$\text{Int}[(\cos[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]))}, x_Symbol] := -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)})/(f*g*(p+1)), x] + \text{Dist}[a, \text{Int}[(g*\text{Cos}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, e, f, g, p, x\} \&\& (\text{IntegerQ}\{2*p\} \mid\mid \text{NeQ}\{a^2 - b^2, 0\})$

Rule 2692

$\text{Int}[(\cos[(e_*) + (f_*)*(x_*)]*(g_*)^{(p_*)*((a_*) + (b_*)*\sin[(e_*) + (f_*)*(x_*)]))^{(m_*)}, x_Symbol] := -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)}*(a + b*\text{Sin}[e + f*x])^{(m-1)})/(f*g*(m+p)), x] + \text{Dist}[1/(m+p), \text{Int}[(g*\text{Cos}[e + f*x])^p*(a$

+ b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegersQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2} dx &= \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}}{9de} + \frac{2}{9} \int \left(\frac{9a^2}{2} + b^2 + \frac{11}{2} ab \cos \right. \\ &= \frac{22ab(e \sin(c + dx))^{7/2}}{63de} + \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}}{9de} + \frac{1}{9} \\ &= -\frac{2(9a^2 + 2b^2)e \cos(c + dx)(e \sin(c + dx))^{3/2}}{45d} + \frac{22ab(e \sin(c + dx))^{7/2}}{63de} \\ &= -\frac{2(9a^2 + 2b^2)e \cos(c + dx)(e \sin(c + dx))^{3/2}}{45d} + \frac{22ab(e \sin(c + dx))^{7/2}}{63de} \\ &= \frac{2(9a^2 + 2b^2)e^2 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{15d \sqrt{\sin(c + dx)}} - \frac{2(9a^2 + 2b^2)}{63de} \end{aligned}$$

Mathematica [A] time = 0.80, size = 116, normalized size = 0.75

$$\frac{(e \sin(c + dx))^{5/2} \left(84(9a^2 + 2b^2) E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + \sin^{\frac{3}{2}}(c + dx) (21(12a^2 + b^2) \cos(c + dx) + 5b(36a \cos(c + dx) + 7b \cos(3(c + dx)))) \right)}{630d \sin^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(5/2), x]

[Out] -1/630*((e*Sin[c + d*x])^(5/2)*(84*(9*a^2 + 2*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2] + (21*(12*a^2 + b^2)*Cos[c + d*x] + 5*b*(-36*a + 36*a*Cos[2*(c + d*x)] + 7*b*Cos[3*(c + d*x)]))*Sin[c + d*x]^(3/2)))/(d*Sin[c + d*x]^(5/2))

fricas [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(b^2 e^2 \cos(dx + c)^4 + 2abe^2 \cos(dx + c)^3 - 2abe^2 \cos(dx + c) + (a^2 - b^2)e^2 \cos(dx + c)^2 - a^2 e^2\right) \sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(-(b^2*e^2*cos(d*x + c)^4 + 2*a*b*e^2*cos(d*x + c)^3 - 2*a*b*e^2*cos(d*x + c) + (a^2 - b^2)*e^2*cos(d*x + c)^2 - a^2*e^2)*sqrt(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(5/2), x)

maple [A] time = 0.26, size = 332, normalized size = 2.16

$$\frac{4ab(e \sin(dx+c))^{\frac{7}{2}}}{7e} - \frac{e^3 \left(10b^2(\sin^6(dx+c)) + 54\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \operatorname{EllipticE} \left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2} \right) a^2 + 12\sqrt{-\sin(dx+c)} \right)}{7e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(5/2),x)

[Out] (4/7/e*a*b*(e*sin(d*x+c))^(7/2)-1/45*e^3*(10*b^2*sin(d*x+c)^6+54*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+12*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-27*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-18*a^2*sin(d*x+c)^4-14*sin(d*x+c)^4*b^2+18*sin(d*x+c)^2*a^2+4*sin(d*x+c)^2*b^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^2 (e \sin(dx+c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x+c) + a)^2*(e*sin(d*x+c))^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c+dx))^{\frac{5}{2}} (a+b \cos(c+dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c+d*x))^(5/2)*(a+b*cos(c+d*x))^2,x)

[Out] int((e*sin(c+d*x))^(5/2)*(a+b*cos(c+d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2*(e*sin(d*x+c))**(5/2),x)

[Out] Timed out

3.43 $\int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2} dx$

Optimal. Leaf size=154

$$\frac{2e^2 (7a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{21d\sqrt{e \sin(c + dx)}} - \frac{2e (7a^2 + 2b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} + \frac{18ab(e \sin(c + dx))^{3/2}}{35de}$$

[Out] $18/35*a*b*(e*\sin(d*x+c))^{(5/2)}/d/e+2/7*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{(5/2)}/d/e-2/21*(7*a^2+2*b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\text{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/(e*\sin(d*x+c))^{(1/2)}-2/21*(7*a^2+2*b^2)*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.17, antiderivative size = 154, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2692, 2669, 2635, 2642, 2641}

$$\frac{2e^2 (7a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{21d\sqrt{e \sin(c + dx)}} - \frac{2e (7a^2 + 2b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} + \frac{18ab(e \sin(c + dx))^{3/2}}{35de}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(e*\text{Sin}[c + d*x])^{(3/2)}, x]$

[Out] $(2*(7*a^2 + 2*b^2)*e^2*\text{EllipticF}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(21*d*\text{Sqrt}[e*\text{Sin}[c + d*x]]) - (2*(7*a^2 + 2*b^2)*e*\text{Cos}[c + d*x]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(21*d) + (18*a*b*(e*\text{Sin}[c + d*x])^{(5/2)})/(35*d*e) + (2*b*(a + b*\text{Cos}[c + d*x])*(e*\text{Sin}[c + d*x])^{(5/2)})/(7*d*e)$

Rule 2635

$\text{Int}[(b*\sin[(c_) + (d_)*(x_)])^{(n_)}, x_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d, x\} \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d, x\}$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_)*\sin[(c_) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d, x\}$

Rule 2669

$\text{Int}[(\cos[(e_) + (f_)*(x_)]*(g_))^{(p_)*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])}, x_Symbol] \rightarrow -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)})/(f*g*(p+1)), x] + \text{Dist}[a, \text{Int}[(g*\text{Cos}[e + f*x])^p, x], x] /; \text{FreeQ}\{a, b, e, f, g, p, x\} \ \&\& \ (\text{IntegerQ}[2*p] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rule 2692

$\text{Int}[(\cos[(e_) + (f_)*(x_)]*(g_))^{(p_)*((a_) + (b_)*\sin[(e_) + (f_)*(x_)])^{(m_)}, x_Symbol] \rightarrow -\text{Simp}[(b*(g*\text{Cos}[e + f*x])^{(p+1)}*(a + b*\text{Sin}[e + f*x])^{(m-1)})/(f*g*(m+p)), x] + \text{Dist}[1/(m+p), \text{Int}[(g*\text{Cos}[e + f*x])^p*(a$

+ b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegersQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2} dx &= \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}}{7de} + \frac{2}{7} \int \left(\frac{7a^2}{2} + b^2 + \frac{9}{2} ab \cos(c + dx) \right) (e \sin(c + dx))^{3/2} dx \\ &= \frac{18ab(e \sin(c + dx))^{5/2}}{35de} + \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}}{7de} + \frac{2}{7} \int \left(\frac{7a^2}{2} + b^2 + \frac{9}{2} ab \cos(c + dx) \right) (e \sin(c + dx))^{3/2} dx \\ &= -\frac{2(7a^2 + 2b^2)e \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} + \frac{18ab(e \sin(c + dx))^{5/2}}{35de} + \frac{2}{7} \int \left(\frac{7a^2}{2} + b^2 + \frac{9}{2} ab \cos(c + dx) \right) (e \sin(c + dx))^{3/2} dx \\ &= -\frac{2(7a^2 + 2b^2)e \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} + \frac{18ab(e \sin(c + dx))^{5/2}}{35de} + \frac{2}{7} \int \left(\frac{7a^2}{2} + b^2 + \frac{9}{2} ab \cos(c + dx) \right) (e \sin(c + dx))^{3/2} dx \\ &= \frac{2(7a^2 + 2b^2)e^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{21d \sqrt{e \sin(c + dx)}} - \frac{2(7a^2 + 2b^2)e \cos(c + dx) \sqrt{e \sin(c + dx)}}{21d} \end{aligned}$$

Mathematica [A] time = 0.82, size = 117, normalized size = 0.76

$$\frac{(e \sin(c + dx))^{3/2} \left(-\frac{1}{2} \csc(c + dx) (5(28a^2 + 5b^2) \cos(c + dx) + 3b(28a \cos(2(c + dx)) - 28a + 5b \cos(3(c + dx)))) \right)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(3/2), x]

[Out] ((-1/2*((5*(28*a^2 + 5*b^2)*Cos[c + d*x] + 3*b*(-28*a + 28*a*Cos[2*(c + d*x)] + 5*b*Cos[3*(c + d*x)]))*Csc[c + d*x]) - (10*(7*a^2 + 2*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2])/Sin[c + d*x]^(3/2))*(e*Sin[c + d*x])^(3/2))/(105*d)

fricas [F] time = 0.85, size = 0, normalized size = 0.00

$$\text{integral} \left((b^2 e \cos(dx + c))^2 + 2abe \cos(dx + c) + a^2 e \right) \sqrt{e \sin(dx + c)} \sin(dx + c), x$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral((b^2*e*cos(d*x + c))^2 + 2*a*b*e*cos(d*x + c) + a^2*e)*sqrt(e*sin(d*x + c))*sin(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 (e \sin(dx + c))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.24, size = 229, normalized size = 1.49

$$e^2 \left(30b^2 \sin(dx + c) (\cos^4(dx + c)) + 35\sqrt{-\sin(dx + c) + 1} \sqrt{2\sin(dx + c) + 2} (\sqrt{\sin(dx + c)}) \operatorname{EllipticF}(\sqrt{-\sin(dx + c) + 1}, \sqrt{2\sin(dx + c) + 2}) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(3/2),x)`

[Out] `-1/105/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*e^2*(30*b^2*sin(d*x+c)*cos(d*x+c)^4+35*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+10*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2+84*a*b*sin(d*x+c)*cos(d*x+c)^3+70*a^2*sin(d*x+c)*cos(d*x+c)^2-10*b^2*sin(d*x+c)*cos(d*x+c)^2-84*a*b*sin(d*x+c)*cos(d*x+c))/d`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int (e \sin(c + dx))^{\frac{3}{2}} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2,x)`

[Out] `int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*2*(e*sin(d*x+c))*^(3/2),x)`

[Out] Timed out

3.44 $\int (a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)} dx$

Optimal. Leaf size=114

$$\frac{2(5a^2 + 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{14ab(e \sin(c + dx))^{3/2}}{15de} + \frac{2b(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))}{5de}$$

[Out] 14/15*a*b*(e*sin(d*x+c))^(3/2)/d/e+2/5*b*(a+b*cos(d*x+c))*(e*sin(d*x+c))^(3/2)/d/e-2/5*(5*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*(e*sin(d*x+c))^(1/2)/d/sin(d*x+c)^(1/2)

Rubi [A] time = 0.13, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {2692, 2669, 2640, 2639}

$$\frac{2(5a^2 + 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{14ab(e \sin(c + dx))^{3/2}}{15de} + \frac{2b(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))}{5de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*cos[c + d*x])^2*Sqrt[e*Sin[c + d*x]],x]

[Out] (2*(5*a^2 + 2*b^2)*EllipticE[(c - Pi/2 + d*x)/2, 2]*Sqrt[e*Sin[c + d*x]])/(5*d*Sqrt[Sin[c + d*x]]) + (14*a*b*(e*Sin[c + d*x])^(3/2))/(15*d*e) + (2*b*(a + b*cos[c + d*x])*(e*Sin[c + d*x])^(3/2))/(5*d*e)

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x, x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2692

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1))/(f*g*(m + p)), x] + Dist[1/(m + p), Int[(g*cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)} dx &= \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{5de} + \frac{2}{5} \int \left(\frac{5a^2}{2} + b^2 + \frac{7}{2} ab \cos(c + dx) \right) \sqrt{e \sin(c + dx)} dx \\
&= \frac{14ab(e \sin(c + dx))^{3/2}}{15de} + \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{5de} + \frac{1}{5} \int (5a^2 + 2b^2 + 7ab \cos(c + dx)) \sqrt{e \sin(c + dx)} dx \\
&= \frac{14ab(e \sin(c + dx))^{3/2}}{15de} + \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{5de} + \frac{((5a^2 + 2b^2)E(\frac{1}{2}(c - \frac{\pi}{2} + dx)|2) + 7ab \sin(c + dx)) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} \\
&= \frac{2(5a^2 + 2b^2)E(\frac{1}{2}(c - \frac{\pi}{2} + dx)|2) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{14ab(e \sin(c + dx))^{3/2}}{15de}
\end{aligned}$$

Mathematica [A] time = 0.27, size = 83, normalized size = 0.73

$$\frac{2\sqrt{e \sin(c + dx)} \left(b \sin^{\frac{3}{2}}(c + dx)(10a + 3b \cos(c + dx)) - 3(5a^2 + 2b^2)E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2 \right) \right)}{15d\sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2*Sqrt[e*Sin[c + d*x]],x]

[Out] (2*Sqrt[e*Sin[c + d*x]]*(-3*(5*a^2 + 2*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2] + b*(10*a + 3*b*Cos[c + d*x])*Sin[c + d*x]^(3/2)))/(15*d*Sqrt[Sin[c + d*x]])

fricas [F] time = 1.07, size = 0, normalized size = 0.00

$$\text{integral} \left((b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{e \sin(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sqrt{e \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2*sqrt(e*sin(d*x + c)), x)

maple [B] time = 0.25, size = 294, normalized size = 2.58

$$e \left(30\sqrt{-\sin(dx + c) + 1} \sqrt{2 \sin(dx + c) + 2} \left(\sqrt{\sin(dx + c)} \right) \text{EllipticE} \left(\sqrt{-\sin(dx + c) + 1}, \frac{\sqrt{2}}{2} \right) a^2 + 12\sqrt{-\sin(dx + c) + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(1/2),x)

[Out] -1/15/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*e*(30*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))

```
*a^2+12*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-15*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2+6*b^2*cos(d*x+c)^4+20*a*b*cos(d*x+c)^3-6*cos(d*x+c)^2*b^2-20*a*b*cos(d*x+c))/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^2 \sqrt{e \sin(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)^2*sqrt(e*sin(d*x + c)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{e \sin(c + dx)} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2,x)
```

```
[Out] int((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{e \sin(c + dx)} (a + b \cos(c + dx))^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(e*sin(d*x+c))**(1/2),x)
```

```
[Out] Integral(sqrt(e*sin(c + d*x))*(a + b*cos(c + d*x))**2, x)
```

$$3.45 \quad \int \frac{(a+b \cos(c+dx))^2}{\sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=114

$$\frac{2(3a^2 + 2b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3d\sqrt{e \sin(c+dx)}} + \frac{10ab\sqrt{e \sin(c+dx)}}{3de} + \frac{2b\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{3de}$$

[Out] $-2/3*(3*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*sin(d*x+c)^{(1/2)}/d/(e*sin(d*x+c))^{(1/2)}+10/3*a*b*(e*sin(d*x+c))^{(1/2)}/d/e+2/3*b*(a+b*cos(d*x+c))*(e*sin(d*x+c))^{(1/2)}/d/e$

Rubi [A] time = 0.13, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {2692, 2669, 2642, 2641}

$$\frac{2(3a^2 + 2b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3d\sqrt{e \sin(c+dx)}} + \frac{10ab\sqrt{e \sin(c+dx)}}{3de} + \frac{2b\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{3de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2/Sqrt[e*Sin[c + d*x]], x]

[Out] $(2*(3*a^2 + 2*b^2)*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[Sin[c + d*x]])/(3*d*Sqrt[e*Sin[c + d*x]]) + (10*a*b*Sqrt[e*Sin[c + d*x]])/(3*d*e) + (2*b*(a + b*Cos[c + d*x])*Sqrt[e*Sin[c + d*x]])/(3*d*e)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2692

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1))/(f*g*(m + p)), x] + Dist[1/(m + p), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegersQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^2}{\sqrt{e \sin(c + dx)}} dx &= \frac{2b(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de} + \frac{2}{3} \int \frac{\frac{3a^2}{2} + b^2 + \frac{5}{2}ab \cos(c + dx)}{\sqrt{e \sin(c + dx)}} dx \\
&= \frac{10ab\sqrt{e \sin(c + dx)}}{3de} + \frac{2b(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de} + \frac{1}{3} (3a^2 + 2b^2) \int \frac{1}{\sqrt{e \sin(c + dx)}} dx \\
&= \frac{10ab\sqrt{e \sin(c + dx)}}{3de} + \frac{2b(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de} + \frac{((3a^2 + 2b^2) \sqrt{\sin(c + dx)})}{3\sqrt{e \sin(c + dx)}} \\
&= \frac{2(3a^2 + 2b^2) F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3d\sqrt{e \sin(c + dx)}} + \frac{10ab\sqrt{e \sin(c + dx)}}{3de} + \frac{2b(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de}
\end{aligned}$$

Mathematica [A] time = 0.38, size = 79, normalized size = 0.69

$$\frac{2b \sin(c + dx)(6a + b \cos(c + dx)) - 2(3a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right)}{3d\sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2/Sqrt[e*Sin[c + d*x]],x]

[Out] (-2*(3*a^2 + 2*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]] + 2*b*(6*a + b*Cos[c + d*x])*Sin[c + d*x])/(3*d*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 1.17, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \cos(dx + c))^2 + 2ab \cos(dx + c) + a^2}{e \sin(dx + c)} \sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((b^2*cos(d*x + c))^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(e*sin(d*x + c))/(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2/sqrt(e*sin(d*x + c)), x)

maple [A] time = 0.22, size = 170, normalized size = 1.49

$$\frac{3\sqrt{-\sin(dx + c) + 1} \sqrt{2 \sin(dx + c) + 2} (\sqrt{\sin(dx + c)}) \text{EllipticF}\left(\sqrt{-\sin(dx + c) + 1}, \frac{\sqrt{2}}{2}\right) a^2 + 2\sqrt{-\sin(dx + c)}}{3d\sqrt{e \sin(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x)

[Out] $-1/3/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*(3*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}*\text{EllipticF}((-\sin(dx+c)+1)^{1/2},1/2*2^{1/2})*a^2+2*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}*\text{EllipticF}((-\sin(dx+c)+1)^{1/2},1/2*2^{1/2}))*b^2-2*b^2*\sin(dx+c)*\cos(dx+c)^2-12*a*b*\sin(dx+c)*\cos(dx+c))/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(dx+c))^2/(e*sin(dx+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((b*cos(dx + c) + a)^2/sqrt(e*sin(dx + c)), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{\sqrt{e \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + b*cos(c + dx))^2/(e*sin(c + dx))^(1/2),x)`

[Out] `int((a + b*cos(c + dx))^2/(e*sin(c + dx))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^2}{\sqrt{e \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(dx+c))**2/(e*sin(dx+c))**(1/2),x)`

[Out] `Integral((a + b*cos(c + dx))**2/sqrt(e*sin(c + dx)), x)`

$$3.46 \quad \int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=118

$$\frac{2(a^2 + 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 \sqrt{\sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}}{de^3} - \frac{2(a \cos(c + dx) + b)(a + b \cos(c + dx))}{de \sqrt{e \sin(c + dx)}}$$

[Out] $-2*a*b*(e*\sin(d*x+c))^(3/2)/d/e^3-2*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))/d/e/(e*\sin(d*x+c))^(1/2)+2*(a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*(e*\sin(d*x+c))^(1/2)/d/e^2/sin(d*x+c)^(1/2)$

Rubi [A] time = 0.14, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {2691, 2669, 2640, 2639}

$$\frac{2(a^2 + 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 \sqrt{\sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}}{de^3} - \frac{2(a \cos(c + dx) + b)(a + b \cos(c + dx))}{de \sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2/(e*Sin[c + d*x])^(3/2),x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x]))/(d*e*\sqrt{e*\sin[c + d*x]}) - (2*(a^2 + 2*b^2)*\text{EllipticE}[(c - \pi/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/(d*e^2*\sqrt{\sin[c + d*x]}) - (2*a*b*(e*\sin[c + d*x])^(3/2))/(d*e^3)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{3/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{de\sqrt{e \sin(c + dx)}} - \frac{2 \int \left(\frac{a^2}{2} + b^2 + \frac{3}{2}ab \cos(c + dx)\right) \sqrt{e \sin(c + dx)}}{e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{de\sqrt{e \sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}}{de^3} - \frac{(a^2 + 2b^2) \int \sqrt{e \sin(c + dx)}}{e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{de\sqrt{e \sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}}{de^3} - \frac{((a^2 + 2b^2) \sqrt{e \sin(c + dx)})}{e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{de\sqrt{e \sin(c + dx)}} - \frac{2(a^2 + 2b^2) E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 \sqrt{\sin(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.24, size = 75, normalized size = 0.64

$$\frac{-2(a^2 + b^2) \cos(c + dx) + 2(a^2 + 2b^2) \sqrt{\sin(c + dx)} E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) - 4ab}{de\sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2/(e*Sin[c + d*x])^(3/2),x]

[Out] (-4*a*b - 2*(a^2 + b^2)*Cos[c + d*x] + 2*(a^2 + 2*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]])/(d*e*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{e \sin(dx + c)}}{e^2 \cos(dx + c)^2 - e^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(-(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(e*sin(d*x + c)))/(e^2*cos(d*x + c)^2 - e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.23, size = 277, normalized size = 2.35

$$\frac{(-2a^2 - 2b^2) (\cos^2(dx + c)) - 4ab \cos(dx + c) + 2\sqrt{-\sin(dx + c) + 1} \sqrt{2 \sin(dx + c) + 2} (\sqrt{\sin(dx + c)}) \text{Ellip}}{de^2 \sqrt{\sin(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x)

```
[Out] ((-2*a^2-2*b^2)*cos(d*x+c)^2-4*a*b*cos(d*x+c)+2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+4*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/e/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(3/2), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(3/2),x)
```

```
[Out] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(3/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2/(e*sin(d*x+c))**(3/2),x)
```

```
[Out] Integral((a + b*cos(c + d*x))**2/(e*sin(c + d*x))**(3/2), x)
```

$$3.47 \quad \int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=124

$$\frac{2(a^2 - 2b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3de^2 \sqrt{e \sin(c+dx)}} - \frac{2ab \sqrt{e \sin(c+dx)}}{3de^3} - \frac{2(a \cos(c+dx) + b)(a + b \cos(c+dx))}{3de(e \sin(c+dx))^{3/2}}$$

[Out] $-2/3*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))/d/e/(e*\sin(d*x+c))^{(3/2)}-2/3*(a^2-2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*sin(d*x+c)^{(1/2)}/d/e^2/(e*\sin(d*x+c))^{(1/2)}-2/3*a*b*(e*\sin(d*x+c))^{(1/2)}/d/e^3$

Rubi [A] time = 0.14, antiderivative size = 124, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.160$, Rules used = {2691, 2669, 2642, 2641}

$$\frac{2(a^2 - 2b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3de^2 \sqrt{e \sin(c+dx)}} - \frac{2ab \sqrt{e \sin(c+dx)}}{3de^3} - \frac{2(a \cos(c+dx) + b)(a + b \cos(c+dx))}{3de(e \sin(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2/(e*Sin[c + d*x])^(5/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x]))/(3*d*e*(e*\sin[c + d*x])^{(3/2)}) + (2*(a^2 - 2*b^2)*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[\sin[c + d*x]])/(3*d*e^2*Sqrt[e*\sin[c + d*x]]) - (2*a*b*Sqrt[e*\sin[c + d*x]])/(3*d*e^3)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[Sqrt[\sin[c + d*x]]/Sqrt[b*\sin[c + d*x]], Int[1/Sqrt[\sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(b*(g*\cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*\cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[((g*\cos[e + f*x])^(p + 1)*(a + b*\sin[e + f*x])^(m - 1)*(b + a*\sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*\cos[e + f*x])^(p + 2)*(a + b*\sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*\sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{5/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{3de(e \sin(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{a^2}{2} + b^2 + \frac{1}{2}ab \cos(c+dx)}{\sqrt{e \sin(c+dx)}} dx}{3e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{3de(e \sin(c + dx))^{3/2}} - \frac{2ab\sqrt{e \sin(c + dx)}}{3de^3} + \frac{(a^2 - 2b^2) \int \frac{1}{\sqrt{e \sin(c + dx)}} dx}{3e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{3de(e \sin(c + dx))^{3/2}} - \frac{2ab\sqrt{e \sin(c + dx)}}{3de^3} + \frac{((a^2 - 2b^2) \sqrt{\sin(c + dx)})}{3e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{3de(e \sin(c + dx))^{3/2}} + \frac{2(a^2 - 2b^2) F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3de^2 \sqrt{e \sin(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.26, size = 76, normalized size = 0.61

$$-\frac{2\left(\left(a^2 + b^2\right) \cos(c + dx) + \left(a^2 - 2b^2\right) \sin^{\frac{3}{2}}(c + dx) F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + 2ab\right)}{3de(e \sin(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^2/(e*Sin[c + d*x])^(5/2),x]

[Out] (-2*(2*a*b + (a^2 + b^2)*Cos[c + d*x] + (a^2 - 2*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(3/2)))/(3*d*e*(e*Sin[c + d*x])^(3/2))

fricas [F] time = 0.89, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{e \sin(dx + c)}}{(e^3 \cos(dx + c)^2 - e^3) \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="fricas")

[Out] integral(-(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(e*sin(d*x + c)))/((e^3*cos(d*x + c)^2 - e^3)*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(5/2), x)

maple [A] time = 0.23, size = 190, normalized size = 1.53

$$-\frac{4ab}{3e(e \sin(dx+c))^{3/2}} - \frac{(2a^2+2b^2) \sin(dx+c) (\cos^2(dx+c)) + \sqrt{-\sin(dx+c)+1} \sqrt{2 \sin(dx+c)+2} \left(\sin^{\frac{5}{2}}(dx+c)\right) \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) a^2 - 2b^2}{3e^2 \sin(dx+c)^2 \cos(dx+c) \sqrt{e \sin(dx+c)}}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x)

[Out] $(-4/3*a*b/e/(e*\sin(d*x+c))^{3/2}-1/3/e^2*((2*a^2+2*b^2)*\sin(d*x+c)*\cos(d*x+c)^2+(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{5/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})*a^2-2*b^2*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{5/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})))/\sin(d*x+c)^2/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(5/2),x)

[Out] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*2/(e*sin(d*x+c))^(5/2),x)

[Out] Timed out

$$3.48 \quad \int \frac{(a+b \cos(c+dx))^2}{(e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=165

$$\frac{2(3a^2 - 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5de^4 \sqrt{\sin(c + dx)}} - \frac{2(3a^2 - 2b^2) \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(a \cos(c + dx))}{5de^3 \sqrt{e \sin(c + dx)}}$$

[Out] $-2/5*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))/d/e/(e*\sin(d*x+c))^{(5/2)}-2/5*a*b/d/e^{(3/2)}*(e*\sin(d*x+c))^{(1/2)}-2/5*(3*a^2-2*b^2)*\cos(d*x+c)/d/e^3/(e*\sin(d*x+c))^{(1/2)}+2/5*(3*a^2-2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/e^4/sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2691, 2669, 2636, 2640, 2639}

$$\frac{2(3a^2 - 2b^2) \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(3a^2 - 2b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5de^4 \sqrt{\sin(c + dx)}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(a \cos(c + dx))}{5de^3 \sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^2/(e*Sin[c + d*x])^(7/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x]))/(5*d*e*(e*\sin[c + d*x])^{(5/2)}) - (2*a*b)/(5*d*e^3*\sqrt{e*\sin[c + d*x]}) - (2*(3*a^2 - 2*b^2)*\cos[c + d*x])/(5*d*e^3*\sqrt{e*\sin[c + d*x]}) - (2*(3*a^2 - 2*b^2)*\text{EllipticE}[(c - \pi/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/(5*d*e^4*\sqrt{\sin[c + d*x]})$

Rule 2636

Int[((b_)*sin[(c_.) + (d_)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_)*(x_)]*(g_))^(p_)*((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_)*(x_)]*(g_))^(p_)*((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

$\int (a + b \cos(c + dx))^2 / (e \sin(c + dx))^{7/2} dx$ + Dist[1/(g^2*(p + 1)), x] + Dist[(g*cos[e + f*x])^(p + 2)*(a + b*sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegersQ[2*m, 2*p] || IntegerQ[m])

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{7/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{5de(e \sin(c + dx))^{5/2}} - \frac{2 \int \frac{-\frac{3a^2}{2} + b^2 - \frac{1}{2}ab \cos(c + dx)}{(e \sin(c + dx))^{3/2}} dx}{5e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{5de(e \sin(c + dx))^{5/2}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} + \frac{(3a^2 - 2b^2) \int \frac{1}{(e \sin(c + dx))^{3/2}} dx}{5e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{5de(e \sin(c + dx))^{5/2}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(3a^2 - 2b^2) \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{5de(e \sin(c + dx))^{5/2}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(3a^2 - 2b^2) \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))}{5de(e \sin(c + dx))^{5/2}} - \frac{2ab}{5de^3 \sqrt{e \sin(c + dx)}} - \frac{2(3a^2 - 2b^2) \cos(c + dx)}{5de^3 \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.47, size = 109, normalized size = 0.66

$$\frac{(7a^2 + 2b^2) \cos(c + dx) - 4(3a^2 - 2b^2) \sin^{\frac{5}{2}}(c + dx) E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) - 3a^2 \cos(3(c + dx)) + 8ab + 2b^2 \cos(3(c + dx))}{10de(e \sin(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^2/(e*sin[c + d*x])^(7/2), x]

[Out] -1/10*(8*a*b + (7*a^2 + 2*b^2)*Cos[c + d*x] - 3*a^2*cos[3*(c + d*x)] + 2*b^2*cos[3*(c + d*x)] - 4*(3*a^2 - 2*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(5/2))/(d*e*(e*sin[c + d*x])^(5/2))

fricas [F] time = 0.69, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2) \sqrt{e \sin(dx + c)}}{e^4 \cos(dx + c)^4 - 2e^4 \cos(dx + c)^2 + e^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2), x, algorithm="fricas")

[Out] integral((b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)*sqrt(e*sin(d*x + c)))/(e^4*cos(d*x + c)^4 - 2*e^4*cos(d*x + c)^2 + e^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.26, size = 327, normalized size = 1.98

$$-\frac{4ab}{5e(e\sin(dx+c))^{\frac{5}{2}}} + \frac{(6a^2-4b^2)\sin(dx+c)(\cos^4(dx+c))+(-8a^2+2b^2)(\cos^2(dx+c))\sin(dx+c)+6\sqrt{-\sin(dx+c)+1}\sqrt{2\sin(dx+c)+2}\left(\sin^{\frac{7}{2}}(dx+c)\right)}{5e(e\sin(dx+c))^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2), x)

[Out] $(-4/5*a*b/e/(e*\sin(d*x+c))^{(5/2)}+1/5/e^3*((6*a^2-4*b^2)*\sin(d*x+c)*\cos(d*x+c)^4+(-8*a^2+2*b^2)*\cos(d*x+c)^2*\sin(d*x+c)+6*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticE}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)}))*a^2-4*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticE}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)}))*b^2-3*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticF}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)}))*a^2+2*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(7/2)}*\text{EllipticF}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)}))*b^2)/\sin(d*x+c)^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^2}{(e \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2), x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^2/(e*sin(d*x + c))^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^2}{(e \sin(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(7/2), x)

[Out] int((a + b*cos(c + d*x))^2/(e*sin(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**2/(e*sin(d*x+c))**(7/2), x)

[Out] Timed out

3.49 $\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{7/2} dx$

Optimal. Leaf size=242

$$\frac{10ae^4 (11a^2 + 6b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{231d\sqrt{e \sin(c + dx)}} - \frac{10ae^3 (11a^2 + 6b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{231d} + \frac{2b(177a^2 + 44b^2) (e \sin(c + dx))^{9/2}}{d} + \frac{34ab (a + b \cos(c + dx)) (e \sin(c + dx))^{9/2}}{d} + \frac{2b(177a^2 + 44b^2) (e \sin(c + dx))^{9/2}}{d} - \frac{10ae^4 (11a^2 + 6b^2) e^4 (\sin(1/2c + 1/4\pi + 1/2dx))^2}{\sin(1/2c + 1/4\pi + 1/2dx)} \operatorname{EllipticF}(\cos(1/2c + 1/4\pi + 1/2dx), 2^{1/2}) \sin^{1/2}(c + dx)}{d} - \frac{10ae^3 (11a^2 + 6b^2) e^3 \cos(c + dx) (e \sin(c + dx))^{1/2}}{d}$$

[Out] $-2/77*a*(11*a^2+6*b^2)*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(5/2)}/d+2/1287*b*(177*a^2+44*b^2)*(e*\sin(d*x+c))^{(9/2)}/d/e+34/143*a*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{(9/2)}/d/e+2/13*b*(a+b*\cos(d*x+c))^2*(e*\sin(d*x+c))^{(9/2)}/d/e-10/231*a*(11*a^2+6*b^2)*e^4*(\sin(1/2*c+1/4*\pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*\pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*\pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/(e*\sin(d*x+c))^{(1/2)}-10/231*a*(11*a^2+6*b^2)*e^3*\cos(d*x+c)*(e*\sin(d*x+c))^{(1/2)}/d$

Rubi [A] time = 0.32, antiderivative size = 242, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2692, 2862, 2669, 2635, 2642, 2641}

$$-\frac{10ae^3 (11a^2 + 6b^2) \cos(c + dx) \sqrt{e \sin(c + dx)}}{231d} + \frac{10ae^4 (11a^2 + 6b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right)}{231d\sqrt{e \sin(c + dx)}} + \frac{2b(177a^2 + 44b^2) (e \sin(c + dx))^{9/2}}{d} + \frac{34ab (a + b \cos(c + dx)) (e \sin(c + dx))^{9/2}}{d} + \frac{2b(177a^2 + 44b^2) (e \sin(c + dx))^{9/2}}{d} - \frac{10ae^4 (11a^2 + 6b^2) e^4 (\sin(1/2c + 1/4\pi + 1/2dx))^2}{\sin(1/2c + 1/4\pi + 1/2dx)} \operatorname{EllipticF}(\cos(1/2c + 1/4\pi + 1/2dx), 2^{1/2}) \sin^{1/2}(c + dx)}{d} - \frac{10ae^3 (11a^2 + 6b^2) e^3 \cos(c + dx) (e \sin(c + dx))^{1/2}}{d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + b*\operatorname{Cos}[c + d*x])^3*(e*\operatorname{Sin}[c + d*x])^{(7/2)}, x]$

[Out] $(10*a*(11*a^2 + 6*b^2)*e^4*\operatorname{EllipticF}[(c - \pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]])/(231*d*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]]) - (10*a*(11*a^2 + 6*b^2)*e^3*\operatorname{Cos}[c + d*x]*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]])/(231*d) - (2*a*(11*a^2 + 6*b^2)*e*\operatorname{Cos}[c + d*x]*(e*\operatorname{Sin}[c + d*x])^{(5/2)})/(77*d) + (2*b*(177*a^2 + 44*b^2)*(e*\operatorname{Sin}[c + d*x])^{(9/2)})/(1287*d*e) + (34*a*b*(a + b*\operatorname{Cos}[c + d*x])*(e*\operatorname{Sin}[c + d*x])^{(9/2)})/(143*d*e) + (2*b*(a + b*\operatorname{Cos}[c + d*x])^2*(e*\operatorname{Sin}[c + d*x])^{(9/2)})/(13*d*e)$

Rule 2635

$\operatorname{Int}[(b_*)*\sin[(c_*) + (d_*)(x_*)]]^{(n_*)}, x_Symbol] := -\operatorname{Simp}[(b*\operatorname{Cos}[c + d*x])*(b*\operatorname{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \operatorname{Dist}[(b^2*(n-1))/n, \operatorname{Int}[(b*\operatorname{Sin}[c + d*x])^{(n-2)}, x], x] /; \operatorname{FreeQ}\{b, c, d\}, x] \&\& \operatorname{GtQ}[n, 1] \&\& \operatorname{IntegerQ}[2*n]$

Rule 2641

$\operatorname{Int}[1/\operatorname{Sqrt}[\sin[(c_*) + (d_*)(x_*)]], x_Symbol] := \operatorname{Simp}[(2*\operatorname{EllipticF}[(1*(c - \pi/2 + d*x))/2, 2])/d, x] /; \operatorname{FreeQ}\{c, d\}, x]$

Rule 2642

$\operatorname{Int}[1/\operatorname{Sqrt}[(b_*)*\sin[(c_*) + (d_*)(x_*)]], x_Symbol] := \operatorname{Dist}[\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]]/\operatorname{Sqrt}[b*\operatorname{Sin}[c + d*x]], \operatorname{Int}[1/\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]], x], x] /; \operatorname{FreeQ}\{b, c, d\}, x]$

Rule 2669

$\operatorname{Int}[(\cos[(e_*) + (f_*)(x_*)]*(g_*))^{(p_*)}*((a_*) + (b_*)*\sin[(e_*) + (f_*)(x_*)])], x_Symbol] := -\operatorname{Simp}[(b*(g*\operatorname{Cos}[e + f*x])^{(p+1)})/(f*g*(p+1)), x] + \operatorname{Dist}[a, \operatorname{Int}[(g*\operatorname{Cos}[e + f*x])^p, x], x] /; \operatorname{FreeQ}\{a, b, e, f, g, p\}, x] \&\& (\operatorname{IntegerQ}[2*p] || \operatorname{NeQ}[a^2 - b^2, 0])$

Rule 2692

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.), x_Symbol] := -Simp[(b*(g*cos[e + f*x])^(p + 1)*(a + b*sin[e + f*x])^(m - 1))/(f*g*(m + p)), x] + Dist[1/(m + p), Int[(g*cos[e + f*x])^p*(a + b*sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegersQ[2*m, 2*p] || IntegerQ[m])
```

Rule 2862

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(d*(g*cos[e + f*x])^(p + 1)*(a + b*sin[e + f*x])^m)/(f*g*(m + p + 1)), x] + Dist[1/(m + p + 1), Int[(g*cos[e + f*x])^p*(a + b*sin[e + f*x])^(m - 1)*Simp[a*c*(m + p + 1) + b*d*m + (a*d*m + b*c*(m + p + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplerQ[c + d*x, a + b*x])
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{7/2} dx &= \frac{2b(a + b \cos(c + dx))^2 (e \sin(c + dx))^{9/2}}{13de} + \frac{2}{13} \int (a + b \cos(c + dx)) (e \sin(c + dx))^{7/2} dx \\ &= \frac{34ab(a + b \cos(c + dx))(e \sin(c + dx))^{9/2}}{143de} + \frac{2b(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}}{13de} \\ &= \frac{2b(177a^2 + 44b^2)(e \sin(c + dx))^{9/2}}{1287de} + \frac{34ab(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}}{143de} \\ &= -\frac{2a(11a^2 + 6b^2)e \cos(c + dx)(e \sin(c + dx))^{5/2}}{77d} + \frac{2b(177a^2 + 44b^2)(e \sin(c + dx))^{7/2}}{13de} \\ &= -\frac{10a(11a^2 + 6b^2)e^3 \cos(c + dx)\sqrt{e \sin(c + dx)}}{231d} - \frac{2a(11a^2 + 6b^2)(e \sin(c + dx))^{7/2}}{13de} \\ &= -\frac{10a(11a^2 + 6b^2)e^3 \cos(c + dx)\sqrt{e \sin(c + dx)}}{231d} - \frac{2a(11a^2 + 6b^2)(e \sin(c + dx))^{7/2}}{13de} \\ &= \frac{10a(11a^2 + 6b^2)e^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{231d\sqrt{e \sin(c + dx)}} - \frac{10a(11a^2 + 6b^2)(e \sin(c + dx))^{7/2}}{13de} \end{aligned}$$

Mathematica [A] time = 2.49, size = 205, normalized size = 0.85

$$(e \sin(c + dx))^{7/2} \left(154b(78a^2 + 11b^2) \csc^3(c + dx) - \frac{2080a(11a^2 + 6b^2)F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right)}{\sin^2(c + dx)} + \frac{1}{3} \csc^3(c + dx) (-77b(62a^2 + 11b^2) \csc^2(c + dx) + 2080a^2 \csc^2(c + dx) - 154b^2 \csc^2(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*cos[c + d*x])^3*(e*sin[c + d*x])^(7/2),x]

[Out] ((154*b*(78*a^2 + 11*b^2)*Csc[c + d*x]^3 + ((-156*a*(506*a^2 + 213*b^2)*Cos[c + d*x] - 77*b*(624*a^2 + 73*b^2)*Cos[2*(c + d*x)] + 234*a*(44*a^2 - 39*b^2)*Cos[3*(c + d*x)] - 154*b*(-78*a^2 + b^2)*Cos[4*(c + d*x)] + 4914*a*b^2*Cos[5*(c + d*x)] + 693*b^3*Cos[6*(c + d*x)])*Csc[c + d*x]^3)/3 - (2080*a*(11*a^2 + 6*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2])/Sin[c + d*x]^(7/2))*(e*sin[c + d*x])^(7/2))/(48048*d)

fricas [F] time = 1.05, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(b^3 e^3 \cos(dx+c)^5 + 3ab^2 e^3 \cos(dx+c)^4 - 3a^2 b e^3 \cos(dx+c) + (3a^2 b - b^3)e^3 \cos(dx+c)^3 - a^3 e^3\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(7/2),x, algorithm="fricas")

[Out] integral(-(b^3*e^3*cos(d*x + c)^5 + 3*a*b^2*e^3*cos(d*x + c)^4 - 3*a^2*b*e^3*cos(d*x + c) + (3*a^2*b - b^3)*e^3*cos(d*x + c)^3 - a^3*e^3 + (a^3 - 3*a*b^2)*e^3*cos(d*x + c)^2)*sqrt(e*sin(d*x + c))*sin(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^3 (e \sin(dx+c))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.32, size = 252, normalized size = 1.04

$$\frac{2b(e \sin(dx+c))^{\frac{9}{2}}(9(\cos^2(dx+c))b^2+39a^2+4b^2)}{117e} - \frac{e^4 a \left(-126b^2 \sin(dx+c)(\cos^6(dx+c)) + (-66a^2+216b^2)(\cos^4(dx+c)) \sin(dx+c) + (176a^2-30b^2)(\cos^2(dx+c)) \right)}{117e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(7/2),x)

[Out] (2/117/e*b*(e*sin(d*x+c))^(9/2)*(9*cos(d*x+c)^2*b^2+39*a^2+4*b^2)-1/231*e^4*a*(-126*b^2*sin(d*x+c)*cos(d*x+c)^6+(-66*a^2+216*b^2)*cos(d*x+c)^4*sin(d*x+c)+(176*a^2-30*b^2)*cos(d*x+c)^2*sin(d*x+c)+55*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+30*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^3 (e \sin(dx+c))^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (e \sin(c+dx))^{\frac{7}{2}} (a+b \cos(c+dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(e*sin(d*x+c))**(7/2),x)

[Out] Timed out

3.50 $\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{5/2} dx$

Optimal. Leaf size=202

$$\frac{2ae^2(3a^2 + 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{2b(43a^2 + 12b^2)(e\sin(c + dx))^{7/2}}{231de} - \frac{2ae(3a^2 + 2b^2)\cos(c + dx)}{231de}$$

[Out] $-2/15*a*(3*a^2+2*b^2)*e*\cos(d*x+c)*(e*\sin(d*x+c))^{(3/2)}/d+2/231*b*(43*a^2+12*b^2)*(e*\sin(d*x+c))^{(7/2)}/d/e+10/33*a*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{(7/2)}/d/e+2/11*b*(a+b*\cos(d*x+c))^2*(e*\sin(d*x+c))^{(7/2)}/d/e-2/5*a*(3*a^2+2*b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.29, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2692, 2862, 2669, 2635, 2640, 2639}

$$\frac{2ae^2(3a^2 + 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e\sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{2b(43a^2 + 12b^2)(e\sin(c + dx))^{7/2}}{231de} - \frac{2ae(3a^2 + 2b^2)\cos(c + dx)}{231de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(5/2), x]

[Out] $(2*a*(3*a^2 + 2*b^2)*e^2*EllipticE[(c - Pi/2 + d*x)/2, 2]*Sqrt[e*Sin[c + d*x]])/(5*d*Sqrt[Sin[c + d*x]]) - (2*a*(3*a^2 + 2*b^2)*e*\cos[c + d*x]*(e*\sin[c + d*x])^{(3/2)})/(15*d) + (2*b*(43*a^2 + 12*b^2)*(e*\sin[c + d*x])^{(7/2)})/(231*d*e) + (10*a*b*(a + b*\cos[c + d*x])*(e*\sin[c + d*x])^{(7/2)})/(33*d*e) + (2*b*(a + b*\cos[c + d*x])^2*(e*\sin[c + d*x])^{(7/2)})/(11*d*e)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m, x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2692

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m, x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/g, x] /; FreeQ[{a, b, e, f, g, p}, x] && IntegerQ[p]

$x]^{(m-1)}/(f*g*(m+p)), x] + \text{Dist}[1/(m+p), \text{Int}[(g*\text{Cos}[e+f*x])^p*(a+b*\text{Sin}[e+f*x])^{(m-2)}*(b^2*(m-1)+a^2*(m+p)+a*b*(2*m+p-1)*\text{Sin}[e+f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, g, p\}, x] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m+p, 0] \&\& (\text{IntegersQ}[2*m, 2*p] \|\ \text{IntegerQ}[m])$

Rule 2862

$\text{Int}[(\text{cos}[(e_.)+(f_.)*(x_.)]*(g_.))^{(p_.)*((a_.)+(b_.)*\text{sin}[(e_.)+(f_.)*(x_.)])^{(m_.)*((c_.)+(d_.)*\text{sin}[(e_.)+(f_.)*(x_.)])}, x_Symbol] := -\text{Simp}[(d*(g*\text{Cos}[e+f*x])^{(p+1)}*(a+b*\text{Sin}[e+f*x])^m)/(f*g*(m+p+1)), x] + \text{Dist}[1/(m+p+1), \text{Int}[(g*\text{Cos}[e+f*x])^p*(a+b*\text{Sin}[e+f*x])^{(m-1)}*\text{Simp}[a*c*(m+p+1)+b*d*m+(a*d*m+b*c*(m+p+1))*\text{Sin}[e+f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*m] \&\& !(EqQ[m, 1] \&\& \text{NeQ}[c^2-d^2, 0]) \&\& \text{Simp}[\text{lerQ}[c+d*x, a+b*x])$

Rubi steps

$$\begin{aligned} \int (a+b \cos(c+dx))^3 (e \sin(c+dx))^{5/2} dx &= \frac{2b(a+b \cos(c+dx))^2 (e \sin(c+dx))^{7/2}}{11de} + \frac{2}{11} \int (a+b \cos(c+dx))^{5/2} (e \sin(c+dx))^{3/2} dx \\ &= \frac{10ab(a+b \cos(c+dx))(e \sin(c+dx))^{7/2}}{33de} + \frac{2b(a+b \cos(c+dx))^{5/2} (e \sin(c+dx))^{3/2}}{11de} \\ &= \frac{2b(43a^2+12b^2)(e \sin(c+dx))^{7/2}}{231de} + \frac{10ab(a+b \cos(c+dx))(e \sin(c+dx))^{5/2}}{33de} \\ &= -\frac{2a(3a^2+2b^2)e \cos(c+dx)(e \sin(c+dx))^{3/2}}{15d} + \frac{2b(43a^2+12b^2)(e \sin(c+dx))^{5/2}}{231d} \\ &= -\frac{2a(3a^2+2b^2)e \cos(c+dx)(e \sin(c+dx))^{3/2}}{15d} + \frac{2b(43a^2+12b^2)(e \sin(c+dx))^{5/2}}{231d} \\ &= \frac{2a(3a^2+2b^2)e^2 E\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right) \sqrt{e \sin(c+dx)}}{5d\sqrt{\sin(c+dx)}} - \frac{2a(3a^2+2b^2)(e \sin(c+dx))^{5/2}}{4620d \sin^2(c+dx)} \end{aligned}$$

Mathematica [A] time = 1.39, size = 149, normalized size = 0.74

$$\frac{(e \sin(c+dx))^{5/2} \left(1848(3a^3+2ab^2) E\left(\frac{1}{4}(-2c-2dx+\pi)\middle|2\right) + \sin^3(c+dx)(462a(4a^2+b^2) \cos(c+dx) + \frac{5}{4620d} \sin^2(c+dx))\right)}{4620d \sin^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a+b*Cos[c+d*x])^3*(e*Sin[c+d*x])^(5/2),x]

[Out] -1/4620*((e*Sin[c+d*x])^(5/2)*(1848*(3*a^3+2*a*b^2)*EllipticE[(-2*c+Pi-2*d*x)/4,2]+(462*a*(4*a^2+b^2)*Cos[c+d*x]+5*b*(-396*a^2-69*b^2+12*(33*a^2+4*b^2)*Cos[2*(c+d*x)]+154*a*b*Cos[3*(c+d*x)]+21*b^2*Cos[4*(c+d*x)]))*Sin[c+d*x]^(3/2))/(d*Sin[c+d*x]^(5/2))

fricas [F] time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}\left(-\left(b^3 e^2 \cos(dx+c)\right)^5 + 3 ab^2 e^2 \cos(dx+c)^4 - 3 a^2 b e^2 \cos(dx+c) + \left(3 a^2 b - b^3\right) e^2 \cos(dx+c)^3 - a^3 e^2 \cos(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(5/2),x, algorithm="fricas")

[Out] $\text{integral}(- (b^3 e^{2 \cos(dx+c)} + 3 a b^2 e^{2 \cos(dx+c)} - 3 a^2 b e^{2 \cos(dx+c)} + (3 a^2 b - b^3) e^{2 \cos(dx+c)} - a^3 e^2 + (a^3 - 3 a b^2) e^{2 \cos(dx+c)} \sqrt{e \sin(dx+c)}), x)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^3 (e \sin(dx+c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\cos(d*x+c))^3*(e*\sin(d*x+c))^{5/2},x, \text{algorithm}="giac")$

[Out] $\text{integrate}((b*\cos(d*x+c) + a)^3*(e*\sin(d*x+c))^{5/2}, x)$

maple [A] time = 0.43, size = 356, normalized size = 1.76

$$\frac{2b(e \sin(dx+c))^{\frac{7}{2}} (7(\cos^2(dx+c))b^2+33a^2+4b^2)}{77e} - \frac{e^3 a \left(10b^2(\sin^6(dx+c))+18\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \text{EllipticE}\left(\sqrt{-\sin(dx+c)}\right) \right)}{77e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((a+b*\cos(d*x+c))^3*(e*\sin(d*x+c))^{5/2},x)$

[Out] $(2/77/e*b*(e*\sin(d*x+c))^{7/2}*(7*\cos(d*x+c)^2*b^2+33*a^2+4*b^2)-1/15*e^3*a*(10*b^2*\sin(d*x+c)^6+18*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})*a^2+12*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})*b^2-9*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})*a^2-6*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2},1/2*2^{1/2})*b^2-6*a^2*\sin(d*x+c)^4-14*\sin(d*x+c)^4*b^2+6*\sin(d*x+c)^2*a^2+4*\sin(d*x+c)^2*b^2)/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2})/d$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^3 (e \sin(dx+c))^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\cos(d*x+c))^3*(e*\sin(d*x+c))^{5/2},x, \text{algorithm}="maxima")$

[Out] $\text{integrate}((b*\cos(d*x+c) + a)^3*(e*\sin(d*x+c))^{5/2}, x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (e \sin(c+dx))^{\frac{5}{2}} (a+b \cos(c+dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((e*\sin(c+d*x))^{5/2}*(a+b*\cos(c+d*x))^3,x)$

[Out] $\text{int}((e*\sin(c+d*x))^{5/2}*(a+b*\cos(c+d*x))^3, x)$

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{integrate}((a+b*\cos(d*x+c))^{**3}*(e*\sin(d*x+c))^{**5/2},x)$

[Out] Timed out

3.51 $\int (a + b \cos(c + dx))^3 (e \sin(c + dx))^{3/2} dx$

Optimal. Leaf size=202

$$\frac{2ae^2(7a^2 + 6b^2)\sqrt{\sin(c + dx)}F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)}{21d\sqrt{e\sin(c + dx)}} + \frac{2b(89a^2 + 28b^2)(e\sin(c + dx))^{5/2}}{315de} - \frac{2ae(7a^2 + 6b^2)\cos(c + dx)}{21d\sqrt{e\sin(c + dx)}}$$

```
[Out] 2/315*b*(89*a^2+28*b^2)*(e*sin(d*x+c))^(5/2)/d/e+26/63*a*b*(a+b*cos(d*x+c))
*(e*sin(d*x+c))^(5/2)/d/e+2/9*b*(a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(5/2)/d/e
-2/21*a*(7*a^2+6*b^2)*e^2*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^(1/2)/sin(1/2*c+1/4
*Pi+1/2*d*x)*EllipticF(cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*sin(d*x+c)^(1/2)/
d/(e*sin(d*x+c))^(1/2)-2/21*a*(7*a^2+6*b^2)*e*cos(d*x+c)*(e*sin(d*x+c))^(1/
2)/d
```

Rubi [A] time = 0.30, antiderivative size = 202, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.240$, Rules used = {2692, 2862, 2669, 2635, 2642, 2641}

$$\frac{2ae^2(7a^2 + 6b^2)\sqrt{\sin(c + dx)}F\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)}{21d\sqrt{e\sin(c + dx)}} + \frac{2b(89a^2 + 28b^2)(e\sin(c + dx))^{5/2}}{315de} - \frac{2ae(7a^2 + 6b^2)\cos(c + dx)}{21d\sqrt{e\sin(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(3/2),x]
```

```
[Out] (2*a*(7*a^2 + 6*b^2)*e^2*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[Sin[c + d*x]]
)/(21*d*Sqrt[e*Sin[c + d*x]]) - (2*a*(7*a^2 + 6*b^2)*e*cos[c + d*x]*Sqrt[e
*Sin[c + d*x]])/(21*d) + (2*b*(89*a^2 + 28*b^2)*(e*Sin[c + d*x])^(5/2))/(31
5*d*e) + (26*a*b*(a + b*cos[c + d*x])*(e*Sin[c + d*x])^(5/2))/(63*d*e) + (2
*b*(a + b*cos[c + d*x])^2*(e*Sin[c + d*x])^(5/2))/(9*d*e)
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2642

```
Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

Rule 2669

```
Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(m_), x_Symbol] := -Simp[(b*(g*cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + D
ist[a, Int[(g*cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (I
ntegerQ[2*p] || NeQ[a^2 - b^2, 0])
```

Rule 2692

```
Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(m_), x_Symbol] := -Simp[(b*(g*cos[e + f*x])^(p + 1)*(a + b*sin[e + f*
x])^(m - 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (I
ntegerQ[2*p] || NeQ[a^2 - b^2, 0])
```

$x])^{(m-1)}/(f*g*(m+p)), x] + \text{Dist}[1/(m+p), \text{Int}[(g*\text{Cos}[e+f*x])^p*(a+b*\text{Sin}[e+f*x])^{(m-2)}*(b^2*(m-1)+a^2*(m+p)+a*b*(2*m+p-1)*\text{Sin}[e+f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, g, p\}, x] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{NeQ}[m+p, 0] \&\& (\text{IntegersQ}[2*m, 2*p] \|\| \text{IntegerQ}[m])$

Rule 2862

$\text{Int}[(\text{cos}[(e_.) + (f_.)*(x_)]*(g_.)^{(p_)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)])]^{(m_)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_)]), x_Symbol] :> -\text{Simp}[(d*(g*\text{Cos}[e+f*x])^{(p+1)}*(a+b*\text{Sin}[e+f*x])^m)/(f*g*(m+p+1)), x] + \text{Dist}[1/(m+p+1), \text{Int}[(g*\text{Cos}[e+f*x])^p*(a+b*\text{Sin}[e+f*x])^{(m-1)}*\text{Simp}[a*c*(m+p+1)+b*d*m+(a*d*m+b*c*(m+p+1))*\text{Sin}[e+f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[a^2-b^2, 0] \&\& \text{GtQ}[m, 0] \&\& !\text{LtQ}[p, -1] \&\& \text{IntegerQ}[2*m] \&\& !(EqQ[m, 1] \&\& \text{NeQ}[c^2-d^2, 0]) \&\& \text{SimplerQ}[c+d*x, a+b*x]$

Rubi steps

$$\begin{aligned} \int (a+b \cos(c+dx))^3 (e \sin(c+dx))^{3/2} dx &= \frac{2b(a+b \cos(c+dx))^2 (e \sin(c+dx))^{5/2}}{9de} + \frac{2}{9} \int (a+b \cos(c+dx)) \left(\frac{9}{9} \right) \\ &= \frac{26ab(a+b \cos(c+dx))(e \sin(c+dx))^{5/2}}{63de} + \frac{2b(a+b \cos(c+dx))^2 (e \sin(c+dx))^{5/2}}{9de} \\ &= \frac{2b(89a^2+28b^2)(e \sin(c+dx))^{5/2}}{315de} + \frac{26ab(a+b \cos(c+dx))(e \sin(c+dx))^{5/2}}{63de} \\ &= -\frac{2a(7a^2+6b^2)e \cos(c+dx)\sqrt{e \sin(c+dx)}}{21d} + \frac{2b(89a^2+28b^2)(e \sin(c+dx))^{5/2}}{315de} \\ &= -\frac{2a(7a^2+6b^2)e \cos(c+dx)\sqrt{e \sin(c+dx)}}{21d} + \frac{2b(89a^2+28b^2)(e \sin(c+dx))^{5/2}}{315de} \\ &= \frac{2a(7a^2+6b^2)e^2 F\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right)\sqrt{\sin(c+dx)}}{21d\sqrt{e \sin(c+dx)}} - \frac{2a(7a^2+6b^2)e \cos(c+dx)\sqrt{e \sin(c+dx)}}{21d} \end{aligned}$$

Mathematica [A] time = 1.20, size = 147, normalized size = 0.73

$$(e \sin(c+dx))^{3/2} \left(-20a(28a^2+15b^2) \cot(c+dx) - \frac{2}{3}b \csc(c+dx) (28(27a^2+4b^2) \cos(2(c+dx)) - 756a^2 + 270b^2) \right)$$

840d

Antiderivative was successfully verified.

[In] Integrate[(a+b*Cos[c+d*x])^3*(e*Sin[c+d*x])^(3/2),x]

[Out] ((-20*a*(28*a^2+15*b^2)*Cot[c+d*x] - (2*b*(-756*a^2-147*b^2+28*(27*a^2+4*b^2)*Cos[2*(c+d*x)] + 270*a*b*Cos[3*(c+d*x)] + 35*b^2*Cos[4*(c+d*x)]))*Csc[c+d*x])/3 - (80*a*(7*a^2+6*b^2)*EllipticF[(-2*c+Pi-2*d*x)/4, 2])/Sin[c+d*x]^(3/2))*(e*Sin[c+d*x])^(3/2))/(840*d)

fricas [F] time = 1.15, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 e \cos(dx+c)^3 + 3ab^2 e \cos(dx+c)^2 + 3a^2 b e \cos(dx+c) + a^3 e\right)\sqrt{e \sin(dx+c)} \sin(dx+c), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(3/2),x, algorithm="fricas")

[Out] integral((b^3*e*cos(d*x + c)^3 + 3*a*b^2*e*cos(d*x + c)^2 + 3*a^2*b*e*cos(d*x + c) + a^3*e)*sqrt(e*sin(d*x + c))*sin(d*x + c), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 (e \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.30, size = 226, normalized size = 1.12

$$\frac{2b(e \sin(dx+c))^{\frac{5}{2}}(5(\cos^2(dx+c))b^2+27a^2+4b^2)}{45e} - \frac{e^2 a \left(18b^2 \sin(dx+c)(\cos^4(dx+c)) + (14a^2 - 6b^2)(\cos^2(dx+c)) \sin(dx+c) + 7\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+1} \right)}{45e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(3/2),x)

[Out] (2/45/e*b*(e*sin(d*x+c))^(5/2)*(5*cos(d*x+c)^2*b^2+27*a^2+4*b^2)-1/21*e^2*a*(18*b^2*sin(d*x+c)*cos(d*x+c)^4+(14*a^2-6*b^2)*cos(d*x+c)^2*sin(d*x+c)+7*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx + c) + a)^3 (e \sin(dx + c))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int (e \sin(c + dx))^{3/2} (a + b \cos(c + dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3,x)

[Out] int((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3*(e*sin(d*x+c))**(3/2),x)

[Out] Timed out

3.52 $\int (a + b \cos(c + dx))^3 \sqrt{e \sin(c + dx)} dx$

Optimal. Leaf size=161

$$\frac{2b(57a^2 + 20b^2)(e \sin(c + dx))^{3/2}}{105de} + \frac{2a(5a^2 + 6b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{2b(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))}{7de}$$

```
[Out] 2/105*b*(57*a^2+20*b^2)*(e*sin(d*x+c))^(3/2)/d/e+22/35*a*b*(a+b*cos(d*x+c))
*(e*sin(d*x+c))^(3/2)/d/e+2/7*b*(a+b*cos(d*x+c))^2*(e*sin(d*x+c))^(3/2)/d/e
-2/5*a*(5*a^2+6*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x))^2^(1/2)/sin(1/2*c+1/4*Pi+1
/2*d*x)*EllipticE(cos(1/2*c+1/4*Pi+1/2*d*x),2^(1/2))*(e*sin(d*x+c))^(1/2)/d
/sin(d*x+c)^(1/2)
```

Rubi [A] time = 0.25, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2692, 2862, 2669, 2640, 2639}

$$\frac{2b(57a^2 + 20b^2)(e \sin(c + dx))^{3/2}}{105de} + \frac{2a(5a^2 + 6b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{2b(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))}{7de}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*Sqrt[e*Sin[c + d*x]],x]
```

```
[Out] (2*a*(5*a^2 + 6*b^2)*EllipticE[(c - Pi/2 + d*x)/2, 2]*Sqrt[e*Sin[c + d*x]])
/(5*d*Sqrt[Sin[c + d*x]]) + (2*b*(57*a^2 + 20*b^2)*(e*Sin[c + d*x])^(3/2))/
(105*d*e) + (22*a*b*(a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(3/2))/(35*d*e) +
(2*b*(a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(3/2))/(7*d*e)
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2640

```
Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*
x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d},
x]
```

Rule 2669

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + D
ist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (I
ntegerQ[2*p] || NeQ[a^2 - b^2, 0])
```

Rule 2692

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*
x])^(m - 1))/(f*g*(m + p)), x] + Dist[1/(m + p), Int[(g*Cos[e + f*x])^p*(a
+ b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Si
n[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] &&
GtQ[m, 1] && NeQ[m + p, 0] && (IntegerQ[2*m, 2*p] || IntegerQ[m])
```

Rule 2862

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(d*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(f*g*(m + p + 1)), x] + Dist[1/(m + p + 1), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(m + p + 1) + b*d*m + (a*d*m + b*c*(m + p + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplerQ[c + d*x, a + b*x])
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 \sqrt{e \sin(c + dx)} dx &= \frac{2b(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}}{7de} + \frac{2}{7} \int (a + b \cos(c + dx)) \left(\frac{22ab(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{35de} + \frac{2b(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}}{7de} \right) dx \\ &= \frac{2b(57a^2 + 20b^2)(e \sin(c + dx))^{3/2}}{105de} + \frac{22ab(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{35de} \\ &= \frac{2b(57a^2 + 20b^2)(e \sin(c + dx))^{3/2}}{105de} + \frac{22ab(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}}{35de} \\ &= \frac{2a(5a^2 + 6b^2) E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5d\sqrt{\sin(c + dx)}} + \frac{2b(57a^2 + 20b^2)(e \sin(c + dx))^{3/2}}{105d\sqrt{\sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.55, size = 105, normalized size = 0.65

$$\frac{\sqrt{e \sin(c + dx)} \left(b \sin^2(c + dx) (210a^2 + 126ab \cos(c + dx) + 15b^2 \cos(2(c + dx)) + 55b^2) - 42(5a^3 + 6ab^2) E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \right)}{105d\sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3*Sqrt[e*Sin[c + d*x]], x]

[Out] (Sqrt[e*Sin[c + d*x]]*(-42*(5*a^3 + 6*a*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2] + b*(210*a^2 + 55*b^2 + 126*a*b*Cos[c + d*x] + 15*b^2*Cos[2*(c + d*x)])*Sin[c + d*x]^(3/2))/(105*d*Sqrt[Sin[c + d*x]])

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(\left(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3\right)\sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c)), x)

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(1/2), x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.40, size = 315, normalized size = 1.96

$$\frac{2b(e \sin(dx+c))^3 (3(\cos^2(dx+c))b^2+21a^2+4b^2)}{21e} - \frac{ae \left(10\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \operatorname{EllipticE} \left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2} \right) a^2 + 12\sqrt{-\sin(dx+c)+1} \right)}{21e}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(1/2),x)

[Out] (2/21/e*b*(e*sin(d*x+c))^(3/2)*(3*cos(d*x+c)^2*b^2+21*a^2+4*b^2)-1/5*a*e*(10*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+12*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-5*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2+6*sin(d*x+c)^4*b^2-6*sin(d*x+c)^2*b^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(dx+c) + a)^3 \sqrt{e \sin(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3*(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x+c) + a)^3*sqrt(e*sin(d*x+c)), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \sqrt{e \sin(c+dx)} (a+b \cos(c+dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c+d*x))^(1/2)*(a+b*cos(c+d*x))^3,x)

[Out] int((e*sin(c+d*x))^(1/2)*(a+b*cos(c+d*x))^3,x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{e \sin(c+dx)} (a+b \cos(c+dx))^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))*3*(e*sin(d*x+c))^(1/2),x)

[Out] Integral(sqrt(e*sin(c+d*x))*(a+b*cos(c+d*x))*3,x)

$$3.53 \quad \int \frac{(a+b \cos(c+dx))^3}{\sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=157

$$\frac{2b(11a^2 + 4b^2)\sqrt{e \sin(c+dx)}}{5de} + \frac{2a(a^2 + 2b^2)\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right)\middle|2\right)}{d\sqrt{e \sin(c+dx)}} + \frac{2b\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{5de}$$

[Out] $-2*a*(a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*sin(d*x+c)^{(1/2)}/d/(e*sin(d*x+c))^{(1/2)}+2/5*b*(11*a^2+4*b^2)*(e*sin(d*x+c))^{(1/2)}/d/e+6/5*a*b*(a+b*cos(d*x+c))*(e*sin(d*x+c))^{(1/2)}/d/e+2/5*b*(a+b*cos(d*x+c))^2*(e*sin(d*x+c))^{(1/2)}/d/e$

Rubi [A] time = 0.24, antiderivative size = 157, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2692, 2862, 2669, 2642, 2641}

$$\frac{2b(11a^2 + 4b^2)\sqrt{e \sin(c+dx)}}{5de} + \frac{2a(a^2 + 2b^2)\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right)\middle|2\right)}{d\sqrt{e \sin(c+dx)}} + \frac{2b\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{5de}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3/Sqrt[e*Sin[c + d*x]],x]

[Out] $(2*a*(a^2 + 2*b^2)*EllipticF[(c - Pi/2 + d*x)/2, 2]*Sqrt[Sin[c + d*x]])/(d*Sqrt[e*Sin[c + d*x]]) + (2*b*(11*a^2 + 4*b^2)*Sqrt[e*Sin[c + d*x]])/(5*d*e) + (6*a*b*(a + b*Cos[c + d*x])*Sqrt[e*Sin[c + d*x]])/(5*d*e) + (2*b*(a + b*Cos[c + d*x])^2*Sqrt[e*Sin[c + d*x]])/(5*d*e)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2692

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1))/(f*g*(m + p)), x] + Dist[1/(m + p), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(m + p) + a*b*(2*m + p - 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && NeQ[m + p, 0] && (IntegersQ[2*m, 2*p] || IntegerQ[m])

Rule 2862

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(d*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(f*g*(m + p + 1)), x] + Dist[1/(m + p + 1), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(m + p + 1) + b*d*m + (a*d*m + b*c*(m + p + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplerQ[c + d*x, a + b*x])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{\sqrt{e \sin(c + dx)}} dx &= \frac{2b(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}}{5de} + \frac{2}{5} \int \frac{(a + b \cos(c + dx)) \left(\frac{5a^2}{2} + 2b^2 + \frac{9}{2} ab \cos(c + dx) \right)}{\sqrt{e \sin(c + dx)}} dx \\ &= \frac{6ab(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}}{5de} + \frac{2b(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}}{5de} + \frac{4}{15} \int \frac{a^2 + 2b^2 + 9ab \cos(c + dx)}{\sqrt{e \sin(c + dx)}} dx \\ &= \frac{2b(11a^2 + 4b^2) \sqrt{e \sin(c + dx)}}{5de} + \frac{6ab(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}}{5de} + \frac{2b(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}}{5de} \\ &= \frac{2b(11a^2 + 4b^2) \sqrt{e \sin(c + dx)}}{5de} + \frac{6ab(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}}{5de} + \frac{2b(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}}{5de} \\ &= \frac{2a(a^2 + 2b^2) F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{d\sqrt{e \sin(c + dx)}} + \frac{2b(11a^2 + 4b^2) \sqrt{e \sin(c + dx)}}{5de} \end{aligned}$$

Mathematica [A] time = 0.71, size = 98, normalized size = 0.62

$$\frac{b \sin(c + dx) (30a^2 + 10ab \cos(c + dx) + b^2 \cos(2(c + dx)) + 9b^2) - 10a(a^2 + 2b^2) \sqrt{\sin(c + dx)} F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right)}{5d\sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3/Sqrt[e*Sin[c + d*x]], x]

[Out] (-10*a*(a^2 + 2*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]] + b*(30*a^2 + 9*b^2 + 10*a*b*Cos[c + d*x] + b^2*Cos[2*(c + d*x)])*Sin[c + d*x])/(5*d*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3)\sqrt{e \sin(dx + c)}}{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2), x, algorithm="fricas")

[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c))/(e*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2), x, algorithm="giac")
```

```
[Out] integrate((b*cos(d*x + c) + a)^3/sqrt(e*sin(d*x + c)), x)
```

maple [A] time = 0.27, size = 210, normalized size = 1.34

$$\frac{5\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} (\sqrt{\sin(dx+c)}) \text{EllipticF}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) a^3 + 10\sqrt{-\sin(dx+c)+1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2), x)
```

```
[Out] -1/5/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(5*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2), 1/2*2^(1/2))*a^3+10*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2), 1/2*2^(1/2))*a*b^2-2*b^3*sin(d*x+c)*cos(d*x+c)^3-10*a*b^2*sin(d*x+c)*cos(d*x+c)^2-30*a^2*b*sin(d*x+c)*cos(d*x+c)-8*b^3*sin(d*x+c)*cos(d*x+c))/d
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2), x, algorithm="maxima")
```

```
[Out] integrate((b*cos(d*x + c) + a)^3/sqrt(e*sin(d*x + c)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{\sqrt{e \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(1/2), x)
```

```
[Out] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(1/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^3}{\sqrt{e \sin(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*3/(e*sin(d*x+c))*(1/2), x)
```

```
[Out] Integral((a + b*cos(c + d*x))*3/sqrt(e*sin(c + d*x)), x)
```

$$3.54 \quad \int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=165

$$\frac{2b(3a^2 + 4b^2)(e \sin(c + dx))^{3/2}}{3de^3} - \frac{2a(a^2 + 6b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{de^2\sqrt{\sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))^{1/2}}{de^3}$$

[Out] $-2/3*b*(3*a^2+4*b^2)*(e*\sin(d*x+c))^{(3/2)}/d/e^3-2*a*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{(3/2)}/d/e^3-2*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))^2/d/e/(e*\sin(d*x+c))^{(1/2)}+2*a*(a^2+6*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/e^2/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.25, antiderivative size = 165, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2691, 2862, 2669, 2640, 2639}

$$\frac{2b(3a^2 + 4b^2)(e \sin(c + dx))^{3/2}}{3de^3} - \frac{2a(a^2 + 6b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{de^2\sqrt{\sin(c + dx)}} - \frac{2ab(e \sin(c + dx))^{3/2}(a + b \cos(c + dx))^{1/2}}{de^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(3/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x])^2)/(d*e*\sqrt{e*\sin[c + d*x]}) - (2*a*(a^2 + 6*b^2)*EllipticE[(c - Pi/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/(d*e^2*\sqrt{\sin[c + d*x]}) - (2*b*(3*a^2 + 4*b^2)*(e*\sin[c + d*x])^{(3/2)})/(3*d*e^3) - (2*a*b*(a + b*\cos[c + d*x])*(e*\sin[c + d*x])^{(3/2)})/(d*e^3)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rule 2862

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(d*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m)/(f*g*(m + p + 1)), x] + Dist[1/(m + p + 1), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(m + p + 1) + b*d*m + (a*d*m + b*c*(m + p + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplerQ[c + d*x, a + b*x])
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{3/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{de\sqrt{e \sin(c + dx)}} - \frac{2 \int (a + b \cos(c + dx)) \left(\frac{a^2}{2} + 2b^2 + \frac{5}{2}\right)}{e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{de\sqrt{e \sin(c + dx)}} - \frac{2ab(a + b \cos(c + dx))(e \sin(c + dx))}{de^3} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{de\sqrt{e \sin(c + dx)}} - \frac{2b(3a^2 + 4b^2)(e \sin(c + dx))^{3/2}}{3de^3} - \frac{2a^3}{e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{de\sqrt{e \sin(c + dx)}} - \frac{2b(3a^2 + 4b^2)(e \sin(c + dx))^{3/2}}{3de^3} - \frac{2a^3}{e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{de\sqrt{e \sin(c + dx)}} - \frac{2a(a^2 + 6b^2)E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)}{de^2\sqrt{\sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.32, size = 101, normalized size = 0.61

$$\frac{2\left(3a(a^2 + 3b^2)\cos(c + dx) - 3a(a^2 + 6b^2)\sqrt{\sin(c + dx)}E\left(\frac{1}{4}(-2c - 2dx + \pi)\middle|2\right) + 9a^2b + b^3\sin^2(c + dx)\right)}{3de\sqrt{e \sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(3/2), x]

[Out] (-2*(9*a^2*b + 3*b^3 + 3*a*(a^2 + 3*b^2)*Cos[c + d*x] - 3*a*(a^2 + 6*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sqrt[Sin[c + d*x]] + b^3*Sin[c + d*x]^2)/(3*d*e*Sqrt[e*Sin[c + d*x]])

fricas [F] time = 1.12, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b^3 \cos(dx + c))^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}{e^2 \cos(dx + c)^2 - e^2} \sqrt{e \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(-(b^3*cos(d*x + c))^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c))/(e^2*cos(d*x + c)^2 - e^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(3/2), x)

maple [A] time = 0.32, size = 313, normalized size = 1.90

$$\frac{6\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sqrt{\sin(dx+c)}\right) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) a^3 + 36\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sqrt{\sin(dx+c)}\right) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) a^2 + 36\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sqrt{\sin(dx+c)}\right) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right) a + 36\sqrt{-\sin(dx+c)+1} \sqrt{2\sin(dx+c)+2} \left(\sqrt{\sin(dx+c)}\right) \text{EllipticE}\left(\sqrt{-\sin(dx+c)+1}, \frac{\sqrt{2}}{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x)

[Out] 1/3/e/(e*sin(d*x+c))^(1/2)/cos(d*x+c)*(6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^3+36*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a*b^2-3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^3-18*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a*b^2+2*b^3*cos(d*x+c)^3-6*a^3*cos(d*x+c)^2-18*b^2*a*cos(d*x+c)^2-18*a^2*b*cos(d*x+c)-8*b^3*cos(d*x+c))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx+c) + a)^3}{(e \sin(dx+c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(3/2),x)

[Out] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(3/2),x)

[Out] Integral((a + b*cos(c + d*x))**3/(e*sin(c + d*x))**(3/2), x)

$$3.55 \quad \int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=169

$$-\frac{2b(a^2 + 4b^2)\sqrt{e \sin(c+dx)}}{3de^3} + \frac{2a(a^2 - 6b^2)\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right)\middle|2\right)}{3de^2\sqrt{e \sin(c+dx)}} - \frac{2ab\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{3de^3}$$

[Out] $-2/3*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))^2/d/e/(e*\sin(d*x+c))^{3/2}-2/3*a*(a^2-6*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x))^{1/2}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(cos(1/2*c+1/4*Pi+1/2*d*x),2^{1/2})*sin(d*x+c)^{1/2}/d/e^2/(e*\sin(d*x+c))^{1/2}-2/3*b*(a^2+4*b^2)*(e*\sin(d*x+c))^{1/2}/d/e^3-2/3*a*b*(a+b*\cos(d*x+c))*(e*\sin(d*x+c))^{1/2}/d/e^3$

Rubi [A] time = 0.26, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2691, 2862, 2669, 2642, 2641}

$$-\frac{2b(a^2 + 4b^2)\sqrt{e \sin(c+dx)}}{3de^3} + \frac{2a(a^2 - 6b^2)\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right)\middle|2\right)}{3de^2\sqrt{e \sin(c+dx)}} - \frac{2ab\sqrt{e \sin(c+dx)}(a+b \cos(c+dx))}{3de^3}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(5/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x])^2)/(3*d*e*(e*\sin[c + d*x])^{3/2}) + (2*a*(a^2 - 6*b^2)*EllipticF[(c - \pi/2 + d*x)/2, 2]*\sqrt{\sin[c + d*x]})/(3*d*e^2*\sqrt{e*\sin[c + d*x]}) - (2*b*(a^2 + 4*b^2)*\sqrt{e*\sin[c + d*x]})/(3*d*e^3) - (2*a*b*(a + b*\cos[c + d*x])*\sqrt{e*\sin[c + d*x]})/(3*d*e^3)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x, x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x])/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rule 2862

```

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(d*(g*Cos[e + f*x])^(p + 1)*(a + b*SIN[e + f*x])^m)/(f*g*(m + p + 1)), x] + Dist[1/(m + p + 1), Int[(g*Cos[e + f*x])^p*(a + b*SIN[e + f*x])^(m - 1)*Simp[a*c*(m + p + 1) + b*d*m + (a*d*m + b*c*(m + p + 1))*Sin[e + f*x], x], x], x]
/; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplerQ[c + d*x, a + b*x])

```

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{5/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{3de(e \sin(c + dx))^{3/2}} - \frac{2 \int \frac{(a + b \cos(c + dx)) \left(-\frac{a^2}{2} + 2b^2 + \frac{3}{2}ab \cos(c + dx) \right)}{\sqrt{e \sin(c + dx)}} dx}{3e^2} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{3de(e \sin(c + dx))^{3/2}} - \frac{2ab(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de^3} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{3de(e \sin(c + dx))^{3/2}} - \frac{2b(a^2 + 4b^2)\sqrt{e \sin(c + dx)}}{3de^3} - \frac{2ab(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de^3} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{3de(e \sin(c + dx))^{3/2}} - \frac{2b(a^2 + 4b^2)\sqrt{e \sin(c + dx)}}{3de^3} - \frac{2ab(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3de^3} \\
&= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{3de(e \sin(c + dx))^{3/2}} + \frac{2a(a^2 - 6b^2)F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)\sqrt{e \sin(c + dx)}}{3de^2\sqrt{e \sin(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.82, size = 102, normalized size = 0.60

$$\frac{2a(a^2 + 3b^2)\cos(c + dx) + 2a(a^2 - 6b^2)\sin^3(c + dx)F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + 6a^2b - 3b^3\cos(2(c + dx)) + 5b^3}{3de(e \sin(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3/(e*SIN[c + d*x])^(5/2), x]

[Out] -1/3*(6*a^2*b + 5*b^3 + 2*a*(a^2 + 3*b^2)*Cos[c + d*x] - 3*b^3*Cos[2*(c + d*x)] + 2*a*(a^2 - 6*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(3/2))/(d*e*(e*SIN[c + d*x])^(3/2))

fricas [F] time = 0.87, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3)\sqrt{e \sin(dx + c)}}{(e^3 \cos(dx + c)^2 - e^3) \sin(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2), x, algorithm="fricas")

[Out] integral(-(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c))/((e^3*cos(d*x + c)^2 - e^3)*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(5/2), x)

maple [A] time = 0.31, size = 214, normalized size = 1.27

$$\frac{2b(-3(\cos^2(dx+c))b^2+3a^2+4b^2)}{3e(e\sin(dx+c))^{\frac{3}{2}}} - \frac{a\left((2a^2+6b^2)\sin(dx+c)(\cos^2(dx+c))+\sqrt{-\sin(dx+c)+1}\sqrt{2\sin(dx+c)+2}\left(\sin^{\frac{5}{2}}(dx+c)\right)\text{EllipticF}\left(\sqrt{-\sin(dx+c)}\right)\right)}{3e^2\sin(dx+c)^2\cos(dx+c)} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x)

[Out] (-2/3*b/e/(e*sin(d*x+c))^(3/2)*(-3*cos(d*x+c)^2*b^2+3*a^2+4*b^2)-1/3*a/e^2*((2*a^2+6*b^2)*sin(d*x+c)*cos(d*x+c)^2+(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(5/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2)))*a^2-6*b^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(5/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2)))/sin(d*x+c)^2/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(5/2),x)

[Out] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(5/2),x)

[Out] Timed out

$$3.56 \quad \int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=192

$$\frac{2b(3a^2 - 4b^2)(e \sin(c + dx))^{3/2}}{5de^5} - \frac{6a(a^2 - 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{5de^4\sqrt{\sin(c + dx)}} + \frac{2(ab - (3a^2 - 4b^2)\cos(c + dx))}{5de^3\sqrt{e \sin(c + dx)}}$$

[Out] $-2/5*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))^2/d/e/(e*\sin(d*x+c))^{(5/2)}-2/5*b*(3*a^2-4*b^2)*(e*\sin(d*x+c))^{(3/2)}/d/e^5+2/5*(a+b*\cos(d*x+c))*(a*b-(3*a^2-4*b^2)*\cos(d*x+c))/d/e^3/(e*\sin(d*x+c))^{(1/2)}+6/5*a*(a^2-2*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/d/e^4/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.27, antiderivative size = 192, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2691, 2861, 2669, 2640, 2639}

$$\frac{2b(3a^2 - 4b^2)(e \sin(c + dx))^{3/2}}{5de^5} + \frac{2(ab - (3a^2 - 4b^2)\cos(c + dx))(a + b \cos(c + dx))}{5de^3\sqrt{e \sin(c + dx)}} - \frac{6a(a^2 - 2b^2)E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{5de^4\sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(7/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x])^2)/(5*d*e*(e*\sin[c + d*x])^{(5/2)}) + (2*(a + b*\cos[c + d*x])*(a*b - (3*a^2 - 4*b^2)*\cos[c + d*x]))/(5*d*e^3*\sqrt{e*\sin[c + d*x]}) - (6*a*(a^2 - 2*b^2)*EllipticE[(c - Pi/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/(5*d*e^4*\sqrt{\sin[c + d*x]}) - (2*b*(3*a^2 - 4*b^2)*(e*\sin[c + d*x])^{(3/2)})/(5*d*e^5)$

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.)^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m], x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rule 2861

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(p + 2) + b*d*m + b*c*(m + p + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0]) && SimplifierQ[c + d*x, a + b*x])

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{7/2}} dx &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{5de(e \sin(c + dx))^{5/2}} - \frac{2 \int \frac{(a + b \cos(c + dx)) \left(-\frac{3a^2}{2} + 2b^2 + \frac{1}{2}ab \cos(c + dx) \right)}{(e \sin(c + dx))^{3/2}} dx}{5e^2} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{5de(e \sin(c + dx))^{5/2}} + \frac{2(a + b \cos(c + dx)) (ab - (3a^2 - 4b^2))}{5de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{5de(e \sin(c + dx))^{5/2}} + \frac{2(a + b \cos(c + dx)) (ab - (3a^2 - 4b^2))}{5de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{5de(e \sin(c + dx))^{5/2}} + \frac{2(a + b \cos(c + dx)) (ab - (3a^2 - 4b^2))}{5de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{5de(e \sin(c + dx))^{5/2}} + \frac{2(a + b \cos(c + dx)) (ab - (3a^2 - 4b^2))}{5de^3 \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [A] time = 0.61, size = 130, normalized size = 0.68

$$\frac{-3a^3 \cos(3(c + dx)) + a(7a^2 + 6b^2) \cos(c + dx) - 12a(a^2 - 2b^2) \sin^{\frac{5}{2}}(c + dx) E\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + 12a^2 \sin^{\frac{5}{2}}(c + dx)}{10de(e \sin(c + dx))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(7/2), x]

[Out] -1/10*(12*a^2*b - 6*b^3 + a*(7*a^2 + 6*b^2)*Cos[c + d*x] + 10*b^3*Cos[2*(c + d*x)] - 3*a^3*Cos[3*(c + d*x)] + 6*a*b^2*Cos[3*(c + d*x)] - 12*a*(a^2 - 2*b^2)*EllipticE[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(5/2))/(d*e*(e*Sin[c + d*x])^(5/2))

fricas [F] time = 1.29, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{(b^3 \cos(dx + c))^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sqrt{e \sin(dx + c)}}{e^4 \cos(dx + c)^4 - 2e^4 \cos(dx + c)^2 + e^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2), x, algorithm="fricas")

[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c))/(e^4*cos(d*x + c)^4 - 2*e^4*cos(d*x + c)^2 + e^4), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(7/2), x)

maple [A] time = 0.34, size = 351, normalized size = 1.83

$$\frac{2b(5(\cos^2(dx+c))b^2+3a^2-4b^2)}{5e(e \sin(dx+c))^2} + \frac{a((6a^2-12b^2)\sin(dx+c)(\cos^4(dx+c))+(-8a^2+6b^2)(\cos^2(dx+c))\sin(dx+c)+6\sqrt{-\sin(dx+c)+1}\sqrt{2\sin(dx+c)+2})}{5e(e \sin(dx+c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x)

[Out] (-2/5*b/e/(e*sin(d*x+c))^(5/2)*(5*cos(d*x+c)^2*b^2+3*a^2-4*b^2)+1/5*a/e^3*(6*a^2-12*b^2)*sin(d*x+c)*cos(d*x+c)^4+(-8*a^2+6*b^2)*cos(d*x+c)^2*sin(d*x+c)+6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(7/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-12*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(7/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(7/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2+6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(7/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/sin(d*x+c)^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(7/2),x)

[Out] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(7/2),x)

[Out] Timed out

$$3.57 \quad \int \frac{(a+b \cos(c+dx))^3}{(e \sin(c+dx))^{9/2}} dx$$

Optimal. Leaf size=193

$$\frac{2b(5a^2 - 4b^2) \sqrt{e \sin(c+dx)}}{21de^5} + \frac{2a(5a^2 - 6b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{21de^4 \sqrt{e \sin(c+dx)}} - \frac{2((5a^2 - 4b^2) \cos(c+dx))}{21de^3 (e \sin(c+dx))^{3/2}}$$

[Out] $-2/7*(b+a*\cos(d*x+c))*(a+b*\cos(d*x+c))^2/d/e/(e*\sin(d*x+c))^{(7/2)}-2/21*(a+b*\cos(d*x+c))*(a*b+(5*a^2-4*b^2)*\cos(d*x+c))/d/e^3/(e*\sin(d*x+c))^{(3/2)}-2/21*a*(5*a^2-6*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticF(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/d/e^4/(e*\sin(d*x+c))^{(1/2)}-2/21*b*(5*a^2-4*b^2)*(e*\sin(d*x+c))^{(1/2)}/d/e^5$

Rubi [A] time = 0.27, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2691, 2861, 2669, 2642, 2641}

$$\frac{2b(5a^2 - 4b^2) \sqrt{e \sin(c+dx)}}{21de^5} - \frac{2((5a^2 - 4b^2) \cos(c+dx) + ab)(a + b \cos(c+dx))}{21de^3 (e \sin(c+dx))^{3/2}} + \frac{2a(5a^2 - 6b^2) \sqrt{\sin(c+dx)}}{21de^4 \sqrt{e}}$$

Antiderivative was successfully verified.

[In] Int[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(9/2), x]

[Out] $(-2*(b + a*\cos[c + d*x])*(a + b*\cos[c + d*x])^2)/(7*d*e*(e*\sin[c + d*x])^{(7/2)}) - (2*(a + b*\cos[c + d*x])*(a*b + (5*a^2 - 4*b^2)*\cos[c + d*x]))/(21*d*e^3*(e*\sin[c + d*x])^{(3/2)}) + (2*a*(5*a^2 - 6*b^2)*EllipticF[(c - Pi/2 + d*x)/2, 2]*\sqrt{\sin[c + d*x]})/(21*d*e^4*\sqrt{e*\sin[c + d*x]}) - (2*b*(5*a^2 - 4*b^2)*\sqrt{e*\sin[c + d*x]})/(21*d*e^5)$

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2669

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1))/(f*g*(p + 1)), x] + Dist[a, Int[(g*Cos[e + f*x])^p, x], x] /; FreeQ[{a, b, e, f, g, p}, x] && (IntegerQ[2*p] || NeQ[a^2 - b^2, 0])

Rule 2691

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m - 1)*(b + a*Sin[e + f*x]))/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 2)*(b^2*(m - 1) + a^2*(p + 2) + a*b*(m + p + 1)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LtQ[p, -1] && (IntegerQ[2*m, 2*p] || IntegerQ[m])

Rule 2861

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^m*(d + c*Sin[e + f*x])]/(f*g*(p + 1)), x] + Dist[1/(g^2*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^(m - 1)*Simp[a*c*(p + 2) + b*d*m + b*c*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && LtQ[p, -1] && IntegerQ[2*m] && !(EqQ[m, 1] && NeQ[c^2 - d^2, 0] && SimplifierQ[c + d*x, a + b*x])
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{9/2}} dx = -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{7de(e \sin(c + dx))^{7/2}} - \frac{2 \int \frac{(a + b \cos(c + dx)) \left(-\frac{5a^2}{2} + 2b^2 - \frac{1}{2}ab \cos(c + dx) \right)}{(e \sin(c + dx))^{5/2}} dx}{7e^2}$$

$$= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{7de(e \sin(c + dx))^{7/2}} - \frac{2(a + b \cos(c + dx)) (ab + (5a^2 - 4b^2) \cos(c + dx))}{21de^3(e \sin(c + dx))^{3/2}}$$

$$= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{7de(e \sin(c + dx))^{7/2}} - \frac{2(a + b \cos(c + dx)) (ab + (5a^2 - 4b^2) \cos(c + dx))}{21de^3(e \sin(c + dx))^{3/2}}$$

$$= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{7de(e \sin(c + dx))^{7/2}} - \frac{2(a + b \cos(c + dx)) (ab + (5a^2 - 4b^2) \cos(c + dx))}{21de^3(e \sin(c + dx))^{3/2}}$$

$$= -\frac{2(b + a \cos(c + dx))(a + b \cos(c + dx))^2}{7de(e \sin(c + dx))^{7/2}} - \frac{2(a + b \cos(c + dx)) (ab + (5a^2 - 4b^2) \cos(c + dx))}{21de^3(e \sin(c + dx))^{3/2}}$$

Mathematica [A] time = 0.62, size = 144, normalized size = 0.75

$$\frac{2 \csc^4(c + dx) \sqrt{e \sin(c + dx)} \left(a (5a^2 - 6b^2) \sin^{\frac{7}{2}}(c + dx) F\left(\frac{1}{4}(-2c - 2dx + \pi) \middle| 2\right) + \frac{1}{4}(-5a^3 \cos(3(c + dx)) + a \cos(3(c + dx))) \right)}{21de^5}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b*Cos[c + d*x])^3/(e*Sin[c + d*x])^(9/2), x]

[Out] (-2*Csc[c + d*x]^4*Sqrt[e*Sin[c + d*x]]*((36*a^2*b - 2*b^3 + a*(17*a^2 + 30*b^2)*Cos[c + d*x] + 14*b^3*Cos[2*(c + d*x)] - 5*a^3*Cos[3*(c + d*x)] + 6*a*b^2*Cos[3*(c + d*x)])/4 + a*(5*a^2 - 6*b^2)*EllipticF[(-2*c + Pi - 2*d*x)/4, 2]*Sin[c + d*x]^(7/2)))/(21*d*e^5)

fricas [F] time = 1.10, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sqrt{e \sin(dx + c)}}{(e^5 \cos(dx + c)^4 - 2e^5 \cos(dx + c)^2 + e^5) \sin(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(9/2), x, algorithm="fricas")

[Out] integral((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(e*sin(d*x + c))/((e^5*cos(d*x + c)^4 - 2*e^5*cos(d*x + c)^2 + e^5)*sin(d*x + c)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(9/2),x, algorithm="giac")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(9/2), x)

maple [A] time = 0.33, size = 241, normalized size = 1.25

$$\frac{2b(7(\cos^2(dx+c))b^2+9a^2-4b^2)}{21e(e \sin(dx+c))^{\frac{7}{2}}} - \frac{a\left((-10a^2+12b^2)\sin(dx+c)(\cos^4(dx+c))+(16a^2+6b^2)(\cos^2(dx+c))\sin(dx+c)+5\sqrt{-\sin(dx+c)+1}\sqrt{2\sin(dx+c)+1}\right)}{21e^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(9/2),x)

[Out] (-2/21*b/e/(e*sin(d*x+c))^(7/2)*(7*cos(d*x+c)^2*b^2+9*a^2-4*b^2)-1/21*a/e^4*((-10*a^2+12*b^2)*sin(d*x+c)*cos(d*x+c)^4+(16*a^2+6*b^2)*cos(d*x+c)^2*sin(d*x+c)+5*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(9/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*a^2-6*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(9/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2)/sin(d*x+c)^4/cos(d*x+c)/(e*sin(d*x+c))^(1/2))/d

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(b \cos(dx + c) + a)^3}{(e \sin(dx + c))^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(9/2),x, algorithm="maxima")

[Out] integrate((b*cos(d*x + c) + a)^3/(e*sin(d*x + c))^(9/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + b \cos(c + dx))^3}{(e \sin(c + dx))^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(9/2),x)

[Out] int((a + b*cos(c + d*x))^3/(e*sin(c + d*x))^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(9/2),x)

[Out] Timed out

3.58 $\int \frac{(e \sin(c+dx))^{11/2}}{a+b \cos(c+dx)} dx$

Optimal. Leaf size=544

$$\frac{e^{11/2} (b^2 - a^2)^{9/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{11/2} d} + \frac{e^{11/2} (b^2 - a^2)^{9/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{11/2} d} - \frac{ae^6 (a^2 - b^2)^3 \sqrt{\sin(c + dx)} \Pi \left(\dots \right)}{b^6 d \left(a^2 - b \left(b - \sqrt{b^2 - a^2} \right) \right)}$$

[Out] $(-a^2+b^2)^{9/4} * e^{(11/2)} * \arctan(b^{(1/2)} * (e * \sin(d*x+c))^{(1/2)} / (-a^2+b^2)^{(1/4)} / e^{(1/2)}) / b^{(11/2)} / d + (-a^2+b^2)^{9/4} * e^{(11/2)} * \operatorname{arctanh}(b^{(1/2)} * (e * \sin(d*x+c))^{(1/2)} / (-a^2+b^2)^{(1/4)} / e^{(1/2)}) / b^{(11/2)} / d + 2/35 * e^3 * (7*a^2 - 7*b^2 - 5*a*b * \cos(d*x+c)) * (e * \sin(d*x+c))^{(5/2)} / b^3 / d - 2/9 * e * (e * \sin(d*x+c))^{(9/2)} / b / d - 2/21 * a * (21*a^4 - 49*a^2*b^2 + 33*b^4) * e^6 * (\sin(1/2*c + 1/4*Pi + 1/2*d*x))^2)^{(1/2)} / \sin(1/2*c + 1/4*Pi + 1/2*d*x) * \operatorname{EllipticF}(\cos(1/2*c + 1/4*Pi + 1/2*d*x), 2^{(1/2)}) * \sin(d*x+c)^{(1/2)} / b^6 / d / (e * \sin(d*x+c))^{(1/2)} + a * (a^2 - b^2)^3 * e^6 * (\sin(1/2*c + 1/4*Pi + 1/2*d*x))^2)^{(1/2)} / \sin(1/2*c + 1/4*Pi + 1/2*d*x) * \operatorname{EllipticPi}(\cos(1/2*c + 1/4*Pi + 1/2*d*x), 2*b / (b - (-a^2+b^2)^{(1/2)}), 2^{(1/2)}) * \sin(d*x+c)^{(1/2)} / b^6 / d / (a^2 - b * (b - (-a^2+b^2)^{(1/2)})) / (e * \sin(d*x+c))^{(1/2)} + a * (a^2 - b^2)^3 * e^6 * (\sin(1/2*c + 1/4*Pi + 1/2*d*x))^2)^{(1/2)} / \sin(1/2*c + 1/4*Pi + 1/2*d*x) * \operatorname{EllipticPi}(\cos(1/2*c + 1/4*Pi + 1/2*d*x), 2*b / (b + (-a^2+b^2)^{(1/2)}), 2^{(1/2)}) * \sin(d*x+c)^{(1/2)} / b^6 / d / (a^2 - b * (b + (-a^2+b^2)^{(1/2)})) / (e * \sin(d*x+c))^{(1/2)} - 2/21 * e^5 * (21*(a^2 - b^2)^2 - a*b*(7*a^2 - 12*b^2) * \cos(d*x+c)) * (e * \sin(d*x+c))^{(1/2)} / b^5 / d$

Rubi [A] time = 1.90, antiderivative size = 544, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2695, 2865, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{e^{11/2} (b^2 - a^2)^{9/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{11/2} d} + \frac{e^{11/2} (b^2 - a^2)^{9/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{11/2} d} - \frac{2e^5 \sqrt{e \sin(c + dx)} \left(21 (a^2 - b^2) \right)}{21}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e * \operatorname{Sin}[c + d*x])^{(11/2)} / (a + b * \operatorname{Cos}[c + d*x]), x]$

[Out] $((-a^2 + b^2)^{9/4} * e^{(11/2)} * \operatorname{ArcTan}[(\operatorname{Sqrt}[b] * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) / ((-a^2 + b^2)^{(1/4)} * \operatorname{Sqrt}[e])]) / (b^{(11/2)} * d) + ((-a^2 + b^2)^{9/4} * e^{(11/2)} * \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) / ((-a^2 + b^2)^{(1/4)} * \operatorname{Sqrt}[e])]) / (b^{(11/2)} * d) + (2*a*(21*a^4 - 49*a^2*b^2 + 33*b^4) * e^6 * \operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2] * \operatorname{Sqrt}[\operatorname{Sin}[c + d*x]]) / (21*b^6*d * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) - (a*(a^2 - b^2)^3 * e^6 * \operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2] * \operatorname{Sqrt}[\operatorname{Sin}[c + d*x]]) / (b^6*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2])) * d * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) - (a*(a^2 - b^2)^3 * e^6 * \operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2] * \operatorname{Sqrt}[\operatorname{Sin}[c + d*x]]) / (b^6*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2])) * d * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) - (2*e^5*(21*(a^2 - b^2)^2 - a*b*(7*a^2 - 12*b^2) * \operatorname{Cos}[c + d*x]) * \operatorname{Sqrt}[e * \operatorname{Sin}[c + d*x]]) / (21*b^5*d) + (2*e^3*(7*(a^2 - b^2) - 5*a*b * \operatorname{Cos}[c + d*x]) * (e * \operatorname{Sin}[c + d*x])^{(5/2)}) / (35*b^3*d) - (2*e * (e * \operatorname{Sin}[c + d*x])^{(9/2)}) / (9*b*d)$

Rule 205

$\operatorname{Int}[(a + b * x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2] * \operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /;$ FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^m)*((a_) + (b_)*(x_)^n)^p, x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2695

Int[(cos[(e_) + (f_)*(x_)])*(g_)^p*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^m, x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_) + (f_)*(x_)])*(g_)^p*((a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

+ f*x))/(c + d)), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2865

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]))/(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{11/2}}{a + b \cos(c + dx)} dx &= -\frac{2e(e \sin(c + dx))^{9/2}}{9bd} - \frac{e^2 \int \frac{(-b-a \cos(c+dx))(e \sin(c+dx))^{7/2}}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{2e^3 (7(a^2 - b^2) - 5ab \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} - \frac{2e(e \sin(c + dx))^{9/2}}{9bd} - \frac{(2e^4) \int \frac{(-b-a \cos(c+dx))(e \sin(c+dx))^{5/2}}{a+b \cos(c+dx)} dx}{b} \\ &= -\frac{2e^5 (21(a^2 - b^2)^2 - ab(7a^2 - 12b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{21b^5d} + \frac{2e^3 (7(a^2 - b^2) - 5ab \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} - \frac{2e(e \sin(c + dx))^{9/2}}{9bd} \\ &= -\frac{2e^5 (21(a^2 - b^2)^2 - ab(7a^2 - 12b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{21b^5d} + \frac{2e^3 (7(a^2 - b^2) - 5ab \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} - \frac{2e(e \sin(c + dx))^{9/2}}{9bd} \\ &= -\frac{2e^5 (21(a^2 - b^2)^2 - ab(7a^2 - 12b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{21b^5d} + \frac{2e^3 (7(a^2 - b^2) - 5ab \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} - \frac{2e(e \sin(c + dx))^{9/2}}{9bd} \\ &= \frac{2a(21a^4 - 49a^2b^2 + 33b^4) e^6 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{21b^6d \sqrt{e \sin(c + dx)}} - \frac{2e^5 (21(a^2 - b^2)^2 - ab(7a^2 - 12b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{21b^5d} + \frac{2e^3 (7(a^2 - b^2) - 5ab \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} - \frac{2e(e \sin(c + dx))^{9/2}}{9bd} \\ &= \frac{2a(21a^4 - 49a^2b^2 + 33b^4) e^6 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{21b^6d \sqrt{e \sin(c + dx)}} + \frac{a(-a^2 + b^2)^{5/2} e^6 \Pi\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2, -\frac{a^2 + b^2}{b^2}\right)}{b^6(b^2 - a^2)} \\ &= \frac{(-a^2 + b^2)^{9/4} e^{11/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{11/2}d} + \frac{(-a^2 + b^2)^{9/4} e^{11/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{11/2}d} \end{aligned}$$

Mathematica [C] time = 17.63, size = 2035, normalized size = 3.74

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(11/2)/(a + b*cos[c + d*x]),x]

[Out] (((a*(28*a^2 - 51*b^2)*Cos[c + d*x])/(42*b^4) + ((-9*a^2 + 14*b^2)*Cos[2*(c + d*x)])/(45*b^3) + (a*cos[3*(c + d*x)]/(14*b^2) - Cos[4*(c + d*x)]/(36*b)) * Csc[c + d*x]^5*(e*Sin[c + d*x])^(11/2)/d - ((e*Sin[c + d*x])^(11/2)*((2*(392*a^3*b - 722*a*b^3)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2]))*(a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]*Sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2))))/(a + b*cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(-280*a^4 + 636*a^2*b^2 - 721*b^4)*Cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*(((1/8 + I/8)*Sqrt[b]*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)) - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)) + Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]))/(-a^2 + b^2)^(3/4) + (5*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2))))/(a + b*cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]) + ((840*a^4 - 1764*a^2*b^2 + 959*b^4)*Cos[c + d*x]*Cos[2*(c + d*x)]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*(((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)))/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)))/(b^(3/2)*(-a^2 + b^2)^(3/4)) + ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^(3/4)) + (4*Sqrt[Sin[c + d*x]])/b - (4*a*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(5/2))/(5*(a^2 - b^2)) + (10*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2))))/(a + b*cos[c + d*x])*(1 - 2*Sin[c + d*x]^2)*Sqrt[1 - Sin[c + d*x]^2]))/(1680*b^4*d*Sin[c + d*x]^(11/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.11, size = 2930, normalized size = 5.39

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -3/2/d*e^6*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^3/(-a^2+b^2)^{1/2}*(-\sin(d \\ & *x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/ \\ & b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2},1/(1+(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})+1 \\ & /2/d*e^6*a/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/2}/b*(-\sin(d*x+c)+ \\ & 1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{Ellip \\ & tpicPi}((-\sin(d*x+c)+1)^{1/2},1/(1+(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})+1/2/d*e \\ & ^6*a^7/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^7/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1) \\ & ^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{Ellip \\ & ticPi}((-\sin(d*x+c)+1)^{1/2},1/(1-(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})-3/2/d*e^6 \\ & *a^5/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^5/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1)^{1/2} \\ & *(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{Ellipti \\ & cPi}((-\sin(d*x+c)+1)^{1/2},1/(1-(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})+3/2/d*e^6*a \\ & ^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^3/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1)^{1/2} \\ & *(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticP \\ & i}((-\sin(d*x+c)+1)^{1/2},1/(1-(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})-1/2/d*e^6*a/c \\ & \cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/2}/b*(-\sin(d*x+c)+1)^{1/2}*(2* \\ & \sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin \\ & (d*x+c)+1)^{1/2},1/(1+(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})+3/2/d*e^6*a^5/\cos(d*x \\ & +c)/(e*\sin(d*x+c))^{1/2}/b^5/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1)^{1/2}*(2*\sin \\ & (d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin \\ & (d*x+c)+1)^{1/2},1/(1+(-a^2+b^2)^{1/2}/b),1/2*2^{1/2})+3/2/d/b*e^7*(e^2*(a^2-b \\ & ^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2) \\ & ^{1/4}*(e*\sin(d*x+c))^{1/2}+1)*a^2+1/2/d/b^5*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/ \\ & (a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d \\ & *x+c))^{1/2}-1)*a^6-3/2/d/b^3*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^ \\ & 2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}-1) \\ & *a^4+3/2/d/b*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan \\ & (2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}-1)*a^2+1/4/d/b^5*e^ \\ & 7*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\ln((e*\sin(d*x+c)+(e^2 \\ & *(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}*2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2} \\ &))/(e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}*2^{1/2}+(e^ \\ & 2*(a^2-b^2)/b^2)^{1/2}))*a^6-3/4/d/b^3*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e \\ & ^2-b^2*e^2)*2^{1/2}*\ln((e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c) \\ &))^{1/2}*2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2}))/((e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^ \\ & 2)^{1/4}*(e*\sin(d*x+c))^{1/2}*2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2}))*a^4+3/4/d \\ & /b*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\ln((e*\sin(d*x+c) \\ & +(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}*2^{1/2}+(e^2*(a^2-b^2)/b^2) \\ & ^{1/2}))/((e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}*2^{1/2} \\ &)+(e^2*(a^2-b^2)/b^2)^{1/2}))*a^2+1/2/d/b^5*e^7*(e^2*(a^2-b^2)/b^2)^{1/4}/(\\ & a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d$$

$(x+c)^{(1/2)+1} * a^{6-3/2} / d / b^3 * e^{7 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2)}$
 $^{2^{(1/2)}} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(dx+c))^{(1/2)+1} * a^4 - 11/7 / d * e^6 * a / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) - 1/d * e^6 * a^5 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^6 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) + 7/3 / d * e^6 * a^3 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) + 2/5 / d / b^3 * e^3 * (e * \sin(dx+c))^{(5/2)} * a^2 + 4/d / b^3 * e^5 * a^2 * (e * \sin(dx+c))^{(1/2)} - 2/d / b^5 * e^5 * a^4 * (e * \sin(dx+c))^{(1/2)} - 2/5 / d / b * e^3 * (e * \sin(dx+c))^{(5/2)} - 2/d / b * e^5 * (e * \sin(dx+c))^{(1/2)} - 2/9 * e * (e * \sin(dx+c))^{(9/2)} / b / d - 1/2 / d * b * e^{7 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2)}$
 $^{2^{(1/2)}} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(dx+c))^{(1/2)} - 1) - 1/4 / d * b * e^{7 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2)}$
 $^{2^{(1/2)}} * \ln((e * \sin(dx+c) + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(dx+c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/2)})) - 1/2 / d * b * e^{7 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2)}$
 $^{2^{(1/2)}} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(dx+c))^{(1/2)+1} + 2/7 / d * e^6 * a * \cos(dx+c)^3 / (e * \sin(dx+c))^{(1/2)} / b^2 * \sin(dx+c) + 2/3 / d * e^6 * a^3 * \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * \sin(dx+c) - 10/7 / d * e^6 * a * \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * \sin(dx+c)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{11/2}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(11/2)/(a+b*cos(dx+c)),x, algorithm="maxima")

[Out] integrate((e*sin(dx + c))^(11/2)/(b*cos(dx + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{11/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + dx))^(11/2)/(a + b*cos(c + dx)),x)

[Out] int((e*sin(c + dx))^(11/2)/(a + b*cos(c + dx)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))**(11/2)/(a+b*cos(dx+c)),x)

[Out] Timed out

$$3.59 \quad \int \frac{(e \sin(c+dx))^{9/2}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=461

$$\frac{e^{9/2} (b^2 - a^2)^{7/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{9/2} d} + \frac{e^{9/2} (b^2 - a^2)^{7/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{9/2} d} + \frac{ae^5 (a^2 - b^2)^2 \sqrt{\sin(c+dx)} \Pi}{b^5 d (b - \sqrt{b^2 - a^2})}$$

[Out] $-(a^2+b^2)^{7/4} e^{9/2} \arctan(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / b^{9/2} / d + (-a^2+b^2)^{7/4} e^{9/2} \operatorname{arctanh}(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / b^{9/2} / d + 2/15 e^3 (5a^2 - 5b^2 - 3a^2 b \cos(dx+c)) (e \sin(dx+c))^{3/2} / b^3 / d - 2/7 e (e \sin(dx+c))^{7/2} / b / d - a (a^2 - b^2)^2 e^5 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2b / (b - (-a^2+b^2)^{1/2}), 2^{1/2}) \sin(dx+c)^{1/2} / b^5 / d / (b - (-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} - a (a^2 - b^2)^2 e^5 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2b / (b + (-a^2+b^2)^{1/2}), 2^{1/2}) \sin(dx+c)^{1/2} / b^5 / d / (b + (-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} + 2/5 a (5a^2 - 8b^2) e^4 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) \operatorname{EllipticE}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2^{1/2}) (e \sin(dx+c))^{1/2} / b^4 / d / \sin(dx+c)^{1/2}$

Rubi [A] time = 1.34, antiderivative size = 461, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2695, 2865, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{e^{9/2} (b^2 - a^2)^{7/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{9/2} d} + \frac{e^{9/2} (b^2 - a^2)^{7/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{9/2} d} + \frac{2e^3 (e \sin(c+dx))^{3/2} (5(a^2 - b^2))}{15b^3 d}$$

Antiderivative was successfully verified.

[In] `Int[(e*Sin[c + d*x])^(9/2)/(a + b*Cos[c + d*x]),x]`

[Out] $-\left((-a^2 + b^2)^{7/4} e^{9/2} \operatorname{ArcTan}[\sqrt{b} \sqrt{e \sin(c+dx)}] / ((-a^2 + b^2)^{1/4} \sqrt{e}) \right) / (b^{9/2} d) + \left((-a^2 + b^2)^{7/4} e^{9/2} \operatorname{ArcTanh}[\sqrt{b} \sqrt{e \sin(c+dx)}] / ((-a^2 + b^2)^{1/4} \sqrt{e}) \right) / (b^{9/2} d) + (a(a^2 - b^2)^2 e^5 \operatorname{EllipticPi}[(2b)/(b - \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] \sqrt{\sin(c+dx)}) / (b^5 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c+dx)}) + (a(a^2 - b^2)^2 e^5 \operatorname{EllipticPi}[(2b)/(b + \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] \sqrt{\sin(c+dx)}) / (b^5 (b + \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c+dx)}) - (2a(5a^2 - 8b^2) e^4 \operatorname{EllipticE}[(c - \pi/2 + dx)/2, 2] \sqrt{e \sin(c+dx)}) / (5b^4 d \sqrt{\sin(c+dx)}) + (2e^3 (5(a^2 - b^2) - 3a^2 b \cos(c+dx)) (e \sin(c+dx))^{3/2}) / (15b^3 d) - (2e (e \sin(c+dx))^{7/2}) / (7b d)$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2695

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2865

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2867

```
Int[(((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(e \sin(c + dx))^{9/2}}{a + b \cos(c + dx)} dx = -\frac{2e(e \sin(c + dx))^{7/2}}{7bd} - \frac{e^2 \int \frac{(-b-a \cos(c+dx))(e \sin(c+dx))^{5/2}}{a+b \cos(c+dx)} dx}{b}$$

$$= \frac{2e^3 (5(a^2 - b^2) - 3ab \cos(c + dx)) (e \sin(c + dx))^{3/2}}{15b^3d} - \frac{2e(e \sin(c + dx))^{7/2}}{7bd} - \frac{(2e^4) \int \frac{1}{2} dx}{b}$$

$$= \frac{2e^3 (5(a^2 - b^2) - 3ab \cos(c + dx)) (e \sin(c + dx))^{3/2}}{15b^3d} - \frac{2e(e \sin(c + dx))^{7/2}}{7bd} - \frac{a(5a^2 - b^2)}{b}$$

$$= \frac{2e^3 (5(a^2 - b^2) - 3ab \cos(c + dx)) (e \sin(c + dx))^{3/2}}{15b^3d} - \frac{2e(e \sin(c + dx))^{7/2}}{7bd} - \frac{a(a^2 - b^2)}{b}$$

$$= -\frac{2a(5a^2 - 8b^2) e^4 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5b^4 d \sqrt{\sin(c + dx)}} + \frac{2e^3 (5(a^2 - b^2) - 3ab \cos(c + dx)) (e \sin(c + dx))^{3/2}}{15b^3d}$$

$$= \frac{a(a^2 - b^2)^2 e^5 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^5 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} + \frac{a(a^2 - b^2)^2 e^5 \Pi\left(\frac{2}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^5 (b + \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}}$$

$$= -\frac{(-a^2 + b^2)^{7/4} e^{9/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{9/2}d} + \frac{(-a^2 + b^2)^{7/4} e^{9/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{9/2}d} + \dots$$

Mathematica [C] time = 14.99, size = 834, normalized size = 1.81

$$\frac{\csc^4(c + dx)(e \sin(c + dx))^{9/2} \left(-\frac{(37b^2 - 28a^2) \sin(c + dx)}{42b^3} - \frac{a \sin(2(c + dx))}{5b^2} + \frac{\sin(3(c + dx))}{14b} \right)}{d} - \frac{(e \sin(c + dx))^{9/2} \left(\frac{(5a^3 - 8ab^2) \left(8F_1\left(\frac{3}{4}; \dots\right) \right)}{\dots} \right)}{\dots}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*SIN[c + d*x])^(9/2)/(a + b*Cos[c + d*x]),x]
```

```
[Out] -1/5*((e*SIN[c + d*x])^(9/2)*(((5*a^3 - 8*a*b^2)*Cos[c + d*x]^2*(3*Sqrt[2]*
a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[SIN[c + d*x]])/(a^2
- b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[SIN[c + d*x]])/(a^2 - b
^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[S
IN[c + d*x]] + b*SIN[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2
- b^2)^(1/4)*Sqrt[SIN[c + d*x]] + b*SIN[c + d*x]]) + 8*b^(5/2)*AppellF1[3/
4, -1/2, 1, 7/4, SIN[c + d*x]^2, (b^2*SIN[c + d*x]^2)/(-a^2 + b^2)]*SIN[c +
d*x]^(3/2))*(a + b*Sqrt[1 - SIN[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a
+ b*Cos[c + d*x])*(1 - SIN[c + d*x]^2)) + (2*(2*a^2*b - 5*b^3)*Cos[c + d*x]
*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[SIN[c + d*x]])/(-a^2 + b
^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[SIN[c + d*x]])/(-a^2 + b^2)
^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[SIN
[c + d*x]] + I*b*SIN[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-
a^2 + b^2)^(1/4)*Sqrt[SIN[c + d*x]] + I*b*SIN[c + d*x]])))/(Sqrt[b]*(-a^2 +
b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, SIN[c + d*x]^2, (b^2*SIN[c + d*
x]^2)/(-a^2 + b^2)]*SIN[c + d*x]^(3/2))/(3*(a^2 - b^2))*(a + b*Sqrt[1 - Si
N[c + d*x]^2]))/((a + b*Cos[c + d*x])*Sqrt[1 - SIN[c + d*x]^2]))/(b^3*d*SIN
[c + d*x]^(9/2)) + (Csc[c + d*x]^4*(e*SIN[c + d*x])^(9/2)*(-1/42*((-28*a^2
+ 37*b^2)*SIN[c + d*x])/b^3 - (a*SIN[2*(c + d*x)])/(5*b^2) + SIN[3*(c + d*
x)]/(14*b)))/d
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 1.07, size = 2051, normalized size = 4.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] -2/7*e*(e*sin(d*x+c))^(7/2)/b/d+2/3/d*e^3/b^3*(e*sin(d*x+c))^(3/2)*a^2-2/3/
d*e^3/b*(e*sin(d*x+c))^(3/2)-1/2/d*e^5/b^5/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2
)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)*a^4+1/d*
e^5/b^3/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2
)^(1/4)*(e*sin(d*x+c))^(1/2)-1)*a^2-1/2/d*e^5/b/(e^2*(a^2-b^2)/b^2)^(1/4)*2
^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)-1/4
/d*e^5/b^5/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*sin(d*x+c)-(e^2*(a^2-b^2
)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin
(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^
2)/b^2)^(1/2)))*a^4+1/2/d*e^5/b^3/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*s
in(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-
b^2)/b^2)^(1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/
```

$$\begin{aligned} &2) * 2^{(1/2)} + (e^{2*(a^2-b^2)/b^2})^{(1/2)}) * a^{-1/4} / d * e^5 / b / (e^{2*(a^2-b^2)/b^2})^{(1/4)} \\ &2^{(1/2)} * \ln((e * \sin(dx+c)) - (e^{2*(a^2-b^2)/b^2})^{(1/4)} * (e * \sin(dx+c))^{(1/2)} \\ &2^{(1/2)} + (e^{2*(a^2-b^2)/b^2})^{(1/2)}) / (e * \sin(dx+c) + (e^{2*(a^2-b^2)/b^2})^{(1/4)} \\ &2^{(1/2)} * (e * \sin(dx+c))^{(1/2)} * 2^{(1/2)} + (e^{2*(a^2-b^2)/b^2})^{(1/2)}) - 1/2 / d * e^5 / b^5 / \\ &e^{2*(a^2-b^2)/b^2})^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^{2*(a^2-b^2)/b^2})^{(1/4)} * \\ &(e * \sin(dx+c))^{(1/2)} + 1) * a^{4+1} / d * e^5 / b^3 / (e^{2*(a^2-b^2)/b^2})^{(1/4)} * 2^{(1/2)} * \ar \\ &ctan(2^{(1/2)} / (e^{2*(a^2-b^2)/b^2})^{(1/4)} * (e * \sin(dx+c))^{(1/2)} + 1) * a^{-1/2} / d * e^ \\ &5 / b / (e^{2*(a^2-b^2)/b^2})^{(1/4)} * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^{2*(a^2-b^2)/b^2})^{(1/4)} \\ &2^{(1/2)} * (e * \sin(dx+c))^{(1/2)} + 1) + 2/5 / d * e^5 * a * \cos(dx+c)^3 / (e * \sin(dx+c))^{(1/2)} / b \\ &2+2 / d * e^5 * a^3 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * (-\sin(dx+c)+1)^{(1/2)} * (2 \\ &* \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticE}((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2 \\ &^{(1/2)}) - 16/5 / d * e^5 * a / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * (-\sin(dx+c)+1)^{(1/2)} \\ &* (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticE}((-\sin(dx+c)+1)^{(1/2)} \\ &, 1/2 * 2^{(1/2)}) - 1/d * e^5 * a^3 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * (-\sin(dx+c)+ \\ &1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)} \\ &, 1/2 * 2^{(1/2)}) + 8/5 / d * e^5 * a / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * (-\sin(dx \\ &+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c) \\ &)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) - 2/5 / d * e^5 * a * \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 - 1/2 \\ &/ d * e^5 * a^5 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^6 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin \\ &(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 - (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 - (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) + 1/d * e^5 * a^3 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c) \\ &+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 - (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 - (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) - 1/2 / d * e^5 * a / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c) \\ &+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 - (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 - (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) - 1/2 / d * e^5 * a^5 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^6 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c) \\ &+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 + (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 + (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) + 1/d * e^5 * a^3 / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^4 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c) \\ &+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 + (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 + (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) - 1/2 / d * e^5 * a / \cos(dx+c) / (e * \sin(dx+c))^{(1/2)} / b^2 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c) \\ &+2)^{(1/2)} * \sin(dx+c)^{(1/2)} / (1 + (-a^2+b^2)^{(1/2)} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1 / (1 + (-a^2+b^2)^{(1/2)} / b) \\ &, 1/2 * 2^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^2}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(9/2)/(a+b*cos(dx+c)),x, algorithm="maxima")

[Out] integrate((e*sin(dx+c))^(9/2)/(b*cos(dx+c)+a),x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{9/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c+dx))^(9/2)/(a+b*cos(c+dx)),x)

[Out] int((e*sin(c+dx))^(9/2)/(a+b*cos(c+dx)),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))**(9/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

$$3.60 \quad \int \frac{(e \sin(c+dx))^{7/2}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=474

$$\frac{e^{7/2} (b^2 - a^2)^{5/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{7/2} d} + \frac{e^{7/2} (b^2 - a^2)^{5/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{7/2} d} - \frac{2ae^4 (3a^2 - 4b^2) \sqrt{\sin(c+dx)} F\left(\frac{c+dx}{2}, \frac{2}{\sqrt{3}}\right)}{3b^4 d \sqrt{e \sin(c+dx)}}$$

[Out] $(-a^2+b^2)^{(5/4)}*e^{(7/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(7/2)}/d+(-a^2+b^2)^{(5/4)}*e^{(7/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(7/2)}/d-2/5*e*(e*\sin(d*x+c))^{(5/2)}/b/d+2/3*a*(3*a^2-4*b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(e*\sin(d*x+c))^{(1/2)}-a*(a^2-b^2)^2*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)})))/(e*\sin(d*x+c))^{(1/2)}-a*(a^2-b^2)^2*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)})))/(e*\sin(d*x+c))^{(1/2)}+2/3*e^3*(3*a^2-3*b^2-a*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(1/2)}/b^3/d$

Rubi [A] time = 1.34, antiderivative size = 474, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2695, 2865, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{e^{7/2} (b^2 - a^2)^{5/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{7/2} d} + \frac{e^{7/2} (b^2 - a^2)^{5/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{7/2} d} + \frac{2e^3 \sqrt{e \sin(c+dx)} (3(a^2 - b^2) - a^2 b \cos(c+dx))}{3b^3 d}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c + d*x])^{(7/2)}/(a + b*\cos[c + d*x]), x]$

[Out] $((-a^2 + b^2)^{(5/4)}*e^{(7/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(b^{(7/2)}*d) + ((-a^2 + b^2)^{(5/4)}*e^{(7/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(b^{(7/2)}*d) - (2*a*(3*a^2 - 4*b^2)*e^4*\operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(3*b^4*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (a*(a^2 - b^2)^2*e^4*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(b^4*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (a*(a^2 - b^2)^2*e^4*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(b^4*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (2*e^3*(3*(a^2 - b^2) - a*b*\cos[c + d*x])*\operatorname{Sqrt}[e*\sin[c + d*x]])/(3*b^3*d) - (2*e*(e*\sin[c + d*x])^{(5/2)})/(5*b*d)$

Rule 205

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \operatorname{NegQ}[a/b]$

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
  n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
  Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
  x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
  d}, x]
```

Rule 2695

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x
_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x]
)^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[
e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; Fr
eeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p,
0] && IntegersQ[2*m, 2*p]
```

Rule 2702

```
Int[1/(Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*
(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(S
qrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int
1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dis
t[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; F
reeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2865

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2867

```
Int[(((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{7/2}}{a + b \cos(c + dx)} dx &= -\frac{2e(e \sin(c + dx))^{5/2}}{5bd} - \frac{e^2 \int \frac{(-b-a \cos(c+dx))(e \sin(c+dx))^{3/2}}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{2e^3 (3(a^2 - b^2) - ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{3b^3d} - \frac{2e(e \sin(c + dx))^{5/2}}{5bd} - \frac{(2e^4) \int \frac{\frac{1}{2}b(2a}{a}}{a}}{a} \\ &= \frac{2e^3 (3(a^2 - b^2) - ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{3b^3d} - \frac{2e(e \sin(c + dx))^{5/2}}{5bd} - \frac{a(3a^2 - 4b^2)}{a} \\ &= \frac{2e^3 (3(a^2 - b^2) - ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{3b^3d} - \frac{2e(e \sin(c + dx))^{5/2}}{5bd} - \frac{a(-a^2 + b^2)}{a} \\ &= -\frac{2a(3a^2 - 4b^2)e^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3b^4d \sqrt{e \sin(c + dx)}} + \frac{2e^3 (3(a^2 - b^2) - ab \cos(c + dx))}{3b^3d} \\ &= -\frac{2a(3a^2 - 4b^2)e^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3b^4d \sqrt{e \sin(c + dx)}} + \frac{a(-a^2 + b^2)^{3/2} e^4 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}\right)}{b^4 (b - \sqrt{-a^2 + b^2})} \\ &= \frac{(-a^2 + b^2)^{5/4} e^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{7/2}d} + \frac{(-a^2 + b^2)^{5/4} e^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{7/2}d} \end{aligned}$$

Mathematica [C] time = 15.53, size = 1955, normalized size = 4.12

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*Sin[c + d*x])^(7/2)/(a + b*Cos[c + d*x]),x]
```

```
[Out] (((-2*a*Cos[c + d*x])/(3*b^2) + Cos[2*(c + d*x)]/(5*b))*Csc[c + d*x]^3*(e*Sin[c + d*x])^(7/2))/d + ((e*Sin[c + d*x])^(7/2))*((28*a*b*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2]))*((a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c +
```

$$\begin{aligned} & d*x]]/(a^2 - b^2)^{(1/4)}] - \text{Log}[\text{Sqrt}[a^2 - b^2] - \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]] + \text{Log}[\text{Sqrt}[a^2 - b^2] + \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]])]/(4*\text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(3/4)}) + (5*b*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]]*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2])/((-5*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*\text{AppellF1}[5/4, -1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]])*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*(1 - \text{Sin}[c + d*x]^2)) + (2*(-10*a^2 + 27*b^2)*\text{Cos}[c + d*x]*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))*(((-1/8 + I/8)*\text{Sqrt}[b]*(2*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])]/(-a^2 + b^2)^{(1/4)}) - 2*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])]/(-a^2 + b^2)^{(1/4)}) + \text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]] - \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]]))/(-a^2 + b^2)^{(3/4)} + (5*a*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]])/(\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]*(5*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]])*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2)) + ((30*a^2 - 33*b^2)*\text{Cos}[c + d*x]*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))*((1/2 - I/2)*(-2*a^2 + b^2)*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])]/(-a^2 + b^2)^{(1/4)})/(b^(3/2)*(-a^2 + b^2)^{(3/4)}) - ((1/2 - I/2)*(-2*a^2 + b^2)*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])]/(-a^2 + b^2)^{(1/4)})/(b^(3/2)*(-a^2 + b^2)^{(3/4)}) + ((1/4 - I/4)*(-2*a^2 + b^2)*\text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^{(3/4)}) - ((1/4 - I/4)*(-2*a^2 + b^2)*\text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^{(3/4)}) + (4*\text{Sqrt}[\text{Sin}[c + d*x]])/b - (4*a*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^(5/2))/(5*(a^2 - b^2)) + (10*a*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]])/(\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]*(5*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]])*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*(1 - 2*\text{Sin}[c + d*x]^2)*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))/(60*b^2*d*\text{Sin}[c + d*x]^(7/2)) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{7}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((e*sin(d*x + c))^(7/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 0.85, size = 2087, normalized size = 4.40

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/5 * e * (e * \sin(d * x + c))^{(5/2)} / (b / d + 2 / d * e^3 / b^3 * a^2 * (e * \sin(d * x + c))^{(1/2)} - 2 / d * e^3 / b * (e * \sin(d * x + c))^{(1/2)} - 1 / 2 / d * e^5 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} + 1) * a^4 + 1 / d * e^5 / b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} + 1) * a^2 - 1 / 2 / d * e^5 * b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} + 1) - 1 / 2 / d * e^5 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} - 1) * a^4 + 1 / d * e^5 / b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} - 1) * a^2 - 1 / 2 / d * e^5 * b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \arctan(2^{(1/2)} / (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} - 1) - 1 / 4 / d * e^5 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \ln((e * \sin(d * x + c) + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)})) * a^4 + 1 / 2 / d * e^5 / b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \ln((e * \sin(d * x + c) + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)})) * a^2 - 1 / 4 / d * e^5 * b * (e^2 * (a^2 - b^2) / b^2)^{(1/4)} / (a^2 * e^2 - b^2 * e^2) * 2^{(1/2)} * \ln((e * \sin(d * x + c) + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e * \sin(d * x + c))^{(1/2)} * 2^{(1/2)})) + 1 / d * e^4 * a^3 / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^4 * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} * \text{EllipticF}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / 2 * 2^{(1/2)}) - 4 / 3 / d * e^4 * a / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^2 * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} * \text{EllipticF}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / 2 * 2^{(1/2)}) - 2 / 3 / d * e^4 * a * \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^2 * \sin(d * x + c) - 1 / 2 / d * e^4 * a^5 / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^5 / (-a^2 + b^2)^{(1/2)} * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 - (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 - (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) + 1 / d * e^4 * a^3 / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^3 / (-a^2 + b^2)^{(1/2)} * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 - (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 - (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) - 1 / 2 / d * e^4 * a / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / (-a^2 + b^2)^{(1/2)} / b * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 - (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 - (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) + 1 / 2 / d * e^4 * a^5 / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^5 / (-a^2 + b^2)^{(1/2)} * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 + (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 + (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) - 1 / d * e^4 * a^3 / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / b^3 / (-a^2 + b^2)^{(1/2)} * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 + (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 + (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) + 1 / 2 / d * e^4 * a / \cos(d * x + c) / (e * \sin(d * x + c))^{(1/2)} / (-a^2 + b^2)^{(1/2)} / b * (-\sin(d * x + c) + 1)^{(1/2)} * (2 * \sin(d * x + c) + 2)^{(1/2)} * \sin(d * x + c)^{(1/2)} / (1 + (-a^2 + b^2)^{(1/2)} / b) * \text{EllipticPi}(-\sin(d * x + c) + 1)^{(1/2)}, 1 / (1 + (-a^2 + b^2)^{(1/2)} / b), 1 / 2 * 2^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{7}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((e*sin(d*x + c))^(7/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{7/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x)),x)

[Out] int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(7/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.61 \quad \int \frac{(e \sin(c+dx))^{5/2}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=399

$$\frac{e^{5/2} (b^2 - a^2)^{3/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{5/2} d} + \frac{e^{5/2} (b^2 - a^2)^{3/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{5/2} d} - \frac{ae^3 (a^2 - b^2) \sqrt{\sin(c+dx)} \Pi \left(\frac{c+dx}{b} \right)}{b^3 d (b - \sqrt{b^2 - a^2})}$$

[Out] $-(a^2+b^2)^{3/4} e^{5/2} \arctan(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / b^{5/2} / d + (-a^2+b^2)^{3/4} e^{5/2} \operatorname{arctanh}(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / b^{5/2} / d - 2/3 e (e \sin(dx+c))^{3/2} / b / d + a (a^2-b^2) e^3 (\sin(1/2 c + 1/4 \pi + 1/2 d x))^2)^{1/2} / \sin(1/2 c + 1/4 \pi + 1/2 d x) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 d x), 2 * b / (b - (-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / b^3 / d / (b - (-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} + a (a^2-b^2) e^3 (\sin(1/2 c + 1/4 \pi + 1/2 d x))^2)^{1/2} / \sin(1/2 c + 1/4 \pi + 1/2 d x) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 d x), 2 * b / (b + (-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / b^3 / d / (b + (-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} - 2 * a * e^2 (\sin(1/2 c + 1/4 \pi + 1/2 d x))^2)^{1/2} / \sin(1/2 c + 1/4 \pi + 1/2 d x) * \operatorname{EllipticE}(\cos(1/2 c + 1/4 \pi + 1/2 d x), 2^{1/2}) * (e \sin(dx+c))^{1/2} / b^2 / d / \sin(dx+c)^{1/2}$

Rubi [A] time = 0.90, antiderivative size = 399, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2695, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{e^{5/2} (b^2 - a^2)^{3/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{5/2} d} + \frac{e^{5/2} (b^2 - a^2)^{3/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{b^{5/2} d} - \frac{ae^3 (a^2 - b^2) \sqrt{\sin(c+dx)} \Pi \left(\frac{c+dx}{b} \right)}{b^3 d (b - \sqrt{b^2 - a^2})}$$

Antiderivative was successfully verified.

[In] Int[(e*Sin[c + d*x])^(5/2)/(a + b*Cos[c + d*x]),x]

[Out] $-(((a^2 + b^2)^{3/4} e^{5/2} \operatorname{ArcTan}[\sqrt{b} \sqrt{e \sin(c+dx)}] / ((-a^2 + b^2)^{1/4} \sqrt{e})) / (b^{5/2} d)) + ((-a^2 + b^2)^{3/4} e^{5/2} \operatorname{ArcTanh}[\sqrt{b} \sqrt{e \sin(c+dx)}] / ((-a^2 + b^2)^{1/4} \sqrt{e})) / (b^{5/2} d) - (a(a^2 - b^2) e^3 \operatorname{EllipticPi}[(2*b)/(b - \sqrt{-a^2 + b^2}], (c - \pi/2 + dx)/2, 2) * \sqrt{\sin(c+dx)}) / (b^3 (b - \sqrt{-a^2 + b^2}) * d * \sqrt{e \sin(c+dx)}) - (a(a^2 - b^2) e^3 \operatorname{EllipticPi}[(2*b)/(b + \sqrt{-a^2 + b^2}], (c - \pi/2 + dx)/2, 2) * \sqrt{\sin(c+dx)}) / (b^3 (b + \sqrt{-a^2 + b^2}) * d * \sqrt{e \sin(c+dx)}) + (2 * a * e^2 \operatorname{EllipticE}[(c - \pi/2 + dx)/2, 2] * \sqrt{e \sin(c+dx)}) / (b^2 * d * \sqrt{\sin(c+dx)}) - (2 * e * (e \sin(c+dx))^{3/2}) / (3 * b * d)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !G

tQ[a/b, 0]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2695

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + p)), x] + Dist[(g^2*(p - 1))/(b*(m + p)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a

+ b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{(e \sin(c + dx))^{5/2}}{a + b \cos(c + dx)} dx = -\frac{2e(e \sin(c + dx))^{3/2}}{3bd} - \frac{e^2 \int \frac{(-b-a \cos(c+dx))\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{b}$$

$$= -\frac{2e(e \sin(c + dx))^{3/2}}{3bd} + \frac{(ae^2) \int \sqrt{e \sin(c + dx)} dx}{b^2} - \frac{((a^2 - b^2) e^2) \int \frac{\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{b^2}$$

$$= -\frac{2e(e \sin(c + dx))^{3/2}}{3bd} + \frac{(a(a^2 - b^2) e^3) \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2} - b \sin(c+dx))} dx}{2b^3} - \frac{(a(a^2 - b^2) e^3) \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2} + b \sin(c+dx))} dx}{2b^3}$$

$$= \frac{2ae^2 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{b^2 d \sqrt{\sin(c + dx)}} - \frac{2e(e \sin(c + dx))^{3/2}}{3bd} + \frac{(2(a^2 - b^2) e^3) \operatorname{Subst}\left(\int \frac{1}{\sqrt{e \sin(c+dx)}} dx, \frac{b + \sqrt{-a^2 + b^2} \sin(c+dx)}{b + \sqrt{-a^2 + b^2}}\right)}{b^3 (b + \sqrt{-a^2 + b^2})}$$

$$= -\frac{a(a^2 - b^2) e^3 \operatorname{Pi}\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^3 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} - \frac{a(a^2 - b^2) e^3 \operatorname{Pi}\left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^3 (b + \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}}$$

$$= -\frac{(-a^2 + b^2)^{3/4} e^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{5/2} d} + \frac{(-a^2 + b^2)^{3/4} e^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{5/2} d}$$

Mathematica [C] time = 14.53, size = 757, normalized size = 1.90

$$\frac{2 \csc(c + dx)(e \sin(c + dx))^{5/2}}{3bd} + \frac{(e \sin(c + dx))^{5/2} \left(a \cos^2(c+dx) (a+b \sqrt{1-\sin^2(c+dx)}) \left(8b^{5/2} \sin^{\frac{3}{2}}(c+dx) F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2}{a^2 - b^2}\right) \right) \right)}{b^3 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(5/2)/(a + b*Cos[c + d*x]),x]

[Out] (-2*Csc[c + d*x]*(e*Sin[c + d*x])^(5/2))/(3*b*d) + ((e*Sin[c + d*x])^(5/2)*((a*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]])) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*b*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (

$$b^2 \sin[c + d*x]^2 / (-a^2 + b^2) * \sin[c + d*x]^{(3/2)} / (3*(a^2 - b^2)) * (a + b*\sqrt{1 - \sin[c + d*x]^2}) / ((a + b*\cos[c + d*x])*\sqrt{1 - \sin[c + d*x]^2}) / (b*d*\sin[c + d*x]^{(5/2)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((e*sin(d*x + c))^(5/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 0.87, size = 1247, normalized size = 3.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2/3*e*(e*\sin(d*x+c))^{(3/2)}/b/d+1/2/d*e^3/b^3/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}-1)*a^2-1/2/d*e^3/b/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}-1)+1/4/d*e^3/b^3/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\ln((e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})/(e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})))*a^2-1/4/d*e^3/b/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\ln((e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})/(e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})))+1/2/d*e^3/b^3/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}+1)*a^2-1/2/d*e^3/b/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}+1)-2/d*e^3*a/cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/b^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticE((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+1/d*e^3*a/cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/b^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticF((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+1/2/d*e^3*a^3/cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/b^4*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})-1/2/d*e^3*a/cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/b^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})-1/2/d*e^3*a/cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/b^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((e*sin(d*x + c))^(5/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{\frac{5}{2}}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(5/2)/(a + b*cos(c + d*x)),x)

[Out] int((e*sin(c + d*x))^(5/2)/(a + b*cos(c + d*x)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(5/2)/(a+b*cos(d*x+c)),x)

[Out] Timed out

$$3.62 \quad \int \frac{(e \sin(c+dx))^{3/2}}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=410

$$\frac{ae^2 (a^2 - b^2) \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{b^2 d \left(a^2 - b \left(b - \sqrt{b^2 - a^2}\right)\right) \sqrt{e \sin(c+dx)}} - \frac{ae^2 (a^2 - b^2) \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b+\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{b^2 d \left(a^2 - b \left(\sqrt{b^2 - a^2} + b\right)\right) \sqrt{e \sin(c+dx)}}$$

[Out] $(-a^2+b^2)^{(1/4)}*e^{(3/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(3/2)}/d+(-a^2+b^2)^{(1/4)}*e^{(3/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(3/2)}/d-2*a*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^2/d/(e*\sin(d*x+c))^{(1/2)}+a*(a^2-b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^2/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/ (e*\sin(d*x+c))^{(1/2)}+a*(a^2-b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^2/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/ (e*\sin(d*x+c))^{(1/2)}-2*e*(e*\sin(d*x+c))^{(1/2)}/b/d$

Rubi [A] time = 0.90, antiderivative size = 410, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2695, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{e^{3/2} \sqrt[4]{b^2 - a^2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{b^{3/2} d} + \frac{e^{3/2} \sqrt[4]{b^2 - a^2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{b^{3/2} d} - \frac{ae^2 (a^2 - b^2) \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{b^2 d \left(a^2 - b \left(b - \sqrt{b^2 - a^2}\right)\right) \sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(e*Sin[c + d*x])^(3/2)/(a + b*Cos[c + d*x]), x]

[Out] $((-a^2 + b^2)^{(1/4)}*e^{(3/2)}*\operatorname{ArcTan}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(b^{(3/2)}*d) + ((-a^2 + b^2)^{(1/4)}*e^{(3/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(b^{(3/2)}*d) + (2*a*e^2*\operatorname{EllipticF}[(c - \pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(b^2*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (a*(a^2 - b^2)*e^2*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(b^2*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (a*(a^2 - b^2)*e^2*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(b^2*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (2*e*\operatorname{Sqrt}[e*\sin[c + d*x]])/(b*d)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a/b, 0]$

Rule 329

$\text{Int}[(c_*)*(x_)^m*((a_) + (b_)*(x_)^n)^p], x_Symbol] \rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{k*(m+1)-1}*(a + (b*x^{k*n})/c^n)^p, x], x, (c*x)^{1/k}], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_)*\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2695

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_}*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)])^{m_}], x_Symbol] \rightarrow \text{Simp}[(g*(g*\text{Cos}[e + f*x])^{p-1}*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m+p)), x] + \text{Dist}[(g^2*(p-1))/(b*(m+p)), \text{Int}[(g*\text{Cos}[e + f*x])^{p-2}*(a + b*\text{Sin}[e + f*x])^m*(b + a*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, g, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[p, 1] \&\& \text{NeQ}[m+p, 0] \&\& \text{IntegersQ}[2*m, 2*p]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_*) + (f_)*(x_)]*(g_)]*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q + b*\text{Cos}[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*\text{Cos}[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q - b*\text{Cos}[e + f*x])), x], x)]) /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2807

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2867

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_}*((c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]), x_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_}*((c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]), x], x]]$

$(g*\text{Cos}[e + f*x])^p, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^p/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{3/2}}{a + b \cos(c + dx)} dx &= -\frac{2e\sqrt{e \sin(c + dx)}}{bd} - \frac{e^2 \int \frac{-b-a \cos(c+dx)}{(a+b \cos(c+dx))\sqrt{e \sin(c+dx)}} dx}{b} \\ &= -\frac{2e\sqrt{e \sin(c + dx)}}{bd} + \frac{(ae^2) \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{b^2} + \frac{((-a^2 + b^2) e^2) \int \frac{1}{(a+b \cos(c+dx))\sqrt{e \sin(c+dx)}} dx}{b^2} \\ &= -\frac{2e\sqrt{e \sin(c + dx)}}{bd} - \frac{(a\sqrt{-a^2 + b^2} e^2) \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2} - b \sin(c+dx))} dx}{2b^2} - \frac{(a\sqrt{-a^2 + b^2} e^2) \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2} + b \sin(c+dx))} dx}{2b^2} \\ &= \frac{2ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} - \frac{2e\sqrt{e \sin(c + dx)}}{bd} + \frac{(2(a^2 - b^2) e^3) \text{Subst}\left(\int \frac{1}{\sqrt{e \sin(c+dx)}} dx, \frac{a + b \cos(c+dx)}{2}\right)}{b^2} \\ &= \frac{2ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} + \frac{a\sqrt{-a^2 + b^2} e^2 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)}{b^2 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} \\ &= \frac{\sqrt[4]{-a^2 + b^2} e^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{3/2} d} + \frac{\sqrt[4]{-a^2 + b^2} e^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{b^{3/2} d} + \frac{2ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [C] time = 5.82, size = 434, normalized size = 1.06

$$\left(\frac{1}{20} - \frac{i}{20}\right) \cos(c + dx) (e \sin(c + dx))^{3/2} (a + b \sqrt{\cos^2(c + dx)}) \left((4 + 4i) ab^{3/2} \sin^{\frac{5}{2}}(c + dx) F_1\left(\frac{5}{4}; \frac{1}{2}, 1; \frac{9}{4}; \sin^2(c + dx)\right) + \dots\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(3/2)/(a + b*Cos[c + d*x]),x]

[Out] $((-1/20 + I/20)*\text{Cos}[c + d*x]*(a + b*\text{Sqrt}[\text{Cos}[c + d*x]^2])*(e*\text{Sin}[c + d*x])^{3/2}*(-5*(a^2 - b^2)*(2*(-a^2 + b^2)^{1/4}*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{1/4}] - 2*(-a^2 + b^2)^{1/4}*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{1/4}] + (-a^2 + b^2)^{1/4}*\text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{1/4}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]] - (-a^2 + b^2)^{1/4}*\text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{1/4}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]] + (4 + 4*I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]]) + (4 + 4*I)*a*b^{3/2}*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^{5/2})/(b^{3/2}*(-a^2 + b^2)*d*\text{Sqrt}[\text{Cos}[c + d*x]^2]*(a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x]^{3/2})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate((e*sin(d*x + c))^(3/2)/(b*cos(d*x + c) + a), x)

maple [B] time = 0.87, size = 1314, normalized size = 3.20

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c)),x)

[Out]
$$\begin{aligned} & -2*e*(e*\sin(d*x+c))^{1/2}/b/d+1/2/d*e^3/b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2+1}) \\ & *a^2-1/2/d*e^3*b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2+1}) \\ & +1/2/d*e^3/b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2-1}) \\ & *a^2-1/2/d*e^3*b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2-1}) \\ & +1/4/d*e^3/b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\ln((e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}) \\ & *2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2})/(e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}) \\ & *2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2})) \\ & *a^2-1/4/d*e^3*b*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)*2^{1/2}*\ln((e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}) \\ & *2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2})/(e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}) \\ & *2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/2})) \\ & -1/d*e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^2*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2}) \\ & +1/2/d*e^2*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^3/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2} \\ & /((1+(-a^2+b^2)^{1/2})/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2})/b), 1/2*2^{1/2}) \\ & -1/2/d*e^2*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^3/(-a^2+b^2)^{1/2}*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2} \\ & /((1+(-a^2+b^2)^{1/2})/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2})/b), 1/2*2^{1/2}) \\ & +1/2/d*e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/2}/b*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2} \\ & /((1+(-a^2+b^2)^{1/2})/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2})/b), 1/2*2^{1/2}) \\ & +1/2/d*e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/2}/b*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2} \\ & /((1+(-a^2+b^2)^{1/2})/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2})/b), 1/2*2^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate((e*sin(d*x + c))^(3/2)/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{3/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(3/2)/(a + b*cos(c + d*x)), x)

[Out] int((e*sin(c + d*x))^(3/2)/(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(c + dx))^{3/2}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(3/2)/(a+b*cos(d*x+c)), x)

[Out] Integral((e*sin(c + d*x))**(3/2)/(a + b*cos(c + d*x)), x)

3.63 $\int \frac{\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx$

Optimal. Leaf size=302

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{\sqrt{b} d \sqrt[4]{b^2-a^2}} + \frac{\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{\sqrt{b} d \sqrt[4]{b^2-a^2}} + \frac{ae \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{bd(b-\sqrt{b^2-a^2}) \sqrt{e \sin(c+dx)}} + \frac{ae \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b+\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{bd(b+\sqrt{b^2-a^2}) \sqrt{e \sin(c+dx)}}$$

[Out] $-\arctan(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4}/e^{1/2})*e^{1/2}/(-a^2+b^2)^{1/4}/d/b^{1/2}+\operatorname{arctanh}(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4}/e^{1/2})*e^{1/2}/(-a^2+b^2)^{1/4}/d/b^{1/2}-a*e*(\sin(1/2*c+1/4*\Pi+1/2*d*x))^2)^{1/2}/\sin(1/2*c+1/4*\Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*\Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b/d/(b-(-a^2+b^2)^{1/2})/(e*\sin(d*x+c))^{1/2}-a*e*(\sin(1/2*c+1/4*\Pi+1/2*d*x))^2)^{1/2}/\sin(1/2*c+1/4*\Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*\Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b/d/(b+(-a^2+b^2)^{1/2})/(e*\sin(d*x+c))^{1/2}$

Rubi [A] time = 0.61, antiderivative size = 302, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{\sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{\sqrt{b} d \sqrt[4]{b^2-a^2}} + \frac{\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{\sqrt{b} d \sqrt[4]{b^2-a^2}} + \frac{ae \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{bd(b-\sqrt{b^2-a^2}) \sqrt{e \sin(c+dx)}} + \frac{ae \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b+\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{bd(b+\sqrt{b^2-a^2}) \sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[e*Sin[c + d*x]]/(a + b*Cos[c + d*x]),x]`

[Out] $-\left(\frac{\sqrt{e} \operatorname{ArcTan}\left[\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right]}{\sqrt{b} d \sqrt[4]{b^2-a^2}}\right) / \left(\frac{1}{(-a^2+b^2)^{1/4}} \sqrt{e}\right) + \left(\frac{\sqrt{e} \operatorname{ArcTanh}\left[\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right]}{\sqrt{b} d \sqrt[4]{b^2-a^2}}\right) / \left(\frac{1}{(-a^2+b^2)^{1/4}} \sqrt{e}\right) + \frac{a e \operatorname{EllipticPi}\left[\frac{2 b}{b-\sqrt{-a^2+b^2}}, \frac{c-\pi/2+d x}{2}, 2\right] \sqrt{\sin [c+d x]}}{b\left(b-\sqrt{-a^2+b^2}\right) d \sqrt{e \sin [c+d x]}} + \frac{a e \operatorname{EllipticPi}\left[\frac{2 b}{b+\sqrt{-a^2+b^2}}, \frac{c-\pi/2+d x}{2}, 2\right] \sqrt{\sin [c+d x]}}{b\left(b+\sqrt{-a^2+b^2}\right) d \sqrt{e \sin [c+d x]}}$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 298

`Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]`

Rule 329

`Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^`

$n^p, x], x, (c*x)^{(1/k)}, x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2701

$\text{Int}[\text{Sqrt}[\cos[e_.] + (f_.)*(x_)]*(g_.)]/((a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, \text{Dist}[(a*g)/(2*b), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q + b*\cos[e + f*x])), x], x] + (-\text{Dist}[(a*g)/(2*b), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q - b*\cos[e + f*x])), x], x] + \text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[\text{Sqrt}[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*\cos[e + f*x]], x]]] /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)))*\text{Sqrt}[(c_.) + (d_.)*\sin[e_.] + (f_.)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\sin[e_.] + (f_.)*(x_)))*\text{Sqrt}[(c_.) + (d_.)*\sin[e_.] + (f_.)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\sin[e + f*x])]/(c + d)]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}[1/((a + b*\sin[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\sin[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{e \sin(c + dx)}}{a + b \cos(c + dx)} dx &= \frac{(ae) \int \frac{1}{\sqrt{e \sin(c + dx)} (\sqrt{-a^2 + b^2} - b \sin(c + dx))} dx}{2b} + \frac{(ae) \int \frac{1}{\sqrt{e \sin(c + dx)} (\sqrt{-a^2 + b^2} + b \sin(c + dx))} dx}{2b} \\ &= \frac{(2be) \text{Subst} \left(\int \frac{x^2}{(a^2 - b^2)e^2 + b^2x^4} dx, x, \sqrt{e \sin(c + dx)} \right)}{d} - \frac{(ae \sqrt{\sin(c + dx)}) \int \frac{1}{\sqrt{\sin(c + dx)}} dx}{2b \sqrt{e \sin(c + dx)}} \\ &= \frac{ae \Pi \left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2} \left(c - \frac{\pi}{2} + dx \right) \middle| 2 \right) \sqrt{\sin(c + dx)}}{b \left(b - \sqrt{-a^2 + b^2} \right) d \sqrt{e \sin(c + dx)}} + \frac{ae \Pi \left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2} \left(c - \frac{\pi}{2} + dx \right) \right) \sqrt{\sin(c + dx)}}{b \left(b + \sqrt{-a^2 + b^2} \right) d \sqrt{e \sin(c + dx)}} \\ &= \frac{\sqrt{e} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{\sqrt{b} \sqrt[4]{-a^2 + b^2} d} + \frac{\sqrt{e} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{\sqrt{b} \sqrt[4]{-a^2 + b^2} d} + \frac{ae \Pi \left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2} \left(c - \frac{\pi}{2} + dx \right) \right) \sqrt{\sin(c + dx)}}{b \left(b - \sqrt{-a^2 + b^2} \right) d \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [C] time = 1.80, size = 361, normalized size = 1.20

$$2 \cos(c + dx) \sqrt{e \sin(c + dx)} (a + b \sqrt{\cos^2(c + dx)}) \left(\frac{a \sin^{\frac{3}{2}}(c + dx) F_1 \left(\frac{3}{4}; \frac{1}{2}, 1; \frac{7}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2} \right)}{3(a^2 - b^2)} + \frac{\left(\frac{1}{8} + \frac{i}{8} \right) \left(-\log(-1 + i) \right)}{d \sqrt{\sin(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[e*Sin[c + d*x]]/(a + b*Cos[c + d*x]),x]

```
[Out] (2*cos[c + d*x]*(a + b*Sqrt[Cos[c + d*x]^2])*Sqrt[e*sin[c + d*x]]*(((1/8 +
I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)]
- 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] -
Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]
] + I*b*sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)
^(1/4)*Sqrt[Sin[c + d*x]] + I*b*sin[c + d*x]))/(Sqrt[b]*(-a^2 + b^2)^(1/4)
) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*sin[c + d*x]^2)/(-a^
2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2)))/(d*Sqrt[Cos[c + d*x]^2]*(a
+ b*cos[c + d*x])*Sqrt[Sin[c + d*x]])
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(dx+c)}}{b \cos(dx+c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c)),x, algorithm="giac")
```

[Out] integrate(sqrt(e*sin(d*x + c))/(b*cos(d*x + c) + a), x)

maple [B] time = 0.87, size = 815, normalized size = 2.70

$$\frac{e\sqrt{2} \ln \left(\frac{e \sin(dx+c) - \left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}} \sqrt{e \sin(dx+c)} \sqrt{2} + \sqrt{\frac{e^2(a^2-b^2)}{b^2}}}{e \sin(dx+c) + \left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}} \sqrt{e \sin(dx+c)} \sqrt{2} + \sqrt{\frac{e^2(a^2-b^2)}{b^2}}} \right)}{4db \left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}}} - \frac{e\sqrt{2} \arctan \left(\frac{\sqrt{2} \sqrt{e \sin(dx+c)}}{\left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}}} + 1 \right)}{2db \left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}}} - \frac{e\sqrt{2} \arctan \left(\frac{\sqrt{2} \sqrt{e \sin(dx+c)}}{\left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}}} \right)}{2db \left(\frac{e^2(a^2-b^2)}{b^2}\right)^{\frac{1}{4}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] -1/4/d*e/b/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*sin(d*x+c)-(e^2*(a^2-b^2)
)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin
(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^
2)/b^2)^(1/4))) - 1/2/d*e/b/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/
(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)+1) - 1/2/d*e/b/(e^2*(a^2-b^2)/
b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(
1/2)-1) + 1/2/d*e*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(
1/2)/b/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*sin(d*x+c))
^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), -b/((-a^2+b^2)^(1/2)-b), 1/2*2^(1/2)
)*(-a^2+b^2)^(1/2) - 1/2/d*e*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*s
in(d*x+c)^(1/2)/b/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*s
in(d*x+c))^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), b/(b+(-a^2+b^2)^(1/2)), 1/
2*2^(1/2))*(-a^2+b^2)^(1/2) + 1/2/d*e*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)
^(1/2)*sin(d*x+c)^(1/2)/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+
c)/(e*sin(d*x+c))^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), -b/((-a^2+b^2)^(1/
2)-b), 1/2*2^(1/2)) + 1/2/d*e*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*s
in(d*x+c)^(1/2)/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*sin
```

$(d*x+c)^{(1/2)}*EllipticPi((-sin(d*x+c)+1)^{(1/2)},b/(b+(-a^2+b^2)^{(1/2)}),1/2*2^{(1/2)})$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] integrate(sqrt(e*sin(d*x + c))/(b*cos(d*x + c) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e \sin(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x)),x)

[Out] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(1/2)/(a+b*cos(d*x+c)),x)

[Out] Integral(sqrt(e*sin(c + d*x))/(a + b*cos(c + d*x)), x)

$$3.64 \quad \int \frac{1}{(a+b \cos(c+dx)) \sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=307

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{d\sqrt{e} (b^2-a^2)^{3/4}} + \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{d\sqrt{e} (b^2-a^2)^{3/4}} + \frac{a\sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{d\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}} + \frac{a\sqrt{\sin(c+dx)}}{d\left(a^2-b\left(b+\sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}}$$

[Out] arctan(b^(1/2)*(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/4)/e^(1/2))*b^(1/2)/(-a^2+b^2)^(3/4)/d/e^(1/2)+arctanh(b^(1/2)*(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/4)/e^(1/2))*b^(1/2)/(-a^2+b^2)^(3/4)/d/e^(1/2)-a*(sin(1/2*c+1/4*Pi+1/2*d*x)^(1/2)/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticPi(cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^(1/2)), 2^(1/2))*sin(d*x+c)^(1/2)/d/(a^2-b*(b-(-a^2+b^2)^(1/2))))/(e*sin(d*x+c)^(1/2)-a*(sin(1/2*c+1/4*Pi+1/2*d*x)^(1/2)/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticPi(cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^(1/2)), 2^(1/2))*sin(d*x+c)^(1/2)/d/(a^2-b*(b+(-a^2+b^2)^(1/2))))/(e*sin(d*x+c)^(1/2))

Rubi [A] time = 0.59, antiderivative size = 307, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.280$, Rules used = {2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{d\sqrt{e} (b^2-a^2)^{3/4}} + \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{d\sqrt{e} (b^2-a^2)^{3/4}} + \frac{a\sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{d\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}} + \frac{a\sqrt{\sin(c+dx)}}{d\left(a^2-b\left(b+\sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*cos[c + d*x])*sqrt[e*sin[c + d*x]]), x]

[Out] (sqrt[b]*ArcTan[(sqrt[b]*sqrt[e*sin[c + d*x]])/((-a^2 + b^2)^(1/4)*sqrt[e])])/((-a^2 + b^2)^(3/4)*d*sqrt[e]) + (sqrt[b]*ArcTanh[(sqrt[b]*sqrt[e*sin[c + d*x]])/((-a^2 + b^2)^(1/4)*sqrt[e])])/((-a^2 + b^2)^(3/4)*d*sqrt[e]) + (a*EllipticPi[(2*b)/(b - sqrt[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*sqrt[sin[c + d*x]])/((a^2 - b*(b - sqrt[-a^2 + b^2]))*d*sqrt[e*sin[c + d*x]]) + (a*EllipticPi[(2*b)/(b + sqrt[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*sqrt[sin[c + d*x]])/((a^2 - b*(b + sqrt[-a^2 + b^2]))*d*sqrt[e*sin[c + d*x]])

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^

$n^p, x], x, (c*x)^{(1/k)}, x]] /; \text{FreeQ}\{a, b, c, p\}, x \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_.) + (f_.)*(x_.)]*(g_.)]*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{With}\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q + b*\cos[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*\cos[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q - b*\cos[e + f*x])), x], x]]) /; \text{FreeQ}\{a, b, e, f, g\}, x \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> \text{Dist}[\text{Sqrt}[(c + d*\sin[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}[1/((a + b*\sin[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\sin[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))\sqrt{e \sin(c + dx)}} dx &= -\frac{a \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2}-b \sin(c+dx))} dx}{2\sqrt{-a^2+b^2}} - \frac{a \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2}+b \sin(c+dx))} dx}{2\sqrt{-a^2+b^2}} \\ &= -\frac{(2be) \text{Subst}\left(\int \frac{1}{(a^2-b^2)e^2+b^2x^4} dx, x, \sqrt{e \sin(c+dx)}\right)}{d} - \frac{(a\sqrt{\sin(c+dx)})}{2} \\ &= \frac{a\Pi\left(\frac{2b}{b-\sqrt{-a^2+b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{\sin(c+dx)}}{\left(a^2 - b\left(b - \sqrt{-a^2+b^2}\right)\right) d\sqrt{e \sin(c+dx)}} + \frac{a\Pi\left(\frac{2b}{b+\sqrt{-a^2+b^2}}; \frac{1}{2}\left(c + \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{\sin(c+dx)}}{\left(a^2 - b\left(b + \sqrt{-a^2+b^2}\right)\right) d\sqrt{e \sin(c+dx)}} \\ &= \frac{\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{\left(-a^2 + b^2\right)^{3/4} d\sqrt{e}} + \frac{\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{\left(-a^2 + b^2\right)^{3/4} d\sqrt{e}} + \frac{a\Pi\left(\frac{2b}{b-\sqrt{-a^2+b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{\sin(c+dx)}}{\left(a^2 - b\left(b - \sqrt{-a^2+b^2}\right)\right) d\sqrt{e \sin(c+dx)}} \end{aligned}$$

Mathematica [C] time = 1.60, size = 261, normalized size = 0.85

$$\frac{10(a+b)\sqrt{e \sin(c+dx)} F_1\left(\frac{1}{4}; -\frac{1}{2}; \frac{1}{2}(c+dx)\right)}{de(a+b \cos(c+dx)) \left(2 \tan^2\left(\frac{1}{2}(c+dx)\right) \left((a+b) F_1\left(\frac{5}{4}; \frac{1}{2}, 1; \frac{9}{4}; -\tan^2\left(\frac{1}{2}(c+dx)\right), \frac{(b-a) \tan^2\left(\frac{1}{2}(c+dx)\right)}{a+b}\right) - 2(a-b)\right)\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*Cos[c + d*x])*Sqrt[e*Sin[c + d*x]]),x]

[Out] (10*(a + b)*AppellF1[1/4, -1/2, 1, 5/4, -Tan[(c + d*x)/2]^2, ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]*Sqrt[e*Sin[c + d*x]]/(d*e*(a + b*Cos[c + d*x]))*(5*(a + b)*AppellF1[1/4, -1/2, 1, 5/4, -Tan[(c + d*x)/2]^2, ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)] + 2*(-2*(a - b)*AppellF1[5/4, -1/2, 2, 9/4, -Tan[(c + d*x)/2]^2, ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*AppellF1[5/4, 1/2, 1, 9/4, -Tan[(c + d*x)/2]^2, ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)])*Tan[(c + d*x)/2]^2)

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))), x)

maple [B] time = 0.82, size = 855, normalized size = 2.79

$$\frac{be \left(\frac{e^2(a^2-b^2)}{b^2} \right)^{\frac{1}{4}} \sqrt{2} \ln \left(\frac{e \sin(dx+c) + \left(\frac{e^2(a^2-b^2)}{b^2} \right)^{\frac{1}{4}} \sqrt{e \sin(dx+c)} \sqrt{2} + \sqrt{\frac{e^2(a^2-b^2)}{b^2}}}{e \sin(dx+c) - \left(\frac{e^2(a^2-b^2)}{b^2} \right)^{\frac{1}{4}} \sqrt{e \sin(dx+c)} \sqrt{2} + \sqrt{\frac{e^2(a^2-b^2)}{b^2}}} \right)}{4d(a^2e^2 - b^2e^2)} - \frac{be \left(\frac{e^2(a^2-b^2)}{b^2} \right)^{\frac{1}{4}} \sqrt{2} \arctan \left(\frac{\sqrt{2} \sqrt{e \sin(dx+c)}}{\left(\frac{e^2(a^2-b^2)}{b^2} \right)^{\frac{1}{4}}} \right)}{2d(a^2e^2 - b^2e^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x)

[Out] -1/4/d*b*e*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*ln((e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))-1/2/d*b*e*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)+1)-1/2/d*b*e*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)+1/2/d*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2),-b/((-a^2+b^2)^(1/2)-b),1/2*2^(1/2))+1/2/d*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2),b/(b+(-a^2+b^2)^(1/2)),1/2*2^(1/2))+1/2/d*a*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/((-a^2+b^2)^(1/2)/((-a^2+b^2)^(1/2)-b)/(b+(-a^2+b^2)^(1/2))/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2),b/(b+(-a^2+b^2)^(1/2)),1/2*2^(1/2))*b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)\sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/((b*cos(d*x + c) + a)*sqrt(e*sin(d*x + c))), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{e \sin(c + dx)} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))),x)

[Out] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{e \sin(c + dx)} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))**(1/2),x)

[Out] Integral(1/(sqrt(e*sin(c + d*x))*(a + b*cos(c + d*x))), x)

$$3.65 \quad \int \frac{1}{(a+b \cos(c+dx))(e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=426

$$\frac{2aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c+dx)}}{de^2(a^2-b^2)\sqrt{\sin(c+dx)}} + \frac{2(b-a \cos(c+dx))}{de(a^2-b^2)\sqrt{e \sin(c+dx)}} - \frac{ab\sqrt{\sin(c+dx)}\Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{de(a^2-b^2)\left(b-\sqrt{b^2-a^2}\right)\sqrt{e \sin(c+dx)}}$$

[Out] $-b^{3/2} \arctan(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{5/4} / d / e^{3/2} + b^{3/2} \operatorname{arctanh}(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{5/4} / d / e^{3/2} + 2(b-a \cos(dx+c)) / (a^2-b^2) / d / e / (e \sin(dx+c))^{1/2} + a*b*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2} / \sin(1/2*c+1/4*Pi+1/2*d*x) * \operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2-b^2) / d / e / (b-(-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} + a*b*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2} / \sin(1/2*c+1/4*Pi+1/2*d*x) * \operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2-b^2) / d / e / (b+(-a^2+b^2)^{1/2}) / (e \sin(dx+c))^{1/2} + 2*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2} / \sin(1/2*c+1/4*Pi+1/2*d*x) * \operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{1/2}) * (e \sin(dx+c))^{1/2} / (a^2-b^2) / d / e^2 / \sin(dx+c)^{1/2}$

Rubi [A] time = 0.96, antiderivative size = 426, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2696, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$-\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{de^{3/2}(b^2-a^2)^{5/4}} + \frac{b^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{de^{3/2}(b^2-a^2)^{5/4}} - \frac{2aE\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)\sqrt{e \sin(c+dx)}}{de^2(a^2-b^2)\sqrt{\sin(c+dx)}} + \frac{2(b-a \cos(c+dx))}{de(a^2-b^2)\sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(3/2)),x]`

[Out] $-((b^{3/2} \operatorname{ArcTan}[\operatorname{Sqrt}[b] \operatorname{Sqrt}[e \sin[c + d*x]]] / ((-a^2 + b^2)^{1/4} \operatorname{Sqrt}[e])) / ((-a^2 + b^2)^{5/4} d e^{3/2})) + (b^{3/2} \operatorname{ArcTanh}[\operatorname{Sqrt}[b] \operatorname{Sqrt}[e \sin[c + d*x]]] / ((-a^2 + b^2)^{1/4} \operatorname{Sqrt}[e])) / ((-a^2 + b^2)^{5/4} d e^{3/2}) + (2*(b - a \cos[c + d*x])) / ((a^2 - b^2) d e \operatorname{Sqrt}[e \sin[c + d*x]]) - (a*b \operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2] \operatorname{Sqrt}[\sin[c + d*x]]) / ((a^2 - b^2) * (b - \operatorname{Sqrt}[-a^2 + b^2]) d e \operatorname{Sqrt}[e \sin[c + d*x]]) - (a*b \operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2] \operatorname{Sqrt}[\sin[c + d*x]]) / ((a^2 - b^2) * (b + \operatorname{Sqrt}[-a^2 + b^2]) d e \operatorname{Sqrt}[e \sin[c + d*x]]) - (2*a \operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2] \operatorname{Sqrt}[e \sin[c + d*x]]) / ((a^2 - b^2) d e^2 \operatorname{Sqrt}[\sin[c + d*x]])$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 298

`Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x]`

], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2696

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b - a*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*(a^2*(p + 2) - b^2*(m + p + 2) + a*b*(m + p + 3)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*

```
(x_)])))/((a_) + (b_)*sin[(e_) + (f_)*(x_)]) , x_Symbol] := Dist[d/b, Int[
(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a
+ b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b
^2, 0]
```

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} dx = \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}} - \frac{2 \int \frac{\left(\frac{a^2}{2} + \frac{b^2}{2} + \frac{1}{2} ab \cos(c+dx)\right) \sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{(a^2 - b^2) e^2}$$

$$= \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}} - \frac{a \int \sqrt{e \sin(c + dx)} dx}{(a^2 - b^2) e^2} - \frac{b^2 \int \frac{\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{(a^2 - b^2) e^2}$$

$$= \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}} + \frac{(ab) \int \frac{1}{\sqrt{e \sin(c+dx)} (\sqrt{-a^2+b^2} - b \sin(c+dx))} dx}{2(a^2 - b^2) e}$$

$$= \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}} - \frac{2aE\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{e \sin(c + dx)}}{(a^2 - b^2) de^2 \sqrt{\sin(c + dx)}}$$

$$= \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}} - \frac{ab\Pi\left(\frac{2b}{b - \sqrt{-a^2+b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle| 2\right) \sqrt{e \sin(c + dx)}}{(a^2 - b^2) (b - \sqrt{-a^2 + b^2}) de \sqrt{e \sin(c + dx)}}$$

$$= -\frac{b^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{5/4} de^{3/2}} + \frac{b^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{5/4} de^{3/2}} + \frac{2(b - a \cos(c + dx))}{(a^2 - b^2) de \sqrt{e \sin(c + dx)}}$$

Mathematica [C] time = 14.75, size = 791, normalized size = 1.86

$$\frac{2 \sin(c + dx)(a \cos(c + dx) - b)}{d(a^2 - b^2)(e \sin(c + dx))^{3/2}} \left(\frac{\sin^3(c + dx)}{\sin^2(c + dx)} \left(\frac{a \cos^2(c+dx) (a+b \sqrt{1-\sin^2(c+dx)}) \left(8b^{5/2} \sin^3(c+dx) F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2 - a^2} \right)}{\dots} \right)}{\dots} \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(3/2)),x]
```

```
[Out] (-2*(-b + a*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)*d*(e*Sin[c + d*x])^(3/2)) - (Sin[c + d*x]^(3/2)*((a*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4))*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2)*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*Sqrt[b]*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(a^2 + b^2)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 +
```

$$\frac{((1 + I)\sqrt{b}\sqrt{\sin[c + dx]})/(-a^2 + b^2)^{(1/4)} - \text{Log}[\sqrt{-a^2 + b^2} - (1 + I)\sqrt{b}(-a^2 + b^2)^{(1/4)}\sqrt{\sin[c + dx]} + I*b*\sin[c + dx]] + \text{Log}[\sqrt{-a^2 + b^2} + (1 + I)\sqrt{b}(-a^2 + b^2)^{(1/4)}\sqrt{\sin[c + dx]} + I*b*\sin[c + dx]])}{(\sqrt{b}(-a^2 + b^2)^{(1/4)} + (a*\text{AppellF1}[3/4, 1/2, 1, 7/4, \sin[c + dx]^2, (b^2*\sin[c + dx]^2)/(-a^2 + b^2)]*\sin[c + dx]^{(3/2)})/(3*(a^2 - b^2)))*(a + b*\sqrt{1 - \sin[c + dx]^2})}/((a + b*\cos[c + dx])*\sqrt{1 - \sin[c + dx]^2})}((a - b)*(a + b)*d*(e*\sin[c + dx])^{(3/2)})$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(dx+c))/(e*sin(dx+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)(e \sin(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(dx+c))/(e*sin(dx+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(dx + c) + a)*(e*sin(dx + c))^(3/2)), x)

maple [B] time = 0.87, size = 1248, normalized size = 2.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(dx+c))/(e*sin(dx+c))^(3/2),x)

[Out]
$$\frac{1/4/d/e*b/(a-b)/(a+b)/(e^2*(a^2-b^2)/b^2)^{(1/4)*2^{(1/2)}*\ln((e*\sin(dx+c)-(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})/(e*\sin(dx+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)}))+1/2/d/e*b/(a-b)/(a+b)/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}+1)+1/2/d/e*b/(a-b)/(a+b)/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}-1)+2/d/e*b/(a^2-b^2)/(e*\sin(dx+c))^{(1/2)}-1/2/d*a/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/\cos(dx+c)/(e*\sin(dx+c))^{(1/2)}*(-a^2+b^2)^{(1/2)}*(-\sin(dx+c)+1)^{(1/2)}*(2*\sin(dx+c)+2)^{(1/2)}*\sin(dx+c)^{(1/2)}*\text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)},-b/((-a^2+b^2)^{(1/2)}-b),1/2*2^{(1/2)})*b+1/2/d*a/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/\cos(dx+c)/(e*\sin(dx+c))^{(1/2)}*(-a^2+b^2)^{(1/2)}*(-\sin(dx+c)+1)^{(1/2)}*(2*\sin(dx+c)+2)^{(1/2)}*\sin(dx+c)^{(1/2)}*\text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)},b/(b+(-a^2+b^2)^{(1/2)}),1/2*2^{(1/2)})*b-1/2/d*a/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/\cos(dx+c)/(e*\sin(dx+c))^{(1/2)}*(-\sin(dx+c)+1)^{(1/2)}*(2*\sin(dx+c)+2)^{(1/2)}*\sin(dx+c)^{(1/2)}*\text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)},-b/((-a^2+b^2)^{(1/2)}-b),1/2*2^{(1/2)})*b^2-1/2/d*a/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/\cos(dx+c)/(e*\sin(dx+c))^{(1/2)}*(-\sin(dx+c)+1)^{(1/2)}*(2*\sin(dx+c)+2)^{(1/2)}*\sin(dx+c)^{(1/2)}*\text{EllipticE}((-\sin(dx+c)+1)^{(1/2)},1/2*2^{(1/2)})+1/d*a^3/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/\cos(dx+c)/(e*\sin(dx+c))^{(1/2)}*(-\sin(dx+c)+1)^{(1/2)}*(2$$

$*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*\text{EllipticF}((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+2/d*a^3/e/(a^2-b^2)/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{3/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))),x)

[Out] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(e \sin(c + dx))^{\frac{3}{2}} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(3/2),x)

[Out] Integral(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))), x)

$$3.66 \quad \int \frac{1}{(a+b \cos(c+dx))(e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=447

$$\frac{2a\sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3de^2(a^2-b^2)\sqrt{e \sin(c+dx)}} - \frac{ab^2\sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{de^2(a^2-b^2)\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right)\sqrt{e \sin(c+dx)}} - \frac{ab^2\sqrt{\sin(c+dx)}}{de^2(a^2-b^2)\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right)\sqrt{e \sin(c+dx)}}$$

[Out] $b^{5/2} \arctan(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{7/4} / d / e^{5/2} + b^{5/2} \operatorname{arctanh}(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{7/4} / d / e^{5/2} + 2/3 (b-a \cos(dx+c)) / (a^2-b^2) / d / e / (e \sin(dx+c))^{3/2} - 2/3 a (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticF}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2-b^2) / d / e^2 / (e \sin(dx+c))^{1/2} + a b^2 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2 * b / (b - (-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2-b^2) / d / e^2 / (a^2-b * (b - (-a^2+b^2)^{1/2})) / (e \sin(dx+c))^{1/2} + a b^2 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2 * b / (b + (-a^2+b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2-b^2) / d / e^2 / (a^2-b * (b + (-a^2+b^2)^{1/2})) / (e \sin(dx+c))^{1/2}$

Rubi [A] time = 1.01, antiderivative size = 447, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2696, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{de^{5/2} (b^2-a^2)^{7/4}} + \frac{b^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{de^{5/2} (b^2-a^2)^{7/4}} + \frac{2a\sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{3de^2(a^2-b^2)\sqrt{e \sin(c+dx)}} - \frac{ab^2\sqrt{\sin(c+dx)}}{de^2(a^2-b^2)\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right)\sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(5/2)), x]

[Out] $(b^{5/2} \operatorname{ArcTan}[(\sqrt{b} \sqrt{e \sin(c+dx)}) / ((-a^2 + b^2)^{1/4} \sqrt{e})]) / ((-a^2 + b^2)^{7/4} d e^{5/2}) + (b^{5/2} \operatorname{ArcTanh}[(\sqrt{b} \sqrt{e \sin(c+dx)}) / ((-a^2 + b^2)^{1/4} \sqrt{e})]) / ((-a^2 + b^2)^{7/4} d e^{5/2}) + (2 * (b - a \cos(c + dx))) / (3 * (a^2 - b^2) * d * e * (e \sin(c + dx))^{3/2}) + (2 * a * \operatorname{EllipticF}[(c - \pi/2 + dx)/2, 2] * \sqrt{\sin(c + dx)}) / (3 * (a^2 - b^2) * d * e^2 * \sqrt{e \sin(c + dx)}) - (a * b^2 * \operatorname{EllipticPi}[(2 * b) / (b - \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] * \sqrt{\sin(c + dx)}) / ((a^2 - b^2) * (a^2 - b * (b - \sqrt{-a^2 + b^2}))) * d * e^2 * \sqrt{e \sin(c + dx)} - (a * b^2 * \operatorname{EllipticPi}[(2 * b) / (b + \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] * \sqrt{\sin(c + dx)}) / ((a^2 - b^2) * (a^2 - b * (b + \sqrt{-a^2 + b^2}))) * d * e^2 * \sqrt{e \sin(c + dx)}$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a/b, 0]$

Rule 329

$\text{Int}[\{(c_)*(x_)\}^{(m_)*\{(a_)+(b_)*(x_)\}^{(n_)\}^{(p_)}}, x_Symbol] :> \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{(k*(m+1)-1)*(a+(b*x^{(k*n)})/c^n)^p}, x], x, (c*x)^{(1/k)}], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_)+(d_)*(x_)]], x_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_)*\sin[(c_)+(d_)*(x_)]], x_Symbol] :> \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2696

$\text{Int}[(\cos[(e_)+(f_)*(x_)]*(g_))^{(p_)*\{(a_)+(b_)*\sin[(e_)+(f_)*(x_)]\}^{(m_)}}, x_Symbol] :> \text{Simp}[(g*\text{Cos}[e + f*x])^{(p+1)}*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(b - a*\text{Sin}[e + f*x])]/(f*g*(a^2 - b^2)*(p+1)), x] + \text{Dist}[1/(g^2*(a^2 - b^2)*(p+1)), \text{Int}[(g*\text{Cos}[e + f*x])^{(p+2)}*(a + b*\text{Sin}[e + f*x])^m*(a^2*(p+2) - b^2*(m+p+2) + a*b*(m+p+3)*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, g, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[p, -1] \&\& \text{IntegersQ}[2*m, 2*p]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_)+(f_)*(x_)]*(g_)]*\{(a_)+(b_)*\sin[(e_)+(f_)*(x_)]\}), x_Symbol] :> \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q + b*\text{Cos}[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*\text{Cos}[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q - b*\text{Cos}[e + f*x])), x], x)]) /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(\{(a_)+(b_)*\sin[(e_)+(f_)*(x_)]\}*\text{Sqrt}[(c_)+(d_)*\sin[(e_)+(f_)*(x_)]]), x_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a+b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c+d)])/((f*(a+b)*\text{Sqrt}[c+d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c+d, 0]$

Rule 2807

$\text{Int}[1/(\{(a_)+(b_)*\sin[(e_)+(f_)*(x_)]\}*\text{Sqrt}[(c_)+(d_)*\sin[(e_)+(f_)*(x_)]]), x_Symbol] :> \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2867

$\text{Int}[(\cos[(e_)+(f_)*(x_)]*(g_))^{(p_)*\{(c_)+(d_)*\sin[(e_)+(f_)*$


```
(x_)])))/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[
(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a
+ b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b
^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{1}{(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} dx &= \frac{2(b - a \cos(c + dx))}{3(a^2 - b^2) de (e \sin(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{a^2}{2} + \frac{3b^2}{2} - \frac{1}{2} ab \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} dx}{3(a^2 - b^2) e^2} \\
&= \frac{2(b - a \cos(c + dx))}{3(a^2 - b^2) de (e \sin(c + dx))^{3/2}} + \frac{a \int \frac{1}{\sqrt{e \sin(c + dx)}} dx}{3(a^2 - b^2) e^2} - \frac{b^2 \int \frac{1}{(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} dx}{3(a^2 - b^2) e^2} \\
&= \frac{2(b - a \cos(c + dx))}{3(a^2 - b^2) de (e \sin(c + dx))^{3/2}} - \frac{(ab^2) \int \frac{1}{\sqrt{e \sin(c + dx)} (\sqrt{-a^2 + b^2} - b \sin(c + dx))} dx}{2(-a^2 + b^2)^{3/2} e^2} \\
&= \frac{2(b - a \cos(c + dx))}{3(a^2 - b^2) de (e \sin(c + dx))^{3/2}} + \frac{2aF\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3(a^2 - b^2) de^2 \sqrt{e \sin(c + dx)}} \\
&= \frac{2(b - a \cos(c + dx))}{3(a^2 - b^2) de (e \sin(c + dx))^{3/2}} + \frac{2aF\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3(a^2 - b^2) de^2 \sqrt{e \sin(c + dx)}} \\
&= \frac{b^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{7/4} de^{5/2}} + \frac{b^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{7/4} de^{5/2}} + \frac{2}{3(a^2 - b^2)}
\end{aligned}$$

Mathematica [C] time = 11.25, size = 1192, normalized size = 2.67

$$\sin^{\frac{5}{2}}(c + dx) \left(\frac{2ab(a + b\sqrt{1 - \sin^2(c + dx)})}{\left(\left(2 \left(2F_1\left(\frac{5}{4}; -\frac{1}{2}, 2; \frac{9}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) b^2 + (a^2 - b^2) F_1\left(\frac{5}{4}; \frac{1}{2}, 1; \frac{9}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) \right) \sin^2(c + dx) - 5(a^2 - b^2) \sqrt{\sin(c + dx)} \sqrt{1 - \sin^2(c + dx)} F_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) \right)}{5b(a^2 - b^2) \sqrt{\sin(c + dx)} \sqrt{1 - \sin^2(c + dx)} F_1\left(\frac{1}{4}; -\frac{1}{2}, 1; \frac{5}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(5/2)),x]

[Out] (-2*(-b + a*Cos[c + d*x])*Sin[c + d*x])/(3*(a^2 - b^2)*d*(e*Sin[c + d*x])^(5/2)) + (Sin[c + d*x]^(5/2)*((2*a*b*Cos[c + d*x]^2*(a + b*sqrt[1 - Sin[c + d*x]^2]))*(a*(-2*ArcTan[1 - (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) + 2*ArcTan[1 + (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) - Log[sqrt[a^2 - b^2] - sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[sqrt[a^2 - b^2] + sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]))/(4*sqrt[2]*sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*sqrt[Sin[c + d*x]]*sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]

$\wedge 2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2) \text{AppellF1}[5/4, 1/2, 1, 9/4, \sin[c + d*x]^2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] * \sin[c + d*x]^2 * (a^2 + b^2 * (-1 + \sin[c + d*x]^2)) / ((a + b \cos[c + d*x]) * (1 - \sin[c + d*x]^2)) + (2 * (a^2 - 3 * b^2) * \cos[c + d*x] * (a + b \sqrt{1 - \sin[c + d*x]^2})) * (((-1/8 + 1/8) * \sqrt{b} * (2 * \text{ArcTan}[1 - ((1 + I) * \sqrt{b} * \sqrt{\sin[c + d*x]})]) / (-a^2 + b^2)^{(1/4)}] - 2 * \text{ArcTan}[1 + ((1 + I) * \sqrt{b} * \sqrt{\sin[c + d*x]})]) / (-a^2 + b^2)^{(1/4)} + \text{Log}[\sqrt{-a^2 + b^2} - (1 + I) * \sqrt{b} * (-a^2 + b^2)^{(1/4)} * \sqrt{\sin[c + d*x]} + I * b * \sin[c + d*x]] - \text{Log}[\sqrt{-a^2 + b^2} + (1 + I) * \sqrt{b} * (-a^2 + b^2)^{(1/4)} * \sqrt{\sin[c + d*x]} + I * b * \sin[c + d*x]]) / (-a^2 + b^2)^{(3/4)} + (5 * a * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \sin[c + d*x]^2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] * \sqrt{\sin[c + d*x]}) / (\sqrt{1 - \sin[c + d*x]^2} * (5 * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \sin[c + d*x]^2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] - 2 * (2 * b^2 * \text{AppellF1}[5/4, 1/2, 2, 9/4, \sin[c + d*x]^2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2) * \text{AppellF1}[5/4, 3/2, 1, 9/4, \sin[c + d*x]^2, (b^2 \sin[c + d*x]^2)/(-a^2 + b^2)] * \sin[c + d*x]^2 * (a^2 + b^2 * (-1 + \sin[c + d*x]^2))))) / ((a + b \cos[c + d*x]) * \sqrt{1 - \sin[c + d*x]^2})) / (3 * (a - b) * (a + b) * d * (e * \sin[c + d*x])^{(5/2)})$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)(e \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(5/2)), x)

maple [A] time = 0.98, size = 845, normalized size = 1.89

$$\frac{2b}{3de(a^2 - b^2)(e \sin(dx + c))^{\frac{3}{2}}} + \frac{b^3 \left(\frac{e^2(a^2 - b^2)}{b^2}\right)^{\frac{1}{4}} \sqrt{2} \ln \left(\frac{e \sin(dx + c) + \left(\frac{e^2(a^2 - b^2)}{b^2}\right)^{\frac{1}{4}} \sqrt{e \sin(dx + c)} \sqrt{2} + \sqrt{\frac{e^2(a^2 - b^2)}{b^2}}}{e \sin(dx + c) - \left(\frac{e^2(a^2 - b^2)}{b^2}\right)^{\frac{1}{4}} \sqrt{e \sin(dx + c)} \sqrt{2} + \sqrt{\frac{e^2(a^2 - b^2)}{b^2}}} \right)}{4de(a - b)(a + b)(a^2 e^2 - b^2 e^2)} + \frac{b^3 \left(\frac{e^2(a^2 - b^2)}{b^2}\right)^{\frac{1}{4}}}{2de}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2),x)

[Out] $\frac{2}{3} \frac{d}{e} \frac{b}{(a^2 - b^2)} \frac{1}{(e \sin(d*x+c))^{(3/2)}} + \frac{1}{4} \frac{d}{e} \frac{b^3}{(a-b)(a+b)} \frac{(e^2 * (a^2 - b^2) / b^2)^{(1/4)}}{(a^2 * e^2 - b^2 * e^2) * 2^{(1/2)}} \ln \left(\frac{(e \sin(d*x+c) + (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e \sin(d*x+c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/2)})}{(e \sin(d*x+c) - (e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e \sin(d*x+c))^{(1/2)} * 2^{(1/2)} + (e^2 * (a^2 - b^2) / b^2)^{(1/2)})} \right) + \frac{1}{2} \frac{d}{e} \frac{b^3}{(a-b)(a+b)} \frac{(e^2 * (a^2 - b^2) / b^2)^{(1/4)}}{(a^2 * e^2 - b^2 * e^2) * 2^{(1/2)}} * \arctan \left(\frac{2^{(1/2)}}{(e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e \sin(d*x+c))^{(1/2)}} \right) + 1 + \frac{1}{2} \frac{d}{e} \frac{b^3}{(a-b)(a+b)} \frac{(e^2 * (a^2 - b^2) / b^2)^{(1/4)}}{(a^2 * e^2 - b^2 * e^2) * 2^{(1/2)}} * \arctan \left(\frac{2^{(1/2)}}{(e^2 * (a^2 - b^2) / b^2)^{(1/4)} * (e \sin(d*x+c))^{(1/2)}} \right) - 1 + \frac{1}{2} \frac{d}{e} \frac{a}{\cos(d*x+c)} \frac{1}{(e \sin(d*x+c))^{(1/2)}} \frac{1}{(a-b)(a+b)} \frac{b}{(-a^2 + b^2)^{(1/2)}} * (-\sin$

$$\begin{aligned} & (d*x+c+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)} \\ &)/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \\ & -1/2/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a-b)/(a+b)*b/(-a^2+b^2)^{(1/2)} \\ & *(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2) \\ &)^{(1/2)}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \\ & +1/3/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)/(\cos(d*x+c)^2- \\ & 1)*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(5/2)}*\text{EllipticF} \\ & ((-\sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+2/3/d/e^2*a*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)} \\ & / (a^2-b^2)/(\cos(d*x+c)^2-1)*\sin(d*x+c) \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))),x)

[Out] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(e \sin(c + dx))^{5/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))**(5/2),x)

[Out] Integral(1/((e*sin(c + d*x))**(5/2)*(a + b*cos(c + d*x))), x)

$$3.67 \quad \int \frac{1}{(a+b \cos(c+dx))(e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=501

$$\frac{2a(3a^2 - 8b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5de^4 (a^2 - b^2)^2 \sqrt{\sin(c + dx)}} + \frac{2(b - a \cos(c + dx))}{5de (a^2 - b^2) (e \sin(c + dx))^{5/2}} - \frac{b^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{de^{7/2} (b^2 - a^2)^{9/4}}$$

[Out] $-b^{7/2} \arctan(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{9/4} / d / e^{7/2} + b^{7/2} \operatorname{arctanh}(b^{1/2} (e \sin(dx+c))^{1/2} / (-a^2+b^2)^{1/4} / e^{1/2}) / (-a^2+b^2)^{9/4} / d / e^{7/2} + 2/5 (b - a \cos(dx+c)) / (a^2 - b^2) / d / e / (e \sin(dx+c))^{5/2} - 2/5 (5b^3 + a(3a^2 - 8b^2) \cos(dx+c)) / (a^2 - b^2)^2 / d / e^3 / (e \sin(dx+c))^{1/2} - a b^3 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2b / (b - (-a^2 + b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2 - b^2)^2 / d / e^3 / (b - (-a^2 + b^2)^{1/2}) / (e \sin(dx+c))^{1/2} - a b^3 (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticPi}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2b / (b + (-a^2 + b^2)^{1/2}), 2^{1/2}) * \sin(dx+c)^{1/2} / (a^2 - b^2)^2 / d / e^3 / (b + (-a^2 + b^2)^{1/2}) / (e \sin(dx+c))^{1/2} + 2/5 a (3a^2 - 8b^2) (\sin(1/2 c + 1/4 \pi + 1/2 dx))^2 / \sin(1/2 c + 1/4 \pi + 1/2 dx) * \operatorname{EllipticE}(\cos(1/2 c + 1/4 \pi + 1/2 dx), 2^{1/2}) * (e \sin(dx+c))^{1/2} / (a^2 - b^2)^2 / d / e^4 / \sin(dx+c)^{1/2}$

Rubi [A] time = 1.35, antiderivative size = 501, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2696, 2866, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$-\frac{b^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{de^{7/2} (b^2 - a^2)^{9/4}} + \frac{b^{7/2} \operatorname{tanh}^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{de^{7/2} (b^2 - a^2)^{9/4}} - \frac{2(a(3a^2 - 8b^2) \cos(c + dx) + 5b^3)}{5de^3 (a^2 - b^2)^2 \sqrt{e \sin(c + dx)}} - \frac{2a(3a^2 - 8b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5de^4 (a^2 - b^2)^2 \sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(7/2)), x]

[Out] $-((b^{7/2} \operatorname{ArcTan}[(\operatorname{Sqrt}[b] \operatorname{Sqrt}[e \sin(c + dx)])] / ((-a^2 + b^2)^{1/4} \operatorname{Sqrt}[e])) / ((-a^2 + b^2)^{9/4} d e^{7/2})) + (b^{7/2} \operatorname{ArcTanh}[(\operatorname{Sqrt}[b] \operatorname{Sqrt}[e \sin(c + dx)])] / ((-a^2 + b^2)^{1/4} \operatorname{Sqrt}[e])) / ((-a^2 + b^2)^{9/4} d e^{7/2}) + (2(b - a \cos[c + d*x])) / (5(a^2 - b^2) d e (e \sin[c + d*x])^{5/2}) - (2(5b^3 + a(3a^2 - 8b^2) \cos[c + d*x])) / (5(a^2 - b^2)^2 d e^3 \operatorname{Sqrt}[e \sin[c + d*x]]) + (a b^3 \operatorname{EllipticPi}[(2b) / (b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \pi/2 + dx)/2, 2] \operatorname{Sqrt}[\sin[c + d*x]]) / ((a^2 - b^2)^2 (b - \operatorname{Sqrt}[-a^2 + b^2]) d e^3 \operatorname{Sqrt}[e \sin[c + d*x]]) + (a b^3 \operatorname{EllipticPi}[(2b) / (b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \pi/2 + dx)/2, 2] \operatorname{Sqrt}[\sin[c + d*x]]) / ((a^2 - b^2)^2 (b + \operatorname{Sqrt}[-a^2 + b^2]) d e^3 \operatorname{Sqrt}[e \sin[c + d*x]]) - (2a(3a^2 - 8b^2) \operatorname{EllipticE}[(c - \pi/2 + dx)/2, 2] \operatorname{Sqrt}[e \sin[c + d*x]]) / (5(a^2 - b^2)^2 d e^4 \operatorname{Sqrt}[\sin[c + d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

```
Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 329

```
Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2640

```
Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2696

```
Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[((g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b - a*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*(a^2*(p + 2) - b^2*(m + p + 2) + a*b*(m + p + 3)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegersQ[2*m, 2*p]
```

Rule 2701

```
Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x]]] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2866

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}} dx &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2 \int \frac{-\frac{3a^2}{2} + \frac{5b^2}{2} - \frac{3}{2} ab \cos(c + dx)}{(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} dx}{5(a^2 - b^2) e^2} \\ &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2(5b^3 + a(3a^2 - 8b^2) \cos(c + dx))}{5(a^2 - b^2)^2 de^3 \sqrt{e \sin(c + dx)}} \\ &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2(5b^3 + a(3a^2 - 8b^2) \cos(c + dx))}{5(a^2 - b^2)^2 de^3 \sqrt{e \sin(c + dx)}} \\ &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2(5b^3 + a(3a^2 - 8b^2) \cos(c + dx))}{5(a^2 - b^2)^2 de^3 \sqrt{e \sin(c + dx)}} \\ &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2(5b^3 + a(3a^2 - 8b^2) \cos(c + dx))}{5(a^2 - b^2)^2 de^3 \sqrt{e \sin(c + dx)}} \\ &= \frac{2(b - a \cos(c + dx))}{5(a^2 - b^2) de (e \sin(c + dx))^{5/2}} - \frac{2(5b^3 + a(3a^2 - 8b^2) \cos(c + dx))}{5(a^2 - b^2)^2 de^3 \sqrt{e \sin(c + dx)}} \\ &= -\frac{b^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{9/4} de^{7/2}} + \frac{b^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{(-a^2 + b^2)^{9/4} de^{7/2}} + \frac{2}{5(a^2 - b^2)} \end{aligned}$$

Mathematica [C] time = 6.58, size = 881, normalized size = 1.76

$$\frac{\left(-\frac{2(a \cos(c + dx) - b) \csc^3(c + dx)}{5(a^2 - b^2)} - \frac{2(3 \cos(c + dx) a^3 - 8b^2 \cos(c + dx) a + 5b^3) \csc(c + dx)}{5(a^2 - b^2)^2}\right) \sin^4(c + dx)}{d(e \sin(c + dx))^{7/2}} - \frac{\sin^7(c + dx)}{\left(\frac{(3a^3b - 8ab^3) \left(8F_1\left(\frac{3}{4}; -\frac{1}{2}, \dots\right)\right)}{\dots}\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*Cos[c + d*x])*(e*Sin[c + d*x])^(7/2)),x]

[Out] (((-2*(5*b^3 + 3*a^3*Cos[c + d*x] - 8*a*b^2*Cos[c + d*x])*Csc[c + d*x])/(5*(a^2 - b^2)^2) - (2*(-b + a*Cos[c + d*x])*Csc[c + d*x]^3)/(5*(a^2 - b^2))) * Sin[c + d*x]^4)/(d*(e*Sin[c + d*x])^(7/2)) - (Sin[c + d*x]^(7/2)*(((3*a^3*b - 8*a*b^3)*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2))*Sin[c + d*x]^(3/2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(3*a^4 - 8*a^2*b^2 - 5*b^4)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + (1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2))*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(5*(a - b)^2*(a + b)^2*d*(e*Sin[c + d*x])^(7/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a) (e \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)*(e*sin(d*x + c))^(7/2)), x)

maple [B] time = 0.79, size = 1807, normalized size = 3.61

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2),x)

[Out] -1/4/d/e^3*b^3/(a-b)^2/(a+b)^2/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))-1/2/d/e^3*b^3/(a-b)^2/(a+b)^2/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)+1)-1/2/d/e^3*b^3/(a-b)^2/(a+b)^2/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)+2/5/d/

$$\begin{aligned}
& e*b/(a+b)/(a-b)/(e*\sin(d*x+c))^{(5/2)}-2/d/e^3*b^3/(a-b)^2/(a+b)^2/(e*\sin(d*x+c))^{(1/2)}+1/2/d/e^3*a/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-a^2+b^2)^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticPi((-\sin(d*x+c)+1)^{(1/2)}, -b/((-a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)})*b^3-1/2/d/e^3*a/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-a^2+b^2)^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticPi((-\sin(d*x+c)+1)^{(1/2)}, b/(b+(-a^2+b^2)^{(1/2)}), 1/2*2^{(1/2)})*b^3+1/2/d/e^3*a/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticPi((-\sin(d*x+c)+1)^{(1/2)}, -b/((-a^2+b^2)^{(1/2)}-b), 1/2*2^{(1/2)})*b^4+1/2/d/e^3*a/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticPi((-\sin(d*x+c)+1)^{(1/2)}, b/(b+(-a^2+b^2)^{(1/2)}), 1/2*2^{(1/2)})*b^4-6/5/d/e^3*a^5/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticE((-\sin(d*x+c)+1)^{(1/2)}, 1/2*2^{(1/2)})+16/5/d/e^3*a^3/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticE((-\sin(d*x+c)+1)^{(1/2)}, 1/2*2^{(1/2)})*b^2+3/5/d/e^3*a^5/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticF((-\sin(d*x+c)+1)^{(1/2)}, 1/2*2^{(1/2)})-8/5/d/e^3*a^3/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2*\sin(d*x+c)^{(1/2)}/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*(-\sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*EllipticF((-\sin(d*x+c)+1)^{(1/2)}, 1/2*2^{(1/2)})*b^2-6/5/d/e^3*a^5/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2/\sin(d*x+c)^2*\cos(d*x+c)^3/(e*\sin(d*x+c))^{(1/2)}+16/5/d/e^3*a^3/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2/\sin(d*x+c)^2*\cos(d*x+c)^3/(e*\sin(d*x+c))^{(1/2)}*b^2+8/5/d/e^3*a^5/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2/\sin(d*x+c)^2*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}-18/5/d/e^3*a^3/(b+(-a^2+b^2)^{(1/2)})/((-a^2+b^2)^{(1/2)}-b)/(a+b)^2/(a-b)^2/\sin(d*x+c)^2*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^2
\end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2), x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{7/2} (a + b \cos(c + dx))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))), x)

[Out] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))/(e*sin(d*x+c))^(7/2), x)

[Out] Timed out

$$3.68 \quad \int \frac{(e \sin(c+dx))^{11/2}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=557

$$\frac{9ae^{11/2} (b^2 - a^2)^{5/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{11/2}d} + \frac{9ae^{11/2} (b^2 - a^2)^{5/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{11/2}d} + \frac{9a^2 e^6 (a^2 - b^2)^2 \sqrt{\sin(c+dx)}}{2b^6 d (a^2 - b^2)}$$

[Out] $9/2*a*(-a^2+b^2)^{(5/4)}*e^{(11/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(11/2)}/d+9/2*a*(-a^2+b^2)^{(5/4)}*e^{(11/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(11/2)}/d-9/35*e^3*(7*a-5*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(5/2)}/b^3/d+e*(e*\sin(d*x+c))^{(9/2)}/b/d/(a+b*\cos(d*x+c))+3/7*(21*a^4-28*a^2*b^2+5*b^4)*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(e*\sin(d*x+c))^{(1/2)}-9/2*a^2*(a^2-b^2)^2*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}-9/2*a^2*(a^2-b^2)^2*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}+3/7*e^5*(21*a*(a^2-b^2)-b*(7*a^2-5*b^2)*\cos(d*x+c))*(e*\sin(d*x+c))^{(1/2)}/b^5/d$

Rubi [A] time = 1.56, antiderivative size = 557, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2865, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{9ae^{11/2} (b^2 - a^2)^{5/4} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{11/2}d} + \frac{9ae^{11/2} (b^2 - a^2)^{5/4} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{11/2}d} + \frac{3e^5 \sqrt{e \sin(c+dx)} (21a^2 - b^2)}{2b^6 d (a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e*\text{Sin}[c + d*x])^{(11/2)}/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out] $(9*a*(-a^2 + b^2)^{(5/4)}*e^{(11/2)}*\text{ArcTan}[\text{Sqrt}[b]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\text{Sqrt}[e])]/(2*b^{(11/2)}*d) + (9*a*(-a^2 + b^2)^{(5/4)}*e^{(11/2)}*\text{ArcTanh}[\text{Sqrt}[b]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\text{Sqrt}[e])]/(2*b^{(11/2)}*d) - (3*(21*a^4 - 28*a^2*b^2 + 5*b^4)*e^6*\operatorname{EllipticF}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(7*b^6*d*\text{Sqrt}[e*\text{Sin}[c + d*x]]) + (9*a^2*(a^2 - b^2)^2*e^6*\operatorname{EllipticPi}[(2*b)/(b - \text{Sqrt}[-a^2 + b^2]), (c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(2*b^6*(a^2 - b*(b - \text{Sqrt}[-a^2 + b^2]))*d*\text{Sqrt}[e*\text{Sin}[c + d*x]]) + (9*a^2*(a^2 - b^2)^2*e^6*\operatorname{EllipticPi}[(2*b)/(b + \text{Sqrt}[-a^2 + b^2]), (c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(2*b^6*(a^2 - b*(b + \text{Sqrt}[-a^2 + b^2]))*d*\text{Sqrt}[e*\text{Sin}[c + d*x]]) + (3*e^5*(21*a*(a^2 - b^2) - b*(7*a^2 - 5*b^2)*\text{Cos}[c + d*x])*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(7*b^5*d) - (9*e^3*(7*a - 5*b*\text{Cos}[c + d*x])*(e*\text{Sin}[c + d*x])^{(5/2)})/(35*b^3*d) + (e*(e*\text{Sin}[c + d*x])^{(9/2)})/(b*d*(a + b*\text{Cos}[c + d*x]))$

Rule 205

$\text{Int}[(a_0 + (b_0)*(x_0)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{PosQ}[a/b]$

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k), x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]*((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

$+ f*x]/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2865

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{\text{m}_.}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Simp}[(g*(g*\text{Cos}[e + f*x])^{\text{p} - 1}*(a + b*\text{Sin}[e + f*x])^{\text{m} + 1}*(b*c*(\text{m} + \text{p} + 1) - a*d*\text{p} + b*d*(\text{m} + \text{p})*\text{Sin}[e + f*x]))/(b^2*f*(\text{m} + \text{p})*(\text{m} + \text{p} + 1)), x] + \text{Dist}[(g^2*(\text{p} - 1))/(b^2*(\text{m} + \text{p})*(\text{m} + \text{p} + 1)), \text{Int}[(g*\text{Cos}[e + f*x])^{\text{p} - 2}*(a + b*\text{Sin}[e + f*x])^{\text{m}*}\text{Simp}[b*(a*d*\text{m} + b*c*(\text{m} + \text{p} + 1)) + (a*b*c*(\text{m} + \text{p} + 1) - d*(a^2*\text{p} - b^2*(\text{m} + \text{p})))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[\text{p}, 1] \&\& \text{NeQ}[\text{m} + \text{p}, 0] \&\& \text{NeQ}[\text{m} + \text{p} + 1, 0] \&\& \text{IntegerQ}[2*\text{m}]$

Rule 2867

$\text{Int}[(\cos[(e_.) + (f_.)*(x_.)]*(g_.))^{\text{p}_.}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := \text{Dist}[d/b, \text{Int}[(g*\text{Cos}[e + f*x])^{\text{p}}, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^{\text{p}}/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{11/2}}{(a + b \cos(c + dx))^2} dx &= \frac{e(e \sin(c + dx))^{9/2}}{bd(a + b \cos(c + dx))} - \frac{(9e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{7/2}}{a+b \cos(c+dx)} dx}{2b} \\ &= -\frac{9e^3(7a - 5b \cos(c + dx))(e \sin(c + dx))^{5/2}}{35b^3d} + \frac{e(e \sin(c + dx))^{9/2}}{bd(a + b \cos(c + dx))} - \frac{(9e^4) \int \frac{(-a + b \cos(c + dx))(e \sin(c + dx))^{5/2}}{a+b \cos(c+dx)} dx}{2b} \\ &= \frac{3e^5(21a(a^2 - b^2) - b(7a^2 - 5b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{7b^5d} - \frac{9e^3(7a - 5b \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} \\ &= \frac{3e^5(21a(a^2 - b^2) - b(7a^2 - 5b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{7b^5d} - \frac{9e^3(7a - 5b \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} \\ &= \frac{3e^5(21a(a^2 - b^2) - b(7a^2 - 5b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{7b^5d} - \frac{9e^3(7a - 5b \cos(c + dx)) (e \sin(c + dx))^{5/2}}{35b^3d} \\ &= -\frac{3(21a^4 - 28a^2b^2 + 5b^4) e^6 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{7b^6d \sqrt{e \sin(c + dx)}} + \frac{3e^5(21a(a^2 - b^2) - b(7a^2 - 5b^2) \cos(c + dx)) \sqrt{e \sin(c + dx)}}{7b^5d} \\ &= -\frac{3(21a^4 - 28a^2b^2 + 5b^4) e^6 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{7b^6d \sqrt{e \sin(c + dx)}} + \frac{9a^2(-a^2 + b^2) e^{11/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{11/2}d} \\ &= \frac{9a(-a^2 + b^2)^{5/4} e^{11/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{11/2}d} + \frac{9a(-a^2 + b^2)^{5/4} e^{11/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{11/2}d} \end{aligned}$$

Mathematica [C] time = 15.37, size = 2029, normalized size = 3.64

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(11/2)/(a + b*Cos[c + d*x])^2,x]

[Out] (((((-28*a^2 + 17*b^2)*Cos[c + d*x])/(14*b^4) + (-a^2 + b^2)^2/(b^5*(a + b*Cos[c + d*x])) + (2*a*Cos[2*(c + d*x)]/(5*b^3) - Cos[3*(c + d*x)]/(14*b^2))*Csc[c + d*x]^5*(e*Sin[c + d*x])^(11/2))/d - ((e*Sin[c + d*x])^(11/2)*((2*(35*a^4 - 126*a^2*b^2 + 75*b^4)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2))*((a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]*Sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]))*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(70*a^3*b - 93*a*b^3)*Cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2))*((-1/8 + I/8)*Sqrt[b]*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] + Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]))/(-a^2 + b^2)^(3/4) + (5*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]))*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]) + ((-140*a^3*b + 147*a*b^3)*Cos[c + d*x]*Cos[2*(c + d*x)]*(a + b*Sqrt[1 - Sin[c + d*x]^2))*(((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)])/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)])/(b^(3/2)*(-a^2 + b^2)^(3/4)) + ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]/(b^(3/2)*(-a^2 + b^2)^(3/4)) + (4*Sqrt[Sin[c + d*x]])/b - (4*a*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(5/2))/(5*(a^2 - b^2)) + (10*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]))*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*Cos[c + d*x])*(1 - 2*Sin[c + d*x]^2)*Sqrt[1 - Sin[c + d*x]^2])))/(70*b^5*d*Sin[c + d*x]^(11/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.60, size = 4706, normalized size = 8.45

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -2/7/d*e^6*cos(d*x+c)^3/(e*sin(d*x+c))^(1/2)/b^2*sin(d*x+c)+10/7/d*e^6*cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^2*sin(d*x+c)+1/d*e^7*a/b*(e*sin(d*x+c))^(1/2) \\ & /(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)+1/d*e^7*a^5/b^5*(e*sin(d*x+c))^(1/2)/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)-2/d*e^7*a^3/b^3*(e*sin(d*x+c))^(1/2)/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)+8/d*e^5*a^3/b^5*(e*sin(d*x+c))^(1/2)-8/d*e^5*a/b^3*(e*sin(d*x+c))^(1/2)+3/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^4/b^4/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-1/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+1/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-1/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^6/b^6/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-3/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^2/b^2/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))+7/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^7/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^6-15/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^5/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^4+9/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^3/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^2+1/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-1/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-9/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^3/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^2+15/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^5/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^4-7/2/d*e^6/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^7/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^6-4/5/d*e^3*a/b^3*(e*sin(d*x+c))^(5/2)-9/4/d*e^7*a^5/b^5*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2) \end{aligned}$$

/2), 1/2*2^(1/2))

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{11/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(11/2)/(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(11/2)/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(11/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.69 \quad \int \frac{(e \sin(c+dx))^{9/2}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=473

$$\frac{7ae^{9/2}(b^2-a^2)^{3/4} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{2b^{9/2}d} + \frac{7ae^{9/2}(b^2-a^2)^{3/4} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{2b^{9/2}d} - \frac{7a^2e^5(a^2-b^2)\sqrt{\sin(c+dx)}}{2b^5d(b-\sqrt{b^2-a^2})}$$

[Out] $-7/2*a*(-a^2+b^2)^{(3/4)}*e^{(9/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(9/2)}/d+7/2*a*(-a^2+b^2)^{(3/4)}*e^{(9/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(9/2)}/d-7/15*e^3*(5*a-3*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(3/2)}/b^3/d+e*(e*\sin(d*x+c))^{(7/2)}/b/d/(a+b*\cos(d*x+c))+7/2*a^2*(a^2-b^2)*e^5*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b-(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^5/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+7/2*a^2*(a^2-b^2)*e^5*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b+(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^5/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-7/5*(5*a^2-3*b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/b^4/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.16, antiderivative size = 473, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2865, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{7ae^{9/2}(b^2-a^2)^{3/4} \tan^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{2b^{9/2}d} + \frac{7ae^{9/2}(b^2-a^2)^{3/4} \tanh^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{2b^{9/2}d} + \frac{7e^4(5a^2-3b^2)E\left(\frac{1}{2}(c+dx)\right)}{5b^4d\sqrt{\sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(e*Sin[c + d*x])^(9/2)/(a + b*Cos[c + d*x])^2,x]

[Out] $(-7*a*(-a^2+b^2)^{(3/4)}*e^{(9/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin(c+dx)])]/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(2*b^{(9/2)}*d) + (7*a*(-a^2+b^2)^{(3/4)}*e^{(9/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin(c+dx)])]/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(2*b^{(9/2)}*d) - (7*a^2*(a^2-b^2)*e^5*\operatorname{EllipticPi}[(2*b)/(b-\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[\sin(c+dx)])/(2*b^5*(b-\operatorname{Sqrt}[-a^2+b^2])*d*\operatorname{Sqrt}[e*\sin(c+dx)]) - (7*a^2*(a^2-b^2)*e^5*\operatorname{EllipticPi}[(2*b)/(b+\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[\sin(c+dx)])/(2*b^5*(b+\operatorname{Sqrt}[-a^2+b^2])*d*\operatorname{Sqrt}[e*\sin(c+dx)]) + (7*(5*a^2-3*b^2)*e^4*\operatorname{EllipticE}[(c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[e*\sin(c+dx)])/(5*b^4*d*\operatorname{Sqrt}[\sin(c+dx)]) - (7*e^3*(5*a-3*b*\cos(c+dx))*(e*\sin(c+dx))^{(3/2)})/(15*b^3*d) + (e*(e*\sin(c+dx))^{(7/2)})/(b*d*(a+b*\cos(c+dx)))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2865

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2867

```
Int[(((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e \sin(c + dx))^{9/2}}{(a + b \cos(c + dx))^2} dx &= \frac{e(e \sin(c + dx))^{7/2}}{bd(a + b \cos(c + dx))} - \frac{(7e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{5/2}}{a+b \cos(c+dx)} dx}{2b} \\
&= -\frac{7e^3(5a - 3b \cos(c + dx))(e \sin(c + dx))^{3/2}}{15b^3d} + \frac{e(e \sin(c + dx))^{7/2}}{bd(a + b \cos(c + dx))} - \frac{(7e^4) \int \frac{(-ab - \frac{1}{2})}{a+b \cos(c+dx)} dx}{2b} \\
&= -\frac{7e^3(5a - 3b \cos(c + dx))(e \sin(c + dx))^{3/2}}{15b^3d} + \frac{e(e \sin(c + dx))^{7/2}}{bd(a + b \cos(c + dx))} + \frac{7(5a^2 - 3b^2)}{2b} \\
&= -\frac{7e^3(5a - 3b \cos(c + dx))(e \sin(c + dx))^{3/2}}{15b^3d} + \frac{e(e \sin(c + dx))^{7/2}}{bd(a + b \cos(c + dx))} + \frac{7a^2(a^2 - b^2)}{2b^5} \\
&= \frac{7(5a^2 - 3b^2)e^4 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{5b^4d \sqrt{\sin(c + dx)}} - \frac{7e^3(5a - 3b \cos(c + dx))(e \sin(c + dx))^{3/2}}{15b^3d} \\
&= -\frac{7a^2(a^2 - b^2)e^5 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^5(b - \sqrt{-a^2 + b^2})d \sqrt{e \sin(c + dx)}} - \frac{7a^2(a^2 - b^2)e^5 \Pi\left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^5(b + \sqrt{-a^2 + b^2})d \sqrt{e \sin(c + dx)}} \\
&= -\frac{7a(-a^2 + b^2)^{3/4} e^{9/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{9/2}d} + \frac{7a(-a^2 + b^2)^{3/4} e^{9/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{9/2}d}
\end{aligned}$$

Mathematica [C] time = 14.71, size = 835, normalized size = 1.77

$$7 \left(\frac{(5a^2 - 3b^2) \left(8F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2 - a^2}\right) \sin^{\frac{3}{2}}(c+dx) b^{5/2} + 3\sqrt{2} a(a^2 - b^2)^{3/4} \left(2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt{b} \sqrt{\sin(c+dx)}}{\sqrt[4]{a^2 - b^2}}\right) - 2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt{b} \sqrt{\sin(c+dx)}}{\sqrt[4]{a^2 - b^2}} + 1\right)\right)}{12b^{3/2}(b^2 - a^2)(a + b \cos(c + dx))} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*SIN[c + d*x])^(9/2)/(a + b*cos[c + d*x])^2,x]

[Out] $(7*(e*\sin[c + d*x])^{9/2}*(((5*a^2 - 3*b^2)*\cos[c + d*x]^2*(3*\sqrt{2})*a*(a^2 - b^2)^{3/4}*(2*\arctan[1 - (\sqrt{2}*\sqrt{b}*\sqrt{\sin[c + d*x]})]/(a^2 - b^2)^{1/4}) - 2*\arctan[1 + (\sqrt{2}*\sqrt{b}*\sqrt{\sin[c + d*x]})]/(a^2 - b^2)^{1/4}) - \log[\sqrt{a^2 - b^2} - \sqrt{2}*\sqrt{b}*(a^2 - b^2)^{1/4}*\sqrt{\sin[c + d*x]} + b*\sin[c + d*x]] + \log[\sqrt{a^2 - b^2} + \sqrt{2}*\sqrt{b}*(a^2 - b^2)^{1/4}*\sqrt{\sin[c + d*x]} + b*\sin[c + d*x]]) + 8*b^{5/2}*AppellF1[3/4, -1/2, 1, 7/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)]*\sin[c + d*x]^{3/2})*(a + b*\sqrt{1 - \sin[c + d*x]^2}))/((12*b^{3/2}*(-a^2 + b^2)*(a + b*\cos[c + d*x])*(1 - \sin[c + d*x]^2)) + (4*a*b*\cos[c + d*x]*(((1/8 + I/8)*(2*\arctan[1 - ((1 + I)*\sqrt{b}*\sqrt{\sin[c + d*x]})]/(-a^2 + b^2)^{1/4}) - 2*\arctan[1 + ((1 + I)*\sqrt{b}*\sqrt{\sin[c + d*x]})]/(-a^2 + b^2)^{1/4}) - \log[\sqrt{-a^2 + b^2} - (1 + I)*\sqrt{b}*(-a^2 + b^2)^{1/4}*\sqrt{\sin[c + d*x]} + I*b*\sin[c + d*x]] + \log[\sqrt{-a^2 + b^2} + (1 + I)*\sqrt{b}*(-a^2 + b^2)^{1/4}*\sqrt{\sin[c + d*x]} + I*b*\sin[c + d*x]])))/(\sqrt{b}*(-a^2 + b^2)^{1/4}) + (a*AppellF1[3/4, 1/2, 1, 7/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)]*\sin[c + d*x]^{3/2}))/((3*(a^2 - b^2))*(a + b*\sqrt{1 - \sin[c + d*x]^2}))/((a + b*\cos[c + d*x])*\sqrt{1 - \sin[c + d*x]^2}))/((10*b^3*d*\sin[c + d*x]^{9/2}) + (\csc[c + d*x]^4*(e*\sin[c + d*x])^{9/2}*((-4*a*\sin[c + d*x])/(3*b^3) + (-a^2*\sin[c + d*x]) + b^2*\sin[c + d*x])/(b^3*(a + b*\cos[c + d*x])) + \sin[2*(c + d*x)]/(5*b^2)))/d$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.72, size = 3595, normalized size = 7.60

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^2,x)

[Out] $1/d*e^5*a/b*(e*\sin(d*x+c))^{3/2}/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)-1/d*e^5*a^3/b^3*(e*\sin(d*x+c))^{3/2}/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)+2/d*e^5/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*a^2/b^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*EllipticE((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2}))+5/2/d*e^5/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^6*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2}))*a^4-3/d*e^5/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/b^4*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2}))*a^2-1/d*e^5/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*a^4/b^4/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*EllipticE((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2}))+1/d*e^5*\sin(d*x+c)^2*\cos(d$

$$\begin{aligned} & \frac{1}{d} e^{5a} a^3 b^5 / (e^{2(a^2-b^2)}/b^2)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(e^{2(a^2-b^2)}/b^2)^{1/4}) * (e \sin(dx+c))^{1/2+1} + 7/4 \\ & - 7/8/d * e^{5a}/b^3 / (e^{2(a^2-b^2)}/b^2)^{1/4} * 2^{1/2} * \ln((e \sin(dx+c) - (e^{2(a^2-b^2)}/b^2)^{1/4}) * (e \sin(dx+c))^{1/2} \\ & * 2^{1/2} + (e^{2(a^2-b^2)}/b^2)^{1/2}) / (e \sin(dx+c) + (e^{2(a^2-b^2)}/b^2)^{1/4}) * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^{2(a^2-b^2)}/b^2)^{1/2}) \\ & - 7/4/d * e^{5a}/b^3 / (e^{2(a^2-b^2)}/b^2)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(e^{2(a^2-b^2)}/b^2)^{1/4}) * (e \sin(dx+c))^{1/2+1} \\ & - 7/4/d * e^{5a}/b^3 / (e^{2(a^2-b^2)}/b^2)^{1/4} * 2^{1/2} * \arctan(2^{1/2}/(e^{2(a^2-b^2)}/b^2)^{1/4}) * (e \sin(dx+c))^{1/2-1} \\ & - 4/3/d * e^3 * a/b^3 * (e \sin(dx+c))^{3/2} \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(9/2)/(a+b*cos(dx+c))^2,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{9/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(9/2)/(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(9/2)/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))**(9/2)/(a+b*cos(dx+c))**2,x)

[Out] Timed out

$$3.70 \quad \int \frac{(e \sin(c+dx))^{7/2}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=487

$$\frac{5ae^{7/2} \sqrt[4]{b^2 - a^2} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{7/2}d} + \frac{5ae^{7/2} \sqrt[4]{b^2 - a^2} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{7/2}d} + \frac{5e^4 (3a^2 - b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\right)}{3b^4 d \sqrt{e \sin(c+dx)}}$$

[Out] $5/2*a*(-a^2+b^2)^{(1/4)}*e^{(7/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(7/2)}/d+5/2*a*(-a^2+b^2)^{(1/4)}*e^{(7/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(7/2)}/d+e*(e*\sin(d*x+c))^{(5/2)}/b/d/(a+b*\cos(d*x+c))-5/3*(3*a^2-b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(e*\sin(d*x+c))^{(1/2)}+5/2*a^2*(a^2-b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/e*\sin(d*x+c)^{(1/2)}+5/2*a^2*(a^2-b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/e*\sin(d*x+c)^{(1/2)}-5/3*e^3*(3*a-b*\cos(d*x+c))*e*\sin(d*x+c)^{(1/2)}/b^3/d$

Rubi [A] time = 1.15, antiderivative size = 487, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2865, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{5ae^{7/2} \sqrt[4]{b^2 - a^2} \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{7/2}d} + \frac{5ae^{7/2} \sqrt[4]{b^2 - a^2} \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{2b^{7/2}d} + \frac{5e^4 (3a^2 - b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\right)}{3b^4 d \sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c + d*x])^{(7/2)}/(a + b*\cos[c + d*x])^2, x]$

[Out] $(5*a*(-a^2 + b^2)^{(1/4)}*e^{(7/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*b^{(7/2)}*d) + (5*a*(-a^2 + b^2)^{(1/4)}*e^{(7/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*b^{(7/2)}*d) + (5*(3*a^2 - b^2)*e^4*\operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(3*b^4*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a^2*(a^2 - b^2)*e^4*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*b^4*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a^2*(a^2 - b^2)*e^4*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*b^4*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*e^3*(3*a - b*\cos[c + d*x])*\operatorname{Sqrt}[e*\sin[c + d*x]])/(3*b^3*d) + (e*(e*\sin[c + d*x])^{(5/2)})/(b*d*(a + b*\cos[c + d*x]))$

Rule 205

$\operatorname{Int}[(a + (b*x^2)^{-1}), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a + (b*x^2)^{-1}), x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \&\& \operatorname{NegQ}[a/b]$

Rule 212

Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_) + (f_)*(x_)])*(g_)*)((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2865

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2867

```
Int[(((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{7/2}}{(a + b \cos(c + dx))^2} dx &= \frac{e(e \sin(c + dx))^{5/2}}{bd(a + b \cos(c + dx))} - \frac{(5e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{3/2}}{a+b \cos(c+dx)} dx}{2b} \\ &= -\frac{5e^3(3a - b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3b^3d} + \frac{e(e \sin(c + dx))^{5/2}}{bd(a + b \cos(c + dx))} - \frac{(5e^4) \int \frac{-ab - \frac{1}{2}(3a^2 - b^2) \cos(c + dx)}{(a + b \cos(c + dx))^2} dx}{3b} \\ &= -\frac{5e^3(3a - b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3b^3d} + \frac{e(e \sin(c + dx))^{5/2}}{bd(a + b \cos(c + dx))} - \frac{(5a(a^2 - b^2)e^4)}{3b} \\ &= -\frac{5e^3(3a - b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3b^3d} + \frac{e(e \sin(c + dx))^{5/2}}{bd(a + b \cos(c + dx))} - \frac{(5a^2\sqrt{-a^2 + b^2}e^4)}{3b} \\ &= \frac{5(3a^2 - b^2)e^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3b^4d\sqrt{e \sin(c + dx)}} - \frac{5e^3(3a - b \cos(c + dx))\sqrt{e \sin(c + dx)}}{3b^3d} \\ &= \frac{5(3a^2 - b^2)e^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{3b^4d\sqrt{e \sin(c + dx)}} + \frac{5a^2\sqrt{-a^2 + b^2}e^4 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \right)}{2b^4\left(b - \sqrt{-a^2 + b^2}\right)} \\ &= \frac{5a\sqrt[4]{-a^2 + b^2}e^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{7/2}d} + \frac{5a\sqrt[4]{-a^2 + b^2}e^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2b^{7/2}d} \end{aligned}$$

Mathematica [C] time = 14.60, size = 1956, normalized size = 4.02

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*Sin[c + d*x])^(7/2)/(a + b*Cos[c + d*x])^2,x]
```

```
[Out] (((2*Cos[c + d*x])/(3*b^2) + (-a^2 + b^2)/(b^3*(a + b*Cos[c + d*x]))) * Csc[c + d*x]^3*(e*Sin[c + d*x])^(7/2))/d + ((e*Sin[c + d*x])^(7/2)*((2*(3*a^2 - 5*b^2)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2]))*((a*(-2*ArcTan[1 - (
```


$$\begin{aligned} & \text{Sqrt}[2] * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]] / (a^2 - b^2)^{(1/4)} + 2 * \text{ArcTan}[1 + (\text{Sqrt}[2] * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (a^2 - b^2)^{(1/4)}] - \text{Log}[\text{Sqrt}[a^2 - b^2] - \text{Sqrt}[2] * \text{Sqrt}[b] * (a^2 - b^2)^{(1/4)} * \text{Sqrt}[\text{Sin}[c + d*x]] + b * \text{Sin}[c + d*x]] + \text{Log}[\text{Sqrt}[a^2 - b^2] + \text{Sqrt}[2] * \text{Sqrt}[b] * (a^2 - b^2)^{(1/4)} * \text{Sqrt}[\text{Sin}[c + d*x]] + b * \text{Sin}[c + d*x]])) / (4 * \text{Sqrt}[2] * \text{Sqrt}[b] * (a^2 - b^2)^{(3/4)}) + (5 * b * (a^2 - b^2) * \text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] * \text{Sqrt}[\text{Sin}[c + d*x]] * \text{Sqrt}[1 - \text{Sin}[c + d*x]^2]) / ((-5 * (a^2 - b^2) * \text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] + 2 * (2 * b^2 * \text{AppellF1}[5/4, -1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] + (a^2 - b^2) * \text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)])) * \text{Sin}[c + d*x]^2 * (a^2 + b^2 * (-1 + \text{Sin}[c + d*x]^2)))) / ((a + b * \text{Cos}[c + d*x]) * (1 - \text{Sin}[c + d*x]^2)) + (8 * a * b * \text{Cos}[c + d*x] * (a + b * \text{Sqrt}[1 - \text{Sin}[c + d*x]^2]) * (((-1/8 + I/8) * \text{Sqrt}[b] * (2 * \text{ArcTan}[1 - ((1 + I) * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (-a^2 + b^2)^{(1/4)}] - 2 * \text{ArcTan}[1 + ((1 + I) * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (-a^2 + b^2)^{(1/4)}] + \text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I) * \text{Sqrt}[b] * (-a^2 + b^2)^{(1/4)} * \text{Sqrt}[\text{Sin}[c + d*x]] + I * b * \text{Sin}[c + d*x]] - \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I) * \text{Sqrt}[b] * (-a^2 + b^2)^{(1/4)} * \text{Sqrt}[\text{Sin}[c + d*x]] + I * b * \text{Sin}[c + d*x]])) / (-a^2 + b^2)^{(3/4)} + (5 * a * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (\text{Sqrt}[1 - \text{Sin}[c + d*x]^2] * (5 * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] - 2 * (2 * b^2 * \text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] + (-a^2 + b^2) * \text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)])) * \text{Sin}[c + d*x]^2 * (a^2 + b^2 * (-1 + \text{Sin}[c + d*x]^2)))) / ((a + b * \text{Cos}[c + d*x]) * \text{Sqrt}[1 - \text{Sin}[c + d*x]^2]) - (6 * a * b * \text{Cos}[c + d*x] * \text{Cos}[2 * (c + d*x)] * (a + b * \text{Sqrt}[1 - \text{Sin}[c + d*x]^2]) * (((1/2 - I/2) * (-2 * a^2 + b^2) * \text{ArcTan}[1 - ((1 + I) * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (-a^2 + b^2)^{(1/4)}] / (b^(3/2) * (-a^2 + b^2)^(3/4)) - ((1/2 - I/2) * (-2 * a^2 + b^2) * \text{ArcTan}[1 + ((1 + I) * \text{Sqrt}[b] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (-a^2 + b^2)^{(1/4)}] / (b^(3/2) * (-a^2 + b^2)^(3/4)) + ((1/4 - I/4) * (-2 * a^2 + b^2) * \text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I) * \text{Sqrt}[b] * (-a^2 + b^2)^{(1/4)} * \text{Sqrt}[\text{Sin}[c + d*x]] + I * b * \text{Sin}[c + d*x]]) / (b^(3/2) * (-a^2 + b^2)^(3/4)) - ((1/4 - I/4) * (-2 * a^2 + b^2) * \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I) * \text{Sqrt}[b] * (-a^2 + b^2)^(1/4) * \text{Sqrt}[\text{Sin}[c + d*x]] + I * b * \text{Sin}[c + d*x]]) / (b^(3/2) * (-a^2 + b^2)^(3/4)) + (4 * \text{Sqrt}[\text{Sin}[c + d*x]]) / b - (4 * a * \text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] * \text{Sin}[c + d*x]^(5/2)) / (5 * (a^2 - b^2)) + (10 * a * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] * \text{Sqrt}[\text{Sin}[c + d*x]]) / (\text{Sqrt}[1 - \text{Sin}[c + d*x]^2] * (5 * (a^2 - b^2) * \text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] - 2 * (2 * b^2 * \text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)] + (-a^2 + b^2) * \text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2 * \text{Sin}[c + d*x]^2) / (-a^2 + b^2)])) * \text{Sin}[c + d*x]^2 * (a^2 + b^2 * (-1 + \text{Sin}[c + d*x]^2)))) / ((a + b * \text{Cos}[c + d*x]) * (1 - 2 * \text{Sin}[c + d*x]^2) * \text{Sqrt}[1 - \text{Sin}[c + d*x]^2])) / (6 * b^3 * d * \text{Sin}[c + d*x]^(7/2)) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 1.54, size = 3396, normalized size = 6.97

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (e \sin(dx+c))^{7/2} / (a+b \cos(dx+c))^2, x$

[Out]
$$\begin{aligned} & -4/d * e^3 * a / b^3 * (e \sin(dx+c))^{1/2} + 5/4/d * e^5 * a^3 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} + 1 \\ & - 5/4/d * e^5 * a / b * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} + 1 \\ & - 1/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} * a^2 / b^2 / (a^2 - b^2) * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticF}((-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) \\ & + 1/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (-a^2 + b^2)^{1/2} / b * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & - 1/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (-a^2 + b^2)^{1/2} / b * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & + 1/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} * a^4 / b^4 / (a^2 - b^2) * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticF}((-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) \\ & + 3/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^3 / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & * a^2 + 1/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} * b / (a^2 - b^2) / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & - 1/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} * b / (a^2 - b^2) / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & + 5/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^5 / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & * a^4 - 3/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^3 / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & * a^2 - 5/2/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^5 / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & * a^4 - 1/d * e^5 * a^3 / b^3 * (e \sin(dx+c))^{1/2} / (-b^2 * \cos(dx+c))^2 * e^2 + a^2 * e^2 + 1/d * e^5 * a / b * (e \sin(dx+c))^{1/2} / (-b^2 * \cos(dx+c))^2 * e^2 + a^2 * e^2 + 2/3/d * e^4 * \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^2 * \sin(dx+c) + 5/4/d * e^5 * a^3 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} - 1 \\ & - 5/4/d * e^5 * a / b * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} - 1 + 5/8/d * e^5 * a^3 / b^3 * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \ln((e \sin(dx+c) + (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2}) / (e \sin(dx+c) - (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2}) \\ & - 5/8/d * e^5 * a / b * (e^2 * (a^2 - b^2) / b^2)^{1/4} / (a^2 * e^2 - b^2 * e^2) * 2^{1/2} * \ln((e \sin(dx+c) + (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2}) / (e \sin(dx+c) - (e^2 * (a^2 - b^2) / b^2)^{1/4}) * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2}) \\ & - 2/d * e^4 * \sin(dx+c) * \cos(dx+c) / (e \sin(dx+c))^{1/2} * a^2 / (a^2 - b^2) / (-\cos(dx+c))^2 * b^2 + a^2 + 1/d * e^4 * \sin(dx+c) * \cos(dx+c) / (e \sin(dx+c))^{1/2} * b^2 / (a^2 - b^2) / (-\cos(dx+c))^2 * b^2 + a^2 + 3/d * e^4 / \cos(dx+c) / (e \sin(dx+c))^{1/2} * a^4 / b^3 / (a^2 - b^2) / (-a^2 + b^2)^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 * \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) - 9/4/d * e^4 / \cos(dx+c) / \end{aligned}$$

```
(e*sin(d*x+c))^(1/2)*a^2/b/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)
*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi(
(-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+5/4/d*e^4/cos(d
*x+c)/(e*sin(d*x+c))^(1/2)*a^6/b^5/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+
1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*Ell
ipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-3/d*e^4
/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^4/b^3/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d
*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/
b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+9
/4/d*e^4/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^2/b/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-
sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(
1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1
/2))-5/4/d*e^4/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^6/b^5/(a^2-b^2)/(-a^2+b^2)
^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a
^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),
1/2*2^(1/2))-3/d*e^4/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^4*(-sin(d*x+c)+1)^(1
/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2)
,1/2*2^(1/2))*a^2+1/d*e^4*sin(d*x+c)*cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^4/b^
2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)+1/2/d*e^4/cos(d*x+c)/(e*sin(d*x+c))^(1/
2)/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*
EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))+4/3/d*e^4/cos(d*x+c)/(e*sin(d*
x+c))^(1/2)/b^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/
2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^{7/2}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((e*sin(d*x + c))^(7/2)/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{7/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(7/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.71 \quad \int \frac{(e \sin(c+dx))^{5/2}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=404

$$\frac{3ae^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{5/2}d\sqrt[4]{b^2-a^2}} + \frac{3ae^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{5/2}d\sqrt[4]{b^2-a^2}} + \frac{3a^2e^3 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\right)}{2b^3d\left(b-\sqrt{b^2-a^2}\right)\sqrt{e \sin(c+dx)}}$$

[Out] $-3/2*a*e^{(5/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(5/2)}/(-a^2+b^2)^{(1/4)}/d+3/2*a*e^{(5/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(5/2)}/(-a^2+b^2)^{(1/4)}/d+e*(e*\sin(d*x+c))^{(3/2)}/b/d/(a+b*\cos(d*x+c))-3/2*a^2*e^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^3/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-3/2*a^2*e^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^3/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+3*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/b^2/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.84, antiderivative size = 404, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2693, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{3ae^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{5/2}d\sqrt[4]{b^2-a^2}} + \frac{3ae^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{5/2}d\sqrt[4]{b^2-a^2}} + \frac{3a^2e^3 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\right)}{2b^3d\left(b-\sqrt{b^2-a^2}\right)\sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] `Int[(e*Sin[c + d*x])^(5/2)/(a + b*Cos[c + d*x])^2, x]`

[Out] $(-3*a*e^{(5/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*b^{(5/2)}*(-a^2 + b^2)^{(1/4)}*d) + (3*a*e^{(5/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*b^{(5/2)}*(-a^2 + b^2)^{(1/4)}*d) + (3*a^2*e^3*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*b^3*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (3*a^2*e^3*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*b^3*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (3*e^2*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/(b^2*d*\operatorname{Sqrt}[\sin[c + d*x]]) + (e*(e*\sin[c + d*x])^{(3/2)})/(b*d*(a + b*\cos[c + d*x]))$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 298

`Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x`

], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - P i/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[

$(g*\text{Cos}[e + f*x])^p, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^p/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{5/2}}{(a + b \cos(c + dx))^2} dx &= \frac{e(e \sin(c + dx))^{3/2}}{bd(a + b \cos(c + dx))} - \frac{(3e^2) \int \frac{\cos(c+dx) \sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{2b} \\ &= \frac{e(e \sin(c + dx))^{3/2}}{bd(a + b \cos(c + dx))} - \frac{(3e^2) \int \sqrt{e \sin(c + dx)} dx}{2b^2} + \frac{(3ae^2) \int \frac{\sqrt{e \sin(c+dx)}}{a+b \cos(c+dx)} dx}{2b^2} \\ &= \frac{e(e \sin(c + dx))^{3/2}}{bd(a + b \cos(c + dx))} - \frac{(3a^2e^3) \int \frac{1}{\sqrt{e \sin(c+dx)} (\sqrt{-a^2+b^2} - b \sin(c+dx))} dx}{4b^3} + \frac{(3a^2e^3) \int \frac{1}{\sqrt{e \sin(c+dx)} (\sqrt{-a^2+b^2} + b \sin(c+dx))} dx}{4b^3} \\ &= -\frac{3e^2 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{b^2 d \sqrt{\sin(c + dx)}} + \frac{e(e \sin(c + dx))^{3/2}}{bd(a + b \cos(c + dx))} - \frac{(3ae^3) \text{Subst}\left(\frac{1}{\sqrt{e \sin(c+dx)}}\right)}{2b^2} \\ &= \frac{3a^2e^3 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^3 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} + \frac{3a^2e^3 \Pi\left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^3 (b + \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} \\ &= -\frac{3ae^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{2b^{5/2} \sqrt[4]{-a^2 + b^2} d} + \frac{3ae^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{2b^{5/2} \sqrt[4]{-a^2 + b^2} d} + \frac{3a^2e^3 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^3 (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [C] time = 20.20, size = 366, normalized size = 0.91

$$(e \sin(c + dx))^{5/2} \left[\frac{\left((a+b\sqrt{\cos^2(c+dx)}) \left(8b^{5/2} \sin^3(c+dx) F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2 - a^2}\right) + 3\sqrt{2} a (a^2 - b^2)^{3/4} \left(-\log\left(-\sqrt{2} \sqrt{b} \sqrt[4]{a^2 - b^2} \sqrt{\sin(c+dx)}\right) \right) \right)}{\dots} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(5/2)/(a + b*Cos[c + d*x])^2,x]

[Out] ((e*Sin[c + d*x])^(5/2)*(8*b^(3/2)*Csc[c + d*x] + ((a + b*Sqrt[Cos[c + d*x]^2])*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]])) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2)))/((a^2 - b^2)*Sin[c + d*x]^(5/2)))/(8*b^(5/2)*d*(a + b*Cos[c + d*x]))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] Timed out

maple [B] time = 0.92, size = 3174, normalized size = 7.86

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\frac{1}{d}e^3 \frac{a}{b} (e \sin(dx+c))^{3/2} / (-b^2 \cos(dx+c)^2 e^2 + a^2 e^2) - \frac{3}{8} \frac{1}{d} e^3 \frac{a}{b^3} (e^2 (a^2 - b^2) / b^2)^{1/4} 2^{1/2} \ln((e \sin(dx+c) - (e^2 (a^2 - b^2) / b^2)^{1/2})^{1/4} (e \sin(dx+c))^{1/2} 2^{1/2} + (e^2 (a^2 - b^2) / b^2)^{1/4}) / (e \sin(dx+c) + (e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(dx+c))^{1/2} 2^{1/2} + (e^2 (a^2 - b^2) / b^2)^{1/4}) - \frac{3}{4} \frac{1}{d} e^3 \frac{a}{b^3} (e^2 (a^2 - b^2) / b^2)^{1/4} 2^{1/2} \arctan(2^{1/2} / (e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(dx+c))^{1/2} + 1) - \frac{3}{4} \frac{1}{d} e^3 \frac{a}{b^3} (e^2 (a^2 - b^2) / b^2)^{1/4} 2^{1/2} \arctan(2^{1/2} / (e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(dx+c))^{1/2} - 1) - \frac{3}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticE}(-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) + \frac{3}{2} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticF}(-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) + \frac{3}{4} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticPi}(-\sin(dx+c) + 1)^{1/2}, -b / ((-a^2 + b^2)^{1/2} - b), 1/2 * 2^{1/2}) * (-a^2 + b^2)^{1/2} + \frac{3}{4} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticPi}(-\sin(dx+c) + 1)^{1/2}, -b / ((-a^2 + b^2)^{1/2} - b), 1/2 * 2^{1/2}) - \frac{3}{4} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticPi}(-\sin(dx+c) + 1)^{1/2}, b / (b + (-a^2 + b^2)^{1/2}), 1/2 * 2^{1/2}) * (-a^2 + b^2)^{1/2} + \frac{3}{4} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{5/2} \text{EllipticPi}(-\sin(dx+c) + 1)^{1/2}, b / (b + (-a^2 + b^2)^{1/2}), 1/2 * 2^{1/2}) - \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * \sin(dx+c)^4 - \frac{3}{d} e^3 \frac{a^4}{b^2} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{1/2} \text{EllipticE}(-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) + \frac{3}{2} \frac{1}{d} e^3 \frac{a^4}{b^2} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{1/2} \text{EllipticF}(-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) - \frac{3}{2} \frac{1}{d} e^3 \frac{a^2}{b} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{1/2} \text{EllipticF}(-\sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) + \frac{3}{4} \frac{1}{d} e^3 \frac{a^4}{b^3} (b + (-a^2 + b^2)^{1/2}) / ((-a^2 + b^2)^{1/2} - b) / (-\cos(dx+c)^2 b^2 + a^2) / \cos(dx+c) / (e \sin(dx+c))^{1/2} * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} \sin(dx+c)^{1/2} \text{EllipticPi}(-\sin(dx+c) + 1)^{1/2}, -b / ((-a^2 + b^2)^{1/2} - b)$$

), 1/2*2^(1/2))*(-a^2+b^2)^(1/2)-3/4/d*e^3*a^2/b/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), -b/((-a^2+b^2)^(1/2)-b), 1/2*2^(1/2))*(-a^2+b^2)^(1/2)+3/4/d*e^3*a^4/b^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), -b/((-a^2+b^2)^(1/2)-b), 1/2*2^(1/2))-3/4/d*e^3*a^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), -b/((-a^2+b^2)^(1/2)-b), 1/2*2^(1/2))-3/4/d*e^3*a^4/b^3/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), b/(b+(-a^2+b^2)^(1/2)), 1/2*2^(1/2))*(-a^2+b^2)^(1/2)+3/4/d*e^3*a^2/b/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), b/(b+(-a^2+b^2)^(1/2)), 1/2*2^(1/2))*(-a^2+b^2)^(1/2)+3/4/d*e^3*a^4/b^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), b/(b+(-a^2+b^2)^(1/2)), 1/2*2^(1/2))-3/4/d*e^3*a^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticPi((-sin(d*x+c)+1)^(1/2), b/(b+(-a^2+b^2)^(1/2)), 1/2*2^(1/2))+1/d*e^3*a^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/(-cos(d*x+c)^2*b^2+a^2)/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*sin(d*x+c)^2

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx + c))^5}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate((e*sin(d*x + c))^(5/2)/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{5/2}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(5/2)/(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(5/2)/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(5/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.72 \quad \int \frac{(e \sin(c+dx))^{3/2}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=418

$$\frac{a^2 e^2 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{2b^2 d \left(a^2 - b\left(b - \sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}} + \frac{a^2 e^2 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b+\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{2b^2 d \left(a^2 - b\left(\sqrt{b^2-a^2} + b\right)\right) \sqrt{e \sin(c+dx)}} + \frac{ae^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{3/2} d \left(b^2 - a^2\right)^{3/4}}$$

[Out] $\frac{1}{2} a e^{3/2} \arctan\left(\frac{b^{1/2} (e \sin(dx+c))^{1/2}}{(-a^2+b^2)^{1/4} e^{1/2}}\right) / b^{3/2} / (-a^2+b^2)^{3/4} / d + \frac{1}{2} a e^{3/2} \operatorname{arctanh}\left(\frac{b^{1/2} (e \sin(dx+c))^{1/2}}{(-a^2+b^2)^{1/4} e^{1/2}}\right) / b^{3/2} / (-a^2+b^2)^{3/4} / d + e^2 \left(\sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right)\right)^2 / \sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right) \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right), 2^{1/2}\right) \sin(dx+c)^{1/2} / b^2 / d / (e \sin(dx+c))^{1/2} - \frac{1}{2} a^2 e^2 \left(\sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right)\right)^2 / \sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right) \operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right), 2b / (b - (-a^2+b^2)^{1/2}), 2^{1/2}\right) \sin(dx+c)^{1/2} / b^2 / d / (a^2 - b(b - (-a^2+b^2)^{1/2})) / (e \sin(dx+c))^{1/2} - \frac{1}{2} a^2 e^2 \left(\sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right)\right)^2 / \sin\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right) \operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}c + \frac{1}{4}\pi + \frac{1}{2}dx\right), 2b / (b + (-a^2+b^2)^{1/2}), 2^{1/2}\right) \sin(dx+c)^{1/2} / b^2 / d / (a^2 - b(b + (-a^2+b^2)^{1/2})) / (e \sin(dx+c))^{1/2} + e (e \sin(dx+c))^{1/2} / b / d / (a+b \cos(dx+c))$

Rubi [A] time = 0.91, antiderivative size = 418, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2693, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{ae^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{3/2} d \left(b^2 - a^2\right)^{3/4}} + \frac{ae^{3/2} \operatorname{tanh}^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2b^{3/2} d \left(b^2 - a^2\right)^{3/4}} + \frac{a^2 e^2 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right) \middle| 2\right)}{2b^2 d \left(a^2 - b\left(b - \sqrt{b^2-a^2}\right)\right) \sqrt{e \sin(c+dx)}} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(e \sin[c + dx])^{3/2} / (a + b \cos[c + dx])^2, x]$

[Out] $(a e^{3/2} \operatorname{ArcTan}[(\sqrt{b} \sqrt{e \sin[c + dx]}) / ((-a^2 + b^2)^{1/4} \sqrt{e})]) / (2 b^{3/2} (-a^2 + b^2)^{3/4} d) + (a e^{3/2} \operatorname{ArcTanh}[(\sqrt{b} \sqrt{e \sin[c + dx]}) / ((-a^2 + b^2)^{1/4} \sqrt{e})]) / (2 b^{3/2} (-a^2 + b^2)^{3/4} d) - (e^2 \operatorname{EllipticF}[(c - \pi/2 + dx)/2, 2] \sqrt{\sin[c + dx]}) / (b^2 d \sqrt{e \sin[c + dx]}) + (a^2 e^2 \operatorname{EllipticPi}[(2b) / (b - \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] \sqrt{\sin[c + dx]}) / (2 b^2 (a^2 - b(b - \sqrt{-a^2 + b^2})) d \sqrt{e \sin[c + dx]}) + (a^2 e^2 \operatorname{EllipticPi}[(2b) / (b + \sqrt{-a^2 + b^2}), (c - \pi/2 + dx)/2, 2] \sqrt{\sin[c + dx]}) / (2 b^2 (a^2 - b(b + \sqrt{-a^2 + b^2})) d \sqrt{e \sin[c + dx]}) + (e \sqrt{e \sin[c + dx]}) / (b d (a + b \cos[c + dx]))$

Rule 205

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] \operatorname{ArcTan}[x/\text{Rt}[a/b, 2]]) / a, x] / ; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{PosQ}[a/b]$

Rule 208

$\text{Int}[(a + (b \cdot x)^2)^{-1}, x_Symbol] \rightarrow \text{Simp}[(\text{Rt}[-(a/b), 2] \operatorname{ArcTanh}[x/\text{Rt}[-(a/b), 2]]) / a, x] / ; \text{FreeQ}\{a, b, x\} \ \&\& \ \text{NegQ}[a/b]$

Rule 212

$\text{Int}[(a + (b \cdot x)^4)^{-1}, x_Symbol] \rightarrow \text{With}\{r = \text{Numerator}[\text{Rt}[-(a/b), 2]], s = \text{Denominator}[\text{Rt}[-(a/b), 2]]\}, \text{Dist}[r/(2a), \text{Int}[1/(r - s \cdot x^2), x],$

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a/b, 0]$

Rule 329

$\text{Int}[(c_*)*(x_)^m*((a_) + (b_)*(x_)^n)^p, x_Symbol] \rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{k*(m+1)-1}*(a + (b*x^{k*n})/c^n)^p, x], x, (c*x)^{1/k}], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_)*\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2693

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_*)^p*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)]))^m, x_Symbol] \rightarrow \text{Simp}[(g*(g*\text{Cos}[e + f*x])^{p-1}*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m+1)), x] + \text{Dist}[(g^2*(p-1))/(b*(m+1)), \text{Int}[(g*\text{Cos}[e + f*x])^{p-2}*(a + b*\text{Sin}[e + f*x])^{m+1}*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[p, 1] \&\& \text{IntegersQ}[2*m, 2*p]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_*) + (f_)*(x_)]*(g_*)*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q + b*\text{Cos}[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*\text{Cos}[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\text{Cos}[e + f*x]]*(q - b*\text{Cos}[e + f*x])), x], x)]) /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2807

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\text{Sin}[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], \text{Int}[1/((a + b*\text{Sin}[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\text{Sin}[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2867

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_*)^p*((c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]))/((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)]), x_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[$

$(g*\text{Cos}[e + f*x])^p, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^p/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{3/2}}{(a + b \cos(c + dx))^2} dx &= \frac{e\sqrt{e \sin(c + dx)}}{bd(a + b \cos(c + dx))} - \frac{e^2 \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))\sqrt{e \sin(c+dx)}} dx}{2b} \\ &= \frac{e\sqrt{e \sin(c + dx)}}{bd(a + b \cos(c + dx))} - \frac{e^2 \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{2b^2} + \frac{(ae^2) \int \frac{1}{(a+b \cos(c+dx))\sqrt{e \sin(c+dx)}} dx}{2b^2} \\ &= \frac{e\sqrt{e \sin(c + dx)}}{bd(a + b \cos(c + dx))} - \frac{(a^2e^2) \int \frac{1}{\sqrt{e \sin(c+dx)}(\sqrt{-a^2+b^2}-b \sin(c+dx))} dx}{4b^2\sqrt{-a^2 + b^2}} - \frac{(a^2e^2) \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{2b^2} \\ &= -\frac{e^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} + \frac{e\sqrt{e \sin(c + dx)}}{bd(a + b \cos(c + dx))} - \frac{(ae^3) \text{Subst}\left(\int \frac{1}{\sqrt{e \sin(c+dx)}} dx\right)}{2b^2} \\ &= -\frac{e^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} + \frac{a^2 e^2 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b^2 \left(a^2 - b\left(b - \sqrt{-a^2 + b^2}\right)\right) d \sqrt{e \sin(c + dx)}} \\ &= \frac{ae^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{2b^{3/2} (-a^2 + b^2)^{3/4} d} + \frac{ae^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{2b^{3/2} (-a^2 + b^2)^{3/4} d} - \frac{e^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{b^2 d \sqrt{e \sin(c + dx)}} \end{aligned}$$

Mathematica [C] time = 9.22, size = 614, normalized size = 1.47

$$\frac{\text{csc}(c + dx)(e \sin(c + dx))^{3/2}}{bd(a + b \cos(c + dx))} - \frac{\cos^2(c + dx)(e \sin(c + dx))^{3/2} \left(a + b\sqrt{1 - \sin^2(c + dx)}\right)}{\left((a^2 + b^2(\sin^2(c + dx) - 1))\right) \left(2 \sin^2(c + dx) - 1\right)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(3/2)/(a + b*Cos[c + d*x])^2,x]

[Out] (Csc[c + d*x]*(e*Sin[c + d*x])^(3/2))/(b*d*(a + b*Cos[c + d*x])) - (Cos[c + d*x]^2*(e*Sin[c + d*x])^(3/2)*(a + b*sqrt[1 - Sin[c + d*x]^2]))*((a*(-2*ArcTan[1 - (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] - Log[sqrt[a^2 - b^2] - sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[sqrt[a^2 - b^2] + sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]))/(4*sqrt[2]*sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*sqrt[Sin[c + d*x]]*sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2))))/(b*d*(a + b*Cos[c + d*x])*Sin[c + d*x]^(3/2)*(1 - Sin[c + d*x]^2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] Timed out
```

```
giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] Timed out
```

```
maple [B] time = 1.56, size = 2148, normalized size = 5.14
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^2,x)
```

```
[Out] 1/d*e^3*a/b*(e*sin(d*x+c))^(1/2)/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)-1/8/d*e^3*
a/b*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*ln((e*sin(d*x+c)+(e
^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1
/2)))/(e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(
e^2*(a^2-b^2)/b^2)^(1/2))-1/4/d*e^3*a/b*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2
-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(
1/2)+1)-1/4/d*e^3*a/b*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*a
rctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)+1/d*e^2/cos
(d*x+c)/(e*sin(d*x+c))^(1/2)/b^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/
2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-3/2/d*e^2/
cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^3/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*
(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((
-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^2+1/2/d*e^2/co
s(d*x+c)/(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*s
in(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin
(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+3/2/d*e^2/cos(d*x+c)
/(e*sin(d*x+c))^(1/2)/b^3/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x
+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c
)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^2-1/2/d*e^2/cos(d*x+c)/(
e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+
2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)
^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-1/d*e^2*sin(d*x+c)*cos(d*x+c)/
(e*sin(d*x+c))^(1/2)*a^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)+1/d*e^2*sin(d*x+
c)*cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)-1/
2/d*e^2/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^2/b^2/(a^2-b^2)*(-sin(d*x+c)+1)^(
1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2
),1/2*2^(1/2))+1/2/d*e^2/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)*(-sin(d*
x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c
)+1)^(1/2),1/2*2^(1/2))+5/4/d*e^2/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*a^4/b^3/(
a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(
d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(
-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-7/4/d*e^2/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(
a^2-b^2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*si
n(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-
(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))*a^2+1/2/d*e^2/cos(d*x+c)/(e*sin(d*x+c))^(
1/2)/(a^2-b^2)/(-a^2+b^2)^(1/2)*b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1
/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2
),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-5/4/d*e^2/cos(d*x+c)/(e*sin(d*x+c))
```

$$\begin{aligned} & \frac{1}{2} \frac{a^4}{b^3} \frac{1}{(a^2 - b^2)} \frac{1}{(-a^2 + b^2)^{1/2}} (-\sin(dx+c)+1)^{1/2} (2\sin(dx+c)+2)^{1/2} \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) + 7/4 / d * e^2 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2) / (-a^2 + b^2)^{1/2} / b * (-\sin(dx+c)+1)^{1/2} (2\sin(dx+c)+2)^{1/2} \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \\ & + a^2 - 1/2 / d * e^2 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2) / (-a^2 + b^2)^{1/2} * b * (-\sin(dx+c)+1)^{1/2} (2\sin(dx+c)+2)^{1/2} \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((-\sin(dx+c)+1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) \end{aligned}$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(e \sin(dx+c))^{\frac{3}{2}}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(3/2)/(a+b*cos(dx+c))^2,x, algorithm="maxima")

[Out] integrate((e*sin(dx+c))^(3/2)/(b*cos(dx+c)+a)^2,x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c+dx))^{\frac{3}{2}}}{(a+b \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c+dx))^(3/2)/(a+b*cos(c+dx))^2,x)

[Out] int((e*sin(c+dx))^(3/2)/(a+b*cos(c+dx))^2,x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))**(3/2)/(a+b*cos(dx+c))**2,x)

[Out] Timed out

$$3.73 \quad \int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=438

$$\frac{a\sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2\sqrt{b} d (b^2 - a^2)^{5/4}} - \frac{a\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2\sqrt{b} d (b^2 - a^2)^{5/4}} - \frac{b(e \sin(c + dx))^{3/2}}{d e (a^2 - b^2) (a + b \cos(c + dx))} + \frac{E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle| 2\right)}{d (a^2 - b^2) \sqrt{\sin(c + dx)}}$$

[Out] $-b*(e*\sin(d*x+c))^{(3/2)}/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))+1/2*a*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})*e^{(1/2)}/(-a^2+b^2)^{(5/4)}/d/b^{(1/2)}-1/2*a*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})*e^{(1/2)}/(-a^2+b^2)^{(5/4)}/d/b^{(1/2)}-1/2*a^2*e*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-1/2*a^2*e*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b/(a^2-b^2)/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 0.91, antiderivative size = 438, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2694, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{a\sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2\sqrt{b} d (b^2 - a^2)^{5/4}} - \frac{a\sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2\sqrt{b} d (b^2 - a^2)^{5/4}} - \frac{b(e \sin(c + dx))^{3/2}}{d e (a^2 - b^2) (a + b \cos(c + dx))} + \frac{E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle| 2\right)}{d (a^2 - b^2) \sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[e*Sin[c + d*x]]/(a + b*Cos[c + d*x])^2,x]`

[Out] $(a*\sqrt{e}*\operatorname{ArcTan}[(\sqrt{b}*\sqrt{e*\sin[c + d*x]})/((-a^2 + b^2)^{(1/4)}*\sqrt{e})])/((2*\sqrt{b}*(-a^2 + b^2)^{(5/4)}*d) - (a*\sqrt{e}*\operatorname{ArcTanh}[(\sqrt{b}*\sqrt{e*\sin[c + d*x]})/((-a^2 + b^2)^{(1/4)}*\sqrt{e})])/((2*\sqrt{b}*(-a^2 + b^2)^{(5/4)}*d) + (a^2*e*\operatorname{EllipticPi}[(2*b)/(b - \sqrt{-a^2 + b^2}), (c - \pi/2 + d*x)/2, 2]*\sqrt{\sin[c + d*x]}))/(2*b*(a^2 - b^2)*(b - \sqrt{-a^2 + b^2})*d*\sqrt{e*\sin[c + d*x]}) + (a^2*e*\operatorname{EllipticPi}[(2*b)/(b + \sqrt{-a^2 + b^2}), (c - \pi/2 + d*x)/2, 2]*\sqrt{\sin[c + d*x]}))/(2*b*(a^2 - b^2)*(b + \sqrt{-a^2 + b^2})*d*\sqrt{e*\sin[c + d*x]}) + (\operatorname{EllipticE}[(c - \pi/2 + d*x)/2, 2]*\sqrt{e*\sin[c + d*x]})/((a^2 - b^2)*d*\sqrt{\sin[c + d*x]}) - (b*(e*\sin[c + d*x])^{(3/2)})/((a^2 - b^2)*d*e*(a + b*\cos[c + d*x]))$

Rule 205

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rule 208

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]`

Rule 298

`Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x`

], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_))^(m_)*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x]] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[d/b, Int[

$(g*\text{Cos}[e + f*x])^p, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^p/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\int \frac{\sqrt{e \sin(c + dx)}}{(a + b \cos(c + dx))^2} dx = -\frac{b(e \sin(c + dx))^{3/2}}{(a^2 - b^2) d e(a + b \cos(c + dx))} + \frac{\int \frac{(-a - \frac{1}{2}b \cos(c + dx)) \sqrt{e \sin(c + dx)}}{a + b \cos(c + dx)} dx}{-a^2 + b^2}$$

$$= -\frac{b(e \sin(c + dx))^{3/2}}{(a^2 - b^2) d e(a + b \cos(c + dx))} + \frac{\int \sqrt{e \sin(c + dx)} dx}{2(a^2 - b^2)} + \frac{a \int \frac{\sqrt{e \sin(c + dx)}}{a + b \cos(c + dx)} dx}{2(a^2 - b^2)}$$

$$= -\frac{b(e \sin(c + dx))^{3/2}}{(a^2 - b^2) d e(a + b \cos(c + dx))} - \frac{(a^2 e) \int \frac{1}{\sqrt{e \sin(c + dx)} (\sqrt{-a^2 + b^2} - b \sin(c + dx))} dx}{4b(a^2 - b^2)} + \frac{(a^2 e)}{2(a^2 - b^2)}$$

$$= \frac{E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{(a^2 - b^2) d \sqrt{\sin(c + dx)}} - \frac{b(e \sin(c + dx))^{3/2}}{(a^2 - b^2) d e(a + b \cos(c + dx))} - \frac{(abe) \text{Subst}}{2(a^2 - b^2)}$$

$$= \frac{a^2 e \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b(a^2 - b^2) (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}} + \frac{a^2 e \Pi\left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b(a^2 - b^2) (b + \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}}$$

$$= \frac{a \sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2\sqrt{b} (-a^2 + b^2)^{5/4} d} - \frac{a \sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2\sqrt{b} (-a^2 + b^2)^{5/4} d} + \frac{a^2 e \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{2b(a^2 - b^2) (b - \sqrt{-a^2 + b^2}) d \sqrt{e \sin(c + dx)}}$$

Mathematica [C] time = 13.94, size = 786, normalized size = 1.79

$$\frac{b \sin(c + dx) \sqrt{e \sin(c + dx)}}{d (b^2 - a^2) (a + b \cos(c + dx))} + \frac{\sqrt{e \sin(c + dx)} \left(\cos^2(c + dx) (a + b \sqrt{1 - \sin^2(c + dx)}) \left(8b^{5/2} \sin^{\frac{3}{2}}(c + dx) F_1\left(\frac{3}{4}; -\frac{1}{2}, 1, \frac{7}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) \right) \right)}{d (b^2 - a^2) (a + b \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[e*Sin[c + d*x]]/(a + b*Cos[c + d*x])^2,x]
[Out] (b*Sin[c + d*x]*Sqrt[e*Sin[c + d*x]])/((-a^2 + b^2)*d*(a + b*Cos[c + d*x]))
+ (Sqrt[e*Sin[c + d*x]]*(((Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2
*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*Arc
Tan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[
a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c
+ d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin
[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c
+ d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*Sq
rt[1 - Sin[c + d*x]^2]))/(12*Sqrt[b]*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 -
Sin[c + d*x]^2)) + (4*a*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*
Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqr
t[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 +
I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[
```


$\text{Sqrt}[-a^2 + b^2] + (1 + I) \cdot \text{Sqrt}[b] \cdot (-a^2 + b^2)^{1/4} \cdot \text{Sqrt}[\text{Sin}[c + d \cdot x]] + I \cdot b \cdot \text{Sin}[c + d \cdot x]] / (\text{Sqrt}[b] \cdot (-a^2 + b^2)^{1/4}) + (a \cdot \text{AppellF1}[3/4, 1/2, 1, 7/4, \text{Sin}[c + d \cdot x]^2, (b^2 \cdot \text{Sin}[c + d \cdot x]^2) / (-a^2 + b^2)] \cdot \text{Sin}[c + d \cdot x]^{3/2}) / (3 \cdot (a^2 - b^2)) \cdot (a + b \cdot \text{Sqrt}[1 - \text{Sin}[c + d \cdot x]^2]) / ((a + b \cdot \text{Cos}[c + d \cdot x]) \cdot \text{Sqrt}[1 - \text{Sin}[c + d \cdot x]^2]) / (2 \cdot (a - b) \cdot (a + b) \cdot d \cdot \text{Sqrt}[\text{Sin}[c + d \cdot x]])$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate(sqrt(e*sin(d*x + c))/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 1.21, size = 1384, normalized size = 3.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^2,x)

[Out]
$$\begin{aligned} & -1/d \cdot e^{3a/b} \cdot (e \cdot \sin(dx+c))^{3/2} / (a^2 \cdot e^{2-b^2 \cdot e^2}) / (-b^2 \cdot \cos(dx+c)^2 \cdot e^{2+a^2 \cdot e^2}) - 1/8 \cdot d \cdot e^{3a/b} / (a^2 \cdot e^{2-b^2 \cdot e^2}) / (e^2 \cdot (a^2 - b^2) / b^2)^{1/4} \cdot 2^{1/2} \cdot \ln((e \cdot \sin(dx+c) - (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) \cdot (e \cdot \sin(dx+c))^{1/2} \cdot 2^{1/2} + (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) / (e \cdot \sin(dx+c) + (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) \cdot (e \cdot \sin(dx+c))^{1/2} \cdot 2^{1/2} + (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) - 1/4 \cdot d \cdot e^{3a/b} / (a^2 \cdot e^{2-b^2 \cdot e^2}) / (e^2 \cdot (a^2 - b^2) / b^2)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) \cdot (e \cdot \sin(dx+c))^{1/2} + 1 - 1/4 \cdot d \cdot e^{3a/b} / (a^2 \cdot e^{2-b^2 \cdot e^2}) / (e^2 \cdot (a^2 - b^2) / b^2)^{1/4} \cdot 2^{1/2} \cdot \arctan(2^{1/2} / (e^2 \cdot (a^2 - b^2) / b^2)^{1/4}) \cdot (e \cdot \sin(dx+c))^{1/2} - 1 + 1/2 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} / b^2 \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) \cdot \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 \cdot 2^{1/2}) + 1/2 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} / b^2 \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) \cdot \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 \cdot 2^{1/2}) + 1/d \cdot e \cdot \sin(dx+c)^2 \cdot \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} \cdot b^2 / (a^2 - b^2) / (-\cos(dx+c)^2 \cdot b^2 + a^2) - 1/d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} / (a^2 - b^2) \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} \cdot \text{EllipticE}((- \sin(dx+c) + 1)^{1/2}, 1/2 \cdot 2^{1/2}) + 1/2 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} / (a^2 - b^2) \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} \cdot \text{EllipticF}((- \sin(dx+c) + 1)^{1/2}, 1/2 \cdot 2^{1/2}) - 3/4 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} \cdot a^2 / (a^2 - b^2) / b^2 \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} / (1 - (-a^2 + b^2)^{1/2} / b) \cdot \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 - (-a^2 + b^2)^{1/2} / b), 1/2 \cdot 2^{1/2}) + 1/2 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} / (a^2 - b^2) \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) \cdot \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 \cdot 2^{1/2}) - 3/4 \cdot d \cdot e / \cos(dx+c) / (e \cdot \sin(dx+c))^{1/2} \cdot a^2 / (a^2 - b^2) / b^2 \cdot (-\sin(dx+c) + 1)^{1/2} \cdot (2 \cdot \sin(dx+c) + 2)^{1/2} \cdot \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) \cdot \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 \cdot 2^{1/2}) \end{aligned}$$

$\left. \frac{1}{b} \sqrt{2} \right)^{1/2} + \frac{1}{2d} \frac{e^{\sin(dx+c)}}{\cos(dx+c)} \frac{1}{\sqrt{e^{\sin(dx+c)}}} \frac{1}{(a^2-b^2)^{1/2}} (-\sin(dx+c)+1)^{1/2} (2\sin(dx+c)+2)^{1/2} \sin(dx+c)^{1/2} \frac{1}{(1+(-a^2+b^2)^{1/2}/b)} \operatorname{EllipticPi} \left((-\sin(dx+c)+1)^{1/2}, \frac{1}{(1+(-a^2+b^2)^{1/2}/b)}, \frac{1}{2} \sqrt{2} \right)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] integrate(sqrt(e*sin(d*x + c))/(b*cos(d*x + c) + a)^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x))^2,x)

[Out] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x))^2, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(1/2)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

$$3.74 \quad \int \frac{1}{(a+b \cos(c+dx))^2 \sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=445

$$\frac{3a\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2d\sqrt{e} (b^2-a^2)^{7/4}} - \frac{3a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2d\sqrt{e} (b^2-a^2)^{7/4}} - \frac{b\sqrt{e \sin(c+dx)}}{de (a^2-b^2) (a+b \cos(c+dx))} - \frac{\sqrt{\sin(c+dx)}}{d(a^2-b^2)}$$

[Out] $-3/2*a*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})*b^{(1/2)}/(-a^2+b^2)^{(7/4)}/d/e^{(1/2)}-3/2*a*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})*b^{(1/2)}/(-a^2+b^2)^{(7/4)}/d/e^{(1/2)}+(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)/d/(e*\sin(d*x+c))^{(1/2)}-3/2*a^2*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b-(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/e^{(1/2)}-3/2*a^2*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b+(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/e^{(1/2)}-b*(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))$

Rubi [A] time = 0.93, antiderivative size = 445, normalized size of antiderivative = 1.00, number of steps used = 13, number of rules used = 11, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.440$, Rules used = {2694, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{3a\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2d\sqrt{e} (b^2-a^2)^{7/4}} - \frac{3a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2d\sqrt{e} (b^2-a^2)^{7/4}} - \frac{b\sqrt{e \sin(c+dx)}}{de (a^2-b^2) (a+b \cos(c+dx))} - \frac{\sqrt{\sin(c+dx)}}{d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^2*Sqrt[e*Sin[c + d*x]]),x]

[Out] $(-3*a*\operatorname{Sqrt}[b]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]])/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*(-a^2+b^2)^{(7/4)}*d*\operatorname{Sqrt}[e]) - (3*a*\operatorname{Sqrt}[b]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]])/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*(-a^2+b^2)^{(7/4)}*d*\operatorname{Sqrt}[e]) - (\operatorname{EllipticF}[(c-Pi/2+d*x)/2,2]*\operatorname{Sqrt}[\sin[c+d*x]])/((a^2-b^2)*d*\operatorname{Sqrt}[e*\sin[c+d*x]]) + (3*a^2*\operatorname{EllipticPi}[(2*b)/(b-\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2,2]*\operatorname{Sqrt}[\sin[c+d*x]])/(2*(a^2-b^2)*(a^2-b*(b-\operatorname{Sqrt}[-a^2+b^2]))*d*\operatorname{Sqrt}[e*\sin[c+d*x]]) + (3*a^2*\operatorname{EllipticPi}[(2*b)/(b+\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2,2]*\operatorname{Sqrt}[\sin[c+d*x]])/(2*(a^2-b^2)*(a^2-b*(b+\operatorname{Sqrt}[-a^2+b^2]))*d*\operatorname{Sqrt}[e*\sin[c+d*x]]) - (b*\operatorname{Sqrt}[e*\sin[c+d*x]])/((a^2-b^2)*d*e*(a+b*\cos[c+d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] :> With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],

$x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}[\{a, b\}, x] \&\& !\text{GtQ}[a/b, 0]$

Rule 329

$\text{Int}[(c_*)*(x_)^m*((a_) + (b_)*(x_)^n)^p], x_Symbol] \rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{k*(m+1)-1}*(a + (b*x^{k*n})/c^n)^p, x], x, (c*x)^{1/k}], x]] /; \text{FreeQ}[\{a, b, c, p\}, x] \&\& \text{IGtQ}[n, 0] \&\& \text{FractionQ}[m] \&\& \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_)*\sin[(c_*) + (d_)*(x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}[\{b, c, d\}, x]$

Rule 2694

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_*}*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)])^{m_*}], x_Symbol] \rightarrow -\text{Simp}[(b*(g*\cos[e + f*x])^{p+1}*(a + b*\sin[e + f*x])^{m+1})/(f*g*(a^2 - b^2)*(m+1)), x] + \text{Dist}[1/((a^2 - b^2)*(m+1)), \text{Int}[(g*\cos[e + f*x])^p*(a + b*\sin[e + f*x])^{m+1}*(a*(m+1) - b*(m+p+2)*\sin[e + f*x]), x], x] /; \text{FreeQ}[\{a, b, e, f, g, p\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*p]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_*) + (f_)*(x_)]*(g_)]*((a_) + (b_)*\sin[(e_*) + (f_)*(x_)])), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q + b*\cos[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*\cos[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g*\cos[e + f*x]]*(q - b*\cos[e + f*x])), x], x]]) /; \text{FreeQ}[\{a, b, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]))], x_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

Rule 2807

$\text{Int}[1/(((a_*) + (b_)*\sin[(e_*) + (f_)*(x_)])*\text{Sqrt}[(c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]))], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d*\sin[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}[1/((a + b*\sin[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\sin[e + f*x])/(c + d)]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{GtQ}[c + d, 0]$

Rule 2867

$\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_*}*((c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]), x_Symbol] \rightarrow \text{Dist}[d/b, \text{Int}[\text{Int}[(\cos[(e_*) + (f_)*(x_)]*(g_))^{p_*}*((c_*) + (d_)*\sin[(e_*) + (f_)*(x_)]), x], x]]$

$(g*\text{Cos}[e + f*x])^p, x], x] + \text{Dist}[(b*c - a*d)/b, \text{Int}[(g*\text{Cos}[e + f*x])^p/(a + b*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

Rubi steps

$$\begin{aligned} \int \frac{1}{(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} dx &= -\frac{b\sqrt{e \sin(c + dx)}}{(a^2 - b^2) d e (a + b \cos(c + dx))} + \frac{\int \frac{-a + \frac{1}{2} b \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} dx}{-a^2 + b^2} \\ &= -\frac{b\sqrt{e \sin(c + dx)}}{(a^2 - b^2) d e (a + b \cos(c + dx))} - \frac{\int \frac{1}{\sqrt{e \sin(c + dx)}} dx}{2(a^2 - b^2)} + \frac{(3a) \int \frac{1}{(a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} dx}{2} \\ &= -\frac{b\sqrt{e \sin(c + dx)}}{(a^2 - b^2) d e (a + b \cos(c + dx))} + \frac{(3a^2) \int \frac{1}{\sqrt{e \sin(c + dx)} (\sqrt{-a^2 + b^2} - b \sin(c + dx))} dx}{4(-a^2 + b^2)^{3/2}} \\ &= -\frac{F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{(a^2 - b^2) d \sqrt{e \sin(c + dx)}} - \frac{b\sqrt{e \sin(c + dx)}}{(a^2 - b^2) d e (a + b \cos(c + dx))} \\ &= -\frac{F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{(a^2 - b^2) d \sqrt{e \sin(c + dx)}} - \frac{3a^2 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)}{2(-a^2 + b^2)^{3/2} (b - \sqrt{-a^2 + b^2})} \\ &= -\frac{3a\sqrt{b} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{7/4} d \sqrt{e}} - \frac{3a\sqrt{b} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{7/4} d \sqrt{e}} - \frac{b\sqrt{e \sin(c + dx)}}{(a^2 - b^2) d e (a + b \cos(c + dx))} \end{aligned}$$

Mathematica [C] time = 10.12, size = 1182, normalized size = 2.66

$$\sqrt{\sin(c + dx)} \left(\frac{4a \cos(c + dx) (a + b \sqrt{1 - \sin^2(c + dx)}) \left(\frac{5a(a^2 - b^2) F_1\left(\frac{1}{4}; \frac{1}{2}, 1; \frac{5}{4}; \sin^2(c + dx), \frac{b^2}{b^2 - a^2}\right)}{\sqrt{1 - \sin^2(c + dx)} \left(5(a^2 - b^2) F_1\left(\frac{1}{4}; \frac{1}{2}, 1; \frac{5}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) - 2 \left(2 F_1\left(\frac{5}{4}; \frac{1}{2}, 2; \frac{9}{4}; \sin^2(c + dx), \frac{b^2 \sin^2(c + dx)}{b^2 - a^2}\right) \right)} \right)}{2(-a^2 + b^2)^{7/4} d \sqrt{e}} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*Cos[c + d*x])^2*Sqrt[e*Sin[c + d*x]]),x]

[Out] $-\frac{(b*\text{Sin}[c + d*x])}{(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])* \text{Sqrt}[e*\text{Sin}[c + d*x]]} + \frac{(\text{Sqrt}[\text{Sin}[c + d*x]]*((-2*b*\text{Cos}[c + d*x])^2*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))*((a*(-2*\text{ArcTan}[1 - (\text{Sqrt}[2]*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(a^2 - b^2)^{(1/4)}] + 2*\text{ArcTan}[1 + (\text{Sqrt}[2]*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(a^2 - b^2)^{(1/4)}] - \text{Log}[\text{Sqrt}[a^2 - b^2] - \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]] + \text{Log}[\text{Sqrt}[a^2 - b^2] + \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]]))/(4*\text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(3/4)} + (5*b*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]]*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2])/((-5*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*\text{AppellF1}[5/4, -1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*\text{AppellF1}[5/4, 1/2, 1, 9/4,$

```

Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)))*Sin[c + d*x]^2*(a^2 +
b^2*(-1 + Sin[c + d*x]^2))))/(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2))
+ (4*a*Cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*(((1/8 + I/8)*Sqrt[b]
*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2
*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] + Log[
Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] +
I*b*Sin[c + d*x]] - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/
4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]))/(-a^2 + b^2)^(3/4) + (5*a*(a^2
- b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^
2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*App
ellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] -
2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-
a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2
*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*
x]^2)))))))/(a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]))/(2*(a - b)*(a +
b)*d*Sqrt[e*Sin[c + d*x]])

```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 \sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate(1/((b*cos(d*x + c) + a)^2*sqrt(e*sin(d*x + c))), x)
```

maple [B] time = 1.26, size = 1351, normalized size = 3.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x)
```

```

[Out] -1/d*a*b*e^3*(e*sin(d*x+c))^(1/2)/(a^2*e^2-b^2*e^2)/(-b^2*cos(d*x+c)^2*e^2+
a^2*e^2)-3/8/d*a*b*e^3/(a^2*e^2-b^2*e^2)^2*(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2
)*ln((e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(
e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*
x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))-3/4/d*a*b*e^3/(a^2*e^2-b^2*
e^2)^2*(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2
)^(1/4)*(e*sin(d*x+c))^(1/2)+1)-3/4/d*a*b*e^3/(a^2*e^2-b^2*e^2)^2*(e^2*(a^2-
b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x
+c))^(1/2)-1)+1/2/d/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-si
n(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/
2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2)
)-1/2/d/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(
1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*Ellipt
icPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+1/d*sin(d*
x+c)*cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)+
1/2/d/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*si

```

$$\begin{aligned} & n(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticF((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-5/4/d/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*a^2/(a^2-b^2)/(-a^2+b^2)^{(1/2)}/b \\ & *(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})+1/2/d/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)/(-a^2+b^2)^{(1/2)}*b* \\ & (-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})+5/4/d/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*a^2/(a^2-b^2)/(-a^2+b^2)^{(1/2)}/b \\ & *(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})-1/2/d/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)/(-a^2+b^2)^{(1/2)}*b* \\ & (-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{e \sin(c + dx)} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2),x)

[Out] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))**2/(e*sin(d*x+c))**(1/2),x)

[Out] Timed out

$$3.75 \int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=507

$$\frac{(2a^2 + 3b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 (a^2 - b^2)^2 \sqrt{\sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2) \cos(c + dx)}{de (a^2 - b^2)^2 \sqrt{e \sin(c + dx)}} - \frac{b}{de (a^2 - b^2) \sqrt{e \sin(c + dx)}} + \dots$$

[Out] $5/2*a*b^{(3/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(9/4)}/d/e^{(3/2)}-5/2*a*b^{(3/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(9/4)}/d/e^{(3/2)}-b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(1/2)}+(5*a*b-(2*a^2+3*b^2)*\cos(d*x+c))/(a^2-b^2)^2/d/e/(e*\sin(d*x+c))^{(1/2)}+5/2*a^2*b*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/e/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+5/2*a^2*b*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/e/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+(2*a^2+3*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)^2/d/e^2/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.27, antiderivative size = 507, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2694, 2866, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{5ab^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2de^{3/2} (b^2 - a^2)^{9/4}} - \frac{5ab^{3/2} \operatorname{tanh}^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{2de^{3/2} (b^2 - a^2)^{9/4}} - \frac{(2a^2 + 3b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{de^2 (a^2 - b^2)^2 \sqrt{\sin(c + dx)}} + \dots$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(3/2)),x]

[Out] $(5*a*b^{(3/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*(-a^2 + b^2)^{(9/4)}*d*e^{(3/2)}) - (5*a*b^{(3/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(2*(-a^2 + b^2)^{(9/4)}*d*e^{(3/2)}) - b/((a^2 - b^2)*d*e*(a + b*\cos[c + d*x])*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (5*a*b - (2*a^2 + 3*b^2)*\cos[c + d*x])/((a^2 - b^2)^2*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a^2*b*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*(a^2 - b^2)^2*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a^2*b*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*(a^2 - b^2)^2*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - ((2*a^2 + 3*b^2)*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((a^2 - b^2)^2*d*e^2*\operatorname{Sqrt}[\sin[c + d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2866

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} dx = -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{\int \frac{-a + \frac{3}{2} b \cos(c + dx)}{(a + b \cos(c + dx)) (e \sin(c + dx))^{3/2}} dx}{-a^2 + b^2}$$

$$= -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2)}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

$$= -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2)}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

$$= -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2)}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

$$= -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2)}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

$$= -\frac{b}{(a^2 - b^2) de (a + b \cos(c + dx)) \sqrt{e \sin(c + dx)}} + \frac{5ab - (2a^2 + 3b^2)}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

$$= \frac{5ab^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{9/4} de^{3/2}} - \frac{5ab^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{9/4} de^{3/2}} - \frac{1}{(a^2 - b^2)^2 de \sqrt{e \sin(c + dx)}}$$

Mathematica [C] time = 6.49, size = 865, normalized size = 1.71

$$\frac{\sin^2(c + dx) \left(\frac{b^3 \sin(c + dx)}{(a^2 - b^2)^2 (a + b \cos(c + dx))} - \frac{2(\cos(c + dx)a^2 - 2ba + b^2 \cos(c + dx)) \csc(c + dx)}{(a^2 - b^2)^2} \right)}{d(e \sin(c + dx))^{3/2}} - \frac{\sin^{\frac{3}{2}}(c + dx) \left((3b^3 + 2a^2b) \left({}_8F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c + dx)\right) \right) \right)}{\dots}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*cos[c + d*x])^2*(e*sin[c + d*x])^(3/2)),x]
```

```
[Out] (Sin[c + d*x]^2*(-2*(-2*a*b + a^2*cos[c + d*x] + b^2*cos[c + d*x])*Csc[c +
d*x])/(a^2 - b^2)^2 + (b^3*sin[c + d*x])/((a^2 - b^2)^2*(a + b*cos[c + d*x
]))) / (d*(e*sin[c + d*x])^(3/2)) - (Sin[c + d*x]^(3/2)*((2*a^2*b + 3*b^3)*
Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b
]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sq
rt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b
]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*sin[c + d*x]] + Log[Sqrt[a^2 - b
^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*sin[c + d*x]
]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*sin[c + d*x
]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2)*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(1
2*b^(3/2)*(-a^2 + b^2)*(a + b*cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(2*a
^3 + 8*a*b^2)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqr
t[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[S
in[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*
(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*sin[c + d*x]] + Log[Sqrt[-a^2 +
b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*sin[c +
d*x]])))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c
+ d*x]^2, (b^2*sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 -
b^2)))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(2*(a - b)^2*(a + b)^2*d*(e*sin[c + d*x])^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate(1/((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(3/2)), x)
```

maple [B] time = 1.13, size = 4318, normalized size = 8.52

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(3/2),x)
```

```
[Out] 1/d/e*a*b^3/(a-b)^2/(a+b)^2*(e*sin(d*x+c))^(3/2)/(-b^2*cos(d*x+c)^2*e^2+a^2
*e^2)+5/8/d/e*a*b/(a-b)^2/(a+b)^2/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*s
in(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-
b^2)/b^2)^(1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/
2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))+5/4/d/e*a^2/(-cos(d*x+c)^2*b^2+a^2)/
(a^2-b^2)^2/(b+(-a^2+b^2)^(1/2))/((-a^2+b^2)^(1/2)-b)/cos(d*x+c)/(e*sin(d*x
+c))^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*El
lipticPi((-sin(d*x+c)+1)^(1/2),-b/((-a^2+b^2)^(1/2)-b),1/2*2^(1/2))*b^4-5/4
```


$$\int \frac{1}{(a+b\cos(dx+c))^{3/2}(e\sin(dx+c))^{3/2}} dx$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^(3/2)/(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{3/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2),x)

[Out] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))**(3/2)/(e*sin(d*x+c))**(3/2),x)

[Out] Timed out

$$3.76 \int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=530

$$\frac{(2a^2 + 5b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3de^2 (a^2 - b^2)^2 \sqrt{e \sin(c+dx)}} - \frac{7a^2 b^2 \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b - \sqrt{b^2 - a^2}}; \frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{2de^2 (a^2 - b^2)^2 \left(a^2 - b\left(b - \sqrt{b^2 - a^2}\right)\right) \sqrt{e \sin(c+dx)}} - \frac{7a^2 b^2}{2de^2 (a^2 - b^2)^2 \sqrt{e \sin(c+dx)}}$$

[Out] $-7/2*a*b^{(5/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(11/4)}/d/e^{(5/2)}-7/2*a*b^{(5/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(11/4)}/d/e^{(5/2)}-b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(3/2)}+1/3*(7*a*b-(2*a^2+5*b^2)*\cos(d*x+c))/(a^2-b^2)^2/d/e/(e*\sin(d*x+c))^{(3/2)}-1/3*(2*a^2+5*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/e^2/(e*\sin(d*x+c))^{(1/2)}+7/2*a^2*b^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/e^2/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}+7/2*a^2*b^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^2/d/e^2/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}$

Rubi [A] time = 1.37, antiderivative size = 530, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2694, 2866, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{7ab^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{2de^{5/2} (b^2 - a^2)^{11/4}} - \frac{7ab^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{2de^{5/2} (b^2 - a^2)^{11/4}} + \frac{(2a^2 + 5b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{3de^2 (a^2 - b^2)^2 \sqrt{e \sin(c+dx)}} - \frac{7a^2 b^2}{2de^2 (a^2 - b^2)^2 \sqrt{e \sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(5/2)),x]

[Out] $(-7*a*b^{(5/2)}*\operatorname{ArcTan}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]]]/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(2*(-a^2+b^2)^{(11/4)}*d*e^{(5/2)}) - (7*a*b^{(5/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]]]/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(2*(-a^2+b^2)^{(11/4)}*d*e^{(5/2)}) - b/((a^2-b^2)*d*e*(a+b*\cos[c+d*x])*(e*\sin[c+d*x])^{(3/2)}) + (7*a*b - (2*a^2+5*b^2)*\cos[c+d*x])/(3*(a^2-b^2)^2*d*e*(e*\sin[c+d*x])^{(3/2)}) + ((2*a^2+5*b^2)*\operatorname{EllipticF}[(c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[\sin[c+d*x]])/(3*(a^2-b^2)^2*d*e^2*\operatorname{Sqrt}[e*\sin[c+d*x]]) - (7*a^2*b^2*\operatorname{EllipticPi}[(2*b)/(b-\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[\sin[c+d*x]])/(2*(a^2-b^2)^2*(a^2-b*(b-\operatorname{Sqrt}[-a^2+b^2]))*d*e^2*\operatorname{Sqrt}[e*\sin[c+d*x]]) - (7*a^2*b^2*\operatorname{EllipticPi}[(2*b)/(b+\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2]*\operatorname{Sqrt}[\sin[c+d*x]])/(2*(a^2-b^2)^2*(a^2-b*(b+\operatorname{Sqrt}[-a^2+b^2]))*d*e^2*\operatorname{Sqrt}[e*\sin[c+d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2866

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} dx = -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{\int \frac{-a + \frac{5}{2} b \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{-a^2 - b^2}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{7ab - (2a^2 + 5b^2)}{3(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{7ab - (2a^2 + 5b^2)}{3(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{7ab - (2a^2 + 5b^2)}{3(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{7ab - (2a^2 + 5b^2)}{3(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{3/2}} + \frac{7ab - (2a^2 + 5b^2)}{3(a^2 - b^2)^2 de}$$

$$= -\frac{7ab^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{11/4} de^{5/2}} - \frac{7ab^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{11/4} de^{5/2}} - \frac{b^3}{(a^2 - b^2)^2 (a + b \cos(c + dx))}$$

Mathematica [C] time = 13.17, size = 1257, normalized size = 2.37

$$\frac{\left(\frac{b^3}{(a^2 - b^2)^2 (a + b \cos(c + dx))} - \frac{2(\cos(c + dx)a^2 - 2ba + b^2 \cos(c + dx)) \csc^2(c + dx)}{3(a^2 - b^2)^2}\right) \sin^3(c + dx)}{d(e \sin(c + dx))^{5/2}} + \frac{2(5b^3 + 2a^2b) \left(a + b \sqrt{1 - \sin^2(c + dx)}\right) \left(\frac{2(2F_1\left(\frac{5}{4}; -\frac{1}{2}, 2\right))}{\dots}\right)}{\dots}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(5/2)),x]
```

```
[Out] ((b^3/((a^2 - b^2)^2*(a + b*Cos[c + d*x])) - (2*(-2*a*b + a^2*Cos[c + d*x] + b^2*Cos[c + d*x])*Csc[c + d*x]^2)/(3*(a^2 - b^2)^2))*Sin[c + d*x]^3)/(d*(e*Sin[c + d*x])^(5/2)) + (Sin[c + d*x]^(5/2)*((2*(2*a^2*b + 5*b^3)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2]))*(a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)) - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]*Sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/(a + b*Cos[c + d*x]*(1 - Sin[c + d*x]^2)) + (2*(2*a^3 - 16*a*b^2)*Cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2))*((-1/8 + I/8)*Sqrt[b]*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)) - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)) + Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]))/(-a^2 + b^2)^(3/4) + (5*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/(a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]))/(6*(a - b)^2*(a + b)^2*d*(e*Sin[c + d*x])^(5/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate(1/((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(5/2)), x)
```

maple [B] time = 1.67, size = 2143, normalized size = 4.04

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x)

[Out] $\frac{1}{d} \frac{e a^3 b^3}{(a-b)^2 (a+b)^2 (e \sin(d x+c))^{1/2}} \frac{1}{(-b^2 \cos(d x+c)^2 e^2 + a^2 e^2)^{1/2}} + \frac{7}{8} \frac{d e a^3 b^3}{(a-b)^2 (a+b)^2 (e^2 (a^2 - b^2) / b^2)^{1/4}} \frac{1}{(a^2 e^2 - b^2 e^2)^{1/2}} \ln\left(\frac{(e \sin(d x+c) + (e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(d x+c))^{1/2})^{1/2} + (e^2 (a^2 - b^2) / b^2)^{1/4}}{(e \sin(d x+c) - (e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(d x+c))^{1/2})^{1/2} + (e^2 (a^2 - b^2) / b^2)^{1/4}}\right) + \frac{7}{4} \frac{d e a^3 b^3}{(a-b)^2 (a+b)^2 (e^2 (a^2 - b^2) / b^2)^{1/4}} \frac{1}{(a^2 e^2 - b^2 e^2)^{1/2}} \arctan\left(\frac{2^{1/2}}{(e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(d x+c))^{1/2} + 1}\right) + \frac{7}{4} \frac{d e a^3 b^3}{(a-b)^2 (a+b)^2 (e^2 (a^2 - b^2) / b^2)^{1/4}} \frac{1}{(a^2 e^2 - b^2 e^2)^{1/2}} \arctan\left(\frac{2^{1/2}}{(e^2 (a^2 - b^2) / b^2)^{1/4} (e \sin(d x+c))^{1/2} - 1}\right) + \frac{4}{3} \frac{d e a^3 b^3}{(a-b)^2 (a+b)^2 (e \sin(d x+c))^{3/2}} + \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{b}{(a-b)^2 (a+b)^2 (-a^2 + b^2)^{1/2}} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 - (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) a^2 + \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} b^3 \frac{1}{(a-b)^2 (a+b)^2 (-a^2 + b^2)^{1/2}} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 - (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) - \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{b}{(a-b)^2 (a+b)^2 (-a^2 + b^2)^{1/2}} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 + (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) a^2 - \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} b^3 \frac{1}{(a-b)^2 (a+b)^2 (-a^2 + b^2)^{1/2}} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 + (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) - \frac{1}{d} \frac{e^2 \sin(d x+c) \cos(d x+c)}{(e \sin(d x+c))^{1/2}} \frac{b^4}{(a-b)(a+b)(a^2 - b^2)} \frac{1}{(-\cos(d x+c)^2 b^2 + a^2)} - \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{b^2}{(a-b)(a+b)(a^2 - b^2)} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \text{EllipticF}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) + \frac{5}{4} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} a^2 \frac{b}{(a-b)(a+b)(a^2 - b^2)} (-a^2 + b^2)^{1/2} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 - (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) - \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{b^3}{(a-b)(a+b)(a^2 - b^2)} (-a^2 + b^2)^{1/2} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 + (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) - \frac{5}{4} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} a^2 \frac{b}{(a-b)(a+b)(a^2 - b^2)} (-a^2 + b^2)^{1/2} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 + (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) + \frac{1}{2} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{b^3}{(a-b)(a+b)(a^2 - b^2)} (-a^2 + b^2)^{1/2} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{1/2} \frac{1}{(1 + (-a^2 + b^2)^{1/2} / b)} \text{EllipticPi}\left(\frac{-\sin(d x+c) + 1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{1 + (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) + \frac{1}{3} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{1}{(a^2 - b^2)^2 (\cos(d x+c)^2 - 1)} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{5/2} \text{EllipticF}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) a^2 + \frac{1}{3} \frac{d e^2}{\cos(d x+c)} \frac{1}{(e \sin(d x+c))^{1/2}} \frac{1}{(a^2 - b^2)^2 (\cos(d x+c)^2 - 1)} (-\sin(d x+c) + 1)^{1/2} (2 \sin(d x+c) + 2)^{1/2} \sin(d x+c)^{5/2} \text{EllipticF}\left(\frac{-\sin(d x+c) + 1}{1 - (-a^2 + b^2)^{1/2} / b}, \frac{1}{2} 2^{1/2}\right) b^2 + \frac{2}{3} \frac{d e^2 \cos(d x+c)}{(e \sin(d x+c))^{1/2}} \frac{1}{(a^2 - b^2)^2 (\cos(d x+c)^2 - 1)} \sin(d x+c) a^2 + \frac{2}{3} \frac{d e^2 \cos(d x+c)}{(e \sin(d x+c))^{1/2}} \frac{1}{(a^2 - b^2)^2 (\cos(d x+c)^2 - 1)} \sin(d x+c) b^2$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{5/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2),x)
```

```
[Out] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))^2), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))**2/(e*sin(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

$$3.77 \quad \int \frac{1}{(a+b \cos(c+dx))^2 (e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=590

$$\frac{b}{de(a^2 - b^2)(e \sin(c + dx))^{5/2}(a + b \cos(c + dx))} + \frac{9ab - (2a^2 + 7b^2) \cos(c + dx)}{5de(a^2 - b^2)^2 (e \sin(c + dx))^{5/2}} + \frac{9ab^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{2de^{7/2} (b^2 - a^2)^{13/4}}$$

[Out] $9/2*a*b^{(7/2)*\arctan(b^{(1/2)*(e*\sin(d*x+c))^{(1/2)/(-a^2+b^2)^{(1/4)/e^{(1/2))}}/(-a^2+b^2)^{(13/4)/d/e^{(7/2)}-9/2*a*b^{(7/2)*\operatorname{arctanh}(b^{(1/2)*(e*\sin(d*x+c))^{(1/2)/(-a^2+b^2)^{(1/4)/e^{(1/2))}}/(-a^2+b^2)^{(13/4)/d/e^{(7/2)}-b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(5/2)}+1/5*(9*a*b-(2*a^2+7*b^2)*\cos(d*x+c))/(a^2-b^2)^2/d/e/(e*\sin(d*x+c))^{(5/2)}-3/5*(15*a*b^3+(2*a^4-10*a^2*b^2-7*b^4)*\cos(d*x+c))/(a^2-b^2)^3/d/e^3/(e*\sin(d*x+c))^{(1/2)}-9/2*a^2*b^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b-(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)/(a^2-b^2)^3/d/e^3/(b-(-a^2+b^2)^{(1/2)))/(e*\sin(d*x+c))^{(1/2)}-9/2*a^2*b^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b+(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)/(a^2-b^2)^3/d/e^3/(b+(-a^2+b^2)^{(1/2)))/(e*\sin(d*x+c))^{(1/2)}+3/5*(2*a^4-10*a^2*b^2-7*b^4)*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)^3/d/e^4/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.68, antiderivative size = 590, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2694, 2866, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{9ab^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{2de^{7/2} (b^2 - a^2)^{13/4}} - \frac{9ab^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{2de^{7/2} (b^2 - a^2)^{13/4}} - \frac{3\left(\left(-10a^2b^2 + 2a^4 - 7b^4\right) \cos(c + dx) + 15ab^3\right)}{5de^3 (a^2 - b^2)^3 \sqrt{e \sin(c + dx)}} - 3\left(\frac{b^2 - a^2}{e \sin(c + dx)}\right)^{13/4}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(7/2)),x]

[Out] $(9*a*b^{(7/2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(2*(-a^2 + b^2)^{(13/4)*d*e^{(7/2)}) - (9*a*b^{(7/2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(2*(-a^2 + b^2)^{(13/4)*d*e^{(7/2)}) - b/((a^2 - b^2)*d*e*(a + b*\cos[c + d*x])*(e*\sin[c + d*x])^{(5/2)}) + (9*a*b - (2*a^2 + 7*b^2)*\cos[c + d*x])/(5*(a^2 - b^2)^2*d*e*(e*\sin[c + d*x])^{(5/2)}) - (3*(15*a*b^3 + (2*a^4 - 10*a^2*b^2 - 7*b^4)*\cos[c + d*x]))/(5*(a^2 - b^2)^3*d*e^3*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (9*a^2*b^3*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*(a^2 - b^2)^3*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*e^3*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (9*a^2*b^3*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(2*(a^2 - b^2)^3*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*e^3*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (3*(2*a^4 - 10*a^2*b^2 - 7*b^4)*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/(5*(a^2 - b^2)^3*d*e^4*\operatorname{Sqrt}[\sin[c + d*x]])$

Rule 205

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

+ f*x]]/(c + d]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2866

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*Cos[e + f*x]]^(p + 1)*(a + b*Sin[e + f*x]]^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x]))/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x]]^(p + 2)*(a + b*Sin[e + f*x]]^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x]]^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x]]^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^2 (e \sin(c + dx))^{7/2}} dx = -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{\int \frac{-a + \frac{7}{2} b \cos(c + dx)}{(a + b \cos(c + dx))(e \sin(c + dx))^{7/2}} dx}{-a^2 - b^2}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= -\frac{b}{(a^2 - b^2) de(a + b \cos(c + dx))(e \sin(c + dx))^{5/2}} + \frac{9ab - (2a^2 + 7b^2)}{5(a^2 - b^2)^2 de}$$

$$= \frac{9ab^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{13/4} de^{7/2}} - \frac{9ab^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{2(-a^2 + b^2)^{13/4} de^{7/2}} - \frac{1}{(a^2 - b^2)}$$

Mathematica [C] time = 6.61, size = 950, normalized size = 1.61

$$\frac{\sin^4(c + dx) \left(-\frac{\sin(c+dx)b^5}{(a^2-b^2)^3(a+b\cos(c+dx))} - \frac{2(\cos(c+dx)a^2-2ba+b^2\cos(c+dx))\csc^3(c+dx)}{5(a^2-b^2)^2} - \frac{2(3\cos(c+dx)a^4-15b^2\cos(c+dx)a^2+20b^3a-8b^4)}{5(a^2-b^2)^3} \right)}{d(e\sin(c+dx))^{7/2}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*Cos[c + d*x])^2*(e*Sin[c + d*x])^(7/2)),x]

[Out] (Sin[c + d*x]^4*((-2*(20*a*b^3 + 3*a^4*Cos[c + d*x] - 15*a^2*b^2*Cos[c + d*x] - 8*b^4*Cos[c + d*x])*Csc[c + d*x])/(5*(a^2 - b^2)^3) - (2*(-2*a*b + a^2*Cos[c + d*x] + b^2*Cos[c + d*x])*Csc[c + d*x]^3)/(5*(a^2 - b^2)^2) - (b^5*Sin[c + d*x])/((a^2 - b^2)^3*(a + b*Cos[c + d*x])))/(d*(e*Sin[c + d*x])^(7/2)) - (3*Sin[c + d*x]^(7/2)*(((2*a^4*b - 10*a^2*b^3 - 7*b^5)*Cos[c + d*x]^2*(3*sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[sqrt[a^2 - b^2] - sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[sqrt[a^2 - b^2] + sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(2*a^5 - 10*a^3*b^2 - 22*a*b^4)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*sqrt[b]*sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*sqrt[b]*sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[sqrt[-a^2 + b^2] - (1 + I)*sqrt[b]*(-a^2 + b^2)^(1/4)*sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[sqrt[-a^2 + b^2] + (1 + I)*sqrt[b]*(-a^2 + b^2)^(1/4)*sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]]))/((sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2)))*(a + b*sqrt[1 - Sin[c + d*x]^2]))/(10*(a - b)^3*(a + b)^3*d*(e*Sin[c + d*x])^(7/2))

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^2 (e \sin(dx + c))^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)^2*(e*sin(d*x + c))^(7/2)), x)

maple [B] time = 2.08, size = 2888, normalized size = 4.89

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}(1/(a+b*\cos(d*x+c))^2/(e*\sin(d*x+c))^{7/2}, x)$

[Out]
$$\begin{aligned} & 6/d/e^3*\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^2/(a^2-b^2)^3*a^2-6/5/d/e^3*\cos(d*x+c)^3/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2/(\cos(d*x+c)^2-1)*a^2-6/5/d/e^3*\cos(d*x+c)^3/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2/(\cos(d*x+c)^2-1)*b^2+8/5/d/e^3*\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2/(\cos(d*x+c)^2-1)*a^2+8/5/d/e^3*\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2/(\cos(d*x+c)^2-1)*b^2+4/5/d/e^3*a*b/(a+b)^2/(a-b)^2/(e*\sin(d*x+c))^{5/2}-8/d/e^3*a*b^3/(a-b)^3/(a+b)^3/(e*\sin(d*x+c))^{1/2}-3/4/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*a^2*b^2/(a-b)^2/(a+b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/4/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*a^2*b^2/(a-b)^2/(a+b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-6/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^2/(a^2-b^2)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*a^2+3/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^2/(a^2-b^2)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*a^2+3/5/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2*\sin(d*x+c)^{5/2}/(\cos(d*x+c)^2-1)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*b^2-1/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a-b)^3/(a+b)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-1/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a-b)^3/(a+b)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-1/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a-b)^2/(a+b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})+1/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a-b)^2/(a+b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+1/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a-b)^2/(a+b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^2/(a-b)^3/(a+b)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})*a^2-3/2/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^2/(a-b)^3/(a+b)^3*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\sin(d*x+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*\text{EllipticPi}((-\sin(d*x+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})*a^2-6/5/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2*\sin(d*x+c)^{5/2}/(\cos(d*x+c)^2-1)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*a^2-6/5/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2*\sin(d*x+c)^{5/2}/(\cos(d*x+c)^2-1)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\text{EllipticE}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*b^2+3/5/d/e^3/\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2*\sin(d*x+c)^{5/2}/(\cos(d*x+c)^2-1)*(-\sin(d*x+c)+1)^{1/2}*(2*\sin(d*x+c)+2)^{1/2}*\text{EllipticF}((-\sin(d*x+c)+1)^{1/2}, 1/2*2^{1/2})*a^2-1/d/e^3*a*b^5/(a-b)^3/(a+b)^3*(e*\sin(d*x+c))^{3/2}/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)+2/d/e^3*\cos(d*x+c)/(e*\sin(d*x+c))^{1/2}*b^4/(a^2-b^2)^3-9/4/d/e^3*a*b^3/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}+1)-9/4/d/e^3*a*b^3/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d*x+c))^{1/2}-1)-9/8/d/e^3*a*b^3/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*\ln((e*\sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(d$$


```

*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)
)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))+1/d/e
^3*sin(d*x+c)^2*cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^6/(a-b)^2/(a+b)^2/(a^2-b^
2)/(-cos(d*x+c)^2*b^2+a^2)-2/d/e^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^4/(a^2
-b^2)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*Ellip
ticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))+1/d/e^3/cos(d*x+c)/(e*sin(d*x+c))^(
1/2)*b^4/(a^2-b^2)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c
)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))^2/(e*sin(d*x+c))^(7/2),x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{7/2} (a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2),x)
```

```
[Out] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))**2/(e*sin(d*x+c))**(7/2),x)
```

[Out] Timed out

$$3.78 \quad \int \frac{(e \sin(c+dx))^{13/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=590

$$\frac{11ae^6 (45a^2 - 37b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right)\middle| 2\right) \sqrt{e \sin(c + dx)}}{20b^6 d \sqrt{\sin(c + dx)}} - \frac{11e^5 (e \sin(c + dx))^{3/2} (5(9a^2 - 2b^2) - 27ab \cos(c + dx))}{60b^5 d}$$

[Out] $11/8*(9*a^4-11*a^2*b^2+2*b^4)*e^{(13/2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(13/2)}/(-a^2+b^2)^{(1/4)}/d-11/8*(9*a^4-11*a^2*b^2+2*b^4)*e^{(13/2)*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(13/2)}/(-a^2+b^2)^{(1/4)}/d-11/60*e^5*(45*a^2-10*b^2-27*a*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(3/2)}/b^5/d+11/28*e^3*(9*a^2+2*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(7/2)}/b^3/d/(a+b*\cos(d*x+c))+1/2*e*(e*\sin(d*x+c))^{(11/2)}/b/d/(a+b*\cos(d*x+c))^2+11/8*a*(9*a^4-11*a^2*b^2+2*b^4)*e^7*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^7/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+11/8*a*(9*a^4-11*a^2*b^2+2*b^4)*e^7*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^7/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-11/20*a*(45*a^2-37*b^2)*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/b^6/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.47, antiderivative size = 590, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$, Rules used = {2693, 2863, 2865, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{11e^{13/2} (-11a^2b^2 + 9a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8b^{13/2} d \sqrt[4]{b^2-a^2}} - \frac{11e^{13/2} (-11a^2b^2 + 9a^4 + 2b^4) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8b^{13/2} d \sqrt[4]{b^2-a^2}} - 11e^5$$

Antiderivative was successfully verified.

[In] Int[(e*Sin[c + d*x])^(13/2)/(a + b*Cos[c + d*x])^3,x]

[Out] $(11*(9*a^4 - 11*a^2*b^2 + 2*b^4)*e^{(13/2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(8*b^{(13/2)}*(-a^2 + b^2)^{(1/4)}*d) - (11*(9*a^4 - 11*a^2*b^2 + 2*b^4)*e^{(13/2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(8*b^{(13/2)}*(-a^2 + b^2)^{(1/4)}*d) - (11*a*(9*a^4 - 11*a^2*b^2 + 2*b^4)*e^7*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^7*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (11*a*(9*a^4 - 11*a^2*b^2 + 2*b^4)*e^7*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^7*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (11*a*(45*a^2 - 37*b^2)*e^6*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/(20*b^6*d*\operatorname{Sqrt}[\sin[c + d*x]]) - (11*e^5*(5*(9*a^2 - 2*b^2) - 27*a*b*\cos[c + d*x])*(e*\sin[c + d*x])^{(3/2)})/(60*b^5*d) + (11*e^3*(9*a + 2*b*\cos[c + d*x])*(e*\sin[c + d*x])^{(7/2)})/(28*b^3*d*(a + b*\cos[c + d*x])) + (e*(e*\sin[c + d*x])^{(11/2)})/(2*b*d*(a + b*\cos[c + d*x])^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*SIN[c + d*x]]/Sqrt[SIN[c + d*x]], Int[Sqrt[SIN[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*cos[e + f*x])^(p - 1)*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*cos[e + f*x])^(p - 2)*(a + b*SIN[e + f*x])^(m + 1)*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_) + (f_)*(x_)])*(g_)]/((a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*cos[e + f*x]]*(q + b*cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*cos[e + f*x]]*(q - b*cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*SIN[e + f*x])/(c + d)]/Sqrt[c + d*SIN[e + f*x]], Int[1/((a + b*SIN[e + f*x])*Sqrt[c/(c + d) + (d*SIN[e

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2863

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2865

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(e \sin(c + dx))^{13/2}}{(a + b \cos(c + dx))^3} dx &= \frac{e(e \sin(c + dx))^{11/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(11e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{9/2}}{(a+b \cos(c+dx))^2} dx}{4b} \\
&= \frac{11e^3(9a + 2b \cos(c + dx))(e \sin(c + dx))^{7/2}}{28b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{11/2}}{2bd(a + b \cos(c + dx))^2} + \frac{(11e^4) \int}{28b^3d(a + b \cos(c + dx))} \\
&= -\frac{11e^5(5(9a^2 - 2b^2) - 27ab \cos(c + dx))(e \sin(c + dx))^{3/2}}{60b^5d} + \frac{11e^3(9a + 2b \cos(c + dx))^{3/2}}{28b^3d(a + b \cos(c + dx))} \\
&= -\frac{11e^5(5(9a^2 - 2b^2) - 27ab \cos(c + dx))(e \sin(c + dx))^{3/2}}{60b^5d} + \frac{11e^3(9a + 2b \cos(c + dx))^{3/2}}{28b^3d(a + b \cos(c + dx))} \\
&= -\frac{11e^5(5(9a^2 - 2b^2) - 27ab \cos(c + dx))(e \sin(c + dx))^{3/2}}{60b^5d} + \frac{11e^3(9a + 2b \cos(c + dx))^{3/2}}{28b^3d(a + b \cos(c + dx))} \\
&= \frac{11a(45a^2 - 37b^2)e^6E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)\sqrt{e \sin(c + dx)}}{20b^6d\sqrt{\sin(c + dx)}} - \frac{11e^5(5(9a^2 - 2b^2) - 27ab \cos(c + dx))^{3/2}}{28b^3d(a + b \cos(c + dx))} \\
&= -\frac{11a(9a^4 - 11a^2b^2 + 2b^4)e^7\Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)\sqrt{\sin(c + dx)}}{8b^7(b - \sqrt{-a^2 + b^2})d\sqrt{e \sin(c + dx)}} - \frac{11e^5(5(9a^2 - 2b^2) - 27ab \cos(c + dx))^{3/2}}{28b^3d(a + b \cos(c + dx))} \\
&= \frac{11(9a^4 - 11a^2b^2 + 2b^4)e^{13/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{8b^{13/2}\sqrt[4]{-a^2 + b^2}d} - \frac{11(9a^4 - 11a^2b^2 + 2b^4)e^{13/2}}{8b^{13/2}\sqrt[4]{-a^2 + b^2}d}
\end{aligned}$$

Mathematica [C] time = 15.02, size = 930, normalized size = 1.58

$$11 \left[\frac{(45a^3 - 37ab^2) \left(8F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2 - a^2}\right) \sin^{\frac{3}{2}}(c+dx) b^{5/2} + 3\sqrt{2} a(a^2 - b^2)^{3/4} \left(2 \tan^{-1}\left(1 - \frac{\sqrt{2} \sqrt{b} \sqrt{\sin(c+dx)}}{\sqrt[4]{a^2 - b^2}}\right) - 2 \tan^{-1}\left(\frac{\sqrt{2} \sqrt{b} \sqrt{\sin(c+dx)}}{\sqrt[4]{a^2 - b^2}}\right) \right) \right]}{12b^{3/2}(b^2 - a^2)} \right]$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(13/2)/(a + b*Cos[c + d*x])^3,x]

[Out] (11*(e*Sin[c + d*x])^(13/2)*(((45*a^3 - 37*a*b^2)*Cos[c + d*x]^2*(3*sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[sqrt[a^2 - b^2] - sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[sqrt[a^2 - b^2] + sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(18*a^2*b - 10*b^3)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*sqrt[b]*sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*sqrt[b]*sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[sqrt[-a^2 + b^2] - (1 + I)*sqrt[b]*(-a^2 + b^2)^(1/4)*sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[sqrt[-a^2 + b^2] + (1 + I)*sqrt[b]

```
*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/((a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]))/(40*b^5*d*Sin[c + d*x]^(13/2)) + (Csc[c + d*x]^6*(e*Sin[c + d*x])^(13/2)*((-168*a^2 + 65*b^2)*Sin[c + d*x])/(42*b^5) - (19*(a^3*Sin[c + d*x] - a*b^2*Sin[c + d*x]))/(4*b^5*(a + b*Cos[c + d*x])) + (a^4*Sin[c + d*x] - 2*a^2*b^2*Sin[c + d*x] + b^4*Sin[c + d*x])/(2*b^5*(a + b*Cos[c + d*x])^2) + (3*a*Sin[2*(c + d*x)])/(5*b^4) - Sin[3*(c + d*x)]/(14*b^3))/d
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(13/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(13/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

[Out] Timed out

maple [B] time = 2.88, size = 7803, normalized size = 13.23

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(13/2)/(a+b*cos(d*x+c))^3,x)
```

[Out] result too large to display

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(13/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{13/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(c + d*x))^(13/2)/(a + b*cos(c + d*x))^3,x)
```

[Out] int((e*sin(c + d*x))^(13/2)/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))**(13/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

$$3.79 \quad \int \frac{(e \sin(c+dx))^{11/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=604

$$\frac{3ae^6 (21a^2 - 13b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}(c+dx - \frac{\pi}{2}) \middle| 2\right)}{4b^6 d \sqrt{e \sin(c+dx)}} - \frac{3e^5 \sqrt{e \sin(c+dx)} (3(7a^2 - 2b^2) - 7ab \cos(c+dx))}{4b^5 d} - 9e^{11/2}$$

[Out] $-9/8*(7*a^4-9*a^2*b^2+2*b^4)*e^{(11/2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})}/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(11/2)}/(-a^2+b^2)^{(3/4)}/d-9/8*(7*a^4-9*a^2*b^2+2*b^4)*e^{(11/2)*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)})}/(-a^2+b^2)^{(1/4)}/e^{(1/2)}/b^{(11/2)}/(-a^2+b^2)^{(3/4)}/d+9/20*e^3*(7*a+2*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(5/2)}/b^3/d/(a+b*\cos(d*x+c))+1/2*e*(e*\sin(d*x+c))^{(9/2)}/b/d/(a+b*\cos(d*x+c))^{(5/2)}-3/4*a*(21*a^2-13*b^2)*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(e*\sin(d*x+c))^{(1/2)}+9/8*a*(7*a^4-9*a^2*b^2+2*b^4)*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/e^{(1/2)}+9/8*a*(7*a^4-9*a^2*b^2+2*b^4)*e^6*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^6/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/e^{(1/2)}-3/4*e^5*(21*a^2-6*b^2-7*a*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(1/2)}/b^5/d$

Rubi [A] time = 1.58, antiderivative size = 604, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$, Rules used = {2693, 2863, 2865, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{9e^{11/2} (-9a^2b^2 + 7a^4 + 2b^4) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8b^{11/2}d (b^2 - a^2)^{3/4}} - \frac{9e^{11/2} (-9a^2b^2 + 7a^4 + 2b^4) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8b^{11/2}d (b^2 - a^2)^{3/4}} - 3e^5 \sqrt{e}$$

Antiderivative was successfully verified.

[In] Int[(e*Sin[c + d*x])^(11/2)/(a + b*Cos[c + d*x])^3,x]

[Out] $(-9*(7*a^4 - 9*a^2*b^2 + 2*b^4)*e^{(11/2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])]/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(8*b^{(11/2)}*(-a^2 + b^2)^{(3/4)*d}) - (9*(7*a^4 - 9*a^2*b^2 + 2*b^4)*e^{(11/2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])]/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(8*b^{(11/2)}*(-a^2 + b^2)^{(3/4)*d}) + (3*a*(21*a^2 - 13*b^2)*e^6*\operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(4*b^6*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (9*a*(7*a^4 - 9*a^2*b^2 + 2*b^4)*e^6*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^6*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (9*a*(7*a^4 - 9*a^2*b^2 + 2*b^4)*e^6*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^6*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (3*e^5*(3*(7*a^2 - 2*b^2) - 7*a*b*\cos[c + d*x])*\operatorname{Sqrt}[e*\sin[c + d*x]])/(4*b^5*d) + (9*e^3*(7*a + 2*b*\cos[c + d*x))*(e*\sin[c + d*x])^{(5/2)})/(20*b^3*d*(a + b*\cos[c + d*x])) + (e*(e*\sin[c + d*x])^{(9/2)})/(2*b*d*(a + b*\cos[c + d*x])^2)$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_) + (f_)*(x_)])*(g_)*((a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*cos[e + f*x]]*(q + b*cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*cos[e + f*x]]*(q - b*cos[e + f*x])), x], x]]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2863

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2865

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + p)*Sin[e + f*x]))/(b^2*f*(m + p)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + p)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^m*Simp[b*(a*d*m + b*c*(m + p + 1)) + (a*b*c*(m + p + 1) - d*(a^2*p - b^2*(m + p)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[p, 1] && NeQ[m + p, 0] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2867

Int[(((cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{(e \sin(c + dx))^{11/2}}{(a + b \cos(c + dx))^3} dx &= \frac{e(e \sin(c + dx))^{9/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(9e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{7/2}}{(a+b \cos(c+dx))^2} dx}{4b} \\
&= \frac{9e^3(7a + 2b \cos(c + dx))(e \sin(c + dx))^{5/2}}{20b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{9/2}}{2bd(a + b \cos(c + dx))^2} + \frac{(9e^4) \int \frac{\cos(c+dx)(e \sin(c+dx))^{5/2}}{(a+b \cos(c+dx))^2} dx}{4b} \\
&= -\frac{3e^5(3(7a^2 - 2b^2) - 7ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{4b^5d} + \frac{9e^3(7a + 2b \cos(c + dx))}{20b^3d(a + b \cos(c + dx))} \\
&= -\frac{3e^5(3(7a^2 - 2b^2) - 7ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{4b^5d} + \frac{9e^3(7a + 2b \cos(c + dx))}{20b^3d(a + b \cos(c + dx))} \\
&= -\frac{3e^5(3(7a^2 - 2b^2) - 7ab \cos(c + dx)) \sqrt{e \sin(c + dx)}}{4b^5d} + \frac{9e^3(7a + 2b \cos(c + dx))}{20b^3d(a + b \cos(c + dx))} \\
&= \frac{3a(21a^2 - 13b^2)e^6F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^6d\sqrt{e \sin(c + dx)}} - \frac{3e^5(3(7a^2 - 2b^2) - 7ab \cos(c + dx))}{4b^5d} \\
&= \frac{3a(21a^2 - 13b^2)e^6F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^6d\sqrt{e \sin(c + dx)}} - \frac{9a(7a^4 - 9a^2b^2 + 2b^4)e^{11/2}}{8b^6(a^2 - b^2)} \\
&= -\frac{9(7a^4 - 9a^2b^2 + 2b^4)e^{11/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8b^{11/2}(-a^2 + b^2)^{3/4}d} - \frac{9(7a^4 - 9a^2b^2 + 2b^4)e^{11/2}}{8b^{11/2}(-a^2 + b^2)}
\end{aligned}$$

Mathematica [C] time = 14.58, size = 2024, normalized size = 3.35

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(11/2)/(a + b*Cos[c + d*x])^3,x]

[Out] (((2*a*Cos[c + d*x])/b^4 + (-a^2 + b^2)^2/(2*b^5*(a + b*Cos[c + d*x])^2) - (17*a*(a^2 - b^2))/(4*b^5*(a + b*Cos[c + d*x])) - Cos[2*(c + d*x)]/(5*b^3)) *Csc[c + d*x]^5*(e*Sin[c + d*x])^(11/2)/d + (3*(e*Sin[c + d*x])^(11/2)*((2*(25*a^3 - 37*a*b^2)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2]))*((a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]]*Sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2))))/(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2) + (2*(30*a^2*b - 16*b^3)*Cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*((-1/8 + I/8)*Sqrt[b]*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] + Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]])))/(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)

```
*x]] + I*b*Sin[c + d*x]] - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])/(-a^2 + b^2)^(3/4) + (5*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2]) + ((-40*a^2*b + 14*b^3)*Cos[c + d*x]*Cos[2*(c + d*x)]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)))/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/2 - I/2)*(-2*a^2 + b^2)*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(-a^2 + b^2)^(1/4)))/(b^(3/2)*(-a^2 + b^2)^(3/4)) + ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/4 - I/4)*(-2*a^2 + b^2)*Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])/(b^(3/2)*(-a^2 + b^2)^(3/4)) + (4*Sqrt[Sin[c + d*x]])/b - (4*a*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(5/2))/(5*(a^2 - b^2)) + (10*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)])*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*Cos[c + d*x])*(1 - 2*Sin[c + d*x]^2)*Sqrt[1 - Sin[c + d*x]^2])))/(40*b^5*d*Sin[c + d*x]^(11/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 2.68, size = 7238, normalized size = 11.98

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] result too large to display
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(11/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + d x))^{11/2}}{(a + b \cos(c + d x))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(11/2)/(a + b*cos(c + d*x))^3,x)

[Out] int((e*sin(c + d*x))^(11/2)/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(11/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.80 \quad \int \frac{(e \sin(c+dx))^{9/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=498

$$\frac{7e^{9/2} (5a^2 - 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{9/2} d \sqrt[4]{b^2 - a^2}} + \frac{7e^{9/2} (5a^2 - 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{9/2} d \sqrt[4]{b^2 - a^2}} + \frac{7ae^5 (5a^2 - 2b^2) \sqrt{\sin(c+dx)}}{8b^5 d (b - \sqrt{b^2 - a^2})}$$

[Out] $-7/8*(5*a^2-2*b^2)*e^{(9/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(9/2)}/(-a^2+b^2)^{(1/4)}/d+7/8*(5*a^2-2*b^2)*e^{(9/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(9/2)}/(-a^2+b^2)^{(1/4)}/d+7/12*e^3*(5*a+2*b*\cos(d*x+c))*(e*\sin(d*x+c))^{(3/2)}/b^3/d/(a+b*\cos(d*x+c))+1/2*e*(e*\sin(d*x+c))^{(7/2)}/b/d/(a+b*\cos(d*x+c))^{(1/2)}-7/8*a*(5*a^2-2*b^2)*e^5*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^5/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-7/8*a*(5*a^2-2*b^2)*e^5*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^5/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+35/4*a*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/b^4/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.11, antiderivative size = 498, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2863, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{7e^{9/2} (5a^2 - 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{9/2} d \sqrt[4]{b^2 - a^2}} + \frac{7e^{9/2} (5a^2 - 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{9/2} d \sqrt[4]{b^2 - a^2}} + \frac{7ae^5 (5a^2 - 2b^2) \sqrt{\sin(c+dx)}}{8b^5 d (b - \sqrt{b^2 - a^2})}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c + d*x])^{(9/2)}/(a + b*\cos[c + d*x])^3, x]$

[Out] $(-7*(5*a^2 - 2*b^2)*e^{(9/2)}*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(8*b^{(9/2)}*(-a^2 + b^2)^{(1/4)}*d) + (7*(5*a^2 - 2*b^2)*e^{(9/2)}*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])])/(8*b^{(9/2)}*(-a^2 + b^2)^{(1/4)}*d) + (7*a*(5*a^2 - 2*b^2)*e^5*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^5*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (7*a*(5*a^2 - 2*b^2)*e^5*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^5*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (35*a*e^4*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/(4*b^4*d*\operatorname{Sqrt}[\sin[c + d*x]]) + (7*e^3*(5*a + 2*b*\cos[c + d*x])*(e*\sin[c + d*x])^{(3/2)})/(12*b^3*d*(a + b*\cos[c + d*x])) + (e*(e*\sin[c + d*x])^{(7/2)})/(2*b*d*(a + b*\cos[c + d*x])^2)$

Rule 205

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a + b*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2640

```
Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2693

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]
```

Rule 2701

```
Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2863

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]
```

Rule 2867

```
Int[(((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{(e \sin(c + dx))^{9/2}}{(a + b \cos(c + dx))^3} dx = \frac{e(e \sin(c + dx))^{7/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(7e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{5/2} dx}{(a+b \cos(c+dx))^2}}{4b}$$

$$= \frac{7e^3(5a + 2b \cos(c + dx))(e \sin(c + dx))^{3/2}}{12b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{7/2}}{2bd(a + b \cos(c + dx))^2} + \frac{(7e^4) \int \frac{(-b - \frac{5}{2} \cos(c + dx))^{5/2} dx}{(a + b \cos(c + dx))^2}}{4b}$$

$$= \frac{7e^3(5a + 2b \cos(c + dx))(e \sin(c + dx))^{3/2}}{12b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{7/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(35ae^4) \int \sqrt{e \sin(c + dx)}}{8b^3d}$$

$$= \frac{7e^3(5a + 2b \cos(c + dx))(e \sin(c + dx))^{3/2}}{12b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{7/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(7a(5a^2 - 2b^2) \int \sqrt{e \sin(c + dx)})}{8b^3d}$$

$$= -\frac{35ae^4 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{4b^4d \sqrt{\sin(c + dx)}} + \frac{7e^3(5a + 2b \cos(c + dx))(e \sin(c + dx))^{7/2}}{12b^3d(a + b \cos(c + dx))}$$

$$= \frac{7a(5a^2 - 2b^2) e^5 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{8b^5(b - \sqrt{-a^2 + b^2})d \sqrt{e \sin(c + dx)}} + \frac{7a(5a^2 - 2b^2) e^{5/2}}{8b^5d}$$

$$= -\frac{7(5a^2 - 2b^2) e^{9/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8b^{9/2} \sqrt[4]{-a^2 + b^2} d} + \frac{7(5a^2 - 2b^2) e^{9/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8b^{9/2} \sqrt[4]{-a^2 + b^2} d}$$

Mathematica [C] time = 14.36, size = 837, normalized size = 1.68

$$\frac{\text{csc}^4(c + dx)(e \sin(c + dx))^{9/2} \left(\frac{11a \sin(c+dx)}{4b^3(a+b \cos(c+dx))} + \frac{2 \sin(c+dx)}{3b^3} + \frac{b^2 \sin(c+dx) - a^2 \sin(c+dx)}{2b^3(a+b \cos(c+dx))^2} \right)}{d} \left(\frac{5a \left(8F_1\left(\frac{3}{4}; -\frac{1}{2}\right) \right)}{7(e \sin(c + dx))^{9/2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*SIn[c + d*x])^(9/2)/(a + b*Cos[c + d*x])^3,x]
```

```
[Out] (Csc[c + d*x]^4*(e*SIn[c + d*x])^(9/2)*((2*SIn[c + d*x])/(3*b^3) + (11*a*SIn[c + d*x])/(4*b^3*(a + b*Cos[c + d*x])) + (-a^2*SIn[c + d*x]) + b^2*SIn[c + d*x])/(2*b^3*(a + b*Cos[c + d*x])^2))/d - (7*(e*SIn[c + d*x])^(9/2)*((5*a*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[SIn[c + d*x]])]/(a^2 - b^2)^(1/4)) - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[SIn[c + d*x]])]/(a^2 - b^2)^(1/4)) - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[SIn[c + d*x]] + b*SIn[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[SIn[c + d*x]] + b*SIn[c + d*x])) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, SIn[c + d*x]^2, (b^2*SIn[c + d*x]^2)/(-a^2 + b^2)]*SIn[c + d*x]^(3/2)*(a + b*Sqrt[1 - SIn[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - SIn[c + d*x]^2)) + (4*b*Cos[c + d*x]*((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[SIn[c + d*x]])]/(-a^2 + b^2)^(1/4)) - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[SIn[c + d*x]])]/(-a^2 + b^2)^(1/4)) - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[SIn[c + d*x]] + I*b*SIn[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[SIn[c + d*x]] + I*b*SIn[c + d*x]]))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, SIn[c + d*x]^2, (b^2*SIn[c + d*x]^2)/(-a^2 + b^2)]*SIn[c + d*x]^(3/2))/(3*(a^2 - b^2))*(a + b*Sqrt[1 - SIn[c + d*x]^2]))/((a + b*Cos[c + d*x])*Sqrt[1 - SIn[c + d*x]^2]))/(8*b^3*d*SIn[c + d*x]^(9/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 2.38, size = 5791, normalized size = 11.63

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] result too large to display
```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(9/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Timed out
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{9/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(9/2)/(a + b*cos(c + d*x))^3,x)

[Out] int((e*sin(c + d*x))^(9/2)/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(9/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.81 \quad \int \frac{(e \sin(c+dx))^{7/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=512

$$\frac{5e^{7/2} (3a^2 - 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{7/2} d (b^2 - a^2)^{3/4}} + \frac{5e^{7/2} (3a^2 - 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{7/2} d (b^2 - a^2)^{3/4}} + \frac{5ae^4 (3a^2 - 2b^2) \sqrt{\sin(c+dx)}}{8b^4 d (a^2 - b (b - \dots))}$$

[Out] $5/8*(3*a^2-2*b^2)*e^{(7/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(7/2)}/(-a^2+b^2)^{(3/4)}/d+5/8*(3*a^2-2*b^2)*e^{(7/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(7/2)}/(-a^2+b^2)^{(3/4)}/d+1/2*e*(e*\sin(d*x+c))^{(5/2)}/b/d/(a+b*\cos(d*x+c))^2+15/4*a*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(e*\sin(d*x+c))^{(1/2)}-5/8*a*(3*a^2-2*b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/e*\sin(d*x+c)^{(1/2)}-5/8*a*(3*a^2-2*b^2)*e^4*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^4/d/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/e*\sin(d*x+c)^{(1/2)}+5/4*e^3*(3*a+2*b*\cos(d*x+c))*e*\sin(d*x+c)^{(1/2)}/b^3/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 1.14, antiderivative size = 512, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2863, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{5e^{7/2} (3a^2 - 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{7/2} d (b^2 - a^2)^{3/4}} + \frac{5e^{7/2} (3a^2 - 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}} \right)}{8b^{7/2} d (b^2 - a^2)^{3/4}} + \frac{5ae^4 (3a^2 - 2b^2) \sqrt{\sin(c+dx)}}{8b^4 d (a^2 - b (b - \dots))}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c + d*x])^{(7/2)}/(a + b*\cos[c + d*x])^3, x]$

[Out] $(5*(3*a^2 - 2*b^2)*e^{(7/2)}*\operatorname{ArcTan}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])]/(8*b^{(7/2)}*(-a^2 + b^2)^{(3/4)}*d) + (5*(3*a^2 - 2*b^2)*e^{(7/2)}*\operatorname{ArcTanh}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])]/(8*b^{(7/2)}*(-a^2 + b^2)^{(3/4)}*d) - (15*a*e^4*\operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(4*b^4*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (5*a*(3*a^2 - 2*b^2)*e^4*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^4*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (5*a*(3*a^2 - 2*b^2)*e^4*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*b^4*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (5*e^3*(3*a + 2*b*\cos[c + d*x])*e*\sin[c + d*x])/(4*b^3*d*(a + b*\cos[c + d*x])) + (e*(e*\sin[c + d*x])^{(5/2)})/(2*b*d*(a + b*\cos[c + d*x])^2)$

Rule 205

$\operatorname{Int}[(a + b*x)^2, x] \rightarrow \operatorname{Simp}[\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]]/a, x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a + b*x)^2, x] \rightarrow \operatorname{Simp}[\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]]/a, x] /; \operatorname{FreeQ}\{a, b, x\} \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 212

```
Int[((a_) + (b_)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 329

```
Int[((c_)*(x_)^(m_)*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^
n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
d}, x]
```

Rule 2693

```
Int[(cos[(e_) + (f_)*(x_)])*(g_)^(p_)*((a_) + (b_)*sin[(e_) + (f_)*(x
_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x
])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[
e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; Free
Q[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && In
tegersQ[2*m, 2*p]
```

Rule 2702

```
Int[1/(Sqrt[cos[(e_) + (f_)*(x_)])*(g_)*((a_) + (b_)*sin[(e_) + (f_)*
(x_)])], x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(S
qrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int
[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dis
t[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; F
reeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2863

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c*(m + p + 1) - a*d*p + b*d*(m + 1)*Sin[e + f*x]))/(b^2*f*(m + 1)*(m + p + 1)), x] + Dist[(g^2*(p - 1))/(b^2*(m + 1)*(m + p + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Simp[b*d*(m + 1) + (b*c*(m + p + 1) - a*d*p)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && NeQ[m + p + 1, 0] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{7/2}}{(a + b \cos(c + dx))^3} dx &= \frac{e(e \sin(c + dx))^{5/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(5e^2) \int \frac{\cos(c+dx)(e \sin(c+dx))^{3/2}}{(a+b \cos(c+dx))^2} dx}{4b} \\ &= \frac{5e^3(3a + 2b \cos(c + dx))\sqrt{e \sin(c + dx)}}{4b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{5/2}}{2bd(a + b \cos(c + dx))^2} + \frac{(5e^4) \int \frac{1}{(a+b \cos(c+dx))} dx}{8} \\ &= \frac{5e^3(3a + 2b \cos(c + dx))\sqrt{e \sin(c + dx)}}{4b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{5/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(15ae^4) \int \frac{1}{\sqrt{a^2 - b^2 \cos^2(c+dx)}} dx}{8} \\ &= \frac{5e^3(3a + 2b \cos(c + dx))\sqrt{e \sin(c + dx)}}{4b^3d(a + b \cos(c + dx))} + \frac{e(e \sin(c + dx))^{5/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(5a(3a^2 - 2b^2)) \int \frac{1}{\sqrt{a^2 - b^2 \cos^2(c+dx)}} dx}{8} \\ &= -\frac{15ae^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^4d\sqrt{e \sin(c + dx)}} + \frac{5e^3(3a + 2b \cos(c + dx))\sqrt{e \sin(c + dx)}}{4b^3d(a + b \cos(c + dx))} \\ &= -\frac{15ae^4 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^4d\sqrt{e \sin(c + dx)}} + \frac{5a(3a^2 - 2b^2)e^4 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\right)}{8b^4\left(a^2 - b\left(b - \sqrt{-a^2 + b^2}\right)\right)} \\ &= \frac{5(3a^2 - 2b^2)e^{7/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{8b^{7/2}(-a^2 + b^2)^{3/4}d} + \frac{5(3a^2 - 2b^2)e^{7/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{8b^{7/2}(-a^2 + b^2)^{3/4}d} \end{aligned}$$

Mathematica [C] time = 14.56, size = 1954, normalized size = 3.82

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(e*Sin[c + d*x])^(7/2)/(a + b*Cos[c + d*x])^3,x]

[Out] (((-a^2 + b^2)/(2*b^3*(a + b*Cos[c + d*x])^2) + (9*a)/(4*b^3*(a + b*Cos[c + d*x]))) * Csc[c + d*x]^3*(e*Sin[c + d*x])^(7/2))/d - ((e*Sin[c + d*x])^(7/2) * ((14*a*Cos[c + d*x]^2*(a + b*sqrt[1 - Sin[c + d*x]^2]) * ((a*(-2*ArcTan[1 -

$$\begin{aligned} & (\text{Sqrt}[2]*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(a^2 - b^2)^{(1/4)} + 2*\text{ArcTan}[1 + (\text{Sqrt}[2]*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(a^2 - b^2)^{(1/4)}] - \text{Log}[\text{Sqrt}[a^2 - b^2] - \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]] + \text{Log}[\text{Sqrt}[a^2 - b^2] + \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]])/(4*\text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(3/4)}) + (5*b*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]]*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2])/((-5*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*\text{AppellF1}[5/4, -1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*(1 - \text{Sin}[c + d*x]^2)) + (12*b*\text{Cos}[c + d*x]*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2))*((-1/8 + I/8)*\text{Sqrt}[b]*(2*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}] - 2*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}] + \text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]] - \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])))/(-a^2 + b^2)^{(3/4)} + (5*a*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]])/(\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]*(5*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]) - (4*b*\text{Cos}[c + d*x]*\text{Cos}[2*(c + d*x)]*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2))*((1/2 - I/2)*(-2*a^2 + b^2)*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}])/((b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/2 - I/2)*(-2*a^2 + b^2)*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}])/((b^(3/2)*(-a^2 + b^2)^(3/4)) + ((1/4 - I/4)*(-2*a^2 + b^2)*\text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])/((b^(3/2)*(-a^2 + b^2)^(3/4)) - ((1/4 - I/4)*(-2*a^2 + b^2)*\text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])/((b^(3/2)*(-a^2 + b^2)^(3/4)) + (4*\text{Sqrt}[\text{Sin}[c + d*x]])/b - (4*a*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^(5/2))/(5*(a^2 - b^2)) + (10*a*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]])/(\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]*(5*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*(1 - 2*\text{Sin}[c + d*x]^2)*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))/(8*b^3*d*\text{Sin}[c + d*x]^(7/2)) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] Timed out

maple [B] time = 2.46, size = 5404, normalized size = 10.55

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^3,x)`

[Out] result too large to display

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*sin(d*x+c))^(7/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{7/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x))^3,x)`

[Out] `int((e*sin(c + d*x))^(7/2)/(a + b*cos(c + d*x))^3, x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((e*sin(d*x+c))**(7/2)/(a+b*cos(d*x+c))**3,x)`

[Out] Timed out

$$3.82 \quad \int \frac{(e \sin(c+dx))^{5/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=520

$$\frac{3ae^2 E\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right) \sqrt{e \sin(c+dx)}}{4b^2 d (a^2 - b^2) \sqrt{\sin(c+dx)}} - \frac{3ae(e \sin(c+dx))^{3/2}}{4bd (a^2 - b^2) (a+b \cos(c+dx))} - \frac{3e^{5/2} (a^2 - 2b^2) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{8b^{5/2} d (b^2 - a^2)^{5/4}}$$

[Out] $-3/8*(a^2-2*b^2)*e^{(5/2)}*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(5/2)}/(-a^2+b^2)^{(5/4)}/d+3/8*(a^2-2*b^2)*e^{(5/2)}*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/b^{(5/2)}/(-a^2+b^2)^{(5/4)}/d+1/2*e*(e*\sin(d*x+c))^{(3/2)}/b/d/(a+b*\cos(d*x+c))^{2-3/4}*a*e*(e*\sin(d*x+c))^{(3/2)}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))+3/8*a*(a^2-2*b^2)*e^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^3/(a^2-b^2)/d/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+3/8*a*(a^2-2*b^2)*e^3*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*\sin(d*x+c)^{(1/2)}/b^3/(a^2-b^2)/d/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-3/4*a*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/b^2/(a^2-b^2)/d/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.12, antiderivative size = 520, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2864, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$-\frac{3e^{5/2} (a^2 - 2b^2) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{8b^{5/2} d (b^2 - a^2)^{5/4}} + \frac{3e^{5/2} (a^2 - 2b^2) \operatorname{tanh}^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{8b^{5/2} d (b^2 - a^2)^{5/4}} + \frac{3ae^2 E\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right) \sqrt{e \sin(c+dx)}}{4b^2 d (a^2 - b^2) \sqrt{\sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c+d*x])^{(5/2)}/(a+b*\cos[c+d*x])^3, x]$

[Out] $(-3*(a^2-2*b^2)*e^{(5/2)}*\operatorname{ArcTan}((\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]])/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(8*b^{(5/2)}*(-a^2+b^2)^{(5/4)}*d)+(3*(a^2-2*b^2)*e^{(5/2)}*\operatorname{ArcTanh}((\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c+d*x]])/((-a^2+b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(8*b^{(5/2)}*(-a^2+b^2)^{(5/4)}*d)-(3*a*(a^2-2*b^2)*e^3*\operatorname{EllipticPi}((2*b)/(b-\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2)*\operatorname{Sqrt}[\sin[c+d*x]])/(8*b^3*(a^2-b^2)*(b-\operatorname{Sqrt}[-a^2+b^2])*d*\operatorname{Sqrt}[e*\sin[c+d*x]])-(3*a*(a^2-2*b^2)*e^3*\operatorname{EllipticPi}((2*b)/(b+\operatorname{Sqrt}[-a^2+b^2]), (c-Pi/2+d*x)/2, 2)*\operatorname{Sqrt}[\sin[c+d*x]])/(8*b^3*(a^2-b^2)*(b+\operatorname{Sqrt}[-a^2+b^2])*d*\operatorname{Sqrt}[e*\sin[c+d*x]])+(3*a*e^2*\operatorname{EllipticE}((c-Pi/2+d*x)/2, 2)*\operatorname{Sqrt}[e*\sin[c+d*x]])/(4*b^2*(a^2-b^2)*d*\operatorname{Sqrt}[\sin[c+d*x]])+(e*(e*\sin[c+d*x])^{(3/2)})/(2*b*d*(a+b*\cos[c+d*x])^2)-(3*a*e*(e*\sin[c+d*x])^{(3/2)})/(4*b*(a^2-b^2)*d*(a+b*\cos[c+d*x]))$

Rule 205

$\operatorname{Int}(((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}(((a_) + (b_.)*(x_)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 298

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2864

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[((b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(e \sin(c + dx))^{5/2}}{(a + b \cos(c + dx))^3} dx &= \frac{e(e \sin(c + dx))^{3/2}}{2bd(a + b \cos(c + dx))^2} - \frac{(3e^2) \int \frac{\cos(c+dx)\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^2} dx}{4b} \\ &= \frac{e(e \sin(c + dx))^{3/2}}{2bd(a + b \cos(c + dx))^2} - \frac{3ae(e \sin(c + dx))^{3/2}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(3e^2) \int \frac{(b + \frac{1}{2}a \cos(c+dx))}{a+b \cos(c+dx)}}{4b(a^2 - b^2)} \\ &= \frac{e(e \sin(c + dx))^{3/2}}{2bd(a + b \cos(c + dx))^2} - \frac{3ae(e \sin(c + dx))^{3/2}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(3ae^2) \int \sqrt{e \sin(c + dx)}}{8b^2(a^2 - b^2)} \\ &= \frac{e(e \sin(c + dx))^{3/2}}{2bd(a + b \cos(c + dx))^2} - \frac{3ae(e \sin(c + dx))^{3/2}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(3a(a^2 - 2b^2)e^3) \int \frac{1}{\sqrt{e \sin(c + dx)}}}{16} \\ &= \frac{3ae^2 E\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{4b^2(a^2 - b^2)d\sqrt{\sin(c + dx)}} + \frac{e(e \sin(c + dx))^{3/2}}{2bd(a + b \cos(c + dx))^2} - \frac{3ae(e \sin(c + dx))^{3/2}}{4b(a^2 - b^2)d} \\ &= \frac{3a(a^2 - 2b^2)e^3 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{8b^3(a^2 - b^2)(b - \sqrt{-a^2 + b^2})d\sqrt{e \sin(c + dx)}} - \frac{3a(a^2 - 2b^2)e^3 \Pi\left(\frac{2b}{b + \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{8b^3(a^2 - b^2)(b + \sqrt{-a^2 + b^2})d\sqrt{e \sin(c + dx)}} \\ &= \frac{3(a^2 - 2b^2)e^{5/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8b^{5/2}(-a^2 + b^2)^{5/4}d} + \frac{3(a^2 - 2b^2)e^{5/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8b^{5/2}(-a^2 + b^2)^{5/4}d} \end{aligned}$$

Mathematica [C] time = 14.36, size = 831, normalized size = 1.60

$$\frac{\csc^2(c + dx) \left(\frac{3a \sin(c+dx)}{4b(b^2 - a^2)(a + b \cos(c+dx))} + \frac{\sin(c+dx)}{2b(a + b \cos(c+dx))^2} \right) (e \sin(c + dx))^{5/2}}{d} + \frac{3 \left(a \left(8F_1\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2 - a^2}\right) \sin^2(c+dx) \right)^3}{\dots} \right)}{\dots}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*Sin[c + d*x])^(5/2)/(a + b*Cos[c + d*x])^3,x]
```

```
[Out] (Csc[c + d*x]^2*(e*Sin[c + d*x])^(5/2)*(Sin[c + d*x]/(2*b*(a + b*Cos[c + d*x])^2) + (3*a*Sin[c + d*x])/(4*b*(-a^2 + b^2)*(a + b*Cos[c + d*x]))) / d + (3*(e*Sin[c + d*x])^(5/2)*((a*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (4*b*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])) / (Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2)) / (3*(a^2 - b^2))*(a + b*Sqrt[1 - Sin[c + d*x]^2])) / ((a + b*Cos[c + d*x]) * Sqrt[1 - Sin[c + d*x]^2])) / (8*(a - b)*b*(a + b)*d*Sin[c + d*x]^(5/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 2.23, size = 4303, normalized size = 8.28

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(5/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] 23/8/d*e^3*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)/b^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))-3/8/d*e^3/b/(a^2-b^2)/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)+1)-3/8/d*e^3/b/(a^2-b^2)/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)-3/16/d*e^3/b/(a^2-b^2)/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*ln((e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))-5/4/d*e^3*b/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)^2/(a^2-b^2)*(e*sin(d*x+c))^(7/2)*a^2-3/2/d*e^3*sin(d*x+c)^2*cos(d*x+c)/
```


$$e^3 a^3 / \cos(dx+c) / (e \sin(dx+c))^{1/2} / b^4 / (a^2 - b^2) * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} / (1 + (-a^2 + b^2)^{1/2} / b) * \text{EllipticPi}((- \sin(dx+c) + 1)^{1/2}, 1 / (1 + (-a^2 + b^2)^{1/2} / b), 1/2 * 2^{1/2}) - 1/d * e^3 * \sin(dx+c)^2 * \cos(dx+c) * a^3 / (e \sin(dx+c))^{1/2} / (a^2 - b^2) / (-\cos(dx+c)^2 * b^2 + a^2)^{2+7/2} / d * e^3 * \sin(dx+c)^2 * \cos(dx+c) * a / (e \sin(dx+c))^{1/2} / (a^2 - b^2) / (-\cos(dx+c)^2 * b^2 + a^2) - 11/4 / d * e^3 * \sin(dx+c)^2 * \cos(dx+c) * a^3 / (e \sin(dx+c))^{1/2} / (a^2 - b^2)^2 / (-\cos(dx+c)^2 * b^2 + a^2) + 3/16 / d * e^3 / b^3 / (a^2 - b^2) / (e^2 * (a^2 - b^2) / b^2)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4} * (e \sin(dx+c))^{1/2} + 1) * a^2 + 3/16 / d * e^3 / b^3 / (a^2 - b^2) / (e^2 * (a^2 - b^2) / b^2)^{1/4} * 2^{1/2} * \arctan(2^{1/2} / (e^2 * (a^2 - b^2) / b^2)^{1/4} * (e \sin(dx+c))^{1/2} - 1) * a^2 + 3/32 / d * e^3 / b^3 / (a^2 - b^2) / (e^2 * (a^2 - b^2) / b^2)^{1/4} * 2^{1/2} * \ln((e \sin(dx+c) - (e^2 * (a^2 - b^2) / b^2)^{1/4} * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2}) / (e \sin(dx+c) + (e^2 * (a^2 - b^2) / b^2)^{1/4} * (e \sin(dx+c))^{1/2} * 2^{1/2} + (e^2 * (a^2 - b^2) / b^2)^{1/2})) * a^2 + 3/2 / d * e^3 / a / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2) * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticE}((- \sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) - 3/4 / d * e^3 / a / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2) * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticF}((- \sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) - 17/4 / d * e^3 * a / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2)^2 * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticE}((- \sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) + 17/8 / d * e^3 * a / \cos(dx+c) / (e \sin(dx+c))^{1/2} / (a^2 - b^2)^2 * (-\sin(dx+c) + 1)^{1/2} * (2 \sin(dx+c) + 2)^{1/2} * \sin(dx+c)^{1/2} * \text{EllipticF}((- \sin(dx+c) + 1)^{1/2}, 1/2 * 2^{1/2}) - 1/4 / d * e^5 / b / (-b^2 * \cos(dx+c)^2 * e^2 + a^2 * e^2)^2 * (e \sin(dx+c))^{3/2} * a^2 + 1/2 / d * e^3 * b^3 / (-b^2 * \cos(dx+c)^2 * e^2 + a^2 * e^2)^2 / (a^2 - b^2) * (e \sin(dx+c))^{7/2}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(5/2)/(a+b*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{5/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + dx))^(5/2)/(a + b*cos(c + dx))^3,x)

[Out] int((e*sin(c + dx))^(5/2)/(a + b*cos(c + dx))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))**(5/2)/(a+b*cos(dx+c))**3,x)

[Out] Timed out

$$3.83 \quad \int \frac{(e \sin(c+dx))^{3/2}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=534

$$\frac{ae^2 \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{4b^2d(a^2-b^2)\sqrt{e \sin(c+dx)}} + \frac{ae^2(a^2+2b^2)\sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b-\sqrt{b^2-a^2}}; \frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{8b^2d(a^2-b^2)\left(a^2-b\left(b-\sqrt{b^2-a^2}\right)\right)\sqrt{e \sin(c+dx)}} + \frac{ae^2(a^2+2b^2)\sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{8b^2d(a^2-b^2)\sqrt{e \sin(c+dx)}}$$

[Out] $-1/8*(a^2+2*b^2)*e^{3/2}*\arctan(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4})/e^{1/2}/b^{3/2}/(-a^2+b^2)^{7/4}/d-1/8*(a^2+2*b^2)*e^{3/2}*\operatorname{arctanh}(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4})/e^{1/2}/b^{3/2}/(-a^2+b^2)^{7/4}/d+1/4*a*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{1/2})*\sin(d*x+c)^{1/2}/b^2/(a^2-b^2)/d/(e*\sin(d*x+c))^{1/2}-1/8*a*(a^2+2*b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b^2/(a^2-b^2)/d/(a^2-b*(b-(-a^2+b^2)^{1/2}))/e*\sin(d*x+c)^{1/2}-1/8*a*(a^2+2*b^2)*e^2*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b^2/(a^2-b^2)/d/(a^2-b*(b+(-a^2+b^2)^{1/2}))/e*\sin(d*x+c)^{1/2}+1/2*e*(e*\sin(d*x+c))^{1/2}/b/d/(a+b*\cos(d*x+c))^2-1/4*a*e*(e*\sin(d*x+c))^{1/2}/b/(a^2-b^2)/d/(a+b*\cos(d*x+c))$

Rubi [A] time = 1.21, antiderivative size = 534, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2693, 2864, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{e^{3/2}(a^2+2b^2)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{8b^{3/2}d(b^2-a^2)^{7/4}} - \frac{e^{3/2}(a^2+2b^2)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{e\sin(c+dx)}}{\sqrt{e}\sqrt[4]{b^2-a^2}}\right)}{8b^{3/2}d(b^2-a^2)^{7/4}} - \frac{ae^2\sqrt{\sin(c+dx)}F\left(\frac{1}{2}\left(c+dx-\frac{\pi}{2}\right)\middle|2\right)}{4b^2d(a^2-b^2)\sqrt{e\sin(c+dx)}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(e*\sin[c+d*x])^{3/2}/(a+b*\cos[c+d*x])^3, x]$

[Out] $-((a^2+2*b^2)*e^{3/2}*\operatorname{ArcTan}(\sqrt{b}*\sqrt{e*\sin[c+d*x]})/((-a^2+b^2)^{1/4}*\sqrt{e}))/((8*b^{3/2}*(-a^2+b^2)^{7/4}*d)-((a^2+2*b^2)*e^{3/2}*\operatorname{ArcTanh}(\sqrt{b}*\sqrt{e*\sin[c+d*x]})/((-a^2+b^2)^{1/4}*\sqrt{e}))/((8*b^{3/2}*(-a^2+b^2)^{7/4}*d)-(a*e^2*\operatorname{EllipticF}[(c-Pi/2+d*x)/2, 2]*\sqrt{\sin[c+d*x]})/(4*b^2*(a^2-b^2)*d*\sqrt{e*\sin[c+d*x]})+(a*(a^2+2*b^2)*e^2*\operatorname{EllipticPi}[(2*b)/(b-\sqrt{-a^2+b^2}], (c-Pi/2+d*x)/2, 2]*\sqrt{\sin[c+d*x]})/(8*b^2*(a^2-b^2)*(a^2-b*(b-\sqrt{-a^2+b^2}))*d*\sqrt{e*\sin[c+d*x]})+(a*(a^2+2*b^2)*e^2*\operatorname{EllipticPi}[(2*b)/(b+\sqrt{-a^2+b^2}], (c-Pi/2+d*x)/2, 2]*\sqrt{\sin[c+d*x]})/(8*b^2*(a^2-b^2)*(a^2-b*(b+\sqrt{-a^2+b^2}))*d*\sqrt{e*\sin[c+d*x]})+(e*\sqrt{e*\sin[c+d*x]})/(2*b*d*(a+b*\cos[c+d*x])^2)-(a*e*\sqrt{e*\sin[c+d*x]})/(4*b*(a^2-b^2)*d*(a+b*\cos[c+d*x]))$

Rule 205

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a_+ + (b_+)*(x_+)^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x] \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 212

Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x], x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2642

Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2693

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := Simp[(g*(g*Cos[e + f*x])^(p - 1)*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)), x] + Dist[(g^2*(p - 1))/(b*(m + 1)), Int[(g*Cos[e + f*x])^(p - 2)*(a + b*Sin[e + f*x])^(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[p, 1] && IntegersQ[2*m, 2*p]

Rule 2702

Int[1/(Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int[1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dist[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2864

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> -Simp[(b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{(e \sin(c + dx))^{3/2}}{(a + b \cos(c + dx))^3} dx &= \frac{e\sqrt{e \sin(c + dx)}}{2bd(a + b \cos(c + dx))^2} - \frac{e^2 \int \frac{\cos(c+dx)}{(a+b \cos(c+dx))^2 \sqrt{e \sin(c+dx)}} dx}{4b} \\
&= \frac{e\sqrt{e \sin(c + dx)}}{2bd(a + b \cos(c + dx))^2} - \frac{ae\sqrt{e \sin(c + dx)}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{e^2 \int \frac{-b+\frac{1}{2}a \cos(c+dx)}{(a+b \cos(c+dx)) \sqrt{e \sin(c+dx)}} dx}{4b(a^2 - b^2)} \\
&= \frac{e\sqrt{e \sin(c + dx)}}{2bd(a + b \cos(c + dx))^2} - \frac{ae\sqrt{e \sin(c + dx)}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(ae^2) \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{8b^2(a^2 - b^2)} \\
&= \frac{e\sqrt{e \sin(c + dx)}}{2bd(a + b \cos(c + dx))^2} - \frac{ae\sqrt{e \sin(c + dx)}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{(a(a^2 + 2b^2)e^2) \int \frac{1}{\sqrt{e \sin(c+dx)}} dx}{16b^2} \\
&= -\frac{ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^2(a^2 - b^2)d\sqrt{e \sin(c + dx)}} + \frac{e\sqrt{e \sin(c + dx)}}{2bd(a + b \cos(c + dx))^2} - \frac{ae\sqrt{e \sin(c + dx)}}{4b(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= -\frac{ae^2 F\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right) \sqrt{\sin(c + dx)}}{4b^2(a^2 - b^2)d\sqrt{e \sin(c + dx)}} - \frac{a(a^2 + 2b^2)e^2 \Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}; \frac{1}{2}\left(c - \frac{\pi}{2} + dx\right) \middle| 2\right)}{8b^2(-a^2 + b^2)^{3/2}(b - \sqrt{-a^2 + b^2})d} \\
&= -\frac{(a^2 + 2b^2)e^{3/2} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{8b^{3/2}(-a^2 + b^2)^{7/4}d} - \frac{(a^2 + 2b^2)e^{3/2} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}}\right)}{8b^{3/2}(-a^2 + b^2)^{7/4}d} - \frac{ae\sqrt{e \sin(c + dx)}}{4b(a^2 - b^2)d(a + b \cos(c + dx))}
\end{aligned}$$

Mathematica [C] time = 10.39, size = 1211, normalized size = 2.27

$$\frac{\left(\frac{a}{4b(b^2 - a^2)(a + b \cos(c + dx))} + \frac{1}{2b(a + b \cos(c + dx))^2}\right) \csc(c + dx)(e \sin(c + dx))^{3/2}}{d} - \frac{(e \sin(c + dx))^{3/2} \left(2a \cos^2(c + dx)(a + b \sqrt{1 - \sin^2(c + dx)})\right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(e*Sin[c + d*x])^(3/2)/(a + b*cos[c + d*x])^3,x]
```

```
[Out] ((1/(2*b*(a + b*cos[c + d*x])^2) + a/(4*b*(-a^2 + b^2)*(a + b*cos[c + d*x])))*Csc[c + d*x]*(e*Sin[c + d*x])^(3/2))/d - ((e*Sin[c + d*x])^(3/2)*((2*a*cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2])*(a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[1 - Sin[c + d*x]^2)])/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[1 - Sin[c + d*x]^2)])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[1 - Sin[c + d*x]^2]) + b*Sin[c + d*x]) + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[1 - Sin[c + d*x]^2]) + b*Sin[c + d*x]))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[1 - Sin[c + d*x]^2])/((-5*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*AppellF1[5/4, -1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*AppellF1[5/4, 1/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*cos[c + d*x])*(1 - Sin[c + d*x]^2)) - (4*b*cos[c + d*x]*(a + b*Sqrt[1 - Sin[c + d*x]^2])*((-1/8 + I/8)*Sqrt[b]*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[1 - Sin[c + d*x]^2)])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[1 - Sin[c + d*x]^2)])/(a^2 - b^2)^(1/4)] + Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[1 - Sin[c + d*x]^2]) + I*b*Sin[c + d*x]) - Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[1 - Sin[c + d*x]^2]) + I*b*Sin[c + d*x]))/((-a^2 + b^2)^(3/4)) + (5*a*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[1 - Sin[c + d*x]^2])/(Sqrt[1 - Sin[c + d*x]^2]*(5*(a^2 - b^2)*AppellF1[1/4, 1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*AppellF1[5/4, 1/2, 2, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*AppellF1[5/4, 3/2, 1, 9/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^2*(a^2 + b^2*(-1 + Sin[c + d*x]^2)))))/((a + b*cos[c + d*x])*(1 - Sin[c + d*x]^2)))/(8*(a - b)*b*(a + b)*d*Sin[c + d*x]^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] Timed out
```

maple [B] time = 2.24, size = 4116, normalized size = 7.71

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((e*sin(d*x+c))^(3/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -35/8/d*e^2*a^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/b^3/(a^2-b^2)/(-a^2+b^2)^(1/2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+
```

$$\begin{aligned}
& b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b), 1/2 \\
& * 2^{(1/2)}) - 3/4/d * e^2/a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)/(-a^2+b^2)^{(1/2)} \\
& * b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1-(- \\
& a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b) \\
& , 1/2 * 2^{(1/2)}) + 3/4/d * e^2/a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)/(-a^2+b \\
& ^2)^{(1/2)} * b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(\\
& 1+(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b) \\
&), 1/2 * 2^{(1/2)}) - 81/16/d * e^2 * a^3/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2) \\
& ^2/(-a^2+b^2)^{(1/2)}/b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c) \\
& ^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2 \\
& +b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) - 3/4/d * e^2/a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^ \\
& 2-b^2)^2/(-a^2+b^2)^{(1/2)} * b^3 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \\
& \sin(dx+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/ \\
& (1-(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 29/8/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/ \\
& (a^2-b^2)/(-a^2+b^2)^{(1/2)}/b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c) \\
& ^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b) \\
&), 1/2 * 2^{(1/2)}) - 29/8/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)/(-a^2+b^2) \\
& ^{(1/2)}/b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1+(-a^2+b^2) \\
& ^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) \\
& + 3/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)} * b * (-\sin(dx+c)+1) \\
& ^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c) \\
& +1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) - 3/4/d * e^2/a/\cos(dx+c)/(e \\
& * \sin(dx+c))^{(1/2)}/(a^2-b^2)^2 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} \\
& * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) * b^2 - 13/8/d * e \\
& ^2 * a^3/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^2/(a^2-b^2)^2 * (-\sin(dx+c)+1)^{(1/2)} \\
& * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx+c)+1)^{(1/2)}, 1 \\
& /2 * 2^{(1/2)}) + 7/4/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^2/(a^2-b^2) * (-\sin \\
& (dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin(dx \\
& x+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) - 3/2/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^3/ \\
& (-a^2+b^2)^{(1/2)} * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/ \\
& (1+(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2) \\
& ^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 3/2/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^3/(-a^ \\
& 2+b^2)^{(1/2)} * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/ \\
& (1-(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b) \\
&), 1/2 * 2^{(1/2)}) - 3/4/d * e^2/a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2) * (- \\
& \sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{EllipticF}((-\sin \\
& (dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) + 19/8/d * e^2 * a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/ \\
& (a^2-b^2)^2 * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)} * \text{E} \\
& llipticF((-\sin(dx+c)+1)^{(1/2)}, 1/2 * 2^{(1/2)}) - 3/d * e^2 * a/\cos(dx+c)/(e * \sin(dx \\
& x+c))^{(1/2)}/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)} * b * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+ \\
& c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c) \\
& +1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 35/8/d * e^2 * a^3/\cos(dx+c)/(\\
& e * \sin(dx+c))^{(1/2)}/b^3/(a^2-b^2)/(-a^2+b^2)^{(1/2)} * (-\sin(dx+c)+1)^{(1/2)} * (2 \\
& * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((s \\
& in(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 81/16/d * e^2 * a^3/co \\
& s(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)}/b * (-\sin(dx+c)+1) \\
& ^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b) * \text{Elli \\
& pticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 3/4/d * e^ \\
& 2/a/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)} * b^3 * (-\sin(\\
& dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/ \\
& b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2)^{(1/2)}/b), 1/2 * 2^{(1/2)}) + \\
& 45/16/d * e^2 * a^5/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^3/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)} \\
& * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/(1-(-a^ \\
& 2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1-(-a^2+b^2)^{(1/2)}/b), 1 \\
& /2 * 2^{(1/2)}) - 45/16/d * e^2 * a^5/\cos(dx+c)/(e * \sin(dx+c))^{(1/2)}/b^3/(a^2-b^2)^2 \\
& /(-a^2+b^2)^{(1/2)} * (-\sin(dx+c)+1)^{(1/2)} * (2 * \sin(dx+c)+2)^{(1/2)} * \sin(dx+c)^{(1/2)}/ \\
& (1+(-a^2+b^2)^{(1/2)}/b) * \text{EllipticPi}((-\sin(dx+c)+1)^{(1/2)}, 1/(1+(-a^2+b^2) \\
& ^{(1/2)}/b), 1/2 * 2^{(1/2)}) + 1/2/d * e^5 * b/(-b^2 * \cos(dx+c))^2 * e^2 + a^2 * e^2)^2 * (e * \sin
\end{aligned}$$

$$\begin{aligned} & n(dx+c)^{(1/2)}+7/2/d*e^2*\sin(dx+c)*\cos(dx+c)*a/(e*\sin(dx+c))^{(1/2)}/(a^2 \\ & -b^2)/(-\cos(dx+c)^2*b^2+a^2)-1/d*e^2*\sin(dx+c)*\cos(dx+c)*a^3/(e*\sin(dx+ \\ & c))^{(1/2)}/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)^2-13/4/d*e^2*\sin(dx+c)*\cos(dx \\ & +c)*a^3/(e*\sin(dx+c))^{(1/2)}/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2)-1/8/d*e^3* \\ & b/(a^2-b^2)*(e^2*(a^2-b^2)/b^2)^{(1/4)}/(a^2*e^2-b^2*e^2)*2^{(1/2)}*\arctan(2^{(1 \\ & /2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}+1)-1/8/d*e^3*b/(a^2-b^2) \\ & *(e^2*(a^2-b^2)/b^2)^{(1/4)}/(a^2*e^2-b^2*e^2)*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a \\ & ^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}-1)-1/16/d*e^3*b/(a^2-b^2)*(e^2*(a^2 \\ & -b^2)/b^2)^{(1/4)}/(a^2*e^2-b^2*e^2)*2^{(1/2)}*\ln((e*\sin(dx+c)+(e^2*(a^2-b^2)/ \\ & b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)))/(e*\sin(dx \\ & +c)-(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2) \\ & /b^2)^{(1/2)))-3/4/d*e^3*b/(-b^2*\cos(dx+c)^2*e^2+a^2*e^2)^2/(a^2-b^2)*(e*\sin \\ & (dx+c))^{(5/2)}*a^2+1/2/d*e^3*b^3/(-b^2*\cos(dx+c)^2*e^2+a^2*e^2)^2/(a^2-b^2) \\ & *(e*\sin(dx+c))^{(5/2)}+1/4/d*e^5/b/(-b^2*\cos(dx+c)^2*e^2+a^2*e^2)^2*(e*\sin \\ & (dx+c))^{(1/2)}*a^2-3/2/d*e^2*\sin(dx+c)*\cos(dx+c)/a/(e*\sin(dx+c))^{(1/2)}* \\ & b^2/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)+1/d*e^2*\sin(dx+c)*\cos(dx+c)*a/(e*\sin \\ & (dx+c))^{(1/2)}*b^2/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)^2+19/4/d*e^2*\sin(dx+ \\ & c)*\cos(dx+c)*a/(e*\sin(dx+c))^{(1/2)}*b^2/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2 \\ &)-3/2/d*e^2*\sin(dx+c)*\cos(dx+c)/a/(e*\sin(dx+c))^{(1/2)}*b^4/(a^2-b^2)^2/(- \\ & \cos(dx+c)^2*b^2+a^2)-1/16/d*e^3/b/(a^2-b^2)*(e^2*(a^2-b^2)/b^2)^{(1/4)}/(a^2 \\ & *e^2-b^2*e^2)*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c) \\ &))^{(1/2)}-1)*a^2-1/32/d*e^3/b/(a^2-b^2)*(e^2*(a^2-b^2)/b^2)^{(1/4)}/(a^2*e^2-b^2 \\ & ^2*e^2)*2^{(1/2)}*\ln((e*\sin(dx+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(\\ & 1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)))/(e*\sin(dx+c)-(e^2*(a^2-b^2)/b^2)^{(\\ & 1/4)}*(e*\sin(dx+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)))*a^2-1/16/d*e^ \\ & 3/b/(a^2-b^2)*(e^2*(a^2-b^2)/b^2)^{(1/4)}/(a^2*e^2-b^2*e^2)*2^{(1/2)}*\arctan(2^ \\ & (1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(dx+c))^{(1/2)}+1)*a^2 \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))^(3/2)/(a+b*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(e \sin(c + dx))^{3/2}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + dx))^(3/2)/(a + b*cos(c + dx))^3,x)

[Out] int((e*sin(c + dx))^(3/2)/(a + b*cos(c + dx))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(dx+c))**(3/2)/(a+b*cos(dx+c))**3,x)

[Out] Timed out

$$3.84 \quad \int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

Optimal. Leaf size=529

$$\frac{\sqrt{e} (3a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8\sqrt{b} d (b^2 - a^2)^{9/4}} + \frac{\sqrt{e} (3a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8\sqrt{b} d (b^2 - a^2)^{9/4}} - \frac{5ab(e \sin(c + dx))^{3/2}}{4de (a^2 - b^2)^2 (a + b \cos(c + dx))^{3/2}}$$

[Out] $-1/2*b*(e*\sin(d*x+c))^{3/2}/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))^{2-5/4}*a*b*(e*\sin(d*x+c))^{3/2}/(a^2-b^2)^2/d/e/(a+b*\cos(d*x+c))-1/8*(3*a^2+2*b^2)*\arctan(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4}/e^{1/2})*e^{1/2}/(-a^2+b^2)^{9/4}/d/b^{1/2}+1/8*(3*a^2+2*b^2)*\operatorname{arctanh}(b^{1/2}*(e*\sin(d*x+c))^{1/2}/(-a^2+b^2)^{1/4}/e^{1/2})*e^{1/2}/(-a^2+b^2)^{9/4}/d/b^{1/2}-1/8*a*(3*a^2+2*b^2)*e*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b/(a^2-b^2)^2/d/(b-(-a^2+b^2)^{1/2})/(e*\sin(d*x+c))^{1/2}-1/8*a*(3*a^2+2*b^2)*e*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{1/2}), 2^{1/2})*\sin(d*x+c)^{1/2}/b/(a^2-b^2)^2/d/(b+(-a^2+b^2)^{1/2})/(e*\sin(d*x+c))^{1/2}-5/4*a*(\sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{1/2}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{1/2})*(e*\sin(d*x+c))^{1/2}/(a^2-b^2)^2/d/\sin(d*x+c)^{1/2}$

Rubi [A] time = 1.21, antiderivative size = 529, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2694, 2864, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{\sqrt{e} (3a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8\sqrt{b} d (b^2 - a^2)^{9/4}} + \frac{\sqrt{e} (3a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8\sqrt{b} d (b^2 - a^2)^{9/4}} - \frac{5ab(e \sin(c + dx))^{3/2}}{4de (a^2 - b^2)^2 (a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]]/(a + b*\operatorname{Cos}[c + d*x])^3, x]$

[Out] $-((3*a^2 + 2*b^2)*\operatorname{Sqrt}[e]*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]])/((-a^2 + b^2)^{1/4}*\operatorname{Sqrt}[e])])/(8*\operatorname{Sqrt}[b]*(-a^2 + b^2)^{9/4}*d) + ((3*a^2 + 2*b^2)*\operatorname{Sqrt}[e]*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]])/((-a^2 + b^2)^{1/4}*\operatorname{Sqrt}[e])])/(8*\operatorname{Sqrt}[b]*(-a^2 + b^2)^{9/4}*d) + (a*(3*a^2 + 2*b^2)*e*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]])/(8*b*(a^2 - b^2)^2*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]]) + (a*(3*a^2 + 2*b^2)*e*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]])/(8*b*(a^2 - b^2)^2*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]]) + (5*a*\operatorname{EllipticE}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\operatorname{Sin}[c + d*x]])/(4*(a^2 - b^2)^2*d*\operatorname{Sqrt}[\operatorname{Sin}[c + d*x]]) - (b*(e*\operatorname{Sin}[c + d*x])^{3/2})/(2*(a^2 - b^2)*d*e*(a + b*\operatorname{Cos}[c + d*x])^2) - (5*a*b*(e*\operatorname{Sin}[c + d*x])^{3/2})/(4*(a^2 - b^2)^2*d*e*(a + b*\operatorname{Cos}[c + d*x]))$

Rule 205

$\operatorname{Int}[(a_0 + b_0*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[a/b, 2]*\operatorname{ArcTan}[x/\operatorname{Rt}[a/b, 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{PosQ}[a/b]$

Rule 208

$\operatorname{Int}[(a_0 + b_0*x^2)^{-1}, x_Symbol] \rightarrow \operatorname{Simp}[(\operatorname{Rt}[-(a/b), 2]*\operatorname{ArcTanh}[x/\operatorname{Rt}[-(a/b), 2]])/a, x] /; \operatorname{FreeQ}\{a, b\}, x \ \&\& \ \operatorname{NegQ}[a/b]$

Rule 298

```
Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2640

```
Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]
```

Rule 2694

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]
```

Rule 2701

```
Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2864

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[(b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]))/(a_. + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^3} dx &= -\frac{b(e \sin(c+dx))^{3/2}}{2(a^2-b^2)de(a+b \cos(c+dx))^2} - \frac{\int \frac{(-2a+\frac{1}{2}b \cos(c+dx))\sqrt{e \sin(c+dx)}}{(a+b \cos(c+dx))^2} dx}{2(a^2-b^2)} \\
&= -\frac{b(e \sin(c+dx))^{3/2}}{2(a^2-b^2)de(a+b \cos(c+dx))^2} - \frac{5ab(e \sin(c+dx))^{3/2}}{4(a^2-b^2)^2de(a+b \cos(c+dx))} + \frac{\int \frac{\frac{1}{2}(4a^2+b^2)}{a+b \cos(c+dx)} dx}{8(a^2-b^2)} \\
&= -\frac{b(e \sin(c+dx))^{3/2}}{2(a^2-b^2)de(a+b \cos(c+dx))^2} - \frac{5ab(e \sin(c+dx))^{3/2}}{4(a^2-b^2)^2de(a+b \cos(c+dx))} + \frac{(5a) \int \sqrt{e \sin(c+dx)}}{8(a^2-b^2)} \\
&= -\frac{b(e \sin(c+dx))^{3/2}}{2(a^2-b^2)de(a+b \cos(c+dx))^2} - \frac{5ab(e \sin(c+dx))^{3/2}}{4(a^2-b^2)^2de(a+b \cos(c+dx))} - \frac{a(3a^2+2b^2) \operatorname{E}\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right) \sqrt{e \sin(c+dx)}}{4(a^2-b^2)^2d\sqrt{\sin(c+dx)}} \\
&= \frac{a(3a^2+2b^2) \operatorname{E}\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right) \sqrt{\sin(c+dx)}}{8b(a^2-b^2)^2(b-\sqrt{-a^2+b^2})d\sqrt{e \sin(c+dx)}} + \frac{a(3a^2+2b^2) \operatorname{E}\left(\frac{1}{2}\left(c-\frac{\pi}{2}+dx\right)\middle|2\right) \sqrt{e \sin(c+dx)}}{8b(a^2-b^2)} \\
&= -\frac{(3a^2+2b^2) \sqrt{e} \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8\sqrt{b}(-a^2+b^2)^{9/4}d} + \frac{(3a^2+2b^2) \sqrt{e} \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt[4]{-a^2+b^2} \sqrt{e}}\right)}{8\sqrt{b}(-a^2+b^2)^{9/4}d} + \frac{\sqrt{e \sin(c+dx)}}{d} \operatorname{E}\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2-a^2}\right)
\end{aligned}$$

Mathematica [C] time = 14.33, size = 837, normalized size = 1.58

$$\frac{\sqrt{e \sin(c+dx)} \left(-\frac{5ab \sin(c+dx)}{4(a^2-b^2)^2(a+b \cos(c+dx))} - \frac{b \sin(c+dx)}{2(a^2-b^2)(a+b \cos(c+dx))^2} \right)}{d} + \frac{\sqrt{e \sin(c+dx)}}{d} \operatorname{E}\left(\frac{3}{4}; -\frac{1}{2}, 1; \frac{7}{4}; \sin^2(c+dx), \frac{b^2 \sin^2(c+dx)}{b^2-a^2}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[e*Sin[c + d*x]]/(a + b*Cos[c + d*x])^3,x]

[Out] (Sqrt[e*Sin[c + d*x]]*(-1/2*(b*Sin[c + d*x])/((a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (5*a*b*Sin[c + d*x])/(4*(a^2 - b^2)^2*(a + b*Cos[c + d*x]))) / d + (Sqrt[e*Sin[c + d*x]]*((5*a*Cos[c + d*x]^2*(3*Sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*Sqrt[b]*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(8*a^2 + 2*b^2)*Cos[c + d*x]*((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(a + b*Cos[c + d*x]*Sqrt[1 - Sin[c + d*x]^2]))/(8*(a - b)^2*(a + b)^2*d*Sqrt[Sin[c + d*x]])

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{e \sin(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")

[Out] integrate(sqrt(e*sin(d*x + c))/(b*cos(d*x + c) + a)^3, x)

maple [B] time = 1.95, size = 2986, normalized size = 5.64

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^3,x)

[Out] 3/2/d*e/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-3/4/d*e/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-11/4/d*e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))+11/8/d*e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*Ell

$$\begin{aligned} & \text{ipticF}((- \sin(dx+c)+1)^{1/2}, 1/2*2^{1/2})+3/2/d*e/a/\cos(dx+c)/(e*\sin(dx+c) \\ &)^{1/2}/(a^2-b^2)^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c) \\ &)^{1/2}*EllipticE((- \sin(dx+c)+1)^{1/2}, 1/2*2^{1/2})*b^2-3/4/d*e/a/\cos(dx+ \\ & c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2} \\ &)^{1/2}*\sin(dx+c)^{1/2}*EllipticF((- \sin(dx+c)+1)^{1/2}, 1/2*2^{1/2})*b^2+7/4 \\ & /d*e*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2*(- \sin(dx+c)+1)^{1/2}*(2 \\ & *\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi((-s \\ & in(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+7/4/d*e*a/\cos(dx+ \\ & c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2} \\ &)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2} \\ &)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/4/d*e/a/\cos(dx+c)/(e*\sin(dx+c) \\ &)^{1/2}/(a^2-b^2)*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2} \\ &)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2) \\ &)^{1/2}/b), 1/2*2^{1/2})-3/4/d*e/a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2) \\ &)*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2) \\ &)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2 \\ & ^{1/2})-1/8/d*e*b/(a^4-2*a^2*b^2+b^4)/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*arc \\ & tan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}+1)-1/8/d*e*b/(a^4-2*a^2*b^2+b^4) \\ &)/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}-1) \\ &)-1/16/d*e*b/(a^4-2*a^2*b^2+b^4)/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*ln((e*\sin(dx+c)- \\ & (e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}*2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2} \\ &)-3/4/d*e*b^3/(-b^2*\cos(dx+c)^2*e^2+a^2*e^2)^2/(a^4-2*a^2*b^2+b^4)*(e*\sin(dx+c))^{7/2} \\ &)*a^2-7/4/d*e^3*b/(-b^2*\cos(dx+c)^2*e^2+a^2*e^2)^2/(a^2-b^2)*(e*\sin(dx+c))^{3/2} \\ &)*a^2-3/4/d*e/a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2*b^2*(- \sin(dx+c)+1)^{1/2} \\ &)*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2}, \\ & 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+9/8/d*e*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2) \\ &)/b^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2} \\ &)/b)*EllipticPi((- \sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+ \\ & 9/8/d*e*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)/b^2*(- \sin(dx+c)+1)^{1/2} \\ &)*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticP \\ & i((- \sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-21/16/d*e*a^3 \\ & /cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2/b^2*(- \sin(dx+c)+1)^{1/2}*(2*s \\ & in(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin \\ & (dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/4/d*e/a/\cos(dx+c) \\ &)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^2*b^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2) \\ &)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2} \\ &)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-21/16/d*e*a^3/cos(dx+c)/(e*\sin \\ & (dx+c))^{1/2}/(a^2-b^2)^2/b^2*(- \sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2} \\ &)*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi((- \sin(dx+c)+1)^{1/2}, 1 \\ & /1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/16/d*e/b/(a^4-2*a^2*b^2+b^4)/(e^2*(a^2-b^2) \\ &)/b^2)^{1/4}*2^{1/2}*arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}+1) \\ &)*a^2-3/16/d*e/b/(a^4-2*a^2*b^2+b^4)/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*arctan(2^{1/2} \\ &)/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}-1)*a^2-3/32/d*e/b/(a^4-2*a^2*b^2+b^4) \\ &)/(e^2*(a^2-b^2)/b^2)^{1/4}*2^{1/2}*ln((e*\sin(dx+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2} \\ &)*2^{1/2}+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2})*a^2-1/2/d*e*b^5/(-b^2*\cos(dx+c)^2 \\ & *e^2+a^2*e^2)^2/(a^4-2*a^2*b^2+b^4)*(e*\sin(dx+c))^{7/2}-1/2/d*e^3*b^3/(-b^2 \\ & *\cos(dx+c)^2*e^2+a^2*e^2)^2/(a^2-b^2)*(e*\sin(dx+c))^{3/2}-3/2/d*e*\sin(dx \\ & +c)^2*\cos(dx+c)/a/(e*\sin(dx+c))^{1/2}*b^2/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2) \\ &)+1/d*e*\sin(dx+c)^2*\cos(dx+c)*a/(e*\sin(dx+c))^{1/2}*b^2/(a^2-b^2)/(-\co \\ & s(dx+c)^2*b^2+a^2)^2+11/4/d*e*\sin(dx+c)^2*\cos(dx+c)*a/(e*\sin(dx+c))^{1/2} \\ &)*b^2/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2)-3/2/d*e*\sin(dx+c)^2*\cos(dx+c) \\ &)/a/(e*\sin(dx+c))^{1/2}*b^4/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2) \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\sqrt{e \sin(c + dx)}}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x))^3,x)

[Out] int((e*sin(c + d*x))^(1/2)/(a + b*cos(c + d*x))^3, x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((e*sin(d*x+c))**(1/2)/(a+b*cos(d*x+c))**3,x)

[Out] Timed out

$$3.85 \quad \int \frac{1}{(a+b \cos(c+dx))^3 \sqrt{e \sin(c+dx)}} dx$$

Optimal. Leaf size=535

$$\frac{3\sqrt{b} (5a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8d\sqrt{e} (b^2 - a^2)^{11/4}} + \frac{3\sqrt{b} (5a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8d\sqrt{e} (b^2 - a^2)^{11/4}} - \frac{7ab\sqrt{e \sin(c+dx)}}{4de (a^2 - b^2)^2 (a + b \cos(c+dx))}$$

[Out] $3/8*(5*a^2+2*b^2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)/(-a^2+b^2)^{(1/4)}/e^{(1/2))}*b^{(1/2)/(-a^2+b^2)^{(11/4)}/d/e^{(1/2)+3/8*(5*a^2+2*b^2)*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)/(-a^2+b^2)^{(1/4)}/e^{(1/2))}*b^{(1/2)/(-a^2+b^2)^{(11/4)}/d/e^{(1/2)+7/4*a*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*\sin(d*x+c)^{(1/2)/(a^2-b^2)^2/d/(e*\sin(d*x+c))^{(1/2)-3/8*a*(5*a^2+2*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2))}, 2^{(1/2)})*\sin(d*x+c)^{(1/2)/(a^2-b^2)^2/d/(a^2-b*(b-(-a^2+b^2)^{(1/2))})/(e*\sin(d*x+c))^{(1/2)-3/8*a*(5*a^2+2*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2))}, 2^{(1/2)})*\sin(d*x+c)^{(1/2)/(a^2-b^2)^2/d/(a^2-b*(b+(-a^2+b^2)^{(1/2))})/(e*\sin(d*x+c))^{(1/2)-1/2*b*(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))^2-7/4*a*b*(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)^2/d/e/(a+b*\cos(d*x+c))}$

Rubi [A] time = 1.23, antiderivative size = 535, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 12, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.480$, Rules used = {2694, 2864, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{3\sqrt{b} (5a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8d\sqrt{e} (b^2 - a^2)^{11/4}} + \frac{3\sqrt{b} (5a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8d\sqrt{e} (b^2 - a^2)^{11/4}} - \frac{7ab\sqrt{e \sin(c+dx)}}{4de (a^2 - b^2)^2 (a + b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^3*Sqrt[e*Sin[c + d*x]]),x]

[Out] $(3*\operatorname{Sqrt}[b]*(5*a^2 + 2*b^2)*\operatorname{ArcTan}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(8*(-a^2 + b^2)^{(11/4)*d*\operatorname{Sqrt}[e]}) + (3*\operatorname{Sqrt}[b]*(5*a^2 + 2*b^2)*\operatorname{ArcTanh}[(\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)*\operatorname{Sqrt}[e]})]/(8*(-a^2 + b^2)^{(11/4)*d*\operatorname{Sqrt}[e]}) - (7*a*\operatorname{EllipticF}[(c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(4*(a^2 - b^2)^2*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (3*a*(5*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^2*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (3*a*(5*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - \operatorname{Pi}/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^2*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (b*\operatorname{Sqrt}[e*\sin[c + d*x]])/(2*(a^2 - b^2)*d*e*(a + b*\cos[c + d*x])^2) - (7*a*b*\operatorname{Sqrt}[e*\sin[c + d*x]])/(4*(a^2 - b^2)^2*d*e*(a + b*\cos[c + d*x]))$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 212

```
Int[((a_) + (b_.)*(x_)^4)^(-1), x_Symbol] := With[{r = Numerator[Rt[-(a/b),
  2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[r/(2*a), Int[1/(r - s*x^2), x],
  x] + Dist[r/(2*a), Int[1/(r + s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ
[a/b, 0]
```

Rule 329

```
Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k =
  Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^
  n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && F
ractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
  Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2642

```
Int[1/Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[Sin[c + d*
  x]]/Sqrt[b*Sin[c + d*x]], Int[1/Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c,
  d}, x]
```

Rule 2694

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(
  x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*
  x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)),
  Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p +
  2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2,
  0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]
```

Rule 2702

```
Int[1/(Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*
  (x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, -Dist[a/(2*q), Int[1/(S
  qrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (Dist[(b*g)/f, Subst[Int
  [1/(Sqrt[x]*(g^2*(a^2 - b^2) + b^2*x^2)), x], x, g*Cos[e + f*x]], x] - Dis
  t[a/(2*q), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x]]) /; F
  reeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
  + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
  /2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c,
  d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
  0] && GtQ[c + d, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
  + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
  [c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
  + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
  , 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2864

```
Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[((b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]*(x_.)))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^3 \sqrt{e \sin(c + dx)}} dx = -\frac{b\sqrt{e \sin(c + dx)}}{2(a^2 - b^2)de(a + b \cos(c + dx))^2} - \frac{\int \frac{-2a + \frac{3}{2}b \cos(c + dx)}{(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} dx}{2(a^2 - b^2)}$$

$$= -\frac{b\sqrt{e \sin(c + dx)}}{2(a^2 - b^2)de(a + b \cos(c + dx))^2} - \frac{7ab\sqrt{e \sin(c + dx)}}{4(a^2 - b^2)^2 de(a + b \cos(c + dx))}$$

$$= -\frac{b\sqrt{e \sin(c + dx)}}{2(a^2 - b^2)de(a + b \cos(c + dx))^2} - \frac{7ab\sqrt{e \sin(c + dx)}}{4(a^2 - b^2)^2 de(a + b \cos(c + dx))}$$

$$= -\frac{b\sqrt{e \sin(c + dx)}}{2(a^2 - b^2)de(a + b \cos(c + dx))^2} - \frac{7ab\sqrt{e \sin(c + dx)}}{4(a^2 - b^2)^2 de(a + b \cos(c + dx))}$$

$$= -\frac{7aF\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)\sqrt{\sin(c + dx)}}{4(a^2 - b^2)^2 d\sqrt{e \sin(c + dx)}} - \frac{b\sqrt{e \sin(c + dx)}}{2(a^2 - b^2)de(a + b \cos(c + dx))}$$

$$= -\frac{7aF\left(\frac{1}{2}\left(c - \frac{\pi}{2} + dx\right)\middle|2\right)\sqrt{\sin(c + dx)}}{4(a^2 - b^2)^2 d\sqrt{e \sin(c + dx)}} + \frac{3a(5a^2 + 2b^2)\Pi\left(\frac{2b}{b - \sqrt{-a^2 + b^2}}\right)}{8(-a^2 + b^2)^{5/2}(b - \sqrt{-a^2 + b^2})}$$

$$= \frac{3\sqrt{b}(5a^2 + 2b^2)\tan^{-1}\left(\frac{\sqrt{b}\sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2}\sqrt{e}}\right)}{8(-a^2 + b^2)^{11/4}d\sqrt{e}} + \frac{3\sqrt{b}(5a^2 + 2b^2)\tanh^{-1}\left(\frac{\sqrt{b}\sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2}\sqrt{e}}\right)}{8(-a^2 + b^2)^{11/4}d\sqrt{e}}$$

Mathematica [C] time = 11.37, size = 1226, normalized size = 2.29

$$\frac{\left(-\frac{7ab}{4(a^2 - b^2)^2(a + b \cos(c + dx))} - \frac{b}{2(a^2 - b^2)(a + b \cos(c + dx))^2}\right)\sin(c + dx)}{d\sqrt{e \sin(c + dx)}} + \frac{\left(2(8a^2 + 6b^2)\cos(c + dx)(a + b\sqrt{1 - \sin^2(c + dx)})\right)\sqrt{\frac{1}{\sqrt{1 - \sin^2(c + dx)}}(5(a^2 - b^2))}}{\dots}$$

Warning: Unable to verify antiderivative.

[In] Integrate[1/((a + b*cos[c + d*x])^3*Sqrt[e*sin[c + d*x]]),x]

[Out]
$$\begin{aligned} & \left(\frac{-1/2*b}{(a^2 - b^2)*(a + b*\cos[c + d*x])^2} - \frac{7*a*b}{4*(a^2 - b^2)^2*(a + b*\cos[c + d*x])} \right) * \sin[c + d*x] / (d*\sqrt{e*\sin[c + d*x]}) + (\sqrt{\sin[c + d*x]} * ((-14*a*b*\cos[c + d*x]^2*(a + b*\sqrt{1 - \sin[c + d*x]^2})) * ((a*(-2*\arctan[1 - (\sqrt{2}*\sqrt{b}*\sqrt{\sin[c + d*x]})/(a^2 - b^2)^{1/4}] + 2*\arctan[1 + (\sqrt{2}*\sqrt{b}*\sqrt{\sin[c + d*x]})/(a^2 - b^2)^{1/4}] - \log[\sqrt{a^2 - b^2} - \sqrt{2}*\sqrt{b}*(a^2 - b^2)^{1/4}*\sqrt{\sin[c + d*x]} + b*\sin[c + d*x]] + \log[\sqrt{a^2 - b^2} + \sqrt{2}*\sqrt{b}*(a^2 - b^2)^{1/4}*\sqrt{\sin[c + d*x]} + b*\sin[c + d*x]]) / (4*\sqrt{2}*\sqrt{b}*(a^2 - b^2)^{3/4}) + (5*b*(a^2 - b^2)*\operatorname{AppellF1}[1/4, -1/2, 1, 5/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)]*\sqrt{\sin[c + d*x]}*\sqrt{1 - \sin[c + d*x]^2}) / ((-5*(a^2 - b^2)*\operatorname{AppellF1}[1/4, -1/2, 1, 5/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*\operatorname{AppellF1}[5/4, -1/2, 2, 9/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*\operatorname{AppellF1}[5/4, 1/2, 1, 9/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)])*\sin[c + d*x]^2*(a^2 + b^2*(-1 + \sin[c + d*x]^2)))))) / ((a + b*\cos[c + d*x])*(1 - \sin[c + d*x]^2)) + (2*(8*a^2 + 6*b^2)*\cos[c + d*x]*(a + b*\sqrt{1 - \sin[c + d*x]^2}) * (((-1/8 + I/8)*\sqrt{b}*(2*\arctan[1 - ((1 + I)*\sqrt{b}*\sqrt{\sin[c + d*x]})/(-a^2 + b^2)^{1/4}] - 2*\arctan[1 + ((1 + I)*\sqrt{b}*\sqrt{\sin[c + d*x]})/(-a^2 + b^2)^{1/4}] + \log[\sqrt{-a^2 + b^2} - (1 + I)*\sqrt{b}*(-a^2 + b^2)^{1/4}*\sqrt{\sin[c + d*x]} + I*b*\sin[c + d*x]] - \log[\sqrt{-a^2 + b^2} + (1 + I)*\sqrt{b}*(-a^2 + b^2)^{1/4}*\sqrt{\sin[c + d*x]} + I*b*\sin[c + d*x]]) / (-a^2 + b^2)^{3/4} + (5*a*(a^2 - b^2)*\operatorname{AppellF1}[1/4, 1/2, 1, 5/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)]*\sqrt{\sin[c + d*x]}) / (\sqrt{1 - \sin[c + d*x]^2}*(5*(a^2 - b^2)*\operatorname{AppellF1}[1/4, 1/2, 1, 5/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\operatorname{AppellF1}[5/4, 1/2, 2, 9/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\operatorname{AppellF1}[5/4, 3/2, 1, 9/4, \sin[c + d*x]^2, (b^2*\sin[c + d*x]^2)/(-a^2 + b^2)])*\sin[c + d*x]^2*(a^2 + b^2*(-1 + \sin[c + d*x]^2)))))) / ((a + b*\cos[c + d*x])*\sqrt{1 - \sin[c + d*x]^2})) / (8*(a - b)^2*(a + b)^2*d*\sqrt{e*\sin[c + d*x]}) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 \sqrt{e \sin(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)^3*sqrt(e*sin(d*x + c))), x)

maple [B] time = 2.12, size = 2918, normalized size = 5.45

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2),x)

```
[Out] -3/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)/(-a^2+b^2)^(1/2)*b*(-sin
(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)
)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))
-3/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(-a^2+b^2)^(1/2)*b^3*(
-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(
1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1
/2))-45/16/d*a^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(-a^2+b^2)^(1/
2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2
+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/
2*2^(1/2))+9/4/d*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(-a^2+b^2)^(
1/2)*b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a
^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),
1/2*2^(1/2))-15/8/d*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)/(-a^2+b^2)^(
1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a
^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),
1/2*2^(1/2))+3/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)/(-a^2+b^2)^(
1/2)*b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a
^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),
1/2*2^(1/2))+45/16/d*a^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(-a^2
+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)
/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1
/2)/b),1/2*2^(1/2))-9/4/d*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(-a
^2+b^2)^(1/2)*b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/
2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(
1/2)/b),1/2*2^(1/2))+3/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2/(
-a^2+b^2)^(1/2)*b^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)
^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b
^2)^(1/2)/b),1/2*2^(1/2))-15/16/d*b*e/(a^4-2*a^2*b^2+b^4)*(e^2*(a^2-b^2)/b^
2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)
*(e*sin(d*x+c))^(1/2)+1)*a^2+13/8/d*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-
b^2)^2*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*Ellipt
icF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-3/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1
/2)/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)
*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))-15/16/d*b*e/(a^4-2*a^2*b^2+b^
4)*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*
(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)*a^2-15/32/d*b*e/(a^4-2*a^2*b^2
+b^4)*(e^2*(a^2-b^2)/b^2)^(1/4)/(a^2*e^2-b^2*e^2)*2^(1/2)*ln((e*sin(d*x+c)+
(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(
1/2)))/(e*sin(d*x+c)-(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)
+(e^2*(a^2-b^2)/b^2)^(1/2)))*a^2+15/8/d*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(
a^2-b^2)/(-a^2+b^2)^(1/2)/b*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*si
n(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-
(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+1/d*sin(d*x+c)*cos(d*x+c)*a/(e*sin(d*x+c)
)^(1/2)*b^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)^2+13/4/d*sin(d*x+c)*cos(d*x+c)
)*a/(e*sin(d*x+c))^(1/2)*b^2/(a^2-b^2)^2/(-cos(d*x+c)^2*b^2+a^2)-3/2/d*sin(
d*x+c)*cos(d*x+c)/a/(e*sin(d*x+c))^(1/2)*b^4/(a^2-b^2)^2/(-cos(d*x+c)^2*b^2
+a^2)-3/2/d*sin(d*x+c)*cos(d*x+c)/a/(e*sin(d*x+c))^(1/2)*b^2/(a^2-b^2)/(-co
s(d*x+c)^2*b^2+a^2)-3/8/d*b^3*e/(a^4-2*a^2*b^2+b^4)*(e^2*(a^2-b^2)/b^2)^(1/
4)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*si
n(d*x+c))^(1/2)+1)-3/8/d*b^3*e/(a^4-2*a^2*b^2+b^4)*(e^2*(a^2-b^2)/b^2)^(1/4)
)/(a^2*e^2-b^2*e^2)*2^(1/2)*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*si
n(d*x+c))^(1/2)-1)-3/16/d*b^3*e/(a^4-2*a^2*b^2+b^4)*(e^2*(a^2-b^2)/b^2)^(1/4)
)/(a^2*e^2-b^2*e^2)*2^(1/2)*ln((e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*si
n(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))/(e*sin(d*x+c)-(e^2*(a^2
-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(1/2)))-3
/4/d/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^2*(-sin(d*x+c)+1)^(1/2)*(2
*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2
^(1/2))*b^2-5/4/d*b^3*e/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)^2/(a^4-2*a^2*b^2+b^
4)*(e*sin(d*x+c))^(5/2)*a^2-9/4/d*b*e^3/(-b^2*cos(d*x+c)^2*e^2+a^2*e^2)^2/(
```

$$a^2-b^2)*(e*\sin(d*x+c))^{(1/2)}*a^{2-1/2}/d*b^5*e/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2/(a^4-2*a^2*b^2+b^4)*(e*\sin(d*x+c))^{(5/2)}-1/2/d*b^3*e^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2/(a^2-b^2)*(e*\sin(d*x+c))^{(1/2)}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{\sqrt{e \sin(c + dx)} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3),x)

[Out] int(1/((e*sin(c + d*x))^(1/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(1/2),x)

[Out] Timed out

$$3.86 \quad \int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{3/2}} dx$$

Optimal. Leaf size=611

$$\frac{a(8a^2 + 37b^2) E\left(\frac{1}{2}\left(c + dx - \frac{\pi}{2}\right) \middle| 2\right) \sqrt{e \sin(c + dx)}}{4de^2 (a^2 - b^2)^3 \sqrt{\sin(c + dx)}} - \frac{9ab}{4de (a^2 - b^2)^2 \sqrt{e \sin(c + dx)} (a + b \cos(c + dx))} - \frac{2de (a^2 - b^2)}{4de^2 (a^2 - b^2)^3 \sqrt{\sin(c + dx)}}$$

[Out] $-5/8*b^{(3/2)}*(7*a^2+2*b^2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(13/4)}/d/e^{(3/2)}+5/8*b^{(3/2)}*(7*a^2+2*b^2)*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(13/4)}/d/e^{(3/2)}-1/2*b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))^{(1/2)}/(e*\sin(d*x+c))^{(1/2)}-9/4*a*b/(a^2-b^2)^2/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(1/2)}+1/4*(5*b*(7*a^2+2*b^2)-a*(8*a^2+37*b^2)*\cos(d*x+c))/(a^2-b^2)^3/d/e/(e*\sin(d*x+c))^{(1/2)}+5/8*a*b*(7*a^2+2*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b-(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^3/d/e/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+5/8*a*b*(7*a^2+2*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x),2*b/(b+(-a^2+b^2)^{(1/2)}),2^{(1/2)})*\sin(d*x+c)^{(1/2)}/(a^2-b^2)^3/d/e/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+1/4*a*(8*a^2+37*b^2)*(\sin(1/2*c+1/4*Pi+1/2*d*x))^{(1/2)}/\sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticE}(\cos(1/2*c+1/4*Pi+1/2*d*x),2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)^3/d/e^2/\sin(d*x+c)^{(1/2)}$

Rubi [A] time = 1.65, antiderivative size = 611, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$, Rules used = {2694, 2864, 2866, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{5b^{3/2} (7a^2 + 2b^2) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8de^{3/2} (b^2 - a^2)^{13/4}} + \frac{5b^{3/2} (7a^2 + 2b^2) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}}\right)}{8de^{3/2} (b^2 - a^2)^{13/4}} - \frac{a(8a^2 + 37b^2) E\left(\frac{1}{2}(c + dx - \frac{\pi}{2}) \middle| 2\right) \sqrt{e \sin(c + dx)}}{4de^2 (a^2 - b^2)^3 \sqrt{\sin(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(3/2)),x]

[Out] $(-5*b^{(3/2)}*(7*a^2 + 2*b^2)*\operatorname{ArcTan}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(8*(-a^2 + b^2)^{(13/4)}*d*e^{(3/2)}) + (5*b^{(3/2)}*(7*a^2 + 2*b^2)*\operatorname{ArcTanh}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e]))/(8*(-a^2 + b^2)^{(13/4)}*d*e^{(3/2)}) - b/(2*(a^2 - b^2)*d*e*(a + b*\cos[c + d*x])^{(1/2)}*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (9*a*b)/(4*(a^2 - b^2)^2*d*e*(a + b*\cos[c + d*x])*\operatorname{Sqrt}[e*\sin[c + d*x]]) + (5*b*(7*a^2 + 2*b^2) - a*(8*a^2 + 37*b^2)*\cos[c + d*x])/(4*(a^2 - b^2)^3*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a*b*(7*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^3*(b - \operatorname{Sqrt}[-a^2 + b^2])*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (5*a*b*(7*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^3*(b + \operatorname{Sqrt}[-a^2 + b^2])*d*e*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (a*(8*a^2 + 37*b^2)*\operatorname{EllipticE}[(c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[e*\sin[c + d*x]])/(4*(a^2 - b^2)^3*d*e^2*\operatorname{Sqrt}[\sin[c + d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_)*(x_)^(m_))*((a_) + (b_)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n)))/c^n]^p, x], x, (c*x)^(1/k)], x] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_.) + (f_)*(x_)])*(g_.)^(p_)*((a_) + (b_)*sin[(e_.) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_)*(x_)])*(g_.)]/((a_) + (b_)*sin[(e_.) + (f_)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x))] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])*Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

Int[1/(((a_.) + (b_)*sin[(e_.) + (f_)*(x_)])*Sqrt[(c_.) + (d_)*sin[(e_.) + (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

+ f*x]]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2864

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> -Simp[((b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2866

Int[(cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^ (m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_)]*(g_.))^ (p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^3 (e \sin(c + dx))^{3/2}} dx = -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{\int \frac{-2a + \dots}{(a + b \cos(c + dx))^{3/2}} dx}{2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 \sqrt{e \sin(c + dx)}} - \frac{1}{4(a^2 - b^2)^2}$$

$$= -\frac{5b^{3/2} (7a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{13/4} de^{3/2}} + \frac{5b^{3/2} (7a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{13/4} de^{3/2}}$$

Mathematica [C] time = 6.54, size = 922, normalized size = 1.51

$$\frac{\sin^2(c + dx) \left(\frac{13a \sin(c+dx)b^3}{4(a^2-b^2)^3 (a+b \cos(c+dx))} + \frac{\sin(c+dx)b^3}{2(a^2-b^2)^2 (a+b \cos(c+dx))^2} - \frac{2(\cos(c+dx)a^3 - 3ba^2 + 3b^2 \cos(c+dx)a - b^3) \csc(c+dx)}{(a^2-b^2)^3} \right)}{d(e \sin(c + dx))^{3/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(3/2)),x]
[Out] (Sin[c + d*x]^2*((-2*(-3*a^2*b - b^3 + a^3*Cos[c + d*x] + 3*a*b^2*Cos[c + d*x])*Csc[c + d*x])/(a^2 - b^2)^3 + (b^3*Sin[c + d*x])/(2*(a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (13*a*b^3*Sin[c + d*x])/(4*(a^2 - b^2)^3*(a + b*Cos[c + d*x])))/(d*(e*Sin[c + d*x])^(3/2)) - (Sin[c + d*x]^(3/2)*(((8*a^3*b + 3*7*a*b^3)*Cos[c + d*x]^2*(3*sqrt[2]*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - 2*ArcTan[1 + (sqrt[2]*sqrt[b]*sqrt[Sin[c + d*x]])/(a^2 - b^2)^(1/4)] - Log[sqrt[a^2 - b^2] - sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[sqrt[a^2 - b^2] + sqrt[2]*sqrt[b]*(a^2 - b^2)^(1/4)*sqrt[Sin[c + d*x]] + b*Sin[c + d*x]]) + 8*b^(5/2)*AppellF1[3/4, -1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Si
```

```
n[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/(12*b^(3/2)*(-a^2 + b^2)*(a + b*Cos[c + d*x])*(1 - Sin[c + d*x]^2)) + (2*(8*a^4 + 72*a^2*b^2 + 10*b^4)*Cos[c + d*x]*(((1/8 + I/8)*(2*ArcTan[1 - ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*ArcTan[1 + ((1 + I)*Sqrt[b]*Sqrt[Sin[c + d*x]])/(-a^2 + b^2)^(1/4)] - Log[Sqrt[-a^2 + b^2] - (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]] + Log[Sqrt[-a^2 + b^2] + (1 + I)*Sqrt[b]*(-a^2 + b^2)^(1/4)*Sqrt[Sin[c + d*x]] + I*b*Sin[c + d*x]])))/(Sqrt[b]*(-a^2 + b^2)^(1/4)) + (a*AppellF1[3/4, 1/2, 1, 7/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sin[c + d*x]^(3/2))/(3*(a^2 - b^2)))*(a + b*Sqrt[1 - Sin[c + d*x]^2]))/((a + b*Cos[c + d*x])*Sqrt[1 - Sin[c + d*x]^2])))/(8*(a - b)^3*(a + b)^3*d*(e*Sin[c + d*x])^(3/2))
```

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 (e \sin(dx + c))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(3/2)), x)

maple [B] time = 2.84, size = 4913, normalized size = 8.04

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x)

```
[Out] -2/d/e*a^3*cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^3+6/d/e*b/(a^2-b^2)^3/(e*sin(d*x+c))^(1/2)*a^2+6/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2-3/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b^2)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))*b^2+3/2/d/e*sin(d*x+c)^2*cos(d*x+c)/a/(e*sin(d*x+c))^(1/2)*b^6/(a-b)/(a+b)/(a^2-b^2)^2/(-cos(d*x+c)^2*b^2+a^2)-3/2/d/e*sin(d*x+c)^2*cos(d*x+c)/a/(e*sin(d*x+c))^(1/2)*b^6/(a+b)^2/(a-b)^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)-1/2/d/e*sin(d*x+c)^2*cos(d*x+c)*a/(e*sin(d*x+c))^(1/2)*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)-1/d/e*sin(d*x+c)^2*cos(d*x+c)*a/(e*sin(d*x+c))^(1/2)*b^4/(a-b)/(a+b)/(a^2-b^2)/(-cos(d*x+c)^2*b^2+a^2)^2-11/4/d/e*sin(d*x+c)^2*cos(d*x+c)*a/(e*sin(d*x+c))^(1/2)*b^4/(a-b)/(a+b)/(a^2-b^2)^2/(-cos(d*x+c)^2*b^2+a^2)-3/4/d/e/a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+7/8/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a+b)^2/(a-b)^2/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+7/8/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a+b)^2/(a-b)^2/(a^2-b^2)*(-sin(d
```

$$\begin{aligned}
& x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/b) \\
&)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})+3/ \\
& 4/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^4/(a-b)/(a+b)/(a^2-b^2)^2*(-sin(d \\
& *x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/ \\
& b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})-7 \\
& /4/d/e*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^2/(a-b)/(a+b)/(a^2-b^2)^2*(-sin(\\
& d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/ \\
& b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)})+ \\
& 3/4/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^4/(a-b)/(a+b)/(a^2-b^2)^2*(-sin \\
& (d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/ \\
& b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \\
& -7/4/d/e*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^2/(a-b)/(a+b)/(a^2-b^2)^2*(-si \\
& n(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b^2)^{(1/2)}/ \\
& b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \\
&)-3/4/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)* \\
& (-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+b^2)^{(1/2)}/ \\
& b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2*2^{(1/2)}) \\
&)+5/16/d/e*b^3/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\ln((e*s \\
& in(d*x+c)-(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}*2^{(1/2)}+(e^2*(a^2- \\
& b^2)/b^2)^{(1/2)})/(e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)} \\
&)*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)}))+5/8/d/e*b^3/(a-b)^3/(a+b)^3/(e^2*(a^ \\
& 2-b^2)/b^2)^{(1/4)}*2^{(1/2)}*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d \\
& *x+c))^{(1/2)}+1)+5/8/d/e*b^3/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^{(1/4)}*2^{(1/2)} \\
&)*\arctan(2^{(1/2)}/(e^2*(a^2-b^2)/b^2)^{(1/4)}*(e*\sin(d*x+c))^{(1/2)}-1)+11/4/d/ \\
& e*b^5/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(7/2)} \\
&)*a^2+15/4/d*e*b^3/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin \\
& (d*x+c))^{(3/2)}*a^4-13/4/d*e*b^5/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2* \\
& e^2)^2*(e*\sin(d*x+c))^{(3/2)}*a^2+2/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(\\
& a^2-b^2)^3*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*El \\
& lipticE((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-1/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+ \\
& c))^{(1/2)}/(a^2-b^2)^3*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+ \\
& c)^{(1/2)}*EllipticF((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-1/4/d/e*a/\cos(d*x+c)/ \\
& (e*\sin(d*x+c))^{(1/2)}*b^2/(a+b)^2/(a-b)^2/(a^2-b^2)*(-sin(d*x+c)+1)^{(1/2)}*(2 \\
& *\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticF((-sin(d*x+c)+1)^{(1/2)},1/2*2 \\
& ^{(1/2)})+21/16/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a-b)/(a+b)/(a^2-b^2) \\
& ^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2+b \\
& ^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/2* \\
& 2^{(1/2)})+21/16/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a-b)/(a+b)/(a^2-b^2) \\
&)^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^2+ \\
& b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1/2 \\
& *2^{(1/2)})+3/8/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a+b)^2/(a-b)^2/(a^2- \\
& b^2)*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1-(-a^2 \\
& +b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1-(-a^2+b^2)^{(1/2)}/b),1/ \\
& 2*2^{(1/2)})+3/8/d/e*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}/(a+b)^2/(a-b)^2/(a^2 \\
& -b^2)*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}/(1+(-a^ \\
& 2+b^2)^{(1/2)}/b)*EllipticPi((-sin(d*x+c)+1)^{(1/2)},1/(1+(-a^2+b^2)^{(1/2)}/b),1 \\
& /2*2^{(1/2)})+11/4/d/e*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^2/(a-b)/(a+b)/(a^2 \\
& -b^2)^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*Ellip \\
& ticE((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-3/2/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c)) \\
& ^{(1/2)}*b^4/(a-b)/(a+b)/(a^2-b^2)^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(\\
& 1/2)}*\sin(d*x+c)^{(1/2)}*EllipticE((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})-11/8/d/e \\
& *a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^2/(a-b)/(a+b)/(a^2-b^2)^2*(-sin(d*x+c) \\
& +1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticF((-sin(d*x+c)+1) \\
& ^{(1/2)},1/2*2^{(1/2)})+3/4/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^4/(a-b)/(a+ \\
& b)/(a^2-b^2)^2*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d*x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)} \\
&)*EllipticF((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)})+3/2/d/e/a/\cos(d*x+c)/(e*\sin(\\
& d*x+c))^{(1/2)}*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)*(-sin(d*x+c)+1)^{(1/2)}*(2*\sin(d* \\
& x+c)+2)^{(1/2)}*\sin(d*x+c)^{(1/2)}*EllipticE((-sin(d*x+c)+1)^{(1/2)},1/2*2^{(1/2)}) \\
&)-3/4/d/e/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)}*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)*(-
\end{aligned}$$

```

sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*EllipticF((-sin
(d*x+c)+1)^(1/2),1/2*2^(1/2))+3/2/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2
/(a-b)^3/(a+b)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1
/2)/(1-(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)
^(1/2)/b),1/2*2^(1/2))+3/2/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a-b)^
3/(a+b)^3*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+
(-a^2+b^2)^(1/2)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/
b),1/2*2^(1/2))+1/2/d/e*a/cos(d*x+c)/(e*sin(d*x+c))^(1/2)*b^2/(a+b)^2/(a-b)
^2/(a^2-b^2)*(-sin(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)*
EllipticE((-sin(d*x+c)+1)^(1/2),1/2*2^(1/2))+2/d/e*b^3/(a^2-b^2)^3/(e*sin(d
*x+c))^(1/2)+1/2/d/e*b^7/(a-b)^3/(a+b)^3/(-b^2*cos(d*x+c))^2*e^2+a^2*e^2
*(e*sin(d*x+c))^(7/2)-1/2/d/e*b^7/(a-b)^3/(a+b)^3/(-b^2*cos(d*x+c))^2*e^2+a^2
*e^2*(e*sin(d*x+c))^(3/2)-6/d/e*a*cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a^2-b
^2)^3*b^2+1/2/d/e*a^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a-b)^3/(a+b)^3*(-sin
(d*x+c)+1)^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1-(-a^2+b^2)^(1/2)
)/b)*EllipticPi((-sin(d*x+c)+1)^(1/2),1/(1-(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))
+1/2/d/e*a^3/cos(d*x+c)/(e*sin(d*x+c))^(1/2)/(a-b)^3/(a+b)^3*(-sin(d*x+c)+1)
^(1/2)*(2*sin(d*x+c)+2)^(1/2)*sin(d*x+c)^(1/2)/(1+(-a^2+b^2)^(1/2)/b)*Elli
pticPi((-sin(d*x+c)+1)^(1/2),1/(1+(-a^2+b^2)^(1/2)/b),1/2*2^(1/2))+35/32/d/
e*b/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*a^2*ln((e*sin(d*x+c)-
(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)+(e^2*(a^2-b^2)/b^2)^(
1/2))/(e*sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)*2^(1/2)
+(e^2*(a^2-b^2)/b^2)^(1/2)))+35/16/d/e*b/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)
^(1/4)*2^(1/2)*a^2*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))
^(1/2)+1)+35/16/d/e*b/(a-b)^3/(a+b)^3/(e^2*(a^2-b^2)/b^2)^(1/4)*2^(1/2)*a^2
*arctan(2^(1/2)/(e^2*(a^2-b^2)/b^2)^(1/4)*(e*sin(d*x+c))^(1/2)-1)

```

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{3/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3),x)

[Out] int(1/((e*sin(c + d*x))^(3/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(3/2),x)

[Out] Timed out

$$3.87 \quad \int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{5/2}} dx$$

Optimal. Leaf size=629

$$\frac{a(8a^2 + 69b^2) \sqrt{\sin(c+dx)} F\left(\frac{1}{2}\left(c+dx - \frac{\pi}{2}\right) \middle| 2\right)}{12de^2 (a^2 - b^2)^3 \sqrt{e \sin(c+dx)}} - \frac{7ab^2 (9a^2 + 2b^2) \sqrt{\sin(c+dx)} \Pi\left(\frac{2b}{b - \sqrt{b^2 - a^2}}; \frac{1}{2}\left(c+dx - \frac{\pi}{2}\right)\right)}{8de^2 (a^2 - b^2)^3 \left(a^2 - b\left(b - \sqrt{b^2 - a^2}\right)\right) \sqrt{e \sin(c+dx)}}$$

[Out] $7/8*b^{(5/2)}*(9*a^2+2*b^2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(15/4)}/d/e^{(5/2)}+7/8*b^{(5/2)}*(9*a^2+2*b^2)*\operatorname{arctanh}(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(15/4)}/d/e^{(5/2)}-1/2*b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))^2/(e*\sin(d*x+c))^{(3/2)}-11/4*a*b/(a^2-b^2)^2/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(3/2)}+1/12*(7*b*(9*a^2+2*b^2)-a*(8*a^2+69*b^2)*\cos(d*x+c))/(a^2-b^2)^3/d/e/(e*\sin(d*x+c))^{(3/2)}-1/12*a*(8*a^2+69*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticF}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*sin(d*x+c)^{(1/2)}/(a^2-b^2)^3/d/e^2/(e*\sin(d*x+c))^{(1/2)}+7/8*a*b^2*(9*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*sin(d*x+c)^{(1/2)}/(a^2-b^2)^3/d/e^2/(a^2-b*(b-(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}+7/8*a*b^2*(9*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x))^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*\operatorname{EllipticPi}(\cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*sin(d*x+c)^{(1/2)}/(a^2-b^2)^3/d/e^2/(a^2-b*(b+(-a^2+b^2)^{(1/2)}))/(e*\sin(d*x+c))^{(1/2)}$

Rubi [A] time = 1.77, antiderivative size = 629, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$, Rules used = {2694, 2864, 2866, 2867, 2642, 2641, 2702, 2807, 2805, 329, 212, 208, 205}

$$\frac{7b^{5/2} (9a^2 + 2b^2) \tan^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{8de^{5/2} (b^2 - a^2)^{15/4}} + \frac{7b^{5/2} (9a^2 + 2b^2) \tanh^{-1}\left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2 - a^2}}\right)}{8de^{5/2} (b^2 - a^2)^{15/4}} + \frac{a(8a^2 + 69b^2) \sqrt{\sin(c+dx)}}{12de^2 (a^2 - b^2)^3}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(5/2)),x]

[Out] $(7*b^{(5/2)}*(9*a^2 + 2*b^2)*\operatorname{ArcTan}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])]/(8*(-a^2 + b^2)^{(15/4)}*d*e^{(5/2)}) + (7*b^{(5/2)}*(9*a^2 + 2*b^2)*\operatorname{ArcTanh}[\operatorname{Sqrt}[b]*\operatorname{Sqrt}[e*\sin[c + d*x]])/((-a^2 + b^2)^{(1/4)}*\operatorname{Sqrt}[e])]/(8*(-a^2 + b^2)^{(15/4)}*d*e^{(5/2)}) - b/(2*(a^2 - b^2)*d*e*(a + b*\cos[c + d*x])^2*(e*\sin[c + d*x])^{(3/2)}) - (11*a*b)/(4*(a^2 - b^2)^2*d*e*(a + b*\cos[c + d*x])*(e*\sin[c + d*x])^{(3/2)}) + (7*b*(9*a^2 + 2*b^2) - a*(8*a^2 + 69*b^2)*\cos[c + d*x])/(12*(a^2 - b^2)^3*d*e*(e*\sin[c + d*x])^{(3/2)}) + (a*(8*a^2 + 69*b^2)*\operatorname{EllipticF}[(c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(12*(a^2 - b^2)^3*d*e^2*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (7*a*b^2*(9*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b - \operatorname{Sqrt}[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^3*(a^2 - b*(b - \operatorname{Sqrt}[-a^2 + b^2]))*d*e^2*\operatorname{Sqrt}[e*\sin[c + d*x]]) - (7*a*b^2*(9*a^2 + 2*b^2)*\operatorname{EllipticPi}[(2*b)/(b + \operatorname{Sqrt}[-a^2 + b^2]), (c - Pi/2 + d*x)/2, 2]*\operatorname{Sqrt}[\sin[c + d*x]])/(8*(a^2 - b^2)^3*(a^2 - b*(b + \operatorname{Sqrt}[-a^2 + b^2]))*d*e^2*\operatorname{Sqrt}[e*\sin[c + d*x]])$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

$\text{Int}[\frac{((a_) + (b_.) * (x_)^2)^{-1}}{Rt[-(a/b), 2]}], x_Symbol] \rightarrow \text{Simp}[\frac{Rt[-(a/b), 2] * \text{ArcTanh}[x/Rt[-(a/b), 2]]}{a, x}]; \text{FreeQ}\{a, b\}, x \ \&\& \ \text{NegQ}[a/b]$

Rule 212

$\text{Int}[\frac{((a_) + (b_.) * (x_)^4)^{-1}}{Rt[-(a/b), 2]}], x_Symbol] \rightarrow \text{With}[\{r = \text{Numerator}[Rt[-(a/b), 2]], s = \text{Denominator}[Rt[-(a/b), 2]]\}, \text{Dist}[r/(2*a), \text{Int}[1/(r - s*x^2), x], x] + \text{Dist}[r/(2*a), \text{Int}[1/(r + s*x^2), x], x]] /; \text{FreeQ}\{a, b\}, x \ \&\& \ !\text{GtQ}[a/b, 0]$

Rule 329

$\text{Int}[\frac{((c_.) * (x_))^{(m_)} * ((a_) + (b_.) * (x_)^{(n_)})^{(p_)}}{Rt[-(a/b), 2]}], x_Symbol] \rightarrow \text{With}[\{k = \text{Denominator}[m]\}, \text{Dist}[k/c, \text{Subst}[\text{Int}[x^{(k*(m+1)-1)} * (a + (b*x^{(k*n)})/c^n)^p, x], x, (c*x)^{1/k}], x]] /; \text{FreeQ}\{a, b, c, p\}, x \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ \text{FractionQ}[m] \ \&\& \ \text{IntBinomialQ}[a, b, c, n, m, p, x]$

Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.) * (x_)]], x_Symbol] \rightarrow \text{Simp}[\frac{2 * \text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2]]{d, x} /; \text{FreeQ}\{c, d\}, x]$

Rule 2642

$\text{Int}[1/\text{Sqrt}[(b_.) * \sin[(c_.) + (d_.) * (x_)]], x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[\text{Sin}[c + d*x]]/\text{Sqrt}[b * \text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[\text{Sin}[c + d*x]], x], x] /; \text{FreeQ}\{b, c, d\}, x]$

Rule 2694

$\text{Int}[\frac{(\cos[(e_.) + (f_.) * (x_)] * (g_.)^{(p_)} * ((a_) + (b_.) * \sin[(e_.) + (f_.) * (x_)]))^{(m_)}}{Rt[-(a/b), 2]}], x_Symbol] \rightarrow -\text{Simp}[\frac{b * (g * \cos[e + f*x])^{(p+1)} * (a + b * \sin[e + f*x])^{(m+1)}}{(f * g * (a^2 - b^2) * (m+1))}, x] + \text{Dist}[1/((a^2 - b^2) * (m+1)), \text{Int}[(g * \cos[e + f*x])^p * (a + b * \sin[e + f*x])^{(m+1)} * (a * (m+1) - b * (m+p+2) * \sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, g, p\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{IntegersQ}[2*m, 2*p]$

Rule 2702

$\text{Int}[1/(\text{Sqrt}[\cos[(e_.) + (f_.) * (x_)] * (g_.)] * ((a_) + (b_.) * \sin[(e_.) + (f_.) * (x_)])), x_Symbol] \rightarrow \text{With}[\{q = \text{Rt}[-a^2 + b^2, 2]\}, -\text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g * \cos[e + f*x]] * (q + b * \cos[e + f*x])), x], x] + (\text{Dist}[(b*g)/f, \text{Subst}[\text{Int}[1/(\text{Sqrt}[x * (g^2 * (a^2 - b^2) + b^2 * x^2)], x], x, g * \cos[e + f*x]], x] - \text{Dist}[a/(2*q), \text{Int}[1/(\text{Sqrt}[g * \cos[e + f*x]] * (q - b * \cos[e + f*x])), x], x]]] /; \text{FreeQ}\{a, b, e, f, g\}, x \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

Rule 2805

$\text{Int}[1/(((a_.) + (b_.) * \sin[(e_.) + (f_.) * (x_)])) * \text{Sqrt}[(c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_)]]), x_Symbol] \rightarrow \text{Simp}[\frac{2 * \text{EllipticPi}[(2*b)/(a+b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c+d)]}{(f*(a+b) * \text{Sqrt}[c+d])}, x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[c+d, 0]$

Rule 2807

$\text{Int}[1/(((a_.) + (b_.) * \sin[(e_.) + (f_.) * (x_)])) * \text{Sqrt}[(c_.) + (d_.) * \sin[(e_.) + (f_.) * (x_)]]), x_Symbol] \rightarrow \text{Dist}[\text{Sqrt}[(c + d * \sin[e + f*x])/(c + d)]/\text{Sqrt}[c + d * \sin[e + f*x]], \text{Int}[1/((a + b * \sin[e + f*x]) * \text{Sqrt}[c/(c + d) + (d * \sin[e$

+ f*x]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2864

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := -Simp[((b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]

Rule 2866

Int[(cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]

Rule 2867

Int[((cos[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])))/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{1}{(a + b \cos(c + dx))^3 (e \sin(c + dx))^{5/2}} dx = -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{\int \frac{-2a + \sqrt{2}}{(a + b \cos(c + dx))^{5/2}} dx}{2(a^2 - b^2)}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{3/2}} - \frac{1}{4(a^2 - b^2)^2 a}$$

$$= \frac{7b^{5/2} (9a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{15/4} de^{5/2}} + \frac{7b^{5/2} (9a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{15/4} de^{5/2}}$$

Mathematica [C] time = 14.49, size = 1308, normalized size = 2.08

$$\frac{\left(\frac{15ab^3}{4(a^2 - b^2)^3 (a + b \cos(c + dx))} + \frac{b^3}{2(a^2 - b^2)^2 (a + b \cos(c + dx))^2} - \frac{2(\cos(c + dx)a^3 - 3ba^2 + 3b^2 \cos(c + dx)a - b^3) \csc^2(c + dx)}{3(a^2 - b^2)^3} \right) \sin^3(c + dx)}{d(e \sin(c + dx))^{5/2}} + \frac{2(8ba^3 + 6b^4)}{8(-a^2 + b^2)^{15/4} de^{5/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(5/2)),x]
[Out] ((b^3/(2*(a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (15*a*b^3)/(4*(a^2 - b^2)^3*(a + b*Cos[c + d*x])) - (2*(-3*a^2*b - b^3 + a^3*Cos[c + d*x] + 3*a*b^2*Cos[c + d*x])*Csc[c + d*x]^2)/(3*(a^2 - b^2)^3))*Sin[c + d*x]^3)/(d*(e*Sin[c + d*x])^(5/2)) + (Sin[c + d*x]^(5/2)*((2*(8*a^3*b + 69*a*b^3)*Cos[c + d*x]^2*(a + b*Sqrt[1 - Sin[c + d*x]^2))*((a*(-2*ArcTan[1 - (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] + 2*ArcTan[1 + (Sqrt[2]*Sqrt[b]*Sqrt[Sin[c + d*x]])]/(a^2 - b^2)^(1/4)] - Log[Sqrt[a^2 - b^2] - Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x]] + Log[Sqrt[a^2 - b^2] + Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(1/4)*Sqrt[Sin[c + d*x]] + b*Sin[c + d*x])))/(4*Sqrt[2]*Sqrt[b]*(a^2 - b^2)^(3/4)) + (5*b*(a^2 - b^2)*AppellF1[1/4, -1/2, 1, 5/4, Sin[c + d*x]^2, (b^2*Sin[c + d*x]^2)/(-a^2 + b^2)]*Sqrt[Sin[c + d*x]])))/(8*(-a^2 + b^2)^{15/4} de^{5/2})
```

$$x]]*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2)]/((-5*(a^2 - b^2)*\text{AppellF1}[1/4, -1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + 2*(2*b^2*\text{AppellF1}[5/4, -1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (a^2 - b^2)*\text{AppellF1}[5/4, 1/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)])*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*(1 - \text{Sin}[c + d*x]^2)) + (2*(8*a^4 - 120*a^2*b^2 - 42*b^4)*\text{Cos}[c + d*x]*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))*(((-1/8 + I/8)*\text{Sqrt}[b]*(2*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^(1/4)] - 2*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^(1/4)] + \text{Log}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^(1/4)*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]] - \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^(1/4)*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]]))/(-a^2 + b^2)^(3/4) + (5*a*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sqrt}[\text{Sin}[c + d*x]])/(\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]*(5*(a^2 - b^2)*\text{AppellF1}[1/4, 1/2, 1, 5/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] - 2*(2*b^2*\text{AppellF1}[5/4, 1/2, 2, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)] + (-a^2 + b^2)*\text{AppellF1}[5/4, 3/2, 1, 9/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 + b^2)])*\text{Sin}[c + d*x]^2*(a^2 + b^2*(-1 + \text{Sin}[c + d*x]^2)))))/((a + b*\text{Cos}[c + d*x])*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))/(24*(a - b)^3*(a + b)^3*d*(e*\text{Sin}[c + d*x])^(5/2))$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

giac [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x, algorithm="giac")

[Out] Exception raised: RuntimeError >> An error occurred running a Giac command:
 INPUT:sage2OUTPUT:Evaluation time: 13.57Unable to divide, perhaps due to rounding error%%{[-268435456,0]:[1,0,-2]%%}, [4,9,0,2,1]%%}+%%{%%{[805306368,0]:[1,0,-2]%%}, [4,8,1,2,1]%%}+%%{%%{[-2147483648,0]:[1,0,-2]%%}, [4,6,3,2,1]%%}+%%{%%{[1610612736,0]:[1,0,-2]%%}, [4,5,4,2,1]%%}+%%{%%{[1610612736,0]:[1,0,-2]%%}, [4,4,5,2,1]%%}+%%{%%{[-2147483648,0]:[1,0,-2]%%}, [4,3,6,2,1]%%}+%%{%%{[805306368,0]:[1,0,-2]%%}, [4,1,8,2,1]%%}+%%{%%{[-268435456,0]:[1,0,-2]%%}, [4,0,9,2,1]%%}+%%{%%{[-536870912,0]:[1,0,-2]%%}, [2,9,0,2,1]%%}+%%{%%{[536870912,0]:[1,0,-2]%%}, [2,8,1,2,1]%%}+%%{%%{[2147483648,0]:[1,0,-2]%%}, [2,7,2,2,1]%%}+%%{%%{[-2147483648,0]:[1,0,-2]%%}, [2,6,3,2,1]%%}+%%{%%{[-3221225472,0]:[1,0,-2]%%}, [2,5,4,2,1]%%}+%%{%%{[3221225472,0]:[1,0,-2]%%}, [2,4,5,2,1]%%}+%%{%%{[2147483648,0]:[1,0,-2]%%}, [2,3,6,2,1]%%}+%%{%%{[-2147483648,0]:[1,0,-2]%%}, [2,2,7,2,1]%%}+%%{%%{[-536870912,0]:[1,0,-2]%%}, [2,1,8,2,1]%%}+%%{%%{[536870912,0]:[1,0,-2]%%}, [2,0,9,2,1]%%}+%%{%%{[-268435456,0]:[1,0,-2]%%}, [0,9,0,2,1]%%}+%%{%%{[-268435456,0]:[1,0,-2]%%}, [0,8,1,2,1]%%}+%%{%%{[1073741824,0]:[1,0,-2]%%}, [0,7,2,2,1]%%}+%%{%%{[1073741824,0]:[1,0,-2]%%}, [0,6,3,2,1]%%}+%%{%%{[-1610612736,0]:[1,0,-2]%%}, [0,5,4,2,1]%%}+%%{%%{[-1610612736,0]:[1,0,-2]%%}, [0,4,5,2,1]%%}+%%{%%{[1073741824,0]:[1,0,-2]%%}, [0,3,6,2,1]%%}+%%{%%{[1073741824,0]:[1,0,-2]%%}, [0,2,7,2,1]%%}+%%{%%{[-268435456,0]:[1,0,-2]%%}, [0,1,8,2,1]%%}+%%{%%{[-268435456,0]:[1,0,-2]%%}, [0,0,9,2,1]%%} / %%{1,[4,2,0,0,0]%%}+%%{-2,[4,1,1,0,0]%%}+%%{1,[4,0,2,0,0]%%}+%%{2,[2,2,0,0,0]

]]]]+]]]]{-2, [2,0,2,0,0]]]]+]]]]{1, [0,2,0,0,0]]]]+]]]]{2, [0,1,1,0,0]]]]+]]]]{1, [0,0,2,0,0]]]]} Error: Bad Argument Value

maple [B] time = 3.14, size = 4661, normalized size = 7.41

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] $\int (1/(a+b*\cos(dx+c))^3/(e*\sin(dx+c))^{5/2}, x)$

[Out] $63/16/d/e*b^3/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}+1)*a^2+63/16/d/e*b^3/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)^{1/2}*\arctan(2^{1/2}/(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2}-1)*a^2+63/32/d/e*b^3/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{1/4}/(a^2*e^2-b^2*e^2)^{1/2}*\ln((e*\sin(dx+c)+(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2})^{2^{1/2}}+(e^2*(a^2-b^2)/b^2)^{1/2})/(e*\sin(dx+c)-(e^2*(a^2-b^2)/b^2)^{1/4}*(e*\sin(dx+c))^{1/2})^{2^{1/2}}+(e^2*(a^2-b^2)/b^2)^{1/2})))*a^2+1/d/e^2*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}/(a^2-b^2)^3/(\cos(dx+c)^2-1)*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{5/2}*EllipticF(-\sin(dx+c)+1)^{1/2}, 1/2*2^{1/2})*b^2-1/2/d/e^2*\sin(dx+c)*\cos(dx+c)*a/(e*\sin(dx+c))^{1/2}*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)-1/d/e^2*\sin(dx+c)*\cos(dx+c)*a/(e*\sin(dx+c))^{1/2}*b^4/(a+b)/(a-b)/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)^2-13/4/d/e^2*\sin(dx+c)*\cos(dx+c)*a/(e*\sin(dx+c))^{1/2}*b^4/(a+b)/(a-b)/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2)+3/2/d/e^2*\sin(dx+c)*\cos(dx+c)/a/(e*\sin(dx+c))^{1/2}*b^6/(a+b)/(a-b)/(a^2-b^2)^2/(-\cos(dx+c)^2*b^2+a^2)-3/2/d/e^2*\sin(dx+c)*\cos(dx+c)/a/(e*\sin(dx+c))^{1/2}*b^6/(a+b)^2/(a-b)^2/(a^2-b^2)/(-\cos(dx+c)^2*b^2+a^2)+2/3/d/e*b^3/(a^2-b^2)^3/(e*\sin(dx+c))^{3/2}+1/2/d/e^2*a^3/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b/(a-b)^3/(a+b)^3/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-1/2/d/e^2*a^3/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b/(a-b)^3/(a+b)^3/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+3/2/d/e^2*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b^3/(a-b)^3/(a+b)^3/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/2/d/e^2*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b^3/(a-b)^3/(a+b)^3/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+13/8/d/e^2*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b^3/(a+b)^2/(a-b)^2/(a^2-b^2)/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+9/4/d/e^2*a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b^3/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-3/4/d/e^2/a/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b^5/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})+5/8/d/e^2*a^3/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b/(a+b)^2/(a-b)^2/(a^2-b^2)/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1-(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1-(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})-5/8/d/e^2*a^3/\cos(dx+c)/(e*\sin(dx+c))^{1/2}*b/(a+b)^2/(a-b)^2/(a^2-b^2)/(-a^2+b^2)^{1/2}*(-\sin(dx+c)+1)^{1/2}*(2*\sin(dx+c)+2)^{1/2}*\sin(dx+c)^{1/2}/(1+(-a^2+b^2)^{1/2}/b)*EllipticPi(-\sin(dx+c)+1)^{1/2}, 1/(1+(-a^2+b^2)^{1/2}/b), 1/2*2^{1/2})$

$$\begin{aligned} & ^2)^{(1/2)/b), 1/2*2^{(1/2)}+3/4/d/e^2/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^5/(a+b)^2/(a-b)^2/(a^2-b^2)/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1+(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1+(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}+45/16/d/e^2*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1-(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1-(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}-9/4/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^3/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1-(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1-(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}+3/4/d/e^2/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^5/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1-(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1-(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}-45/16/d/e^2*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b/(a+b)/(a-b)/(a^2-b^2)^2/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1+(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1+(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}-13/8/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^3/(a+b)^2/(a-b)^2/(a^2-b^2)/(-a^2+b^2)^{(1/2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)/(1+(-a^2+b^2)^{(1/2)/b)*\text{EllipticPi}((- \sin(d*x+c)+1)^{(1/2), 1/(1+(-a^2+b^2)^{(1/2)/b), 1/2*2^{(1/2)}+1/3/d/e^2*a^3/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)^3/(\cos(d*x+c)^2-1)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(5/2)*\text{EllipticF}((- \sin(d*x+c)+1)^{(1/2), 1/2*2^{(1/2)}+2/d/e^2*a*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)^3/(\cos(d*x+c)^2-1)*\sin(d*x+c)*b^2+7/8/d/e*b^5/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{(1/4)/(a^2*e^2-b^2*e^2)*2^{(1/2)*\arctan(2^{(1/2)/(e^2*(a^2-b^2)/b^2)^{(1/4)*(e*\sin(d*x+c))^{(1/2)+1}+7/8/d/e*b^5/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{(1/4)/(a^2*e^2-b^2*e^2)*2^{(1/2)*\arctan(2^{(1/2)/(e^2*(a^2-b^2)/b^2)^{(1/4)*(e*\sin(d*x+c))^{(1/2)-1}+7/16/d/e*b^5/(a-b)^3/(a+b)^3*(e^2*(a^2-b^2)/b^2)^{(1/4)/(a^2*e^2-b^2*e^2)*2^{(1/2)*\ln((e*\sin(d*x+c)+(e^2*(a^2-b^2)/b^2)^{(1/4)*(e*\sin(d*x+c))^{(1/2)*2^{(1/2)}+(e^2*(a^2-b^2)/b^2)^{(1/2)})))+2/d/e*b/(a^2-b^2)^3/(e*\sin(d*x+c))^{(3/2)*a^2+1/2/d/e*b^7/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(5/2)-1/2/d*e*b^7/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(1/2)-1/4/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^2/(a+b)^2/(a-b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)*\text{EllipticF}((- \sin(d*x+c)+1)^{(1/2), 1/2*2^{(1/2)}-13/8/d/e^2*a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^2/(a+b)/(a-b)/(a^2-b^2)^2*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)*\text{EllipticF}((- \sin(d*x+c)+1)^{(1/2), 1/2*2^{(1/2)}+3/4/d/e^2/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^4/(a+b)/(a-b)/(a^2-b^2)^2*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)*\text{EllipticF}((- \sin(d*x+c)+1)^{(1/2), 1/2*2^{(1/2)}-3/4/d/e^2/a/\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)*b^4/(a+b)^2/(a-b)^2/(a^2-b^2)*(-\sin(d*x+c)+1)^{(1/2)*(2*\sin(d*x+c)+2)^{(1/2)*\sin(d*x+c)^{(1/2)*\text{EllipticF}((- \sin(d*x+c)+1)^{(1/2), 1/2*2^{(1/2)}-15/4/d*e*b^5/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(1/2)*a^2+13/4/d/e*b^5/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(5/2)*a^2+17/4/d*e*b^3/(a-b)^3/(a+b)^3/(-b^2*\cos(d*x+c)^2*e^2+a^2*e^2)^2*(e*\sin(d*x+c))^{(1/2)*a^4+2/3/d/e^2*a^3*\cos(d*x+c)/(e*\sin(d*x+c))^{(1/2)/(a^2-b^2)^3/(\cos(d*x+c)^2-1)*\sin(d*x+c)} \end{aligned}$$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{5/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3), x)

[Out] int(1/((e*sin(c + d*x))^(5/2)*(a + b*cos(c + d*x))^3), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(5/2), x)

[Out] Timed out

$$3.88 \quad \int \frac{1}{(a+b \cos(c+dx))^3 (e \sin(c+dx))^{7/2}} dx$$

Optimal. Leaf size=700

$$\frac{13ab}{4de(a^2 - b^2)^2 (e \sin(c + dx))^{5/2} (a + b \cos(c + dx))} - \frac{b}{2de(a^2 - b^2) (e \sin(c + dx))^{5/2} (a + b \cos(c + dx))^2} + \frac{9b(1}{$$

[Out]
$$-9/8*b^{(7/2)}*(11*a^2+2*b^2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(17/4)}/d/e^{(7/2)}+9/8*b^{(7/2)}*(11*a^2+2*b^2)*\arctan(b^{(1/2)}*(e*\sin(d*x+c))^{(1/2)}/(-a^2+b^2)^{(1/4)}/e^{(1/2)})/(-a^2+b^2)^{(17/4)}/d/e^{(7/2)}-1/2*b/(a^2-b^2)/d/e/(a+b*\cos(d*x+c))^2/(e*\sin(d*x+c))^{(5/2)}-13/4*a*b/(a^2-b^2)^2/d/e/(a+b*\cos(d*x+c))/(e*\sin(d*x+c))^{(5/2)}+1/20*(9*b*(11*a^2+2*b^2)-a*(8*a^2+109*b^2)*\cos(d*x+c))/(a^2-b^2)^3/d/e/(e*\sin(d*x+c))^{(5/2)}-3/20*(15*b^3*(11*a^2+2*b^2)+a*(8*a^4-64*a^2*b^2-139*b^4)*\cos(d*x+c))/(a^2-b^2)^4/d/e^3/(e*\sin(d*x+c))^{(1/2)}-9/8*a*b^3*(11*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticPi(cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b-(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*sin(d*x+c)^{(1/2)}/(a^2-b^2)^4/d/e^3/(b-(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}-9/8*a*b^3*(11*a^2+2*b^2)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticPi(cos(1/2*c+1/4*Pi+1/2*d*x), 2*b/(b+(-a^2+b^2)^{(1/2)}), 2^{(1/2)})*sin(d*x+c)^{(1/2)}/(a^2-b^2)^4/d/e^3/(b+(-a^2+b^2)^{(1/2)})/(e*\sin(d*x+c))^{(1/2)}+3/20*a*(8*a^4-64*a^2*b^2-139*b^4)*(sin(1/2*c+1/4*Pi+1/2*d*x)^2)^{(1/2)}/sin(1/2*c+1/4*Pi+1/2*d*x)*EllipticE(cos(1/2*c+1/4*Pi+1/2*d*x), 2^{(1/2)})*(e*\sin(d*x+c))^{(1/2)}/(a^2-b^2)^4/d/e^4/sin(d*x+c)^{(1/2)}$$

Rubi [A] time = 2.12, antiderivative size = 700, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 13, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.520$, Rules used = {2694, 2864, 2866, 2867, 2640, 2639, 2701, 2807, 2805, 329, 298, 205, 208}

$$\frac{9b^{7/2} (11a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8de^{7/2} (b^2 - a^2)^{17/4}} + \frac{9b^{7/2} (11a^2 + 2b^2) \tanh^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c+dx)}}{\sqrt{e} \sqrt[4]{b^2-a^2}} \right)}{8de^{7/2} (b^2 - a^2)^{17/4}} - \frac{3(a(-64a^2b^2 + 8a^4 - 139b^4))}{20de^3}$$

Antiderivative was successfully verified.

[In] Int[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(7/2)),x]

[Out]
$$(-9*b^{(7/2)}*(11*a^2 + 2*b^2)*\text{ArcTan}[\text{Sqrt}[b]*\text{Sqrt}[e*\text{Sin}[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\text{Sqrt}[e]))/(8*(-a^2 + b^2)^{(17/4)}*d*e^{(7/2)}) + (9*b^{(7/2)}*(11*a^2 + 2*b^2)*\text{ArcTanh}[\text{Sqrt}[b]*\text{Sqrt}[e*\text{Sin}[c + d*x]]]/((-a^2 + b^2)^{(1/4)}*\text{Sqrt}[e]))/(8*(-a^2 + b^2)^{(17/4)}*d*e^{(7/2)}) - b/(2*(a^2 - b^2)*d*e*(a + b*\text{Cos}[c + d*x])^2*(e*\text{Sin}[c + d*x])^{(5/2)}) - (13*a*b)/(4*(a^2 - b^2)^2*d*e*(a + b*\text{Cos}[c + d*x])*(e*\text{Sin}[c + d*x])^{(5/2)}) + (9*b*(11*a^2 + 2*b^2) - a*(8*a^2 + 109*b^2)*\text{Cos}[c + d*x])/(20*(a^2 - b^2)^3*d*e*(e*\text{Sin}[c + d*x])^{(5/2)}) - (3*(15*b^3*(11*a^2 + 2*b^2) + a*(8*a^4 - 64*a^2*b^2 - 139*b^4)*\text{Cos}[c + d*x]))/(20*(a^2 - b^2)^4*d*e^3*\text{Sqrt}[e*\text{Sin}[c + d*x]]) + (9*a*b^3*(11*a^2 + 2*b^2)*\text{EllipticPi}[(2*b)/(b - \text{Sqrt}[-a^2 + b^2]), (c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(8*(a^2 - b^2)^4*(b - \text{Sqrt}[-a^2 + b^2])*d*e^3*\text{Sqrt}[e*\text{Sin}[c + d*x]]) + (9*a*b^3*(11*a^2 + 2*b^2)*\text{EllipticPi}[(2*b)/(b + \text{Sqrt}[-a^2 + b^2]), (c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[\text{Sin}[c + d*x]])/(8*(a^2 - b^2)^4*(b + \text{Sqrt}[-a^2 + b^2])*d*e^3*\text{Sqrt}[e*\text{Sin}[c + d*x]]) - (3*a*(8*a^4 - 64*a^2*b^2 - 139*b^4)*\text{EllipticE}[(c - \text{Pi}/2 + d*x)/2, 2]*\text{Sqrt}[e*\text{Sin}[c + d*x]])/(20*(a^2 - b^2)^4*d*e^4*\text{Sqrt}[\text{Sin}[c + d*x]])$$

Rule 205

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 208

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[-(a/b), 2]*ArcTanh[x/Rt[-(a/b), 2]])/a, x] /; FreeQ[{a, b}, x] && NegQ[a/b]

Rule 298

Int[(x_)^2/((a_) + (b_.)*(x_)^4), x_Symbol] := With[{r = Numerator[Rt[-(a/b), 2]], s = Denominator[Rt[-(a/b), 2]]}, Dist[s/(2*b), Int[1/(r + s*x^2), x], x] - Dist[s/(2*b), Int[1/(r - s*x^2), x], x]] /; FreeQ[{a, b}, x] && !GtQ[a/b, 0]

Rule 329

Int[((c_.)*(x_)^(m_))*((a_) + (b_.)*(x_)^(n_))^(p_), x_Symbol] := With[{k = Denominator[m]}, Dist[k/c, Subst[Int[x^(k*(m + 1) - 1)*(a + (b*x^(k*n))/c^n)^p, x], x, (c*x)^(1/k)], x]] /; FreeQ[{a, b, c, p}, x] && IGtQ[n, 0] && FractionQ[m] && IntBinomialQ[a, b, c, n, m, p, x]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2640

Int[Sqrt[(b_)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[b*Sin[c + d*x]]/Sqrt[Sin[c + d*x]], Int[Sqrt[Sin[c + d*x]], x], x] /; FreeQ[{b, c, d}, x]

Rule 2694

Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_), x_Symbol] := -Simp[(b*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*(a*(m + 1) - b*(m + p + 2)*Sin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegersQ[2*m, 2*p]

Rule 2701

Int[Sqrt[cos[(e_.) + (f_.)*(x_)])*(g_.)]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := With[{q = Rt[-a^2 + b^2, 2]}, Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q + b*Cos[e + f*x])), x], x] + (-Dist[(a*g)/(2*b), Int[1/(Sqrt[g*Cos[e + f*x]]*(q - b*Cos[e + f*x])), x], x] + Dist[(b*g)/f, Subst[Int[Sqrt[x]/(g^2*(a^2 - b^2) + b^2*x^2), x], x, g*Cos[e + f*x]], x]] /; FreeQ[{a, b, e, f, g}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])]/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2864

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1))/(f*g*(a^2 - b^2)*(m + 1)), x] + Dist[1/((a^2 - b^2)*(m + 1)), Int[(g*Cos[e + f*x])^p*(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + p + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 2866

```
Int[(cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(g*Cos[e + f*x])^(p + 1)*(a + b*Sin[e + f*x])^(m + 1)*(b*c - a*d - (a*c - b*d)*Sin[e + f*x])/(f*g*(a^2 - b^2)*(p + 1)), x] + Dist[1/(g^2*(a^2 - b^2)*(p + 1)), Int[(g*Cos[e + f*x])^(p + 2)*(a + b*Sin[e + f*x])^m*Simp[c*(a^2*(p + 2) - b^2*(m + p + 2)) + a*b*d*m + b*(a*c - b*d)*(m + p + 3)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, g, m}, x] && NeQ[a^2 - b^2, 0] && LtQ[p, -1] && IntegerQ[2*m]
```

Rule 2867

```
Int[((cos[(e_.) + (f_.)*(x_)])*(g_.))^(p_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[d/b, Int[(g*Cos[e + f*x])^p, x], x] + Dist[(b*c - a*d)/b, Int[(g*Cos[e + f*x])^p/(a + b*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, g}, x] && NeQ[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned}
 \int \frac{1}{(a + b \cos(c + dx))^3 (e \sin(c + dx))^{7/2}} dx &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{\int \frac{-2a + \frac{9}{2}}{(a + b \cos(c + dx))^{3/2}} dx}{2(a^2 - b^2)} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{b}{2(a^2 - b^2) de(a + b \cos(c + dx))^2 (e \sin(c + dx))^{5/2}} - \frac{1}{4(a^2 - b^2)^2} \frac{1}{a} \\
 &= -\frac{9b^{7/2} (11a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{17/4} de^{7/2}} + \frac{9b^{7/2} (11a^2 + 2b^2) \tan^{-1} \left(\frac{\sqrt{b} \sqrt{e \sin(c + dx)}}{\sqrt[4]{-a^2 + b^2} \sqrt{e}} \right)}{8(-a^2 + b^2)^{17/4} de^{7/2}}
 \end{aligned}$$

Mathematica [C] time = 6.71, size = 1014, normalized size = 1.45

$$\frac{\sin^4(c + dx) \left(-\frac{21a \sin(c + dx) b^5}{4(a^2 - b^2)^4 (a + b \cos(c + dx))} - \frac{\sin(c + dx) b^5}{2(a^2 - b^2)^3 (a + b \cos(c + dx))^2} - \frac{2(\cos(c + dx) a^3 - 3ba^2 + 3b^2 \cos(c + dx) a - b^3) \csc^3(c + dx)}{5(a^2 - b^2)^3} - \frac{2(3 \cos(c + dx) a^2 - 3a \cos(c + dx) b^2 + b^3)}{4(a^2 - b^2)^2} \right)}{d(e \sin(c + dx))^{7/2}}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[1/((a + b*Cos[c + d*x])^3*(e*Sin[c + d*x])^(7/2)),x]
```

```
[Out] (Sin[c + d*x]^4*((-2*(50*a^2*b^3 + 10*b^5 + 3*a^5*Cos[c + d*x] - 24*a^3*b^2*Cos[c + d*x] - 39*a*b^4*Cos[c + d*x])*Csc[c + d*x])/(5*(a^2 - b^2)^4) - (2*(-3*a^2*b - b^3 + a^3*Cos[c + d*x] + 3*a*b^2*Cos[c + d*x])*Csc[c + d*x]^3)/(5*(a^2 - b^2)^3) - (b^5*Sin[c + d*x])/(2*(a^2 - b^2)^3*(a + b*Cos[c + d*x]))^2) - (21*a*b^5*Sin[c + d*x])/(4*(a^2 - b^2)^4*(a + b*Cos[c + d*x]))) / (d*(e*Sin[c + d*x])^(7/2)) - (3*Sin[c + d*x]^(7/2)*(((8*a^5*b - 64*a^3*b^3 - 139*a*b^5)*Cos[c + d*x]^2*(3*Sqrt[2])*a*(a^2 - b^2)^(3/4)*(2*ArcTan[1 - (Sqr
```

$$\begin{aligned} & t[2]*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]]/(a^2 - b^2)^{(1/4)}] - 2*\text{ArcTan}[1 + (\text{Sqrt}[2] \\ & *\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]]/(a^2 - b^2)^{(1/4)}] - \text{Log}[\text{Sqrt}[a^2 - b^2] - \text{Sqr} \\ & t[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{Sin}[c + d*x]] + \text{Log}[\text{S} \\ & \text{qrt}[a^2 - b^2] + \text{Sqrt}[2]*\text{Sqrt}[b]*(a^2 - b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + b*\text{S} \\ & \text{in}[c + d*x]] + 8*b^{(5/2)}*\text{AppellF1}[3/4, -1/2, 1, 7/4, \text{Sin}[c + d*x]^2, (b^2* \\ & \text{Sin}[c + d*x]^2)/(-a^2 + b^2)]*\text{Sin}[c + d*x]^{(3/2)}*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d \\ & *x]^2)))/(12*b^{(3/2)}*(-a^2 + b^2)*(a + b*\text{Cos}[c + d*x])*(1 - \text{Sin}[c + d*x]^2) \\ &) + (2*(8*a^6 - 64*a^4*b^2 - 304*a^2*b^4 - 30*b^6)*\text{Cos}[c + d*x]*(((1/8 + I/ \\ & 8)*(2*\text{ArcTan}[1 - ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}] - \\ & 2*\text{ArcTan}[1 + ((1 + I)*\text{Sqrt}[b]*\text{Sqrt}[\text{Sin}[c + d*x]])/(-a^2 + b^2)^{(1/4)}] - \text{Lo} \\ & \text{g}[\text{Sqrt}[-a^2 + b^2] - (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] \\ & + I*b*\text{Sin}[c + d*x]] + \text{Log}[\text{Sqrt}[-a^2 + b^2] + (1 + I)*\text{Sqrt}[b]*(-a^2 + b^2)^{(\\ & 1/4)}*\text{Sqrt}[\text{Sin}[c + d*x]] + I*b*\text{Sin}[c + d*x]])))/(\text{Sqrt}[b]*(-a^2 + b^2)^{(1/4))} \\ & + (a*\text{AppellF1}[3/4, 1/2, 1, 7/4, \text{Sin}[c + d*x]^2, (b^2*\text{Sin}[c + d*x]^2)/(-a^2 \\ & + b^2)]*\text{Sin}[c + d*x]^{(3/2)})/(3*(a^2 - b^2))*(a + b*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2 \\ &]))/((a + b*\text{Cos}[c + d*x])*\text{Sqrt}[1 - \text{Sin}[c + d*x]^2]))/(40*(a - b)^4*(a + b) \\ & ^4*d*(e*\text{Sin}[c + d*x])^{(7/2)}) \end{aligned}$$

fricas [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x, algorithm="fricas")

[Out] Timed out

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(dx + c) + a)^3 (e \sin(dx + c))^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x, algorithm="giac")

[Out] integrate(1/((b*cos(d*x + c) + a)^3*(e*sin(d*x + c))^(7/2)), x)

maple [B] time = 3.37, size = 5638, normalized size = 8.05

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x)

[Out] result too large to display

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+b*cos(d*x+c))^3/(e*sin(d*x+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{1}{(e \sin(c + dx))^{7/2} (a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3), x)
```

```
[Out] int(1/((e*sin(c + d*x))^(7/2)*(a + b*cos(c + d*x))^3), x)
```

```
sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00
```

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/(a+b*cos(d*x+c))**3/(e*sin(d*x+c))**(7/2), x)
```

```
[Out] Timed out
```

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*   is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*   antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
    If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
      If[LeafCount[result]<=2*LeafCount[optimal],
        "A",
        "B"],
      "C"],
    If[FreeQ[result,Integrate] && FreeQ[result,Int],
      "C",
      "F"]]

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
```

```

(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType, expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]], 2]],
      Max[ExpnType[expn[[1]], ExpnType[expn[[2]], 3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]], ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3, ExpnType[expn[[1]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 6]],
    If[Head[expn]===RootSum,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 7]],
    If[Head[expn]===Integrate || Head[expn]===Int,
      Apply[Max, Append[Map[ExpnType, Apply[List, expn]], 8]],
    9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
  MemberQ[{
    Exp, Log,
    Sin, Cos, Tan, Cot, Sec, Csc,
    ArcSin, ArcCos, ArcTan, ArcCot, ArcSec, ArcCsc,
    Sinh, Cosh, Tanh, Coth, Sech, Csch,
    ArcSinh, ArcCosh, ArcTanh, ArcCoth, ArcSech, ArcCsch
  }, func]

SpecialFunctionQ[func_] :=
  MemberQ[{
    Erf, Erfc, Erfi,
    FresnelS, FresnelC,
    ExpIntegralE, ExpIntegralEi, LogIntegral,
    SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
    Gamma, LogGamma, PolyGamma,
    Zeta, PolyLog, ProductLog,
    EllipticF, EllipticE, EllipticPi
  }, func]

HypergeometricFunctionQ[func_] :=
  MemberQ[{Hypergeometric1F1, Hypergeometric2F1, HypergeometricPFQ}, func]

```

```
AppellFunctionQ[func_] :=
  MemberQ[{AppellF1},func]
```

4.0.2 Maple grading function

```
# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000
#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
#
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
  ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do
not as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false
#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function

```



```

# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'+' or type(expn,'*') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  elif HypergeometricFunctionQ(op(0,expn)) then
    max(5,apply(max,map(ExpnType,[op(expn)])))
  elif AppellFunctionQ(op(0,expn)) then
    max(6,apply(max,map(ExpnType,[op(expn)])))
  elif op(0,expn)='int' then
    max(8,apply(max,map(ExpnType,[op(expn)]))) else
    9
  end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

```

```

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
  MmaTranslator[Mma][LeafCount](u);
end proc:

```

4.0.3 Sympy grading function

```

#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
  #sympy do not have leaf count function. This is approximation
  return round(1.7*count_ops(expr))

def is_sqrt(expr):
  if isinstance(expr,Pow):
    if expr.args[1] == Rational(1,2):
      return True
    else:
      return False
  else:
    return False

def is_elementary_function(func):
  return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
    asinh,acosh,atanh,acoth,asech,acsch
  ]

def is_special_function(func):
  return func in [ erf,erfc,erfi,
    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
    gamma,loggamma,digamma,zeta,polylog,LambertW,
    elliptic_f,elliptic_e,elliptic_pi,exp_polar
  ]

def is_hypergeometric_function(func):
  return func in [hyper]

def is_appell_function(func):
  return func in [appellf1]

```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'^^')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'+`' or
    type(expn,'*`)
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
    elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
    expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif is_appell_function(expn.func):
        m1 = max(map(expnType, list(expn.args)))
        return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    elif isinstance(expn,RootSum):
        m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
    ,Apply[List,expn]],7]],
        return max(7,m1)
    elif str(expn).find("Integral") != -1:
        m1 = max(map(expnType, list(expn.args)))
        return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

```

```

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#           Albert Rich to use with Sagemath. This is used to
#           grade Fricas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#           'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True

```

```

        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:
            print ("func ", func , " is elementary_function")
        else:
            print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M',
hypergeometric_U']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #isinstance(expn,Pow)
        if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn)))
    elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
        return max(3,expnType(expn.operands()[0]))
    elif is_special_function(expn.operator()): #is_special_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(4,m1) #max(4,m1)
    elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
        m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
        return max(5,m1) #max(5,m1)
    elif is_appell_function(expn.operator()):

```

```

        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(6,m1)      #max(6,m1)
    elif str(expn).find("Integral") != -1: #this will never happen, since it
        #is checked before calling the grading function that is passed.
        #but kept it here.
        m1 = max(map(expnType, expn.operands()))      #max(map(expnType, list(
expn.args)))
        return max(8,m1)      #max(5,apply(max,map(ExpnType,[op(expn)])))
    else:
        return 9

#main function
def grade_antiderivative(result,optimal):

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```