

Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.10-c+d-x-^m-a+b-cos-^n

Nasser M. Abbasi

July 17, 2021

Compiled on July 17, 2021 at 6:22am

Contents

1	Introduction	9
1.1	Listing of CAS systems tested	9
1.2	Results	10
1.3	Performance	14
1.4	list of integrals that has no closed form antiderivative	15
1.5	list of integrals solved by CAS but has no known antiderivative	16
1.6	list of integrals solved by CAS but failed verification	16
1.7	Timing	17
1.8	Verification	17
1.9	Important notes about some of the results	17
1.9.1	Important note about Maxima results	17
1.9.2	Important note about FriCAS and Giac/XCAS results	18
1.9.3	Important note about finding leaf size of antiderivative	18
1.9.4	Important note about Mupad results	19
1.10	Design of the test system	20
2	detailed summary tables of results	21
2.1	List of integrals sorted by grade for each CAS	21
2.1.1	Rubi	21
2.1.2	Mathematica	21
2.1.3	Maple	22
2.1.4	Maxima	22

2.1.5	FriCAS	22
2.1.6	Sympy	23
2.1.7	Giac	23
2.1.8	Mupad	23
2.2	Detailed conclusion table per each integral for all CAS systems	25
2.3	Detailed conclusion table specific for Rubi results	63
3	Listing of integrals	71
3.1	$\int (c + dx)^4 \cos(a + bx) dx$	71
3.2	$\int (c + dx)^3 \cos(a + bx) dx$	75
3.3	$\int (c + dx)^2 \cos(a + bx) dx$	79
3.4	$\int (c + dx) \cos(a + bx) dx$	82
3.5	$\int \frac{\cos(a+bx)}{c+dx} dx$	85
3.6	$\int \frac{\cos(a+bx)}{(c+dx)^2} dx$	89
3.7	$\int \frac{\cos(a+bx)}{(c+dx)^3} dx$	93
3.8	$\int \frac{\cos(a+bx)}{(c+dx)^4} dx$	101
3.9	$\int (c + dx)^4 \cos^2(a + bx) dx$	110
3.10	$\int (c + dx)^3 \cos^2(a + bx) dx$	115
3.11	$\int (c + dx)^2 \cos^2(a + bx) dx$	120
3.12	$\int (c + dx) \cos^2(a + bx) dx$	124
3.13	$\int \frac{\cos^2(a+bx)}{c+dx} dx$	127
3.14	$\int \frac{\cos^2(a+bx)}{(c+dx)^2} dx$	131
3.15	$\int \frac{\cos^2(a+bx)}{(c+dx)^3} dx$	135
3.16	$\int (c + dx)^4 \cos^3(a + bx) dx$	143
3.17	$\int (c + dx)^3 \cos^3(a + bx) dx$	149
3.18	$\int (c + dx)^2 \cos^3(a + bx) dx$	154
3.19	$\int (c + dx) \cos^3(a + bx) dx$	158
3.20	$\int \frac{\cos^3(a+bx)}{c+dx} dx$	162
3.21	$\int \frac{\cos^3(a+bx)}{(c+dx)^2} dx$	170
3.22	$\int \frac{\cos^3(a+bx)}{(c+dx)^3} dx$	175
3.23	$\int x^3 \cos^4(a + bx) dx$	180
3.24	$\int x^2 \cos^4(a + bx) dx$	184
3.25	$\int x \cos^4(a + bx) dx$	188
3.26	$\int \frac{\cos^4(a+bx)}{x} dx$	191
3.27	$\int \frac{\cos^4(a+bx)}{x^2} dx$	195

3.28	$\int \frac{\cos^4(a+bx)}{x^3} dx$	202
3.29	$\int (c+dx)^3 \sec(a+bx) dx$	209
3.30	$\int (c+dx)^2 \sec(a+bx) dx$	214
3.31	$\int (c+dx) \sec(a+bx) dx$	218
3.32	$\int \frac{\sec(a+bx)}{c+dx} dx$	221
3.33	$\int (c+dx)^3 \sec^2(a+bx) dx$	224
3.34	$\int (c+dx)^2 \sec^2(a+bx) dx$	229
3.35	$\int (c+dx) \sec^2(a+bx) dx$	233
3.36	$\int \frac{\sec^2(a+bx)}{c+dx} dx$	237
3.37	$\int (c+dx)^3 \sec^3(a+bx) dx$	240
3.38	$\int (c+dx)^2 \sec^3(a+bx) dx$	248
3.39	$\int (c+dx) \sec^3(a+bx) dx$	254
3.40	$\int \frac{\sec^2(a+bx)}{c+dx} dx$	258
3.41	$\int (c+dx)^{5/2} \cos(a+bx) dx$	261
3.42	$\int (c+dx)^{3/2} \cos(a+bx) dx$	266
3.43	$\int \sqrt{c+dx} \cos(a+bx) dx$	271
3.44	$\int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx$	276
3.45	$\int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx$	280
3.46	$\int \frac{\cos(a+bx)}{(c+dx)^{5/2}} dx$	284
3.47	$\int \frac{\cos(a+bx)}{(c+dx)^{7/2}} dx$	289
3.48	$\int (c+dx)^{5/2} \cos^2(a+bx) dx$	294
3.49	$\int (c+dx)^{3/2} \cos^2(a+bx) dx$	300
3.50	$\int \sqrt{c+dx} \cos^2(a+bx) dx$	306
3.51	$\int \frac{\cos^2(a+bx)}{\sqrt{c+dx}} dx$	311
3.52	$\int \frac{\cos^2(a+bx)}{(c+dx)^{3/2}} dx$	315
3.53	$\int \frac{\cos^2(a+bx)}{(c+dx)^{5/2}} dx$	320
3.54	$\int \frac{\cos^2(a+bx)}{(c+dx)^{7/2}} dx$	325
3.55	$\int \frac{\cos^2(a+bx)}{(c+dx)^{9/2}} dx$	330
3.56	$\int (c+dx)^{5/2} \cos^3(a+bx) dx$	336
3.57	$\int (c+dx)^{3/2} \cos^3(a+bx) dx$	343
3.58	$\int \sqrt{c+dx} \cos^3(a+bx) dx$	349
3.59	$\int \frac{\cos^3(a+bx)}{\sqrt{c+dx}} dx$	355

3.60	$\int \frac{\cos^3(a+bx)}{(c+dx)^{3/2}} dx$	360
3.61	$\int \frac{\cos^3(a+bx)}{(c+dx)^{5/2}} dx$	365
3.62	$\int \frac{\cos^3(a+bx)}{(c+dx)^{7/2}} dx$	371
3.63	$\int x^{3/2} \cos(x) dx$	377
3.64	$\int \sqrt{x} \cos(x) dx$	381
3.65	$\int \frac{\cos(x)}{\sqrt{x}} dx$	384
3.66	$\int \frac{\cos(x)}{x^{3/2}} dx$	387
3.67	$\int (c+dx)^{4/3} \cos(a+bx) dx$	390
3.68	$\int (c+dx)^{2/3} \cos(a+bx) dx$	394
3.69	$\int \sqrt[3]{c+dx} \cos(a+bx) dx$	398
3.70	$\int \frac{\cos(a+bx)}{\sqrt[3]{c+dx}} dx$	402
3.71	$\int \frac{\cos(a+bx)}{(c+dx)^{2/3}} dx$	405
3.72	$\int \frac{\cos(a+bx)}{(c+dx)^{4/3}} dx$	408
3.73	$\int \frac{\cos(a+bx)}{(c+dx)^{5/3}} dx$	412
3.74	$\int \frac{\cos(a+bx)}{(c+dx)^{7/3}} dx$	416
3.75	$\int x \sqrt{\cos(a+bx)} dx$	420
3.76	$\int \sqrt{\cos(a+bx)} dx$	422
3.77	$\int \frac{\sqrt{\cos(a+bx)}}{x^3} dx$	425
3.78	$\int x \cos^2(a+bx) dx$	428
3.79	$\int \cos^{\frac{3}{2}}(a+bx) dx$	431
3.80	$\int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx$	434
3.81	$\int \left(-\frac{x}{3\sqrt{\cos(a+bx)}} + x \cos^{\frac{3}{2}}(a+bx) \right) dx$	437
3.82	$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$	440
3.83	$\int \frac{x}{\sqrt{\cos(a+bx)}} dx$	443
3.84	$\int \frac{1}{\sqrt{\cos(a+bx)}} dx$	446
3.85	$\int \frac{1}{x\sqrt{\cos(a+bx)}} dx$	449
3.86	$\int \frac{x}{\cos^{\frac{3}{2}}(a+bx)} dx$	452
3.87	$\int \frac{1}{\cos^{\frac{3}{2}}(a+bx)} dx$	455

3.88	$\int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx$	458
3.89	$\int \left(\frac{x}{\cos^{\frac{3}{2}}(a+bx)} + x\sqrt{\cos(a+bx)} \right) dx$	461
3.90	$\int \left(\frac{x}{\cos^{\frac{3}{2}}(x)} + x\sqrt{\cos(x)} \right) dx$	464
3.91	$\int \left(\frac{x}{\cos^{\frac{5}{2}}(x)} - \frac{x}{3\sqrt{\cos(x)}} \right) dx$	467
3.92	$\int \left(\frac{x}{\cos^{\frac{7}{2}}(x)} + \frac{3}{5}x\sqrt{\cos(x)} \right) dx$	470
3.93	$\int \left(\frac{x^2}{\cos^{\frac{3}{2}}(x)} + x^2\sqrt{\cos(x)} \right) dx$	473
3.94	$\int \left(\frac{x}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3}x\sqrt{\sec(x)} \right) dx$	476
3.95	$\int \left(\frac{x}{\sec^{\frac{5}{2}}(x)} - \frac{3x}{5\sqrt{\sec(x)}} \right) dx$	479
3.96	$\int \left(\frac{x}{\sec^{\frac{7}{2}}(x)} - \frac{5}{21}x\sqrt{\sec(x)} \right) dx$	482
3.97	$\int \left(\frac{x^2}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3}x^2\sqrt{\sec(x)} \right) dx$	485
3.98	$\int (c+dx)^m (b \cos(e+fx))^n dx$	489
3.99	$\int (c+dx)^m \cos^3(a+bx) dx$	491
3.100	$\int (c+dx)^m \cos^2(a+bx) dx$	495
3.101	$\int (c+dx)^m \cos(a+bx) dx$	499
3.102	$\int (c+dx)^m \sec(a+bx) dx$	502
3.103	$\int (c+dx)^m \sec^2(a+bx) dx$	504
3.104	$\int x^{3+m} \cos(a+bx) dx$	506
3.105	$\int x^{2+m} \cos(a+bx) dx$	509
3.106	$\int x^{1+m} \cos(a+bx) dx$	512
3.107	$\int x^m \cos(a+bx) dx$	515
3.108	$\int x^{-1+m} \cos(a+bx) dx$	518
3.109	$\int x^{-2+m} \cos(a+bx) dx$	521
3.110	$\int x^{-3+m} \cos(a+bx) dx$	524
3.111	$\int x^{3+m} \cos^2(a+bx) dx$	527
3.112	$\int x^{2+m} \cos^2(a+bx) dx$	530
3.113	$\int x^{1+m} \cos^2(a+bx) dx$	533
3.114	$\int x^m \cos^2(a+bx) dx$	536

3.115	$\int x^{-1+m} \cos^2(a + bx) dx$	539
3.116	$\int x^{-2+m} \cos^2(a + bx) dx$	542
3.117	$\int x^{-3+m} \cos^2(a + bx) dx$	545
3.118	$\int (c + dx)^3 (a + a \cos(e + fx)) dx$	548
3.119	$\int (c + dx)^2 (a + a \cos(e + fx)) dx$	552
3.120	$\int (c + dx) (a + a \cos(e + fx)) dx$	556
3.121	$\int \frac{a+a \cos(e+fx)}{c+dx} dx$	560
3.122	$\int \frac{a+a \cos(e+fx)}{(c+dx)^2} dx$	564
3.123	$\int (c + dx)^3 (a + a \cos(e + fx))^2 dx$	568
3.124	$\int (c + dx)^2 (a + a \cos(e + fx))^2 dx$	574
3.125	$\int (c + dx) (a + a \cos(e + fx))^2 dx$	579
3.126	$\int \frac{(a+a \cos(e+fx))^2}{c+dx} dx$	583
3.127	$\int \frac{(a+a \cos(e+fx))^2}{(c+dx)^2} dx$	592
3.128	$\int \frac{(c+dx)^3}{a+a \cos(e+fx)} dx$	597
3.129	$\int \frac{(c+dx)^2}{a+a \cos(e+fx)} dx$	603
3.130	$\int \frac{c+dx}{a+a \cos(e+fx)} dx$	608
3.131	$\int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx$	612
3.132	$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx$	615
3.133	$\int \frac{(c+dx)^3}{(a+a \cos(e+fx))^2} dx$	618
3.134	$\int \frac{(c+dx)^2}{(a+a \cos(e+fx))^2} dx$	626
3.135	$\int \frac{c+dx}{(a+a \cos(e+fx))^2} dx$	632
3.136	$\int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx$	637
3.137	$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx$	641
3.138	$\int \frac{(c+dx)^3}{a-a \cos(e+fx)} dx$	645
3.139	$\int \frac{(c+dx)^2}{a-a \cos(e+fx)} dx$	651
3.140	$\int \frac{c+dx}{a-a \cos(e+fx)} dx$	656
3.141	$\int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx$	660
3.142	$\int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx$	663
3.143	$\int x^3 \sqrt{a + a \cos(c + dx)} dx$	666
3.144	$\int x^2 \sqrt{a + a \cos(c + dx)} dx$	670
3.145	$\int x \sqrt{a + a \cos(c + dx)} dx$	674

3.146	$\int \sqrt{a + a \cos(c + dx)} dx$	677
3.147	$\int \frac{\sqrt{a+a \cos(c+dx)}}{x} dx$	680
3.148	$\int \frac{\sqrt{a+a \cos(c+dx)}}{x^2} dx$	684
3.149	$\int \frac{\sqrt{a+a \cos(c+dx)}}{x^3} dx$	688
3.150	$\int x^3 \sqrt{a + a \cos(x)} dx$	693
3.151	$\int x^2 \sqrt{a + a \cos(x)} dx$	696
3.152	$\int x \sqrt{a + a \cos(x)} dx$	699
3.153	$\int \sqrt{a + a \cos(x)} dx$	702
3.154	$\int \frac{\sqrt{a+a \cos(x)}}{x} dx$	705
3.155	$\int \frac{\sqrt{a+a \cos(x)}}{x^2} dx$	708
3.156	$\int \frac{\sqrt{a+a \cos(x)}}{x^3} dx$	711
3.157	$\int x^3 \sqrt{a - a \cos(x)} dx$	714
3.158	$\int x^2 \sqrt{a - a \cos(x)} dx$	717
3.159	$\int x \sqrt{a - a \cos(x)} dx$	720
3.160	$\int \sqrt{a - a \cos(x)} dx$	723
3.161	$\int \frac{\sqrt{a-a \cos(x)}}{x} dx$	726
3.162	$\int \frac{\sqrt{a-a \cos(x)}}{x^2} dx$	729
3.163	$\int \frac{\sqrt{a-a \cos(x)}}{x^3} dx$	732
3.164	$\int x^3 (a + a \cos(x))^{3/2} dx$	735
3.165	$\int x^2 (a + a \cos(x))^{3/2} dx$	739
3.166	$\int x (a + a \cos(x))^{3/2} dx$	743
3.167	$\int \frac{(a+a \cos(x))^{3/2}}{x} dx$	746
3.168	$\int \frac{(a+a \cos(x))^{3/2}}{x^2} dx$	749
3.169	$\int \frac{(a+a \cos(x))^{3/2}}{x^3} dx$	753
3.170	$\int \frac{x^3}{\sqrt{a+a \cos(c+dx)}} dx$	757
3.171	$\int \frac{x^2}{\sqrt{a+a \cos(c+dx)}} dx$	762
3.172	$\int \frac{x}{\sqrt{a+a \cos(c+dx)}} dx$	767
3.173	$\int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx$	771
3.174	$\int \frac{1}{x \sqrt{a+a \cos(c+dx)}} dx$	775
3.175	$\int \frac{x^3}{\sqrt{a-a \cos(x)}} dx$	778
3.176	$\int \frac{x^2}{\sqrt{a-a \cos(x)}} dx$	783

3.177	$\int \frac{x}{\sqrt{a-a \cos(x)}} dx$	787
3.178	$\int \frac{1}{\sqrt{a-a \cos(x)}} dx$	791
3.179	$\int \frac{1}{x\sqrt{a-a \cos(x)}} dx$	794
3.180	$\int \frac{x^3}{(a+a \cos(x))^{3/2}} dx$	797
3.181	$\int \frac{x^2}{(a+a \cos(x))^{3/2}} dx$	803
3.182	$\int \frac{x}{(a+a \cos(x))^{3/2}} dx$	808
3.183	$\int \frac{1}{x(a+a \cos(x))^{3/2}} dx$	812
3.184	$\int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx$	815
3.185	$\int \frac{x^3}{a+b \cos(x)} dx$	818
3.186	$\int \frac{x^2}{a+b \cos(c+dx)} dx$	823
3.187	$\int \frac{x}{a+b \cos(c+dx)} dx$	828
3.188	$\int \frac{1}{x(a+b \cos(x))} dx$	833
3.189	$\int \frac{e+fx}{(a+b \cos(c+dx))^2} dx$	836
4	Listing of Grading functions	843
4.0.1	Mathematica and Rubi grading function	843
4.0.2	Maple grading function	845
4.0.3	Sympy grading function	850
4.0.4	SageMath grading function	853

Chapter 1

Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [189]. This is test number [83].

1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.3 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12.1 on windows 10.
3. Maple 2021.1 (64 bit) on windows 10.
4. Maxima 5.44 on Linux. (via sagemath 9.3)
5. Fricas 1.3.7 on Linux (via sagemath 9.3)
6. Giac/Xcas 1.7 on Linux. (via sagemath 9.3)
7. Sympy 1.8 under Python 3.8.8 using Anaconda distribution on Ubuntu.
8. Mupad using Matlab 2021a with Symbolic Math Toolbox Version 8.7 under windows 10 (64 bit)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric₂F₁ functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

System	solved	Failed
Rubi	% 100.00 (189)	% 0.00 (0)
Mathematica	% 98.94 (187)	% 1.06 (2)
Maple	% 71.43 (135)	% 28.57 (54)
Maxima	% 72.49 (137)	% 27.51 (52)
Fricas	% 70.37 (133)	% 29.63 (56)
Sympy	% 28.57 (54)	% 71.43 (135)
Giac	% 58.73 (111)	% 41.27 (78)
Mupad	% 39.15 (74)	% 60.85 (115)

Table 1.1: Percentage solved for each CAS

The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

grade	description
A	Integral was solved and antiderivative is optimal in quality and leaf size.
B	Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.
C	Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> 1. antiderivative contains a hypergeometric function and the optimal antiderivative does not. 2. antiderivative contains a special function and the optimal antiderivative does not. 3. antiderivative contains the imaginary unit and the optimal antiderivative does not.
F	Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.


Table 1.2: Description of grading applied to integration result

Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.


System	% A grade	% B grade	% C grade	% F grade
Rubi	100.00	0.00	0.00	0.00
Mathematica	86.77	2.65	9.52	1.06
Maple	42.86	19.05	9.52	28.57
Maxima	25.93	19.05	27.51	27.51
Fricas	58.73	6.35	5.29	29.63
Sympy	28.57	0.00	0.00	71.43
Giac	38.10	5.29	15.34	41.27
Mupad	13.76	25.40	0.00	60.85

Table 1.3: Antiderivative Grade distribution of each CAS

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



The following table shows the distribution of the different types of failure for each CAS. There are 3 types of reasons why it can fail. The first is when CAS returns back the input within the time limit, which means it could not solve it. This is the typical normal failure **F**.

The second is due to time out. CAS could not solve the integral within the 3 minutes time limit which is assigned **F(-1)**.

The third is due to an exception generated. Assigned **F(-2)**. This most likely indicates an interface problem between sagemath and the CAS (applicable only to FriCAS, Maxima and Giac) or it could be an indication of an internal error in CAS. This type of error requires more investigations to determine the cause.

System	Number failed	Percentage normal failure	Percentage time-out failure	Percentage exception failure
Rubi	0	0.00 %	0.00 %	0.00 %
Mathematica	2	0.00 %	100.00 %	0.00 %
Maple	54	100.00 %	0.00 %	0.00 %
Maxima	52	71.15 %	21.15 %	7.69 %
Fricas	56	23.21 %	0.00 %	76.79 %
Sympy	135	93.33 %	6.67 %	0.00 %
Giac	78	98.72 %	1.28 %	0.00 %
Mupad	115	94.78 %	5.22 %	0.00 %

Table 1.4: Time and leaf size performance for each CAS



1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

System	Mean time (sec)	Mean size	Normalized mean	Median size	Normalized median
Rubi	0.16	108.02	0.86	89.00	1.00
Mathematica	1.02	113.16	0.86	77.00	0.87
Maple	0.12	209.31	1.80	143.00	1.35
Maxima	1.07	269.36	2.00	138.00	1.40
Fricas	0.77	203.55	1.37	117.00	1.03
Sympy	1.11	129.61	1.20	53.00	1.31
Giac	0.64	577.94	5.41	77.00	1.08
Mupad	0.31	71.41	0.86	34.50	0.85

Table 1.5: Time and leaf size performance for each CAS

The following are bar charts for the normalized leafsize and time used columns from the above table.



1.4 list of integrals that has no closed form antiderivative

{32, 36, 40, 75, 77, 78, 80, 82, 83, 85, 86, 88, 98, 102, 103, 131, 132, 136, 137, 141, 142, 174, 179, 183, 184, 188}

1.5 list of integrals solved by CAS but has no known antiderivative

Rubi {}

Mathematica {}

Maple {}

Maxima {}

Fricas {}

Sympy {}

Giac {}

Mupad {}

1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

Rubi {}

Mathematica {31, 139, 189}

Maple Verification phase not implemented yet.

Maxima Verification phase not implemented yet.

Fricas Verification phase not implemented yet.

Sympy Verification phase not implemented yet.

Giac Verification phase not implemented yet.

Mupad Verification phase not implemented yet.

1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

1.9 Important notes about some of the results

1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 14 such integrals out of total 705, or about 2 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. The exception message will indicate of the error is due to the interactive question being asked or not.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

1.9.2 Important note about FriCAS and Giac/X-CAS results

There are Few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail With error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size for Fricas and Sympy and Giac antiderivatives is determined using the following function, thanks to user `slelievre` at <https://>

ask.sagemath.org/question/57123/could-we-have-a-leaf_count-function-in-base-sagemath/

```
def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)
```

For Sympy, which is called directly from Python, the following code is used to obtain the leafsize of its result

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))

except Exception as ee:
    leafCount = 1
```

1.9.4 Important note about Mupad results

Matlab's symbolic toolbox does not have a leaf count function to measure the size of the antiderivative, Maple was used to determine the leaf size of Mupad output by post processing.

Currently no grading of the antiderivative for Mupad is implemented. If it can integrate the problem, it was assigned a B grade automatically as a placeholder. In the future, when grading function is implemented for Mupad, the tests will be rerun again.


The following is an example of using Matlab's symbolic toolbox (Mupad) to solve an integral

```
integrand = evalin(symengine, 'cos(x)*sin(x)')
the_variable = evalin(symengine, 'x')
anti = int(integrand, the_variable)
```

Which gives $\sin(x)^2/2$

1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. This is description of each record

1. integer, the problem number.
 2. integer. 0 for failed, 1 for passed, -1 for timeout, -2 for CAS specific exception. (this is not the grade field)
 3. integer. Leaf size of result.
 4. integer. Leaf size of the optimal antiderivative.
 5. number. CPU time used to solve this integral. 0 if failed.
 6. string. The integral in Latex format
 7. string. The input used in CAS own syntax.
 8. string. The result (antiderivative) produced by CAS in Latex format
 9. string. The optimal antiderivative in Latex format.
 10. integer. 0 or 1. Indicates if problem has known antiderivative or not
 11. String. The result (antiderivative) in CAS own syntax.
 12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
- The following field present only in Rubi and Mathematica Tables*
13. integer. 1 if result was verified or 0 if not verified.
- The following fields present only in Rubi Tables*
14. integer. Number of rules used.
 15. integer. Integrand leaf size.
 16. real number. Ratio of field 14 over field 15
 17. integer. 1 if result was verified or 0 if not verified.
 18. String of form "{n,n,...}" which is list of the rules used by Rubi

High level overview of the CAS independent integration test build system

Nassier M. Abbasi
May 11, 2021

Chapter 2

detailed summary tables of results

2.1 List of integrals sorted by grade for each CAS

2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189 }

B grade: { }

C grade: { }

F grade: { }

2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 40, 48, 49, 52, 54, 56, 57, 60, 67, 68, 69, 70, 71, 72, 73, 74, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 188 }

B grade: { 39, 62, 139, 187, 189 }

C grade: { 41, 42, 43, 44, 45, 46, 47, 50, 51, 53, 55, 58, 59, 61, 63, 64, 65, 66 }

F grade: { 75, 86 }

2.1.3 Maple

A grade: { 4, 5, 6, 7, 8, 13, 14, 15, 19, 20, 21, 22, 25, 26, 27, 28, 32, 35, 36, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 75, 77, 78, 80, 82, 83, 85, 86, 87, 88, 98, 102, 103, 121, 122, 126, 127, 130, 131, 132, 135, 136, 137, 140, 141, 142, 146, 153, 160, 174, 178, 179, 183, 184, 188 }

B grade: { 1, 2, 3, 9, 10, 11, 12, 16, 17, 18, 23, 24, 29, 30, 31, 33, 34, 37, 38, 39, 76, 79, 118, 119, 120, 123, 124, 125, 128, 129, 133, 134, 138, 139, 187, 189 }

C grade: { 84, 104, 105, 106, 107, 108, 109, 110, 143, 144, 145, 150, 151, 152, 157, 158, 159, 173 }

F grade: { 67, 68, 69, 70, 71, 72, 73, 74, 81, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 111, 112, 113, 114, 115, 116, 117, 147, 148, 149, 154, 155, 156, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 175, 176, 177, 180, 181, 182, 185, 186 }

2.1.4 Maxima

A grade: { 4, 12, 19, 23, 24, 25, 32, 36, 67, 68, 69, 70, 71, 72, 73, 74, 75, 77, 78, 80, 82, 83, 85, 86, 88, 98, 102, 103, 125, 131, 136, 137, 141, 144, 145, 146, 150, 151, 152, 153, 160, 164, 165, 166, 174, 179, 183, 184, 188 }

B grade: { 1, 2, 3, 9, 10, 11, 16, 17, 18, 29, 30, 33, 34, 35, 37, 38, 118, 119, 120, 123, 124, 128, 129, 130, 133, 134, 135, 138, 139, 140, 143, 157, 158, 159, 173, 178 }

C grade: { 5, 6, 7, 8, 13, 14, 15, 20, 21, 22, 26, 27, 28, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 121, 122, 126, 127, 147, 148, 149, 154, 155, 156, 167, 168, 169 }

F grade: { 31, 39, 40, 76, 79, 81, 84, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 132, 142, 161, 162, 163, 170, 171, 172, 175, 176, 177, 180, 181, 182, 185, 186, 187, 189 }

2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 6, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 23, 24, 25, 26, 27, 28, 32, 35, 36, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 91, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 130, 131, 132, 135, 136, 137, 140, 141, 142, 146, 153, 160, 173, 174, 178, 179, 183, 188 }

B grade: { 7, 8, 22, 31, 34, 39, 55, 129, 134, 139, 187, 189 }

C grade: { 29, 30, 33, 37, 38, 128, 133, 138, 185, 186 }

F grade: { 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 92, 93, 94, 95, 96, 97, 143, 144, 145, 147, 148, 149, 150, 151, 152, 154, 155, 156, 157, 158, 159, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 175, 176, 177, 180, 181, 182, 184 }

2.1.6 Sympy

A grade: { 1, 2, 3, 4, 9, 10, 11, 12, 16, 17, 18, 19, 23, 24, 25, 26, 32, 36, 40, 63, 64, 65, 66, 75, 77, 80, 82, 83, 85, 86, 88, 98, 102, 103, 118, 119, 120, 123, 124, 125, 130, 131, 132, 135, 136, 137, 140, 141, 142, 174, 179, 183, 184, 188 }

B grade: { }

C grade: { }

F grade: { 5, 6, 7, 8, 13, 14, 15, 20, 21, 22, 27, 28, 29, 30, 31, 33, 34, 35, 37, 38, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 67, 68, 69, 70, 71, 72, 73, 74, 76, 78, 79, 81, 84, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 121, 122, 126, 127, 128, 129, 133, 134, 138, 139, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 175, 176, 177, 178, 180, 181, 182, 185, 186, 187, 189 }

2.1.7 Giac

A grade: { 1, 2, 3, 4, 9, 10, 11, 12, 16, 17, 18, 19, 23, 24, 25, 32, 36, 40, 75, 77, 78, 80, 82, 83, 85, 86, 88, 98, 102, 103, 118, 119, 120, 123, 124, 125, 131, 132, 136, 137, 141, 142, 143, 144, 145, 146, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 174, 178, 179, 183, 184, 188 }

B grade: { 6, 14, 21, 35, 122, 127, 130, 135, 140, 173 }

C grade: { 5, 7, 8, 13, 15, 20, 26, 27, 28, 41, 42, 43, 44, 48, 49, 50, 51, 56, 57, 58, 59, 63, 64, 65, 121, 126, 147, 148, 149 }

F grade: { 22, 29, 30, 31, 33, 34, 37, 38, 39, 45, 46, 47, 52, 53, 54, 55, 60, 61, 62, 66, 67, 68, 69, 70, 71, 72, 73, 74, 76, 79, 81, 84, 87, 89, 90, 91, 92, 93, 94, 95, 96, 97, 99, 100, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 128, 129, 133, 134, 138, 139, 170, 171, 172, 175, 176, 177, 180, 181, 182, 185, 186, 187, 189 }

2.1.8 Mupad

A grade: { 32, 36, 40, 75, 77, 78, 80, 82, 83, 85, 86, 88, 98, 102, 103, 131, 132, 136, 137, 141, 142, 174, 179, 183, 184, 188 }

B grade: { 1, 2, 3, 4, 9, 10, 11, 12, 16, 17, 18, 19, 23, 24, 25, 35, 64, 65, 76, 79, 84, 87, 89, 90, 91, 92, 118, 119, 120, 123, 124, 125, 130, 135, 140, 143, 144, 145, 146, 150, 151, 152, 153, 157, 158, 159, 160,

173 }

C grade: { }

F grade: { 5, 6, 7, 8, 13, 14, 15, 20, 21, 22, 26, 27, 28, 29, 30, 31, 33, 34, 37, 38, 39, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 81, 93, 94, 95, 96, 97, 99, 100, 101, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 121, 122, 126, 127, 128, 129, 133, 134, 138, 139, 147, 148, 149, 154, 155, 156, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 175, 176, 177, 178, 180, 181, 182, 185, 186, 187, 189 }

2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

Problem 1	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	91	91	76	539	481	169	311	170	219
normalized size	1	1.00	0.84	5.92	5.29	1.86	3.42	1.87	2.41
time (sec)	N/A	0.093	0.346	0.024	0.804	0.761	2.547	0.401	0.418
Problem 2	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	61	302	278	109	202	110	147
normalized size	1	1.00	0.87	4.31	3.97	1.56	2.89	1.57	2.10
time (sec)	N/A	0.066	0.231	0.031	0.826	0.770	1.190	0.471	0.294
Problem 3	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	44	143	136	62	112	64	84
normalized size	1	1.00	0.90	2.92	2.78	1.27	2.29	1.31	1.71
time (sec)	N/A	0.041	0.177	0.024	0.708	0.566	0.540	0.403	0.120

Problem 4	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	27	27	26	51	50	28	46	30	34
normalized size	1	1.00	0.96	1.89	1.85	1.04	1.70	1.11	1.26
time (sec)	N/A	0.016	0.061	0.022	0.340	0.863	0.204	0.432	0.180

Problem 5	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	52	52	50	72	142	78	0	577	-1
normalized size	1	1.00	0.96	1.38	2.73	1.50	0.00	11.10	-0.02
time (sec)	N/A	0.098	0.101	0.027	0.823	0.758	0.000	0.636	0.000

Problem 6	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	73	73	65	109	166	123	0	523	-1
normalized size	1	1.00	0.89	1.49	2.27	1.68	0.00	7.16	-0.01
time (sec)	N/A	0.110	0.402	0.026	0.921	0.949	0.000	0.467	0.000

Problem 7	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	B	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	104	104	89	143	201	209	0	5518	-1
normalized size	1	1.00	0.86	1.38	1.93	2.01	0.00	53.06	-0.01
time (sec)	N/A	0.138	0.613	0.023	1.106	0.664	0.000	1.115	0.000

Problem 8	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	B	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	127	127	144	179	251	295	0	8378	-1
normalized size	1	1.00	1.13	1.41	1.98	2.32	0.00	65.97	-0.01
time (sec)	N/A	0.159	0.567	0.024	1.293	0.860	0.000	1.465	0.000

Problem 9	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	161	161	132	1027	717	287	660	222	349
normalized size	1	1.00	0.82	6.38	4.45	1.78	4.10	1.38	2.17
time (sec)	N/A	0.102	0.680	0.077	0.766	0.780	4.598	0.532	0.614

Problem 10	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	106	587	428	190	456	153	229
normalized size	1	1.00	0.79	4.38	3.19	1.42	3.40	1.14	1.71
time (sec)	N/A	0.074	0.445	0.023	0.725	0.920	2.547	0.422	0.458

Problem 11	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	77	289	222	113	264	94	179
normalized size	1	1.00	0.81	3.04	2.34	1.19	2.78	0.99	1.88
time (sec)	N/A	0.053	0.306	0.025	0.722	0.604	1.181	0.528	0.207

Problem 12	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	50	112	90	53	126	48	57
normalized size	1	1.00	0.91	2.04	1.64	0.96	2.29	0.87	1.04
time (sec)	N/A	0.025	0.163	0.022	0.678	0.823	0.499	0.568	0.096

Problem 13	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	78	78	65	105	161	88	0	610	-1
normalized size	1	1.00	0.83	1.35	2.06	1.13	0.00	7.82	-0.01
time (sec)	N/A	0.153	0.131	0.026	0.994	0.658	0.000	0.628	0.000

Problem 14	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	83	83	75	156	171	127	0	534	-1
normalized size	1	1.00	0.90	1.88	2.06	1.53	0.00	6.43	-0.01
time (sec)	N/A	0.134	0.623	0.025	0.933	0.838	0.000	0.842	0.000

Problem 15	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	112	112	102	193	206	218	0	5136	-1
normalized size	1	1.00	0.91	1.72	1.84	1.95	0.00	45.86	-0.01
time (sec)	N/A	0.197	0.924	0.025	0.999	0.697	0.000	1.350	0.000

Problem 16	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	225	225	385	1023	925	350	772	351	532
normalized size	1	1.00	1.71	4.55	4.11	1.56	3.43	1.56	2.36
time (sec)	N/A	0.254	0.986	0.054	0.695	0.882	7.882	0.531	1.143

Problem 17	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	175	175	121	560	535	227	495	231	364
normalized size	1	1.00	0.69	3.20	3.06	1.30	2.83	1.32	2.08
time (sec)	N/A	0.156	0.959	0.031	0.560	0.697	4.187	0.415	0.724

Problem 18	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	93	265	267	128	284	137	173
normalized size	1	1.00	0.76	2.15	2.17	1.04	2.31	1.11	1.41
time (sec)	N/A	0.097	0.616	0.034	0.384	0.724	2.224	0.451	0.592

Problem 19	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	52	95	103	60	126	69	77
normalized size	1	1.00	0.69	1.27	1.37	0.80	1.68	0.92	1.03
time (sec)	N/A	0.042	0.172	0.030	0.348	0.685	0.916	0.524	0.260

Problem 20	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	121	121	103	166	276	153	0	6075	-1
normalized size	1	1.00	0.85	1.37	2.28	1.26	0.00	50.21	-0.01
time (sec)	N/A	0.244	0.253	0.032	0.591	0.491	0.000	1.678	0.000

Problem 21	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	200	242	304	227	0	1000	-1
normalized size	1	1.00	1.38	1.67	2.10	1.57	0.00	6.90	-0.01
time (sec)	N/A	0.225	0.701	0.028	0.640	0.757	0.000	1.036	0.000

Problem 22	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	B	F	F(-1)	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	184	184	221	311	339	375	0	0	-1
normalized size	1	1.00	1.20	1.69	1.84	2.04	0.00	0.00	-0.01
time (sec)	N/A	0.345	0.826	0.034	1.007	0.751	0.000	0.000	0.000

Problem 23	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	172	172	100	440	303	115	253	108	138
normalized size	1	1.00	0.58	2.56	1.76	0.67	1.47	0.63	0.80
time (sec)	N/A	0.154	0.419	0.078	0.388	0.616	5.670	0.442	0.796

Problem 24	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	92	241	188	88	209	84	104
normalized size	1	1.00	0.69	1.80	1.40	0.66	1.56	0.63	0.78
time (sec)	N/A	0.108	0.178	0.030	0.348	0.658	3.217	0.360	0.543

Problem 25	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	80	80	53	110	98	63	138	64	63
normalized size	1	1.00	0.66	1.38	1.22	0.79	1.72	0.80	0.79
time (sec)	N/A	0.047	0.125	0.027	0.532	0.859	1.811	0.447	0.339

Problem 26	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	59	59	52	52	91	61	60	428	-1
normalized size	1	1.00	0.88	0.88	1.54	1.03	1.02	7.25	-0.02
time (sec)	N/A	0.158	0.100	0.028	0.806	0.671	2.460	0.492	0.000

Problem 27	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	66	66	79	90	726	87	0	3220	-1
normalized size	1	1.00	1.20	1.36	11.00	1.32	0.00	48.79	-0.02
time (sec)	N/A	0.151	0.220	0.030	0.921	0.695	0.000	0.579	0.000

Problem 28	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	90	90	119	124	795	130	0	3920	-1
normalized size	1	1.00	1.32	1.38	8.83	1.44	0.00	43.56	-0.01
time (sec)	N/A	0.297	0.304	0.032	0.766	0.687	0.000	0.760	0.000

Problem 29	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	205	205	196	685	712	966	0	0	-1
normalized size	1	1.00	0.96	3.34	3.47	4.71	0.00	0.00	-0.00
time (sec)	N/A	0.157	0.191	0.216	1.142	1.025	0.000	0.000	0.000

Problem 30	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	137	137	130	392	396	598	0	0	-1
normalized size	1	1.00	0.95	2.86	2.89	4.36	0.00	0.00	-0.01
time (sec)	N/A	0.092	0.098	0.140	0.726	0.897	0.000	0.000	0.000

Problem 31	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F(-1)	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	87	172	0	306	0	0	-1
normalized size	1	1.00	1.16	2.29	0.00	4.08	0.00	0.00	-0.01
time (sec)	N/A	0.042	0.005	0.007	0.000	0.939	0.000	0.000	0.000

Problem 32	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.022	4.549	0.092	0.000	0.839	0.000	0.000	0.000

Problem 33	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	114	114	109	316	1056	786	0	0	-1
normalized size	1	1.00	0.96	2.77	9.26	6.89	0.00	0.00	-0.01
time (sec)	N/A	0.215	0.507	0.195	1.425	1.224	0.000	0.000	0.000

Problem 34	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	82	82	75	170	324	450	0	0	-1
normalized size	1	1.00	0.91	2.07	3.95	5.49	0.00	0.00	-0.01
time (sec)	N/A	0.134	0.252	0.077	1.484	0.920	0.000	0.000	0.000

Problem 35	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	28	28	36	37	159	45	0	1459	55
normalized size	1	1.00	1.29	1.32	5.68	1.61	0.00	52.11	1.96
time (sec)	N/A	0.027	0.012	0.022	1.013	0.678	0.000	5.834	0.832

Problem 36	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.039	5.623	0.203	0.000	0.780	0.000	0.000	0.000

Problem 37	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	337	337	311	1127	3828	1311	0	0	-1
normalized size	1	1.00	0.92	3.34	11.36	3.89	0.00	0.00	-0.00
time (sec)	N/A	0.269	2.992	0.304	5.469	1.014	0.000	0.000	0.000

Problem 38	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	184	584	1893	795	0	0	-1
normalized size	1	1.00	0.95	3.03	9.81	4.12	0.00	0.00	-0.01
time (sec)	N/A	0.143	0.922	0.170	2.704	1.240	0.000	0.000	0.000

Problem 39	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-1)	B	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	117	117	389	267	0	435	0	0	-1
normalized size	1	1.00	3.32	2.28	0.00	3.72	0.00	0.00	-0.01
time (sec)	N/A	0.069	3.682	0.115	0.000	0.962	0.000	0.000	0.000

Problem 40	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.038	1.422	0.000	0.000	0.777	0.000	0.000	0.000

Problem 41	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	194	194	124	232	261	190	0	1239	-1
normalized size	1	1.00	0.64	1.20	1.35	0.98	0.00	6.39	-0.01
time (sec)	N/A	0.423	0.059	0.035	0.943	1.072	0.000	0.908	0.000

Problem 42	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	169	169	122	189	240	156	0	773	-1
normalized size	1	1.00	0.72	1.12	1.42	0.92	0.00	4.57	-0.01
time (sec)	N/A	0.236	0.100	0.028	1.083	1.713	0.000	0.610	0.000

Problem 43	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	142	142	124	144	196	126	0	422	-1
normalized size	1	1.00	0.87	1.01	1.38	0.89	0.00	2.97	-0.01
time (sec)	N/A	0.172	0.092	0.029	1.071	0.658	0.000	0.513	0.000

Problem 44	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	124	100	159	108	0	166	-1
normalized size	1	1.00	1.05	0.85	1.35	0.92	0.00	1.41	-0.01
time (sec)	N/A	0.134	0.058	0.032	0.988	0.469	0.000	0.500	0.000

Problem 45	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	139	139	147	140	129	144	0	0	-1
normalized size	1	1.00	1.06	1.01	0.93	1.04	0.00	0.00	-0.01
time (sec)	N/A	0.186	0.319	0.032	1.741	0.616	0.000	0.000	0.000

Problem 46	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	190	180	129	208	0	0	-1
normalized size	1	1.00	1.13	1.07	0.77	1.24	0.00	0.00	-0.01
time (sec)	N/A	0.262	0.294	0.030	1.720	0.762	0.000	0.000	0.000

Problem 47	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	193	193	228	220	129	296	0	0	-1
normalized size	1	1.00	1.18	1.14	0.67	1.53	0.00	0.00	-0.01
time (sec)	N/A	0.296	0.344	0.031	1.796	0.664	0.000	0.000	0.000

Problem 48	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F(-1)	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	231	231	194	242	293	258	0	1311	-1
normalized size	1	1.00	0.84	1.05	1.27	1.12	0.00	5.68	-0.00
time (sec)	N/A	0.435	2.143	0.054	2.164	0.620	0.000	0.837	0.000

Problem 49	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	203	203	175	197	272	195	0	807	-1
normalized size	1	1.00	0.86	0.97	1.34	0.96	0.00	3.98	-0.00
time (sec)	N/A	0.342	1.666	0.044	1.606	0.556	0.000	1.039	0.000

Problem 50	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	158	158	146	150	227	148	0	428	-1
normalized size	1	1.00	0.92	0.95	1.44	0.94	0.00	2.71	-0.01
time (sec)	N/A	0.278	0.531	0.044	1.385	0.726	0.000	2.030	0.000

Problem 51	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	130	130	145	108	187	114	0	163	-1
normalized size	1	1.00	1.12	0.83	1.44	0.88	0.00	1.25	-0.01
time (sec)	N/A	0.243	0.223	0.057	1.444	0.504	0.000	0.486	0.000

Problem 52	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	133	146	135	136	0	0	-1
normalized size	1	1.00	0.99	1.08	1.00	1.01	0.00	0.00	-0.01
time (sec)	N/A	0.258	0.663	0.048	1.818	0.548	0.000	0.000	0.000

Problem 53	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	170	170	181	189	135	206	0	0	-1
normalized size	1	1.00	1.06	1.11	0.79	1.21	0.00	0.00	-0.01
time (sec)	N/A	0.312	1.389	0.046	2.205	0.676	0.000	0.000	0.000

Problem 54	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	216	216	244	230	135	323	0	0	-1
normalized size	1	1.00	1.13	1.06	0.62	1.50	0.00	0.00	-0.00
time (sec)	N/A	0.324	1.268	0.044	1.752	0.819	0.000	0.000	0.000

Problem 55	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	B	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	247	247	237	273	135	417	0	0	-1
normalized size	1	1.00	0.96	1.11	0.55	1.69	0.00	0.00	-0.00
time (sec)	N/A	0.407	0.863	0.056	1.790	0.711	0.000	0.000	0.000

Problem 56	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F(-1)	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	410	410	542	474	543	368	0	2457	-1
normalized size	1	1.00	1.32	1.16	1.32	0.90	0.00	5.99	-0.00
time (sec)	N/A	1.139	3.099	0.057	1.410	0.697	0.000	1.921	0.000

Problem 57	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	354	354	390	386	495	299	0	1533	-1
normalized size	1	1.00	1.10	1.09	1.40	0.84	0.00	4.33	-0.00
time (sec)	N/A	0.991	1.600	0.053	1.890	0.566	0.000	2.181	0.000

Problem 58	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	304	304	254	294	422	245	0	838	-1
normalized size	1	1.00	0.84	0.97	1.39	0.81	0.00	2.76	-0.00
time (sec)	N/A	0.484	0.424	0.052	1.628	0.471	0.000	3.156	0.000

Problem 59	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	236	212	375	213	0	328	-1
normalized size	1	1.00	0.92	0.82	1.46	0.83	0.00	1.28	-0.00
time (sec)	N/A	0.417	0.356	0.061	1.385	0.641	0.000	0.617	0.000

Problem 60	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	299	286	252	265	0	0	-1
normalized size	1	1.00	1.10	1.06	0.93	0.98	0.00	0.00	-0.00
time (sec)	N/A	0.564	1.563	0.052	1.981	0.658	0.000	0.000	0.000

Problem 61	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	292	292	268	368	253	367	0	0	-1
normalized size	1	1.00	0.92	1.26	0.87	1.26	0.00	0.00	-0.00
time (sec)	N/A	0.738	2.007	0.053	2.024	0.751	0.000	0.000	0.000

Problem 62	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	A	C	A	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	356	356	1429	450	253	528	0	0	-1
normalized size	1	1.00	4.01	1.26	0.71	1.48	0.00	0.00	-0.00
time (sec)	N/A	0.831	6.309	0.048	2.090	0.676	0.000	0.000	0.000

Problem 63	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	A	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	55	34	74	35	83	69	-1
normalized size	1	1.00	1.12	0.69	1.51	0.71	1.69	1.41	-0.02
time (sec)	N/A	0.057	0.011	0.035	1.330	0.894	4.776	0.488	0.000

Problem 64	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	36	36	48	27	67	26	61	53	26
normalized size	1	1.00	1.33	0.75	1.86	0.72	1.69	1.47	0.72
time (sec)	N/A	0.035	0.006	0.032	1.051	0.514	0.853	0.442	0.028

Problem 65	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	A	C	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	51	19	60	18	37	35	18
normalized size	1	1.00	2.12	0.79	2.50	0.75	1.54	1.46	0.75
time (sec)	N/A	0.020	0.006	0.031	0.750	0.629	0.720	0.340	0.033

Problem 66	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	C	A	C	A	A	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	35	35	63	28	21	31	61	0	-1
normalized size	1	1.00	1.80	0.80	0.60	0.89	1.74	0.00	-0.03
time (sec)	N/A	0.037	0.043	0.031	1.395	0.463	1.597	0.000	0.000

Problem 67	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	183	183	122	0	235	132	0	0	-1
normalized size	1	1.00	0.67	0.00	1.28	0.72	0.00	0.00	-0.01
time (sec)	N/A	0.240	0.108	0.091	1.335	0.845	0.000	0.000	0.000

Problem 68	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	124	0	186	102	0	0	-1
normalized size	1	1.00	0.82	0.00	1.22	0.67	0.00	0.00	-0.01
time (sec)	N/A	0.149	0.112	0.099	1.872	0.862	0.000	0.000	0.000

Problem 69	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	152	152	124	0	186	102	0	0	-1
normalized size	1	1.00	0.82	0.00	1.22	0.67	0.00	0.00	-0.01
time (sec)	N/A	0.162	0.094	0.092	1.734	1.138	0.000	0.000	0.000

Problem 70	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	124	0	137	86	0	0	-1
normalized size	1	1.00	0.92	0.00	1.01	0.64	0.00	0.00	-0.01
time (sec)	N/A	0.116	0.059	0.085	2.073	0.977	0.000	0.000	0.000

Problem 71	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	135	135	124	0	138	86	0	0	-1
normalized size	1	1.00	0.92	0.00	1.02	0.64	0.00	0.00	-0.01
time (sec)	N/A	0.120	0.061	0.085	1.741	0.609	0.000	0.000	0.000

Problem 72	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	121	0	138	117	0	0	-1
normalized size	1	1.00	0.80	0.00	0.91	0.77	0.00	0.00	-0.01
time (sec)	N/A	0.146	0.056	0.056	1.558	0.948	0.000	0.000	0.000

Problem 73	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	153	153	121	0	138	117	0	0	-1
normalized size	1	1.00	0.79	0.00	0.90	0.76	0.00	0.00	-0.01
time (sec)	N/A	0.155	0.053	0.070	1.960	0.905	0.000	0.000	0.000

Problem 74	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	182	182	125	0	137	183	0	0	-1
normalized size	1	1.00	0.69	0.00	0.75	1.01	0.00	0.00	-0.01
time (sec)	N/A	0.204	0.052	0.078	1.818	0.909	0.000	0.000	0.000

Problem 75	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.017	0.000	0.326	0.000	0.000	0.000	0.000	0.000

Problem 76	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	16	133	0	0	0	0	15
normalized size	1	1.00	1.00	8.31	0.00	0.00	0.00	0.00	0.94
time (sec)	N/A	0.009	0.014	0.001	0.000	0.623	0.000	0.000	0.183

Problem 77	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.029	0.657	0.055	0.000	0.000	0.000	0.000	0.000

Problem 78	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	F(-1)	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	61	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.038	1.940	0.043	0.000	0.000	0.000	0.000	0.000

Problem 79	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	36	179	0	0	0	0	35
normalized size	1	1.00	0.86	4.26	0.00	0.00	0.00	0.00	0.83
time (sec)	N/A	0.020	0.024	0.183	0.000	0.642	0.000	0.000	0.188

Problem 80	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.028	15.481	0.042	0.000	0.000	0.000	0.000	0.000

Problem 81	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F(-1)	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	40	0	0	0	0	0	-1
normalized size	1	1.00	0.95	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.059	0.433	0.211	0.000	0.000	0.000	0.000	0.000

Problem 82	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	63	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.077	4.972	0.059	0.000	0.000	0.000	0.000	0.000

Problem 83	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.017	0.297	0.039	0.000	0.000	0.000	0.000	0.000

Problem 84	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	16	18	0	0	0	0	15
normalized size	1	1.00	1.00	1.12	0.00	0.00	0.00	0.00	0.94
time (sec)	N/A	0.009	0.016	0.000	0.000	1.006	0.000	0.000	0.200

Problem 85	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.028	0.198	0.052	0.000	0.000	0.000	0.000	0.000

Problem 86	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	F(-1)	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	55	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.036	0.000	0.048	0.000	0.000	0.000	0.000	0.000

Problem 87	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	F	F	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	38	101	0	0	0	0	42
normalized size	1	1.00	1.00	2.66	0.00	0.00	0.00	0.00	1.11
time (sec)	N/A	0.017	0.049	0.000	0.000	0.919	0.000	0.000	0.437

Problem 88	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.028	14.911	0.042	0.000	0.000	0.000	0.000	0.000

Problem 89	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	38	38	33	0	0	0	0	0	51
normalized size	1	1.00	0.87	0.00	0.00	0.00	0.00	0.00	1.34
time (sec)	N/A	0.055	0.398	0.178	0.000	0.000	0.000	0.000	0.657

Problem 90	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	20	20	17	0	0	0	0	0	15
normalized size	1	1.00	0.85	0.00	0.00	0.00	0.00	0.00	0.75
time (sec)	N/A	0.043	0.087	0.257	0.000	0.000	0.000	0.000	0.332

Problem 91	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	17	0	0	15	0	0	16
normalized size	1	1.00	0.71	0.00	0.00	0.62	0.00	0.00	0.67
time (sec)	N/A	0.046	0.080	0.260	0.000	0.909	0.000	0.000	0.139

Problem 92	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F(-1)	F	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	33	0	0	0	0	0	31
normalized size	1	1.00	0.70	0.00	0.00	0.00	0.00	0.00	0.66
time (sec)	N/A	0.061	0.140	0.365	0.000	0.000	0.000	0.000	0.527

Problem 93	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	29	0	0	0	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.00	0.00	0.00	-0.03
time (sec)	N/A	0.086	0.150	0.262	0.000	0.000	0.000	0.000	0.000

Problem 94	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	17	0	0	0	0	0	-1
normalized size	1	1.00	0.71	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.081	0.095	0.183	0.000	0.000	0.000	0.000	0.000

Problem 95	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	17	0	0	0	0	0	-1
normalized size	1	1.00	0.71	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.079	0.144	0.182	0.000	0.000	0.000	0.000	0.000

Problem 96	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	47	47	45	0	0	0	0	0	-1
normalized size	1	1.00	0.96	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.094	0.110	0.198	0.000	0.000	0.000	0.000	0.000

Problem 97	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	62	62	51	0	0	0	0	0	-1
normalized size	1	1.00	0.82	0.00	0.00	0.00	0.00	0.00	-0.02
time (sec)	N/A	0.154	0.109	0.170	0.000	0.000	0.000	0.000	0.000

Problem 98	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.041	0.823	0.295	0.000	0.658	0.000	0.000	0.000

Problem 99	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	275	275	253	0	0	186	0	0	-1
normalized size	1	1.00	0.92	0.00	0.00	0.68	0.00	0.00	-0.00
time (sec)	N/A	0.304	0.167	0.295	0.000	0.921	0.000	0.000	0.000

Problem 100	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	162	162	150	0	0	134	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.83	0.00	0.00	-0.01
time (sec)	N/A	0.213	0.196	0.214	0.000	1.771	0.000	0.000	0.000

Problem 101	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	131	131	122	0	0	96	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.73	0.00	0.00	-0.01
time (sec)	N/A	0.097	0.045	0.104	0.000	1.037	0.000	0.000	0.000

Problem 102	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.019	5.436	0.091	0.000	1.075	0.000	0.000	0.000

Problem 103	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	19	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.035	0.804	0.086	0.000	1.138	0.000	0.000	0.000

Problem 104	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	455	0	54	0	0	-1
normalized size	1	1.00	1.00	6.07	0.00	0.72	0.00	0.00	-0.01
time (sec)	N/A	0.080	0.020	0.154	0.000	0.532	0.000	0.000	0.000

Problem 105	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	79	354	0	54	0	0	-1
normalized size	1	1.00	1.00	4.48	0.00	0.68	0.00	0.00	-0.01
time (sec)	N/A	0.077	0.017	0.115	0.000	1.405	0.000	0.000	0.000

Problem 106	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	291	0	54	0	0	-1
normalized size	1	1.00	1.00	3.88	0.00	0.72	0.00	0.00	-0.01
time (sec)	N/A	0.077	0.016	0.109	0.000	0.442	0.000	0.000	0.000

Problem 107	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	79	379	0	50	0	0	-1
normalized size	1	1.00	1.00	4.80	0.00	0.63	0.00	0.00	-0.01
time (sec)	N/A	0.071	0.015	0.102	0.000	0.759	0.000	0.000	0.000

Problem 108	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	62	427	0	50	0	0	-1
normalized size	1	1.00	0.95	6.57	0.00	0.77	0.00	0.00	-0.02
time (sec)	N/A	0.073	0.023	0.108	0.000	0.683	0.000	0.000	0.000

Problem 109	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	530	0	54	0	0	-1
normalized size	1	1.00	1.00	7.07	0.00	0.72	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.017	0.115	0.000	0.703	0.000	0.000	0.000

Problem 110	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	75	75	75	600	0	54	0	0	-1
normalized size	1	1.00	1.00	8.00	0.00	0.72	0.00	0.00	-0.01
time (sec)	N/A	0.074	0.016	0.113	0.000	0.492	0.000	0.000	0.000

Problem 111	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	99	99	92	0	0	77	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.78	0.00	0.00	-0.01
time (sec)	N/A	0.157	0.111	0.135	0.000	0.667	0.000	0.000	0.000

Problem 112	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	96	0	0	77	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.75	0.00	0.00	-0.01
time (sec)	N/A	0.144	0.105	0.147	0.000	0.628	0.000	0.000	0.000

Problem 113	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	90	0	0	77	0	0	-1
normalized size	1	1.00	0.93	0.00	0.00	0.79	0.00	0.00	-0.01
time (sec)	N/A	0.137	0.101	0.215	0.000	0.750	0.000	0.000	0.000

Problem 114	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	103	103	90	0	0	69	0	0	-1
normalized size	1	1.00	0.87	0.00	0.00	0.67	0.00	0.00	-0.01
time (sec)	N/A	0.133	0.115	0.162	0.000	0.495	0.000	0.000	0.000

Problem 115	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	85	85	77	0	0	64	0	0	-1
normalized size	1	1.00	0.91	0.00	0.00	0.75	0.00	0.00	-0.01
time (sec)	N/A	0.126	0.059	0.202	0.000	0.683	0.000	0.000	0.000

Problem 116	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	91	0	0	77	0	0	-1
normalized size	1	1.00	0.90	0.00	0.00	0.76	0.00	0.00	-0.01
time (sec)	N/A	0.138	0.104	0.136	0.000	1.046	0.000	0.000	0.000

Problem 117	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	A	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	95	95	95	0	0	77	0	0	-1
normalized size	1	1.00	1.00	0.00	0.00	0.81	0.00	0.00	-0.01
time (sec)	N/A	0.142	0.093	0.151	0.000	0.710	0.000	0.000	0.000

Problem 118	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	122	476	456	168	264	156	189
normalized size	1	1.00	1.37	5.35	5.12	1.89	2.97	1.75	2.12
time (sec)	N/A	0.115	0.588	0.047	0.624	0.623	1.382	0.449	0.258

Problem 119	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	80	236	235	102	151	94	112
normalized size	1	1.00	1.19	3.52	3.51	1.52	2.25	1.40	1.67
time (sec)	N/A	0.085	0.353	0.033	0.750	0.728	0.613	0.440	0.287

Problem 120	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	52	89	91	51	68	46	52
normalized size	1	1.00	1.18	2.02	2.07	1.16	1.55	1.05	1.18
time (sec)	N/A	0.042	0.224	0.033	0.344	0.683	0.254	0.419	0.092

Problem 121	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	65	65	55	95	172	92	0	692	-1
normalized size	1	1.00	0.85	1.46	2.65	1.42	0.00	10.65	-0.02
time (sec)	N/A	0.150	0.133	0.036	0.928	0.725	0.000	0.488	0.000

Problem 122	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	78	143	196	135	0	578	-1
normalized size	1	1.00	0.88	1.61	2.20	1.52	0.00	6.49	-0.01
time (sec)	N/A	0.163	0.331	0.039	1.000	0.858	0.000	0.542	0.000

Problem 123	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	237	237	217	1129	949	369	779	339	452
normalized size	1	1.00	0.92	4.76	4.00	1.56	3.29	1.43	1.91
time (sec)	N/A	0.261	1.443	0.052	0.974	0.573	3.453	0.716	0.912

Problem 124	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	168	168	193	564	494	212	456	207	255
normalized size	1	1.00	1.15	3.36	2.94	1.26	2.71	1.23	1.52
time (sec)	N/A	0.179	0.647	0.051	1.000	0.583	1.592	0.807	0.592

Problem 125	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	A	A	A	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	118	118	80	218	197	98	219	107	117
normalized size	1	1.00	0.68	1.85	1.67	0.83	1.86	0.91	0.99
time (sec)	N/A	0.097	0.496	0.047	0.994	0.595	0.628	0.391	0.203

Problem 126	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	114	192	337	186	0	6933	-1
normalized size	1	1.00	0.79	1.32	2.32	1.28	0.00	47.81	-0.01
time (sec)	N/A	0.338	0.227	0.050	1.139	0.583	0.000	2.032	0.000

Problem 127	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	C	A	F	B	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	159	159	206	276	370	284	0	1133	-1
normalized size	1	1.00	1.30	1.74	2.33	1.79	0.00	7.13	-0.01
time (sec)	N/A	0.317	0.500	0.049	1.345	0.689	0.000	1.000	0.000

Problem 128	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	134	134	151	364	936	418	0	0	-1
normalized size	1	1.00	1.13	2.72	6.99	3.12	0.00	0.00	-0.01
time (sec)	N/A	0.282	0.328	0.165	1.164	0.652	0.000	0.000	0.000

Problem 129	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	101	101	125	197	286	222	0	0	-1
normalized size	1	1.00	1.24	1.95	2.83	2.20	0.00	0.00	-0.01
time (sec)	N/A	0.199	0.336	0.113	1.062	0.659	0.000	0.000	0.000

Problem 130	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	49	49	70	60	160	58	70	234	65
normalized size	1	1.00	1.43	1.22	3.27	1.18	1.43	4.78	1.33
time (sec)	N/A	0.064	0.080	0.086	0.428	0.740	0.648	0.611	0.661

Problem 131	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.060	2.803	0.171	0.000	0.712	0.000	0.000	0.000

Problem 132	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.057	2.689	0.228	0.000	0.654	0.000	0.000	0.000

Problem 133	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	271	271	250	678	3274	769	0	0	-1
normalized size	1	1.00	0.92	2.50	12.08	2.84	0.00	0.00	-0.00
time (sec)	N/A	0.367	1.048	0.459	3.961	0.660	0.000	0.000	0.000

Problem 134	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	B	F	F	F(-1)
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	212	212	212	358	772	390	0	0	-1
normalized size	1	1.00	1.00	1.69	3.64	1.84	0.00	0.00	-0.00
time (sec)	N/A	0.256	1.081	0.353	2.470	1.217	0.000	0.000	0.000

Problem 135	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	123	123	113	123	763	118	146	757	175
normalized size	1	1.00	0.92	1.00	6.20	0.96	1.19	6.15	1.42
time (sec)	N/A	0.095	0.520	0.179	0.989	0.546	1.091	3.029	4.287

Problem 136	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.054	12.171	2.537	0.000	0.623	0.000	0.000	0.000

Problem 137	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	23	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.052	12.783	3.264	0.000	1.079	0.000	0.000	0.000

Problem 138	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	B	B	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	133	133	164	468	959	467	0	0	-1
normalized size	1	1.00	1.23	3.52	7.21	3.51	0.00	0.00	-0.01
time (sec)	N/A	0.284	1.250	0.158	1.340	0.831	0.000	0.000	0.000

Problem 139	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	B	B	F	F	F
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	102	102	292	247	314	283	0	0	-1
normalized size	1	1.00	2.86	2.42	3.08	2.77	0.00	0.00	-0.01
time (sec)	N/A	0.203	5.528	0.119	0.677	0.647	0.000	0.000	0.000

Problem 140	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	A	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	50	50	57	85	160	59	90	229	65
normalized size	1	1.00	1.14	1.70	3.20	1.18	1.80	4.58	1.30
time (sec)	N/A	0.065	0.246	0.089	0.864	0.570	0.771	0.605	0.522

Problem 141	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	24	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.062	2.398	0.154	0.000	0.597	0.000	0.000	0.000

Problem 142	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	F(-1)	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	24	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.04
time (sec)	N/A	0.058	2.331	0.209	0.000	0.586	0.000	0.000	0.000

Problem 143	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	53	132	206	0	0	98	83
normalized size	1	1.00	0.48	1.20	1.87	0.00	0.00	0.89	0.75
time (sec)	N/A	0.134	0.224	0.097	1.713	0.000	0.000	0.472	0.546

Problem 144	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	88	88	44	105	122	0	0	77	63
normalized size	1	1.00	0.50	1.19	1.39	0.00	0.00	0.88	0.72
time (sec)	N/A	0.112	0.161	0.064	1.556	0.000	0.000	0.561	0.431

Problem 145	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	34	80	61	0	0	57	46
normalized size	1	1.00	0.64	1.51	1.15	0.00	0.00	1.08	0.87
time (sec)	N/A	0.061	0.127	0.061	1.486	0.000	0.000	0.442	0.205

Problem 146	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	26	26	29	43	20	32	0	30	33
normalized size	1	1.00	1.12	1.65	0.77	1.23	0.00	1.15	1.27
time (sec)	N/A	0.013	0.033	0.073	1.340	0.762	0.000	1.012	0.332

Problem 147	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	84	84	55	0	61	0	0	166	-1
normalized size	1	1.00	0.65	0.00	0.73	0.00	0.00	1.98	-0.01
time (sec)	N/A	0.121	0.089	0.098	2.239	0.000	0.000	0.537	0.000

Problem 148	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	110	110	75	0	198	0	0	560	-1
normalized size	1	1.00	0.68	0.00	1.80	0.00	0.00	5.09	-0.01
time (sec)	N/A	0.133	0.157	0.062	0.982	0.000	0.000	1.077	0.000

Problem 149	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	C	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	151	151	98	0	232	0	0	662	-1
normalized size	1	1.00	0.65	0.00	1.54	0.00	0.00	4.38	-0.01
time (sec)	N/A	0.162	0.266	0.067	1.516	0.000	0.000	1.231	0.000

Problem 150	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	68	68	33	87	48	0	0	55	91
normalized size	1	1.00	0.49	1.28	0.71	0.00	0.00	0.81	1.34
time (sec)	N/A	0.111	0.055	0.096	1.228	0.000	0.000	0.415	0.426

Problem 151	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	53	53	29	70	36	0	0	43	70
normalized size	1	1.00	0.55	1.32	0.68	0.00	0.00	0.81	1.32
time (sec)	N/A	0.096	0.044	0.067	1.287	0.000	0.000	0.419	0.340

Problem 152	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	A	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	32	32	22	55	24	0	0	31	50
normalized size	1	1.00	0.69	1.72	0.75	0.00	0.00	0.97	1.56
time (sec)	N/A	0.050	0.021	0.067	1.505	0.000	0.000	0.396	0.307

Problem 153	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	15	15	18	25	12	18	0	17	34
normalized size	1	1.00	1.20	1.67	0.80	1.20	0.00	1.13	2.27
time (sec)	N/A	0.011	0.007	0.070	1.482	0.676	0.000	1.372	0.288

Problem 154	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	23	23	23	0	17	0	0	16	-1
normalized size	1	1.00	1.00	0.00	0.74	0.00	0.00	0.70	-0.04
time (sec)	N/A	0.087	0.006	0.091	1.517	0.000	0.000	0.435	0.000

Problem 155	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	42	42	33	0	23	0	0	34	-1
normalized size	1	1.00	0.79	0.00	0.55	0.00	0.00	0.81	-0.02
time (sec)	N/A	0.091	0.059	0.066	0.897	0.000	0.000	0.437	0.000

Problem 156	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	67	67	44	0	19	0	0	48	-1
normalized size	1	1.00	0.66	0.00	0.28	0.00	0.00	0.72	-0.01
time (sec)	N/A	0.106	0.074	0.067	1.405	0.000	0.000	0.412	0.000

Problem 157	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	72	72	34	86	129	0	0	55	92
normalized size	1	1.00	0.47	1.19	1.79	0.00	0.00	0.76	1.28
time (sec)	N/A	0.115	0.052	0.070	1.145	0.000	0.000	0.469	0.434

Problem 158	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	56	56	30	69	100	0	0	51	71
normalized size	1	1.00	0.54	1.23	1.79	0.00	0.00	0.91	1.27
time (sec)	N/A	0.098	0.042	0.061	1.382	0.000	0.000	0.373	0.343

Problem 159	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	F(-2)	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	34	34	23	54	72	0	0	31	48
normalized size	1	1.00	0.68	1.59	2.12	0.00	0.00	0.91	1.41
time (sec)	N/A	0.051	0.023	0.055	1.693	0.000	0.000	0.422	0.316

Problem 160	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	A	A	F	A	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	16	16	19	25	23	19	0	26	34
normalized size	1	1.00	1.19	1.56	1.44	1.19	0.00	1.62	2.12
time (sec)	N/A	0.011	0.007	0.125	1.067	0.582	0.000	0.412	0.292

Problem 161	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	24	24	24	0	0	0	0	16	-1
normalized size	1	1.00	1.00	0.00	0.00	0.00	0.00	0.67	-0.04
time (sec)	N/A	0.088	0.021	0.083	0.000	0.000	0.000	0.399	0.000

Problem 162	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	44	44	34	0	0	0	0	34	-1
normalized size	1	1.00	0.77	0.00	0.00	0.00	0.00	0.77	-0.02
time (sec)	N/A	0.092	0.027	0.057	0.000	0.000	0.000	2.646	0.000

Problem 163	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	70	70	45	0	0	0	0	48	-1
normalized size	1	1.00	0.64	0.00	0.00	0.00	0.00	0.69	-0.01
time (sec)	N/A	0.106	0.057	0.068	0.000	0.000	0.000	0.454	0.000

Problem 164	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	185	185	67	0	98	0	0	113	-1
normalized size	1	1.00	0.36	0.00	0.53	0.00	0.00	0.61	-0.01
time (sec)	N/A	0.183	0.297	0.057	0.815	0.000	0.000	0.479	0.000

Problem 165	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	145	145	54	0	72	0	0	85	-1
normalized size	1	1.00	0.37	0.00	0.50	0.00	0.00	0.59	-0.01
time (sec)	N/A	0.144	0.219	0.055	1.081	0.000	0.000	0.374	0.000

Problem 166	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	A	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	89	89	45	0	48	0	0	59	-1
normalized size	1	1.00	0.51	0.00	0.54	0.00	0.00	0.66	-0.01
time (sec)	N/A	0.072	0.068	0.058	1.067	0.000	0.000	0.480	0.000

Problem 167	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	55	55	36	0	29	0	0	32	-1
normalized size	1	1.00	0.65	0.00	0.53	0.00	0.00	0.58	-0.02
time (sec)	N/A	0.128	0.020	0.058	1.176	0.000	0.000	0.425	0.000

Problem 168	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	79	79	53	0	37	0	0	62	-1
normalized size	1	1.00	0.67	0.00	0.47	0.00	0.00	0.78	-0.01
time (sec)	N/A	0.126	0.085	0.053	1.333	0.000	0.000	0.424	0.000

Problem 169	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	C	F(-2)	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	109	109	66	0	33	0	0	92	-1
normalized size	1	1.00	0.61	0.00	0.30	0.00	0.00	0.84	-0.01
time (sec)	N/A	0.165	0.053	0.054	1.087	0.000	0.000	0.518	0.000

Problem 170	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	374	374	199	0	0	0	0	0	-1
normalized size	1	1.00	0.53	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.212	0.126	0.060	0.000	0.557	0.000	0.000	0.000

Problem 171	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	262	262	146	0	0	0	0	0	-1
normalized size	1	1.00	0.56	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.167	0.075	0.061	0.000	0.620	0.000	0.000	0.000

Problem 172	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	156	156	89	0	0	0	0	0	-1
normalized size	1	1.00	0.57	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.086	0.047	0.054	0.000	0.657	0.000	0.000	0.000

Problem 173	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	C	B	A	F	B	B
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	46	46	40	54	90	126	0	93	45
normalized size	1	1.00	0.87	1.17	1.96	2.74	0.00	2.02	0.98
time (sec)	N/A	0.022	0.015	0.125	1.625	0.673	0.000	1.860	0.332

Problem 174	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.069	0.893	0.055	0.000	0.558	0.000	0.000	0.000

Problem 175	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	235	235	170	0	0	0	0	0	-1
normalized size	1	1.00	0.72	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.173	0.100	0.053	0.000	0.723	0.000	0.000	0.000

Problem 176	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	163	163	117	0	0	0	0	0	-1
normalized size	1	1.00	0.72	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.141	0.049	0.056	0.000	0.549	0.000	0.000	0.000

Problem 177	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	97	97	83	0	0	0	0	0	-1
normalized size	1	1.00	0.86	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.078	0.033	0.056	0.000	0.804	0.000	0.000	0.000

Problem 178	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	A	B	A	F	A	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	37	37	36	25	81	87	0	20	-1
normalized size	1	1.00	0.97	0.68	2.19	2.35	0.00	0.54	-0.03
time (sec)	N/A	0.020	0.015	0.183	1.929	0.681	0.000	0.489	0.000

Problem 179	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	18	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.077	2.956	0.059	0.000	0.945	0.000	0.000	0.000

Problem 180	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	423	423	257	0	0	0	0	0	-1
normalized size	1	1.00	0.61	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.260	0.411	0.058	0.000	0.732	0.000	0.000	0.000

Problem 181	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	257	257	185	0	0	0	0	0	-1
normalized size	1	1.00	0.72	0.00	0.00	0.00	0.00	0.00	-0.00
time (sec)	N/A	0.189	0.119	0.056	0.000	0.607	0.000	0.000	0.000

Problem 182	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-1)	F	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	150	150	165	0	0	0	0	0	-1
normalized size	1	1.00	1.10	0.00	0.00	0.00	0.00	0.00	-0.01
time (sec)	N/A	0.117	0.177	0.061	0.000	1.605	0.000	0.000	0.000

Problem 183	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	17	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.06
time (sec)	N/A	0.079	11.139	0.056	0.000	0.562	0.000	0.000	0.000

Problem 184	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	F(-2)	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	21	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.05
time (sec)	N/A	0.065	1.507	0.089	0.000	0.000	0.000	0.000	0.000

Problem 185	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	383	383	290	0	0	1074	0	0	-1
normalized size	1	1.00	0.76	0.00	0.00	2.80	0.00	0.00	-0.00
time (sec)	N/A	0.559	0.917	0.065	0.000	0.749	0.000	0.000	0.000

Problem 186	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	A	F	F(-2)	C	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	329	329	379	0	0	1267	0	0	-1
normalized size	1	1.00	1.15	0.00	0.00	3.85	0.00	0.00	-0.00
time (sec)	N/A	0.663	0.716	0.158	0.000	0.792	0.000	0.000	0.000

Problem 187	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	B	F	F	F
verified	N/A	Yes	Yes	TBD	TBD	TBD	TBD	TBD	TBD
size	214	214	756	414	0	917	0	0	-1
normalized size	1	1.00	3.53	1.93	0.00	4.29	0.00	0.00	-0.00
time (sec)	N/A	0.400	0.829	0.090	0.000	0.958	0.000	0.000	0.000

Problem 188	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	N/A	A	A	A	A	A	A	A	A
verified	N/A	N/A	N/A	TBD	TBD	TBD	TBD	TBD	TBD
size	15	0	0	0	0	0	0	0	-1
normalized size	1	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-0.07
time (sec)	N/A	0.049	0.837	0.048	0.000	0.628	0.000	0.000	0.000

Problem 189	Optimal	Rubi	Mathematica	Maple	Maxima	Fricas	Sympy	Giac	Mupad
grade	A	A	B	B	F(-2)	B	F(-1)	F	F(-1)
verified	N/A	Yes	NO	TBD	TBD	TBD	TBD	TBD	TBD
size	296	296	933	674	0	1482	0	0	-1
normalized size	1	1.00	3.15	2.28	0.00	5.01	0.00	0.00	-0.00
time (sec)	N/A	0.523	9.751	0.696	0.000	1.593	0.000	0.000	0.000

2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio $\frac{\text{number of rules}}{\text{integrand size}}$ is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [180] had the largest ratio of [.6429]

Table 2.1: Rubi specific breakdown of results for each integral

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
1	A	5	2	1.00	14	0.143
2	A	4	2	1.00	14	0.143
3	A	3	2	1.00	14	0.143
4	A	2	2	1.00	12	0.167
5	A	3	3	1.00	14	0.214
6	A	4	4	1.00	14	0.286
7	A	5	4	1.00	14	0.286
8	A	6	4	1.00	14	0.286
9	A	6	4	1.00	16	0.250
10	A	4	3	1.00	16	0.188

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
11	A	4	4	1.00	16	0.250
12	A	2	1	1.00	14	0.071
13	A	5	4	1.00	16	0.250
14	A	5	5	1.00	16	0.312
15	A	7	6	1.00	16	0.375
16	A	12	4	1.00	16	0.250
17	A	8	4	1.00	16	0.250
18	A	6	4	1.00	16	0.250
19	A	3	3	1.00	14	0.214
20	A	8	4	1.00	16	0.250
21	A	8	4	1.00	16	0.250
22	A	12	5	1.00	16	0.312
23	A	8	3	1.00	12	0.250
24	A	8	4	1.00	12	0.333
25	A	3	2	1.00	10	0.200
26	A	8	4	1.00	12	0.333
27	A	8	4	1.00	12	0.333
28	A	14	5	1.00	12	0.417
29	A	9	5	1.00	14	0.357
30	A	7	4	1.00	14	0.286
31	A	5	3	1.00	12	0.250
32	A	0	0	0.00	0	0.000
33	A	6	6	1.00	16	0.375
34	A	5	5	1.00	16	0.312
35	A	2	2	1.00	14	0.143
36	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
37	A	15	8	1.00	16	0.500
38	A	9	6	1.00	16	0.375
39	A	6	4	1.00	14	0.286
40	A	0	0	0.00	0	0.000
41	A	8	6	1.00	16	0.375
42	A	7	6	1.00	16	0.375
43	A	6	6	1.00	16	0.375
44	A	5	5	1.00	16	0.312
45	A	6	6	1.00	16	0.375
46	A	7	6	1.00	16	0.375
47	A	8	6	1.00	16	0.375
48	A	10	9	1.00	18	0.500
49	A	9	8	1.00	18	0.444
50	A	8	7	1.00	18	0.389
51	A	7	6	1.00	18	0.333
52	A	7	7	1.00	18	0.389
53	A	9	8	1.00	18	0.444
54	A	9	9	1.00	18	0.500
55	A	11	8	1.00	18	0.444
56	A	23	8	1.00	18	0.444
57	A	20	8	1.00	18	0.444
58	A	14	7	1.00	18	0.389
59	A	12	6	1.00	18	0.333
60	A	12	6	1.00	18	0.333
61	A	18	7	1.00	18	0.389
62	A	19	8	1.00	18	0.444

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
63	A	4	3	1.00	8	0.375
64	A	3	3	1.00	8	0.375
65	A	2	2	1.00	8	0.250
66	A	3	3	1.00	8	0.375
67	A	5	3	1.00	16	0.188
68	A	4	3	1.00	16	0.188
69	A	4	3	1.00	16	0.188
70	A	3	2	1.00	16	0.125
71	A	3	2	1.00	16	0.125
72	A	4	3	1.00	16	0.188
73	A	4	3	1.00	16	0.188
74	A	5	3	1.00	16	0.188
75	A	0	0	0.00	0	0.000
76	A	1	1	1.00	10	0.100
77	A	0	0	0.00	0	0.000
78	A	0	0	0.00	0	0.000
79	A	2	2	1.00	10	0.200
80	A	0	0	0.00	0	0.000
81	A	2	1	1.00	28	0.036
82	A	0	0	0.00	0	0.000
83	A	0	0	0.00	0	0.000
84	A	1	1	1.00	10	0.100
85	A	0	0	0.00	0	0.000
86	A	0	0	0.00	0	0.000
87	A	2	2	1.00	10	0.200
88	A	0	0	0.00	0	0.000

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
89	A	2	1	1.00	25	0.040
90	A	2	1	1.00	17	0.059
91	A	2	1	1.00	20	0.050
92	A	3	1	1.00	20	0.050
93	A	3	2	1.00	21	0.095
94	A	4	2	1.00	20	0.100
95	A	4	2	1.00	20	0.100
96	A	5	2	1.00	20	0.100
97	A	7	5	1.00	24	0.208
98	A	0	0	0.00	0	0.000
99	A	8	3	1.00	16	0.188
100	A	5	3	1.00	16	0.188
101	A	3	2	1.00	14	0.143
102	A	0	0	0.00	0	0.000
103	A	0	0	0.00	0	0.000
104	A	3	2	1.00	12	0.167
105	A	3	2	1.00	12	0.167
106	A	3	2	1.00	12	0.167
107	A	3	2	1.00	10	0.200
108	A	3	2	1.00	12	0.167
109	A	3	2	1.00	12	0.167
110	A	3	2	1.00	12	0.167
111	A	5	3	1.00	14	0.214
112	A	5	3	1.00	14	0.214
113	A	5	3	1.00	14	0.214
114	A	5	3	1.00	12	0.250

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
115	A	5	3	1.00	14	0.214
116	A	5	3	1.00	14	0.214
117	A	5	3	1.00	14	0.214
118	A	6	3	1.00	18	0.167
119	A	5	3	1.00	18	0.167
120	A	4	3	1.00	16	0.188
121	A	5	4	1.00	18	0.222
122	A	6	5	1.00	18	0.278
123	A	10	6	1.00	20	0.300
124	A	9	7	1.00	20	0.350
125	A	6	4	1.00	18	0.222
126	A	9	5	1.00	20	0.250
127	A	9	5	1.00	20	0.250
128	A	7	7	1.00	20	0.350
129	A	6	6	1.00	20	0.300
130	A	3	3	1.00	18	0.167
131	A	0	0	0.00	0	0.000
132	A	0	0	0.00	0	0.000
133	A	10	9	1.00	20	0.450
134	A	9	9	1.00	20	0.450
135	A	4	4	1.00	18	0.222
136	A	0	0	0.00	0	0.000
137	A	0	0	0.00	0	0.000
138	A	7	7	1.00	21	0.333
139	A	6	6	1.00	21	0.286
140	A	3	3	1.00	19	0.158

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
141	A	0	0	0.00	0	0.000
142	A	0	0	0.00	0	0.000
143	A	5	3	1.00	18	0.167
144	A	4	3	1.00	18	0.167
145	A	3	3	1.00	16	0.188
146	A	1	1	1.00	14	0.071
147	A	4	4	1.00	18	0.222
148	A	5	5	1.00	18	0.278
149	A	6	5	1.00	18	0.278
150	A	5	3	1.00	14	0.214
151	A	4	3	1.00	14	0.214
152	A	3	3	1.00	12	0.250
153	A	1	1	1.00	10	0.100
154	A	2	2	1.00	14	0.143
155	A	3	3	1.00	14	0.214
156	A	4	3	1.00	14	0.214
157	A	5	3	1.00	15	0.200
158	A	4	3	1.00	15	0.200
159	A	3	3	1.00	13	0.231
160	A	1	1	1.00	11	0.091
161	A	2	2	1.00	15	0.133
162	A	3	3	1.00	15	0.200
163	A	4	3	1.00	15	0.200
164	A	9	5	1.00	14	0.357
165	A	7	5	1.00	14	0.357
166	A	4	4	1.00	12	0.333

Continued on next page

Table 2.1 – continued from previous page

#	grade	number of steps used	number of unique rules	normalized antiderivative leaf size	integrand leaf size	$\frac{\text{number of rules}}{\text{integrand leaf size}}$
167	A	5	3	1.00	14	0.214
168	A	5	3	1.00	14	0.214
169	A	7	4	1.00	14	0.286
170	A	10	6	1.00	18	0.333
171	A	8	5	1.00	18	0.278
172	A	6	4	1.00	16	0.250
173	A	2	2	1.00	14	0.143
174	A	0	0	0.00	0	0.000
175	A	10	6	1.00	15	0.400
176	A	8	5	1.00	15	0.333
177	A	6	4	1.00	13	0.308
178	A	2	2	1.00	11	0.182
179	A	0	0	0.00	0	0.000
180	A	16	9	1.00	14	0.643
181	A	10	7	1.00	14	0.500
182	A	7	5	1.00	12	0.417
183	A	0	0	0.00	0	0.000
184	A	0	0	0.00	0	0.000
185	A	12	7	1.00	12	0.583
186	A	10	6	1.00	16	0.375
187	A	8	5	1.00	14	0.357
188	A	0	0	0.00	0	0.000
189	A	11	8	1.00	18	0.444

Chapter 3

Listing of integrals

3.1 $\int (c + dx)^4 \cos(a + bx) dx$

Optimal. Leaf size=91

$$\frac{24d^4 \sin(a + bx)}{b^5} - \frac{24d^3(c + dx) \cos(a + bx)}{b^4} - \frac{12d^2(c + dx)^2 \sin(a + bx)}{b^3} + \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} + \frac{(c + dx)^4 \sin(a + bx)}{b}$$

[Out] $-24*d^3*(d*x+c)*\cos(b*x+a)/b^4+4*d*(d*x+c)^3*\cos(b*x+a)/b^2+24*d^4*\sin(b*x+a)/b^5-12*d^2*(d*x+c)^2*\sin(b*x+a)/b^3+(d*x+c)^4*\sin(b*x+a)/b$

Rubi [A] time = 0.09, antiderivative size = 91, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2637}

$$-\frac{12d^2(c + dx)^2 \sin(a + bx)}{b^3} - \frac{24d^3(c + dx) \cos(a + bx)}{b^4} + \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} + \frac{24d^4 \sin(a + bx)}{b^5} + \frac{(c + dx)^4 \sin(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^4*\text{Cos}[a + b*x], x]$

[Out] $(-24*d^3*(c + d*x)*\text{Cos}[a + b*x])/b^4 + (4*d*(c + d*x)^3*\text{Cos}[a + b*x])/b^2 + (24*d^4*\text{Sin}[a + b*x])/b^5 - (12*d^2*(c + d*x)^2*\text{Sin}[a + b*x])/b^3 + ((c + d*x)^4*\text{Sin}[a + b*x])/b$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
 $\text{FreeQ}\{c, d\}, x]$

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^4 \cos(a + bx) dx &= \frac{(c + dx)^4 \sin(a + bx)}{b} - \frac{(4d) \int (c + dx)^3 \sin(a + bx) dx}{b} \\
&= \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} + \frac{(c + dx)^4 \sin(a + bx)}{b} - \frac{(12d^2) \int (c + dx)^2 \cos(a + bx) dx}{b^2} \\
&= \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} - \frac{12d^2(c + dx)^2 \sin(a + bx)}{b^3} + \frac{(c + dx)^4 \sin(a + bx)}{b} + \frac{(24d^3) \int (c + dx) \sin(a + bx) dx}{b^3} \\
&= -\frac{24d^3(c + dx) \cos(a + bx)}{b^4} + \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} - \frac{12d^2(c + dx)^2 \sin(a + bx)}{b^3} + \frac{(c + dx)^4 \sin(a + bx)}{b} \\
&= -\frac{24d^3(c + dx) \cos(a + bx)}{b^4} + \frac{4d(c + dx)^3 \cos(a + bx)}{b^2} + \frac{24d^4 \sin(a + bx)}{b^5} - \frac{12d^2(c + dx)^2 \sin(a + bx)}{b^3}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 76, normalized size = 0.84

$$\frac{4bd(c + dx) \cos(a + bx) (b^2(c + dx)^2 - 6d^2) + \sin(a + bx) (b^4(c + dx)^4 - 12b^2d^2(c + dx)^2 + 24d^4)}{b^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^4*Cos[a + b*x], x]
```

```
[Out] (4*b*d*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + (24*d^4 - 12*b^2*d^2*(c + d*x)^2 + b^4*(c + d*x)^4)*Sin[a + b*x])/b^5
```

fricas [A] time = 0.76, size = 169, normalized size = 1.86

$$\frac{4(b^3d^4x^3 + 3b^3cd^3x^2 + b^3c^3d - 6bcd^3 + 3(b^3c^2d^2 - 2bd^4)x) \cos(bx + a) + (b^4d^4x^4 + 4b^4cd^3x^3 + b^4c^4 - 12b^2c^2d^2)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^4*cos(b*x+a), x, algorithm="fricas")
```

```
[Out] (4*(b^3*d^4*x^3 + 3*b^3*c*d^3*x^2 + b^3*c^3*d - 6*b*c*d^3 + 3*(b^3*c^2*d^2 - 2*b*d^4)*x)*cos(b*x + a) + (b^4*d^4*x^4 + 4*b^4*c*d^3*x^3 + b^4*c^4 - 12*b^2*c^2*d^2 + 24*d^4 + 6*(b^4*c^2*d^2 - 2*b^2*d^4)*x^2 + 4*(b^4*c^3*d - 6*b^2*c*d^3)*x)*sin(b*x + a))/b^5
```


giac [A] time = 0.40, size = 170, normalized size = 1.87

$$\frac{4(b^3d^4x^3 + 3b^3cd^3x^2 + 3b^3c^2d^2x + b^3c^3d - 6bd^4x - 6bcd^3) \cos(bx + a)}{b^5} + \frac{(b^4d^4x^4 + 4b^4cd^3x^3 + 6b^4c^2d^2x^2 + \dots)}{b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a),x, algorithm="giac")

[Out] $4*(b^3*d^4*x^3 + 3*b^3*c*d^3*x^2 + 3*b^3*c^2*d^2*x + b^3*c^3*d - 6*b*d^4*x - 6*b*c*d^3)*\cos(b*x + a)/b^5 + (b^4*d^4*x^4 + 4*b^4*c*d^3*x^3 + 6*b^4*c^2*d^2*x^2 + 4*b^4*c^3*d*x + b^4*c^4 - 12*b^2*d^4*x^2 - 24*b^2*c*d^3*x - 12*b^2*c^2*d^2 + 24*d^4)*\sin(b*x + a)/b^5$

maple [B] time = 0.02, size = 539, normalized size = 5.92

$$\frac{d^4((bx+a)^4 \sin(bx+a) + 4(bx+a)^3 \cos(bx+a) - 12(bx+a)^2 \sin(bx+a) + 24 \sin(bx+a) - 24(bx+a) \cos(bx+a))}{b^4} - \frac{4a d^4((bx+a)^3 \sin(bx+a) + 3(bx+a)^2 \cos(bx+a) - 12(bx+a) \sin(bx+a) + 12 \cos(bx+a))}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^4*cos(b*x+a),x)

[Out] $1/b*(1/b^4*d^4*((bx+a)^4*\sin(bx+a)+4*(bx+a)^3*\cos(bx+a)-12*(bx+a)^2*\sin(bx+a)+24*\sin(bx+a)-24*(bx+a)*\cos(bx+a))-4/b^4*a*d^4*((bx+a)^3*\sin(bx+a)+3*(bx+a)^2*\cos(bx+a)-6*\cos(bx+a)-6*(bx+a)*\sin(bx+a))+4/b^3*c*d^3*((bx+a)^3*\sin(bx+a)+3*(bx+a)^2*\cos(bx+a)-6*\cos(bx+a)-6*(bx+a)*\sin(bx+a))+6/b^4*a^2*d^4*((bx+a)^2*\sin(bx+a)-2*\sin(bx+a)+2*(bx+a)*\cos(bx+a))-12/b^3*a*c*d^3*((bx+a)^2*\sin(bx+a)-2*\sin(bx+a)+2*(bx+a)*\cos(bx+a))+6/b^2*c^2*d^2*((bx+a)^2*\sin(bx+a)-2*\sin(bx+a)+2*(bx+a)*\cos(bx+a))-4/b^4*a^3*d^4*(\cos(bx+a)+(bx+a)*\sin(bx+a))+12/b^3*a^2*c*d^3*(\cos(bx+a)+(bx+a)*\sin(bx+a))*\sin(bx+a)-12/b^2*a*c^2*d^2*(\cos(bx+a)+(bx+a)*\sin(bx+a))+4/b*c^3*d*(\cos(bx+a)+(bx+a)*\sin(bx+a))+1/b^4*a^4*d^4*\sin(bx+a)-4/b^3*a^3*c*d^3*\sin(bx+a)+6/b^2*a^2*c^2*d^2*\sin(bx+a)-4/b*a*c^3*d*\sin(bx+a)+c^4*\sin(bx+a))$

maxima [B] time = 0.80, size = 481, normalized size = 5.29

$$c^4 \sin(bx + a) - \frac{4ac^3d \sin(bx+a)}{b} + \frac{6a^2c^2d^2 \sin(bx+a)}{b^2} - \frac{4a^3cd^3 \sin(bx+a)}{b^3} + \frac{a^4d^4 \sin(bx+a)}{b^4} + \frac{4((bx+a) \sin(bx+a) + \cos(bx+a))c^3d}{b} - \frac{12a^2c^2d^2 \sin(bx+a)}{b^2} + \frac{12a^3cd^3 \sin(bx+a)}{b^3} - \frac{12a^4d^4 \sin(bx+a)}{b^4} + \frac{12a^2c^2d^2 \sin(bx+a)}{b^2} - \frac{12a^3cd^3 \sin(bx+a)}{b^3} + \frac{12a^4d^4 \sin(bx+a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a),x, algorithm="maxima")

[Out] $(c^4*\sin(b*x + a) - 4*a*c^3*d*\sin(b*x + a)/b + 6*a^2*c^2*d^2*\sin(b*x + a)/b^2 - 4*a^3*c*d^3*\sin(b*x + a)/b^3 + a^4*d^4*\sin(b*x + a)/b^4 + 4*((bx + a)$

```
*sin(b*x + a) + cos(b*x + a))*c^3*d/b - 12*((b*x + a)*sin(b*x + a) + cos(b*x + a))*a*c^2*d^2/b^2 + 12*((b*x + a)*sin(b*x + a) + cos(b*x + a))*a^2*c*d^3/b^3 - 4*((b*x + a)*sin(b*x + a) + cos(b*x + a))*a^3*d^4/b^4 + 6*(2*(b*x + a)*cos(b*x + a) + ((b*x + a)^2 - 2)*sin(b*x + a))*c^2*d^2/b^2 - 12*(2*(b*x + a)*cos(b*x + a) + ((b*x + a)^2 - 2)*sin(b*x + a))*a*c*d^3/b^3 + 6*(2*(b*x + a)*cos(b*x + a) + ((b*x + a)^2 - 2)*sin(b*x + a))*a^2*d^4/b^4 + 4*(3*((b*x + a)^2 - 2)*cos(b*x + a) + ((b*x + a)^3 - 6*b*x - 6*a)*sin(b*x + a))*c*d^3/b^3 - 4*(3*((b*x + a)^2 - 2)*cos(b*x + a) + ((b*x + a)^3 - 6*b*x - 6*a)*sin(b*x + a))*a*d^4/b^4 + (4*((b*x + a)^3 - 6*b*x - 6*a)*cos(b*x + a) + ((b*x + a)^4 - 12*(b*x + a)^2 + 24)*sin(b*x + a))*d^4/b^4)/b
```

mupad [B] time = 0.42, size = 219, normalized size = 2.41

$$\frac{\sin(a + bx) (b^4 c^4 - 12 b^2 c^2 d^2 + 24 d^4)}{b^5} - \frac{4 \cos(a + bx) (6 c d^3 - b^2 c^3 d)}{b^4} + \frac{4 d^4 x^3 \cos(a + bx)}{b^2} - \frac{12 x \cos(a + bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^4,x)

[Out] (sin(a + b*x)*(24*d^4 + b^4*c^4 - 12*b^2*c^2*d^2))/b^5 - (4*cos(a + b*x)*(6*c*d^3 - b^2*c^3*d))/b^4 + (4*d^4*x^3*cos(a + b*x))/b^2 - (12*x*cos(a + b*x)*(2*d^4 - b^2*c^2*d^2))/b^4 + (d^4*x^4*sin(a + b*x))/b - (4*x*sin(a + b*x)*(6*c*d^3 - b^2*c^3*d))/b^3 - (6*x^2*sin(a + b*x)*(2*d^4 - b^2*c^2*d^2))/b^3 + (12*c*d^3*x^2*cos(a + b*x))/b^2 + (4*c*d^3*x^3*sin(a + b*x))/b

sympy [A] time = 2.55, size = 311, normalized size = 3.42

$$\left\{ \begin{array}{l} \frac{c^4 \sin(a+bx)}{b} + \frac{4c^3 dx \sin(a+bx)}{b} + \frac{6c^2 d^2 x^2 \sin(a+bx)}{b} + \frac{4cd^3 x^3 \sin(a+bx)}{b} + \frac{d^4 x^4 \sin(a+bx)}{b} + \frac{4c^3 d \cos(a+bx)}{b^2} + \frac{12c^2 d^2 x \cos(a+bx)}{b^2} + \frac{12cd^3 x^2 \cos(a+bx)}{b^2} + \frac{4d^4 x^3 \cos(a+bx)}{b^2} \\ \left(c^4 x + 2c^3 dx^2 + 2c^2 d^2 x^3 + cd^3 x^4 + \frac{d^4 x^5}{5} \right) \cos(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**4*cos(b*x+a),x)

[Out] Piecewise(((c**4*sin(a + b*x)/b + 4*c**3*d*x*sin(a + b*x)/b + 6*c**2*d**2*x**2*sin(a + b*x)/b + 4*c*d**3*x**3*sin(a + b*x)/b + d**4*x**4*sin(a + b*x)/b + 4*c**3*d*cos(a + b*x)/b**2 + 12*c**2*d**2*x*cos(a + b*x)/b**2 + 12*c*d**3*x**2*cos(a + b*x)/b**2 + 4*d**4*x**3*cos(a + b*x)/b**2 - 12*c**2*d**2*sin(a + b*x)/b**3 - 24*c*d**3*x*sin(a + b*x)/b**3 - 12*d**4*x**2*sin(a + b*x)/b**3 - 24*c*d**3*cos(a + b*x)/b**4 - 24*d**4*x*cos(a + b*x)/b**4 + 24*d**4*sin(a + b*x)/b**5, Ne(b, 0)), ((c**4*x + 2*c**3*d*x**2 + 2*c**2*d**2*x**3 + c*d**3*x**4 + d**4*x**5/5)*cos(a), True))

3.2 $\int (c + dx)^3 \cos(a + bx) dx$

Optimal. Leaf size=70

$$-\frac{6d^3 \cos(a + bx)}{b^4} - \frac{6d^2(c + dx) \sin(a + bx)}{b^3} + \frac{3d(c + dx)^2 \cos(a + bx)}{b^2} + \frac{(c + dx)^3 \sin(a + bx)}{b}$$

[Out] $-6*d^3*\cos(b*x+a)/b^4+3*d*(d*x+c)^2*\cos(b*x+a)/b^2-6*d^2*(d*x+c)*\sin(b*x+a)/b^3+(d*x+c)^3*\sin(b*x+a)/b$

Rubi [A] time = 0.07, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2638}

$$-\frac{6d^2(c + dx) \sin(a + bx)}{b^3} + \frac{3d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{6d^3 \cos(a + bx)}{b^4} + \frac{(c + dx)^3 \sin(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Cos[a + b*x], x]

[Out] $(-6*d^3*\cos[a + b*x])/b^4 + (3*d*(c + d*x)^2*\cos[a + b*x])/b^2 - (6*d^2*(c + d*x)*\sin[a + b*x])/b^3 + ((c + d*x)^3*\sin[a + b*x])/b$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 \cos(a + bx) dx &= \frac{(c + dx)^3 \sin(a + bx)}{b} - \frac{(3d) \int (c + dx)^2 \sin(a + bx) dx}{b} \\
&= \frac{3d(c + dx)^2 \cos(a + bx)}{b^2} + \frac{(c + dx)^3 \sin(a + bx)}{b} - \frac{(6d^2) \int (c + dx) \cos(a + bx) dx}{b^2} \\
&= \frac{3d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{6d^2(c + dx) \sin(a + bx)}{b^3} + \frac{(c + dx)^3 \sin(a + bx)}{b} + \frac{(6d^3) \int \cos(a + bx) dx}{b^3} \\
&= -\frac{6d^3 \cos(a + bx)}{b^4} + \frac{3d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{6d^2(c + dx) \sin(a + bx)}{b^3} + \frac{(c + dx)^3 \sin(a + bx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.23, size = 61, normalized size = 0.87

$$\frac{b(c + dx) \sin(a + bx) (b^2(c + dx)^2 - 6d^2) + 3d \cos(a + bx) (b^2(c + dx)^2 - 2d^2)}{b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Cos[a + b*x],x]

[Out] (3*d*(-2*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + b*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*Sin[a + b*x])/b^4

fricas [A] time = 0.77, size = 109, normalized size = 1.56

$$\frac{3(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \cos(bx + a) + (b^3d^3x^3 + 3b^3cd^2x^2 + b^3c^3 - 6bcd^2 + 3(b^3c^2d - 2bd^3)x) \sin(bx + a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a),x, algorithm="fricas")

[Out] (3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d - 2*d^3)*cos(b*x + a) + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + b^3*c^3 - 6*b*c*d^2 + 3*(b^3*c^2*d - 2*b*d^3)*x)*sin(b*x + a))/b^4

giac [A] time = 0.47, size = 110, normalized size = 1.57

$$\frac{3(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \cos(bx + a)}{b^4} + \frac{(b^3d^3x^3 + 3b^3cd^2x^2 + 3b^3c^2dx + b^3c^3 - 6bd^3x - 6bcd^2) \sin(bx + a)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a),x, algorithm="giac")

[Out] $3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d - 2*d^3)*\cos(b*x + a)/b^4 + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3 - 6*b*d^3*x - 6*b*c*d^2)*\sin(b*x + a)/b^4$

maple [B] time = 0.03, size = 302, normalized size = 4.31

$$\frac{d^3((bx+a)^3 \sin(bx+a)+3(bx+a)^2 \cos(bx+a)-6 \cos(bx+a)-6(bx+a) \sin(bx+a))}{b^3} - \frac{3a d^3((bx+a)^2 \sin(bx+a)-2 \sin(bx+a)+2(bx+a) \cos(bx+a))}{b^3} + \frac{3c d^2}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^3*cos(b*x+a),x)`

[Out] $1/b*(1/b^3*d^3*((b*x+a)^3*\sin(b*x+a)+3*(b*x+a)^2*\cos(b*x+a)-6*\cos(b*x+a)-6*(b*x+a)*\sin(b*x+a))-3/b^3*a*d^3*((b*x+a)^2*\sin(b*x+a)-2*\sin(b*x+a)+2*(b*x+a)*\cos(b*x+a))+3/b^2*c*d^2*((b*x+a)^2*\sin(b*x+a)-2*\sin(b*x+a)+2*(b*x+a)*\cos(b*x+a))+3/b^3*a^2*d^3*(\cos(b*x+a)+(b*x+a)*\sin(b*x+a))-6/b^2*a*c*d^2*(\cos(b*x+a)+(b*x+a)*\sin(b*x+a))+3/b*c^2*d*(\cos(b*x+a)+(b*x+a)*\sin(b*x+a))-1/b^3*a^3*d^3*\sin(b*x+a)+3/b^2*a^2*c*d^2*\sin(b*x+a)-3/b*a*c^2*d*\sin(b*x+a)+c^3*\sin(b*x+a))$

maxima [B] time = 0.83, size = 278, normalized size = 3.97

$$c^3 \sin(bx+a) - \frac{3ac^2d \sin(bx+a)}{b} + \frac{3a^2cd^2 \sin(bx+a)}{b^2} - \frac{a^3d^3 \sin(bx+a)}{b^3} + \frac{3((bx+a) \sin(bx+a) + \cos(bx+a))c^2d}{b} - \frac{6((bx+a) \sin(bx+a) + \cos(bx+a))c^2d}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3*cos(b*x+a),x, algorithm="maxima")`

[Out] $(c^3*\sin(b*x + a) - 3*a*c^2*d*\sin(b*x + a)/b + 3*a^2*c*d^2*\sin(b*x + a)/b^2 - a^3*d^3*\sin(b*x + a)/b^3 + 3*((b*x + a)*\sin(b*x + a) + \cos(b*x + a))*c^2*d/b - 6*((b*x + a)*\sin(b*x + a) + \cos(b*x + a))*a*c*d^2/b^2 + 3*((b*x + a)*\sin(b*x + a) + \cos(b*x + a))*a^2*d^3/b^3 + 3*(2*(b*x + a)*\cos(b*x + a) + ((b*x + a)^2 - 2)*\sin(b*x + a))*c*d^2/b^2 - 3*(2*(b*x + a)*\cos(b*x + a) + ((b*x + a)^2 - 2)*\sin(b*x + a))*a*d^3/b^3 + (3*((b*x + a)^2 - 2)*\cos(b*x + a) + ((b*x + a)^3 - 6*b*x - 6*a)*\sin(b*x + a))*d^3/b^3)/b$

mupad [B] time = 0.29, size = 147, normalized size = 2.10

$$\frac{3d^3x^2 \cos(a+bx)}{b^2} - \frac{\sin(a+bx)(6cd^2 - b^2c^3)}{b^3} - \frac{3 \cos(a+bx)(2d^3 - b^2c^2d)}{b^4} + \frac{d^3x^3 \sin(a+bx)}{b} - \frac{3x \sin(a+bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)*(c + d*x)^3,x)`

[Out] $(3*d^3*x^2*\cos(a + b*x))/b^2 - (\sin(a + b*x)*(6*c*d^2 - b^2*c^3))/b^3 - (3*\cos(a + b*x)*(2*d^3 - b^2*c^2*d))/b^4 + (d^3*x^3*\sin(a + b*x))/b - (3*x*\sin(a + b*x)*(2*d^3 - b^2*c^2*d))/b^3 + (6*c*d^2*x*\cos(a + b*x))/b^2 + (3*c*d^2*x^2*\sin(a + b*x))/b$

sympy [A] time = 1.19, size = 202, normalized size = 2.89

$$\left\{ \begin{array}{l} \frac{c^3 \sin(a+bx)}{b} + \frac{3c^2 dx \sin(a+bx)}{b} + \frac{3cd^2 x^2 \sin(a+bx)}{b} + \frac{d^3 x^3 \sin(a+bx)}{b} + \frac{3c^2 d \cos(a+bx)}{b^2} + \frac{6cd^2 x \cos(a+bx)}{b^2} + \frac{3d^3 x^2 \cos(a+bx)}{b^2} - \frac{6cd^2 \sin(a+bx)}{b^3} \\ \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \cos(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*cos(b*x+a),x)

[Out] Piecewise((c**3*sin(a + b*x)/b + 3*c**2*d*x*sin(a + b*x)/b + 3*c*d**2*x**2*sin(a + b*x)/b + d**3*x**3*sin(a + b*x)/b + 3*c**2*d*cos(a + b*x)/b**2 + 6*c*d**2*x*cos(a + b*x)/b**2 + 3*d**3*x**2*cos(a + b*x)/b**2 - 6*c*d**2*sin(a + b*x)/b**3 - 6*d**3*x*sin(a + b*x)/b**3 - 6*d**3*cos(a + b*x)/b**4, Ne(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*cos(a), True)

3.3 $\int (c + dx)^2 \cos(a + bx) dx$

Optimal. Leaf size=49

$$-\frac{2d^2 \sin(a + bx)}{b^3} + \frac{2d(c + dx) \cos(a + bx)}{b^2} + \frac{(c + dx)^2 \sin(a + bx)}{b}$$

[Out] $2*d*(d*x+c)*\cos(b*x+a)/b^2-2*d^2*\sin(b*x+a)/b^3+(d*x+c)^2*\sin(b*x+a)/b$

Rubi [A] time = 0.04, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3296, 2637}

$$\frac{2d(c + dx) \cos(a + bx)}{b^2} - \frac{2d^2 \sin(a + bx)}{b^3} + \frac{(c + dx)^2 \sin(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*Cos[a + b*x], x]

[Out] $(2*d*(c + d*x)*\text{Cos}[a + b*x])/b^2 - (2*d^2*\text{Sin}[a + b*x])/b^3 + ((c + d*x)^2*\text{Sin}[a + b*x])/b$

Rule 2637

Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \cos(a + bx) dx &= \frac{(c + dx)^2 \sin(a + bx)}{b} - \frac{(2d) \int (c + dx) \sin(a + bx) dx}{b} \\ &= \frac{2d(c + dx) \cos(a + bx)}{b^2} + \frac{(c + dx)^2 \sin(a + bx)}{b} - \frac{(2d^2) \int \cos(a + bx) dx}{b^2} \\ &= \frac{2d(c + dx) \cos(a + bx)}{b^2} - \frac{2d^2 \sin(a + bx)}{b^3} + \frac{(c + dx)^2 \sin(a + bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.18, size = 44, normalized size = 0.90

$$\frac{\sin(a + bx) (b^2(c + dx)^2 - 2d^2) + 2bd(c + dx) \cos(a + bx)}{b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Cos[a + b*x], x]

[Out] (2*b*d*(c + d*x)*Cos[a + b*x] + (-2*d^2 + b^2*(c + d*x)^2)*Sin[a + b*x])/b^3

fricas [A] time = 0.57, size = 62, normalized size = 1.27

$$\frac{2(bd^2x + bcd) \cos(bx + a) + (b^2d^2x^2 + 2b^2cdx + b^2c^2 - 2d^2) \sin(bx + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a), x, algorithm="fricas")

[Out] (2*(b*d^2*x + b*c*d)*cos(b*x + a) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*sin(b*x + a))/b^3

giac [A] time = 0.40, size = 64, normalized size = 1.31

$$\frac{2(bd^2x + bcd) \cos(bx + a)}{b^3} + \frac{(b^2d^2x^2 + 2b^2cdx + b^2c^2 - 2d^2) \sin(bx + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a), x, algorithm="giac")

[Out] 2*(b*d^2*x + b*c*d)*cos(b*x + a)/b^3 + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*sin(b*x + a)/b^3

maple [B] time = 0.02, size = 143, normalized size = 2.92

$$\frac{\frac{d^2((bx+a)^2 \sin(bx+a) - 2 \sin(bx+a) + 2(bx+a) \cos(bx+a))}{b^2} - \frac{2ad^2(\cos(bx+a) + (bx+a) \sin(bx+a))}{b^2} + \frac{2cd(\cos(bx+a) + (bx+a) \sin(bx+a))}{b} + \frac{a^2d^2 \sin(bx+a)}{b^2}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*cos(b*x+a), x)

[Out] 1/b*(1/b^2*d^2*((b*x+a)^2*sin(b*x+a) - 2*sin(b*x+a) + 2*(b*x+a)*cos(b*x+a)) - 2/b^2*a*d^2*(cos(b*x+a) + (b*x+a)*sin(b*x+a)) + 2/b*c*d*(cos(b*x+a) + (b*x+a)*sin(b*x+a)) + 1/b^2*a^2*d^2*sin(b*x+a) - 2/b*a*c*d*sin(b*x+a) + c^2*sin(b*x+a))

maxima [B] time = 0.71, size = 136, normalized size = 2.78

$$\frac{c^2 \sin(bx + a) - \frac{2acd \sin(bx+a)}{b} + \frac{a^2 d^2 \sin(bx+a)}{b^2} + \frac{2((bx+a) \sin(bx+a) + \cos(bx+a))cd}{b} - \frac{2((bx+a) \sin(bx+a) + \cos(bx+a))ad^2}{b^2} + \frac{(2(bx+a) \sin(bx+a) + \cos(bx+a))d^2}{b^2}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a),x, algorithm="maxima")

[Out] (c^2*sin(b*x + a) - 2*a*c*d*sin(b*x + a)/b + a^2*d^2*sin(b*x + a)/b^2 + 2*((b*x + a)*sin(b*x + a) + cos(b*x + a))*c*d/b - 2*((b*x + a)*sin(b*x + a) + cos(b*x + a))*a*d^2/b^2 + (2*(b*x + a)*cos(b*x + a) + ((b*x + a)^2 - 2)*sin(b*x + a))*d^2/b^2)/b

mupad [B] time = 0.12, size = 84, normalized size = 1.71

$$\frac{d^2 x^2 \sin(a + bx)}{b} - \frac{\sin(a + bx) (2d^2 - b^2 c^2)}{b^3} + \frac{2cd \cos(a + bx)}{b^2} + \frac{2d^2 x \cos(a + bx)}{b^2} + \frac{2cdx \sin(a + bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^2,x)

[Out] (d^2*x^2*sin(a + b*x))/b - (sin(a + b*x)*(2*d^2 - b^2*c^2))/b^3 + (2*c*d*cos(a + b*x))/b^2 + (2*d^2*x*cos(a + b*x))/b^2 + (2*c*d*x*sin(a + b*x))/b

sympy [A] time = 0.54, size = 112, normalized size = 2.29

$$\begin{cases} \frac{c^2 \sin(a+bx)}{b} + \frac{2cdx \sin(a+bx)}{b} + \frac{d^2 x^2 \sin(a+bx)}{b} + \frac{2cd \cos(a+bx)}{b^2} + \frac{2d^2 x \cos(a+bx)}{b^2} - \frac{2d^2 \sin(a+bx)}{b^3} & \text{for } b \neq 0 \\ \left(c^2 x + cdx^2 + \frac{d^2 x^3}{3} \right) \cos(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*cos(b*x+a),x)

[Out] Piecewise((c**2*sin(a + b*x)/b + 2*c*d*x*sin(a + b*x)/b + d**2*x**2*sin(a + b*x)/b + 2*c*d*cos(a + b*x)/b**2 + 2*d**2*x*cos(a + b*x)/b**2 - 2*d**2*sin(a + b*x)/b**3, Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*cos(a), True)

3.4 $\int (c + dx) \cos(a + bx) dx$

Optimal. Leaf size=27

$$\frac{d \cos(a + bx)}{b^2} + \frac{(c + dx) \sin(a + bx)}{b}$$

[Out] d*cos(b*x+a)/b^2+(d*x+c)*sin(b*x+a)/b

Rubi [A] time = 0.02, antiderivative size = 27, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3296, 2638}

$$\frac{d \cos(a + bx)}{b^2} + \frac{(c + dx) \sin(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Cos[a + b*x], x]

[Out] (d*Cos[a + b*x])/b^2 + ((c + d*x)*Sin[a + b*x])/b

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (c + dx) \cos(a + bx) dx &= \frac{(c + dx) \sin(a + bx)}{b} - \frac{d \int \sin(a + bx) dx}{b} \\ &= \frac{d \cos(a + bx)}{b^2} + \frac{(c + dx) \sin(a + bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.06, size = 26, normalized size = 0.96

$$\frac{b(c + dx) \sin(a + bx) + d \cos(a + bx)}{b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Cos[a + b*x],x]

[Out] (d*Cos[a + b*x] + b*(c + d*x)*Sin[a + b*x])/b^2

fricas [A] time = 0.86, size = 28, normalized size = 1.04

$$\frac{d \cos (bx + a) + (bdx + bc) \sin (bx + a)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a),x, algorithm="fricas")

[Out] (d*cos(b*x + a) + (b*d*x + b*c)*sin(b*x + a))/b^2

giac [A] time = 0.43, size = 30, normalized size = 1.11

$$\frac{d \cos (bx + a)}{b^2} + \frac{(bdx + bc) \sin (bx + a)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a),x, algorithm="giac")

[Out] d*cos(b*x + a)/b^2 + (b*d*x + b*c)*sin(b*x + a)/b^2

maple [A] time = 0.02, size = 51, normalized size = 1.89

$$\frac{\frac{d(\cos(bx+a)+(bx+a)\sin(bx+a))}{b} - \frac{da \sin(bx+a)}{b} + c \sin (bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*cos(b*x+a),x)

[Out] 1/b*(1/b*d*(cos(b*x+a)+(b*x+a)*sin(b*x+a))-1/b*d*a*sin(b*x+a)+c*sin(b*x+a))

maxima [A] time = 0.34, size = 50, normalized size = 1.85

$$\frac{c \sin (bx + a) - \frac{ad \sin (bx + a)}{b} + \frac{((bx + a) \sin (bx + a) + \cos (bx + a))d}{b}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a),x, algorithm="maxima")

[Out] $(c \sin(bx + a) - a d \sin(bx + a)/b + ((bx + a) \sin(bx + a) + \cos(bx + a)) d/b)/b$

mupad [B] time = 0.18, size = 34, normalized size = 1.26

$$\frac{c \sin(a + bx) + dx \sin(a + bx)}{b} + \frac{d \cos(a + bx)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)*(c + d*x), x)`

[Out] $(c \sin(a + b*x) + d*x*\sin(a + b*x))/b + (d*\cos(a + b*x))/b^2$

sympy [A] time = 0.20, size = 46, normalized size = 1.70

$$\begin{cases} \frac{c \sin(a+bx)}{b} + \frac{dx \sin(a+bx)}{b} + \frac{d \cos(a+bx)}{b^2} & \text{for } b \neq 0 \\ \left(cx + \frac{dx^2}{2} \right) \cos(a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)*cos(b*x+a), x)`

[Out] `Piecewise((c*sin(a + b*x)/b + d*x*sin(a + b*x)/b + d*cos(a + b*x)/b**2, Ne(b, 0)), ((c*x + d*x**2/2)*cos(a), True))`

$$3.5 \quad \int \frac{\cos(a+bx)}{c+dx} dx$$

Optimal. Leaf size=52

$$\frac{\cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{d} - \frac{\sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

[Out] Ci(b*c/d+b*x)*cos(a-b*c/d)/d-Si(b*c/d+b*x)*sin(a-b*c/d)/d

Rubi [A] time = 0.10, antiderivative size = 52, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3303, 3299, 3302}

$$\frac{\cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d} - \frac{\sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x),x]

[Out] (Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x])/d - (Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rubi steps

$$\int \frac{\cos(a + bx)}{c + dx} dx = \cos\left(a - \frac{bc}{d}\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c + dx} dx - \sin\left(a - \frac{bc}{d}\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c + dx} dx$$

$$= \frac{\cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{d} - \frac{\sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

Mathematica [A] time = 0.10, size = 50, normalized size = 0.96

$$\frac{\cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right) - \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x), x]

[Out] (Cos[a - (b*c)/d]*CosIntegral[(b*c)/d + b*x] - Sin[a - (b*c)/d]*SinIntegral[(b*c)/d + b*x])/d

fricas [A] time = 0.76, size = 78, normalized size = 1.50

$$\frac{\left(\text{Ci}\left(\frac{bdx+bc}{d}\right) + \text{Ci}\left(-\frac{bdx+bc}{d}\right)\right) \cos\left(-\frac{bc-ad}{d}\right) - 2 \sin\left(-\frac{bc-ad}{d}\right) \text{Si}\left(\frac{bdx+bc}{d}\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c), x, algorithm="fricas")

[Out] 1/2*((cos_integral((b*d*x + b*c)/d) + cos_integral(-(b*d*x + b*c)/d))*cos(-(b*c - a*d)/d) - 2*sin(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d)/d

giac [C] time = 0.64, size = 577, normalized size = 11.10

$$\Re\left(\text{Ci}\left(bx + \frac{bc}{d}\right)\right) \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{bc}{2d}\right)^2 + \Re\left(\text{Ci}\left(-bx - \frac{bc}{d}\right)\right) \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{bc}{2d}\right)^2 - 2 \Im\left(\text{Ci}\left(bx + \frac{bc}{d}\right)\right) \tan\left(\frac{1}{2}a\right)^2 \tan\left(\frac{bc}{2d}\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c), x, algorithm="giac")

```
[Out] 1/2*(real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + r
eal_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 2*imag
_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*imag_part(
cos_integral(-b*x - b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d) - 4*sin_integral((b
*d*x + b*c)/d)*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*imag_part(cos_integral(b*x +
b*c/d))*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*imag_part(cos_integral(-b*x - b*c/
d))*tan(1/2*a)*tan(1/2*b*c/d)^2 + 4*sin_integral((b*d*x + b*c)/d)*tan(1/2*a
)*tan(1/2*b*c/d)^2 - real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2 - re
al_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2 + 4*real_part(cos_integral
(b*x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) + 4*real_part(cos_integral(-b*x -
b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) - real_part(cos_integral(b*x + b*c/d))*ta
n(1/2*b*c/d)^2 - real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d)^2 - 2
*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a) + 2*imag_part(cos_integral
(-b*x - b*c/d))*tan(1/2*a) - 4*sin_integral((b*d*x + b*c)/d)*tan(1/2*a) + 2
*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d) - 2*imag_part(cos_inte
gral(-b*x - b*c/d))*tan(1/2*b*c/d) + 4*sin_integral((b*d*x + b*c)/d)*tan(1/
2*b*c/d) + real_part(cos_integral(b*x + b*c/d)) + real_part(cos_integral(-b
*x - b*c/d)))/(d*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + d*tan(1/2*a)^2 + d*tan(1/2
*b*c/d)^2 + d)
```

maple [A] time = 0.03, size = 72, normalized size = 1.38

$$\frac{\operatorname{Si}\left(bx + a + \frac{-da+cb}{d}\right) \sin\left(\frac{-da+cb}{d}\right)}{d} + \frac{\operatorname{Ci}\left(bx + a + \frac{-da+cb}{d}\right) \cos\left(\frac{-da+cb}{d}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(b*x+a)/(d*x+c),x)
```

```
[Out] Si(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d+Ci(b*x+a+(-a*d+b*c)/d)*cos((-a*d
+b*c)/d)/d
```

maxima [C] time = 0.82, size = 142, normalized size = 2.73

$$\frac{b\left(E_1\left(\frac{ibc+i(bx+a)d-iad}{d}\right) + E_1\left(-\frac{ibc+i(bx+a)d-iad}{d}\right)\right) \cos\left(-\frac{bc-ad}{d}\right) - b\left(iE_1\left(\frac{ibc+i(bx+a)d-iad}{d}\right) - iE_1\left(-\frac{ibc+i(bx+a)d-iad}{d}\right)\right)}{2bd}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c),x, algorithm="maxima")
```

```
[Out] -1/2*(b*(exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integra
l_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) - b*(I*exp_
integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - I*exp_integral_e(1, -(I*
b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d))/(b*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)/(c + d*x), x)`

[Out] `int(cos(a + b*x)/(c + d*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c), x)`

[Out] `Integral(cos(a + b*x)/(c + d*x), x)`

$$3.6 \quad \int \frac{\cos(a+bx)}{(c+dx)^2} dx$$

Optimal. Leaf size=73

$$\frac{b \sin\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{b \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{\cos(a + bx)}{d(c + dx)}$$

[Out] $-\cos(b*x+a)/d/(d*x+c) - b*\cos(a-b*c/d)*\text{Si}(b*c/d+b*x)/d^2 - b*\text{Ci}(b*c/d+b*x)*\sin(a-b*c/d)/d^2$

Rubi [A] time = 0.11, antiderivative size = 73, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{b \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{b \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^2} - \frac{\cos(a + bx)}{d(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]/(c + d*x)^2, x]$

[Out] $-(\text{Cos}[a + b*x]/(d*(c + d*x))) - (b*\text{CosIntegral}[(b*c)/d + b*x]*\text{Sin}[a - (b*c)/d])/d^2 - (b*\text{Cos}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/d^2$

Rule 3297

$\text{Int}[\left((c_.) + (d_.)*(x_.)\right)^{(m_*)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\left((c + d*x)^{(m + 1)}*\text{Sin}[e + f*x]\right)/(d*(m + 1)), x] - \text{Dist}[f/(d*(m + 1)), \text{Int}[(c + d*x)^{(m + 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\left((c_.) + (d_.)*(x_.)\right), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/\left((c_.) + (d_.)*(x_.)\right), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{(c + dx)^2} dx &= -\frac{\cos(a + bx)}{d(c + dx)} - \frac{b \int \frac{\sin(a + bx)}{c + dx} dx}{d} \\ &= -\frac{\cos(a + bx)}{d(c + dx)} - \frac{\left(b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c + dx} dx}{d} - \frac{\left(b \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c + dx} dx}{d} \\ &= -\frac{\cos(a + bx)}{d(c + dx)} - \frac{b \operatorname{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{d^2} - \frac{b \cos\left(a - \frac{bc}{d}\right) \operatorname{Si}\left(\frac{bc}{d} + bx\right)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.40, size = 65, normalized size = 0.89

$$-\frac{b \sin\left(a - \frac{bc}{d}\right) \operatorname{Ci}\left(b\left(\frac{c}{d} + x\right)\right) + b \cos\left(a - \frac{bc}{d}\right) \operatorname{Si}\left(b\left(\frac{c}{d} + x\right)\right) + \frac{d \cos(a + bx)}{c + dx}}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]/(c + d*x)^2, x]
```

```
[Out] -(((d*cos[a + b*x])/(c + d*x) + b*cosIntegral[b*(c/d + x)]*Sin[a - (b*c)/d]
+ b*cos[a - (b*c)/d]*SinIntegral[b*(c/d + x)])/d^2)
```

fricas [A] time = 0.95, size = 123, normalized size = 1.68

$$-\frac{2(bdx + bc) \cos\left(-\frac{bc - ad}{d}\right) \operatorname{Si}\left(\frac{bdx + bc}{d}\right) + 2d \cos(bx + a) + \left((bdx + bc) \operatorname{Ci}\left(\frac{bdx + bc}{d}\right) + (bdx + bc) \operatorname{Ci}\left(-\frac{bdx + bc}{d}\right)\right) \sin\left(-\frac{bdx + bc}{d}\right)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c)^2, x, algorithm="fricas")
```

```
[Out] -1/2*(2*(b*d*x + b*c)*cos(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d) + 2
*d*cos(b*x + a) + ((b*d*x + b*c)*cos_integral((b*d*x + b*c)/d) + (b*d*x + b
*c)*cos_integral(-(b*d*x + b*c)/d))*sin(-(b*c - a*d)/d))/(d^3*x + c*d^2)
```

giac [B] time = 0.47, size = 523, normalized size = 7.16

$$\frac{\left((dx+c) \left(b - \frac{bc}{dx+c} + \frac{ad}{dx+c} \right) b^2 \operatorname{Ci} \left(\frac{(dx+c) \left(b - \frac{bc}{dx+c} + \frac{ad}{dx+c} \right) + bc - ad}{d} \right) \sin \left(-\frac{bc-ad}{d} \right) + b^3 c \operatorname{Ci} \left(\frac{(dx+c) \left(b - \frac{bc}{dx+c} + \frac{ad}{dx+c} \right) + bc - ad}{d} \right) \sin \left(-\frac{bc-ad}{d} \right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^2,x, algorithm="giac")

[Out] $-\left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) * b^2 * \cos_integral \left(\left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d \right) / d \right) * \sin \left(- (b*c - a*d) / d \right) + b^3 * c * \cos_integral \left(\left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d \right) / d \right) * \sin \left(- (b*c - a*d) / d \right) - a * b^2 * d * \cos_integral \left(\left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d \right) / d \right) * \sin \left(- (b*c - a*d) / d \right) - (d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) * b^2 * \cos \left(- (b*c - a*d) / d \right) * \sin_integral \left(- \left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d \right) / d \right) + a * b^2 * d * \cos \left(- (b*c - a*d) / d \right) * \sin_integral \left(- \left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d \right) / d \right) + b^2 * d * \cos \left(- (d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) / d \right) * d^2 / \left(\left((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) \right) * d^4 + b*c*d^4 - a*d^5 \right) * b \right)$

maple [A] time = 0.03, size = 109, normalized size = 1.49

$$b \left(\frac{\cos(bx+a)}{((bx+a)d - da + cb)d} - \frac{\operatorname{Si} \left(bx+a + \frac{-da+cb}{d} \right) \cos \left(\frac{-da+cb}{d} \right)}{d} - \frac{\operatorname{Ci} \left(bx+a + \frac{-da+cb}{d} \right) \sin \left(\frac{-da+cb}{d} \right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^2,x)

[Out] $b * (-\cos(b*x+a) / ((b*x+a)*d - d*a + c*b) / d - (\operatorname{Si}(b*x+a + (-a*d + b*c) / d) * \cos((-a*d + b*c) / d) / d - \operatorname{Ci}(b*x+a + (-a*d + b*c) / d) * \sin((-a*d + b*c) / d) / d) / d$

maxima [C] time = 0.92, size = 166, normalized size = 2.27

$$\frac{8b^2 \left(E_2 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + E_2 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) - b^2 \left(8i E_2 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) - 8i E_2 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right)}{16(bcd + (bx+a)d^2 - ad^2)b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^2,x, algorithm="maxima")

[Out] $-1/16*(8*b^2*(\exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + \exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*\cos(-(b*c - a*d)/d) - b^2*(8*I*\exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - 8*I*\exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*\sin(-(b*c - a*d)/d))/((b*c*d + (b*x + a)*d^2 - a*d^2)*b)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^2,x)

[Out] int(cos(a + b*x)/(c + d*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**2,x)

[Out] Integral(cos(a + b*x)/(c + d*x)**2, x)

$$3.7 \quad \int \frac{\cos(a+bx)}{(c+dx)^3} dx$$

Optimal. Leaf size=104

$$-\frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{2d^3} + \frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3} + \frac{b \sin(a + bx)}{2d^2(c + dx)} - \frac{\cos(a + bx)}{2d(c + dx)^2}$$

[Out] $-1/2*b^2*Ci(b*c/d+b*x)*cos(a-b*c/d)/d^3-1/2*cos(b*x+a)/d/(d*x+c)^2+1/2*b^2*Si(b*c/d+b*x)*sin(a-b*c/d)/d^3+1/2*b*sin(b*x+a)/d^2/(d*x+c)$

Rubi [A] time = 0.14, antiderivative size = 104, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$-\frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{2d^3} + \frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3} + \frac{b \sin(a + bx)}{2d^2(c + dx)} - \frac{\cos(a + bx)}{2d(c + dx)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^3, x]

[Out] $-\text{Cos}[a + b*x]/(2*d*(c + d*x)^2) - (b^2*\text{Cos}[a - (b*c)/d]*\text{CosIntegral}[(b*c)/d + b*x])/(2*d^3) + (b*\text{Sin}[a + b*x])/(2*d^2*(c + d*x)) + (b^2*\text{Sin}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(2*d^3)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(a+bx)}{(c+dx)^3} dx &= -\frac{\cos(a+bx)}{2d(c+dx)^2} - \frac{b \int \frac{\sin(a+bx)}{(c+dx)^2} dx}{2d} \\ &= -\frac{\cos(a+bx)}{2d(c+dx)^2} + \frac{b \sin(a+bx)}{2d^2(c+dx)} - \frac{b^2 \int \frac{\cos(a+bx)}{c+dx} dx}{2d^2} \\ &= -\frac{\cos(a+bx)}{2d(c+dx)^2} + \frac{b \sin(a+bx)}{2d^2(c+dx)} - \frac{\left(b^2 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{2d^2} + \frac{\left(b^2 \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c+dx} dx}{2d^2} \\ &= -\frac{\cos(a+bx)}{2d(c+dx)^2} - \frac{b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{2d^3} + \frac{b \sin(a+bx)}{2d^2(c+dx)} + \frac{b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{2d^3} \end{aligned}$$

Mathematica [A] time = 0.61, size = 89, normalized size = 0.86

$$\frac{b^2 \left(-\cos\left(a - \frac{bc}{d}\right)\right) \text{Ci}\left(b\left(\frac{c}{d} + x\right)\right) + b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) + \frac{d(b(c+dx)\sin(a+bx) - d\cos(a+bx))}{(c+dx)^2}}{2d^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]/(c + d*x)^3, x]
```

```
[Out] (-(b^2*Cos[a - (b*c)/d]*CosIntegral[b*(c/d + x)]) + (d*(-(d*Cos[a + b*x]) +
b*(c + d*x)*Sin[a + b*x]))/(c + d*x)^2 + b^2*Sin[a - (b*c)/d]*SinIntegral[
b*(c/d + x)])/(2*d^3)
```

fricas [B] time = 0.66, size = 209, normalized size = 2.01

$$\frac{2d^2 \cos(bx+a) - 2(b^2d^2x^2 + 2b^2cdx + b^2c^2) \sin\left(-\frac{bc-ad}{d}\right) \text{Si}\left(\frac{bdx+bc}{d}\right) + \left((b^2d^2x^2 + 2b^2cdx + b^2c^2) \text{Ci}\left(\frac{bdx+bc}{d}\right)\right)}{4(d^5x^2 + 2cd^4x + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] -1/4*(2*d^2*cos(b*x + a) - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(-(b*c - a*d)/d)*sin_integral((b*d*x + b*c)/d) + ((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral((b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*cos_integral(-(b*d*x + b*c)/d))*cos(-(b*c - a*d)/d) - 2*(b*d^2*x + b*c*d)*sin(b*x + a))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)
```

giac [C] time = 1.11, size = 5518, normalized size = 53.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c)^3,x, algorithm="giac")
```

```
[Out] -1/4*(b^2*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b^2*d^2*x^2*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - 4*b^2*d^2*x^2*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b^2*d^2*x^2*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*b^2*d^2*x^2*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + 4*b^2*d^2*x^2*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + 2*b^2*c*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 2*b^2*c*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - b^2*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2 - b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2 + 4*b^2*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d) + 4*b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d) - 4*b^2*c*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) + 4*b^2*c*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - 8*b^2*c*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d) - b^2*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 - b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + 4*b^2*c*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 4*b^2*c*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + 8*b^2*c*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 + b^2*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b^2*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b^2*c^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(
```


$$\begin{aligned}
&)^2 \tan(1/2*a) \tan(1/2*b*c/d) + 4*b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*a) \tan(1/2*b*c/d) - 4*b^2*c*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) + 4*b^2*c*d*x*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) - 8*b^2*c*d*x*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) - b^2*d^2*x^2*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d) ^2 - b^2*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d) ^2 - b^2*c^2*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*b*c/d) ^2 - b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*b*c/d) ^2 + 4*b^2*c*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 - 4*b^2*c*d*x*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + 8*b^2*c*d*x*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + 4*b*d^2*x*\tan(1/2*b*x) ^2 \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + b^2*c^2*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) ^2 + b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) ^2 + 4*b*d^2*x*\tan(1/2*b*x) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) ^2 + 2*b^2*c*d*x*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x) ^2 + 2*b^2*c*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 - 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) + 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) - 4*b^2*d^2*x^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) - 2*b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*a) + 2*b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*a) - 4*b^2*c^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x) ^2 \tan(1/2*a) - 2*b^2*c*d*x*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) ^2 - 2*b^2*c*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) ^2 + 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d) - 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d) + 4*b^2*d^2*x^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*c/d) + 2*b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*b*c/d) - 2*b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 \tan(1/2*b*c/d) + 4*b^2*c^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x) ^2 \tan(1/2*b*c/d) + 8*b^2*c*d*x*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) + 8*b^2*c*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) - 2*b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) + 2*b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) - 4*b^2*c^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) - 2*b^2*c*d*x*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d) ^2 - 2*b^2*c*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d) ^2 + 2*b^2*c^2*\text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 - 2*b^2*c^2*\text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + 4*b^2*c^2*\sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + 4*b*c*d*\tan(1/2*b*x) ^2 \tan(1/2*a) * \tan(1/2*b*c/d) ^2 + 4*b*c*d*\tan(1/2*b*x) * \tan(1/2*a) ^2 \tan(1/2*b*c/d) ^2 + 2*d^2*\tan(1/2*b*x) ^2 \tan(1/2*a) ^2 \tan(1/2*b*c/d) ^2 + b^2*d^2*x^2*\text{real_part}(\cos_integral(b*x + b*c/d)) + b^2*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) + b^2*c^2*\text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x) ^2 + b^2*c^2*\text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x) ^2 - 4*b^
\end{aligned}$$

$$\begin{aligned}
& 2*c*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a) + 4*b^2*c*d*x*imag_ \\
& part(cos_integral(-b*x - b*c/d))*tan(1/2*a) - 8*b^2*c*d*x*sin_integral((b*d \\
& *x + b*c)/d)*tan(1/2*a) + 4*b*d^2*x*tan(1/2*b*x)^2*tan(1/2*a) - b^2*c^2*rea \\
& l_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2 - b^2*c^2*real_part(cos_inte \\
& gral(-b*x - b*c/d))*tan(1/2*a)^2 + 4*b*d^2*x*tan(1/2*b*x)*tan(1/2*a)^2 + 4* \\
& b^2*c*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d) - 4*b^2*c*d*x \\
& *imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d) + 8*b^2*c*d*x*sin_int \\
& egral((b*d*x + b*c)/d)*tan(1/2*b*c/d) + 4*b^2*c^2*real_part(cos_integral(b* \\
& x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) + 4*b^2*c^2*real_part(cos_integral(-b \\
& *x - b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) - b^2*c^2*real_part(cos_integral(b*x \\
& + b*c/d))*tan(1/2*b*c/d)^2 - b^2*c^2*real_part(cos_integral(-b*x - b*c/d)) \\
& *tan(1/2*b*c/d)^2 - 4*b*d^2*x*tan(1/2*b*x)*tan(1/2*b*c/d)^2 - 4*b*d^2*x*tan \\
& (1/2*a)*tan(1/2*b*c/d)^2 + 2*b^2*c*d*x*real_part(cos_integral(b*x + b*c/d)) \\
& + 2*b^2*c*d*x*real_part(cos_integral(-b*x - b*c/d)) - 2*b^2*c^2*imag_part(\\
& cos_integral(b*x + b*c/d))*tan(1/2*a) + 2*b^2*c^2*imag_part(cos_integral(-b \\
& *x - b*c/d))*tan(1/2*a) - 4*b^2*c^2*sin_integral((b*d*x + b*c)/d)*tan(1/2*a \\
&) + 4*b*c*d*tan(1/2*b*x)^2*tan(1/2*a) + 4*b*c*d*tan(1/2*b*x)*tan(1/2*a)^2 + \\
& 2*d^2*tan(1/2*b*x)^2*tan(1/2*a)^2 + 2*b^2*c^2*imag_part(cos_integral(b*x + \\
& b*c/d))*tan(1/2*b*c/d) - 2*b^2*c^2*imag_part(cos_integral(-b*x - b*c/d))*t \\
& an(1/2*b*c/d) + 4*b^2*c^2*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*c/d) - 4* \\
& b*c*d*tan(1/2*b*x)*tan(1/2*b*c/d)^2 - 2*d^2*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 \\
& - 4*b*c*d*tan(1/2*a)*tan(1/2*b*c/d)^2 - 8*d^2*tan(1/2*b*x)*tan(1/2*a)*tan(\\
& 1/2*b*c/d)^2 - 2*d^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + b^2*c^2*real_part(cos_ \\
& integral(b*x + b*c/d)) + b^2*c^2*real_part(cos_integral(-b*x - b*c/d)) - 4* \\
& b*d^2*x*tan(1/2*b*x) - 4*b*d^2*x*tan(1/2*a) - 4*b*c*d*tan(1/2*b*x) - 2*d^2* \\
& tan(1/2*b*x)^2 - 4*b*c*d*tan(1/2*a) - 8*d^2*tan(1/2*b*x)*tan(1/2*a) - 2*d^2 \\
& *tan(1/2*a)^2 + 2*d^2*tan(1/2*b*c/d)^2 + 2*d^2)/(d^5*x^2*tan(1/2*b*x)^2*tan \\
& (1/2*a)^2*tan(1/2*b*c/d)^2 + 2*c*d^4*x*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2* \\
& b*c/d)^2 + d^5*x^2*tan(1/2*b*x)^2*tan(1/2*a)^2 + d^5*x^2*tan(1/2*b*x)^2*tan \\
& (1/2*b*c/d)^2 + d^5*x^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + c^2*d^3*tan(1/2*b*x \\
&)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 2*c*d^4*x*tan(1/2*b*x)^2*tan(1/2*a)^2 + \\
& 2*c*d^4*x*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + 2*c*d^4*x*tan(1/2*a)^2*tan(1/2 \\
& *b*c/d)^2 + d^5*x^2*tan(1/2*b*x)^2 + d^5*x^2*tan(1/2*a)^2 + c^2*d^3*tan(1/2 \\
& *b*x)^2*tan(1/2*a)^2 + d^5*x^2*tan(1/2*b*c/d)^2 + c^2*d^3*tan(1/2*b*x)^2*ta \\
& n(1/2*b*c/d)^2 + c^2*d^3*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 2*c*d^4*x*tan(1/2* \\
& b*x)^2 + 2*c*d^4*x*tan(1/2*a)^2 + 2*c*d^4*x*tan(1/2*b*c/d)^2 + d^5*x^2 + c^ \\
& 2*d^3*tan(1/2*b*x)^2 + c^2*d^3*tan(1/2*a)^2 + c^2*d^3*tan(1/2*b*c/d)^2 + 2* \\
& c*d^4*x + c^2*d^3)
\end{aligned}$$

maple [A] time = 0.02, size = 143, normalized size = 1.38

$$b^2 \left(\frac{\cos(bx+a)}{2((bx+a)d - da + cb)^2 d} - \frac{\sin(bx+a)}{((bx+a)d - da + cb)d} + \frac{\operatorname{Si}\left(bx+a+\frac{-da+cb}{d}\right)\sin\left(\frac{-da+cb}{d}\right)}{d} + \frac{\operatorname{Ci}\left(bx+a+\frac{-da+cb}{d}\right)\cos\left(\frac{-da+cb}{d}\right)}{d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^3,x)

[Out] $b^2 * (-1/2 * \cos(b*x+a) / ((b*x+a)*d - d*a + c*b)^2 / d - 1/2 * (-\sin(b*x+a) / ((b*x+a)*d - d*a + c*b) / d + (\operatorname{Si}(b*x+a + (-a*d + b*c)/d) * \sin((-a*d + b*c)/d) / d + \operatorname{Ci}(b*x+a + (-a*d + b*c)/d) * \cos((-a*d + b*c)/d) / d) / d)$

maxima [C] time = 1.11, size = 201, normalized size = 1.93

$$\frac{8b^3 \left(E_3 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) + E_3 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) - b^3 \left(8i E_3 \left(\frac{ibc+i(bx+a)d-iad}{d} \right) - 8i E_3 \left(-\frac{ibc+i(bx+a)d-iad}{d} \right) \right)}{16 \left(b^2 c^2 d - 2abcd^2 + (bx+a)^2 d^3 + a^2 d^3 + 2(bc d^2 - ad^3)(bx+a) \right) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^3,x, algorithm="maxima")

[Out] $-1/16 * (8*b^3 * (\exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + \exp_integral_e(3, -(I*b*c + I*(b*x + a)*d - I*a*d)/d)) * \cos(-(b*c - a*d)/d) - b^3 * (8*I*\exp_integral_e(3, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - 8*I*\exp_integral_e(3, -(I*b*c + I*(b*x + a)*d - I*a*d)/d)) * \sin(-(b*c - a*d)/d) / ((b^2*c^2*d - 2*a*b*c*d^2 + (b*x + a)^2*d^3 + a^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a)) * b)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^3,x)

[Out] int(cos(a + b*x)/(c + d*x)^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c)**3,x)
```

```
[Out] Integral(cos(a + b*x)/(c + d*x)**3, x)
```

3.8 $\int \frac{\cos(a+bx)}{(c+dx)^4} dx$

Optimal. Leaf size=127

$$\frac{b^3 \sin\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{6d^4} + \frac{b^3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{6d^4} + \frac{b^2 \cos(a+bx)}{6d^3(c+dx)} + \frac{b \sin(a+bx)}{6d^2(c+dx)^2} - \frac{\cos(a+bx)}{3d(c+dx)^3}$$

[Out] $-1/3*\cos(b*x+a)/d/(d*x+c)^3+1/6*b^2*\cos(b*x+a)/d^3/(d*x+c)+1/6*b^3*\cos(a-b*c/d)*\text{Si}(b*c/d+b*x)/d^4+1/6*b^3*\text{Ci}(b*c/d+b*x)*\sin(a-b*c/d)/d^4+1/6*b*\sin(b*x+a)/d^2/(d*x+c)^2$

Rubi [A] time = 0.16, antiderivative size = 127, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3297, 3303, 3299, 3302}

$$\frac{b^3 \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{6d^4} + \frac{b^3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{6d^4} + \frac{b^2 \cos(a+bx)}{6d^3(c+dx)} + \frac{b \sin(a+bx)}{6d^2(c+dx)^2} - \frac{\cos(a+bx)}{3d(c+dx)^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]/(c + d*x)^4, x]$

[Out] $-\text{Cos}[a + b*x]/(3*d*(c + d*x)^3) + (b^2*\text{Cos}[a + b*x])/(6*d^3*(c + d*x)) + (b^3*\text{CosIntegral}[(b*c)/d + b*x]*\text{Sin}[a - (b*c)/d])/(6*d^4) + (b*\text{Sin}[a + b*x])/(6*d^2*(c + d*x)^2) + (b^3*\text{Cos}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(6*d^4)$

Rule 3297

$\text{Int}[\frac{((c_.) + (d_.)*(x_.))^{(m_)}*\sin[(e_.) + (f_.)*(x_.)]}{(c + d*x)^{(m+1)}*\sin[e + f*x]}/(d*(m+1)), x] - \text{Dist}[f/(d*(m+1)), \text{Int}[(c + d*x)^{(m+1)}*\cos[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{LtQ}[m, -1]$

Rule 3299

$\text{Int}[\frac{\sin[(e_.) + (f_.)*(x_.)]}{(c_.) + (d_.)*(x_.)}, x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\frac{\sin[(e_.) + (f_.)*(x_.)]}{(c_.) + (d_.)*(x_.)}, x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) -$

$c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \text{ :> Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] \text{ /; FreeQ}\{c, d, e, f\}, x] \&\& \text{NeQ}[d*e - c*f, 0]$

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{(c + dx)^4} dx &= -\frac{\cos(a + bx)}{3d(c + dx)^3} - \frac{b \int \frac{\sin(a + bx)}{(c + dx)^3} dx}{3d} \\ &= -\frac{\cos(a + bx)}{3d(c + dx)^3} + \frac{b \sin(a + bx)}{6d^2(c + dx)^2} - \frac{b^2 \int \frac{\cos(a + bx)}{(c + dx)^2} dx}{6d^2} \\ &= -\frac{\cos(a + bx)}{3d(c + dx)^3} + \frac{b^2 \cos(a + bx)}{6d^3(c + dx)} + \frac{b \sin(a + bx)}{6d^2(c + dx)^2} + \frac{b^3 \int \frac{\sin(a + bx)}{c + dx} dx}{6d^3} \\ &= -\frac{\cos(a + bx)}{3d(c + dx)^3} + \frac{b^2 \cos(a + bx)}{6d^3(c + dx)} + \frac{b \sin(a + bx)}{6d^2(c + dx)^2} + \frac{\left(b^3 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{c + dx} dx}{6d^3} + \frac{\left(b^3 \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c + dx} dx}{6d^3} \\ &= -\frac{\cos(a + bx)}{3d(c + dx)^3} + \frac{b^2 \cos(a + bx)}{6d^3(c + dx)} + \frac{b^3 \text{Ci}\left(\frac{bc}{d} + bx\right) \sin\left(a - \frac{bc}{d}\right)}{6d^4} + \frac{b \sin(a + bx)}{6d^2(c + dx)^2} + \frac{b^3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{6d^4} \end{aligned}$$

Mathematica [A] time = 0.57, size = 144, normalized size = 1.13

$$\frac{b^3(c + dx)^3 \left(\sin\left(a - \frac{bc}{d}\right) \text{Ci}\left(b\left(\frac{c}{d} + x\right)\right) + \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) \right) + d \cos(bx) \left(\cos(a) (b^2(c + dx)^2 - 2d^2) + b^3 \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right) \right)}{6d^4(c + dx)^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^4, x]

[Out] $(d*\text{Cos}[b*x]*((-2*d^2 + b^2*(c + d*x)^2)*\text{Cos}[a] + b*d*(c + d*x)*\text{Sin}[a]) + d*(b*d*(c + d*x)*\text{Cos}[a] - (-2*d^2 + b^2*(c + d*x)^2)*\text{Sin}[a])*\text{Sin}[b*x] + b^3*(c + d*x)^3*(\text{CosIntegral}[b*(c/d + x)]*\text{Sin}[a - (b*c)/d] + \text{Cos}[a - (b*c)/d]*\text{SinIntegral}[b*(c/d + x)]))/(6*d^4*(c + d*x)^3)$

fricas [B] time = 0.86, size = 295, normalized size = 2.32

$$2(b^3d^3x^3 + 3b^3cd^2x^2 + 3b^3c^2dx + b^3c^3) \cos\left(-\frac{bc-ad}{d}\right) \operatorname{Si}\left(\frac{bdx+bc}{d}\right) + 2(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \cos(bx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^4,x, algorithm="fricas")

[Out] $\frac{1}{12} * (2 * (b^3 * d^3 * x^3 + 3 * b^3 * c * d^2 * x^2 + 3 * b^3 * c^2 * d * x + b^3 * c^3) * \cos(- (b * c - a * d) / d) * \sin_integral((b * d * x + b * c) / d) + 2 * (b^2 * d^3 * x^2 + 2 * b^2 * c * d^2 * x + b^2 * c^2 * d - 2 * d^3) * \cos(b * x + a) + 2 * (b * d^3 * x + b * c * d^2) * \sin(b * x + a) + ((b^3 * d^3 * x^3 + 3 * b^3 * c * d^2 * x^2 + 3 * b^3 * c^2 * d * x + b^3 * c^3) * \cos_integral((b * d * x + b * c) / d) + (b^3 * d^3 * x^3 + 3 * b^3 * c * d^2 * x^2 + 3 * b^3 * c^2 * d * x + b^3 * c^3) * \cos_integral(- (b * d * x + b * c) / d)) * \sin(- (b * c - a * d) / d)) / (d^7 * x^3 + 3 * c * d^6 * x^2 + 3 * c^2 * d^5 * x + c^3 * d^4)$

giac [C] time = 1.46, size = 8378, normalized size = 65.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^4,x, algorithm="giac")

[Out] $\frac{1}{12} * (b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 - b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 + 2 * b^3 * d^3 * x^3 * \sin_integral((b * d * x + b * c) / d) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 + 2 * b^3 * d^3 * x^3 * \operatorname{real_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d) + 2 * b^3 * d^3 * x^3 * \operatorname{real_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d) - 2 * b^3 * d^3 * x^3 * \operatorname{real_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a) * \tan(1/2 * b * c / d)^2 - 2 * b^3 * d^3 * x^3 * \operatorname{real_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a) * \tan(1/2 * b * c / d)^2 + 3 * b^3 * c * d^2 * x^2 * \operatorname{imag_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 - 3 * b^3 * c * d^2 * x^2 * \operatorname{imag_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 + 6 * b^3 * c * d^2 * x^2 * \sin_integral((b * d * x + b * c) / d) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 * \tan(1/2 * b * c / d)^2 - b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 + b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 - 2 * b^3 * d^3 * x^3 * \sin_integral((b * d * x + b * c) / d) * \tan(1/2 * b * x)^2 * \tan(1/2 * a)^2 + 4 * b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(b * x + b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a) * \tan(1/2 * b * c / d) - 4 * b^3 * d^3 * x^3 * \operatorname{imag_part}(\cos_integral(-b * x - b * c / d)) * \tan(1/2 * b * x)^2 * \tan(1/2 * a) * \tan(1/2 * b * c / d) + 8 * b^3 * d^3 * x^3 * \sin_integral((b * d * x + b * c) / d) * \tan(1/2 * b * x)^2 * \tan(1/2 * a) * \tan(1/2 * b * c / d) + 6 * b^3 * c * d^2 * x^2 * \operatorname{real_}$

$$\begin{aligned}
& \text{part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d) \\
& + 6*b^3*c*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(\\
& 1/2*a)^2*\tan(1/2*b*c/d) - b^3*d^3*x^3*\text{imag_part}(\cos_integral(b*x + b*c/d))* \\
& \tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 + b^3*d^3*x^3*\text{imag_part}(\cos_integral(-b*x - \\
& b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 2*b^3*d^3*x^3*\sin_integral((b*d* \\
& x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 6*b^3*c*d^2*x^2*\text{real_part}(\cos \\
& _integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 6*b^3* \\
& c*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\text{t} \\
& \text{an}(1/2*b*c/d)^2 + b^3*d^3*x^3*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2* \\
& a)^2*\tan(1/2*b*c/d)^2 - b^3*d^3*x^3*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\text{t} \\
& \text{an}(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^3*d^3*x^3*\sin_integral((b*d*x + b*c)/d)* \\
& \tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 3*b^3*c^2*d*x*\text{imag_part}(\cos_integral(b*x + \\
& b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 - 3*b^3*c^2*d*x*\text{imag_p} \\
& \text{art}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^ \\
& 2 + 6*b^3*c^2*d*x*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2 \\
& *\tan(1/2*b*c/d)^2 + 2*b^3*d^3*x^3*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(\\
& 1/2*b*x)^2*\tan(1/2*a) + 2*b^3*d^3*x^3*\text{real_part}(\cos_integral(-b*x - b*c/d)) \\
& *\tan(1/2*b*x)^2*\tan(1/2*a) - 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b \\
& *c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral \\
& (-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 6*b^3*c*d^2*x^2*\sin_integral(\\
& (b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*b^3*d^3*x^3*\text{real_part}(\cos_ \\
& integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d) - 2*b^3*d^3*x^3*\text{real_p} \\
& \text{art}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d) + 12*b^3*c*d^ \\
& 2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/ \\
& 2*b*c/d) - 12*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b \\
& *x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 24*b^3*c*d^2*x^2*\sin_integral((b*d*x + b* \\
& c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 2*b^3*d^3*x^3*\text{real_part}(\text{co} \\
& s_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 2*b^3*d^3*x^3*\text{real_p} \\
& \text{art}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 6*b^3*c^2*d*x \\
& *\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b \\
& *c/d) + 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2* \\
& \tan(1/2*a)^2*\tan(1/2*b*c/d) - 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(b*x + \\
& b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 + 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_int \\
& egral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 6*b^3*c*d^2*x^2*\sin_ \\
& integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 2*b^3*d^3*x^3*\text{r} \\
& \text{eal_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b^3*d^3 \\
& *x^3*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 6* \\
& b^3*c^2*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)* \\
& \tan(1/2*b*c/d)^2 - 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(\\
& 1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d)^2 + 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_inte \\
& gral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 - 3*b^3*c*d^2*x^2*\text{imag_par} \\
& \text{t}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 6*b^3*c*d^2*x \\
& ^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^2*d^3* \\
& x^2*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + b^3*c^3*\text{imag_part}(\cos_in \\
& tegral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 - b^3*c^3
\end{aligned}$$

$$\begin{aligned}
& \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 2*b^3*c^3 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + b^3*d^3*x^3 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 - b^3*d^3*x^3 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 + 2*b^3*d^3*x^3 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 + 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) + 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) - b^3*d^3*x^3 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 + b^3*d^3*x^3 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 - 2*b^3*d^3*x^3 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a)^2 - 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 + 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 - 6*b^3*c^2*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 - 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) - 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d) + 4*b^3*d^3*x^3 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) - 4*b^3*d^3*x^3 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d) + 8*b^3*d^3*x^3 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a) * \tan(1/2*b*c/d) + 12*b^3*c^2*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d) - 12*b^3*c^2*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d) + 24*b^3*c^2*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d) + 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d) + 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d) + 2*b^3*c^3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d) + 2*b^3*c^3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d) - b^3*d^3*x^3 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d)^2 + b^3*d^3*x^3 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d)^2 - 2*b^3*d^3*x^3 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*c/d)^2 - 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d)^2 + 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d)^2 - 6*b^3*c^2*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 * \tan(1/2*b*c/d)^2 - 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d)^2 - 6*b^3*c*d^2*x^2 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a) * \tan(1/2*b*c/d)^2 - 2*b^3*c^3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d)^2 - 2*b^3*c^3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 * \tan(1/2*a) * \tan(1/2*b*c/d)^2 + 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 - 3*b^3*c^2*d*x * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 6*b^3*c^2*d*x * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 4*b^2*c*d^2*x * \tan(1/2*b*x)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 3*b^3*c*d^2*x^2 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*x)^2 - 3*b^3*c*d^2*x^2 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*x)^2 + 6*b^3*c*d^2*x^2 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*x)^2 + 2*b^3*d^3*x^3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*a) + 2*b^3*d^3*x^3 *
\end{aligned}$$

$$\begin{aligned}
& \text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a) + 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) + 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) - 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2 + 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2 - 6*b^3*c*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)^2 + 2*b^2*d^3*x^2*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - b^3*c^3*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + b^3*c^3*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*b^3*c^3*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)^2 - 2*b^3*d^3*x^3*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*c/d) - 2*b^3*d^3*x^3*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*c/d) - 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d) - 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d) + 12*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) - 12*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) + 24*b^3*c*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(1/2*b*c/d) + 4*b^3*c^3*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) - 4*b^3*c^3*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 8*b^3*c^3*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) - 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*c/d)^2 + 3*b^3*c*d^2*x^2*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*c/d)^2 - 6*b^3*c*d^2*x^2*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*c/d)^2 - 2*b^2*d^3*x^2*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - b^3*c^3*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 + b^3*c^3*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 2*b^3*c^3*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2*\tan(1/2*b*c/d)^2 - 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 6*b^3*c^2*d*x*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 8*b^2*d^3*x^2*\tan(1/2*b*x)*\tan(1/2*a)*\tan(1/2*b*c/d)^2 - 2*b^2*d^3*x^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + b^3*c^3*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 - b^3*c^3*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^3*c^3*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 2*b^2*c^2*d*\tan(1/2*b*x)^2*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + b^3*d^3*x^3*\text{imag_part}(\cos_integral(b*x + b*c/d)) - b^3*d^3*x^3*\text{imag_part}(\cos_integral(-b*x - b*c/d)) + 2*b^3*d^3*x^3*\sin_integral((b*d*x + b*c)/d) + 3*b^3*c^2*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2 - 3*b^3*c^2*d*x*\text{imag_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2 + 6*b^3*c^2*d*x*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*b*x)^2 + 6*b^3*c*d^2*x^2*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a) + 6*b^3*c*d^2*x^2*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*a) + 2*b^3*c^3*\text{real_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) + 2*b^3*c^3*\text{real_part}(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*x)^2*\tan(1/2*a) - 3*b^3*c^2*d*x*\text{imag_part}(\cos_integral(b*x + b*c/d))*\tan(1/2*a)
\end{aligned}$$

$$\begin{aligned}
& 2*a)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2 - \\
& 6*b^3*c^2*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*a)^2 + 4*b^2*c*d^2*x*tan(1/2*b*x)^2*tan(1/2*a)^2 - 6*b^3*c*d^2*x^2*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d) - 6*b^3*c*d^2*x^2*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d) - 2*b^3*c^3*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2*tan(1/2*b*c/d) - 2*b^3*c^3*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2*tan(1/2*b*c/d) + 12*b^3*c^2*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) - 12*b^3*c^2*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) + 24*b^3*c^2*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*a)*tan(1/2*b*c/d) + 2*b^3*c^3*real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d) + 2*b^3*c^3*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2*tan(1/2*b*c/d) - 3*b^3*c^2*d*x*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d)^2 - 6*b^3*c^2*d*x*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*c/d)^2 - 4*b^2*c*d^2*x*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 - 2*b^3*c^3*real_part(cos_integral(b*x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*b^3*c^3*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)*tan(1/2*b*c/d)^2 - 16*b^2*c*d^2*x*tan(1/2*b*x)*tan(1/2*a)*tan(1/2*b*c/d)^2 - 4*b*d^3*x*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 4*b^2*c*d^2*x*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 4*b*d^3*x*tan(1/2*b*x)*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 3*b^3*c*d^2*x^2*imag_part(cos_integral(b*x + b*c/d)) - 3*b^3*c*d^2*x^2*imag_part(cos_integral(-b*x - b*c/d)) + 6*b^3*c*d^2*x^2*sin_integral((b*d*x + b*c)/d) - 2*b^2*d^3*x^2*tan(1/2*b*x)^2 + b^3*c^3*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*x)^2 - b^3*c^3*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*x)^2 + 2*b^3*c^3*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*x)^2 + 6*b^3*c^2*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*a) + 6*b^3*c^2*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*a) - 8*b^2*d^3*x^2*tan(1/2*b*x)*tan(1/2*a) - 2*b^2*d^3*x^2*tan(1/2*a)^2 - b^3*c^3*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a)^2 + b^3*c^3*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)^2 - 2*b^3*c^3*sin_integral((b*d*x + b*c)/d)*tan(1/2*a)^2 + 2*b^2*c^2*d*tan(1/2*b*x)^2*tan(1/2*a)^2 - 6*b^3*c^2*d*x*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d) - 6*b^3*c^2*d*x*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d) + 4*b^3*c^3*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) - 4*b^3*c^3*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*a)*tan(1/2*b*c/d) + 8*b^3*c^3*sin_integral((b*d*x + b*c)/d)*tan(1/2*a)*tan(1/2*b*c/d) + 2*b^2*d^3*x^2*tan(1/2*b*c/d)^2 - b^3*c^3*imag_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d)^2 + b^3*c^3*imag_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d)^2 - 2*b^3*c^3*sin_integral((b*d*x + b*c)/d)*tan(1/2*b*c/d)^2 - 2*b^2*c^2*d*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 - 8*b^2*c^2*d*tan(1/2*b*x)*tan(1/2*a)*tan(1/2*b*c/d)^2 - 4*b*c*d^2*tan(1/2*b*x)^2*tan(1/2*a)*tan(1/2*b*c/d)^2 - 2*b^2*c^2*d*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 4*b*c*d^2*tan(1/2*b*x)*tan(1/2*a)^2*tan(1/2*b*c/d)^2 - 4*d^3*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 3*b^3*c^2*d*x*imag_part(cos_integral(b*x + b*c/d)) - 3*b^3*c^2*d*x*imag_part(cos_integral(-b*x - b*c/d)) + 6*b^3*c^2*d*x*sin_integral((b*d*x + b*c)/d) - 4*b^2*c*d^2*x*tan(1/2*b*x)^2 + 2*b^3*c^3*real_part(cos_integ
\end{aligned}$$

```

ral(b*x + b*c/d))*tan(1/2*a) + 2*b^3*c^3*real_part(cos_integral(-b*x - b*c/
d))*tan(1/2*a) - 16*b^2*c*d^2*x*tan(1/2*b*x)*tan(1/2*a) - 4*b*d^3*x*tan(1/2
*b*x)^2*tan(1/2*a) - 4*b^2*c*d^2*x*tan(1/2*a)^2 - 4*b*d^3*x*tan(1/2*b*x)*ta
n(1/2*a)^2 - 2*b^3*c^3*real_part(cos_integral(b*x + b*c/d))*tan(1/2*b*c/d)
- 2*b^3*c^3*real_part(cos_integral(-b*x - b*c/d))*tan(1/2*b*c/d) + 4*b^2*c*
d^2*x*tan(1/2*b*c/d)^2 + 4*b*d^3*x*tan(1/2*b*x)*tan(1/2*b*c/d)^2 + 4*b*d^3*
x*tan(1/2*a)*tan(1/2*b*c/d)^2 + 2*b^2*d^3*x^2 + b^3*c^3*imag_part(cos_integ
ral(b*x + b*c/d)) - b^3*c^3*imag_part(cos_integral(-b*x - b*c/d)) + 2*b^3*c
^3*sin_integral((b*d*x + b*c)/d) - 2*b^2*c^2*d*tan(1/2*b*x)^2 - 8*b^2*c^2*d
*tan(1/2*b*x)*tan(1/2*a) - 4*b*c*d^2*tan(1/2*b*x)^2*tan(1/2*a) - 2*b^2*c^2*
d*tan(1/2*a)^2 - 4*b*c*d^2*tan(1/2*b*x)*tan(1/2*a)^2 - 4*d^3*tan(1/2*b*x)^2
*tan(1/2*a)^2 + 2*b^2*c^2*d*tan(1/2*b*c/d)^2 + 4*b*c*d^2*tan(1/2*b*x)*tan(1
/2*b*c/d)^2 + 4*d^3*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + 4*b*c*d^2*tan(1/2*a)*
tan(1/2*b*c/d)^2 + 16*d^3*tan(1/2*b*x)*tan(1/2*a)*tan(1/2*b*c/d)^2 + 4*d^3*
tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 4*b^2*c*d^2*x + 4*b*d^3*x*tan(1/2*b*x) + 4*
b*d^3*x*tan(1/2*a) + 2*b^2*c^2*d + 4*b*c*d^2*tan(1/2*b*x) + 4*d^3*tan(1/2*b
*x)^2 + 4*b*c*d^2*tan(1/2*a) + 16*d^3*tan(1/2*b*x)*tan(1/2*a) + 4*d^3*tan(1
/2*a)^2 - 4*d^3*tan(1/2*b*c/d)^2 - 4*d^3)/(d^7*x^3*tan(1/2*b*x)^2*tan(1/2*a
)^2*tan(1/2*b*c/d)^2 + 3*c*d^6*x^2*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/
d)^2 + d^7*x^3*tan(1/2*b*x)^2*tan(1/2*a)^2 + d^7*x^3*tan(1/2*b*x)^2*tan(1/2
*b*c/d)^2 + d^7*x^3*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 3*c^2*d^5*x*tan(1/2*b*x
)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 3*c*d^6*x^2*tan(1/2*b*x)^2*tan(1/2*a)^2
+ 3*c*d^6*x^2*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + 3*c*d^6*x^2*tan(1/2*a)^2*t
an(1/2*b*c/d)^2 + c^3*d^4*tan(1/2*b*x)^2*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + d^
7*x^3*tan(1/2*b*x)^2 + d^7*x^3*tan(1/2*a)^2 + 3*c^2*d^5*x*tan(1/2*b*x)^2*ta
n(1/2*a)^2 + d^7*x^3*tan(1/2*b*c/d)^2 + 3*c^2*d^5*x*tan(1/2*b*x)^2*tan(1/2*
b*c/d)^2 + 3*c^2*d^5*x*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + 3*c*d^6*x^2*tan(1/2*
b*x)^2 + 3*c*d^6*x^2*tan(1/2*a)^2 + c^3*d^4*tan(1/2*b*x)^2*tan(1/2*a)^2 + 3
*c*d^6*x^2*tan(1/2*b*c/d)^2 + c^3*d^4*tan(1/2*b*x)^2*tan(1/2*b*c/d)^2 + c^3
*d^4*tan(1/2*a)^2*tan(1/2*b*c/d)^2 + d^7*x^3 + 3*c^2*d^5*x*tan(1/2*b*x)^2 +
3*c^2*d^5*x*tan(1/2*a)^2 + 3*c^2*d^5*x*tan(1/2*b*c/d)^2 + 3*c*d^6*x^2 + c^
3*d^4*tan(1/2*b*x)^2 + c^3*d^4*tan(1/2*a)^2 + c^3*d^4*tan(1/2*b*c/d)^2 + 3*
c^2*d^5*x + c^3*d^4)

```

maple [A] time = 0.02, size = 179, normalized size = 1.41

$$b^3 \left(\frac{\cos(bx+a)}{3((bx+a)d - da + cb)^3 d} - \frac{\sin(bx+a)}{2((bx+a)d - da + cb)^2 d} + \frac{\cos(bx+a)}{((bx+a)d - da + cb)d} - \frac{\operatorname{Si}\left(bx+a + \frac{-da+cb}{d}\right) \cos\left(\frac{-da+cb}{d}\right)}{d} - \frac{\operatorname{Ci}\left(bx+a + \frac{-da+cb}{d}\right) \sin\left(\frac{-da+cb}{d}\right)}{d} \right) \frac{1}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^4,x)

[Out] $b^3 \cdot (-1/3 \cdot \cos(bx+a) / ((bx+a)d - d^2 + c^2b)^{3/d} - 1/3 \cdot (-1/2 \cdot \sin(bx+a) / ((bx+a)d - d^2 + c^2b)^{2/d} + 1/2 \cdot (-\cos(bx+a) / ((bx+a)d - d^2 + c^2b) / d - (\operatorname{Si}(bx+a + (-ad+bc)/d)) \cdot \cos((-ad+bc)/d) / d - \operatorname{Ci}(bx+a + (-ad+bc)/d) \cdot \sin((-ad+bc)/d) / d) / d) / d)$

maxima [C] time = 1.29, size = 251, normalized size = 1.98

$$\frac{8b^4 \left(E_4 \left(\frac{ibc+i(bx+a)d-id}{d} \right) + E_4 \left(-\frac{ibc+i(bx+a)d-id}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) - b^4 \left(8i E_4 \left(\frac{ibc+i(bx+a)d-id}{d} \right) - 8i E_4 \left(-\frac{ibc+i(bx+a)d-id}{d} \right) \right) \sin \left(-\frac{bc-ad}{d} \right)}{16 \left(b^3 c^3 d - 3 a b^2 c^2 d^2 + 3 a^2 b c d^3 + (b x + a)^3 d^4 - a^3 d^4 + 3 (b c d^3 - a d^4) (b x + a)^2 + 3 (b^2 c^2 d^2 - 2 a b c d^3 + a^2 d^4) (b x + a) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^4,x, algorithm="maxima")

[Out] $-1/16 \cdot (8 \cdot b^4 \cdot (\exp_integral_e(4, (I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d) + \exp_integral_e(4, -(I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d)) \cdot \cos(-(b \cdot c - a \cdot d) / d) - b^4 \cdot (8 \cdot I \cdot \exp_integral_e(4, (I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d) - 8 \cdot I \cdot \exp_integral_e(4, -(I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d)) \cdot \sin(-(b \cdot c - a \cdot d) / d)) / ((b^3 \cdot c^3 \cdot d - 3 \cdot a \cdot b^2 \cdot c^2 \cdot d^2 + 3 \cdot a^2 \cdot b \cdot c \cdot d^3 + (b \cdot x + a)^3 \cdot d^4 - a^3 \cdot d^4 + 3 \cdot (b \cdot c \cdot d^3 - a \cdot d^4) \cdot (b \cdot x + a)^2 + 3 \cdot (b^2 \cdot c^2 \cdot d^2 - 2 \cdot a \cdot b \cdot c \cdot d^3 + a^2 \cdot d^4) \cdot (b \cdot x + a)) \cdot b)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^4,x)

[Out] int(cos(a + b*x)/(c + d*x)^4, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^4} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**4,x)

[Out] Integral(cos(a + b*x)/(c + d*x)**4, x)

3.9 $\int (c + dx)^4 \cos^2(a + bx) dx$

Optimal. Leaf size=161

$$\frac{3d^4 \sin(a + bx) \cos(a + bx)}{4b^5} - \frac{3d^3(c + dx) \cos^2(a + bx)}{2b^4} - \frac{3d^2(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b^3} + \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2}$$

[Out] $\frac{3}{4}d^4x/b^4 - 1/2*d*(d*x+c)^3/b^2 + 1/10*(d*x+c)^5/d - 3/2*d^3*(d*x+c)*\cos(b*x+a)^2/b^4 + d*(d*x+c)^3*\cos(b*x+a)^2/b^2 + 3/4*d^4*\cos(b*x+a)*\sin(b*x+a)/b^5 - 3/2*d^2*(d*x+c)^2*\cos(b*x+a)*\sin(b*x+a)/b^3 + 1/2*(d*x+c)^4*\cos(b*x+a)*\sin(b*x+a)/b$

Rubi [A] time = 0.10, antiderivative size = 161, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 32, 2635, 8}

$$-\frac{3d^3(c + dx) \cos^2(a + bx)}{2b^4} - \frac{3d^2(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b^3} + \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2} + \frac{3d^4 \sin(a + bx) \cos(a + bx)}{4b^5}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^4*Cos[a + b*x]^2,x]

[Out] $(3*d^4*x)/(4*b^4) - (d*(c + d*x)^3)/(2*b^2) + (c + d*x)^5/(10*d) - (3*d^3*(c + d*x)*\text{Cos}[a + b*x]^2)/(2*b^4) + (d*(c + d*x)^3*\text{Cos}[a + b*x]^2)/b^2 + (3*d^4*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(4*b^5) - (3*d^2*(c + d*x)^2*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(2*b^3) + ((c + d*x)^4*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(2*b)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^4 \cos^2(a + bx) dx &= \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2} + \frac{(c + dx)^4 \cos(a + bx) \sin(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^4 dx - \\ &= \frac{(c + dx)^5}{10d} - \frac{3d^3(c + dx) \cos^2(a + bx)}{2b^4} + \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2} - \frac{3d^2(c + dx)^2 \cos(a + bx)}{2b^3} \\ &= -\frac{d(c + dx)^3}{2b^2} + \frac{(c + dx)^5}{10d} - \frac{3d^3(c + dx) \cos^2(a + bx)}{2b^4} + \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2} + \\ &= \frac{3d^4 x}{4b^4} - \frac{d(c + dx)^3}{2b^2} + \frac{(c + dx)^5}{10d} - \frac{3d^3(c + dx) \cos^2(a + bx)}{2b^4} + \frac{d(c + dx)^3 \cos^2(a + bx)}{b^2} \end{aligned}$$

Mathematica [A] time = 0.68, size = 132, normalized size = 0.82

$$\frac{20bd(c + dx) \cos(2(a + bx)) (2b^2(c + dx)^2 - 3d^2) + 10 \sin(2(a + bx)) (2b^4(c + dx)^4 - 6b^2d^2(c + dx)^2 + 3d^4) + 80b^5}{80b^5}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^4*Cos[a + b*x]^2,x]
```

```
[Out] (8*b^5*x*(5*c^4 + 10*c^3*d*x + 10*c^2*d^2*x^2 + 5*c*d^3*x^3 + d^4*x^4) + 20
*b*d*(c + d*x)*(-3*d^2 + 2*b^2*(c + d*x)^2)*Cos[2*(a + b*x)] + 10*(3*d^4 -
6*b^2*d^2*(c + d*x)^2 + 2*b^4*(c + d*x)^4)*Sin[2*(a + b*x)]/(80*b^5)
```

fricas [A] time = 0.78, size = 287, normalized size = 1.78

$$\frac{2b^5d^4x^5 + 10b^5cd^3x^4 + 10(2b^5c^2d^2 - b^3d^4)x^3 + 10(2b^5c^3d - 3b^3cd^3)x^2 + 10(2b^3d^4x^3 + 6b^3cd^3x^2 + 2b^3c^3d^2)x + 10b^5c^4}{80b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^4*cos(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/20*(2*b^5*d^4*x^5 + 10*b^5*c*d^3*x^4 + 10*(2*b^5*c^2*d^2 - b^3*d^4)*x^3 +
10*(2*b^5*c^3*d - 3*b^3*c*d^3)*x^2 + 10*(2*b^3*d^4*x^3 + 6*b^3*c*d^3*x^2 +
```

$$2*b^3*c^3*d - 3*b*c*d^3 + 3*(2*b^3*c^2*d^2 - b*d^4)*x)*\cos(b*x + a)^2 + 5*(2*b^4*d^4*x^4 + 8*b^4*c*d^3*x^3 + 2*b^4*c^4 - 6*b^2*c^2*d^2 + 3*d^4 + 6*(2*b^4*c^2*d^2 - b^2*d^4)*x^2 + 4*(2*b^4*c^3*d - 3*b^2*c*d^3)*x)*\cos(b*x + a)*\sin(b*x + a) + 5*(2*b^5*c^4 - 6*b^3*c^2*d^2 + 3*b*d^4)*x)/b^5$$

giac [A] time = 0.53, size = 222, normalized size = 1.38

$$\frac{1}{10}d^4x^5 + \frac{1}{2}cd^3x^4 + c^2d^2x^3 + c^3dx^2 + \frac{1}{2}c^4x + \frac{(2b^3d^4x^3 + 6b^3cd^3x^2 + 6b^3c^2d^2x + 2b^3c^3d - 3bd^4x - 3bcd^3)\cos(2bx)}{4b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a)^2,x, algorithm="giac")

[Out] 1/10*d^4*x^5 + 1/2*c*d^3*x^4 + c^2*d^2*x^3 + c^3*d*x^2 + 1/2*c^4*x + 1/4*(2*b^3*d^4*x^3 + 6*b^3*c*d^3*x^2 + 6*b^3*c^2*d^2*x + 2*b^3*c^3*d - 3*b*d^4*x - 3*b*c*d^3)*cos(2*b*x + 2*a)/b^5 + 1/8*(2*b^4*d^4*x^4 + 8*b^4*c*d^3*x^3 + 12*b^4*c^2*d^2*x^2 + 8*b^4*c^3*d*x + 2*b^4*c^4 - 6*b^2*d^4*x^2 - 12*b^2*c*d^3*x - 6*b^2*c^2*d^2 + 3*d^4)*sin(2*b*x + 2*a)/b^5

maple [B] time = 0.08, size = 1027, normalized size = 6.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^4*cos(b*x+a)^2,x)

[Out] 1/b*(1/b^4*d^4*((b*x+a)^4*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+(b*x+a)^3*cos(b*x+a)^2-3*(b*x+a)^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-3/2*(b*x+a)*cos(b*x+a)^2+3/4*cos(b*x+a)*sin(b*x+a)+3/4*b*x+3/4*a+(b*x+a)^3-2/5*(b*x+a)^5)-4/b^4*a*d^4*((b*x+a)^3*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/4*(b*x+a)^2*cos(b*x+a)^2-3/2*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/8*(b*x+a)^2+3/8*sin(b*x+a)^2-3/8*(b*x+a)^4)+4/b^3*c*d^3*((b*x+a)^3*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/4*(b*x+a)^2*cos(b*x+a)^2-3/2*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+3/8*(b*x+a)^2+3/8*sin(b*x+a)^2-3/8*(b*x+a)^4)+6/b^4*a^2*d^4*((b*x+a)^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+1/2*(b*x+a)*cos(b*x+a)^2-1/4*cos(b*x+a)*sin(b*x+a)-1/4*b*x-1/4*a-1/3*(b*x+a)^3)-12/b^3*a*c*d^3*((b*x+a)^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+1/2*(b*x+a)*cos(b*x+a)^2-1/4*cos(b*x+a)*sin(b*x+a)-1/4*b*x-1/4*a-1/3*(b*x+a)^3)+6/b^2*c^2*d^2*((b*x+a)^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+1/2*(b*x+a)*cos(b*x+a)^2-1/4*cos(b*x+a)*sin(b*x+a)-1/4*b*x-1/4*a-1/3*(b*x+a)^3)-4/b^4*a^3*d^4*((b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2-1/4*sin(b*x+a)^2)+12/b^3*a^2*c*d^3*((b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2-1/4*sin(b*x+a)^2)-12/b^2*a*c^2*d^2*((b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2-1/4*sin(b*x+a)^2)

$(x+a)^2)+4/b*c^3*d*((b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2-1/4*sin(b*x+a)^2)+1/b^4*a^4*d^4*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-4/b^3*a^3*c*d^3*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+6/b^2*a^2*c^2*d^2*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-4/b*a*c^3*d*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c^4*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a))$

maxima [B] time = 0.77, size = 717, normalized size = 4.45

$$\frac{10(2bx+2a+\sin(2bx+2a))c^4 - \frac{40(2bx+2a+\sin(2bx+2a))ac^3d}{b} + \frac{60(2bx+2a+\sin(2bx+2a))a^2c^2d^2}{b^2} - \frac{40(2bx+2a+\sin(2bx+2a))a^3c^2d^3}{b^3}}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/40*(10*(2*b*x + 2*a + sin(2*b*x + 2*a))*c^4 - 40*(2*b*x + 2*a + sin(2*b*x + 2*a))*a*c^3*d/b + 60*(2*b*x + 2*a + sin(2*b*x + 2*a))*a^2*c^2*d^2/b^2 - 40*(2*b*x + 2*a + sin(2*b*x + 2*a))*a^3*c*d^3/b^3 + 10*(2*b*x + 2*a + sin(2*b*x + 2*a))*a^4*d^4/b^4 + 20*(2*(b*x + a)^2 + 2*(b*x + a)*sin(2*b*x + 2*a) + cos(2*b*x + 2*a))*c^3*d/b - 60*(2*(b*x + a)^2 + 2*(b*x + a)*sin(2*b*x + 2*a) + cos(2*b*x + 2*a))*a*c^2*d^2/b^2 + 60*(2*(b*x + a)^2 + 2*(b*x + a)*sin(2*b*x + 2*a) + cos(2*b*x + 2*a))*a^2*c*d^3/b^3 - 20*(2*(b*x + a)^2 + 2*(b*x + a)*sin(2*b*x + 2*a) + cos(2*b*x + 2*a))*a^3*d^4/b^4 + 10*(4*(b*x + a)^3 + 6*(b*x + a)*cos(2*b*x + 2*a) + 3*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*c^2*d^2/b^2 - 20*(4*(b*x + a)^3 + 6*(b*x + a)*cos(2*b*x + 2*a) + 3*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*a*c*d^3/b^3 + 10*(4*(b*x + a)^3 + 6*(b*x + a)*cos(2*b*x + 2*a) + 3*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*a^2*d^4/b^4 + 10*(2*(b*x + a)^4 + 3*(2*(b*x + a)^2 - 1)*cos(2*b*x + 2*a) + 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*sin(2*b*x + 2*a))*c*d^3/b^3 - 10*(2*(b*x + a)^4 + 3*(2*(b*x + a)^2 - 1)*cos(2*b*x + 2*a) + 2*(2*(b*x + a)^3 - 3*b*x - 3*a)*sin(2*b*x + 2*a))*a*d^4/b^4 + (4*(b*x + a)^5 + 10*(2*(b*x + a)^3 - 3*b*x - 3*a)*cos(2*b*x + 2*a) + 5*(2*(b*x + a)^4 - 6*(b*x + a)^2 + 3)*sin(2*b*x + 2*a))*d^4/b^4)/b

mupad [B] time = 0.61, size = 349, normalized size = 2.17

$$\frac{15d^4 \sin(2a+2bx)}{2} + 10b^5 c^4 x + 5b^4 c^4 \sin(2a + 2bx) + 2b^5 d^4 x^5 + 10b^3 c^3 d \cos(2a + 2bx) + 20b^5 c^3 dx^2 + 10b^5 c^3 dx^3 + 10b^5 c^3 dx^4 + 10b^5 c^3 dx^5$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2*(c + d*x)^4,x)

[Out] ((15*d^4*sin(2*a + 2*b*x))/2 + 10*b^5*c^4*x + 5*b^4*c^4*sin(2*a + 2*b*x) + 2*b^5*d^4*x^5 + 10*b^3*c^3*d*cos(2*a + 2*b*x) + 20*b^5*c^3*d*x^2 + 10*b^5*c^3*d*x^3 + 10*b^5*c^3*d*x^4 + 10*b^5*c^3*d*x^5)

```
*d^3*x^4 - 15*b^2*c^2*d^2*sin(2*a + 2*b*x) + 10*b^3*d^4*x^3*cos(2*a + 2*b*x)
) + 20*b^5*c^2*d^2*x^3 - 15*b^2*d^4*x^2*sin(2*a + 2*b*x) + 5*b^4*d^4*x^4*si
n(2*a + 2*b*x) - 15*b*c*d^3*cos(2*a + 2*b*x) - 15*b*d^4*x*cos(2*a + 2*b*x)
+ 30*b^4*c^2*d^2*x^2*sin(2*a + 2*b*x) - 30*b^2*c*d^3*x*sin(2*a + 2*b*x) + 2
0*b^4*c^3*d*x*sin(2*a + 2*b*x) + 30*b^3*c^2*d^2*x*cos(2*a + 2*b*x) + 30*b^3
*c*d^3*x^2*cos(2*a + 2*b*x) + 20*b^4*c*d^3*x^3*sin(2*a + 2*b*x))/(20*b^5)
```

sympy [A] time = 4.60, size = 660, normalized size = 4.10

$$\left\{ \begin{array}{l} \frac{c^4 x \sin^2(a+bx)}{2} + \frac{c^4 x \cos^2(a+bx)}{2} + c^3 dx^2 \sin^2(a+bx) + c^3 dx^2 \cos^2(a+bx) + c^2 d^2 x^3 \sin^2(a+bx) + c^2 d^2 x^3 \cos^2(a+bx) \\ \left(c^4 x + 2c^3 dx^2 + 2c^2 d^2 x^3 + cd^3 x^4 + \frac{d^4 x^5}{5} \right) \cos^2(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**4*cos(b*x+a)**2,x)
```

```
[Out] Piecewise((c**4*x*sin(a + b*x)**2/2 + c**4*x*cos(a + b*x)**2/2 + c**3*d*x**
2*sin(a + b*x)**2 + c**3*d*x**2*cos(a + b*x)**2 + c**2*d**2*x**3*sin(a + b*
x)**2 + c**2*d**2*x**3*cos(a + b*x)**2 + c*d**3*x**4*sin(a + b*x)**2/2 + c
d**3*x**4*cos(a + b*x)**2/2 + d**4*x**5*sin(a + b*x)**2/10 + d**4*x**5*cos(
a + b*x)**2/10 + c**4*sin(a + b*x)*cos(a + b*x)/(2*b) + 2*c**3*d*x*sin(a +
b*x)*cos(a + b*x)/b + 3*c**2*d**2*x**2*sin(a + b*x)*cos(a + b*x)/b + 2*c*d*
**3*x**3*sin(a + b*x)*cos(a + b*x)/b + d**4*x**4*sin(a + b*x)*cos(a + b*x)/(
2*b) - c**3*d*sin(a + b*x)**2/b**2 - 3*c**2*d**2*x*sin(a + b*x)**2/(2*b**2)
+ 3*c**2*d**2*x*cos(a + b*x)**2/(2*b**2) - 3*c*d**3*x**2*sin(a + b*x)**2/(
2*b**2) + 3*c*d**3*x**2*cos(a + b*x)**2/(2*b**2) - d**4*x**3*sin(a + b*x)**
2/(2*b**2) + d**4*x**3*cos(a + b*x)**2/(2*b**2) - 3*c**2*d**2*sin(a + b*x)*
cos(a + b*x)/(2*b**3) - 3*c*d**3*x*sin(a + b*x)*cos(a + b*x)/b**3 - 3*d**4*
x**2*sin(a + b*x)*cos(a + b*x)/(2*b**3) + 3*c*d**3*sin(a + b*x)**2/(2*b**4)
+ 3*d**4*x*sin(a + b*x)**2/(4*b**4) - 3*d**4*x*cos(a + b*x)**2/(4*b**4) +
3*d**4*sin(a + b*x)*cos(a + b*x)/(4*b**5), Ne(b, 0)), ((c**4*x + 2*c**3*d*x
**2 + 2*c**2*d**2*x**3 + c*d**3*x**4 + d**4*x**5/5)*cos(a)**2, True))
```

3.10 $\int (c + dx)^3 \cos^2(a + bx) dx$

Optimal. Leaf size=134

$$\frac{3d^3 \cos^2(a + bx)}{8b^4} - \frac{3d^2(c + dx) \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{3d(c + dx)^2 \cos^2(a + bx)}{4b^2} + \frac{(c + dx)^3 \sin(a + bx) \cos(a + bx)}{2b}$$

[Out] $-3/4*c*d^2*x/b^2-3/8*d^3*x^2/b^2+1/8*(d*x+c)^4/d-3/8*d^3*\cos(b*x+a)^2/b^4+3/4*d*(d*x+c)^2*\cos(b*x+a)^2/b^2-3/4*d^2*(d*x+c)*\cos(b*x+a)*\sin(b*x+a)/b^3+1/2*(d*x+c)^3*\cos(b*x+a)*\sin(b*x+a)/b$

Rubi [A] time = 0.07, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3311, 32, 3310}

$$-\frac{3d^2(c + dx) \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{3d(c + dx)^2 \cos^2(a + bx)}{4b^2} - \frac{3d^3 \cos^2(a + bx)}{8b^4} + \frac{(c + dx)^3 \sin(a + bx) \cos(a + bx)}{2b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Cos[a + b*x]^2,x]

[Out] $(-3*c*d^2*x)/(4*b^2) - (3*d^3*x^2)/(8*b^2) + (c + d*x)^4/(8*d) - (3*d^3*\text{Cos}[a + b*x]^2)/(8*b^4) + (3*d*(c + d*x)^2*\text{Cos}[a + b*x]^2)/(4*b^2) - (3*d^2*(c + d*x)*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(4*b^3) + ((c + d*x)^3*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(2*b)$

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] :> Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x])

- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x] /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rubi steps

$$\begin{aligned}\int (c + dx)^3 \cos^2(a + bx) dx &= \frac{3d(c + dx)^2 \cos^2(a + bx)}{4b^2} + \frac{(c + dx)^3 \cos(a + bx) \sin(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^3 dx - \\ &= \frac{(c + dx)^4}{8d} - \frac{3d^3 \cos^2(a + bx)}{8b^4} + \frac{3d(c + dx)^2 \cos^2(a + bx)}{4b^2} - \frac{3d^2(c + dx) \cos(a + bx)}{4b^3} \\ &= -\frac{3cd^2x}{4b^2} - \frac{3d^3x^2}{8b^2} + \frac{(c + dx)^4}{8d} - \frac{3d^3 \cos^2(a + bx)}{8b^4} + \frac{3d(c + dx)^2 \cos^2(a + bx)}{4b^2} - \frac{3d^2(c + dx) \cos(a + bx)}{4b^3}\end{aligned}$$

Mathematica [A] time = 0.45, size = 106, normalized size = 0.79

$$\frac{2b(c + dx) \sin(2(a + bx)) (2b^2(c + dx)^2 - 3d^2) + 3d \cos(2(a + bx)) (2b^2(c + dx)^2 - d^2) + 2b^4x (4c^3 + 6c^2dx + 4cd^2x^2 + d^3x^3)}{16b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Cos[a + b*x]^2,x]

[Out] (2*b^4*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) + 3*d*(-d^2 + 2*b^2*(c + d*x)^2)*Cos[2*(a + b*x)] + 2*b*(c + d*x)*(-3*d^2 + 2*b^2*(c + d*x)^2)*Sin[2*(a + b*x)])/(16*b^4)

fricas [A] time = 0.92, size = 190, normalized size = 1.42

$$\frac{b^4d^3x^4 + 4b^4cd^2x^3 + 3(2b^4c^2d - b^2d^3)x^2 + 3(2b^2d^3x^2 + 4b^2cd^2x + 2b^2c^2d - d^3) \cos(bx + a)^2 + 2(2b^3d^3x^3 + 6b^3cd^2x^2 + 4b^3c^2dx + d^3) \sin(bx + a)}{8b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(b^4*d^3*x^4 + 4*b^4*c*d^2*x^3 + 3*(2*b^4*c^2*d - b^2*d^3)*x^2 + 3*(2*b^2*d^3*x^2 + 4*b^2*c*d^2*x + 2*b^2*c^2*d - d^3)*cos(b*x + a)^2 + 2*(2*b^3*d^3*x^3 + 6*b^3*c*d^2*x^2 + 2*b^3*c^2*d - 3*b*c*d^2 + 3*(2*b^3*c^2*d - b*d^3)*x)*cos(b*x + a)*sin(b*x + a) + 2*(2*b^4*c^3 - 3*b^2*c*d^2)*x)/b^4

giac [A] time = 0.42, size = 153, normalized size = 1.14

$$\frac{1}{8}d^3x^4 + \frac{1}{2}cd^2x^3 + \frac{3}{4}c^2dx^2 + \frac{1}{2}c^3x + \frac{3(2b^2d^3x^2 + 4b^2cd^2x + 2b^2c^2d - d^3) \cos(2bx + 2a)}{16b^4} + \frac{(2b^3d^3x^3 + 6b^3cd^2x^2 + 4b^3c^2dx + d^3) \sin(2bx + 2a)}{8b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^2,x, algorithm="giac")

[Out] $\frac{1}{8}d^3x^4 + \frac{1}{2}c^2d^2x^3 + \frac{3}{4}c^2d^2x^2 + \frac{1}{2}c^3x + \frac{3}{16}(2b^2d^3x^2 + 4b^2c^2d^2x + 2b^2c^2d - d^3)\cos(2bx + 2a)/b^4 + \frac{1}{8}(2b^3d^3x^3 + 6b^3c^2d^2x^2 + 6b^3c^2d^2x + 2b^3c^3 - 3b^3d^3x - 3b^3c^2d^2)\sin(2bx + 2a)/b^4$

maple [B] time = 0.02, size = 587, normalized size = 4.38

$$\frac{d^3 \left((bx+a)^3 \left(\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx+a}{2} \right) + \frac{3(bx+a)^2(\cos^2(bx+a))}{4} - \frac{3(bx+a) \left(\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx+a}{2} \right)}{2} + \frac{3(bx+a)^2}{8} + \frac{3(\sin^2(bx+a))}{8} - \frac{3(bx+a)^4}{8} \right)}{b^3} - 3ad^3 \left((bx+a)^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*cos(b*x+a)^2,x)

[Out] $\frac{1}{b} \left(\frac{1}{b^3} d^3 \left((bx+a)^3 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + \frac{3}{4} (bx+a)^2 \cos(bx+a)^2 - \frac{3}{2} (bx+a) \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + \frac{3}{8} (bx+a)^2 + \frac{3}{8} \sin(bx+a)^2 - \frac{3}{8} (bx+a)^4 \right) - \frac{3}{b^3} a d^3 \left((bx+a)^2 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + \frac{1}{2} (bx+a) \cos(bx+a)^2 - \frac{1}{4} \cos(bx+a) \sin(bx+a) - \frac{1}{4} bx - \frac{1}{4} a - \frac{1}{3} (bx+a)^3 \right) + \frac{3}{b^2} c^2 d^2 \left((bx+a)^2 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + \frac{1}{2} (bx+a) \cos(bx+a)^2 - \frac{1}{4} \cos(bx+a) \sin(bx+a) - \frac{1}{4} bx - \frac{1}{4} a - \frac{1}{3} (bx+a)^3 \right) + \frac{3}{b^3} a^2 d^3 \left((bx+a) \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) - \frac{1}{4} (bx+a)^2 - \frac{1}{4} \sin(bx+a)^2 \right) - \frac{6}{b^2} a c^2 d^2 \left((bx+a) \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) - \frac{1}{4} (bx+a)^2 - \frac{1}{4} \sin(bx+a)^2 \right) + \frac{3}{b} c^2 d \left((bx+a) \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) - \frac{1}{4} (bx+a)^2 - \frac{1}{4} \sin(bx+a)^2 \right) - \frac{1}{b^3} a^3 d^3 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + \frac{3}{b^2} a^2 c^2 d^2 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) - \frac{3}{b} a c^2 d \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) + c^3 \left(\frac{1}{2} \cos(bx+a) \sin(bx+a) + \frac{1}{2} bx + \frac{1}{2} a \right) \right)$

maxima [B] time = 0.72, size = 428, normalized size = 3.19

$$\frac{4(2bx + 2a + \sin(2bx + 2a))c^3 - \frac{12(2bx + 2a + \sin(2bx + 2a))a^2 d}{b} + \frac{12(2bx + 2a + \sin(2bx + 2a))a^2 c d^2}{b^2} - \frac{4(2bx + 2a + \sin(2bx + 2a))}{b^3}}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{16} (4(2bx + 2a + \sin(2bx + 2a))c^3 - 12(2bx + 2a + \sin(2bx + 2a))a^2 c^2 d/b + 12(2bx + 2a + \sin(2bx + 2a))a^2 c^2 d^2/b^2 - 4($

$2bx + 2a + \sin(2bx + 2a))a^3d^3/b^3 + 6*(2*(bx + a)^2 + 2*(bx + a) * \sin(2bx + 2a) + \cos(2bx + 2a))*c^2d/b - 12*(2*(bx + a)^2 + 2*(bx + a)*\sin(2bx + 2a) + \cos(2bx + 2a))*a*c^2d/b^2 + 6*(2*(bx + a)^2 + 2*(bx + a)*\sin(2bx + 2a) + \cos(2bx + 2a))*a^2d^3/b^3 + 2*(4*(bx + a)^3 + 6*(bx + a)*\cos(2bx + 2a) + 3*(2*(bx + a)^2 - 1)*\sin(2bx + 2a))*c^2d/b^2 - 2*(4*(bx + a)^3 + 6*(bx + a)*\cos(2bx + 2a) + 3*(2*(bx + a)^2 - 1)*\sin(2bx + 2a))*a^2d^3/b^3 + (2*(bx + a)^4 + 3*(2*(bx + a)^2 - 1)*\cos(2bx + 2a) + 2*(2*(bx + a)^3 - 3bx - 3a)*\sin(2bx + 2a)) * d^3/b^3)/b$

mupad [B] time = 0.46, size = 229, normalized size = 1.71

$$\frac{4b^4 c^3 x - \frac{3d^3 \cos(2a+2bx)}{2} + 2b^3 c^3 \sin(2a + 2bx) + b^4 d^3 x^4 + 3b^2 c^2 d \cos(2a + 2bx) + 6b^4 c^2 dx^2 + 4b^4 c d^2}{}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2*(c + d*x)^3,x)

[Out] $(4*b^4*c^3*x - (3*d^3*\cos(2*a + 2*b*x)))/2 + 2*b^3*c^3*\sin(2*a + 2*b*x) + b^4*d^3*x^4 + 3*b^2*c^2*d*\cos(2*a + 2*b*x) + 6*b^4*c^2*d*x^2 + 4*b^4*c*d^2*x^3 + 3*b^2*d^3*x^2*\cos(2*a + 2*b*x) + 2*b^3*d^3*x^3*\sin(2*a + 2*b*x) - 3*b*c*d^2*\sin(2*a + 2*b*x) - 3*b*d^3*x*\sin(2*a + 2*b*x) + 6*b^2*c*d^2*x*\cos(2*a + 2*b*x) + 6*b^3*c^2*d*x*\sin(2*a + 2*b*x) + 6*b^3*c*d^2*x^2*\sin(2*a + 2*b*x))/(8*b^4)$

sympy [A] time = 2.55, size = 456, normalized size = 3.40

$$\left\{ \begin{array}{l} \frac{c^3 x \sin^2(a+bx)}{2} + \frac{c^3 x \cos^2(a+bx)}{2} + \frac{3c^2 dx^2 \sin^2(a+bx)}{4} + \frac{3c^2 dx^2 \cos^2(a+bx)}{4} + \frac{cd^2 x^3 \sin^2(a+bx)}{2} + \frac{cd^2 x^3 \cos^2(a+bx)}{2} + \frac{d^3 x^4 \sin^2(a+bx)}{8} + \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \cos^2(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*cos(b*x+a)**2,x)

[Out] $\text{Piecewise}((c**3*x*\sin(a + b*x)**2/2 + c**3*x*\cos(a + b*x)**2/2 + 3*c**2*d*x**2*\sin(a + b*x)**2/4 + 3*c**2*d*x**2*\cos(a + b*x)**2/4 + c*d**2*x**3*\sin(a + b*x)**2/2 + c*d**2*x**3*\cos(a + b*x)**2/2 + d**3*x**4*\sin(a + b*x)**2/8 + d**3*x**4*\cos(a + b*x)**2/8 + c**3*\sin(a + b*x)*\cos(a + b*x)/(2*b) + 3*c**2*d*x*\sin(a + b*x)*\cos(a + b*x)/(2*b) + 3*c*d**2*x**2*\sin(a + b*x)*\cos(a + b*x)/(2*b) + d**3*x**3*\sin(a + b*x)*\cos(a + b*x)/(2*b) - 3*c**2*d*\sin(a + b*x)**2/(4*b**2) - 3*c*d**2*x*\sin(a + b*x)**2/(4*b**2) + 3*c*d**2*x*\cos(a + b*x)**2/(4*b**2) - 3*d**3*x**2*\sin(a + b*x)**2/(8*b**2) + 3*d**3*x**2*\cos(a + b*x)**2/(8*b**2) - 3*d**3*x**2*\sin(a + b*x)**2/(8*b**2) + 3*d**3*x**2*\cos(a + b*x)**2/(8*b**2))$

```

a + b*x)**2/(8*b**2) - 3*c*d**2*sin(a + b*x)*cos(a + b*x)/(4*b**3) - 3*d**3
*x*sin(a + b*x)*cos(a + b*x)/(4*b**3) + 3*d**3*sin(a + b*x)**2/(8*b**4), Ne
(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*cos(a)**2,
True))

```

3.11 $\int (c + dx)^2 \cos^2(a + bx) dx$

Optimal. Leaf size=95

$$-\frac{d^2 \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{d(c + dx) \cos^2(a + bx)}{2b^2} + \frac{(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b} - \frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d}$$

[Out] $-1/4*d^2*x/b^2+1/6*(d*x+c)^3/d+1/2*d*(d*x+c)*\cos(b*x+a)^2/b^2-1/4*d^2*\cos(b*x+a)*\sin(b*x+a)/b^3+1/2*(d*x+c)^2*\cos(b*x+a)*\sin(b*x+a)/b$

Rubi [A] time = 0.05, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 32, 2635, 8}

$$\frac{d(c + dx) \cos^2(a + bx)}{2b^2} - \frac{d^2 \sin(a + bx) \cos(a + bx)}{4b^3} + \frac{(c + dx)^2 \sin(a + bx) \cos(a + bx)}{2b} - \frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2*Cos[a + b*x]^2, x]

[Out] $-(d^2*x)/(4*b^2) + (c + d*x)^3/(6*d) + (d*(c + d*x)*Cos[a + b*x]^2)/(2*b^2) - (d^2*Cos[a + b*x]*Sin[a + b*x])/(4*b^3) + ((c + d*x)^2*Cos[a + b*x]*Sin[a + b*x])/(2*b)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[

$d^{2m}(m-1)/(f^{2n^2})$, Int[(c + d*x)^(m-2)*(b*Sin[e + f*x])^n, x], x]
 - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n-1))/(f*n), x] /;
 FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \cos^2(a + bx) dx &= \frac{d(c + dx) \cos^2(a + bx)}{2b^2} + \frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^2 dx - \dots \\ &= \frac{(c + dx)^3}{6d} + \frac{d(c + dx) \cos^2(a + bx)}{2b^2} - \frac{d^2 \cos(a + bx) \sin(a + bx)}{4b^3} + \frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} \\ &= -\frac{d^2 x}{4b^2} + \frac{(c + dx)^3}{6d} + \frac{d(c + dx) \cos^2(a + bx)}{2b^2} - \frac{d^2 \cos(a + bx) \sin(a + bx)}{4b^3} + \frac{(c + dx)^2 \cos(a + bx) \sin(a + bx)}{2b} \end{aligned}$$

Mathematica [A] time = 0.31, size = 77, normalized size = 0.81

$$\frac{3 \sin(2(a + bx)) (2b^2(c + dx)^2 - d^2) + 6bd(c + dx) \cos(2(a + bx)) + 4b^3 x (3c^2 + 3cdx + d^2 x^2)}{24b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Cos[a + b*x]^2,x]

[Out] (4*b^3*x*(3*c^2 + 3*c*d*x + d^2*x^2) + 6*b*d*(c + d*x)*Cos[2*(a + b*x)] + 3*(-d^2 + 2*b^2*(c + d*x)^2)*Sin[2*(a + b*x)])/(24*b^3)

fricas [A] time = 0.60, size = 113, normalized size = 1.19

$$\frac{2b^3 d^2 x^3 + 6b^3 cdx^2 + 6(bd^2 x + bcd) \cos(bx + a)^2 + 3(2b^2 d^2 x^2 + 4b^2 cdx + 2b^2 c^2 - d^2) \cos(bx + a) \sin(bx + a)}{12b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/12*(2*b^3*d^2*x^3 + 6*b^3*c*d*x^2 + 6*(b*d^2*x + b*c*d)*cos(b*x + a)^2 + 3*(2*b^2*d^2*x^2 + 4*b^2*c*d*x + 2*b^2*c^2 - d^2)*cos(b*x + a)*sin(b*x + a) + 3*(2*b^3*c^2 - b*d^2)*x)/b^3

giac [A] time = 0.53, size = 94, normalized size = 0.99

$$\frac{1}{6} d^2 x^3 + \frac{1}{2} cdx^2 + \frac{1}{2} c^2 x + \frac{(bd^2 x + bcd) \cos(2bx + 2a)}{4b^3} + \frac{(2b^2 d^2 x^2 + 4b^2 cdx + 2b^2 c^2 - d^2) \sin(2bx + 2a)}{8b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a)^2,x, algorithm="giac")

[Out] $\frac{1}{6}d^2x^3 + \frac{1}{2}c*d*x^2 + \frac{1}{2}c^2*x + \frac{1}{4}*(b*d^2*x + b*c*d)*\cos(2*b*x + 2*a)/b^3 + \frac{1}{8}*(2*b^2*d^2*x^2 + 4*b^2*c*d*x + 2*b^2*c^2 - d^2)*\sin(2*b*x + 2*a)/b^3$

maple [B] time = 0.02, size = 289, normalized size = 3.04

$$\frac{d^2 \left((bx+a)^2 \left(\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) + \frac{(bx+a)\cos^2(bx+a)}{2} - \frac{\cos(bx+a)\sin(bx+a)}{4} - \frac{bx}{4} - \frac{a}{4} - \frac{(bx+a)^3}{3} \right)}{b^2} - \frac{2ad^2 \left((bx+a) \left(\frac{\cos(bx+a)\sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) - \frac{(bx+a)^2}{4} - \frac{\sin(bx+a)}{2} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*cos(b*x+a)^2,x)

[Out] $\frac{1}{b}*(\frac{1}{b^2}d^2*((b*x+a)^2*(\frac{1}{2}\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a)+\frac{1}{2}*(b*x+a)*\cos(b*x+a)^2-\frac{1}{4}\cos(b*x+a)*\sin(b*x+a)-\frac{1}{4}b*x-\frac{1}{4}a-\frac{1}{3}*(b*x+a)^3)-\frac{2}{b^2}a*d^2*((b*x+a)*(\frac{1}{2}\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a)-\frac{1}{4}*(b*x+a)^2-\frac{1}{4}*\sin(b*x+a)^2)+\frac{2}{b}c*d*((b*x+a)*(\frac{1}{2}\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a)-\frac{1}{4}*(b*x+a)^2-\frac{1}{4}*\sin(b*x+a)^2)+\frac{1}{b^2}a^2*d^2*(\frac{1}{2}\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a)-\frac{2}{b}a*c*d*(\frac{1}{2}\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a)+c^2*(\frac{1}{2}*\cos(b*x+a)*\sin(b*x+a)+\frac{1}{2}b*x+\frac{1}{2}a))$

maxima [B] time = 0.72, size = 222, normalized size = 2.34

$$\frac{6(2bx+2a+\sin(2bx+2a))c^2 - \frac{12(2bx+2a+\sin(2bx+2a))acd}{b} + \frac{6(2bx+2a+\sin(2bx+2a))a^2d^2}{b^2} + \frac{6(2(bx+a)^2+2(bx+a)\sin(2bx+2a))}{b}}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a)^2,x, algorithm="maxima")

[Out] $\frac{1}{24}*(6*(2*b*x + 2*a + \sin(2*b*x + 2*a))*c^2 - 12*(2*b*x + 2*a + \sin(2*b*x + 2*a))*a*c*d/b + 6*(2*b*x + 2*a + \sin(2*b*x + 2*a))*a^2*d^2/b^2 + 6*(2*(b*x + a)^2 + 2*(b*x + a)*\sin(2*b*x + 2*a) + \cos(2*b*x + 2*a))*c*d/b - 6*(2*(b*x + a)^2 + 2*(b*x + a)*\sin(2*b*x + 2*a) + \cos(2*b*x + 2*a))*a*d^2/b^2 + (4*(b*x + a)^3 + 6*(b*x + a)*\cos(2*b*x + 2*a) + 3*(2*(b*x + a)^2 - 1)*\sin(2*b*x + 2*a))*d^2/b^2)/b$

mupad [B] time = 0.21, size = 179, normalized size = 1.88

$$x \left(\frac{c^2}{4} - \frac{d^2}{8b^2} \right) + x \left(\frac{c^2}{4} + \frac{d^2}{8b^2} \right) + \frac{d^2 x^3}{6} - \frac{\sin(2a+2bx)(d^2-2b^2c^2)}{8b^3} - \frac{x \cos(2a+2bx) \left(\frac{c^2}{2} - \frac{d^2}{4b^2} \right)}{2} + \frac{x \cos(2a+2bx) \left(\frac{c^2}{2} + \frac{d^2}{4b^2} \right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2*(c + d*x)^2,x)`

[Out] $x*(c^2/4 - d^2/(8*b^2)) + x*(c^2/4 + d^2/(8*b^2)) + (d^2*x^3)/6 - (\sin(2*a + 2*b*x)*(d^2 - 2*b^2*c^2))/(8*b^3) - (x*\cos(2*a + 2*b*x)*(c^2/2 - d^2/(4*b^2)))/2 + (x*\cos(2*a + 2*b*x)*(c^2/2 + d^2/(4*b^2)))/2 + (c*d*x^2)/2 + (d^2*x^2*\sin(2*a + 2*b*x))/(4*b) + (c*d*\cos(2*a + 2*b*x))/(4*b^2) + (c*d*x*\sin(2*a + 2*b*x))/(2*b)$

sympy [A] time = 1.18, size = 264, normalized size = 2.78

$$\left\{ \begin{array}{l} \frac{c^2 x \sin^2(a+bx)}{2} + \frac{c^2 x \cos^2(a+bx)}{2} + \frac{cdx^2 \sin^2(a+bx)}{2} + \frac{cdx^2 \cos^2(a+bx)}{2} + \frac{d^2 x^3 \sin^2(a+bx)}{6} + \frac{d^2 x^3 \cos^2(a+bx)}{6} + \frac{c^2 \sin(a+bx) \cos(a+bx)}{2b} \\ \left(c^2 x + cdx^2 + \frac{d^2 x^3}{3} \right) \cos^2(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**2*cos(b*x+a)**2,x)`

[Out] `Piecewise((c**2*x*sin(a + b*x)**2/2 + c**2*x*cos(a + b*x)**2/2 + c*d*x**2*sin(a + b*x)**2/2 + c*d*x**2*cos(a + b*x)**2/2 + d**2*x**3*sin(a + b*x)**2/6 + d**2*x**3*cos(a + b*x)**2/6 + c**2*sin(a + b*x)*cos(a + b*x)/(2*b) + c*d*x*sin(a + b*x)*cos(a + b*x)/b + d**2*x**2*sin(a + b*x)*cos(a + b*x)/(2*b) - c*d*sin(a + b*x)**2/(2*b**2) - d**2*x*sin(a + b*x)**2/(4*b**2) + d**2*x*cos(a + b*x)**2/(4*b**2) - d**2*sin(a + b*x)*cos(a + b*x)/(4*b**3), Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*cos(a)**2, True))`

3.12 $\int (c + dx) \cos^2(a + bx) dx$

Optimal. Leaf size=55

$$\frac{d \cos^2(a + bx)}{4b^2} + \frac{(c + dx) \sin(a + bx) \cos(a + bx)}{2b} + \frac{cx}{2} + \frac{dx^2}{4}$$

[Out] $\frac{1}{2}c*x + \frac{1}{4}d*x^2 + \frac{1}{4}d*\cos(b*x+a)^2/b^2 + \frac{1}{2}*(d*x+c)*\cos(b*x+a)*\sin(b*x+a)/b$

Rubi [A] time = 0.02, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {3310}

$$\frac{d \cos^2(a + bx)}{4b^2} + \frac{(c + dx) \sin(a + bx) \cos(a + bx)}{2b} + \frac{cx}{2} + \frac{dx^2}{4}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Cos[a + b*x]^2, x]

[Out] (c*x)/2 + (d*x^2)/4 + (d*Cos[a + b*x]^2)/(4*b^2) + ((c + d*x)*Cos[a + b*x]*Sin[a + b*x])/(2*b)

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
  Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned} \int (c + dx) \cos^2(a + bx) dx &= \frac{d \cos^2(a + bx)}{4b^2} + \frac{(c + dx) \cos(a + bx) \sin(a + bx)}{2b} + \frac{1}{2} \int (c + dx) dx \\ &= \frac{cx}{2} + \frac{dx^2}{4} + \frac{d \cos^2(a + bx)}{4b^2} + \frac{(c + dx) \cos(a + bx) \sin(a + bx)}{2b} \end{aligned}$$

Mathematica [A] time = 0.16, size = 50, normalized size = 0.91

$$\frac{2b((c + dx) \sin(2(a + bx)) + 2ac + bx(2c + dx)) + d \cos(2(a + bx))}{8b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Cos[a + b*x]^2,x]

[Out] (d*cos[2*(a + b*x)] + 2*b*(2*a*c + b*x*(2*c + d*x) + (c + d*x)*Sin[2*(a + b*x)]))/(8*b^2)

fricas [A] time = 0.82, size = 53, normalized size = 0.96

$$\frac{b^2 dx^2 + 2 b^2 cx + d \cos (bx + a)^2 + 2 (bdx + bc) \cos (bx + a) \sin (bx + a)}{4 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/4*(b^2*d*x^2 + 2*b^2*c*x + d*cos(b*x + a)^2 + 2*(b*d*x + b*c)*cos(b*x + a)*sin(b*x + a))/b^2

giac [A] time = 0.57, size = 48, normalized size = 0.87

$$\frac{1}{4} dx^2 + \frac{1}{2} cx + \frac{d \cos (2 bx + 2 a)}{8 b^2} + \frac{(bdx + bc) \sin (2 bx + 2 a)}{4 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^2,x, algorithm="giac")

[Out] 1/4*d*x^2 + 1/2*c*x + 1/8*d*cos(2*b*x + 2*a)/b^2 + 1/4*(b*d*x + b*c)*sin(2*b*x + 2*a)/b^2

maple [B] time = 0.02, size = 112, normalized size = 2.04

$$\frac{d \left((bx+a) \left(\frac{\cos(bx+a) \sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right) - \frac{(bx+a)^2}{4} - \frac{\sin^2(bx+a)}{4} \right)}{b} - \frac{da \left(\frac{\cos(bx+a) \sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right)}{b} + c \left(\frac{\cos(bx+a) \sin(bx+a)}{2} + \frac{bx}{2} + \frac{a}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*cos(b*x+a)^2,x)

[Out] 1/b*(1/b*d*((b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)-1/4*(b*x+a)^2-1/4*sin(b*x+a)^2)-1/b*d*a*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+c*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a))

maxima [A] time = 0.68, size = 90, normalized size = 1.64

$$\frac{2(2bx + 2a + \sin(2bx + 2a))c - \frac{2(2bx + 2a + \sin(2bx + 2a))ad}{b} + \frac{(2(bx+a)^2 + 2(bx+a)\sin(2bx + 2a) + \cos(2bx + 2a))d}{b}}{8b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/8*(2*(2*b*x + 2*a + sin(2*b*x + 2*a))*c - 2*(2*b*x + 2*a + sin(2*b*x + 2*a))*a*d/b + (2*(b*x + a)^2 + 2*(b*x + a)*sin(2*b*x + 2*a) + cos(2*b*x + 2*a))*d/b)/b

mupad [B] time = 0.10, size = 57, normalized size = 1.04

$$\frac{cx}{2} + \frac{dx^2}{4} + \frac{d \cos(2a + 2bx)}{8b^2} + \frac{c \sin(2a + 2bx)}{4b} + \frac{dx \sin(2a + 2bx)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2*(c + d*x), x)

[Out] (c*x)/2 + (d*x^2)/4 + (d*cos(2*a + 2*b*x))/(8*b^2) + (c*sin(2*a + 2*b*x))/(4*b) + (d*x*sin(2*a + 2*b*x))/(4*b)

sympy [A] time = 0.50, size = 126, normalized size = 2.29

$$\left\{ \begin{array}{l} \frac{cx \sin^2(a+bx)}{2} + \frac{cx \cos^2(a+bx)}{2} + \frac{dx^2 \sin^2(a+bx)}{4} + \frac{dx^2 \cos^2(a+bx)}{4} + \frac{c \sin(a+bx) \cos(a+bx)}{2b} + \frac{dx \sin(a+bx) \cos(a+bx)}{2b} - \frac{d \sin^2(a+bx)}{4b^2} \\ \left(cx + \frac{dx^2}{2} \right) \cos^2(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)**2,x)

[Out] Piecewise((c*x*sin(a + b*x)**2/2 + c*x*cos(a + b*x)**2/2 + d*x**2*sin(a + b*x)**2/4 + d*x**2*cos(a + b*x)**2/4 + c*sin(a + b*x)*cos(a + b*x)/(2*b) + d*x*sin(a + b*x)*cos(a + b*x)/(2*b) - d*sin(a + b*x)**2/(4*b**2), Ne(b, 0)), ((c*x + d*x**2/2)*cos(a)**2, True))

3.13 $\int \frac{\cos^2(a+bx)}{c+dx} dx$

Optimal. Leaf size=78

$$\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{2d} - \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c + dx)}{2d}$$

[Out] 1/2*Ci(2*b*c/d+2*b*x)*cos(2*a-2*b*c/d)/d+1/2*ln(d*x+c)/d-1/2*Si(2*b*c/d+2*b*x)*sin(2*a-2*b*c/d)/d

Rubi [A] time = 0.15, antiderivative size = 78, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3312, 3303, 3299, 3302}

$$\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{2d} - \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/(c + d*x), x]

[Out] (Cos[2*a - (2*b*c)/d]*CosIntegral[(2*b*c)/d + 2*b*x])/(2*d) + Log[c + d*x]/(2*d) - (Sin[2*a - (2*b*c)/d]*SinIntegral[(2*b*c)/d + 2*b*x])/(2*d)

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(a + bx)}{c + dx} dx &= \int \left(\frac{1}{2(c + dx)} + \frac{\cos(2a + 2bx)}{2(c + dx)} \right) dx \\ &= \frac{\log(c + dx)}{2d} + \frac{1}{2} \int \frac{\cos(2a + 2bx)}{c + dx} dx \\ &= \frac{\log(c + dx)}{2d} + \frac{1}{2} \cos\left(2a - \frac{2bc}{d}\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{c + dx} dx - \frac{1}{2} \sin\left(2a - \frac{2bc}{d}\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{c + dx} dx \\ &= \frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{2d} + \frac{\log(c + dx)}{2d} - \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{2d} \end{aligned}$$

Mathematica [A] time = 0.13, size = 65, normalized size = 0.83

$$\frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2b(c+dx)}{d}\right) - \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2b(c+dx)}{d}\right) + \log(c + dx)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]^2/(c + d*x), x]
```

```
[Out] (Cos[2*a - (2*b*c)/d]*CosIntegral[(2*b*(c + d*x))/d] + Log[c + d*x] - Sin[2
*a - (2*b*c)/d]*SinIntegral[(2*b*(c + d*x))/d])/(2*d)
```

fricas [A] time = 0.66, size = 88, normalized size = 1.13

$$\frac{\left(\text{Ci}\left(\frac{2(bdx+bc)}{d}\right) + \text{Ci}\left(-\frac{2(bdx+bc)}{d}\right)\right) \cos\left(-\frac{2(bc-ad)}{d}\right) - 2 \sin\left(-\frac{2(bc-ad)}{d}\right) \text{Si}\left(\frac{2(bdx+bc)}{d}\right) + 2 \log(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)^2/(d*x+c), x, algorithm="fricas")
```

```
[Out] 1/4*((cos_integral(2*(b*d*x + b*c)/d) + cos_integral(-2*(b*d*x + b*c)/d))*c
os(-2*(b*c - a*d)/d) - 2*sin(-2*(b*c - a*d)/d)*sin_integral(2*(b*d*x + b*c)
/d) + 2*log(d*x + c))/d
```


giac [C] time = 0.63, size = 610, normalized size = 7.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{4}*(2*\log(\text{abs}(d*x + c))*\tan(a)^2*\tan(b*c/d)^2 + \text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d)^2 + \text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d)^2 - 2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)^2*\tan(b*c/d) + 2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)^2*\tan(b*c/d) - 4*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(a)^2*\tan(b*c/d) + 2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 + 4*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(a)*\tan(b*c/d)^2 + 2*\log(\text{abs}(d*x + c))*\tan(a)^2 - \text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)^2 - \text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)^2 + 4*\text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d) + 4*\text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d) + 2*\log(\text{abs}(d*x + c))*\tan(b*c/d)^2 - \text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 - \text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 - 2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(a) + 2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(a) - 4*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(a) + 2*\text{imag_part}(\text{cos_integral}(2*b*x + 2*b*c/d))*\tan(b*c/d) - 2*\text{imag_part}(\text{cos_integral}(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 4*\text{sin_integral}(2*(b*d*x + b*c)/d)*\tan(b*c/d) + 2*\log(\text{abs}(d*x + c)) + \text{real_part}(\text{cos_integral}(2*b*x + 2*b*c/d)) + \text{real_part}(\text{cos_integral}(-2*b*x - 2*b*c/d)))/(d*\tan(a)^2*\tan(b*c/d)^2 + d*\tan(a)^2 + d*\tan(b*c/d)^2 + d)$

maple [A] time = 0.03, size = 105, normalized size = 1.35

$$\frac{\text{Si}\left(2bx + 2a + \frac{-2da+2cb}{d}\right) \sin\left(\frac{-2da+2cb}{d}\right)}{2d} + \frac{\text{Ci}\left(2bx + 2a + \frac{-2da+2cb}{d}\right) \cos\left(\frac{-2da+2cb}{d}\right)}{2d} + \frac{\ln((bx + a)d - da + cb)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^2/(d*x+c),x)

[Out] $\frac{1}{2}*\text{Si}(2*b*x+2*a+2*(-a*d+b*c)/d)*\sin(2*(-a*d+b*c)/d)/d + \frac{1}{2}*\text{Ci}(2*b*x+2*a+2*(-a*d+b*c)/d)*\cos(2*(-a*d+b*c)/d)/d + \frac{1}{2}*\ln((b*x+a)*d-d*a+c*b)/d$

maxima [C] time = 0.99, size = 161, normalized size = 2.06

$$\frac{b\left(E_1\left(\frac{2i bc+2i(bx+a)d-2i ad}{d}\right) + E_1\left(-\frac{2i bc+2i(bx+a)d-2i ad}{d}\right)\right) \cos\left(-\frac{2(bc-ad)}{d}\right) - b\left(i E_1\left(\frac{2i bc+2i(bx+a)d-2i ad}{d}\right) - i E_1\left(-\frac{2i bc+2i(bx+a)d-2i ad}{d}\right)\right)}{4bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c),x, algorithm="maxima")

[Out] $-1/4*(b*(\exp_integral_e(1, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d) + \exp_integral_e(1, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d))*\cos(-2*(b*c - a*d)/d) - b*(I*\exp_integral_e(1, (2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d) - I*\exp_integral_e(1, -(2*I*b*c + 2*I*(b*x + a)*d - 2*I*a*d)/d))*\sin(-2*(b*c - a*d)/d) - 2*b*\log(b*c + (b*x + a)*d - a*d))/(b*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2/(c + d*x),x)

[Out] int(cos(a + b*x)^2/(c + d*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**2/(d*x+c),x)

[Out] Integral(cos(a + b*x)**2/(c + d*x), x)

3.14 $\int \frac{\cos^2(a+bx)}{(c+dx)^2} dx$

Optimal. Leaf size=83

$$-\frac{b \sin\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{b \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{\cos^2(a + bx)}{d(c + dx)}$$

[Out] $-\cos(b*x+a)^2/d/(d*x+c)-b*\cos(2*a-2*b*c/d)*\text{Si}(2*b*c/d+2*b*x)/d^2-b*\text{Ci}(2*b*c/d+2*b*x)*\sin(2*a-2*b*c/d)/d^2$

Rubi [A] time = 0.13, antiderivative size = 83, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3313, 12, 3303, 3299, 3302}

$$-\frac{b \sin\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{b \cos\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2} - \frac{\cos^2(a + bx)}{d(c + dx)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]^2/(c + d*x)^2, x]$

[Out] $-(\text{Cos}[a + b*x]^2/(d*(c + d*x))) - (b*\text{CosIntegral}[(2*b*c)/d + 2*b*x]*\text{Sin}[2*a - (2*b*c)/d])/d^2 - (b*\text{Cos}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x])/d^2$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e._) + (f._)*(x_)]/((c._) + (d._)*(x_)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c._) + (d._)*(x_))^(m_)*sin[(e._) + (f._)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(a + bx)}{(c + dx)^2} dx &= -\frac{\cos^2(a + bx)}{d(c + dx)} + \frac{(2b) \int -\frac{\sin(2a+2bx)}{2(c+dx)} dx}{d} \\ &= -\frac{\cos^2(a + bx)}{d(c + dx)} - \frac{b \int \frac{\sin(2a+2bx)}{c+dx} dx}{d} \\ &= -\frac{\cos^2(a + bx)}{d(c + dx)} - \frac{\left(b \cos\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d} - \frac{\left(b \sin\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{c+dx} dx}{d} \\ &= -\frac{\cos^2(a + bx)}{d(c + dx)} - \frac{b \operatorname{Ci}\left(\frac{2bc}{d} + 2bx\right) \sin\left(2a - \frac{2bc}{d}\right)}{d^2} - \frac{b \cos\left(2a - \frac{2bc}{d}\right) \operatorname{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^2} \end{aligned}$$

Mathematica [A] time = 0.62, size = 75, normalized size = 0.90

$$\frac{b \sin\left(2a - \frac{2bc}{d}\right) \operatorname{Ci}\left(\frac{2b(c+dx)}{d}\right) + b \cos\left(2a - \frac{2bc}{d}\right) \operatorname{Si}\left(\frac{2b(c+dx)}{d}\right) + \frac{d \cos^2(a+bx)}{c+dx}}{d^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]^2/(c + d*x)^2,x]
```

```
[Out] -(((d*Cos[a + b*x]^2)/(c + d*x) + b*CosIntegral[(2*b*(c + d*x))/d]*Sin[2*a
- (2*b*c)/d] + b*Cos[2*a - (2*b*c)/d]*SinIntegral[(2*b*(c + d*x))/d])/d^2)
```

fricas [A] time = 0.84, size = 127, normalized size = 1.53

$$\frac{2d \cos(bx+a)^2 + 2(bdx+bc) \cos\left(-\frac{2(bc-ad)}{d}\right) \operatorname{Si}\left(\frac{2(bdx+bc)}{d}\right) + (bdx+bc) \operatorname{Ci}\left(\frac{2(bdx+bc)}{d}\right) + (bdx+bc) \operatorname{Ci}\left(-\frac{2(bc-ad)}{d}\right)}{2(d^3x+cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^2,x, algorithm="fricas")

[Out] $-1/2*(2*d*\cos(b*x+a)^2 + 2*(b*d*x+b*c)*\cos(-2*(b*c-a*d)/d)*\sin_integral(2*(b*d*x+b*c)/d) + ((b*d*x+b*c)*\cos_integral(2*(b*d*x+b*c)/d) + (b*d*x+b*c)*\cos_integral(-2*(b*d*x+b*c)/d))*\sin(-2*(b*c-a*d)/d)/(d^3*x+c*d^2)$

giac [B] time = 0.84, size = 534, normalized size = 6.43

$$\left(2(dx+c)\left(b-\frac{bc}{dx+c}+\frac{ad}{dx+c}\right)b^2 \operatorname{Ci}\left(\frac{2\left((dx+c)\left(b-\frac{bc}{dx+c}+\frac{ad}{dx+c}\right)+bc-ad\right)}{d}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) + 2b^3c \operatorname{Ci}\left(\frac{2\left((dx+c)\left(b-\frac{bc}{dx+c}+\frac{ad}{dx+c}\right)+bc\right)}{d}\right) + b^2 \operatorname{Ci}\left(\frac{2\left((dx+c)\left(b-\frac{bc}{dx+c}+\frac{ad}{dx+c}\right)+bc-ad\right)}{d}\right) \sin\left(-\frac{2(bc-ad)}{d}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^2,x, algorithm="giac")

[Out] $-1/2*(2*(d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))*b^2*\cos_integral(2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d)*\sin(-2*(b*c-a*d)/d) + 2*b^3*c*\cos_integral(2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d)*\sin(-2*(b*c-a*d)/d) - 2*a*b^2*d*\cos_integral(2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d)*\sin(-2*(b*c-a*d)/d) - 2*(d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))*b^2*\cos(-2*(b*c-a*d)/d)*\sin_integral(-2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d) - 2*b^3*c*\cos(-2*(b*c-a*d)/d)*\sin_integral(-2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d) + 2*a*b^2*d*\cos(-2*(b*c-a*d)/d)*\sin_integral(-2*((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))+b*c-a*d)/d) + b^2*d*\cos(-2*(d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))/d) + b^2*d*d^2/(((d*x+c)*(b-b*c/(d*x+c)+a*d/(d*x+c))*d^4+b*c*d^4-a*d^5)*b)$

maple [A] time = 0.02, size = 156, normalized size = 1.88

$$\frac{b^2 \left(\frac{2 \cos(2bx+2a)}{((bx+a)d-da+cb)d} - \frac{2 \operatorname{Si}\left(2bx+2a+\frac{-2da+2cb}{d}\right) \cos\left(\frac{-2da+2cb}{d}\right) - 2 \operatorname{Ci}\left(2bx+2a+\frac{-2da+2cb}{d}\right) \sin\left(\frac{-2da+2cb}{d}\right)}{d} \right)}{4} - \frac{b^2}{2((bx+a)d-da+cb)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^2/(d*x+c)^2,x)`

[Out] $\frac{1}{b} \left(\frac{1}{4} b^2 \frac{(-2 \cos(2bx+2a))}{((bx+a)d - da + cb)} \frac{1}{d} - 2 \frac{(2 \operatorname{Si}(2bx+2a+2(-a*d+bc)/d)) \cos(2(-a*d+bc)/d)}{d} - 2 \frac{\operatorname{Ci}(2bx+2a+2(-a*d+bc)/d) \sin(2(-a*d+bc)/d)}{d} \right) - \frac{1}{2} b^2 \frac{1}{((bx+a)d - da + cb)}$

maxima [C] time = 0.93, size = 171, normalized size = 2.06

$$\frac{16 b^2 \left(E_2 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) + E_2 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right) \cos \left(-\frac{2(bc-ad)}{d} \right) - b^2 \left(16i E_2 \left(\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) - 16i E_2 \left(-\frac{2i bc + 2i (bx+a)d - 2i ad}{d} \right) \right) \sin \left(-\frac{2(bc-ad)}{d} \right)}{64 (bcd + (bx+a)d^2 - ad^2) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^2/(d*x+c)^2,x, algorithm="maxima")`

[Out] $-\frac{1}{64} \left(16 b^2 \frac{(\exp_{\int} (2I*bc + 2I*(bx+a)*d - 2I*a*d)/d) + \exp_{\int} (-(2I*bc + 2I*(bx+a)*d - 2I*a*d)/d)}{\cos(-2*(bc - a*d)/d)} - b^2 \frac{16 I \exp_{\int} (2I*bc + 2I*(bx+a)*d - 2I*a*d)/d - 16 I \exp_{\int} (-(2I*bc + 2I*(bx+a)*d - 2I*a*d)/d)}{\sin(-2*(bc - a*d)/d + 32*b^2)/((b*c*d + (b*x + a)*d^2 - a*d^2)*b)} \right)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2/(c + d*x)^2,x)`

[Out] `int(cos(a + b*x)^2/(c + d*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**2/(d*x+c)**2,x)`

[Out] `Integral(cos(a + b*x)**2/(c + d*x)**2, x)`

$$3.15 \quad \int \frac{\cos^2(a+bx)}{(c+dx)^3} dx$$

Optimal. Leaf size=112

$$-\frac{b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2bc}{d} + 2bx\right)}{d^3} + \frac{b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^3} + \frac{b \sin(a+bx) \cos(a+bx)}{d^2(c+dx)} - \frac{\cos^2(a+bx)}{2d(c+dx)^2}$$

[Out] $-b^2 \text{Ci}(2bc/d + 2bx) \cos(2a - 2bc/d) / d^3 - 1/2 \cos(bx+a)^2 / d / (dx+c)^2 + b^2 \text{Si}(2bc/d + 2bx) \sin(2a - 2bc/d) / d^3 + b \cos(bx+a) \sin(bx+a) / d^2 / (dx+c)$

Rubi [A] time = 0.20, antiderivative size = 112, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3314, 31, 3312, 3303, 3299, 3302}

$$-\frac{b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{CosIntegral}\left(\frac{2bc}{d} + 2bx\right)}{d^3} + \frac{b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2bc}{d} + 2bx\right)}{d^3} + \frac{b \sin(a+bx) \cos(a+bx)}{d^2(c+dx)} - \frac{\cos^2(a+bx)}{2d(c+dx)^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/(c + d*x)^3, x]

[Out] $-\text{Cos}[a + b*x]^2 / (2*d*(c + d*x)^2) - (b^2*\text{Cos}[2*a - (2*b*c)/d]*\text{CosIntegral}[(2*b*c)/d + 2*b*x]) / d^3 + (b*\text{Cos}[a + b*x]*\text{Sin}[a + b*x]) / (d^2*(c + d*x)) + (b^2*\text{Sin}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*c)/d + 2*b*x]) / d^3$

Rule 31

Int[((a_) + (b_.)*(x_))^-1, x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(a + bx)}{(c + dx)^3} dx &= -\frac{\cos^2(a + bx)}{2d(c + dx)^2} + \frac{b \cos(a + bx) \sin(a + bx)}{d^2(c + dx)} + \frac{b^2 \int \frac{1}{c + dx} dx}{d^2} - \frac{(2b^2) \int \frac{\cos^2(a + bx)}{c + dx} dx}{d^2} \\
 &= -\frac{\cos^2(a + bx)}{2d(c + dx)^2} + \frac{b^2 \log(c + dx)}{d^3} + \frac{b \cos(a + bx) \sin(a + bx)}{d^2(c + dx)} - \frac{(2b^2) \int \left(\frac{1}{2(c + dx)} + \frac{\cos(2a + 2bx)}{2(c + dx)} \right) dx}{d^2} \\
 &= -\frac{\cos^2(a + bx)}{2d(c + dx)^2} + \frac{b \cos(a + bx) \sin(a + bx)}{d^2(c + dx)} - \frac{b^2 \int \frac{\cos(2a + 2bx)}{c + dx} dx}{d^2} \\
 &= -\frac{\cos^2(a + bx)}{2d(c + dx)^2} + \frac{b \cos(a + bx) \sin(a + bx)}{d^2(c + dx)} - \frac{\left(b^2 \cos \left(2a - \frac{2bc}{d} \right) \right) \int \frac{\cos \left(\frac{2bc}{d} + 2bx \right)}{c + dx} dx}{d^2} + \frac{\left(b^2 \sin \left(2a - \frac{2bc}{d} \right) \right) \int \frac{\sin \left(\frac{2bc}{d} + 2bx \right)}{c + dx} dx}{d^2} \\
 &= -\frac{\cos^2(a + bx)}{2d(c + dx)^2} - \frac{b^2 \cos \left(2a - \frac{2bc}{d} \right) \text{Ci} \left(\frac{2bc}{d} + 2bx \right)}{d^3} + \frac{b \cos(a + bx) \sin(a + bx)}{d^2(c + dx)} + \frac{b^2 \sin \left(2a - \frac{2bc}{d} \right) \text{Si} \left(\frac{2bc}{d} + 2bx \right)}{d^3}
 \end{aligned}$$

Mathematica [A] time = 0.92, size = 102, normalized size = 0.91

$$\frac{-2b^2 \cos\left(2a - \frac{2bc}{d}\right) \text{Ci}\left(\frac{2b(c+dx)}{d}\right) + 2b^2 \sin\left(2a - \frac{2bc}{d}\right) \text{Si}\left(\frac{2b(c+dx)}{d}\right) + \frac{d(b(c+dx) \sin(2(a+bx)) - d \cos^2(a+bx))}{(c+dx)^2}}{2d^3}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/(c + d*x)^3,x]

[Out] $(-2*b^2*\text{Cos}[2*a - (2*b*c)/d]*\text{CosIntegral}[(2*b*(c + d*x))/d] + (d*(-(d*\text{Cos}[a + b*x]^2) + b*(c + d*x)*\text{Sin}[2*(a + b*x)])))/(c + d*x)^2 + 2*b^2*\text{Sin}[2*a - (2*b*c)/d]*\text{SinIntegral}[(2*b*(c + d*x))/d])/(2*d^3)$

fricas [A] time = 0.70, size = 218, normalized size = 1.95

$$\frac{d^2 \cos(bx + a)^2 - 2(bd^2x + bcd) \cos(bx + a) \sin(bx + a) - 2(b^2d^2x^2 + 2b^2cdx + b^2c^2) \sin\left(-\frac{2(bc-ad)}{d}\right) \text{Si}\left(\frac{2(bd^2x + bcd)}{d}\right)}{2(d^5x^2 + 2cd^4x + c^2d^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^3,x, algorithm="fricas")

[Out] $-1/2*(d^2*\cos(b*x + a)^2 - 2*(b*d^2*x + b*c*d)*\cos(b*x + a)*\sin(b*x + a) - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\sin(-2*(b*c - a*d)/d)*\sin_integral(2*(b*d*x + b*c)/d) + ((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\cos_integral(2*(b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\cos_integral(-2*(b*d*x + b*c)/d))*\cos(-2*(b*c - a*d)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$

giac [C] time = 1.35, size = 5136, normalized size = 45.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^3,x, algorithm="giac")

[Out] $-1/2*(b^2*d^2*x^2*\text{real_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + b^2*d^2*x^2*\text{real_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 - 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) + 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) - 4*b^2*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d) + 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 - 2*b^2*d^2*x^2*\text{imag_part}(\cos_integral(-2*b*x - 2*b*c/d))*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2 + 4*b^2*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d)*\tan(b*x)^2*\tan(a)*\tan(b*c/d)^2)$

$$\begin{aligned}
& n(a) \tan(b*c/d)^2 + 2*b^2*c*d*x*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d)^2 + 2*b^2*c*d*x*real_part(\cos_integral(-2*b*x \\
& - 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d)^2 - b^2*d^2*x^2*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 - b^2*d^2*x^2*real_part(\cos_in \\
& tegral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 + 4*b^2*d^2*x^2*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d) + 4*b^2*d^2*x^2*re \\
& al_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d) - 4*b^2*c*d*x*imag_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b \\
& c/d) + 4*b^2*c*d*x*imag_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d) - 8*b^2*c*d*x*\sin_integral(2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan \\
& (a)^2 * \tan(b*c/d) - b^2*d^2*x^2*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d)^2 - b^2*d^2*x^2*real_part(\cos_integral(-2*b*x - 2*b*c/d \\
& /d)) * \tan(b*x)^2 * \tan(b*c/d)^2 + 4*b^2*c*d*x*imag_part(\cos_integral(2*b*x + 2 \\
& b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 - 4*b^2*c*d*x*imag_part(\cos_integral \\
& (-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 + 8*b^2*c*d*x*\sin_integr \\
& al(2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 + b^2*d^2*x^2*real_par \\
& t(\cos_integral(2*b*x + 2*b*c/d)) * \tan(a)^2 * \tan(b*c/d)^2 + b^2*d^2*x^2*real_p \\
& art(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(a)^2 * \tan(b*c/d)^2 + b^2*c^2*real_pa \\
& rt(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d)^2 + b^2*c^2 \\
& *real_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d)^ \\
& 2 - 2*b^2*d^2*x^2*imag_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a \\
&) + 2*b^2*d^2*x^2*imag_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan \\
& (a) - 4*b^2*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan(a) - 2*b^ \\
& 2*c*d*x*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 - 2*b^ \\
& 2*c*d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a)^2 + 2*b \\
& ^2*d^2*x^2*imag_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d) - \\
& 2*b^2*d^2*x^2*imag_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c \\
& /d) + 4*b^2*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan(b*c/d) + \\
& 8*b^2*c*d*x*real_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan \\
& (b*c/d) + 8*b^2*c*d*x*real_part(\cos_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \\
& \tan(a) * \tan(b*c/d) - 2*b^2*d^2*x^2*imag_part(\cos_integral(2*b*x + 2*b*c/d)) * \\
& \tan(a)^2 * \tan(b*c/d) + 2*b^2*d^2*x^2*imag_part(\cos_integral(-2*b*x - 2*b*c/d \\
&)) * \tan(a)^2 * \tan(b*c/d) - 4*b^2*d^2*x^2*\sin_integral(2*(b*d*x + b*c)/d) * \tan \\
& (a)^2 * \tan(b*c/d) - 2*b^2*c^2*imag_part(\cos_integral(2*b*x + 2*b*c/d)) * \tan(b* \\
& x)^2 * \tan(a)^2 * \tan(b*c/d) + 2*b^2*c^2*imag_part(\cos_integral(-2*b*x - 2*b*c/ \\
& d)) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d) - 4*b^2*c^2*\sin_integral(2*(b*d*x + b*c) \\
& /d) * \tan(b*x)^2 * \tan(a)^2 * \tan(b*c/d) - 2*b^2*c*d*x*real_part(\cos_integral(2*b \\
& *x + 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d)^2 - 2*b^2*c*d*x*real_part(\cos_integral \\
& (-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(b*c/d)^2 + 2*b^2*d^2*x^2*imag_part(\cos_i \\
& ntegral(2*b*x + 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 - 2*b^2*d^2*x^2*imag_part(\cos \\
& _integral(-2*b*x - 2*b*c/d)) * \tan(a) * \tan(b*c/d)^2 + 4*b^2*d^2*x^2*\sin_integr \\
& al(2*(b*d*x + b*c)/d) * \tan(a) * \tan(b*c/d)^2 + 2*b^2*c^2*imag_part(\cos_integra \\
& l(2*b*x + 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 - 2*b^2*c^2*imag_part(co \\
& s_integral(-2*b*x - 2*b*c/d)) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 + 4*b^2*c^2*si \\
& n_integral(2*(b*d*x + b*c)/d) * \tan(b*x)^2 * \tan(a) * \tan(b*c/d)^2 + 2*b^2*c*d*x*
\end{aligned}$$

```

real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + 2*b^2*c*d*
x*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + b^2*d^2
*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2 + b^2*d^2*x^2*real
_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2 - 4*b^2*c*d*x*imag_part(co
s_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a) + 4*b^2*c*d*x*imag_part(cos_
integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(a) - 8*b^2*c*d*x*sin_integral(2*
(b*d*x + b*c)/d)*tan(b*x)^2*tan(a) - b^2*d^2*x^2*real_part(cos_integral(2*b
*x + 2*b*c/d))*tan(a)^2 - b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c
/d))*tan(a)^2 - b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2
*tan(a)^2 - b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*ta
n(a)^2 + 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*ta
n(b*c/d) - 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2
*tan(b*c/d) + 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(b*
c/d) + 4*b^2*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*
c/d) + 4*b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b
*c/d) + 4*b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(a
)*tan(b*c/d) + 4*b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)
^2*tan(a)*tan(b*c/d) - 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))
*tan(a)^2*tan(b*c/d) + 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d)
)*tan(a)^2*tan(b*c/d) - 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(a)^
2*tan(b*c/d) - b^2*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*c
/d)^2 - b^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*c/d)^2
- b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2
- b^2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2*tan(b*c/d)^2
+ 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)*tan(b*c/d)^2
- 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)*tan(b*c/d)^
2 + 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*tan(a)*tan(b*c/d)^2 + 2*b*d
^2*x*tan(b*x)^2*tan(a)*tan(b*c/d)^2 + b^2*c^2*real_part(cos_integral(2*b*x
+ 2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + b^2*c^2*real_part(cos_integral(-2*b*x -
2*b*c/d))*tan(a)^2*tan(b*c/d)^2 + 2*b*d^2*x*tan(b*x)*tan(a)^2*tan(b*c/d)^2
+ 2*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(b*x)^2 + 2*b^2*c
*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x)^2 - 2*b^2*d^2*x^2*
imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(a) + 2*b^2*d^2*x^2*imag_part(c
os_integral(-2*b*x - 2*b*c/d))*tan(a) - 4*b^2*d^2*x^2*sin_integral(2*(b*d*x
+ b*c)/d)*tan(a) - 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*tan(
b*x)^2*tan(a) + 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*tan(b*x
)^2*tan(a) - 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x)^2*tan(a) -
2*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a)^2 - 2*b^2*c*d*x
*real_part(cos_integral(-2*b*x - 2*b*c/d))*tan(a)^2 + 2*b^2*d^2*x^2*imag_pa
rt(cos_integral(2*b*x + 2*b*c/d))*tan(b*c/d) - 2*b^2*d^2*x^2*imag_part(cos_
integral(-2*b*x - 2*b*c/d))*tan(b*c/d) + 4*b^2*d^2*x^2*sin_integral(2*(b*d*
x + b*c)/d)*tan(b*c/d) + 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))
*tan(b*x)^2*tan(b*c/d) - 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d)
)*tan(b*x)^2*tan(b*c/d) + 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*tan(b*x
)^2*tan(b*c/d) + 8*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*tan(a

```

$$\begin{aligned}
&)*\tan(b*c/d) + 8*b^2*c*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a) \\
& *\tan(b*c/d) - 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2*t \\
& an(b*c/d) + 2*b^2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2*t \\
& an(b*c/d) - 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*\tan(a)^2*\tan(b*c/d) - \\
& 2*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 - 2*b^2*c \\
& *d*x*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d)^2 + 2*b^2*c^2*ima \\
& g_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 - 2*b^2*c^2*imag \\
& part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d)^2 + 4*b^2*c^2*sin_in \\
& tegral(2*(b*d*x + b*c)/d)*\tan(a)*\tan(b*c/d)^2 + 2*b*c*d*\tan(b*x)^2*\tan(a)*t \\
& an(b*c/d)^2 + 2*b*c*d*\tan(b*x)*\tan(a)^2*\tan(b*c/d)^2 + d^2*\tan(b*x)^2*\tan(a \\
&)^2*\tan(b*c/d)^2 + b^2*d^2*x^2*real_part(cos_integral(2*b*x + 2*b*c/d)) + b \\
& ^2*d^2*x^2*real_part(cos_integral(-2*b*x - 2*b*c/d)) + b^2*c^2*real_part(co \\
& s_integral(2*b*x + 2*b*c/d))*\tan(b*x)^2 + b^2*c^2*real_part(cos_integral(-2 \\
& *b*x - 2*b*c/d))*\tan(b*x)^2 - 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2* \\
& b*c/d))*\tan(a) + 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(\\
& a) - 8*b^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*\tan(a) + 2*b*d^2*x*\tan(b*x \\
&)^2*\tan(a) - b^2*c^2*real_part(cos_integral(2*b*x + 2*b*c/d))*\tan(a)^2 - b^ \\
& 2*c^2*real_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(a)^2 + 2*b*d^2*x*\tan(b* \\
& x)*\tan(a)^2 + 4*b^2*c*d*x*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/ \\
& d) - 4*b^2*c*d*x*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 8*b \\
& ^2*c*d*x*sin_integral(2*(b*d*x + b*c)/d)*\tan(b*c/d) + 4*b^2*c^2*real_part(c \\
& os_integral(2*b*x + 2*b*c/d))*\tan(a)*\tan(b*c/d) + 4*b^2*c^2*real_part(cos_i \\
& ntegral(-2*b*x - 2*b*c/d))*\tan(a)*\tan(b*c/d) - b^2*c^2*real_part(cos_integr \\
& al(2*b*x + 2*b*c/d))*\tan(b*c/d)^2 - b^2*c^2*real_part(cos_integral(-2*b*x - \\
& 2*b*c/d))*\tan(b*c/d)^2 - 2*b*d^2*x*\tan(b*x)*\tan(b*c/d)^2 - 2*b*d^2*x*\tan(a \\
&)*\tan(b*c/d)^2 + 2*b^2*c*d*x*real_part(cos_integral(2*b*x + 2*b*c/d)) + 2*b \\
& ^2*c*d*x*real_part(cos_integral(-2*b*x - 2*b*c/d)) - 2*b^2*c^2*imag_part(co \\
& s_integral(2*b*x + 2*b*c/d))*\tan(a) + 2*b^2*c^2*imag_part(cos_integral(-2*b \\
& *x - 2*b*c/d))*\tan(a) - 4*b^2*c^2*sin_integral(2*(b*d*x + b*c)/d)*\tan(a) + \\
& 2*b*c*d*\tan(b*x)^2*\tan(a) + 2*b*c*d*\tan(b*x)*\tan(a)^2 + d^2*\tan(b*x)^2*\tan(\\
& a)^2 + 2*b^2*c^2*imag_part(cos_integral(2*b*x + 2*b*c/d))*\tan(b*c/d) - 2*b^ \\
& 2*c^2*imag_part(cos_integral(-2*b*x - 2*b*c/d))*\tan(b*c/d) + 4*b^2*c^2*sin \\
& integral(2*(b*d*x + b*c)/d)*\tan(b*c/d) - 2*b*c*d*\tan(b*x)*\tan(b*c/d)^2 - 2* \\
& b*c*d*\tan(a)*\tan(b*c/d)^2 - 2*d^2*\tan(b*x)*\tan(a)*\tan(b*c/d)^2 + b^2*c^2*re \\
& al_part(cos_integral(2*b*x + 2*b*c/d)) + b^2*c^2*real_part(cos_integral(-2* \\
& b*x - 2*b*c/d)) - 2*b*d^2*x*\tan(b*x) - 2*b*d^2*x*\tan(a) - 2*b*c*d*\tan(b*x) \\
& - 2*b*c*d*\tan(a) - 2*d^2*\tan(b*x)*\tan(a) + d^2*\tan(b*c/d)^2 + d^2)/(d^5*x^2 \\
& *\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d \\
&)^2 + d^5*x^2*\tan(b*x)^2*\tan(a)^2 + d^5*x^2*\tan(b*x)^2*\tan(b*c/d)^2 + d^5*x \\
& ^2*\tan(a)^2*\tan(b*c/d)^2 + c^2*d^3*\tan(b*x)^2*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d \\
& ^4*x*\tan(b*x)^2*\tan(a)^2 + 2*c*d^4*x*\tan(b*x)^2*\tan(b*c/d)^2 + 2*c*d^4*x*t \\
& an(a)^2*\tan(b*c/d)^2 + d^5*x^2*\tan(b*x)^2 + d^5*x^2*\tan(a)^2 + c^2*d^3*\tan(b \\
& *x)^2*\tan(a)^2 + d^5*x^2*\tan(b*c/d)^2 + c^2*d^3*\tan(b*x)^2*\tan(b*c/d)^2 + c \\
& ^2*d^3*\tan(a)^2*\tan(b*c/d)^2 + 2*c*d^4*x*\tan(b*x)^2 + 2*c*d^4*x*\tan(a)^2 + \\
& 2*c*d^4*x*\tan(b*c/d)^2 + d^5*x^2 + c^2*d^3*\tan(b*x)^2 + c^2*d^3*\tan(a)^2 +
\end{aligned}$$

$$c^2 d^3 \tan(b c/d)^2 + 2 c d^4 x + c^2 d^3$$

maple [A] time = 0.02, size = 193, normalized size = 1.72

$$\frac{b^3 \left(\frac{\cos(2bx+2a)}{((bx+a)d-da+cb)^2 d} - \frac{2 \sin(2bx+2a)}{((bx+a)d-da+cb)d} + \frac{4 \operatorname{Si}\left(2bx+2a+\frac{-2da+2cb}{d}\right) \sin\left(\frac{-2da+2cb}{d}\right)}{d} + \frac{4 \operatorname{Ci}\left(2bx+2a+\frac{-2da+2cb}{d}\right) \cos\left(\frac{-2da+2cb}{d}\right)}{d} \right)}{4} - \frac{b^3}{4((bx+a)d-da+cb)^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^2/(d*x+c)^3,x)`

[Out] $\frac{1}{b} \left(\frac{1}{4} b^3 \frac{-\cos(2bx+2a)}{((bx+a)d-da+cb)^2/d} - \frac{-2\sin(2bx+2a)}{((bx+a)d-da+cb)/d} + 2 \frac{2 \operatorname{Si}\left(2bx+2a+\frac{-a*d+b*c}{d}\right) \sin\left(\frac{-a*d+b*c}{d}\right)}{d} + 2 \frac{\operatorname{Ci}\left(2bx+2a+\frac{-a*d+b*c}{d}\right) \cos\left(\frac{-a*d+b*c}{d}\right)}{d} - \frac{1}{4} b^3 \frac{1}{((bx+a)d-da+cb)^2/d} \right)$

maxima [C] time = 1.00, size = 206, normalized size = 1.84

$$\frac{16 b^3 \left(E_3 \left(\frac{2i bc+2i (bx+a)d-2i ad}{d} \right) + E_3 \left(-\frac{2i bc+2i (bx+a)d-2i ad}{d} \right) \right) \cos \left(-\frac{2(bc-ad)}{d} \right) - b^3 \left(16i E_3 \left(\frac{2i bc+2i (bx+a)d-2i ad}{d} \right) - 16i E_3 \left(-\frac{2i bc+2i (bx+a)d-2i ad}{d} \right) \right) \sin \left(-\frac{2(bc-ad)}{d} \right)}{64 \left(b^2 c^2 d - 2 abcd^2 + (bx+a)^2 d^3 + a^2 d^3 + 2 (bcd^2 - ad^3) (bx+a) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^2/(d*x+c)^3,x, algorithm="maxima")`

[Out] $-\frac{1}{64} \left(16 b^3 \left(\exp_{\text{integral}_e} \left(3, \frac{2I*bc + 2I*(bx+a)d - 2I*a*d}{d} \right) + \exp_{\text{integral}_e} \left(3, -\frac{2I*bc + 2I*(bx+a)d - 2I*a*d}{d} \right) \right) \cos \left(-\frac{2*(bc - a*d)}{d} \right) - b^3 \left(16I \exp_{\text{integral}_e} \left(3, \frac{2I*bc + 2I*(bx+a)d - 2I*a*d}{d} \right) - 16I \exp_{\text{integral}_e} \left(3, -\frac{2I*bc + 2I*(bx+a)d - 2I*a*d}{d} \right) \right) \sin \left(-\frac{2*(bc - a*d)}{d} \right) + \frac{16 b^3}{(b^2 c^2 d - 2 a b c d^2 + (b x + a)^2 d^3 + a^2 d^3 + 2 (b c d^2 - a d^3) (b x + a))} \right)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2/(c + d*x)^3,x)`

[Out] `int(cos(a + b*x)^2/(c + d*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**2/(d*x+c)**3,x)

[Out] Integral(cos(a + b*x)**2/(c + d*x)**3, x)

3.16 $\int (c + dx)^4 \cos^3(a + bx) dx$

Optimal. Leaf size=225

$$\frac{8d^4 \sin^3(a + bx)}{81b^5} + \frac{488d^4 \sin(a + bx)}{27b^5} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} - \frac{160d^3(c + dx) \cos(a + bx)}{9b^4} - \frac{80d^2(c + dx)^2 \sin(a + bx)}{9b^3}$$

[Out] $-160/9*d^3*(d*x+c)*\cos(b*x+a)/b^4+8/3*d*(d*x+c)^3*\cos(b*x+a)/b^2-8/27*d^3*(d*x+c)*\cos(b*x+a)^3/b^4+4/9*d*(d*x+c)^3*\cos(b*x+a)^3/b^2+488/27*d^4*\sin(b*x+a)/b^5-80/9*d^2*(d*x+c)^2*\sin(b*x+a)/b^3+2/3*(d*x+c)^4*\sin(b*x+a)/b-4/9*d^2*(d*x+c)^2*\cos(b*x+a)^2*\sin(b*x+a)/b^3+1/3*(d*x+c)^4*\cos(b*x+a)^2*\sin(b*x+a)/b-8/81*d^4*\sin(b*x+a)^3/b^5$

Rubi [A] time = 0.25, antiderivative size = 225, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 3296, 2637, 2633}

$$\frac{80d^2(c + dx)^2 \sin(a + bx)}{9b^3} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} - \frac{160d^3(c + dx) \cos(a + bx)}{9b^4} - \frac{4d^2(c + dx)^2 \sin(a + bx) \cos(a + bx)}{9b^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^4*\text{Cos}[a + b*x]^3, x]$

[Out] $(-160*d^3*(c + d*x)*\text{Cos}[a + b*x])/(9*b^4) + (8*d*(c + d*x)^3*\text{Cos}[a + b*x])/(3*b^2) - (8*d^3*(c + d*x)*\text{Cos}[a + b*x]^3)/(27*b^4) + (4*d*(c + d*x)^3*\text{Cos}[a + b*x]^3)/(9*b^2) + (488*d^4*\text{Sin}[a + b*x])/(27*b^5) - (80*d^2*(c + d*x)^2*\text{Sin}[a + b*x])/(9*b^3) + (2*(c + d*x)^4*\text{Sin}[a + b*x])/(3*b) - (4*d^2*(c + d*x)^2*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(9*b^3) + ((c + d*x)^4*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(3*b) - (8*d^4*\text{Sin}[a + b*x]^3)/(81*b^5)$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{(n-1)/2}, x], x], x, \text{Cos}[c + d*x]], x] /;$ $\text{FreeQ}\{c, d, x\}$ && $\text{IGtQ}[(n-1)/2, 0]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x]$

$e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 3311

$\text{Int}[(c + d*x)^m * (b * \sin[e + f*x])^n, x] \rightarrow \text{Simp}[(d^m * (c + d*x)^{m-1} * (b * \sin[e + f*x])^n) / (f^2 * n^2), x] + (\text{Dist}[(b^2 * (n-1)) / n, \text{Int}[(c + d*x)^m * (b * \sin[e + f*x])^{n-2}, x], x] - \text{Dist}[(d^2 * m * (m-1)) / (f^2 * n^2), \text{Int}[(c + d*x)^{m-2} * (b * \sin[e + f*x])^n, x], x] - \text{Simp}[(b * (c + d*x)^m * \cos[e + f*x] * (b * \sin[e + f*x])^{n-1}) / (f * n), x]) /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{GtQ}[m, 1]$

Rubi steps

$$\begin{aligned} \int (c + dx)^4 \cos^3(a + bx) dx &= \frac{4d(c + dx)^3 \cos^3(a + bx)}{9b^2} + \frac{(c + dx)^4 \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx)^4 \cos^2(a + bx) dx \\ &= -\frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} + \frac{4d(c + dx)^3 \cos^3(a + bx)}{9b^2} + \frac{2(c + dx)^4 \sin(a + bx)}{3b} - \frac{2}{3} \int (c + dx)^4 \cos(a + bx) dx \\ &= \frac{8d(c + dx)^3 \cos(a + bx)}{3b^2} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} + \frac{4d(c + dx)^3 \cos^3(a + bx)}{9b^2} - \frac{2}{3} \int (c + dx)^4 \cos(a + bx) dx \\ &= -\frac{16d^3(c + dx) \cos(a + bx)}{9b^4} + \frac{8d(c + dx)^3 \cos(a + bx)}{3b^2} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} + \frac{2}{3} \int (c + dx)^4 \cos(a + bx) dx \\ &= -\frac{160d^3(c + dx) \cos(a + bx)}{9b^4} + \frac{8d(c + dx)^3 \cos(a + bx)}{3b^2} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} + \frac{2}{3} \int (c + dx)^4 \cos(a + bx) dx \\ &= -\frac{160d^3(c + dx) \cos(a + bx)}{9b^4} + \frac{8d(c + dx)^3 \cos(a + bx)}{3b^2} - \frac{8d^3(c + dx) \cos^3(a + bx)}{27b^4} + \frac{2}{3} \int (c + dx)^4 \cos(a + bx) dx \end{aligned}$$

Mathematica [A] time = 0.99, size = 385, normalized size = 1.71

$$243b^4c^4 \sin(a + bx) + 27b^4c^4 \sin(3(a + bx)) + 972b^4c^3 dx \sin(a + bx) + 108b^4c^3 dx \sin(3(a + bx)) + 1458b^4c^2 d^2 x^2$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^4 * Cos[a + b*x]^3, x]

[Out] (972*b*d*(c + d*x)*(-6*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + 12*b*d*(c + d*x)*(-2*d^2 + 3*b^2*(c + d*x)^2)*Cos[3*(a + b*x)] + 243*b^4*c^4*Sin[a + b*x] - 2916*b^2*c^2*d^2*Sin[a + b*x] + 5832*d^4*Sin[a + b*x] + 972*b^4*c^3*d*x*Sin[a + b*x] - 5832*b^2*c*d^3*x*Sin[a + b*x] + 1458*b^4*c^2*d^2*x^2*Sin[a + b*x] - 2916*b^2*d^4*x^2*Sin[a + b*x] + 972*b^4*c*d^3*x^3*Sin[a + b*x] + 24

$$\frac{3b^4d^4x^4\sin[a+bx] + 27b^4c^4\sin[3(a+bx)] - 36b^2c^2d^2\sin[3(a+bx)] + 8d^4\sin[3(a+bx)] + 108b^4c^3d^3x\sin[3(a+bx)] - 72b^2c^3d^3x\sin[3(a+bx)] + 162b^4c^2d^2x^2\sin[3(a+bx)] - 36b^2d^4x^2\sin[3(a+bx)] + 108b^4c^3d^3x^3\sin[3(a+bx)] + 27b^4d^4x^4\sin[3(a+bx)]}{(324b^5)}$$

fricas [A] time = 0.88, size = 350, normalized size = 1.56

$$\frac{12(3b^3d^4x^3 + 9b^3cd^3x^2 + 3b^3c^3d - 2bcd^3 + (9b^3c^2d^2 - 2bd^4)x)\cos(bx+a)^3 + 72(3b^3d^4x^3 + 9b^3cd^3x^2 + 3b^3c^3d - 2bcd^3 + (9b^3c^2d^2 - 2bd^4)x)\cos(bx+a)^2 + 72(3b^3d^4x^3 + 9b^3cd^3x^2 + 3b^3c^3d - 2bcd^3 + (9b^3c^2d^2 - 2bd^4)x)\cos(bx+a) + 72(3b^3d^4x^3 + 9b^3cd^3x^2 + 3b^3c^3d - 2bcd^3 + (9b^3c^2d^2 - 2bd^4)x)\sin(bx+a)}{27b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{81}(12(3b^3d^4x^3 + 9b^3c^3d^3x^2 + 3b^3c^3d - 2b^3cd^3 + (9b^3c^2d^2 - 2b^3d^4)x)\cos(bx+a)^3 + 72(3b^3d^4x^3 + 9b^3c^3d^3x^2 + 3b^3c^3d - 20b^3cd^3 + (9b^3c^2d^2 - 20b^3d^4)x)\cos(bx+a)^2 + 54(3b^3d^4x^3 + 9b^3c^3d^3x^2 + 3b^3c^3d - 20b^3cd^3 + (9b^3c^2d^2 - 20b^3d^4)x)\cos(bx+a) + (54b^4d^4x^4 + 216b^4c^3d^3x^3 + 54b^4c^4 - 720b^2c^2d^2 + 1456b^4d^4 + 36(9b^4c^2d^2 - 20b^2d^4)x^2 + (27b^4d^4x^4 + 108b^4c^3d^3x^3 + 27b^4c^4 - 36b^2c^2d^2 + 8d^4 + 18(9b^4c^2d^2 - 2b^2d^4)x^2 + 36(3b^4c^3d - 2b^2c^3d)x)\cos(bx+a)^2 + 72(3b^4c^3d - 20b^2c^3d)x)\sin(bx+a))/b^5$

giac [A] time = 0.53, size = 351, normalized size = 1.56

$$\frac{(3b^3d^4x^3 + 9b^3cd^3x^2 + 9b^3c^2d^2x + 3b^3c^3d - 2bd^4x - 2bcd^3)\cos(3bx+3a)}{27b^5} + \frac{3(b^3d^4x^3 + 3b^3cd^3x^2 + 3b^3c^2d^2x + 3b^3c^3d - 2bd^4x - 2bcd^3)\cos(3bx+3a)}{27b^5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^4*cos(b*x+a)^3,x, algorithm="giac")

[Out] $\frac{1}{27}(3b^3d^4x^3 + 9b^3c^3d^3x^2 + 9b^3c^2d^2x + 3b^3c^3d - 2b^3cd^3 + (9b^3c^2d^2 - 2b^3d^4)x)\cos(3bx+3a)/b^5 + 3(b^3d^4x^3 + 3b^3c^3d^3x^2 + 3b^3c^2d^2x + b^3c^3d - 6b^3cd^3 - 6b^3c^3d)\cos(bx+a)/b^5 + \frac{1}{324}(27b^4d^4x^4 + 108b^4c^3d^3x^3 + 162b^4c^2d^2x^2 + 108b^4c^3d^3x + 27b^4c^4 - 36b^2d^4x^2 - 72b^2c^3d^3x - 36b^2c^2d^2 + 8d^4)\sin(3bx+3a)/b^5 + \frac{3}{4}(b^4d^4x^4 + 4b^4c^3d^3x^3 + 6b^4c^2d^2x^2 + 4b^4c^3d^3x + b^4c^4 - 12b^2d^4x^2 - 24b^2c^3d^3x - 12b^2c^2d^2 + 24d^4)\sin(bx+a)/b^5$

maple [B] time = 0.05, size = 1023, normalized size = 4.55

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^4*cos(b*x+a)^3,x)`

[Out] $\frac{1}{b} \left(\frac{1}{b^4} d^4 \left(\frac{1}{3} (b*x+a)^4 (2+\cos(b*x+a)^2) \sin(b*x+a) + 8/3 (b*x+a)^3 \cos(b*x+a) - 8 (b*x+a)^2 \sin(b*x+a) + 160/9 \sin(b*x+a) - 160/9 (b*x+a) \cos(b*x+a) + 4/9 (b*x+a)^3 \cos(b*x+a)^3 - 4/9 (b*x+a)^2 (2+\cos(b*x+a)^2) \sin(b*x+a) - 8/27 (b*x+a) \cos(b*x+a)^3 + 8/81 (2+\cos(b*x+a)^2) \sin(b*x+a) \right) - 4/b^4 a d^4 \left(\frac{1}{3} (b*x+a)^3 (2+\cos(b*x+a)^2) \sin(b*x+a) + 2 (b*x+a)^2 \cos(b*x+a) - 40/9 \cos(b*x+a) - 4 (b*x+a) \sin(b*x+a) + 1/3 (b*x+a)^2 \cos(b*x+a)^3 - 2/9 (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) - 2/27 \cos(b*x+a)^3 \right) + 6/b^4 a^2 d^4 \left(\frac{1}{3} (b*x+a)^2 (2+\cos(b*x+a)^2) \sin(b*x+a) + 2 (b*x+a) \cos(b*x+a) - 40/9 \cos(b*x+a) - 4 (b*x+a) \sin(b*x+a) + 1/3 (b*x+a)^2 \cos(b*x+a)^3 - 2/9 (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) - 2/27 \cos(b*x+a)^3 \right) + 6/b^4 a^2 c d^3 \left(\frac{1}{3} (b*x+a)^3 (2+\cos(b*x+a)^2) \sin(b*x+a) + 2 (b*x+a)^2 \cos(b*x+a) - 40/9 \cos(b*x+a) - 4 (b*x+a) \sin(b*x+a) + 1/3 (b*x+a)^2 \cos(b*x+a)^3 - 2/9 (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) - 2/27 \cos(b*x+a)^3 \right) + 6/b^4 a^2 c^2 d^2 \left(\frac{1}{3} (b*x+a)^2 (2+\cos(b*x+a)^2) \sin(b*x+a) - 4/3 \sin(b*x+a) + 4/3 (b*x+a) \cos(b*x+a) + 2/9 (b*x+a) \cos(b*x+a)^3 - 2/27 (2+\cos(b*x+a)^2) \sin(b*x+a) \right) + 6/b^4 a^2 c^2 d^2 \left(\frac{1}{3} (b*x+a)^2 (2+\cos(b*x+a)^2) \sin(b*x+a) - 4/3 \sin(b*x+a) + 4/3 (b*x+a) \cos(b*x+a) + 2/9 (b*x+a) \cos(b*x+a)^3 - 2/27 (2+\cos(b*x+a)^2) \sin(b*x+a) \right) - 4/b^4 a^3 d^4 \left(\frac{1}{3} (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) + 1/9 \cos(b*x+a)^3 + 2/3 \cos(b*x+a) \right) + 12/b^4 a^2 c d^3 \left(\frac{1}{3} (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) + 1/9 \cos(b*x+a)^3 + 2/3 \cos(b*x+a) \right) - 12/b^4 a^2 c^2 d^2 \left(\frac{1}{3} (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) + 1/9 \cos(b*x+a)^3 + 2/3 \cos(b*x+a) \right) + 4/b^4 c^3 d \left(\frac{1}{3} (b*x+a) (2+\cos(b*x+a)^2) \sin(b*x+a) + 1/9 \cos(b*x+a)^3 + 2/3 \cos(b*x+a) \right) + 1/3 b^4 a^4 d^4 \left(2+\cos(b*x+a)^2 \right) \sin(b*x+a) - 4/3 b^4 a^3 c d^3 \left(2+\cos(b*x+a)^2 \right) \sin(b*x+a) + 2/b^4 a^2 c^2 d^2 \left(2+\cos(b*x+a)^2 \right) \sin(b*x+a) - 4/3 b^4 a^3 c^3 d \left(2+\cos(b*x+a)^2 \right) \sin(b*x+a) + 1/3 c^4 \left(2+\cos(b*x+a)^2 \right) \sin(b*x+a) \right)$

maxima [B] time = 0.69, size = 925, normalized size = 4.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^4*cos(b*x+a)^3,x, algorithm="maxima")`

[Out] $-1/324 \left(108 (\sin(b*x+a)^3 - 3 \sin(b*x+a)) c^4 - 432 (\sin(b*x+a)^3 - 3 \sin(b*x+a)) a^3 c^3 d/b + 648 (\sin(b*x+a)^3 - 3 \sin(b*x+a)) a^2 c^2 d^2/b^2 - 432 (\sin(b*x+a)^3 - 3 \sin(b*x+a)) a^3 c d^3/b^3 + 108 (\sin(b*x+a)^3 - 3 \sin(b*x+a)) a^4 d^4/b^4 - 36 (3 (b*x+a) \sin(3*b*x+3*a) + 27 (b*x+a) \sin(b*x+a) + \cos(3*b*x+3*a) + 27 \cos(b*x+a)) c^3 d/b + 108 (3 (b*x+a) \sin(3*b*x+3*a) + 27 (b*x+a) \sin(b*x+a) + \cos(3*b*x+3*a) + 27 \cos(b*x+a)) a^2 c^2 d^2/b^2 - 108 (3 (b*x+a) \sin(3*b*x+3*a) + 27 (b*x+a) \sin(b*x+a) + \cos(3*b*x+3*a) + 27 \cos(b*x+a)) a^2 c d^3/b^3 + 36 (3 (b*x+a) \sin(3*b*x+3*a) + 27 (b*x+a) \sin(b*x+a) + \cos(3*b*x+3*a) + 27 \cos(b*x+a)) a^3 d^4/b^4 - 18 (6 (b*x+a) \cos(3*b*x+3*a) + 162 (b*x+a) \cos(b*x+a) + (9 (b*x+a)^2 - 2) \sin(3*b*x+3*a) + 81 (b*x+a)^2 - 2) \sin(b*x+a) \right) c^2 d^2/b^2 + 36 (6 (b*x+a) \cos(3*b*x+3*a)$

a) + 162*(b*x + a)*cos(b*x + a) + (9*(b*x + a)^2 - 2)*sin(3*b*x + 3*a) + 81*((b*x + a)^2 - 2)*sin(b*x + a))*a*c*d^3/b^3 - 18*(6*(b*x + a)*cos(3*b*x + 3*a) + 162*(b*x + a)*cos(b*x + a) + (9*(b*x + a)^2 - 2)*sin(3*b*x + 3*a) + 81*((b*x + a)^2 - 2)*sin(b*x + a))*a^2*d^4/b^4 - 12*((9*(b*x + a)^2 - 2)*cos(3*b*x + 3*a) + 243*((b*x + a)^2 - 2)*cos(b*x + a) + 3*(3*(b*x + a)^3 - 2*b*x - 2*a)*sin(3*b*x + 3*a) + 81*((b*x + a)^3 - 6*b*x - 6*a)*sin(b*x + a))*c*d^3/b^3 + 12*((9*(b*x + a)^2 - 2)*cos(3*b*x + 3*a) + 243*((b*x + a)^2 - 2)*cos(b*x + a) + 3*(3*(b*x + a)^3 - 2*b*x - 2*a)*sin(3*b*x + 3*a) + 81*((b*x + a)^3 - 6*b*x - 6*a)*sin(b*x + a))*a*d^4/b^4 - (12*(3*(b*x + a)^3 - 2*b*x - 2*a)*cos(3*b*x + 3*a) + 972*((b*x + a)^3 - 6*b*x - 6*a)*cos(b*x + a) + (27*(b*x + a)^4 - 36*(b*x + a)^2 + 8)*sin(3*b*x + 3*a) + 243*((b*x + a)^4 - 12*(b*x + a)^2 + 24)*sin(b*x + a))*d^4/b^4)/b

mupad [B] time = 1.14, size = 532, normalized size = 2.36

$$\frac{2 \sin(a + bx)^3 (27b^4c^4 - 360b^2c^2d^2 + 728d^4)}{81b^5} - \frac{4 \cos(a + bx)^3 (122cd^3 - 21b^2c^3d)}{27b^4} + \frac{\cos(a + bx)^2 \sin(a + bx)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x)^4,x)

[Out] (2*sin(a + b*x)^3*(728*d^4 + 27*b^4*c^4 - 360*b^2*c^2*d^2))/(81*b^5) - (4*cos(a + b*x)^3*(122*c*d^3 - 21*b^2*c^3*d))/(27*b^4) + (cos(a + b*x)^2*sin(a + b*x)*(488*d^4 + 27*b^4*c^4 - 252*b^2*c^2*d^2))/(27*b^5) - (8*cos(a + b*x)*sin(a + b*x)^2*(20*c*d^3 - 3*b^2*c^3*d))/(9*b^4) + (28*d^4*x^3*cos(a + b*x)^3)/(9*b^2) - (4*x*cos(a + b*x)^3*(122*d^4 - 63*b^2*c^2*d^2))/(27*b^4) + (2*d^4*x^4*sin(a + b*x)^3)/(3*b) - (8*x*sin(a + b*x)^3*(20*c*d^3 - 3*b^2*c^3*d))/(9*b^3) - (4*x^2*sin(a + b*x)^3*(20*d^4 - 9*b^2*c^2*d^2))/(9*b^3) - (2*x^2*cos(a + b*x)^2*sin(a + b*x)*(14*d^4 - 9*b^2*c^2*d^2))/(3*b^3) + (28*c*d^3*x^2*cos(a + b*x)^3)/(3*b^2) + (d^4*x^4*cos(a + b*x)^2*sin(a + b*x))/b + (8*d^4*x^3*cos(a + b*x)*sin(a + b*x)^2)/(3*b^2) + (8*c*d^3*x^3*sin(a + b*x)^3)/(3*b) - (8*x*cos(a + b*x)*sin(a + b*x)^2*(20*d^4 - 9*b^2*c^2*d^2))/(9*b^4) - (4*x*cos(a + b*x)^2*sin(a + b*x)*(14*c*d^3 - 3*b^2*c^3*d))/(3*b^3) + (4*c*d^3*x^3*cos(a + b*x)^2*sin(a + b*x))/b + (8*c*d^3*x^2*cos(a + b*x)*sin(a + b*x)^2)/b^2

sympy [A] time = 7.88, size = 772, normalized size = 3.43

$$\left\{ \begin{array}{l} \frac{2c^4 \sin^3(a+bx)}{3b} + \frac{c^4 \sin(a+bx) \cos^2(a+bx)}{b} + \frac{8c^3 dx \sin^3(a+bx)}{3b} + \frac{4c^3 dx \sin(a+bx) \cos^2(a+bx)}{b} + \frac{4c^2 d^2 x^2 \sin^3(a+bx)}{b} + \frac{6c^2 d^2 x^2 \sin(a+bx)}{b} \\ \left(c^4 x + 2c^3 dx^2 + 2c^2 d^2 x^3 + cd^3 x^4 + \frac{d^4 x^5}{5} \right) \cos^3(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**4*cos(b*x+a)**3,x)

[Out] Piecewise((2*c**4*sin(a + b*x)**3/(3*b) + c**4*sin(a + b*x)*cos(a + b*x)**2/b + 8*c**3*d*x*sin(a + b*x)**3/(3*b) + 4*c**3*d*x*sin(a + b*x)*cos(a + b*x)**2/b + 4*c**2*d**2*x**2*sin(a + b*x)**3/b + 6*c**2*d**2*x**2*sin(a + b*x)*cos(a + b*x)**2/b + 8*c*d**3*x**3*sin(a + b*x)**3/(3*b) + 4*c*d**3*x**3*sin(a + b*x)*cos(a + b*x)**2/b + 2*d**4*x**4*sin(a + b*x)**3/(3*b) + d**4*x**4*sin(a + b*x)*cos(a + b*x)**2/b + 8*c**3*d*sin(a + b*x)**2*cos(a + b*x)/(3*b**2) + 28*c**3*d*cos(a + b*x)**3/(9*b**2) + 8*c**2*d**2*x*sin(a + b*x)**2*cos(a + b*x)/b**2 + 28*c**2*d**2*x*cos(a + b*x)**3/(3*b**2) + 8*c*d**3*x**2*sin(a + b*x)**2*cos(a + b*x)/b**2 + 28*c*d**3*x**2*cos(a + b*x)**3/(3*b**2) + 8*d**4*x**3*sin(a + b*x)**2*cos(a + b*x)/(3*b**2) + 28*d**4*x**3*cos(a + b*x)**3/(9*b**2) - 80*c**2*d**2*sin(a + b*x)**3/(9*b**3) - 28*c**2*d**2*sin(a + b*x)*cos(a + b*x)**2/(3*b**3) - 160*c*d**3*x*sin(a + b*x)**3/(9*b**3) - 56*c*d**3*x*sin(a + b*x)*cos(a + b*x)**2/(3*b**3) - 80*d**4*x**2*sin(a + b*x)**3/(9*b**3) - 28*d**4*x**2*sin(a + b*x)*cos(a + b*x)**2/(3*b**3) - 160*c*d**3*sin(a + b*x)**2*cos(a + b*x)/(9*b**4) - 488*c*d**3*cos(a + b*x)**3/(27*b**4) - 160*d**4*x*sin(a + b*x)**2*cos(a + b*x)/(9*b**4) - 488*d**4*x*cos(a + b*x)**3/(27*b**4) + 1456*d**4*sin(a + b*x)**3/(81*b**5) + 488*d**4*sin(a + b*x)*cos(a + b*x)**2/(27*b**5), Ne(b, 0)), ((c**4*x + 2*c**3*d*x**2 + 2*c**2*d**2*x**3 + c*d**3*x**4 + d**4*x**5/5)*cos(a)**3, True))

3.17 $\int (c + dx)^3 \cos^3(a + bx) dx$

Optimal. Leaf size=175

$$\frac{2d^3 \cos^3(a + bx)}{27b^4} - \frac{40d^3 \cos(a + bx)}{9b^4} - \frac{40d^2(c + dx) \sin(a + bx)}{9b^3} - \frac{2d^2(c + dx) \sin(a + bx) \cos^2(a + bx)}{9b^3} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} + \frac{2d(c + dx) \cos^2(a + bx)}{b^2}$$

[Out] $-40/9*d^3*\cos(b*x+a)/b^4+2*d*(d*x+c)^2*\cos(b*x+a)/b^2-2/27*d^3*\cos(b*x+a)^3/b^4+1/3*d*(d*x+c)^2*\cos(b*x+a)^3/b^2-40/9*d^2*(d*x+c)*\sin(b*x+a)/b^3+2/3*(d*x+c)^3*\sin(b*x+a)/b-2/9*d^2*(d*x+c)*\cos(b*x+a)^2*\sin(b*x+a)/b^3+1/3*(d*x+c)^3*\cos(b*x+a)^2*\sin(b*x+a)/b$

Rubi [A] time = 0.16, antiderivative size = 175, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 3296, 2638, 3310}

$$\frac{40d^2(c + dx) \sin(a + bx)}{9b^3} - \frac{2d^2(c + dx) \sin(a + bx) \cos^2(a + bx)}{9b^3} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} + \frac{2d(c + dx) \cos^2(a + bx)}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^3*Cos[a + b*x]^3,x]

[Out] $(-40*d^3*\cos[a + b*x])/(9*b^4) + (2*d*(c + d*x)^2*\cos[a + b*x])/b^2 - (2*d^3*\cos[a + b*x]^3)/(27*b^4) + (d*(c + d*x)^2*\cos[a + b*x]^3)/(3*b^2) - (40*d^2*(c + d*x)*\sin[a + b*x])/(9*b^3) + (2*(c + d*x)^3*\sin[a + b*x])/(3*b) - (2*d^2*(c + d*x)*\cos[a + b*x]^2*\sin[a + b*x])/(9*b^3) + ((c + d*x)^3*\cos[a + b*x]^2*\sin[a + b*x])/(3*b)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3310

Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

]

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:= Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(
d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 \cos^3(a + bx) dx &= \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} + \frac{(c + dx)^3 \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx)^3 \cos(a + bx) dx \\
&= -\frac{2d^3 \cos^3(a + bx)}{27b^4} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} + \frac{2(c + dx)^3 \sin(a + bx)}{3b} - \frac{2d^2(c + dx) \cos^3(a + bx)}{3b^2} \\
&= \frac{2d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{2d^3 \cos^3(a + bx)}{27b^4} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} - \frac{4d^2(c + dx) \cos^3(a + bx)}{3b^2} \\
&= -\frac{4d^3 \cos(a + bx)}{9b^4} + \frac{2d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{2d^3 \cos^3(a + bx)}{27b^4} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2} \\
&= -\frac{40d^3 \cos(a + bx)}{9b^4} + \frac{2d(c + dx)^2 \cos(a + bx)}{b^2} - \frac{2d^3 \cos^3(a + bx)}{27b^4} + \frac{d(c + dx)^2 \cos^3(a + bx)}{3b^2}
\end{aligned}$$

Mathematica [A] time = 0.96, size = 121, normalized size = 0.69

$$\frac{243d \cos(a + bx) (b^2(c + dx)^2 - 2d^2) + d \cos(3(a + bx)) (9b^2(c + dx)^2 - 2d^2) + 6b(c + dx) \sin(a + bx) (\cos(2(a + bx)) - 1)}{108b^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^3*Cos[a + b*x]^3,x]
```

```
[Out] (243*d*(-2*d^2 + b^2*(c + d*x)^2)*Cos[a + b*x] + d*(-2*d^2 + 9*b^2*(c + d*x)
)^2)*Cos[3*(a + b*x)] + 6*b*(c + d*x)*(-82*d^2 + 15*b^2*(c + d*x)^2 + (-2*d
^2 + 3*b^2*(c + d*x)^2)*Cos[2*(a + b*x)])*Sin[a + b*x])/(108*b^4)
```

fricas [A] time = 0.70, size = 227, normalized size = 1.30

$$\frac{(9b^2d^3x^2 + 18b^2cd^2x + 9b^2c^2d - 2d^3) \cos(bx + a)^3 + 6(9b^2d^3x^2 + 18b^2cd^2x + 9b^2c^2d - 20d^3) \cos(bx + a) + 6b(c + dx) \sin(a + bx) (\cos(2(a + bx)) - 1)}{108b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{27} * ((9*b^2*d^3*x^2 + 18*b^2*c*d^2*x + 9*b^2*c^2*d - 2*d^3) * \cos(b*x + a)^3 + 6*(9*b^2*d^3*x^2 + 18*b^2*c*d^2*x + 9*b^2*c^2*d - 20*d^3) * \cos(b*x + a) + 3*(6*b^3*d^3*x^3 + 18*b^3*c*d^2*x^2 + 6*b^3*c^3 - 40*b*c*d^2 + (3*b^3*d^3*x^3 + 9*b^3*c*d^2*x^2 + 3*b^3*c^3 - 2*b*c*d^2 + (9*b^3*c^2*d - 2*b*d^3)*x) * \cos(b*x + a)^2 + 2*(9*b^3*c^2*d - 20*b*d^3)*x) * \sin(b*x + a)) / b^4$

giac [A] time = 0.42, size = 231, normalized size = 1.32

$$\frac{(9b^2d^3x^2 + 18b^2cd^2x + 9b^2c^2d - 2d^3) \cos(3bx + 3a)}{108b^4} + \frac{9(b^2d^3x^2 + 2b^2cd^2x + b^2c^2d - 2d^3) \cos(bx + a)}{4b^4} + \frac{(3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 40b^3cd^2 + (3b^3d^3x^3 + 9b^3cd^2x^2 + 3b^3c^3 - 2b^3cd^2 + (9b^3c^2d - 2bd^3)x) \cos(bx + a)^2 + 2(9b^3c^2d - 20bd^3)x) \sin(bx + a)}{27b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^3,x, algorithm="giac")

[Out] $\frac{1}{108} * (9*b^2*d^3*x^2 + 18*b^2*c*d^2*x + 9*b^2*c^2*d - 2*d^3) * \cos(3*b*x + 3*a) / b^4 + \frac{9}{4} * (b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d - 2*d^3) * \cos(b*x + a) / b^4 + \frac{1}{36} * (3*b^3*d^3*x^3 + 9*b^3*c*d^2*x^2 + 9*b^3*c^2*d*x + 3*b^3*c^3 - 2*b*d^3*x - 2*b*c*d^2) * \sin(3*b*x + 3*a) / b^4 + \frac{3}{4} * (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3 - 6*b*d^3*x - 6*b*c*d^2) * \sin(b*x + a) / b^4$

maple [B] time = 0.03, size = 560, normalized size = 3.20

$$\frac{d^3 \left(\frac{(bx+a)^3 (2+\cos^2(bx+a)) \sin(bx+a)}{3} + 2(bx+a)^2 \cos(bx+a) - \frac{40 \cos(bx+a)}{9} - 4(bx+a) \sin(bx+a) + \frac{(bx+a)^2 (\cos^3(bx+a))}{3} - \frac{2(bx+a) (2+\cos^2(bx+a)) \sin(bx+a)}{9} - \frac{2(\cos^3(bx+a))}{27} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*cos(b*x+a)^3,x)

[Out] $\frac{1}{b} * (\frac{1}{b^3} * d^3 * (\frac{1}{3} * (b*x+a)^3 * (2+\cos(b*x+a)^2) * \sin(b*x+a) + 2 * (b*x+a)^2 * \cos(b*x+a) - \frac{40}{9} * \cos(b*x+a) - 4 * (b*x+a) * \sin(b*x+a) + \frac{1}{3} * (b*x+a)^2 * \cos(b*x+a)^3 - \frac{2}{9} * (b*x+a) * (2+\cos(b*x+a)^2) * \sin(b*x+a) - \frac{2}{27} * \cos(b*x+a)^3 - \frac{3}{b^3} * a * d^3 * (\frac{1}{3} * (b*x+a)^2 * (2+\cos(b*x+a)^2) * \sin(b*x+a) - \frac{4}{3} * \sin(b*x+a) + \frac{4}{3} * (b*x+a) * \cos(b*x+a) + \frac{2}{9} * (b*x+a) * \cos(b*x+a)^3 - \frac{2}{27} * (2+\cos(b*x+a)^2) * \sin(b*x+a)) + \frac{3}{b^2} * c * d^2 * (\frac{1}{3} * (b*x+a)^2 * (2+\cos(b*x+a)^2) * \sin(b*x+a) - \frac{4}{3} * \sin(b*x+a) + \frac{4}{3} * (b*x+a) * \cos(b*x+a) + \frac{2}{9} * (b*x+a) * \cos(b*x+a)^3 - \frac{2}{27} * (2+\cos(b*x+a)^2) * \sin(b*x+a)) + \frac{3}{b^3} * a^2 * d^3 * (\frac{1}{3} * (b*x+a) * (2+\cos(b*x+a)^2) * \sin(b*x+a) + \frac{1}{9} * \cos(b*x+a)^3 + \frac{2}{3} * \cos(b*x+a)) - \frac{6}{b^2} * a * c * d^2 * (\frac{1}{3} * (b*x+a) * (2+\cos(b*x+a)^2) * \sin(b*x+a) + \frac{1}{9} * \cos(b*x+a)^3 + \frac{2}{3} * \cos(b*x+a)) + \frac{3}{b} * c^2 * d * (\frac{1}{3} * (b*x+a) * (2+\cos(b*x+a)^2) * \sin(b*x+a) + \frac{1}{9} * \cos(b*x+a)^3 + \frac{2}{3} * \cos(b*x+a)) - \frac{1}{3} * \frac{1}{b^3} * a^3 * d^3 * (2+\cos(b*x+a)^2) * \sin(b*x+a) + \frac{1}{b^2} * a^2 * c * d$

$$\frac{1}{3}c^3(2+\cos(bx+a))^2\sin(bx+a) - \frac{1}{b}ac^2d(2+\cos(bx+a))^2\sin(bx+a) + \frac{1}{3}c^3(2+\cos(bx+a))^2\sin(bx+a)$$

maxima [B] time = 0.56, size = 535, normalized size = 3.06

$$\frac{36(\sin(bx+a)^3 - 3\sin(bx+a))c^3 - \frac{108(\sin(bx+a)^3 - 3\sin(bx+a))ac^2d}{b} + \frac{108(\sin(bx+a)^3 - 3\sin(bx+a))a^2cd^2}{b^2} - \frac{36(\sin(bx+a)^3 - 3\sin(bx+a))d^3}{b^3}}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*cos(b*x+a)^3,x, algorithm="maxima")

[Out]
$$\begin{aligned} & -1/108*(36*(\sin(b*x + a)^3 - 3*\sin(b*x + a))*c^3 - 108*(\sin(b*x + a)^3 - 3* \\ & \sin(b*x + a))*a*c^2*d/b + 108*(\sin(b*x + a)^3 - 3*\sin(b*x + a))*a^2*c*d^2/b \\ & ^2 - 36*(\sin(b*x + a)^3 - 3*\sin(b*x + a))*a^3*d^3/b^3 - 9*(3*(b*x + a)*\sin(\\ & 3*b*x + 3*a) + 27*(b*x + a)*\sin(b*x + a) + \cos(3*b*x + 3*a) + 27*\cos(b*x + \\ & a))*c^2*d/b + 18*(3*(b*x + a)*\sin(3*b*x + 3*a) + 27*(b*x + a)*\sin(b*x + a) \\ & + \cos(3*b*x + 3*a) + 27*\cos(b*x + a))*a*c*d^2/b^2 - 9*(3*(b*x + a)*\sin(3*b* \\ & x + 3*a) + 27*(b*x + a)*\sin(b*x + a) + \cos(3*b*x + 3*a) + 27*\cos(b*x + a))* \\ & a^2*d^3/b^3 - 3*(6*(b*x + a)*\cos(3*b*x + 3*a) + 162*(b*x + a)*\cos(b*x + a) \\ & + (9*(b*x + a)^2 - 2)*\sin(3*b*x + 3*a) + 81*((b*x + a)^2 - 2)*\sin(b*x + a)) \\ & *c*d^2/b^2 + 3*(6*(b*x + a)*\cos(3*b*x + 3*a) + 162*(b*x + a)*\cos(b*x + a) + \\ & (9*(b*x + a)^2 - 2)*\sin(3*b*x + 3*a) + 81*((b*x + a)^2 - 2)*\sin(b*x + a))* \\ & a*d^3/b^3 - ((9*(b*x + a)^2 - 2)*\cos(3*b*x + 3*a) + 243*((b*x + a)^2 - 2)*\cos \\ & (b*x + a) + 3*(3*(b*x + a)^3 - 2*b*x - 2*a)*\sin(3*b*x + 3*a) + 81*((b*x + a)^3 - \\ & 6*b*x - 6*a)*\sin(b*x + a))*d^3/b^3)/b \end{aligned}$$

muPAD [B] time = 0.72, size = 364, normalized size = 2.08

$$\frac{7d^3x^2\cos(a+bx)^3}{3b^2} - \frac{2\sin(a+bx)^3(20cd^2-3b^2c^3)}{9b^3} - \frac{\cos(a+bx)^2\sin(a+bx)(14cd^2-3b^2c^3)}{3b^3} - \frac{2\cos(a+bx)\sin(a+bx)^2(20d^3-9b^2c^2d)}{9b^4} - \frac{2x\sin(a+bx)^3(20d^3-9b^2c^2d)}{9b^3} - \frac{\cos(a+bx)^3(122d^3-63b^2c^2d)}{27b^4} + \frac{2d^3x^3\sin(a+bx)^3}{3b} + \frac{14cd^2x\cos(a+bx)^3}{3b^2} - \frac{x\cos(a+bx)^2\sin(a+bx)(14d^3-9b^2c^2d)}{3b^3} + \frac{d^3x^3\cos(a+bx)^2\sin(a+bx)}{b} + \frac{2d^3x^2\cos(a+bx)\sin(a+bx)^2}{b^2} + \frac{2cd^2x^2\sin(a+bx)^3}{b} + \frac{3cd^2x^2\cos(a+bx)^2\sin(a+bx)}{b} + \frac{4cd^2x\cos(a+bx)\sin(a+bx)^2}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x)^3,x)

[Out]
$$\begin{aligned} & (7*d^3*x^2*\cos(a + b*x)^3)/(3*b^2) - (2*\sin(a + b*x)^3*(20*c*d^2 - 3*b^2*c^3))/ \\ & (9*b^3) - (\cos(a + b*x)^2*\sin(a + b*x)*(14*c*d^2 - 3*b^2*c^3))/(3*b^3) \\ & - (2*\cos(a + b*x)*\sin(a + b*x)^2*(20*d^3 - 9*b^2*c^2*d))/(9*b^4) - (2*x*\sin \\ & (a + b*x)^3*(20*d^3 - 9*b^2*c^2*d))/(9*b^3) - (\cos(a + b*x)^3*(122*d^3 - 63 \\ & *b^2*c^2*d))/(27*b^4) + (2*d^3*x^3*\sin(a + b*x)^3)/(3*b) + (14*c*d^2*x*\cos(\\ & a + b*x)^3)/(3*b^2) - (x*\cos(a + b*x)^2*\sin(a + b*x)*(14*d^3 - 9*b^2*c^2*d)) \\ &)/(3*b^3) + (d^3*x^3*\cos(a + b*x)^2*\sin(a + b*x))/b + (2*d^3*x^2*\cos(a + b* \\ & x)*\sin(a + b*x)^2)/b^2 + (2*c*d^2*x^2*\sin(a + b*x)^3)/b + (3*c*d^2*x^2*\cos(\\ & a + b*x)^2*\sin(a + b*x))/b + (4*c*d^2*x*\cos(a + b*x)*\sin(a + b*x)^2)/b^2 \end{aligned}$$

sympy [A] time = 4.19, size = 495, normalized size = 2.83

$$\left\{ \begin{array}{l} \frac{2c^3 \sin^3(a+bx)}{3b} + \frac{c^3 \sin(a+bx) \cos^2(a+bx)}{b} + \frac{2c^2 dx \sin^3(a+bx)}{b} + \frac{3c^2 dx \sin(a+bx) \cos^2(a+bx)}{b} + \frac{2cd^2 x^2 \sin^3(a+bx)}{b} + \frac{3cd^2 x^2 \sin(a+bx) \cos^2(a+bx)}{b} \\ \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \cos^3(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*cos(b*x+a)**3,x)

[Out] Piecewise((2*c**3*sin(a + b*x)**3/(3*b) + c**3*sin(a + b*x)*cos(a + b*x)**2/b + 2*c**2*d*x*sin(a + b*x)**3/b + 3*c**2*d*x*sin(a + b*x)*cos(a + b*x)**2/b + 2*c*d**2*x**2*sin(a + b*x)**3/b + 3*c*d**2*x**2*sin(a + b*x)*cos(a + b*x)**2/b + 2*d**3*x**3*sin(a + b*x)**3/(3*b) + d**3*x**3*sin(a + b*x)*cos(a + b*x)**2/b + 2*c**2*d*sin(a + b*x)**2*cos(a + b*x)/b**2 + 7*c**2*d*cos(a + b*x)**3/(3*b**2) + 4*c*d**2*x*sin(a + b*x)**2*cos(a + b*x)/b**2 + 14*c*d**2*x*cos(a + b*x)**3/(3*b**2) + 2*d**3*x**2*sin(a + b*x)**2*cos(a + b*x)/b**2 + 7*d**3*x**2*cos(a + b*x)**3/(3*b**2) - 40*c*d**2*sin(a + b*x)**3/(9*b**3) - 14*c*d**2*sin(a + b*x)*cos(a + b*x)**2/(3*b**3) - 40*d**3*x*sin(a + b*x)**3/(9*b**3) - 14*d**3*x*sin(a + b*x)*cos(a + b*x)**2/(3*b**3) - 40*d**3*sin(a + b*x)**2*cos(a + b*x)/(9*b**4) - 122*d**3*cos(a + b*x)**3/(27*b**4), Ne(b, 0)), ((c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4)*cos(a)**3, True))

3.18 $\int (c + dx)^2 \cos^3(a + bx) dx$

Optimal. Leaf size=123

$$\frac{2d^2 \sin^3(a + bx)}{27b^3} - \frac{14d^2 \sin(a + bx)}{9b^3} + \frac{2d(c + dx) \cos^3(a + bx)}{9b^2} + \frac{4d(c + dx) \cos(a + bx)}{3b^2} + \frac{2(c + dx)^2 \sin(a + bx)}{3b} + (c + dx)^2 \cos(a + bx)$$

[Out] $4/3*d*(d*x+c)*\cos(b*x+a)/b^2+2/9*d*(d*x+c)*\cos(b*x+a)^3/b^2-14/9*d^2*\sin(b*x+a)/b^3+2/3*(d*x+c)^2*\sin(b*x+a)/b+1/3*(d*x+c)^2*\cos(b*x+a)^2*\sin(b*x+a)/b+2/27*d^2*\sin(b*x+a)^3/b^3$

Rubi [A] time = 0.10, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 3296, 2637, 2633}

$$\frac{2d(c + dx) \cos^3(a + bx)}{9b^2} + \frac{4d(c + dx) \cos(a + bx)}{3b^2} + \frac{2d^2 \sin^3(a + bx)}{27b^3} - \frac{14d^2 \sin(a + bx)}{9b^3} + \frac{2(c + dx)^2 \sin(a + bx)}{3b} + (c + dx)^2 \cos(a + bx)$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x)^2*Cos[a + b*x]^3,x]`

[Out] $(4*d*(c + d*x)*\text{Cos}[a + b*x])/(3*b^2) + (2*d*(c + d*x)*\text{Cos}[a + b*x]^3)/(9*b^2) - (14*d^2*\text{Sin}[a + b*x])/(9*b^3) + (2*(c + d*x)^2*\text{Sin}[a + b*x])/(3*b) + ((c + d*x)^2*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(3*b) + (2*d^2*\text{Sin}[a + b*x]^3)/(27*b^3)$

Rule 2633

`Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]`

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \cos^3(a + bx) dx &= \frac{2d(c + dx) \cos^3(a + bx)}{9b^2} + \frac{(c + dx)^2 \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx)^2 \cos(a + bx) dx \\ &= \frac{2d(c + dx) \cos^3(a + bx)}{9b^2} + \frac{2(c + dx)^2 \sin(a + bx)}{3b} + \frac{(c + dx)^2 \cos^2(a + bx) \sin(a + bx)}{3b} \\ &= \frac{4d(c + dx) \cos(a + bx)}{3b^2} + \frac{2d(c + dx) \cos^3(a + bx)}{9b^2} - \frac{2d^2 \sin(a + bx)}{9b^3} + \frac{2(c + dx)^2 \sin(a + bx)}{3b} \\ &= \frac{4d(c + dx) \cos(a + bx)}{3b^2} + \frac{2d(c + dx) \cos^3(a + bx)}{9b^2} - \frac{14d^2 \sin(a + bx)}{9b^3} + \frac{2(c + dx)^2 \sin(a + bx)}{3b} \end{aligned}$$

Mathematica [A] time = 0.62, size = 93, normalized size = 0.76

$$\frac{2 \sin(a + bx) (\cos(2(a + bx)) (9b^2(c + dx)^2 - 2d^2) + 45b^2(c + dx)^2 - 82d^2) + 162bd(c + dx) \cos(a + bx) + 6bd(c + dx)^2 \sin(a + bx)}{108b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2*Cos[a + b*x]^3,x]
```

```
[Out] (162*b*d*(c + d*x)*Cos[a + b*x] + 6*b*d*(c + d*x)*Cos[3*(a + b*x)] + 2*(-82*d^2 + 45*b^2*(c + d*x)^2 + (-2*d^2 + 9*b^2*(c + d*x)^2)*Cos[2*(a + b*x)])*Sin[a + b*x]/(108*b^3)
```

fricas [A] time = 0.72, size = 128, normalized size = 1.04

$$\frac{6(bd^2x + bcd) \cos(bx + a)^3 + 36(bd^2x + bcd) \cos(bx + a) + (18b^2d^2x^2 + 36b^2cdx + 18b^2c^2 + (9b^2d^2x^2 + 18b^2cdx + 9b^2c^2 - 2d^2) \cos(bx + a)^2 - 40d^2) \sin(bx + a)}{27b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^2*cos(b*x+a)^3,x, algorithm="fricas")
```

```
[Out] 1/27*(6*(b*d^2*x + b*c*d)*cos(b*x + a)^3 + 36*(b*d^2*x + b*c*d)*cos(b*x + a) + (18*b^2*d^2*x^2 + 36*b^2*c*d*x + 18*b^2*c^2 + (9*b^2*d^2*x^2 + 18*b^2*c*d*x + 9*b^2*c^2 - 2*d^2)*cos(b*x + a)^2 - 40*d^2)*sin(b*x + a)/b^3
```

giac [A] time = 0.45, size = 137, normalized size = 1.11

$$\frac{(bd^2x + bcd) \cos(3bx + 3a)}{18b^3} + \frac{3(bd^2x + bcd) \cos(bx + a)}{2b^3} + \frac{(9b^2d^2x^2 + 18b^2cdx + 9b^2c^2 - 2d^2) \sin(3bx + 3a)}{108b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a)^3,x, algorithm="giac")

[Out] 1/18*(b*d^2*x + b*c*d)*cos(3*b*x + 3*a)/b^3 + 3/2*(b*d^2*x + b*c*d)*cos(b*x + a)/b^3 + 1/108*(9*b^2*d^2*x^2 + 18*b^2*c*d*x + 9*b^2*c^2 - 2*d^2)*sin(3*b*x + 3*a)/b^3 + 3/4*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2 - 2*d^2)*sin(b*x + a)/b^3

maple [B] time = 0.03, size = 265, normalized size = 2.15

$$\frac{d^2 \left(\frac{(bx+a)^2(2+\cos^2(bx+a))\sin(bx+a)}{3} - \frac{4\sin(bx+a)}{3} + \frac{4(bx+a)\cos(bx+a)}{3} + \frac{2(bx+a)(\cos^3(bx+a))}{9} - \frac{2(2+\cos^2(bx+a))\sin(bx+a)}{27} \right)}{b^2} - \frac{2ad^2 \left(\frac{(bx+a)(2+\cos^2(bx+a))\sin(bx+a)}{3} + \frac{(\cos^3(bx+a))}{9} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*cos(b*x+a)^3,x)

[Out] 1/b*(1/b^2*d^2*(1/3*(b*x+a)^2*(2+cos(b*x+a)^2)*sin(b*x+a)-4/3*sin(b*x+a)+4/3*(b*x+a)*cos(b*x+a)+2/9*(b*x+a)*cos(b*x+a)^3-2/27*(2+cos(b*x+a)^2)*sin(b*x+a))-2/b^2*a*d^2*(1/3*(b*x+a)*(2+cos(b*x+a)^2)*sin(b*x+a)+1/9*cos(b*x+a)^3+2/3*cos(b*x+a))+2/b*c*d*(1/3*(b*x+a)*(2+cos(b*x+a)^2)*sin(b*x+a)+1/9*cos(b*x+a)^3+2/3*cos(b*x+a))+1/3/b^2*a^2*d^2*(2+cos(b*x+a)^2)*sin(b*x+a)-2/3/b*a*c*d*(2+cos(b*x+a)^2)*sin(b*x+a)+1/3*c^2*(2+cos(b*x+a)^2)*sin(b*x+a))

maxima [B] time = 0.38, size = 267, normalized size = 2.17

$$\frac{36(\sin(bx+a)^3 - 3\sin(bx+a))c^2 - \frac{72(\sin(bx+a)^3 - 3\sin(bx+a))acd}{b} + \frac{36(\sin(bx+a)^3 - 3\sin(bx+a))a^2d^2}{b^2} - \frac{6(3(bx+a)\sin(3bx+3a))}{b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*cos(b*x+a)^3,x, algorithm="maxima")

[Out] -1/108*(36*(sin(b*x + a)^3 - 3*sin(b*x + a))*c^2 - 72*(sin(b*x + a)^3 - 3*sin(b*x + a))*a*c*d/b + 36*(sin(b*x + a)^3 - 3*sin(b*x + a))*a^2*d^2/b^2 - 6*(3*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*c*d/b + 6*(3*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*a*d^2/b^2 - (6*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*a*d^2/b^2 - (6*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*a*d^2/b^2 - (6*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*a*d^2/b^2 - (6*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*a*d^2/b^2

a)*cos(3*b*x + 3*a) + 162*(b*x + a)*cos(b*x + a) + (9*(b*x + a)^2 - 2)*sin(3*b*x + 3*a) + 81*((b*x + a)^2 - 2)*sin(b*x + a))*d^2/b^2)/b

mupad [B] time = 0.59, size = 173, normalized size = 1.41

$$\frac{\frac{d^2 x \cos(3a+3bx)}{18} + \frac{3cd \cos(a+bx)}{2} + \frac{cd \cos(3a+3bx)}{18} + \frac{3d^2 x \cos(a+bx)}{2} + \frac{3c^2 \sin(a+bx)}{4} + \frac{c^2 \sin(3a+3bx)}{12} + \frac{3d^2 x^2 \sin(a+bx)}{4} + \dots}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x)^2,x)

[Out] ((d^2*x*cos(3*a + 3*b*x))/18 + (3*c*d*cos(a + b*x))/2 + (c*d*cos(3*a + 3*b*x))/18 + (3*d^2*x*cos(a + b*x))/2)/b^2 + ((3*c^2*sin(a + b*x))/4 + (c^2*sin(3*a + 3*b*x))/12 + (3*d^2*x^2*sin(a + b*x))/4 + (d^2*x^2*sin(3*a + 3*b*x))/12 + (3*c*d*x*sin(a + b*x))/2 + (c*d*x*sin(3*a + 3*b*x))/6)/b - (3*d^2*sin(a + b*x))/(2*b^3) - (d^2*sin(3*a + 3*b*x))/(54*b^3)

sympy [A] time = 2.22, size = 284, normalized size = 2.31

$$\left\{ \begin{array}{l} \frac{2c^2 \sin^3(a+bx)}{3b} + \frac{c^2 \sin(a+bx) \cos^2(a+bx)}{b} + \frac{4cdx \sin^3(a+bx)}{3b} + \frac{2cdx \sin(a+bx) \cos^2(a+bx)}{b} + \frac{2d^2 x^2 \sin^3(a+bx)}{3b} + \frac{d^2 x^2 \sin(a+bx) \cos^2(a+bx)}{b} \\ \left(c^2 x + cdx^2 + \frac{d^2 x^3}{3} \right) \cos^3(a) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*cos(b*x+a)**3,x)

[Out] Piecewise(((2*c**2*sin(a + b*x)**3/(3*b) + c**2*sin(a + b*x)*cos(a + b*x)**2/b + 4*c*d*x*sin(a + b*x)**3/(3*b) + 2*c*d*x*sin(a + b*x)*cos(a + b*x)**2/b + 2*d**2*x**2*sin(a + b*x)**3/(3*b) + d**2*x**2*sin(a + b*x)*cos(a + b*x)**2/b + 4*c*d*sin(a + b*x)**2*cos(a + b*x)/(3*b**2) + 14*c*d*cos(a + b*x)**3/(9*b**2) + 4*d**2*x*sin(a + b*x)**2*cos(a + b*x)/(3*b**2) + 14*d**2*x*cos(a + b*x)**3/(9*b**2) - 40*d**2*sin(a + b*x)**3/(27*b**3) - 14*d**2*sin(a + b*x)*cos(a + b*x)**2/(9*b**3), Ne(b, 0)), ((c**2*x + c*d*x**2 + d**2*x**3/3)*cos(a)**3, True))

3.19 $\int (c + dx) \cos^3(a + bx) dx$

Optimal. Leaf size=75

$$\frac{d \cos^3(a + bx)}{9b^2} + \frac{2d \cos(a + bx)}{3b^2} + \frac{2(c + dx) \sin(a + bx)}{3b} + \frac{(c + dx) \sin(a + bx) \cos^2(a + bx)}{3b}$$

[Out] $2/3*d*\cos(b*x+a)/b^2+1/9*d*\cos(b*x+a)^3/b^2+2/3*(d*x+c)*\sin(b*x+a)/b+1/3*(d*x+c)*\cos(b*x+a)^2*\sin(b*x+a)/b$

Rubi [A] time = 0.04, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3310, 3296, 2638}

$$\frac{d \cos^3(a + bx)}{9b^2} + \frac{2d \cos(a + bx)}{3b^2} + \frac{2(c + dx) \sin(a + bx)}{3b} + \frac{(c + dx) \sin(a + bx) \cos^2(a + bx)}{3b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Cos[a + b*x]^3, x]

[Out] $(2*d*\text{Cos}[a + b*x])/(3*b^2) + (d*\text{Cos}[a + b*x]^3)/(9*b^2) + (2*(c + d*x)*\text{Sin}[a + b*x])/(3*b) + ((c + d*x)*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(3*b)$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3310

Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned} \int (c + dx) \cos^3(a + bx) dx &= \frac{d \cos^3(a + bx)}{9b^2} + \frac{(c + dx) \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx) \cos(a + bx) dx \\ &= \frac{d \cos^3(a + bx)}{9b^2} + \frac{2(c + dx) \sin(a + bx)}{3b} + \frac{(c + dx) \cos^2(a + bx) \sin(a + bx)}{3b} - \frac{(2d)}{3b} \int (c + dx) \cos(a + bx) dx \\ &= \frac{2d \cos(a + bx)}{3b^2} + \frac{d \cos^3(a + bx)}{9b^2} + \frac{2(c + dx) \sin(a + bx)}{3b} + \frac{(c + dx) \cos^2(a + bx) \sin(a + bx)}{3b} \end{aligned}$$

Mathematica [A] time = 0.17, size = 52, normalized size = 0.69

$$\frac{3b(c + dx)(9 \sin(a + bx) + \sin(3(a + bx))) + 27d \cos(a + bx) + d \cos(3(a + bx))}{36b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Cos[a + b*x]^3,x]

[Out] (27*d*Cos[a + b*x] + d*Cos[3*(a + b*x)] + 3*b*(c + d*x)*(9*Sin[a + b*x] + Sin[3*(a + b*x)]))/(36*b^2)

fricas [A] time = 0.69, size = 60, normalized size = 0.80

$$\frac{d \cos(bx + a)^3 + 6d \cos(bx + a) + 3(2bdx + (bdx + bc) \cos(bx + a)^2 + 2bc) \sin(bx + a)}{9b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^3,x, algorithm="fricas")

[Out] 1/9*(d*cos(b*x + a)^3 + 6*d*cos(b*x + a) + 3*(2*b*d*x + (b*d*x + b*c)*cos(b*x + a)^2 + 2*b*c)*sin(b*x + a))/b^2

giac [A] time = 0.52, size = 69, normalized size = 0.92

$$\frac{d \cos(3bx + 3a)}{36b^2} + \frac{3d \cos(bx + a)}{4b^2} + \frac{(bdx + bc) \sin(3bx + 3a)}{12b^2} + \frac{3(bdx + bc) \sin(bx + a)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^3,x, algorithm="giac")

[Out] 1/36*d*cos(3*b*x + 3*a)/b^2 + 3/4*d*cos(b*x + a)/b^2 + 1/12*(b*d*x + b*c)*sin(3*b*x + 3*a)/b^2 + 3/4*(b*d*x + b*c)*sin(b*x + a)/b^2

maple [A] time = 0.03, size = 95, normalized size = 1.27

$$\frac{d\left(\frac{(bx+a)(2+\cos^2(bx+a))\sin(bx+a)}{3} + \frac{\cos^3(bx+a)}{9} + \frac{2\cos(bx+a)}{3}\right)}{b} - \frac{da(2+\cos^2(bx+a))\sin(bx+a)}{3b} + \frac{c(2+\cos^2(bx+a))\sin(bx+a)}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*cos(b*x+a)^3,x)

[Out] 1/b*(1/b*d*(1/3*(b*x+a)*(2+cos(b*x+a)^2)*sin(b*x+a)+1/9*cos(b*x+a)^3+2/3*cos(b*x+a))-1/3/b*d*a*(2+cos(b*x+a)^2)*sin(b*x+a)+1/3*c*(2+cos(b*x+a)^2)*sin(b*x+a))

maxima [A] time = 0.35, size = 103, normalized size = 1.37

$$\frac{12(\sin(bx+a)^3 - 3\sin(bx+a))c - \frac{12(\sin(bx+a)^3 - 3\sin(bx+a))ad}{b} - \frac{(3(bx+a)\sin(3bx+3a) + 27(bx+a)\sin(bx+a) + \cos(3bx+3a) + 27\cos(bx+a))d}{b}}{36b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*cos(b*x+a)^3,x, algorithm="maxima")

[Out] -1/36*(12*(sin(b*x + a)^3 - 3*sin(b*x + a))*c - 12*(sin(b*x + a)^3 - 3*sin(b*x + a))*a*d/b - (3*(b*x + a)*sin(3*b*x + 3*a) + 27*(b*x + a)*sin(b*x + a) + cos(3*b*x + 3*a) + 27*cos(b*x + a))*d/b)/b

mupad [B] time = 0.26, size = 77, normalized size = 1.03

$$\frac{\frac{3c \sin(a+bx)}{4} + \frac{c \sin(3a+3bx)}{12} + \frac{dx \sin(3a+3bx)}{12} + \frac{3dx \sin(a+bx)}{4}}{b} + \frac{d \cos(3a+3bx)}{36b^2} + \frac{3d \cos(a+bx)}{4b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x),x)

[Out] ((3*c*sin(a + b*x))/4 + (c*sin(3*a + 3*b*x))/12 + (d*x*sin(3*a + 3*b*x))/12 + (3*d*x*sin(a + b*x))/4)/b + (d*cos(3*a + 3*b*x))/(36*b^2) + (3*d*cos(a + b*x))/(4*b^2)

sympy [A] time = 0.92, size = 126, normalized size = 1.68

$$\left\{ \begin{array}{l} \frac{2c \sin^3(a+bx)}{3b} + \frac{c \sin(a+bx) \cos^2(a+bx)}{b} + \frac{2dx \sin^3(a+bx)}{3b} + \frac{dx \sin(a+bx) \cos^2(a+bx)}{b} + \frac{2d \sin^2(a+bx) \cos(a+bx)}{3b^2} + \frac{7d \cos^3(a+bx)}{9b^2} \\ \left(cx + \frac{dx^2}{2}\right) \cos^3(a) \end{array} \right. \quad \begin{array}{l} \text{for} \\ \text{oth} \end{array}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*cos(b*x+a)**3,x)
```

```
[Out] Piecewise((2*c*sin(a + b*x)**3/(3*b) + c*sin(a + b*x)*cos(a + b*x)**2/b + 2
*d*x*sin(a + b*x)**3/(3*b) + d*x*sin(a + b*x)*cos(a + b*x)**2/b + 2*d*sin(a
+ b*x)**2*cos(a + b*x)/(3*b**2) + 7*d*cos(a + b*x)**3/(9*b**2), Ne(b, 0)),
((c*x + d*x**2/2)*cos(a)**3, True))
```

$$3.20 \quad \int \frac{\cos^3(a+bx)}{c+dx} dx$$

Optimal. Leaf size=121

$$\frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{4d} + \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{4d} - \frac{3 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} - \frac{\sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{4d}$$

[Out] $1/4*\text{Ci}(3*b*c/d+3*b*x)*\cos(3*a-3*b*c/d)/d+3/4*\text{Ci}(b*c/d+b*x)*\cos(a-b*c/d)/d-1/4*\text{Si}(3*b*c/d+3*b*x)*\sin(3*a-3*b*c/d)/d-3/4*\text{Si}(b*c/d+b*x)*\sin(a-b*c/d)/d$

Rubi [A] time = 0.24, antiderivative size = 121, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3312, 3303, 3299, 3302}

$$\frac{3 \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d} + \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d} - \frac{3 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} - \frac{\sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{4d}$$

Antiderivative was successfully verified.

[In] `Int[Cos[a + b*x]^3/(c + d*x), x]`

[Out] $(3*\text{Cos}[a - (b*c)/d]*\text{CosIntegral}[(b*c)/d + b*x])/(4*d) + (\text{Cos}[3*a - (3*b*c)/d]*\text{CosIntegral}[(3*b*c)/d + 3*b*x])/(4*d) - (3*\text{Sin}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(4*d) - (\text{Sin}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*c)/d + 3*b*x])/(4*d)$

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3302

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]`

Rule 3303

`Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]`

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(a + bx)}{c + dx} dx &= \int \left(\frac{3 \cos(a + bx)}{4(c + dx)} + \frac{\cos(3a + 3bx)}{4(c + dx)} \right) dx \\ &= \frac{1}{4} \int \frac{\cos(3a + 3bx)}{c + dx} dx + \frac{3}{4} \int \frac{\cos(a + bx)}{c + dx} dx \\ &= \frac{1}{4} \cos\left(3a - \frac{3bc}{d}\right) \int \frac{\cos\left(\frac{3bc}{d} + 3bx\right)}{c + dx} dx + \frac{1}{4} \left(3 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{c + dx} dx - \frac{1}{4} \sin\left(3a - \frac{3bc}{d}\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{c + dx} dx \\ &= \frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{4d} + \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{4d} - \frac{3 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d} \end{aligned}$$

Mathematica [A] time = 0.25, size = 103, normalized size = 0.85

$$\frac{3 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(b\left(\frac{c}{d} + x\right)\right) + \cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3b(c+dx)}{d}\right) - 3 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) - \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3b(c+dx)}{d}\right)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/(c + d*x), x]

[Out] (3*Cos[a - (b*c)/d]*CosIntegral[b*(c/d + x)] + Cos[3*a - (3*b*c)/d]*CosIntegral[(3*b*(c + d*x))/d] - 3*Sin[a - (b*c)/d]*SinIntegral[b*(c/d + x)] - Sin[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d])/(4*d)

fricas [A] time = 0.49, size = 153, normalized size = 1.26

$$\frac{3 \left(\text{Ci}\left(\frac{bdx+bc}{d}\right) + \text{Ci}\left(-\frac{bdx+bc}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) + \left(\text{Ci}\left(\frac{3(bdx+bc)}{d}\right) + \text{Ci}\left(-\frac{3(bdx+bc)}{d}\right) \right) \cos\left(-\frac{3(bc-ad)}{d}\right) - 2 \sin\left(-\frac{3(bc-ad)}{d}\right)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c), x, algorithm="fricas")

[Out] 1/8*(3*(cos_integral((b*d*x + b*c)/d) + cos_integral(-(b*d*x + b*c)/d))*cos(-(b*c - a*d)/d) + (cos_integral(3*(b*d*x + b*c)/d) + cos_integral(-3*(b*d*

$x + b*c)/d)) * \cos(-3*(b*c - a*d)/d) - 2*\sin(-3*(b*c - a*d)/d)*\sin_integral(3*(b*d*x + b*c)/d) - 6*\sin(-(b*c - a*d)/d)*\sin_integral((b*d*x + b*c)/d)/d$

giac [C] time = 1.68, size = 6075, normalized size = 50.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{8} * (\text{real_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) + 6 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) - 12 * \sin_integral((b*d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) - 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 - 4 * \sin_integral(3*(b*d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - 6 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 12 * \sin_integral((b*d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 4 * \sin_integral(3*(b*d*x + b*c)/d) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + \text{real_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 - 3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 - 3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 + \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 + 12 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) + 12 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) - \text{real_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 - \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 4 * \text{real_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 4 * \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 4 * \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2$

$$\begin{aligned}
&) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + \text{real_part}(\cos_i \\
& \text{ntegral}(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - \\
& 3 * \text{real_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/ \\
& 2*b*c/d)^2 - 3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b \\
& *c/d)^2 * \tan(1/2*b*c/d)^2 + \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/ \\
& 2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - \text{real_part}(\cos_integral(3*b*x + 3 \\
& *b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{real_part}(\cos_i \\
& \text{ntegral}(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + 3 * \text{re} \\
& \text{al_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b \\
& *c/d)^2 - \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b* \\
& c/d)^2 * \tan(1/2*b*c/d)^2 - 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/ \\
& 2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) + 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b* \\
& c/d)) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) - 4 * \sin_integral(3*(b*d*x + \\
& b*c)/d) * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d) - 6 * \text{imag_part}(\cos_integral \\
& (b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 + 6 * \text{imag_part}(\cos_i \\
& \text{ntegral}(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 - 12 * \sin_in \\
& \text{tegral}((b*d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(1/2*a) * \tan(3/2*b*c/d)^2 + 2 * \text{imag_p} \\
& \text{art}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 \\
& - 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(\\
& 3/2*b*c/d)^2 + 4 * \sin_integral(3*(b*d*x + b*c)/d) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan \\
& (3/2*b*c/d)^2 - 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/ \\
& 2*a)^2 * \tan(1/2*b*c/d) + 6 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^ \\
& 2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d) - 12 * \sin_integral((b*d*x + b*c)/d) * \tan(3/2*a) \\
& ^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d) + 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan \\
& (3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) - 6 * \text{imag_part}(\cos_integral(-b*x - \\
& b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) + 12 * \sin_integral((b* \\
& d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) - 6 * \text{imag_part}(\cos \\
& _integral(b*x + b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d) + 6 * \text{i} \\
& \text{mag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2* \\
& b*c/d) - 12 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan \\
& (1/2*b*c/d) + 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(3/2*a)^2 * \tan(1/2*a) \\
&) * \tan(1/2*b*c/d)^2 - 6 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(3/2*a)^2 * \tan \\
& (1/2*a) * \tan(1/2*b*c/d)^2 + 12 * \sin_integral((b*d*x + b*c)/d) * \tan(3/2*a)^2 * \\
& \tan(1/2*a) * \tan(1/2*b*c/d)^2 - 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan \\
& (3/2*a) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + 2 * \text{imag_part}(\cos_integral(-3*b*x - \\
& 3*b*c/d)) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 - 4 * \sin_integral(3*(b*d* \\
& x + b*c)/d) * \tan(3/2*a) * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 - 2 * \text{imag_part}(\cos_inte \\
& \text{gral}(3*b*x + 3*b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 2 * \text{ima} \\
& \text{g_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2* \\
& b*c/d)^2 - 4 * \sin_integral(3*(b*d*x + b*c)/d) * \tan(3/2*a)^2 * \tan(3/2*b*c/d) * \tan \\
& (1/2*b*c/d)^2 + 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(1/2*a)^2 * \tan \\
& (3/2*b*c/d) * \tan(1/2*b*c/d)^2 - 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b*c/d)) \\
&) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 4 * \sin_integral(3*(b*d*x + b \\
& *c)/d) * \tan(1/2*a)^2 * \tan(3/2*b*c/d) * \tan(1/2*b*c/d)^2 + 2 * \text{imag_part}(\cos_integ \\
& \text{ral}(3*b*x + 3*b*c/d)) * \tan(3/2*a) * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 - 2 * \text{imag}
\end{aligned}$$

$$\begin{aligned}
& _part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 + 4*\sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 + 6*imag_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - 6*imag_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 + 12*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)^2 - 3*real_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)^2 + 4*real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)*\tan(1/2*a)^2*\tan(3/2*b*c/d) + 4*real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)*\tan(1/2*a)^2*\tan(3/2*b*c/d) + real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d)^2 + 3*real_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d)^2 + 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d)^2 + real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d)^2 - real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d)^2 - 3*real_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d)^2 + 12*real_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 12*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(1/2*a)*\tan(1/2*b*c/d) + 12*real_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d) + 12*real_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d) - real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)^2*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(1/2*b*c/d)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)^2*\tan(1/2*b*c/d)^2 + real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 3*real_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d)^2 + 4*real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d)*\tan(1/2*b*c/d)^2 + 4*real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d)*\tan(1/2*b*c/d)^2 - real_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(b*x + b*c/d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d)^2 - 6*imag_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(1/2*a) + 6*imag_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(1/2*a) - 12*\sin_integral((b*d*x + b*c)/d)*\tan(3/2*a)^2*\tan(1/2*a) - 2*imag_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)*\tan(1/2*a)^2 + 2*imag_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)*\tan(1/2*a)^2 - 4*\sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*a)*\tan(1/2*a)^2 - 2*imag_part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d) + 2*imag_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)^2*\tan(3/2*b*c/d) -
\end{aligned}$$

$$\begin{aligned}
& 4*\sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*a)^2*\tan(3/2*b*c/d) + 2*imag_part \\
& (\cos_integral(3*b*x + 3*b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d) - 2*imag_part(c \\
& os_integral(-3*b*x - 3*b*c/d))*\tan(1/2*a)^2*\tan(3/2*b*c/d) + 4*\sin_integral \\
& (3*(b*d*x + b*c)/d)*\tan(1/2*a)^2*\tan(3/2*b*c/d) + 2*imag_part(\cos_integral(\\
& 3*b*x + 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d)^2 - 2*imag_part(\cos_integral(-3 \\
& *b*x - 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d)^2 + 4*\sin_integral(3*(b*d*x + b* \\
& c)/d)*\tan(3/2*a)*\tan(3/2*b*c/d)^2 - 6*imag_part(\cos_integral(b*x + b*c/d))* \\
& \tan(1/2*a)*\tan(3/2*b*c/d)^2 + 6*imag_part(\cos_integral(-b*x - b*c/d))*\tan(1 \\
& /2*a)*\tan(3/2*b*c/d)^2 - 12*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(3/ \\
& 2*b*c/d)^2 + 6*imag_part(\cos_integral(b*x + b*c/d))*\tan(3/2*a)^2*\tan(1/2*b* \\
& c/d) - 6*imag_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*a)^2*\tan(1/2*b*c/d) \\
& + 12*\sin_integral((b*d*x + b*c)/d)*\tan(3/2*a)^2*\tan(1/2*b*c/d) - 6*imag_par \\
& t(\cos_integral(b*x + b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 6*imag_part(\cos_ \\
& integral(-b*x - b*c/d))*\tan(1/2*a)^2*\tan(1/2*b*c/d) - 12*\sin_integral((b*d* \\
& x + b*c)/d)*\tan(1/2*a)^2*\tan(1/2*b*c/d) + 6*imag_part(\cos_integral(b*x + b* \\
& c/d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d) - 6*imag_part(\cos_integral(-b*x - b*c \\
& /d))*\tan(3/2*b*c/d)^2*\tan(1/2*b*c/d) + 12*\sin_integral((b*d*x + b*c)/d)*\tan \\
& (3/2*b*c/d)^2*\tan(1/2*b*c/d) - 2*imag_part(\cos_integral(3*b*x + 3*b*c/d))*\tan \\
& (3/2*a)*\tan(1/2*b*c/d)^2 + 2*imag_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan \\
& (3/2*a)*\tan(1/2*b*c/d)^2 - 4*\sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*a)*\tan \\
& (1/2*b*c/d)^2 + 6*imag_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2* \\
& b*c/d)^2 - 6*imag_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d \\
&)^2 + 12*\sin_integral((b*d*x + b*c)/d)*\tan(1/2*a)*\tan(1/2*b*c/d)^2 + 2*imag \\
& _part(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*b*c/d)*\tan(1/2*b*c/d)^2 - 2*im \\
& ag_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*b*c/d)*\tan(1/2*b*c/d)^2 + 4 \\
& *sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*b*c/d)*\tan(1/2*b*c/d)^2 - real_par \\
& t(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)^2 + 3*real_part(\cos_integral(b* \\
& x + b*c/d))*\tan(3/2*a)^2 + 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2* \\
& a)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*a)^2 + real_part(c \\
& os_integral(3*b*x + 3*b*c/d))*\tan(1/2*a)^2 - 3*real_part(\cos_integral(b*x + \\
& b*c/d))*\tan(1/2*a)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*a)^ \\
& 2 + real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(1/2*a)^2 + 4*real_part(co \\
& s_integral(3*b*x + 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d) + 4*real_part(\cos_in \\
& tegral(-3*b*x - 3*b*c/d))*\tan(3/2*a)*\tan(3/2*b*c/d) - real_part(\cos_integra \\
& l(3*b*x + 3*b*c/d))*\tan(3/2*b*c/d)^2 + 3*real_part(\cos_integral(b*x + b*c/d \\
&))*\tan(3/2*b*c/d)^2 + 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(3/2*b*c/d \\
&)^2 - real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(3/2*b*c/d)^2 + 12*real_ \\
& part(\cos_integral(b*x + b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) + 12*real_part(co \\
& s_integral(-b*x - b*c/d))*\tan(1/2*a)*\tan(1/2*b*c/d) + real_part(\cos_integra \\
& l(3*b*x + 3*b*c/d))*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(b*x + b*c/d \\
&))*\tan(1/2*b*c/d)^2 - 3*real_part(\cos_integral(-b*x - b*c/d))*\tan(1/2*b*c/d \\
&)^2 + real_part(\cos_integral(-3*b*x - 3*b*c/d))*\tan(1/2*b*c/d)^2 - 2*imag_p \\
& art(\cos_integral(3*b*x + 3*b*c/d))*\tan(3/2*a) + 2*imag_part(\cos_integral(-3 \\
& *b*x - 3*b*c/d))*\tan(3/2*a) - 4*\sin_integral(3*(b*d*x + b*c)/d)*\tan(3/2*a) \\
& - 6*imag_part(\cos_integral(b*x + b*c/d))*\tan(1/2*a) + 6*imag_part(\cos_integ
\end{aligned}$$

$\text{ral}(-b*x - b*c/d)) * \tan(1/2*a) - 12 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*a)$
 $+ 2 * \text{imag_part}(\cos_integral(3*b*x + 3*b*c/d)) * \tan(3/2*b*c/d) - 2 * \text{imag_part}(\cos_integral(-3*b*x - 3*b*c/d)) * \tan(3/2*b*c/d) + 4 * \sin_integral(3*(b*d*x + b*c)/d) * \tan(3/2*b*c/d) + 6 * \text{imag_part}(\cos_integral(b*x + b*c/d)) * \tan(1/2*b*c/d) - 6 * \text{imag_part}(\cos_integral(-b*x - b*c/d)) * \tan(1/2*b*c/d) + 12 * \sin_integral((b*d*x + b*c)/d) * \tan(1/2*b*c/d) + \text{real_part}(\cos_integral(3*b*x + 3*b*c/d)) + 3 * \text{real_part}(\cos_integral(b*x + b*c/d)) + 3 * \text{real_part}(\cos_integral(-b*x - b*c/d)) + \text{real_part}(\cos_integral(-3*b*x - 3*b*c/d)) / (d * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + d * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 + d * \tan(3/2*a)^2 * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + d * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + d * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + d * \tan(3/2*a)^2 * \tan(1/2*a)^2 + d * \tan(3/2*a)^2 * \tan(3/2*b*c/d)^2 + d * \tan(1/2*a)^2 * \tan(3/2*b*c/d)^2 + d * \tan(3/2*a)^2 * \tan(1/2*b*c/d)^2 + d * \tan(1/2*a)^2 * \tan(1/2*b*c/d)^2 + d * \tan(3/2*b*c/d)^2 * \tan(1/2*b*c/d)^2 + d * \tan(3/2*a)^2 + d * \tan(1/2*a)^2 + d * \tan(3/2*b*c/d)^2 + d * \tan(1/2*b*c/d)^2 + d$

maple [A] time = 0.03, size = 166, normalized size = 1.37

$$\frac{b \left(\frac{3 \text{Si} \left(3bx + 3a + \frac{-3da + 3cb}{d} \right) \sin \left(\frac{-3da + 3cb}{d} \right) + 3 \text{Ci} \left(3bx + 3a + \frac{-3da + 3cb}{d} \right) \cos \left(\frac{-3da + 3cb}{d} \right)}{d} \right)}{12} + \frac{3b \left(\frac{\text{Si} \left(bx + a + \frac{-da + cb}{d} \right) \sin \left(\frac{-da + cb}{d} \right) + \text{Ci} \left(bx + a + \frac{-da + cb}{d} \right) \cos \left(\frac{-da + cb}{d} \right)}{d} \right)}{4}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^3/(d*x+c),x)`

[Out] $1/b * (1/12 * b * (3 * \text{Si}(3*b*x + 3*a + 3*(-a*d + b*c)/d) * \sin(3*(-a*d + b*c)/d) / d + 3 * \text{Ci}(3*b*x + 3*a + 3*(-a*d + b*c)/d) * \cos(3*(-a*d + b*c)/d) / d) + 3/4 * b * (\text{Si}(b*x + a + (-a*d + b*c)/d) * \sin((-a*d + b*c)/d) / d + \text{Ci}(b*x + a + (-a*d + b*c)/d) * \cos((-a*d + b*c)/d) / d)$

maxima [C] time = 0.59, size = 276, normalized size = 2.28

$$\frac{3b \left(E_1 \left(\frac{ibc + i(bx+a)d - iad}{d} \right) + E_1 \left(-\frac{ibc + i(bx+a)d - iad}{d} \right) \right) \cos \left(-\frac{bc - ad}{d} \right) + b \left(E_1 \left(\frac{3ibc + 3i(bx+a)d - 3iad}{d} \right) + E_1 \left(-\frac{3ibc + 3i(bx+a)d - 3iad}{d} \right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^3/(d*x+c),x, algorithm="maxima")`

[Out] $-1/8 * (3 * b * (\exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + \exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d)) * \cos(-(b*c - a*d)/d) + b * (\exp_integral_e(1, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) + \exp_integral_e(1, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d)) * \cos(-3*(b*c - a*d)/d) - b * (3 * I * \exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - 3 * I * \exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d)) * \sin(-(b*c - a*d)/d) - b * (I * \exp_integral_e(1, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - I * \exp_integral_e(1, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))$


```
al_e(1, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) - I*exp_integral_e(1, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*sin(-3*(b*c - a*d)/d))/(b*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^3}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a + b*x)^3/(c + d*x), x)
```

```
[Out] int(cos(a + b*x)^3/(c + d*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^3(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)**3/(d*x+c), x)
```

```
[Out] Integral(cos(a + b*x)**3/(c + d*x), x)
```

$$3.21 \quad \int \frac{\cos^3(a+bx)}{(c+dx)^2} dx$$

Optimal. Leaf size=145

$$\frac{3b \sin\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{4d^2} - \frac{3b \sin\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{4d^2}$$

[Out] $-\cos(b*x+a)^3/d/(d*x+c)-3/4*b*\cos(a-b*c/d)*\text{Si}(b*c/d+b*x)/d^2-3/4*b*\cos(3*a-3*b*c/d)*\text{Si}(3*b*c/d+3*b*x)/d^2-3/4*b*\text{Ci}(3*b*c/d+3*b*x)*\sin(3*a-3*b*c/d)/d^2-3/4*b*\text{Ci}(b*c/d+b*x)*\sin(a-b*c/d)/d^2$

Rubi [A] time = 0.23, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3313, 3303, 3299, 3302}

$$\frac{3b \sin\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{4d^2} - \frac{3b \sin\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{4d^2} - \frac{3b \cos\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{4d^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^3/(c + d*x)^2,x]

[Out] $-(\text{Cos}[a + b*x]^3/(d*(c + d*x))) - (3*b*\text{CosIntegral}[(3*b*c)/d + 3*b*x]*\text{Sin}[3*a - (3*b*c)/d])/(4*d^2) - (3*b*\text{CosIntegral}[(b*c)/d + b*x]*\text{Sin}[a - (b*c)/d])/(4*d^2) - (3*b*\text{Cos}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(4*d^2) - (3*b*\text{Cos}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*c)/d + 3*b*x])/(4*d^2)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 3313

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(a + bx)}{(c + dx)^2} dx &= -\frac{\cos^3(a + bx)}{d(c + dx)} + \frac{(3b) \int \left(-\frac{\sin(a+bx)}{4(c+dx)} - \frac{\sin(3a+3bx)}{4(c+dx)} \right) dx}{d} \\ &= -\frac{\cos^3(a + bx)}{d(c + dx)} - \frac{(3b) \int \frac{\sin(a+bx)}{c+dx} dx}{4d} - \frac{(3b) \int \frac{\sin(3a+3bx)}{c+dx} dx}{4d} \\ &= -\frac{\cos^3(a + bx)}{d(c + dx)} - \frac{\left(3b \cos \left(3a - \frac{3bc}{d} \right) \right) \int \frac{\sin \left(\frac{3bc}{d} + 3bx \right)}{c+dx} dx}{4d} - \frac{\left(3b \cos \left(a - \frac{bc}{d} \right) \right) \int \frac{\sin \left(\frac{bc}{d} + bx \right)}{c+dx} dx}{4d} \\ &= -\frac{\cos^3(a + bx)}{d(c + dx)} - \frac{3b \operatorname{Ci} \left(\frac{3bc}{d} + 3bx \right) \sin \left(3a - \frac{3bc}{d} \right)}{4d^2} - \frac{3b \operatorname{Ci} \left(\frac{bc}{d} + bx \right) \sin \left(a - \frac{bc}{d} \right)}{4d^2} - \frac{3b \cos \left(a - \frac{bc}{d} \right)}{4d^2} \end{aligned}$$

Mathematica [A] time = 0.70, size = 200, normalized size = 1.38

$$3b(c + dx) \sin \left(3a - \frac{3bc}{d} \right) \operatorname{Ci} \left(\frac{3b(c+dx)}{d} \right) + 3b(c + dx) \sin \left(a - \frac{bc}{d} \right) \operatorname{Ci} \left(b \left(\frac{c}{d} + x \right) \right) + 3bc \cos \left(a - \frac{bc}{d} \right) \operatorname{Si} \left(b \left(\frac{c}{d} + x \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/(c + d*x)^2,x]

[Out] -1/4*(3*d*Cos[a + b*x] + d*Cos[3*(a + b*x)] + 3*b*(c + d*x)*CosIntegral[(3*b*(c + d*x))/d]*Sin[3*a - (3*b*c)/d] + 3*b*(c + d*x)*CosIntegral[b*(c/d + x)]*Sin[a - (b*c)/d] + 3*b*c*Cos[a - (b*c)/d]*SinIntegral[b*(c/d + x)] + 3*b*d*x*Cos[a - (b*c)/d]*SinIntegral[b*(c/d + x)] + 3*b*c*Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d] + 3*b*d*x*Cos[3*a - (3*b*c)/d]*SinIntegral[(3*b*(c + d*x))/d])/(d^2*(c + d*x))

fricas [A] time = 0.76, size = 227, normalized size = 1.57

$$8d \cos(bx + a)^3 + 6(bdx + bc) \cos\left(-\frac{3(bc-ad)}{d}\right) \operatorname{Si}\left(\frac{3(bdx+bc)}{d}\right) + 6(bdx + bc) \cos\left(-\frac{bc-ad}{d}\right) \operatorname{Si}\left(\frac{bdx+bc}{d}\right) + 3(bdx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^2,x, algorithm="fricas")

[Out] $-1/8*(8*d*\cos(b*x + a)^3 + 6*(b*d*x + b*c)*\cos(-3*(b*c - a*d)/d)*\sin_integral(3*(b*d*x + b*c)/d) + 6*(b*d*x + b*c)*\cos(-(b*c - a*d)/d)*\sin_integral((b*d*x + b*c)/d) + 3*((b*d*x + b*c)*\cos_integral((b*d*x + b*c)/d) + (b*d*x + b*c)*\cos_integral(-(b*d*x + b*c)/d))*\sin(-(b*c - a*d)/d) + 3*((b*d*x + b*c)*\cos_integral(3*(b*d*x + b*c)/d) + (b*d*x + b*c)*\cos_integral(-3*(b*d*x + b*c)/d))*\sin(-3*(b*c - a*d)/d))/(d^3*x + c*d^2)$

giac [B] time = 1.04, size = 1000, normalized size = 6.90

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^2,x, algorithm="giac")

[Out] $-1/4*(3*(d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c))*b^2*\cos_integral(((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-(b*c - a*d)/d) + 3*b^3*c*\cos_integral(((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-(b*c - a*d)/d) - 3*a*b^2*d*\cos_integral(((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-(b*c - a*d)/d) + 3*(d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c))*b^2*\cos_integral(3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-3*(b*c - a*d)/d) + 3*b^3*c*\cos_integral(3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-3*(b*c - a*d)/d) - 3*a*b^2*d*\cos_integral(3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d)*\sin(-3*(b*c - a*d)/d) - 3*(d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c))*b^2*\cos(-(b*c - a*d)/d)*\sin_integral(-((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) - 3*b^3*c*\cos(-(b*c - a*d)/d)*\sin_integral(-((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) + 3*a*b^2*d*\cos(-(b*c - a*d)/d)*\sin_integral(-((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) - 3*(d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c))*b^2*\cos(-3*(b*c - a*d)/d)*\sin_integral(-3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) - 3*b^3*c*\cos(-3*(b*c - a*d)/d)*\sin_integral(-3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) + 3*a*b^2*d*\cos(-3*(b*c - a*d)/d)*\sin_integral(-3*((d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c)) + b*c - a*d)/d) + 3*b^2*d*\cos(-(d*x + c)*(b - b*c/(d*x + c) + a*d/(d*x + c))/d) + b^2*d*\cos(-3*(d*x +$

$$c) * (b - b*c/(d*x + c) + a*d/(d*x + c))/d) * d^2 / (((d*x + c) * (b - b*c/(d*x + c) + a*d/(d*x + c)) * d^4 + b*c*d^4 - a*d^5) * b)$$

maple [A] time = 0.03, size = 242, normalized size = 1.67

$$b^2 \left[\frac{3 \cos(3bx+3a)}{((bx+a)d-da+cb)d} - \frac{3 \left(\frac{3 \operatorname{Si}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \cos\left(\frac{-3da+3cb}{d}\right) - 3 \operatorname{Ci}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \sin\left(\frac{-3da+3cb}{d}\right)}{d} \right)}{d} \right]}{12} + \frac{3b^2 \left[\frac{\cos(bx+a)}{((bx+a)d-da+cb)d} - \frac{\operatorname{Si}\left(bx+a+\frac{-da+cb}{d}\right) \cos\left(\frac{-da+cb}{d}\right)}{d} \right]}{4} \right]}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^3/(d*x+c)^2,x)

[Out] 1/b*(1/12*b^2*(-3*cos(3*b*x+3*a)/((b*x+a)*d-d*a+c*b)/d-3*(3*Si(3*b*x+3*a+3*(-a*d+b*c)/d)*cos(3*(-a*d+b*c)/d)/d-3*Ci(3*b*x+3*a+3*(-a*d+b*c)/d)*sin(3*(-a*d+b*c)/d)/d)/d)+3/4*b^2*(-cos(b*x+a)/((b*x+a)*d-d*a+c*b)/d-(Si(b*x+a+(-a*d+b*c)/d)*cos((-a*d+b*c)/d)/d-Ci(b*x+a+(-a*d+b*c)/d)*sin((-a*d+b*c)/d)/d)/d)

maxima [C] time = 0.64, size = 304, normalized size = 2.10

$$\frac{24576 b^2 \left(E_2 \left(\frac{i bc+i (bx+a)d-i ad}{d} \right) + E_2 \left(-\frac{i bc+i (bx+a)d-i ad}{d} \right) \right) \cos \left(-\frac{bc-ad}{d} \right) + 8192 b^2 \left(E_2 \left(\frac{3i bc+3i (bx+a)d-3i ad}{d} \right) + E_2 \left(-\frac{3i bc+3i (bx+a)d-3i ad}{d} \right) \right) \sin \left(-\frac{bc-ad}{d} \right)}{b^2 \left((bx+a)d-da+cb \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^2,x, algorithm="maxima")

[Out] -1/65536*(24576*b^2*(exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) + exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*cos(-(b*c - a*d)/d) + 8192*b^2*(exp_integral_e(2, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) + exp_integral_e(2, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*cos(-3*(b*c - a*d)/d) - b^2*(24576*I*exp_integral_e(2, (I*b*c + I*(b*x + a)*d - I*a*d)/d) - 24576*I*exp_integral_e(2, -(I*b*c + I*(b*x + a)*d - I*a*d)/d))*sin(-(b*c - a*d)/d) - b^2*(8192*I*exp_integral_e(2, (3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d) - 8192*I*exp_integral_e(2, -(3*I*b*c + 3*I*(b*x + a)*d - 3*I*a*d)/d))*sin(-3*(b*c - a*d)/d)/((b*c*d + (b*x + a)*d^2 - a*d^2)*b)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^3}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a + b*x)^3/(c + d*x)^2,x)
```

```
[Out] int(cos(a + b*x)^3/(c + d*x)^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\cos^3(a + bx)}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)**3/(d*x+c)**2,x)
```

```
[Out] Integral(cos(a + b*x)**3/(c + d*x)**2, x)
```

$$3.22 \quad \int \frac{\cos^3(a+bx)}{(c+dx)^3} dx$$

Optimal. Leaf size=184

$$\frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{8d^3} - \frac{9b^2 \cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{8d^3} + \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{8d^3} + \frac{9b^2 \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{8d^3}$$

[Out] $-9/8*b^2*Ci(3*b*c/d+3*b*x)*cos(3*a-3*b*c/d)/d^3-3/8*b^2*Ci(b*c/d+b*x)*cos(a-b*c/d)/d^3-1/2*cos(b*x+a)^3/d/(d*x+c)^2+9/8*b^2*Si(3*b*c/d+3*b*x)*sin(3*a-3*b*c/d)/d^3+3/8*b^2*Si(b*c/d+b*x)*sin(a-b*c/d)/d^3+3/2*b*cos(b*x+a)^2*sin(b*x+a)/d^2/(d*x+c)$

Rubi [A] time = 0.34, antiderivative size = 184, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3314, 3303, 3299, 3302, 3312}

$$\frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{CosIntegral}\left(\frac{bc}{d} + bx\right)}{8d^3} - \frac{9b^2 \cos\left(3a - \frac{3bc}{d}\right) \text{CosIntegral}\left(\frac{3bc}{d} + 3bx\right)}{8d^3} + \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{8d^3} + \frac{9b^2 \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3bc}{d} + 3bx\right)}{8d^3}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^3/(c + d*x)^3,x]

[Out] $-\text{Cos}[a + b*x]^3/(2*d*(c + d*x)^2) - (3*b^2*\text{Cos}[a - (b*c)/d]*\text{CosIntegral}[(b*c)/d + b*x])/(8*d^3) - (9*b^2*\text{Cos}[3*a - (3*b*c)/d]*\text{CosIntegral}[(3*b*c)/d + 3*b*x])/(8*d^3) + (3*b*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(2*d^2*(c + d*x)) + (3*b^2*\text{Sin}[a - (b*c)/d]*\text{SinIntegral}[(b*c)/d + b*x])/(8*d^3) + (9*b^2*\text{Sin}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*c)/d + 3*b*x])/(8*d^3)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x]

) / d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol
] := Simp[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(
b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e +
f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)
^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e +
f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c,
d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(a+bx)}{(c+dx)^3} dx &= -\frac{\cos^3(a+bx)}{2d(c+dx)^2} + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)} + \frac{(3b^2) \int \frac{\cos(a+bx)}{c+dx} dx}{d^2} - \frac{(9b^2) \int \frac{\cos^3(a+bx)}{c+dx} dx}{2d^2} \\ &= -\frac{\cos^3(a+bx)}{2d(c+dx)^2} + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)} - \frac{(9b^2) \int \left(\frac{3 \cos(a+bx)}{4(c+dx)} + \frac{\cos(3a+3bx)}{4(c+dx)} \right) dx}{2d^2} + \frac{(3b^2) \int \frac{\cos^3(a+bx)}{c+dx} dx}{2d^2} \\ &= -\frac{\cos^3(a+bx)}{2d(c+dx)^2} + \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{d^3} + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)} - \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^3} \\ &= -\frac{\cos^3(a+bx)}{2d(c+dx)^2} + \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{d^3} + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)} - \frac{3b^2 \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(\frac{bc}{d} + bx\right)}{d^3} \\ &= -\frac{\cos^3(a+bx)}{2d(c+dx)^2} - \frac{3b^2 \cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(\frac{bc}{d} + bx\right)}{8d^3} - \frac{9b^2 \cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3bc}{d} + 3bx\right)}{8d^3} + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)} \end{aligned}$$

Mathematica [A] time = 0.83, size = 221, normalized size = 1.20

$$-6b^2(c+dx)^2 \left(\cos\left(a - \frac{bc}{d}\right) \text{Ci}\left(b\left(\frac{c}{d} + x\right)\right) + 3 \cos\left(3a - \frac{3bc}{d}\right) \text{Ci}\left(\frac{3b(c+dx)}{d}\right) - \sin\left(a - \frac{bc}{d}\right) \text{Si}\left(b\left(\frac{c}{d} + x\right)\right) - 3 \sin\left(3a - \frac{3bc}{d}\right) \text{Si}\left(\frac{3b(c+dx)}{d}\right) \right) + \frac{3b \cos^2(a+bx) \sin(a+bx)}{2d^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/(c + d*x)^3,x]

[Out] $(6*d*\text{Cos}[b*x]*(-(d*\text{Cos}[a]) + b*(c + d*x)*\text{Sin}[a]) + 2*d*\text{Cos}[3*b*x]*(-(d*\text{Cos}[3*a]) + 3*b*(c + d*x)*\text{Sin}[3*a]) + 6*d*(b*(c + d*x)*\text{Cos}[a] + d*\text{Sin}[a])*\text{Sin}[b*x] + 2*d*(3*b*(c + d*x)*\text{Cos}[3*a] + d*\text{Sin}[3*a])*\text{Sin}[3*b*x] - 6*b^2*(c + d*x)^2*(\text{Cos}[a - (b*c)/d]*\text{CosIntegral}[b*(c/d + x)] + 3*\text{Cos}[3*a - (3*b*c)/d]*\text{CosIntegral}[(3*b*(c + d*x))/d] - \text{Sin}[a - (b*c)/d]*\text{SinIntegral}[b*(c/d + x)] - 3*\text{Sin}[3*a - (3*b*c)/d]*\text{SinIntegral}[(3*b*(c + d*x))/d]))/(16*d^3*(c + d*x)^2)$

fricas [B] time = 0.75, size = 375, normalized size = 2.04

$$8d^2 \cos(bx + a)^3 - 24(bd^2x + bcd) \cos(bx + a)^2 \sin(bx + a) - 18(b^2d^2x^2 + 2b^2cdx + b^2c^2) \sin\left(-\frac{3(bc-ad)}{d}\right) \text{Si}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^3,x, algorithm="fricas")

[Out] $-1/16*(8*d^2*\text{cos}(b*x + a)^3 - 24*(b*d^2*x + b*c*d)*\text{cos}(b*x + a)^2*\text{sin}(b*x + a) - 18*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{sin}(-3*(b*c - a*d)/d)*\text{sin_integral}(3*(b*d*x + b*c)/d) - 6*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{sin}(-(b*c - a*d)/d)*\text{sin_integral}((b*d*x + b*c)/d) + 3*((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{cos_integral}((b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{cos_integral}(-(b*d*x + b*c)/d))*\text{cos}(-(b*c - a*d)/d) + 9*((b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{cos_integral}(3*(b*d*x + b*c)/d) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*\text{cos_integral}(-3*(b*d*x + b*c)/d))*\text{cos}(-3*(b*c - a*d)/d))/(d^5*x^2 + 2*c*d^4*x + c^2*d^3)$

giac [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^3,x, algorithm="giac")

[Out] Timed out

maple [A] time = 0.03, size = 311, normalized size = 1.69

$$\frac{b^3 \left(\frac{3 \cos(3bx+3a)}{2((bx+a)d-da+cb)^2 d} - \frac{3 \left(\frac{3 \sin(3bx+3a)}{((bx+a)d-da+cb)d} + \frac{9 \operatorname{Si}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \sin\left(\frac{-3da+3cb}{d}\right)}{d} + \frac{9 \operatorname{Ci}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \cos\left(\frac{-3da+3cb}{d}\right)}{d} \right)}{2d} \right)}{12} + \frac{3b^3 \left(\frac{\cos(bx+a)}{2((bx+a)d-da+cb)^2 d} \right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^3/(d*x+c)^3,x)`

[Out] $\frac{1}{b} \left(\frac{1}{12} b^3 \left(-\frac{3}{2} \cos(3bx+3a) / ((bx+a)d-da+cb)^2/d - \frac{3}{2} \left(-\frac{3 \sin(3bx+3a)}{((bx+a)d-da+cb)d} + \frac{9 \operatorname{Si}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \sin\left(\frac{-3da+3cb}{d}\right)}{d} + \frac{9 \operatorname{Ci}\left(3bx+3a+\frac{-3da+3cb}{d}\right) \cos\left(\frac{-3da+3cb}{d}\right)}{d} \right) \right) / d + \frac{3}{4} b^3 \left(-\frac{1}{2} \cos(bx+a) / ((bx+a)d-da+cb)^2/d - \frac{1}{2} \left(-\frac{\sin(bx+a)}{((bx+a)d-da+cb)d} + \frac{\operatorname{Si}(bx+a+\frac{-ad+bc}{d}) \sin\left(\frac{-ad+bc}{d}\right)}{d} + \frac{\operatorname{Ci}(bx+a+\frac{-ad+bc}{d}) \cos\left(\frac{-ad+bc}{d}\right)}{d} \right) \right) / d \right)$

maxima [C] time = 1.01, size = 339, normalized size = 1.84

$$\frac{24576 b^3 \left(E_3 \left(\frac{ibc+i(bx+a)d-id}{d} \right) + E_3 \left(-\frac{ibc+i(bx+a)d-id}{d} \right) \right) \cos\left(-\frac{bc-ad}{d}\right) + 8192 b^3 \left(E_3 \left(\frac{3ibc+3i(bx+a)d-3iad}{d} \right) + E_3 \left(-\frac{3ibc+3i(bx+a)d-3iad}{d} \right) \right) \sin\left(-\frac{bc-ad}{d}\right)}{b^3 \left((bc-ad)^2 + (bx+a)d^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^3/(d*x+c)^3,x, algorithm="maxima")`

[Out] $-1/65536 \cdot (24576 \cdot b^3 \cdot (\exp_integral_e(3, (I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d) + \exp_integral_e(3, -(I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d)) \cdot \cos(-(b \cdot c - a \cdot d) / d) + 8192 \cdot b^3 \cdot (\exp_integral_e(3, (3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot (b \cdot x + a) \cdot d - 3 \cdot I \cdot a \cdot d) / d) + \exp_integral_e(3, -(3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot (b \cdot x + a) \cdot d - 3 \cdot I \cdot a \cdot d) / d)) \cdot \cos(-3 \cdot (b \cdot c - a \cdot d) / d) - b^3 \cdot (24576 \cdot I \cdot \exp_integral_e(3, (I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d) - 24576 \cdot I \cdot \exp_integral_e(3, -(I \cdot b \cdot c + I \cdot (b \cdot x + a) \cdot d - I \cdot a \cdot d) / d)) \cdot \sin(-(b \cdot c - a \cdot d) / d) - b^3 \cdot (8192 \cdot I \cdot \exp_integral_e(3, (3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot (b \cdot x + a) \cdot d - 3 \cdot I \cdot a \cdot d) / d) - 8192 \cdot I \cdot \exp_integral_e(3, -(3 \cdot I \cdot b \cdot c + 3 \cdot I \cdot (b \cdot x + a) \cdot d - 3 \cdot I \cdot a \cdot d) / d)) \cdot \sin(-3 \cdot (b \cdot c - a \cdot d) / d)) / ((b^2 \cdot c^2 \cdot d - 2 \cdot a \cdot b \cdot c \cdot d^2 + (b \cdot x + a)^2 \cdot d^3 + a^2 \cdot d^3 + 2 \cdot (b \cdot c \cdot d^2 - a \cdot d^3) \cdot (b \cdot x + a)) \cdot b)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^3}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^3/(c + d*x)^3,x)`

[Out] `int(cos(a + b*x)^3/(c + d*x)^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^3(a + bx)}{(c + dx)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**3/(d*x+c)**3,x)`

[Out] `Integral(cos(a + b*x)**3/(c + d*x)**3, x)`

3.23 $\int x^3 \cos^4(a + bx) dx$

Optimal. Leaf size=172

$$\frac{3 \cos^4(a + bx)}{128b^4} - \frac{45 \cos^2(a + bx)}{128b^4} - \frac{3x \sin(a + bx) \cos^3(a + bx)}{32b^3} - \frac{45x \sin(a + bx) \cos(a + bx)}{64b^3} + \frac{3x^2 \cos^4(a + bx)}{16b^2} + \dots$$

[Out] $-45/128*x^2/b^2+3/32*x^4-45/128*\cos(b*x+a)^2/b^4+9/16*x^2*\cos(b*x+a)^2/b^2-3/128*\cos(b*x+a)^4/b^4+3/16*x^2*\cos(b*x+a)^4/b^2-45/64*x*\cos(b*x+a)*\sin(b*x+a)/b^3+3/8*x^3*\cos(b*x+a)*\sin(b*x+a)/b-3/32*x*\cos(b*x+a)^3*\sin(b*x+a)/b^3+1/4*x^3*\cos(b*x+a)^3*\sin(b*x+a)/b$

Rubi [A] time = 0.15, antiderivative size = 172, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3311, 30, 3310}

$$\frac{3x^2 \cos^4(a + bx)}{16b^2} + \frac{9x^2 \cos^2(a + bx)}{16b^2} - \frac{3 \cos^4(a + bx)}{128b^4} - \frac{45 \cos^2(a + bx)}{128b^4} - \frac{3x \sin(a + bx) \cos^3(a + bx)}{32b^3} - \frac{45x \sin(a + bx) \cos(a + bx)}{64b^3} + \dots$$

Antiderivative was successfully verified.

[In] `Int[x^3*Cos[a + b*x]^4,x]`

[Out] $(-45*x^2)/(128*b^2) + (3*x^4)/32 - (45*\text{Cos}[a + b*x]^2)/(128*b^4) + (9*x^2*\text{Cos}[a + b*x]^2)/(16*b^2) - (3*\text{Cos}[a + b*x]^4)/(128*b^4) + (3*x^2*\text{Cos}[a + b*x]^4)/(16*b^2) - (45*x*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(64*b^3) + (3*x^3*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(8*b) - (3*x*\text{Cos}[a + b*x]^3*\text{Sin}[a + b*x])/(32*b^3) + (x^3*\text{Cos}[a + b*x]^3*\text{Sin}[a + b*x])/(4*b)$

Rule 30

`Int[(x_)^(m_.), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]`

Rule 3310

`Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sine + f*x))^n/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine + f*x)^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sine + f*x)^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]`

Rule 3311

`Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine + f*x)^n/(f^2*n^2), x] + (Dist`

$[(b^2(n-1))/n, \text{Int}[(c+d*x)^m*(b*\text{Sin}[e+f*x])^{(n-2)}, x], x] - \text{Dist}[(d^2*m*(m-1))/(f^2*n^2), \text{Int}[(c+d*x)^{(m-2)}*(b*\text{Sin}[e+f*x])^n, x], x] - \text{Simp}[(b*(c+d*x)^m*\text{Cos}[e+f*x]*(b*\text{Sin}[e+f*x])^{(n-1)})/(f*n), x] /;$
 $\text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{GtQ}[m, 1]$

Rubi steps

$$\begin{aligned} \int x^3 \cos^4(a+bx) dx &= \frac{3x^2 \cos^4(a+bx)}{16b^2} + \frac{x^3 \cos^3(a+bx) \sin(a+bx)}{4b} + \frac{3}{4} \int x^3 \cos^2(a+bx) dx - \frac{3 \int x \cos^4(a+bx) dx}{8b} \\ &= \frac{9x^2 \cos^2(a+bx)}{16b^2} - \frac{3 \cos^4(a+bx)}{128b^4} + \frac{3x^2 \cos^4(a+bx)}{16b^2} + \frac{3x^3 \cos(a+bx) \sin(a+bx)}{8b} - \frac{3 \int x \cos^4(a+bx) dx}{8b} \\ &= \frac{3x^4}{32} - \frac{45 \cos^2(a+bx)}{128b^4} + \frac{9x^2 \cos^2(a+bx)}{16b^2} - \frac{3 \cos^4(a+bx)}{128b^4} + \frac{3x^2 \cos^4(a+bx)}{16b^2} - \frac{45x \cos^3(a+bx) \sin(a+bx)}{8b} \\ &= -\frac{45x^2}{128b^2} + \frac{3x^4}{32} - \frac{45 \cos^2(a+bx)}{128b^4} + \frac{9x^2 \cos^2(a+bx)}{16b^2} - \frac{3 \cos^4(a+bx)}{128b^4} + \frac{3x^2 \cos^4(a+bx)}{16b^2} - \frac{45x \cos^3(a+bx) \sin(a+bx)}{8b} \end{aligned}$$

Mathematica [A] time = 0.42, size = 100, normalized size = 0.58

$$\frac{192(2b^2x^2 - 1) \cos(2(a+bx)) + 3(8b^2x^2 - 1) \cos(4(a+bx)) + 4bx(32(2b^2x^2 - 3) \sin(2(a+bx)) + (8b^2x^2 - 3) \sin(4(a+bx)))}{1024b^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Cos[a + b*x]^4, x]

[Out] (192*(-1 + 2*b^2*x^2)*Cos[2*(a + b*x)] + 3*(-1 + 8*b^2*x^2)*Cos[4*(a + b*x)] + 4*b*x*(24*b^3*x^3 + 32*(-3 + 2*b^2*x^2)*Sin[2*(a + b*x)] + (-3 + 8*b^2*x^2)*Sin[4*(a + b*x)])/(1024*b^4)

fricas [A] time = 0.62, size = 115, normalized size = 0.67

$$\frac{12b^4x^4 + 3(8b^2x^2 - 1) \cos(bx+a)^4 - 45b^2x^2 + 9(8b^2x^2 - 5) \cos(bx+a)^2 + 2(2(8b^3x^3 - 3bx) \cos(bx+a) \sin(bx+a) + 3(8b^2x^2 - 5) \cos(bx+a) \sin^2(bx+a))}{128b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*cos(b*x+a)^4, x, algorithm="fricas")

[Out] 1/128*(12*b^4*x^4 + 3*(8*b^2*x^2 - 1)*cos(b*x + a)^4 - 45*b^2*x^2 + 9*(8*b^2*x^2 - 5)*cos(b*x + a)^2 + 2*(2*(8*b^3*x^3 - 3*b*x)*cos(b*x + a)^3 + 3*(8*b^3*x^3 - 15*b*x)*cos(b*x + a)*sin(b*x + a))/b^4

giac [A] time = 0.44, size = 108, normalized size = 0.63

$$\frac{3}{32}x^4 + \frac{3(8b^2x^2 - 1)\cos(4bx + 4a)}{1024b^4} + \frac{3(2b^2x^2 - 1)\cos(2bx + 2a)}{16b^4} + \frac{(8b^3x^3 - 3bx)\sin(4bx + 4a)}{256b^4} + \frac{(2b^3x^3 - 3bx)\sin(2bx + 2a)}{256b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*cos(b*x+a)^4,x, algorithm="giac")

[Out] 3/32*x^4 + 3/1024*(8*b^2*x^2 - 1)*cos(4*b*x + 4*a)/b^4 + 3/16*(2*b^2*x^2 - 1)*cos(2*b*x + 2*a)/b^4 + 1/256*(8*b^3*x^3 - 3*b*x)*sin(4*b*x + 4*a)/b^4 + 1/8*(2*b^3*x^3 - 3*b*x)*sin(2*b*x + 2*a)/b^4

maple [B] time = 0.08, size = 440, normalized size = 2.56

$$(bx + a)^3 \left(\frac{\left(\cos^3(bx+a) + \frac{3\cos(bx+a)}{2} \right) \sin(bx+a)}{4} + \frac{3bx}{8} + \frac{3a}{8} \right) + \frac{3(bx+a)^2 (\cos^4(bx+a))}{16} - \frac{3(bx+a) \left(\frac{\left(\cos^3(bx+a) + \frac{3\cos(bx+a)}{2} \right) \sin(bx+a)}{4} + \frac{3bx}{8} + \frac{3a}{8} \right)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*cos(b*x+a)^4,x)

[Out] 1/b^4*((b*x+a)^3*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)+3/16*(b*x+a)^2*cos(b*x+a)^4-3/8*(b*x+a)*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)+45/128*(b*x+a)^2-3/128*cos(b*x+a)^4-9/128*cos(b*x+a)^2+9/16*(b*x+a)^2*cos(b*x+a)^2-9/8*(b*x+a)*(1/2*cos(b*x+a)*sin(b*x+a)+1/2*b*x+1/2*a)+9/32*sin(b*x+a)^2-9/32*(b*x+a)^4-3*a*((b*x+a)^2*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)+1/8*(b*x+a)*cos(b*x+a)^4-1/32*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)-15/64*b*x-15/64*a+3/8*(b*x+a)*cos(b*x+a)^2-3/16*cos(b*x+a)*sin(b*x+a)-1/4*(b*x+a)^3+3*a^2*((b*x+a)*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)-3/16*(b*x+a)^2+1/16*cos(b*x+a)^4+3/16*cos(b*x+a)^2)-a^3*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a))

maxima [A] time = 0.39, size = 303, normalized size = 1.76

$$\frac{96(bx + a)^4 - 32(12bx + 12a + \sin(4bx + 4a) + 8\sin(2bx + 2a))a^3 + 24(24(bx + a)^2 + 4(bx + a)\sin(4bx + 4a) + 32(bx + a)\sin(2bx + 2a))a^2 + 24(24(bx + a)^2 + 4(bx + a)\sin(4bx + 4a) + 32(bx + a)\sin(2bx + 2a))a + 24(24(bx + a)^2 + 4(bx + a)\sin(4bx + 4a) + 32(bx + a)\sin(2bx + 2a))}{1024}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*cos(b*x+a)^4,x, algorithm="maxima")

[Out] 1/1024*(96*(b*x + a)^4 - 32*(12*b*x + 12*a + sin(4*b*x + 4*a) + 8*sin(2*b*x + 2*a))*a^3 + 24*(24*(b*x + a)^2 + 4*(b*x + a)*sin(4*b*x + 4*a) + 32*(b*x + a)*sin(2*b*x + 2*a))*a^2 + 24*(24*(b*x + a)^2 + 4*(b*x + a)*sin(4*b*x + 4*a) + 32*(b*x + a)*sin(2*b*x + 2*a))*a + 24*(24*(b*x + a)^2 + 4*(b*x + a)*sin(4*b*x + 4*a) + 32*(b*x + a)*sin(2*b*x + 2*a))

+ a)*sin(2*b*x + 2*a) + cos(4*b*x + 4*a) + 16*cos(2*b*x + 2*a))*a^2 - 12*(3*2*(b*x + a)^3 + 4*(b*x + a)*cos(4*b*x + 4*a) + 64*(b*x + a)*cos(2*b*x + 2*a) + (8*(b*x + a)^2 - 1)*sin(4*b*x + 4*a) + 32*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))*a + 3*(8*(b*x + a)^2 - 1)*cos(4*b*x + 4*a) + 192*(2*(b*x + a)^2 - 1)*cos(2*b*x + 2*a) + 4*(8*(b*x + a)^3 - 3*b*x - 3*a)*sin(4*b*x + 4*a) + 12*8*(2*(b*x + a)^3 - 3*b*x - 3*a)*sin(2*b*x + 2*a))/b^4

mupad [B] time = 0.80, size = 138, normalized size = 0.80

$$\frac{\frac{3 \sin(2a+2bx)^2}{512} - b^2 \left(\frac{3x^2(2\sin(2a+2bx)^2-1)}{128} + \frac{3x^2(2\sin(a+bx)^2-1)}{8} \right) - b \left(\frac{3x \sin(2a+2bx)}{8} + \frac{3x \sin(4a+4bx)}{256} \right) + b^3 \left(\frac{x^3 \sin(2a+2bx)}{4} \right)}{b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*cos(a + b*x)^4,x)

[Out] ((3*sin(2*a + 2*b*x)^2)/512 - b^2*((3*x^2*(2*sin(2*a + 2*b*x)^2 - 1))/128 + (3*x^2*(2*sin(a + b*x)^2 - 1))/8) - b*((3*x*sin(2*a + 2*b*x))/8 + (3*x*sin(4*a + 4*b*x))/256) + b^3*((x^3*sin(2*a + 2*b*x))/4 + (x^3*sin(4*a + 4*b*x))/32) + (3*sin(a + b*x)^2)/8)/b^4 + (3*x^4)/32

sympy [A] time = 5.67, size = 253, normalized size = 1.47

$$\left\{ \begin{array}{l} \frac{3x^4 \sin^4(a+bx)}{32} + \frac{3x^4 \sin^2(a+bx) \cos^2(a+bx)}{16} + \frac{3x^4 \cos^4(a+bx)}{32} + \frac{3x^3 \sin^3(a+bx) \cos(a+bx)}{8b} + \frac{5x^3 \sin(a+bx) \cos^3(a+bx)}{8b} - \frac{45x^2 \sin^4(a+bx)}{128b^2} \\ \frac{x^4 \cos^4(a)}{4} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*cos(b*x+a)**4,x)

[Out] Piecewise((3*x**4*sin(a + b*x)**4/32 + 3*x**4*sin(a + b*x)**2*cos(a + b*x)**2/16 + 3*x**4*cos(a + b*x)**4/32 + 3*x**3*sin(a + b*x)**3*cos(a + b*x)/(8*b) + 5*x**3*sin(a + b*x)*cos(a + b*x)**3/(8*b) - 45*x**2*sin(a + b*x)**4/(128*b**2) - 9*x**2*sin(a + b*x)**2*cos(a + b*x)**2/(64*b**2) + 51*x**2*cos(a + b*x)**4/(128*b**2) - 45*x*sin(a + b*x)**3*cos(a + b*x)/(64*b**3) - 51*x*sin(a + b*x)*cos(a + b*x)**3/(64*b**3) + 45*sin(a + b*x)**4/(256*b**4) - 51*cos(a + b*x)**4/(256*b**4), Ne(b, 0)), (x**4*cos(a)**4/4, True))

3.24 $\int x^2 \cos^4(a + bx) dx$

Optimal. Leaf size=134

$$-\frac{\sin(a + bx) \cos^3(a + bx)}{32b^3} - \frac{15 \sin(a + bx) \cos(a + bx)}{64b^3} + \frac{x \cos^4(a + bx)}{8b^2} + \frac{3x \cos^2(a + bx)}{8b^2} + \frac{x^2 \sin(a + bx) \cos^3(a + bx)}{4b}$$

[Out] $-15/64*x/b^2+1/8*x^3+3/8*x*\cos(b*x+a)^2/b^2+1/8*x*\cos(b*x+a)^4/b^2-15/64*\cos(b*x+a)*\sin(b*x+a)/b^3+3/8*x^2*\cos(b*x+a)*\sin(b*x+a)/b-1/32*\cos(b*x+a)^3*\sin(b*x+a)/b^3+1/4*x^2*\cos(b*x+a)^3*\sin(b*x+a)/b$

Rubi [A] time = 0.11, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3311, 30, 2635, 8}

$$\frac{x \cos^4(a + bx)}{8b^2} + \frac{3x \cos^2(a + bx)}{8b^2} - \frac{\sin(a + bx) \cos^3(a + bx)}{32b^3} - \frac{15 \sin(a + bx) \cos(a + bx)}{64b^3} + \frac{x^2 \sin(a + bx) \cos^3(a + bx)}{4b}$$

Antiderivative was successfully verified.

[In] Int[x^2*Cos[a + b*x]^4,x]

[Out] $(-15*x)/(64*b^2) + x^3/8 + (3*x*\cos[a + b*x]^2)/(8*b^2) + (x*\cos[a + b*x]^4)/(8*b^2) - (15*\cos[a + b*x]*\sin[a + b*x])/(64*b^3) + (3*x^2*\cos[a + b*x]*\sin[a + b*x])/(8*b) - (\cos[a + b*x]^3*\sin[a + b*x])/(32*b^3) + (x^2*\cos[a + b*x]^3*\sin[a + b*x])/(4*b)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x])*(b*Sin[c + d*x])^(n - 1)/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist

$[(b^2(n-1))/n, \text{Int}[(c+d*x)^m*(b*\text{Sin}[e+f*x])^{(n-2)}, x], x] - \text{Dist}[(d^2*m*(m-1))/(f^2*n^2), \text{Int}[(c+d*x)^{(m-2)}*(b*\text{Sin}[e+f*x])^n, x], x] - \text{Simp}[(b*(c+d*x)^m*\text{Cos}[e+f*x]*(b*\text{Sin}[e+f*x])^{(n-1)})/(f*n), x] /;$
 $\text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{GtQ}[m, 1]$

Rubi steps

$$\begin{aligned} \int x^2 \cos^4(a+bx) dx &= \frac{x \cos^4(a+bx)}{8b^2} + \frac{x^2 \cos^3(a+bx) \sin(a+bx)}{4b} + \frac{3}{4} \int x^2 \cos^2(a+bx) dx - \frac{\int \cos^4(a+bx) dx}{8b^2} \\ &= \frac{3x \cos^2(a+bx)}{8b^2} + \frac{x \cos^4(a+bx)}{8b^2} + \frac{3x^2 \cos(a+bx) \sin(a+bx)}{8b} - \frac{\cos^3(a+bx) \sin(a+bx)}{32b^3} \\ &= \frac{x^3}{8} + \frac{3x \cos^2(a+bx)}{8b^2} + \frac{x \cos^4(a+bx)}{8b^2} - \frac{15 \cos(a+bx) \sin(a+bx)}{64b^3} + \frac{3x^2 \cos(a+bx)}{8b} \\ &= -\frac{15x}{64b^2} + \frac{x^3}{8} + \frac{3x \cos^2(a+bx)}{8b^2} + \frac{x \cos^4(a+bx)}{8b^2} - \frac{15 \cos(a+bx) \sin(a+bx)}{64b^3} + \frac{3x^2 \cos(a+bx)}{8b} \end{aligned}$$

Mathematica [A] time = 0.18, size = 92, normalized size = 0.69

$$\frac{64b^2x^2 \sin(2(a+bx)) + 8b^2x^2 \sin(4(a+bx)) - 32 \sin(2(a+bx)) - \sin(4(a+bx)) + 64bx \cos(2(a+bx)) + 4bx \cos(4(a+bx))}{256b^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Cos[a + b*x]^4, x]

[Out] (32*b^3*x^3 + 64*b*x*Cos[2*(a + b*x)] + 4*b*x*Cos[4*(a + b*x)] - 32*Sin[2*(a + b*x)] + 64*b^2*x^2*Sin[2*(a + b*x)] - Sin[4*(a + b*x)] + 8*b^2*x^2*Sin[4*(a + b*x)])/(256*b^3)

fricas [A] time = 0.66, size = 88, normalized size = 0.66

$$\frac{8b^3x^3 + 8bx \cos(bx+a)^4 + 24bx \cos(bx+a)^2 - 15bx + (2(8b^2x^2 - 1) \cos(bx+a)^3 + 3(8b^2x^2 - 5) \cos(bx+a)) \sin(bx+a)}{64b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*cos(b*x+a)^4, x, algorithm="fricas")

[Out] 1/64*(8*b^3*x^3 + 8*b*x*cos(b*x + a)^4 + 24*b*x*cos(b*x + a)^2 - 15*b*x + (2*(8*b^2*x^2 - 1)*cos(b*x + a)^3 + 3*(8*b^2*x^2 - 5)*cos(b*x + a))*sin(b*x + a))/b^3

giac [A] time = 0.36, size = 84, normalized size = 0.63

$$\frac{1}{8}x^3 + \frac{x \cos(4bx + 4a)}{64b^2} + \frac{x \cos(2bx + 2a)}{4b^2} + \frac{(8b^2x^2 - 1) \sin(4bx + 4a)}{256b^3} + \frac{(2b^2x^2 - 1) \sin(2bx + 2a)}{8b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*cos(b*x+a)^4,x, algorithm="giac")

[Out] 1/8*x^3 + 1/64*x*cos(4*b*x + 4*a)/b^2 + 1/4*x*cos(2*b*x + 2*a)/b^2 + 1/256*(8*b^2*x^2 - 1)*sin(4*b*x + 4*a)/b^3 + 1/8*(2*b^2*x^2 - 1)*sin(2*b*x + 2*a)/b^3

maple [B] time = 0.03, size = 241, normalized size = 1.80

$$(bx + a)^2 \left(\frac{\left(\cos^3(bx+a) + \frac{3\cos(bx+a)}{2} \right) \sin(bx+a)}{4} + \frac{3bx}{8} + \frac{3a}{8} \right) + \frac{(bx+a)(\cos^4(bx+a))}{8} - \frac{\left(\cos^3(bx+a) + \frac{3\cos(bx+a)}{2} \right) \sin(bx+a)}{32} - \frac{15bx}{64} - \frac{15a}{64} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*cos(b*x+a)^4,x)

[Out] 1/b^3*((b*x+a)^2*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)+1/8*(b*x+a)*cos(b*x+a)^4-1/32*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)-15/64*b*x-15/64*a+3/8*(b*x+a)*cos(b*x+a)^2-3/16*cos(b*x+a)*sin(b*x+a)-1/4*(b*x+a)^3-2*a*((b*x+a)*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a)-3/16*(b*x+a)^2+1/16*cos(b*x+a)^4+3/16*cos(b*x+a)^2)+a^2*(1/4*(cos(b*x+a)^3+3/2*cos(b*x+a))*sin(b*x+a)+3/8*b*x+3/8*a))

maxima [A] time = 0.35, size = 188, normalized size = 1.40

$$\frac{32(bx + a)^3 + 8(12bx + 12a + \sin(4bx + 4a) + 8 \sin(2bx + 2a))a^2 - 4(24(bx + a)^2 + 4(bx + a) \sin(4bx + 4a) + 32(bx + a) \sin(2bx + 2a))a + 4(24(bx + a)^2 + 4(bx + a) \sin(4bx + 4a) + 32(bx + a) \sin(2bx + 2a))}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*cos(b*x+a)^4,x, algorithm="maxima")

[Out] 1/256*(32*(b*x + a)^3 + 8*(12*b*x + 12*a + sin(4*b*x + 4*a) + 8*sin(2*b*x + 2*a))*a^2 - 4*(24*(b*x + a)^2 + 4*(b*x + a)*sin(4*b*x + 4*a) + 32*(b*x + a)*sin(2*b*x + 2*a) + cos(4*b*x + 4*a) + 16*cos(2*b*x + 2*a))*a + 4*(b*x + a)*cos(4*b*x + 4*a) + 64*(b*x + a)*cos(2*b*x + 2*a) + (8*(b*x + a)^2 - 1)*sin(4*b*x + 4*a) + 32*(2*(b*x + a)^2 - 1)*sin(2*b*x + 2*a))/b^3

mupad [B] time = 0.54, size = 104, normalized size = 0.78

$$\frac{x^3 \frac{\sin(2a+2bx)}{8} + \frac{\sin(4a+4bx)}{256} + b \left(\frac{x(2\sin(a+bx)^2-1)}{4} + \frac{x(2\sin(2a+2bx)^2-1)}{64} \right) - b^2 \left(\frac{x^2 \sin(2a+2bx)}{4} + \frac{x^2 \sin(4a+4bx)}{32} \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*cos(a + b*x)^4,x)

[Out] x^3/8 - (sin(2*a + 2*b*x)/8 + sin(4*a + 4*b*x)/256 + b*((x*(2*sin(a + b*x)^2 - 1))/4 + (x*(2*sin(2*a + 2*b*x)^2 - 1))/64) - b^2*((x^2*sin(2*a + 2*b*x))/4 + (x^2*sin(4*a + 4*b*x))/32))/b^3

sympy [A] time = 3.22, size = 209, normalized size = 1.56

$$\left\{ \begin{array}{l} \frac{x^3 \sin^4(a+bx)}{8} + \frac{x^3 \sin^2(a+bx) \cos^2(a+bx)}{4} + \frac{x^3 \cos^4(a+bx)}{8} + \frac{3x^2 \sin^3(a+bx) \cos(a+bx)}{8b} + \frac{5x^2 \sin(a+bx) \cos^3(a+bx)}{8b} - \frac{15x \sin^4(a+bx)}{64b^2} \\ \frac{x^3 \cos^4(a)}{3} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*cos(b*x+a)**4,x)

[Out] Piecewise((x**3*sin(a + b*x)**4/8 + x**3*sin(a + b*x)**2*cos(a + b*x)**2/4 + x**3*cos(a + b*x)**4/8 + 3*x**2*sin(a + b*x)**3*cos(a + b*x)/(8*b) + 5*x**2*sin(a + b*x)*cos(a + b*x)**3/(8*b) - 15*x*sin(a + b*x)**4/(64*b**2) - 3*x*sin(a + b*x)**2*cos(a + b*x)**2/(32*b**2) + 17*x*cos(a + b*x)**4/(64*b**2) - 15*sin(a + b*x)**3*cos(a + b*x)/(64*b**3) - 17*sin(a + b*x)*cos(a + b*x)**3/(64*b**3), Ne(b, 0)), (x**3*cos(a)**4/3, True))

3.25 $\int x \cos^4(a + bx) dx$

Optimal. Leaf size=80

$$\frac{\cos^4(a + bx)}{16b^2} + \frac{3 \cos^2(a + bx)}{16b^2} + \frac{x \sin(a + bx) \cos^3(a + bx)}{4b} + \frac{3x \sin(a + bx) \cos(a + bx)}{8b} + \frac{3x^2}{16}$$

[Out] $3/16*x^2+3/16*\cos(b*x+a)^2/b^2+1/16*\cos(b*x+a)^4/b^2+3/8*x*\cos(b*x+a)*\sin(b*x+a)/b+1/4*x*\cos(b*x+a)^3*\sin(b*x+a)/b$

Rubi [A] time = 0.05, antiderivative size = 80, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3310, 30}

$$\frac{\cos^4(a + bx)}{16b^2} + \frac{3 \cos^2(a + bx)}{16b^2} + \frac{x \sin(a + bx) \cos^3(a + bx)}{4b} + \frac{3x \sin(a + bx) \cos(a + bx)}{8b} + \frac{3x^2}{16}$$

Antiderivative was successfully verified.

[In] Int[x*Cos[a + b*x]^4, x]

[Out] $(3*x^2)/16 + (3*\text{Cos}[a + b*x]^2)/(16*b^2) + \text{Cos}[a + b*x]^4/(16*b^2) + (3*x*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(8*b) + (x*\text{Cos}[a + b*x]^3*\text{Sin}[a + b*x])/(4*b)$

Rule 30

Int[(x_)^(m_), x_Symbol] := Simp[x^(m + 1)/(m + 1), x] /; FreeQ[m, x] && NeQ[m, -1]

Rule 3310

Int[((c_) + (d_)*(x_))*((b_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(d*(b*Sin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1]

Rubi steps

$$\begin{aligned} \int x \cos^4(a + bx) dx &= \frac{\cos^4(a + bx)}{16b^2} + \frac{x \cos^3(a + bx) \sin(a + bx)}{4b} + \frac{3}{4} \int x \cos^2(a + bx) dx \\ &= \frac{3 \cos^2(a + bx)}{16b^2} + \frac{\cos^4(a + bx)}{16b^2} + \frac{3x \cos(a + bx) \sin(a + bx)}{8b} + \frac{x \cos^3(a + bx) \sin(a + bx)}{4b} \\ &= \frac{3x^2}{16} + \frac{3 \cos^2(a + bx)}{16b^2} + \frac{\cos^4(a + bx)}{16b^2} + \frac{3x \cos(a + bx) \sin(a + bx)}{8b} + \frac{x \cos^3(a + bx) \sin(a + bx)}{4b} \end{aligned}$$

Mathematica [A] time = 0.13, size = 53, normalized size = 0.66

$$\frac{4bx(8 \sin(2(a + bx)) + \sin(4(a + bx)) + 6bx) + 16 \cos(2(a + bx)) + \cos(4(a + bx))}{128b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*Cos[a + b*x]^4,x]

[Out] (16*Cos[2*(a + b*x)] + Cos[4*(a + b*x)] + 4*b*x*(6*b*x + 8*Sin[2*(a + b*x)] + Sin[4*(a + b*x)]))/(128*b^2)

fricas [A] time = 0.86, size = 63, normalized size = 0.79

$$\frac{3b^2x^2 + \cos(bx + a)^4 + 3 \cos(bx + a)^2 + 2(2bx \cos(bx + a)^3 + 3bx \cos(bx + a)) \sin(bx + a)}{16b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)^4,x, algorithm="fricas")

[Out] 1/16*(3*b^2*x^2 + cos(b*x + a)^4 + 3*cos(b*x + a)^2 + 2*(2*b*x*cos(b*x + a)^3 + 3*b*x*cos(b*x + a))*sin(b*x + a))/b^2

giac [A] time = 0.45, size = 64, normalized size = 0.80

$$\frac{3}{16}x^2 + \frac{x \sin(4bx + 4a)}{32b} + \frac{x \sin(2bx + 2a)}{4b} + \frac{\cos(4bx + 4a)}{128b^2} + \frac{\cos(2bx + 2a)}{8b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)^4,x, algorithm="giac")

[Out] 3/16*x^2 + 1/32*x*sin(4*b*x + 4*a)/b + 1/4*x*sin(2*b*x + 2*a)/b + 1/128*cos(4*b*x + 4*a)/b^2 + 1/8*cos(2*b*x + 2*a)/b^2

maple [A] time = 0.03, size = 110, normalized size = 1.38

$$\frac{(bx + a) \left(\frac{(\cos^3(bx+a) + \frac{3 \cos(bx+a)}{2}) \sin(bx+a)}{4} + \frac{3bx}{8} + \frac{3a}{8} \right) - \frac{3(bx+a)^2}{16} + \frac{(\cos^4(bx+a))}{16} + \frac{3(\cos^2(bx+a))}{16} - a \left(\frac{(\cos^3(bx+a) + \frac{3 \cos(bx+a)}{2})}{4} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(b*x+a)^4,x)

[Out] $1/b^2*((b*x+a)*(1/4*(\cos(b*x+a)^3+3/2*\cos(b*x+a))*\sin(b*x+a)+3/8*b*x+3/8*a)-3/16*(b*x+a)^2+1/16*\cos(b*x+a)^4+3/16*\cos(b*x+a)^2-a*(1/4*(\cos(b*x+a)^3+3/2*\cos(b*x+a))*\sin(b*x+a)+3/8*b*x+3/8*a))$

maxima [A] time = 0.53, size = 98, normalized size = 1.22

$$\frac{24(bx+a)^2 - 4(12bx + 12a + \sin(4bx + 4a) + 8\sin(2bx + 2a))a + 4(bx+a)\sin(4bx + 4a) + 32(bx+a)\sin(2bx + 2a) + 16\cos(2bx + 2a)}{128b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(b*x+a)^4,x, algorithm="maxima")`

[Out] $1/128*(24*(b*x + a)^2 - 4*(12*b*x + 12*a + \sin(4*b*x + 4*a) + 8*\sin(2*b*x + 2*a))*a + 4*(b*x + a)*\sin(4*b*x + 4*a) + 32*(b*x + a)*\sin(2*b*x + 2*a) + \cos(4*b*x + 4*a) + 16*\cos(2*b*x + 2*a))/b^2$

mupad [B] time = 0.34, size = 63, normalized size = 0.79

$$\frac{3x^2}{16} - \frac{\frac{\sin(2a+2bx)^2}{64} - b\left(\frac{x\sin(2a+2bx)}{4} + \frac{x\sin(4a+4bx)}{32}\right) + \frac{\sin(a+bx)^2}{4}}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*cos(a + b*x)^4,x)`

[Out] $(3*x^2)/16 - (\sin(2*a + 2*b*x)^2/64 - b*((x*\sin(2*a + 2*b*x))/4 + (x*\sin(4*a + 4*b*x))/32) + \sin(a + b*x)^2/4)/b^2$

sympy [A] time = 1.81, size = 138, normalized size = 1.72

$$\left\{ \begin{array}{l} \frac{3x^2 \sin^4(a+bx)}{16} + \frac{3x^2 \sin^2(a+bx) \cos^2(a+bx)}{8} + \frac{3x^2 \cos^4(a+bx)}{16} + \frac{3x \sin^3(a+bx) \cos(a+bx)}{8b} + \frac{5x \sin(a+bx) \cos^3(a+bx)}{8b} - \frac{3 \sin^4(a+bx)}{32b^2} + \frac{5 \sin^2(a+bx) \cos^2(a+bx)}{32b^2} \\ \frac{x^2 \cos^4(a)}{2} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(b*x+a)**4,x)`

[Out] `Piecewise((3*x**2*sin(a + b*x)**4/16 + 3*x**2*sin(a + b*x)**2*cos(a + b*x)**2/8 + 3*x**2*cos(a + b*x)**4/16 + 3*x*sin(a + b*x)**3*cos(a + b*x)/(8*b) + 5*x*sin(a + b*x)*cos(a + b*x)**3/(8*b) - 3*sin(a + b*x)**4/(32*b**2) + 5*cos(a + b*x)**4/(32*b**2), Ne(b, 0)), (x**2*cos(a)**4/2, True))`

$$3.26 \quad \int \frac{\cos^4(a+bx)}{x} dx$$

Optimal. Leaf size=59

$$\frac{1}{2} \cos(2a) \text{Ci}(2bx) + \frac{1}{8} \cos(4a) \text{Ci}(4bx) - \frac{1}{2} \sin(2a) \text{Si}(2bx) - \frac{1}{8} \sin(4a) \text{Si}(4bx) + \frac{3 \log(x)}{8}$$

[Out] 1/2*Ci(2*b*x)*cos(2*a)+1/8*Ci(4*b*x)*cos(4*a)+3/8*ln(x)-1/2*Si(2*b*x)*sin(2*a)-1/8*Si(4*b*x)*sin(4*a)

Rubi [A] time = 0.16, antiderivative size = 59, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3312, 3303, 3299, 3302}

$$\frac{1}{2} \cos(2a) \text{CosIntegral}(2bx) + \frac{1}{8} \cos(4a) \text{CosIntegral}(4bx) - \frac{1}{2} \sin(2a) \text{Si}(2bx) - \frac{1}{8} \sin(4a) \text{Si}(4bx) + \frac{3 \log(x)}{8}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^4/x, x]

[Out] (Cos[2*a]*CosIntegral[2*b*x])/2 + (Cos[4*a]*CosIntegral[4*b*x])/8 + (3*Log[x])/8 - (Sin[2*a]*SinIntegral[2*b*x])/2 - (Sin[4*a]*SinIntegral[4*b*x])/8

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f}

, m], x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^4(a + bx)}{x} dx &= \int \left(\frac{3}{8x} + \frac{\cos(2a + 2bx)}{2x} + \frac{\cos(4a + 4bx)}{8x} \right) dx \\
 &= \frac{3 \log(x)}{8} + \frac{1}{8} \int \frac{\cos(4a + 4bx)}{x} dx + \frac{1}{2} \int \frac{\cos(2a + 2bx)}{x} dx \\
 &= \frac{3 \log(x)}{8} + \frac{1}{2} \cos(2a) \int \frac{\cos(2bx)}{x} dx + \frac{1}{8} \cos(4a) \int \frac{\cos(4bx)}{x} dx - \frac{1}{2} \sin(2a) \int \frac{\sin(2bx)}{x} dx \\
 &= \frac{1}{2} \cos(2a) \text{Ci}(2bx) + \frac{1}{8} \cos(4a) \text{Ci}(4bx) + \frac{3 \log(x)}{8} - \frac{1}{2} \sin(2a) \text{Si}(2bx) - \frac{1}{8} \sin(4a) \text{Si}(4bx)
 \end{aligned}$$

Mathematica [A] time = 0.10, size = 52, normalized size = 0.88

$$\frac{1}{8} (4 \cos(2a) \text{Ci}(2bx) + \cos(4a) \text{Ci}(4bx) - 4 \sin(2a) \text{Si}(2bx) - \sin(4a) \text{Si}(4bx) + 3 \log(x))$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^4/x, x]

[Out] (4*Cos[2*a]*CosIntegral[2*b*x] + Cos[4*a]*CosIntegral[4*b*x] + 3*Log[x] - 4*Sin[2*a]*SinIntegral[2*b*x] - Sin[4*a]*SinIntegral[4*b*x])/8

fricas [A] time = 0.67, size = 61, normalized size = 1.03

$$\frac{1}{16} (\text{Ci}(4bx) + \text{Ci}(-4bx)) \cos(4a) + \frac{1}{4} (\text{Ci}(2bx) + \text{Ci}(-2bx)) \cos(2a) - \frac{1}{8} \sin(4a) \text{Si}(4bx) - \frac{1}{2} \sin(2a) \text{Si}(2bx)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x, x, algorithm="fricas")

[Out] 1/16*(cos_integral(4*b*x) + cos_integral(-4*b*x))*cos(4*a) + 1/4*(cos_integral(2*b*x) + cos_integral(-2*b*x))*cos(2*a) - 1/8*sin(4*a)*sin_integral(4*b*x) - 1/2*sin(2*a)*sin_integral(2*b*x) + 3/8*log(x)

giac [C] time = 0.49, size = 428, normalized size = 7.25

$$6 \log(|x|) \tan(2a)^2 \tan(a)^2 - \Re(\text{Ci}(4bx)) \tan(2a)^2 \tan(a)^2 - 4 \Re(\text{Ci}(2bx)) \tan(2a)^2 \tan(a)^2 - 4 \Re(\text{Ci}(-2bx))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x,x, algorithm="giac")

[Out] $1/16*(6*\log(\text{abs}(x))*\tan(2*a)^2*\tan(a)^2 - \text{real_part}(\text{cos_integral}(4*b*x))*\tan(2*a)^2*\tan(a)^2 - 4*\text{real_part}(\text{cos_integral}(2*b*x))*\tan(2*a)^2*\tan(a)^2 - 4*\text{real_part}(\text{cos_integral}(-2*b*x))*\tan(2*a)^2*\tan(a)^2 - \text{real_part}(\text{cos_integral}(-4*b*x))*\tan(2*a)^2*\tan(a)^2 - 8*\text{imag_part}(\text{cos_integral}(2*b*x))*\tan(2*a)^2*\tan(a) + 8*\text{imag_part}(\text{cos_integral}(-2*b*x))*\tan(2*a)^2*\tan(a) - 16*\text{sin_integral}(2*b*x)*\tan(2*a)^2*\tan(a) - 2*\text{imag_part}(\text{cos_integral}(4*b*x))*\tan(2*a)^2*\tan(a)^2 + 2*\text{imag_part}(\text{cos_integral}(-4*b*x))*\tan(2*a)*\tan(a)^2 - 4*\text{sin_integral}(4*b*x)*\tan(2*a)*\tan(a)^2 + 6*\log(\text{abs}(x))*\tan(2*a)^2 - \text{real_part}(\text{cos_integral}(4*b*x))*\tan(2*a)^2 + 4*\text{real_part}(\text{cos_integral}(2*b*x))*\tan(2*a)^2 + 4*\text{real_part}(\text{cos_integral}(-2*b*x))*\tan(2*a)^2 - \text{real_part}(\text{cos_integral}(-4*b*x))*\tan(2*a)^2 + 6*\log(\text{abs}(x))*\tan(a)^2 + \text{real_part}(\text{cos_integral}(4*b*x))*\tan(a)^2 - 4*\text{real_part}(\text{cos_integral}(2*b*x))*\tan(a)^2 - 4*\text{real_part}(\text{cos_integral}(-2*b*x))*\tan(a)^2 + \text{real_part}(\text{cos_integral}(-4*b*x))*\tan(a)^2 - 2*\text{imag_part}(\text{cos_integral}(4*b*x))*\tan(2*a) + 2*\text{imag_part}(\text{cos_integral}(-4*b*x))*\tan(2*a) - 4*\text{sin_integral}(4*b*x)*\tan(2*a) - 8*\text{imag_part}(\text{cos_integral}(2*b*x))*\tan(a) + 8*\text{imag_part}(\text{cos_integral}(-2*b*x))*\tan(a) - 16*\text{sin_integral}(2*b*x)*\tan(a) + 6*\log(\text{abs}(x)) + \text{real_part}(\text{cos_integral}(4*b*x)) + 4*\text{real_part}(\text{cos_integral}(2*b*x)) + 4*\text{real_part}(\text{cos_integral}(-2*b*x)) + \text{real_part}(\text{cos_integral}(-4*b*x)))/(\tan(2*a)^2*\tan(a)^2 + \tan(2*a)^2 + \tan(a)^2 + 1)$

maple [A] time = 0.03, size = 52, normalized size = 0.88

$$-\frac{\text{Si}(4bx)\sin(4a)}{8} + \frac{\text{Ci}(4bx)\cos(4a)}{8} - \frac{\text{Si}(2bx)\sin(2a)}{2} + \frac{\text{Ci}(2bx)\cos(2a)}{2} + \frac{3\ln(bx)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^4/x,x)

[Out] $-1/8*\text{Si}(4*b*x)*\sin(4*a)+1/8*\text{Ci}(4*b*x)*\cos(4*a)-1/2*\text{Si}(2*b*x)*\sin(2*a)+1/2*\text{Ci}(2*b*x)*\cos(2*a)+3/8*\ln(b*x)$

maxima [C] time = 0.81, size = 91, normalized size = 1.54

$$-\frac{1}{16}(E_1(4i\,bx) + E_1(-4i\,bx))\cos(4a) - \frac{1}{4}(E_1(2i\,bx) + E_1(-2i\,bx))\cos(2a) + \frac{1}{16}(iE_1(4i\,bx) - iE_1(-4i\,bx))\sin$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x,x, algorithm="maxima")

[Out] $-1/16*(\text{exp_integral_e}(1, 4*I*b*x) + \text{exp_integral_e}(1, -4*I*b*x))*\cos(4*a) - 1/4*(\text{exp_integral_e}(1, 2*I*b*x) + \text{exp_integral_e}(1, -2*I*b*x))*\cos(2*a) +$

$1/16*(I*\exp_integral_e(1, 4*I*b*x) - I*\exp_integral_e(1, -4*I*b*x))*\sin(4*a)$
 $+ 1/16*(4*I*\exp_integral_e(1, 2*I*b*x) - 4*I*\exp_integral_e(1, -2*I*b*x))$
 $*\sin(2*a) + 3/8*\log(b*x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(a + bx)^4}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^4/x,x)

[Out] int(cos(a + b*x)^4/x, x)

sympy [A] time = 2.46, size = 60, normalized size = 1.02

$$\frac{3 \log(x)}{8} - \frac{\sin(2a) \operatorname{Si}(2bx)}{2} - \frac{\sin(4a) \operatorname{Si}(4bx)}{8} + \frac{\cos(2a) \operatorname{Ci}(2bx)}{2} + \frac{\cos(4a) \operatorname{Ci}(4bx)}{8}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**4/x,x)

[Out] 3*log(x)/8 - sin(2*a)*Si(2*b*x)/2 - sin(4*a)*Si(4*b*x)/8 + cos(2*a)*Ci(2*b*x)/2 + cos(4*a)*Ci(4*b*x)/8

$$3.27 \quad \int \frac{\cos^4(a+bx)}{x^2} dx$$

Optimal. Leaf size=66

$$-b \sin(2a)\text{Ci}(2bx) - \frac{1}{2}b \sin(4a)\text{Ci}(4bx) - b \cos(2a)\text{Si}(2bx) - \frac{1}{2}b \cos(4a)\text{Si}(4bx) - \frac{\cos^4(a+bx)}{x}$$

[Out] $-\cos(b*x+a)^4/x - b*\cos(2*a)*\text{Si}(2*b*x) - 1/2*b*\cos(4*a)*\text{Si}(4*b*x) - b*\text{Ci}(2*b*x)*\sin(2*a) - 1/2*b*\text{Ci}(4*b*x)*\sin(4*a)$

Rubi [A] time = 0.15, antiderivative size = 66, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3313, 3303, 3299, 3302}

$$-b \sin(2a)\text{CosIntegral}(2bx) - \frac{1}{2}b \sin(4a)\text{CosIntegral}(4bx) - b \cos(2a)\text{Si}(2bx) - \frac{1}{2}b \cos(4a)\text{Si}(4bx) - \frac{\cos^4(a+bx)}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]^4/x^2, x]$

[Out] $-(\text{Cos}[a + b*x]^4/x) - b*\text{CosIntegral}[2*b*x]*\text{Sin}[2*a] - (b*\text{CosIntegral}[4*b*x]*\text{Sin}[4*a])/2 - b*\text{Cos}[2*a]*\text{SinIntegral}[2*b*x] - (b*\text{Cos}[4*a]*\text{SinIntegral}[4*b*x])/2$

Rule 3299

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{SinIntegral}[e + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3303

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Dist}[\text{Cos}[(d*e - c*f)/d], \text{Int}[\text{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \text{Dist}[\text{Sin}[(d*e - c*f)/d], \text{Int}[\text{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /; \text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{NeQ}[d*e - c*f, 0]$

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(a + bx)}{x^2} dx &= -\frac{\cos^4(a + bx)}{x} + (4b) \int \left(-\frac{\sin(2a + 2bx)}{4x} - \frac{\sin(4a + 4bx)}{8x} \right) dx \\ &= -\frac{\cos^4(a + bx)}{x} - \frac{1}{2}b \int \frac{\sin(4a + 4bx)}{x} dx - b \int \frac{\sin(2a + 2bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{x} - (b \cos(2a)) \int \frac{\sin(2bx)}{x} dx - \frac{1}{2}(b \cos(4a)) \int \frac{\sin(4bx)}{x} dx - (b \sin(2a)) \int \frac{\sin(2bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{x} - b \text{Ci}(2bx) \sin(2a) - \frac{1}{2}b \text{Ci}(4bx) \sin(4a) - b \cos(2a) \text{Si}(2bx) - \frac{1}{2}b \cos(4a) \text{Si}(4bx) \end{aligned}$$

Mathematica [A] time = 0.22, size = 79, normalized size = 1.20

$$\frac{8bx \sin(2a) \text{Ci}(2bx) + 4bx \sin(4a) \text{Ci}(4bx) + 8bx \cos(2a) \text{Si}(2bx) + 4bx \cos(4a) \text{Si}(4bx) + 4 \cos(2(a + bx)) + \cos(4(a + bx))}{8x}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]^4/x^2, x]
```

```
[Out] -1/8*(3 + 4*Cos[2*(a + b*x)] + Cos[4*(a + b*x)] + 8*b*x*CosIntegral[2*b*x]*
Sin[2*a] + 4*b*x*CosIntegral[4*b*x]*Sin[4*a] + 8*b*x*Cos[2*a]*SinIntegral[2
*b*x] + 4*b*x*Cos[4*a]*SinIntegral[4*b*x])/x
```

fricas [A] time = 0.69, size = 87, normalized size = 1.32

$$\frac{4 \cos(bx + a)^4 + 2bx \cos(4a) \text{Si}(4bx) + 4bx \cos(2a) \text{Si}(2bx) + (bx \text{Ci}(4bx) + bx \text{Ci}(-4bx)) \sin(4a) + 2(bx \text{Si}(4bx) + bx \text{Si}(-4bx)) \cos(4a)}{4x}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)^4/x^2, x, algorithm="fricas")
```

```
[Out] -1/4*(4*cos(b*x + a)^4 + 2*b*x*cos(4*a)*sin_integral(4*b*x) + 4*b*x*cos(2*a
)*sin_integral(2*b*x) + (b*x*cos_integral(4*b*x) + b*x*cos_integral(-4*b*x)
)*sin(4*a) + 2*(b*x*cos_integral(2*b*x) + b*x*cos_integral(-2*b*x))*sin(2*a
))/x
```

giac [C] time = 0.58, size = 3220, normalized size = 48.79

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & 1/4*(b*x*imag_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2* \\ & tan(a)^2 + 2*b*x*imag_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan \\ & (2*a)^2*tan(a)^2 - 2*b*x*imag_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b \\ & *x)^2*tan(2*a)^2*tan(a)^2 - b*x*imag_part(cos_integral(-4*b*x))*tan(2*b*x)^ \\ & 2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 2*b*x*sin_integral(4*b*x)*tan(2*b*x)^2*t \\ & an(b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b*x*sin_integral(2*b*x)*tan(2*b*x)^2*tan(\\ & b*x)^2*tan(2*a)^2*tan(a)^2 - 4*b*x*real_part(cos_integral(2*b*x))*tan(2*b*x \\ &)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - 4*b*x*real_part(cos_integral(-2*b*x))*ta \\ & n(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - 2*b*x*real_part(cos_integral(4*b* \\ & x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)*tan(a)^2 - 2*b*x*real_part(cos_integra \\ & l(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)*tan(a)^2 + b*x*imag_part(cos_in \\ & tegral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 2*b*x*imag_part(cos_int \\ & egral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 + 2*b*x*imag_part(cos_inte \\ & gral(-2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - b*x*imag_part(cos_integr \\ & al(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 + 2*b*x*sin_integral(4*b*x)* \\ & tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 4*b*x*sin_integral(2*b*x)*tan(2*b*x)^2 \\ & *tan(b*x)^2*tan(2*a)^2 - b*x*imag_part(cos_integral(4*b*x))*tan(2*b*x)^2*ta \\ & n(b*x)^2*tan(a)^2 + 2*b*x*imag_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b \\ & *x)^2*tan(a)^2 - 2*b*x*imag_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b*x \\ &)^2*tan(a)^2 + b*x*imag_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2* \\ & tan(a)^2 - 2*b*x*sin_integral(4*b*x)*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + 4*b \\ & *x*sin_integral(2*b*x)*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + b*x*imag_part(cos \\ & _integral(4*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 2*b*x*imag_part(cos_in \\ & tegral(2*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 - 2*b*x*imag_part(cos_integ \\ & ral(-2*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 - b*x*imag_part(cos_integral(\\ & -4*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 2*b*x*sin_integral(4*b*x)*tan(2 \\ & *b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b*x*sin_integral(2*b*x)*tan(2*b*x)^2*tan(2* \\ & a)^2*tan(a)^2 + b*x*imag_part(cos_integral(4*b*x))*tan(b*x)^2*tan(2*a)^2*ta \\ & n(a)^2 + 2*b*x*imag_part(cos_integral(2*b*x))*tan(b*x)^2*tan(2*a)^2*tan(a)^ \\ & 2 - 2*b*x*imag_part(cos_integral(-2*b*x))*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - \\ & b*x*imag_part(cos_integral(-4*b*x))*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 2*b*x* \\ & sin_integral(4*b*x)*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b*x*sin_integral(2*b \\ & *x)*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - 2*b*x*real_part(cos_integral(4*b*x))*t \\ & an(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 2*b*x*real_part(cos_integral(-4*b*x))*tan \\ & (2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 4*b*x*real_part(cos_integral(2*b*x))*tan(2* \\ & b*x)^2*tan(b*x)^2*tan(a)^2 - 4*b*x*real_part(cos_integral(-2*b*x))*tan(2*b*x \\ &)^2*tan(b*x)^2*tan(a)^2 - 4*b*x*real_part(cos_integral(2*b*x))*tan(2*b*x)^2*ta \end{aligned}$$

$$\begin{aligned}
& n(2*a)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(-2*b*x))*\tan(2*b*x)^2*\tan(2*a)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(2*b*x))*\tan(b*x)^2*\tan(2*a)^2*\tan(a) \\
& - 4*b*x*\text{real_part}(\cos_integral(-2*b*x))*\tan(b*x)^2*\tan(2*a)^2*\tan(a) - 2*b*x*\text{real_part}(\cos_integral(4*b*x))*\tan(2*b*x)^2*\tan(2*a)*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(-4*b*x))*\tan(2*b*x)^2*\tan(2*a)*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(4*b*x))*\tan(b*x)^2*\tan(2*a)*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(-4*b*x))*\tan(b*x)^2*\tan(2*a)*\tan(a)^2 - 4*\tan(2*b*x)^2*\tan(b*x)^2*\tan(2*a)^2*\tan(a)^2 - b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(2*b*x)^2*\tan(b*x)^2 - 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(2*b*x)^2*\tan(b*x)^2 + 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(2*b*x)^2*\tan(b*x)^2 + b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(2*b*x)^2*\tan(b*x)^2 - 2*b*x*\sin_integral(4*b*x)*\tan(2*b*x)^2*\tan(b*x)^2 - 4*b*x*\sin_integral(2*b*x)*\tan(2*b*x)^2*\tan(b*x)^2 + b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(2*b*x)^2*\tan(2*a)^2 - 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(2*b*x)^2*\tan(2*a)^2 + 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(2*b*x)^2*\tan(2*a)^2 - b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(2*b*x)^2*\tan(2*a)^2 + 2*b*x*\sin_integral(4*b*x)*\tan(2*b*x)^2*\tan(2*a)^2 - 4*b*x*\sin_integral(2*b*x)*\tan(2*b*x)^2*\tan(2*a)^2 + b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(b*x)^2*\tan(2*a)^2 - 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(b*x)^2*\tan(2*a)^2 + 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(b*x)^2*\tan(2*a)^2 - b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(b*x)^2*\tan(2*a)^2 + 2*b*x*\sin_integral(4*b*x)*\tan(b*x)^2*\tan(2*a)^2 - 4*b*x*\sin_integral(2*b*x)*\tan(b*x)^2*\tan(2*a)^2 - b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(2*b*x)^2*\tan(a)^2 + 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(2*b*x)^2*\tan(a)^2 - 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(2*b*x)^2*\tan(a)^2 + b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(2*b*x)^2*\tan(a)^2 - 2*b*x*\sin_integral(4*b*x)*\tan(2*b*x)^2*\tan(a)^2 + 4*b*x*\sin_integral(2*b*x)*\tan(2*b*x)^2*\tan(a)^2 - b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(b*x)^2*\tan(a)^2 + 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(b*x)^2*\tan(a)^2 - 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(b*x)^2*\tan(a)^2 + b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(b*x)^2*\tan(a)^2 - 2*b*x*\sin_integral(4*b*x)*\tan(b*x)^2*\tan(a)^2 + 4*b*x*\sin_integral(2*b*x)*\tan(b*x)^2*\tan(a)^2 + b*x*\text{imag_part}(\cos_integral(4*b*x))*\tan(2*a)^2*\tan(a)^2 + 2*b*x*\text{imag_part}(\cos_integral(2*b*x))*\tan(2*a)^2*\tan(a)^2 - 2*b*x*\text{imag_part}(\cos_integral(-2*b*x))*\tan(2*a)^2*\tan(a)^2 - b*x*\text{imag_part}(\cos_integral(-4*b*x))*\tan(2*a)^2*\tan(a)^2 + 2*b*x*\sin_integral(4*b*x)*\tan(2*a)^2*\tan(a)^2 + 4*b*x*\sin_integral(2*b*x)*\tan(2*a)^2*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(4*b*x))*\tan(2*b*x)^2*\tan(2*a) - 2*b*x*\text{real_part}(\cos_integral(-4*b*x))*\tan(2*b*x)^2*\tan(2*a) - 2*b*x*\text{real_part}(\cos_integral(4*b*x))*\tan(b*x)^2*\tan(2*a) - 4*b*x*\text{real_part}(\cos_integral(-4*b*x))*\tan(b*x)^2*\tan(2*a) - 4*b*x*\text{real_part}(\cos_integral(2*b*x))*\tan(2*b*x)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(-2*b*x))*\tan(2*b*x)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(2*b*x))*\tan(b*x)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(-2*b*x))*\tan(b*x)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(2*b*x))*\tan(2*a)^2*\tan(a) - 4*b*x*\text{real_part}(\cos_integral(-2*b*x))*\tan(2*a)^2*\tan(a) + 8*\tan(2*b*x)^2*\tan(b*x)*\tan(2*a)^2*\tan(a) - 3*\tan(2*b*x)^2*\tan(b*x)^2*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(4*b*x))*\tan(2*a)*\tan(a)^2 - 2*b*x*\text{real_part}(\cos_integral(-4*b*x))*\tan(
\end{aligned}$$

```

2*a)*tan(a)^2 + 2*tan(2*b*x)*tan(b*x)^2*tan(2*a)*tan(a)^2 - 3*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - b*x*imag_part(cos_integral(4*b*x))*tan(2*b*x)^2 - 2*b*x*imag_part(cos_integral(2*b*x))*tan(2*b*x)^2 + 2*b*x*imag_part(cos_integral(-2*b*x))*tan(2*b*x)^2 + b*x*imag_part(cos_integral(-4*b*x))*tan(2*b*x)^2 - 2*b*x*sin_integral(4*b*x)*tan(2*b*x)^2 - 4*b*x*sin_integral(2*b*x)*tan(2*b*x)^2 - b*x*imag_part(cos_integral(4*b*x))*tan(b*x)^2 - 2*b*x*imag_part(cos_integral(2*b*x))*tan(b*x)^2 + 2*b*x*imag_part(cos_integral(-2*b*x))*tan(b*x)^2 + b*x*imag_part(cos_integral(-4*b*x))*tan(b*x)^2 - 2*b*x*sin_integral(4*b*x)*tan(b*x)^2 - 4*b*x*sin_integral(2*b*x)*tan(b*x)^2 + b*x*imag_part(cos_integral(4*b*x))*tan(2*a)^2 - 2*b*x*imag_part(cos_integral(2*b*x))*tan(2*a)^2 + 2*b*x*imag_part(cos_integral(-2*b*x))*tan(2*a)^2 - b*x*imag_part(cos_integral(-4*b*x))*tan(2*a)^2 + 2*b*x*sin_integral(4*b*x)*tan(2*a)^2 - 4*b*x*sin_integral(2*b*x)*tan(2*a)^2 - b*x*imag_part(cos_integral(4*b*x))*tan(a)^2 + 2*b*x*imag_part(cos_integral(2*b*x))*tan(a)^2 - 2*b*x*imag_part(cos_integral(-2*b*x))*tan(a)^2 + b*x*imag_part(cos_integral(-4*b*x))*tan(a)^2 - 2*b*x*sin_integral(4*b*x)*tan(a)^2 + 4*b*x*sin_integral(2*b*x)*tan(a)^2 + tan(2*b*x)^2*tan(b*x)^2 - 2*b*x*real_part(cos_integral(4*b*x))*tan(2*a) - 2*b*x*real_part(cos_integral(-4*b*x))*tan(2*a) + 2*tan(2*b*x)*tan(b*x)^2*tan(2*a) - 4*tan(2*b*x)^2*tan(2*a)^2 + tan(b*x)^2*tan(2*a)^2 - 4*b*x*real_part(cos_integral(2*b*x))*tan(a) - 4*b*x*real_part(cos_integral(-2*b*x))*tan(a) + 8*tan(2*b*x)^2*tan(b*x)*tan(a) + 8*tan(b*x)*tan(2*a)^2*tan(a) + tan(2*b*x)^2*tan(a)^2 - 4*tan(b*x)^2*tan(a)^2 + 2*tan(2*b*x)*tan(2*a)*tan(a)^2 + tan(2*a)^2*tan(a)^2 - b*x*imag_part(cos_integral(4*b*x)) - 2*b*x*imag_part(cos_integral(2*b*x)) + 2*b*x*imag_part(cos_integral(-2*b*x)) + b*x*imag_part(cos_integral(-4*b*x)) - 2*b*x*sin_integral(4*b*x) - 4*b*x*sin_integral(2*b*x) - 3*tan(2*b*x)^2 + 2*tan(2*b*x)*tan(2*a) - 3*tan(2*a)^2 + 8*tan(b*x)*tan(a) - 4)/(x*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + x*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 + x*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + x*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + x*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + x*tan(2*b*x)^2*tan(b*x)^2 + x*tan(2*b*x)^2*tan(2*a)^2 + x*tan(b*x)^2*tan(2*a)^2 + x*tan(2*b*x)^2*tan(a)^2 + x*tan(b*x)^2*tan(a)^2 + x*tan(2*a)^2*tan(a)^2 + x*tan(2*b*x)^2 + x*tan(b*x)^2 + x*tan(2*a)^2 + x*tan(a)^2 + x)

```

maple [A] time = 0.03, size = 90, normalized size = 1.36

$$b \left(\frac{\cos(4bx + 4a)}{8xb} - \frac{\text{Si}(4bx) \cos(4a)}{2} - \frac{\text{Ci}(4bx) \sin(4a)}{2} - \frac{\cos(2bx + 2a)}{2xb} - \text{Si}(2bx) \cos(2a) - \text{Ci}(2bx) \sin(2a) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^4/x^2,x)

[Out] b*(-1/8*cos(4*b*x+4*a)/x/b-1/2*Si(4*b*x)*cos(4*a)-1/2*Ci(4*b*x)*sin(4*a)-1/2*cos(2*b*x+2*a)/x/b-Si(2*b*x)*cos(2*a)-Ci(2*b*x)*sin(2*a)-3/8/x/b)

maxima [C] time = 0.92, size = 726, normalized size = 11.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x^2,x, algorithm="maxima")

[Out] 1/1048576*(32768*((exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*cos(4*a)^3 - ((32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*sin(4*a)^3 + (131072*(exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a)^3 - (131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*sin(2*a)^3 + 131072*((exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a) + 3)*sin(2*a)^2 + 131072*(exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a) + 393216*cos(2*a)^2 - ((131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*cos(2*a)^2 + 131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*sin(2*a))*cos(4*a)^2 + (131072*(exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a)^3 - (131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*sin(2*a)^3 + 131072*((exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a) + 3)*sin(2*a)^2 + 32768*((exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*cos(4*a) + 131072*(exp_integral_e(2, 2*I*b*x) + exp_integral_e(2, -2*I*b*x))*cos(2*a) + 393216*cos(2*a)^2 - ((131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*cos(2*a)^2 + 131072*I*exp_integral_e(2, 2*I*b*x) - 131072*I*exp_integral_e(2, -2*I*b*x))*sin(2*a))*sin(4*a)^2 + 32768*((exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (exp_integral_e(2, 4*I*b*x) + exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*cos(4*a) - (((32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*cos(4*a)^2 + (32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*cos(2*a)^2 + (32768*I*exp_integral_e(2, 4*I*b*x) - 32768*I*exp_integral_e(2, -4*I*b*x))*sin(2*a)^2)*sin(4*a))/b/((a*cos(2*a))^2 + a*sin(2*a)^2)*cos(4*a)^2 + (a*cos(2*a)^2 + a*sin(2*a)^2)*sin(4*a)^2 - ((cos(2*a)^2 + sin(2*a)^2)*cos(4*a)^2 + (cos(2*a)^2 + sin(2*a)^2)*sin(4*a)^2)*(b*x + a))

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(a + bx)^4}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a + b*x)^4/x^2, x)
```

```
[Out] int(cos(a + b*x)^4/x^2, x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\cos^4(a + bx)}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)**4/x**2, x)
```

```
[Out] Integral(cos(a + b*x)**4/x**2, x)
```

$$3.28 \quad \int \frac{\cos^4(a+bx)}{x^3} dx$$

Optimal. Leaf size=90

$$-b^2 \cos(2a)\text{Ci}(2bx) - b^2 \cos(4a)\text{Ci}(4bx) + b^2 \sin(2a)\text{Si}(2bx) + b^2 \sin(4a)\text{Si}(4bx) - \frac{\cos^4(a+bx)}{2x^2} + \frac{2b \sin(a+bx) \cos^3(a+bx)}{x}$$

[Out] $-b^2 \text{Ci}(2bx) \cos(2a) - b^2 \text{Ci}(4bx) \cos(4a) - 1/2 \cos(bx+a)^4/x^2 + b^2 \text{Si}(2bx) \sin(2a) + b^2 \text{Si}(4bx) \sin(4a) + 2b \cos(bx+a)^3 \sin(bx+a)/x$

Rubi [A] time = 0.30, antiderivative size = 90, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3314, 3312, 3303, 3299, 3302}

$$-b^2 \cos(2a)\text{CosIntegral}(2bx) - b^2 \cos(4a)\text{CosIntegral}(4bx) + b^2 \sin(2a)\text{Si}(2bx) + b^2 \sin(4a)\text{Si}(4bx) - \frac{\cos^4(a+bx)}{2x^2}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^4/x^3, x]

[Out] $-\text{Cos}[a + b*x]^4/(2*x^2) - b^2 \text{Cos}[2*a] \text{CosIntegral}[2*b*x] - b^2 \text{Cos}[4*a] \text{CosIntegral}[4*b*x] + (2*b \text{Cos}[a + b*x]^3 \text{Sin}[a + b*x])/x + b^2 \text{Sin}[2*a] \text{SinIntegral}[2*b*x] + b^2 \text{Sin}[4*a] \text{SinIntegral}[4*b*x]$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp
[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^4(a + bx)}{x^3} dx &= -\frac{\cos^4(a + bx)}{2x^2} + \frac{2b \cos^3(a + bx) \sin(a + bx)}{x} + (6b^2) \int \frac{\cos^2(a + bx)}{x} dx - (8b^2) \int \frac{\cos^4(a + bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{2x^2} + \frac{2b \cos^3(a + bx) \sin(a + bx)}{x} + (6b^2) \int \left(\frac{1}{2x} + \frac{\cos(2a + 2bx)}{2x} \right) dx - (8b^2) \int \frac{\cos^4(a + bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{2x^2} + \frac{2b \cos^3(a + bx) \sin(a + bx)}{x} - b^2 \int \frac{\cos(4a + 4bx)}{x} dx + (3b^2) \int \frac{\cos(2a + 2bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{2x^2} + \frac{2b \cos^3(a + bx) \sin(a + bx)}{x} + (3b^2 \cos(2a)) \int \frac{\cos(2bx)}{x} dx - (4b^2 \cos(2a)) \int \frac{\cos(4bx)}{x} dx \\ &= -\frac{\cos^4(a + bx)}{2x^2} - b^2 \cos(2a) \text{Ci}(2bx) - b^2 \cos(4a) \text{Ci}(4bx) + \frac{2b \cos^3(a + bx) \sin(a + bx)}{x} + \frac{3b^2 \cos(2a) \text{Si}(2bx)}{x} - \frac{4b^2 \cos(2a) \text{Si}(4bx)}{x} \end{aligned}$$

Mathematica [A] time = 0.30, size = 119, normalized size = 1.32

$$\frac{16b^2x^2 \cos(2a)\text{Ci}(2bx) + 16b^2x^2 \cos(4a)\text{Ci}(4bx) - 16b^2x^2 \sin(2a)\text{Si}(2bx) - 16b^2x^2 \sin(4a)\text{Si}(4bx) - 8bx \sin(2a) \text{Si}(2bx) - 8bx \sin(4a) \text{Si}(4bx) + 2b \cos^3(a + bx) \sin(a + bx)}{16x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^4/x^3,x]

[Out] -1/16*(3 + 4*Cos[2*(a + b*x)] + Cos[4*(a + b*x)] + 16*b^2*x^2*Cos[2*a]*CosIntegral[2*b*x] + 16*b^2*x^2*Cos[4*a]*CosIntegral[4*b*x] - 8*b*x*Sin[2*(a + b*x)] - 4*b*x*Sin[4*(a + b*x)] - 16*b^2*x^2*Sin[2*a]*SinIntegral[2*b*x] - 16*b^2*x^2*Sin[4*a]*SinIntegral[4*b*x])/x^2

fricas [A] time = 0.69, size = 130, normalized size = 1.44

$$\frac{4bx \cos(bx + a)^3 \sin(bx + a) + 2b^2x^2 \sin(4a) \operatorname{Si}(4bx) + 2b^2x^2 \sin(2a) \operatorname{Si}(2bx) - \cos(bx + a)^4 - (b^2x^2 \operatorname{Ci}(4bx) + 2b^2x^2 \operatorname{Ci}(2bx))}{2x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x^3,x, algorithm="fricas")

[Out] 1/2*(4*b*x*cos(b*x + a)^3*sin(b*x + a) + 2*b^2*x^2*sin(4*a)*sin_integral(4*b*x) + 2*b^2*x^2*sin(2*a)*sin_integral(2*b*x) - cos(b*x + a)^4 - (b^2*x^2*cos_integral(4*b*x) + b^2*x^2*cos_integral(-4*b*x))*cos(4*a) - (b^2*x^2*cos_integral(2*b*x) + b^2*x^2*cos_integral(-2*b*x))*cos(2*a))/x^2

giac [C] time = 0.76, size = 3920, normalized size = 43.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x^3,x, algorithm="giac")

[Out] 1/8*(4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 + 8*b^2*x^2*imag_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a) - 8*b^2*x^2*imag_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a) + 16*b^2*x^2*sin_integral(2*b*x)*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a) + 8*b^2*x^2*imag_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)*tan(a)^2 - 8*b^2*x^2*imag_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)*tan(a)^2 + 16*b^2*x^2*sin_integral(4*b*x)*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 + 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2 - 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 - 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(2*a)^2*tan(a)^2 + 4*b^2*x^2*real_part(cos_int

$$\begin{aligned} & \text{egral}(4*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_inte \\ & \text{gral}(2*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integ \\ & \text{ral}(-2*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integ \\ & \text{ral}(-4*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a)^2 + 8*b^2*x^2 * \text{imag_part}(\cos_integ \\ & \text{ral}(4*b*x)) * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(2*a) - 8*b^2*x^2 * \text{imag_part}(\cos_inte \\ & \text{gral}(-4*b*x)) * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(2*a) + 16*b^2*x^2 * \sin_integral(4* \\ & b*x) * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(2*a) + 8*b^2*x^2 * \text{imag_part}(\cos_integral(2* \\ & b*x)) * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(a) - 8*b^2*x^2 * \text{imag_part}(\cos_integral(-2* \\ & b*x)) * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(a) + 16*b^2*x^2 * \sin_integral(2*b*x) * \tan(2 \\ & *b*x)^2 * \tan(b*x)^2 * \tan(a) + 8*b^2*x^2 * \text{imag_part}(\cos_integral(2*b*x)) * \tan(2* \\ & b*x)^2 * \tan(2*a)^2 * \tan(a) - 8*b^2*x^2 * \text{imag_part}(\cos_integral(-2*b*x)) * \tan(2* \\ & b*x)^2 * \tan(2*a)^2 * \tan(a) + 16*b^2*x^2 * \sin_integral(2*b*x) * \tan(2*b*x)^2 * \tan(\\ & 2*a)^2 * \tan(a) + 8*b^2*x^2 * \text{imag_part}(\cos_integral(2*b*x)) * \tan(b*x)^2 * \tan(2*a) \\ &)^2 * \tan(a) - 8*b^2*x^2 * \text{imag_part}(\cos_integral(-2*b*x)) * \tan(b*x)^2 * \tan(2*a) \\ &)^2 * \tan(a) + 16*b^2*x^2 * \sin_integral(2*b*x) * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a) + 8* \\ & b^2*x^2 * \text{imag_part}(\cos_integral(4*b*x)) * \tan(2*b*x)^2 * \tan(2*a) * \tan(a)^2 - 8*b \\ & ^2*x^2 * \text{imag_part}(\cos_integral(-4*b*x)) * \tan(2*b*x)^2 * \tan(2*a) * \tan(a)^2 + 16* \\ & b^2*x^2 * \sin_integral(4*b*x) * \tan(2*b*x)^2 * \tan(2*a) * \tan(a)^2 + 8*b^2*x^2 * \text{imag} \\ & _part(\cos_integral(4*b*x)) * \tan(b*x)^2 * \tan(2*a) * \tan(a)^2 - 8*b^2*x^2 * \text{imag_pa} \\ & \text{rt}(\cos_integral(-4*b*x)) * \tan(b*x)^2 * \tan(2*a) * \tan(a)^2 + 16*b^2*x^2 * \sin_inte \\ & \text{gral}(4*b*x) * \tan(b*x)^2 * \tan(2*a) * \tan(a)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral \\ & (4*b*x)) * \tan(2*b*x)^2 * \tan(b*x)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(2*b*x)) \\ & * \tan(2*b*x)^2 * \tan(b*x)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(-2*b*x)) * \tan(2* \\ & b*x)^2 * \tan(b*x)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(-4*b*x)) * \tan(2*b*x)^2 * \\ & \tan(b*x)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(4*b*x)) * \tan(2*b*x)^2 * \tan(2*a) \\ & ^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(2*b*x)) * \tan(2*b*x)^2 * \tan(2*a)^2 - 4*b \\ & ^2*x^2 * \text{real_part}(\cos_integral(-2*b*x)) * \tan(2*b*x)^2 * \tan(2*a)^2 + 4*b^2*x^2 * \\ & \text{real_part}(\cos_integral(-4*b*x)) * \tan(2*b*x)^2 * \tan(2*a)^2 + 4*b^2*x^2 * \text{real_pa} \\ & \text{rt}(\cos_integral(4*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 - 4*b^2*x^2 * \text{real_part}(\cos_int \\ & \text{egral}(2*b*x)) * \tan(b*x)^2 * \tan(2*a)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(-2*b \\ & *x)) * \tan(b*x)^2 * \tan(2*a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(-4*b*x)) * \tan(\\ & b*x)^2 * \tan(2*a)^2 - 8*b*x * \tan(2*b*x)^2 * \tan(b*x)^2 * \tan(2*a)^2 * \tan(a) - 4*b^2 \\ & *x^2 * \text{real_part}(\cos_integral(4*b*x)) * \tan(2*b*x)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real} \\ & _part(\cos_integral(2*b*x)) * \tan(2*b*x)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_i \\ & \text{ntegral}(-2*b*x)) * \tan(2*b*x)^2 * \tan(a)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(- \\ & 4*b*x)) * \tan(2*b*x)^2 * \tan(a)^2 - 4*b^2*x^2 * \text{real_part}(\cos_integral(4*b*x)) * \ta \\ & \text{n}(b*x)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(2*b*x)) * \tan(b*x)^2 * \tan \\ & (a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(-2*b*x)) * \tan(b*x)^2 * \tan(a)^2 - 4*b \\ & ^2*x^2 * \text{real_part}(\cos_integral(-4*b*x)) * \tan(b*x)^2 * \tan(a)^2 - 4*b*x * \tan(2*b* \\ & x)^2 * \tan(b*x)^2 * \tan(2*a) * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(4*b*x) \\ &) * \tan(2*a)^2 * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(2*b*x)) * \tan(2*a)^2 \\ & * \tan(a)^2 + 4*b^2*x^2 * \text{real_part}(\cos_integral(-2*b*x)) * \tan(2*a)^2 * \tan(a)^2 + \\ & 4*b^2*x^2 * \text{real_part}(\cos_integral(-4*b*x)) * \tan(2*a)^2 * \tan(a)^2 - 8*b*x * \tan(\\ & 2*b*x)^2 * \tan(b*x) * \tan(2*a)^2 * \tan(a)^2 - 4*b*x * \tan(2*b*x) * \tan(b*x)^2 * \tan(2*a \\ &)^2 * \tan(a)^2 + 8*b^2*x^2 * \text{imag_part}(\cos_integral(4*b*x)) * \tan(2*b*x)^2 * \tan(2* \end{aligned}$$

$$\begin{aligned}
& a) - 8*b^2*x^2*imag_part(cos_integral(-4*b*x))*tan(2*b*x)^2*tan(2*a) + 16*b^2*x^2*sin_integral(4*b*x)*tan(2*b*x)^2*tan(2*a) + 8*b^2*x^2*imag_part(cos_integral(4*b*x))*tan(b*x)^2*tan(2*a) - 8*b^2*x^2*imag_part(cos_integral(-4*b*x))*tan(b*x)^2*tan(2*a) + 16*b^2*x^2*sin_integral(4*b*x)*tan(b*x)^2*tan(2*a) + 8*b^2*x^2*imag_part(cos_integral(2*b*x))*tan(2*b*x)^2*tan(a) - 8*b^2*x^2*imag_part(cos_integral(-2*b*x))*tan(2*b*x)^2*tan(a) + 16*b^2*x^2*sin_integral(2*b*x)*tan(2*b*x)^2*tan(a) + 8*b^2*x^2*imag_part(cos_integral(2*b*x))*tan(b*x)^2*tan(a) - 8*b^2*x^2*imag_part(cos_integral(-2*b*x))*tan(b*x)^2*tan(a) + 16*b^2*x^2*sin_integral(2*b*x)*tan(b*x)^2*tan(a) + 8*b^2*x^2*imag_part(cos_integral(2*b*x))*tan(2*a)^2*tan(a) - 8*b^2*x^2*imag_part(cos_integral(-2*b*x))*tan(2*a)^2*tan(a) + 16*b^2*x^2*sin_integral(2*b*x)*tan(2*a)^2*tan(a) + 8*b^2*x^2*imag_part(cos_integral(4*b*x))*tan(2*a)*tan(a)^2 - 8*b^2*x^2*imag_part(cos_integral(-4*b*x))*tan(2*a)*tan(a)^2 + 16*b^2*x^2*sin_integral(4*b*x)*tan(2*a)*tan(a)^2 - 4*tan(2*b*x)^2*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*b*x)^2 - 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*b*x)^2 - 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*b*x)^2 - 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*b*x)^2 - 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(b*x)^2 - 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(b*x)^2 - 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(b*x)^2 - 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(b*x)^2 - 4*b*x*tan(2*b*x)^2*tan(b*x)^2*tan(2*a) + 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(2*a)^2 - 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(2*a)^2 - 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(2*a)^2 + 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(2*a)^2 + 8*b*x*tan(2*b*x)^2*tan(b*x)*tan(2*a)^2 - 4*b*x*tan(2*b*x)*tan(b*x)^2*tan(2*a)^2 - 8*b*x*tan(2*b*x)^2*tan(b*x)^2*tan(a) + 8*b*x*tan(2*b*x)^2*tan(2*a)^2*tan(a) - 8*b*x*tan(b*x)^2*tan(2*a)^2*tan(a) - 4*b^2*x^2*real_part(cos_integral(4*b*x))*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(2*b*x))*tan(a)^2 + 4*b^2*x^2*real_part(cos_integral(-2*b*x))*tan(a)^2 - 4*b^2*x^2*real_part(cos_integral(-4*b*x))*tan(a)^2 - 8*b*x*tan(2*b*x)^2*tan(b*x)*tan(a)^2 + 4*b*x*tan(2*b*x)*tan(b*x)^2*tan(a)^2 - 4*b*x*tan(2*b*x)^2*tan(2*a)*tan(a)^2 + 4*b*x*tan(b*x)^2*tan(2*a)*tan(a)^2 - 4*b*x*tan(2*b*x)*tan(2*a)^2*tan(a)^2 - 8*b*x*tan(b*x)*tan(2*a)^2*tan(a)^2 + 8*b^2*x^2*imag_part(cos_integral(4*b*x))*tan(2*a) - 8*b^2*x^2*imag_part(cos_integral(-4*b*x))*tan(2*a) + 16*b^2*x^2*sin_integral(4*b*x)*tan(2*a) + 8*b^2*x^2*imag_part(cos_integral(2*b*x))*tan(a) - 8*b^2*x^2*imag_part(cos_integral(-2*b*x))*tan(a) + 16*b^2*x^2*sin_integral(2*b*x)*tan(a) + 8*tan(2*b*x)^2*tan(b*x)*tan(2*a)^2*tan(a) - 3*tan(2*b*x)^2*tan(b*x)^2*tan(a)^2 + 2*tan(2*b*x)*tan(b*x)^2*tan(2*a)*tan(a)^2 - 3*tan(b*x)^2*tan(2*a)^2*tan(a)^2 - 4*b^2*x^2*real_part(cos_integral(4*b*x)) - 4*b^2*x^2*real_part(cos_integral(2*b*x)) - 4*b^2*x^2*real_part(cos_integral(-2*b*x)) - 4*b^2*x^2*real_part(cos_integral(-4*b*x)) + 8*b*x*tan(2*b*x)^2*tan(b*x) + 4*b*x*tan(2*b*x)*tan(b*x)^2 - 4*b*x*tan(2*b*x)^2*tan(2*a) + 4*b*x*tan(b*x)^2*tan(2*a) - 4*b*x*tan(2*b*x)*tan(2*a)^2 + 8*b*x*tan(b*x)*tan(2*a)^2 + 8*b*x*tan(2*b*x)^2*tan(a) - 8*b*x*tan(b*x)^2*tan(a) + 8*b*x*tan(2*a)^2*tan(a) + 4*b*x*tan(2*b*x)*tan(a)^2 - 8*b*x*tan(b*x)*tan(a)^2 + 4*b*x*tan(2*a)*tan(a)^2 + tan(2*b*x)^2*tan(b*x)
\end{aligned}$$

$$\begin{aligned} &^2 + 2*\tan(2*b*x)*\tan(b*x)^2*\tan(2*a) - 4*\tan(2*b*x)^2*\tan(2*a)^2 + \tan(b*x) \\ &)^2*\tan(2*a)^2 + 8*\tan(2*b*x)^2*\tan(b*x)*\tan(a) + 8*\tan(b*x)*\tan(2*a)^2*\tan \\ &(a) + \tan(2*b*x)^2*\tan(a)^2 - 4*\tan(b*x)^2*\tan(a)^2 + 2*\tan(2*b*x)*\tan(2*a) \\ &)*\tan(a)^2 + \tan(2*a)^2*\tan(a)^2 + 4*b*x*\tan(2*b*x) + 8*b*x*\tan(b*x) + 4*b*x \\ &)*\tan(2*a) + 8*b*x*\tan(a) - 3*\tan(2*b*x)^2 + 2*\tan(2*b*x)*\tan(2*a) - 3*\tan(2 \\ &a)^2 + 8*\tan(b*x)*\tan(a) - 4)/(x^2*\tan(2*b*x)^2*\tan(b*x)^2*\tan(2*a)^2*\tan(\\ &a)^2 + x^2*\tan(2*b*x)^2*\tan(b*x)^2*\tan(2*a)^2 + x^2*\tan(2*b*x)^2*\tan(b*x)^2 \\ &)*\tan(a)^2 + x^2*\tan(2*b*x)^2*\tan(2*a)^2*\tan(a)^2 + x^2*\tan(b*x)^2*\tan(2*a)^ \\ &2*\tan(a)^2 + x^2*\tan(2*b*x)^2*\tan(b*x)^2 + x^2*\tan(2*b*x)^2*\tan(2*a)^2 + x^ \\ &2*\tan(b*x)^2*\tan(2*a)^2 + x^2*\tan(2*b*x)^2*\tan(a)^2 + x^2*\tan(b*x)^2*\tan(a) \\ &^2 + x^2*\tan(2*a)^2*\tan(a)^2 + x^2*\tan(2*b*x)^2 + x^2*\tan(b*x)^2 + x^2*\tan(\\ &2*a)^2 + x^2*\tan(a)^2 + x^2) \end{aligned}$$

maple [A] time = 0.03, size = 124, normalized size = 1.38

$$b^2 \left(-\frac{\cos(4bx + 4a)}{16x^2b^2} + \frac{\sin(4bx + 4a)}{4xb} + \text{Si}(4bx) \sin(4a) - \text{Ci}(4bx) \cos(4a) - \frac{\cos(2bx + 2a)}{4x^2b^2} + \frac{\sin(2bx + 2a)}{2xb} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^4/x^3,x)

[Out] b^2*(-1/16*cos(4*b*x+4*a)/x^2/b^2+1/4*sin(4*b*x+4*a)/x/b+Si(4*b*x)*sin(4*a)-Ci(4*b*x)*cos(4*a)-1/4*cos(2*b*x+2*a)/x^2/b^2+1/2*sin(2*b*x+2*a)/x/b+Si(2*b*x)*sin(2*a)-Ci(2*b*x)*cos(2*a)-3/16/x^2/b^2)

maxima [C] time = 0.77, size = 795, normalized size = 8.83

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^4/x^3,x, algorithm="maxima")

[Out] -1/2097152*(65536*((exp_integral_e(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*cos(2*a)^2 + (exp_integral_e(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*sin(2*a)^2)*cos(4*a)^3 - ((65536*I*exp_integral_e(3, 4*I*b*x) - 65536*I*exp_integral_e(3, -4*I*b*x))*cos(2*a)^2 + (65536*I*exp_integral_e(3, 4*I*b*x) - 65536*I*exp_integral_e(3, -4*I*b*x))*sin(2*a)^2)*sin(4*a)^3 + (262144*(exp_integral_e(3, 2*I*b*x) + exp_integral_e(3, -2*I*b*x))*cos(2*a)^3 - (262144*I*exp_integral_e(3, 2*I*b*x) - 262144*I*exp_integral_e(3, -2*I*b*x))*sin(2*a)^3 + 131072*(2*(exp_integral_e(3, 2*I*b*x) + exp_integral_e(3, -2*I*b*x))*cos(2*a) + 3)*sin(2*a)^2 + 262144*(exp_integral_e(3, 2*I*b*x) + exp_integral_e(3, -2*I*b*x))*cos(2*a) + 393216*cos(2*a)^2 - ((262144*I*exp_integral_e(3, 2*I*b*x) - 262144*I*exp_integral_e(3, -2*I*b*x))*cos(2*a)^2 + 262144*I*exp_integral_e(3, 2*I*b*x) - 262144*I*exp_integral_e(3, -2*I*b*x))*sin(2*

```

a))*cos(4*a)^2 + (262144*(exp_integral_e(3, 2*I*b*x) + exp_integral_e(3, -2
*I*b*x))*cos(2*a)^3 - (262144*I*exp_integral_e(3, 2*I*b*x) - 262144*I*exp_i
ntegral_e(3, -2*I*b*x))*sin(2*a)^3 + 131072*(2*(exp_integral_e(3, 2*I*b*x)
+ exp_integral_e(3, -2*I*b*x))*cos(2*a) + 3)*sin(2*a)^2 + 65536*((exp_integ
ral_e(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*cos(2*a)^2 + (exp_integral
_e(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*sin(2*a)^2)*cos(4*a) + 262144
*(exp_integral_e(3, 2*I*b*x) + exp_integral_e(3, -2*I*b*x))*cos(2*a) + 3932
16*cos(2*a)^2 - ((262144*I*exp_integral_e(3, 2*I*b*x) - 262144*I*exp_integr
al_e(3, -2*I*b*x))*cos(2*a)^2 + 262144*I*exp_integral_e(3, 2*I*b*x) - 26214
4*I*exp_integral_e(3, -2*I*b*x))*sin(2*a))*sin(4*a)^2 + 65536*((exp_integra
l_e(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*cos(2*a)^2 + (exp_integral_e
(3, 4*I*b*x) + exp_integral_e(3, -4*I*b*x))*sin(2*a)^2)*cos(4*a) - ((65536
*I*exp_integral_e(3, 4*I*b*x) - 65536*I*exp_integral_e(3, -4*I*b*x))*cos(2*
a)^2 + (65536*I*exp_integral_e(3, 4*I*b*x) - 65536*I*exp_integral_e(3, -4*I
*b*x))*sin(2*a)^2)*cos(4*a)^2 + (65536*I*exp_integral_e(3, 4*I*b*x) - 65536
*I*exp_integral_e(3, -4*I*b*x))*cos(2*a)^2 + (65536*I*exp_integral_e(3, 4*I
*b*x) - 65536*I*exp_integral_e(3, -4*I*b*x))*sin(2*a)^2)*sin(4*a))*b^2/(((c
os(2*a)^2 + sin(2*a)^2)*cos(4*a)^2 + (cos(2*a)^2 + sin(2*a)^2)*sin(4*a)^2)*
(b*x + a)^2 + (a^2*cos(2*a)^2 + a^2*sin(2*a)^2)*cos(4*a)^2 + (a^2*cos(2*a)^
2 + a^2*sin(2*a)^2)*sin(4*a)^2 - 2*((a*cos(2*a)^2 + a*sin(2*a)^2)*cos(4*a)^
2 + (a*cos(2*a)^2 + a*sin(2*a)^2)*sin(4*a)^2)*(b*x + a))

```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^4}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^4/x^3,x)

[Out] int(cos(a + b*x)^4/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^4(a + bx)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**4/x**3,x)

[Out] Integral(cos(a + b*x)**4/x**3, x)

3.29 $\int (c + dx)^3 \sec(a + bx) dx$

Optimal. Leaf size=205

$$\frac{6id^3\text{Li}_4(-ie^{i(a+bx)})}{b^4} + \frac{6id^3\text{Li}_4(ie^{i(a+bx)})}{b^4} - \frac{6d^2(c+dx)\text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{6d^2(c+dx)\text{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{3id(c+dx)^2\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c+dx)^2\text{Li}_2(ie^{i(a+bx)})}{b^2}$$

[Out] $-2*I*(d*x+c)^3*\arctan(\exp(I*(b*x+a)))/b+3*I*d*(d*x+c)^2*\text{polylog}(2,-I*\exp(I*(b*x+a)))/b^2-3*I*d*(d*x+c)^2*\text{polylog}(2,I*\exp(I*(b*x+a)))/b^2-6*d^2*(d*x+c)*\text{polylog}(3,-I*\exp(I*(b*x+a)))/b^3+6*d^2*(d*x+c)*\text{polylog}(3,I*\exp(I*(b*x+a)))/b^3-6*I*d^3*\text{polylog}(4,-I*\exp(I*(b*x+a)))/b^4+6*I*d^3*\text{polylog}(4,I*\exp(I*(b*x+a)))/b^4$

Rubi [A] time = 0.16, antiderivative size = 205, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {4181, 2531, 6609, 2282, 6589}

$$\frac{6d^2(c+dx)\text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{6d^2(c+dx)\text{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{3id(c+dx)^2\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c+dx)^2\text{Li}_2(ie^{i(a+bx)})}{b^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*\text{Sec}[a + b*x], x]$

[Out] $((-2*I)*(c + d*x)^3*\text{ArcTan}[E^{I*(a + b*x)}])/b + ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, (-I)*E^{I*(a + b*x)}])/b^2 - ((3*I)*d*(c + d*x)^2*\text{PolyLog}[2, I*E^{I*(a + b*x)}])/b^2 - (6*d^2*(c + d*x)*\text{PolyLog}[3, (-I)*E^{I*(a + b*x)}])/b^3 + (6*d^2*(c + d*x)*\text{PolyLog}[3, I*E^{I*(a + b*x)}])/b^3 - ((6*I)*d^3*\text{PolyLog}[4, (-I)*E^{I*(a + b*x)}])/b^4 + ((6*I)*d^3*\text{PolyLog}[4, I*E^{I*(a + b*x)}])/b^4$

Rule 2282

$\text{Int}[u, x_Symbol] := \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x]] /;$ $\text{FunctionOfExponentialQ}[u, x] \ \&\& \ !\text{MatchQ}[u, (w_)*((a_)*(v_)^{(n_)})^{(m_)} /;$ $\text{FreeQ}[\{a, m, n\}, x] \ \&\& \ \text{IntegerQ}[m*n] \ \&\& \ !\text{MatchQ}[u, E^{((c_)*((a_)+(b_)*x))* (F_)}[v_]] /;$ $\text{FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{InverseFunctionQ}[F[x]]]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_)*((F_)^{((c_)*((a_)+(b_)*(x_)))})^{(n_)}]*((f_)+(g_)*(x_))^{(m_)}], x_Symbol] := -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{c*(a + b*x)}))^{(n)}])/(b*c*n*\text{Log}[F]), x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^{(m-1)}*\text{PolyLog}[2, -(e*(F^{c*(a + b*x)}))^{(n)}]], x], x] /;$ $\text{FreeQ}[\{F, a, b, c, e, f, g, n\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:= Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:= Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_.))^(m_.)*PolyLog[n_, (d_.)*((F_.)^((c_.)*((a_.) + (b_.)*(x_.)))^(p_.)], x_Symbol]
:= Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p])/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^3 \sec(a + bx) dx &= -\frac{2i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} - \frac{(3d) \int (c + dx)^2 \log(1 - ie^{i(a+bx)}) dx}{b} + \frac{(3d) \int (c + dx)^2 \log(1 + ie^{i(a+bx)}) dx}{b} \\ &= -\frac{2i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(ie^{i(a+bx)})}{b^2} \\ &= -\frac{2i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(ie^{i(a+bx)})}{b^2} \\ &= -\frac{2i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(ie^{i(a+bx)})}{b^2} \\ &= -\frac{2i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{3id(c + dx)^2 \text{Li}_2(ie^{i(a+bx)})}{b^2} \end{aligned}$$

Mathematica [A] time = 0.19, size = 196, normalized size = 0.96

$$\frac{i(2b^3(c + dx)^3 \tan^{-1}(e^{i(a+bx)}) - 3d(b^2(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)}) + 2ibd(c + dx) \text{Li}_3(-ie^{i(a+bx)}) - 2d^2 \text{Li}_4(-ie^{i(a+bx)}))}{b^4}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^3*Sec[a + b*x],x]
```

```
[Out] ((-I)*(2*b^3*(c + d*x)^3*ArcTan[E^(I*(a + b*x))] - 3*d*(b^2*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(a + b*x))] + (2*I)*b*d*(c + d*x)*PolyLog[3, (-I)*E^(I*(a + b*x))] - 2*d^2*PolyLog[4, (-I)*E^(I*(a + b*x))]) + 3*d*(b^2*(c + d*x)^2*PolyLog[2, I*E^(I*(a + b*x))] + (2*I)*b*d*(c + d*x)*PolyLog[3, I*E^(I*(a + b*x))] - 2*d^2*PolyLog[4, I*E^(I*(a + b*x))]))/b^4
```

```
fricas [C] time = 1.03, size = 966, normalized size = 4.71
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*sec(b*x+a),x, algorithm="fricas")
```

```
[Out] 1/2*(6*I*d^3*polylog(4, I*cos(b*x + a) + sin(b*x + a)) + 6*I*d^3*polylog(4, I*cos(b*x + a) - sin(b*x + a)) - 6*I*d^3*polylog(4, -I*cos(b*x + a) + sin(b*x + a)) - 6*I*d^3*polylog(4, -I*cos(b*x + a) - sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d)*dilog(I*cos(b*x + a) + sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d)*dilog(I*cos(b*x + a) - sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d)*dilog(-I*cos(b*x + a) + sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d)*dilog(-I*cos(b*x + a) - sin(b*x + a)) + (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(cos(b*x + a) + I*sin(b*x + a) + I) - (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(cos(b*x + a) - I*sin(b*x + a) + I) + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + a^3*d^3)*log(I*cos(b*x + a) + sin(b*x + a) + 1) - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + a^3*d^3)*log(I*cos(b*x + a) - sin(b*x + a) + 1) + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + a^3*d^3)*log(-I*cos(b*x + a) + sin(b*x + a) + 1) - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + a^3*d^3)*log(-I*cos(b*x + a) - sin(b*x + a) + 1) + (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(-cos(b*x + a) + I*sin(b*x + a) + I) - (b^3*c^3 - 3*a*b^2*c^2*d + 3*a^2*b*c*d^2 - a^3*d^3)*log(-cos(b*x + a) - I*sin(b*x + a) + I) - 6*(b*d^3*x + b*c*d^2)*polylog(3, I*cos(b*x + a) + sin(b*x + a)) + 6*(b*d^3*x + b*c*d^2)*polylog(3, I*cos(b*x + a) - sin(b*x + a)) - 6*(b*d^3*x + b*c*d^2)*polylog(3, -I*cos(b*x + a) + sin(b*x + a)) + 6*(b*d^3*x + b*c*d^2)*polylog(3, -I*cos(b*x + a) - sin(b*x + a)))/b^4
```

```
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (dx + c)^3 \sec(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sec(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^3*sec(b*x + a), x)

maple [B] time = 0.22, size = 685, normalized size = 3.34

$$-\frac{6icd^2a^2 \arctan(e^{i(bx+a)})}{b^3} + \frac{6ic^2da \arctan(e^{i(bx+a)})}{b^2} - \frac{6id^2c \operatorname{polylog}(2, ie^{i(bx+a)})x}{b^2} + \frac{6id^2c \operatorname{polylog}(2, -ie^{i(bx+a)})x}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*sec(b*x+a),x)

[Out] $6I*d^3*\operatorname{polylog}(4, I*\exp(I*(b*x+a)))/b^4 - 6I/b^2*d^2*c*\operatorname{polylog}(2, I*\exp(I*(b*x+a)))*x + 6I/b^2*d^2*c*\operatorname{polylog}(2, -I*\exp(I*(b*x+a)))*x - 6I/b^3*c*d^2*a^2*\arctan(\exp(I*(b*x+a))) + 6I/b^2*c^2*d*a*\arctan(\exp(I*(b*x+a))) - 6I*d^3*\operatorname{polylog}(4, -I*\exp(I*(b*x+a)))/b^4 + 6/b^3*d^3*c*\operatorname{polylog}(3, I*\exp(I*(b*x+a)))/b^4 + 6/b^3*d^3*c*\operatorname{polylog}(3, I*\exp(I*(b*x+a)))*x - 1/b^4*a^3*d^3*\ln(1+I*\exp(I*(b*x+a))) - 6/b^3*d^2*c*\operatorname{polylog}(3, -I*\exp(I*(b*x+a))) + 1/b^4*a^3*d^3*\ln(1-I*\exp(I*(b*x+a))) - 1/b^3*d^3*\ln(1+I*\exp(I*(b*x+a)))*x^3 + 1/b*d^3*\ln(1-I*\exp(I*(b*x+a)))*x^3 - 6/b^3*d^3*c*\operatorname{polylog}(3, -I*\exp(I*(b*x+a)))*x - 2I/b*c^3*\arctan(\exp(I*(b*x+a))) + 3/b*d^2*c*\ln(1-I*\exp(I*(b*x+a)))*x^2 - 3/b*d^2*c*\ln(1+I*\exp(I*(b*x+a)))*x^2 + 3/b*c^2*d*\ln(1-I*\exp(I*(b*x+a)))*x + 3/b^2*c^2*d*\ln(1-I*\exp(I*(b*x+a)))*a - 3/b^3*a^2*c*d^2*\ln(1+I*\exp(I*(b*x+a))) - 3/b*c^2*d*\ln(1+I*\exp(I*(b*x+a)))*x - 3/b^2*c^2*d*\ln(1+I*\exp(I*(b*x+a)))*a + 2I/b^4*d^3*a^3*\arctan(\exp(I*(b*x+a))) + 3I/b^2*d^3*\operatorname{polylog}(2, -I*\exp(I*(b*x+a)))*x^2 - 3I/b^2*d^3*\operatorname{polylog}(2, I*\exp(I*(b*x+a)))*x^2 - 3I/b^2*c^2*d*\operatorname{polylog}(2, I*\exp(I*(b*x+a))) + 3I/b^2*c^2*d*\operatorname{polylog}(2, -I*\exp(I*(b*x+a)))$

maxima [B] time = 1.14, size = 712, normalized size = 3.47

$$2c^3 \log(\sec(bx+a) + \tan(bx+a)) - \frac{6ac^2d \log(\sec(bx+a) + \tan(bx+a))}{b} + \frac{6a^2cd^2 \log(\sec(bx+a) + \tan(bx+a))}{b^2} - \frac{2a^3d^3 \log(\sec(bx+a) + \tan(bx+a))}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sec(b*x+a),x, algorithm="maxima")

[Out] $1/2*(2*c^3*\log(\sec(b*x + a) + \tan(b*x + a)) - 6*a*c^2*d*\log(\sec(b*x + a) + \tan(b*x + a)))/b + 6*a^2*c*d^2*\log(\sec(b*x + a) + \tan(b*x + a))/b^2 - 2*a^3*d^3*\log(\sec(b*x + a) + \tan(b*x + a))/b^3 + (12*I*d^3*\operatorname{polylog}(4, I*e^{(I*b*x + I*a)}) - 12*I*d^3*\operatorname{polylog}(4, -I*e^{(I*b*x + I*a)})) + (-2*I*(b*x + a)^3*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a)^2 + (-6*I*b^2*c^2*d + 12*I*a*b*c*d^2 - 6*I*a^2*d^3)*(b*x + a))*\arctan2(\cos(b*x + a), \sin(b*x + a) + 1) + (-2*I*($

$$\begin{aligned}
 & b^3 x^3 + a^3 d^3 + (-6 I b^2 c d^2 + 6 I a^2 d^3) (b x + a)^2 + (-6 I b^2 c^2 d + 12 I a b c d^2 - 6 I a^2 d^3) (b x + a) \operatorname{arctan2}(\cos(b x + a), -\sin(b x + a) + 1) \\
 & + (-6 I b^2 c^2 d + 12 I a b c d^2 - 6 I (b x + a)^2 d^3 - 6 I a^2 d^3 + (-12 I b^2 c d^2 + 12 I a^2 d^3) (b x + a)) \operatorname{dilog}(I e^{(I b x + I a)}) + (6 I b^2 c^2 d - 12 I a b c d^2 + 6 I (b x + a)^2 d^3 + 6 I a^2 d^3 + (12 I b^2 c d^2 - 12 I a^2 d^3) (b x + a)) \operatorname{dilog}(-I e^{(I b x + I a)}) \\
 & + ((b x + a)^3 d^3 + 3 (b c d^2 - a d^3) (b x + a)^2 + 3 (b^2 c^2 d - 2 a b c d^2 + a^2 d^3) (b x + a)) \log(\cos(b x + a)^2 + \sin(b x + a)^2 + 2 \sin(b x + a) + 1) - ((b x + a)^3 d^3 + 3 (b c d^2 - a d^3) (b x + a)^2 + 3 (b^2 c^2 d - 2 a b c d^2 + a^2 d^3) (b x + a)) \log(\cos(b x + a)^2 + \sin(b x + a)^2 - 2 \sin(b x + a) + 1) \\
 & + 12 (b c d^2 + (b x + a) d^3 - a d^3) \operatorname{polylog}(3, I e^{(I b x + I a)}) - 12 (b c d^2 + (b x + a) d^3 - a d^3) \operatorname{polylog}(3, -I e^{(I b x + I a)}) / b^3
 \end{aligned}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{(c + dx)^3}{\cos(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^3/cos(a + b*x), x)

[Out] int((c + d*x)^3/cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^3 \sec(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sec(b*x+a), x)

[Out] Integral((c + d*x)**3*sec(a + b*x), x)

3.30 $\int (c + dx)^2 \sec(a + bx) dx$

Optimal. Leaf size=137

$$-\frac{2d^2 \text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{2d^2 \text{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{2id(c+dx)\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{2id(c+dx)\text{Li}_2(ie^{i(a+bx)})}{b^2} - \frac{2i(c+dx)^2 \tan^{-1}\left(\frac{e^{i(a+bx)}}{b}\right)}{b}$$

[Out] $-2*I*(d*x+c)^2*\arctan(\exp(I*(b*x+a)))/b+2*I*d*(d*x+c)*\text{polylog}(2,-I*\exp(I*(b*x+a)))/b^2-2*I*d*(d*x+c)*\text{polylog}(2,I*\exp(I*(b*x+a)))/b^2-2*d^2*\text{polylog}(3,-I*\exp(I*(b*x+a)))/b^3+2*d^2*\text{polylog}(3,I*\exp(I*(b*x+a)))/b^3$

Rubi [A] time = 0.09, antiderivative size = 137, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4181, 2531, 2282, 6589}

$$\frac{2id(c+dx)\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{2id(c+dx)\text{Li}_2(ie^{i(a+bx)})}{b^2} - \frac{2d^2 \text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{2d^2 \text{Li}_3(ie^{i(a+bx)})}{b^3} - \frac{2i(c+dx)^2 \tan^{-1}\left(\frac{e^{i(a+bx)}}{b}\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2*\text{Sec}[a + b*x], x]$

[Out] $((-2*I)*(c + d*x)^2*\text{ArcTan}[E^{I*(a + b*x)}])/b + ((2*I)*d*(c + d*x)*\text{PolyLog}[2, (-I)*E^{I*(a + b*x)}])/b^2 - ((2*I)*d*(c + d*x)*\text{PolyLog}[2, I*E^{I*(a + b*x)}])/b^2 - (2*d^2*\text{PolyLog}[3, (-I)*E^{I*(a + b*x)}])/b^3 + (2*d^2*\text{PolyLog}[3, I*E^{I*(a + b*x)}])/b^3$

Rule 2282

$\text{Int}[u_, x_Symbol] \text{ :> With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x]] \text{ /; FunctionOfExponentialQ}[u, x] \ \&\& \ \text{!MatchQ}[u, (w_)*((a_)*(v_)^(n_))^(m_)] \text{ /; FreeQ}[\{a, m, n\}, x] \ \&\& \ \text{IntegerQ}[m*n] \ \&\& \ \text{!MatchQ}[u, E^((c_)*((a_)+(b_)*x))*(F_)[v_] \text{ /; FreeQ}[\{a, b, c\}, x] \ \&\& \ \text{InverseFunctionQ}[F[x]]]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_)*((F_)^((c_)*((a_)+(b_)*(x_))))^(n_)]*((f_) + (g_)*(x_))^(m_), x_Symbol] \text{ :> -Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^(c*(a + b*x))))^n])/b*c*n*\text{Log}[F], x] + \text{Dist}[(g*m)/(b*c*n*\text{Log}[F]), \text{Int}[(f + g*x)^(m-1)*\text{PolyLog}[2, -(e*(F^(c*(a + b*x))))^n], x], x] \text{ /; FreeQ}[\{F, a, b, c, e, f, g, n\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol]
:> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^2 \sec(a + bx) dx &= -\frac{2i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} - \frac{(2d) \int (c + dx) \log(1 - ie^{i(a+bx)}) dx}{b} + \frac{(2d) \int (c + dx) \log(1 + ie^{i(a+bx)}) dx}{b} \\ &= -\frac{2i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c + dx)\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{2id(c + dx)\text{Li}_2(ie^{i(a+bx)})}{b^2} \\ &= -\frac{2i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c + dx)\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{2id(c + dx)\text{Li}_2(ie^{i(a+bx)})}{b^2} \\ &= -\frac{2i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{2id(c + dx)\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{2id(c + dx)\text{Li}_2(ie^{i(a+bx)})}{b^2} \end{aligned}$$

Mathematica [A] time = 0.10, size = 130, normalized size = 0.95

$$\frac{2i(b^2(c + dx)^2 \tan^{-1}(e^{i(a+bx)}) - d(b(c + dx)\text{Li}_2(-ie^{i(a+bx)}) + id\text{Li}_3(-ie^{i(a+bx)})) + d(b(c + dx)\text{Li}_2(ie^{i(a+bx)}) + id\text{Li}_3(ie^{i(a+bx)}))}{b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2*Sec[a + b*x], x]
```

```
[Out] ((-2*I)*(b^2*(c + d*x)^2*ArcTan[E^(I*(a + b*x))] - d*(b*(c + d*x)*PolyLog[2, (-I)*E^(I*(a + b*x))] + I*d*PolyLog[3, (-I)*E^(I*(a + b*x))]) + d*(b*(c + d*x)*PolyLog[2, I*E^(I*(a + b*x))] + I*d*PolyLog[3, I*E^(I*(a + b*x))]))/b^3
```

fricas [C] time = 0.90, size = 598, normalized size = 4.36

$$\frac{2d^2 \text{polylog}(3, i \cos(bx + a) + \sin(bx + a)) - 2d^2 \text{polylog}(3, i \cos(bx + a) - \sin(bx + a)) + 2d^2 \text{polylog}(3, -i \cos(bx + a) + \sin(bx + a)) - 2d^2 \text{polylog}(3, -i \cos(bx + a) - \sin(bx + a))}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a),x, algorithm="fricas")

[Out]
$$\begin{aligned} & -1/2*(2*d^2*polylog(3, I*\cos(b*x + a) + \sin(b*x + a)) - 2*d^2*polylog(3, I* \\ & \cos(b*x + a) - \sin(b*x + a)) + 2*d^2*polylog(3, -I*\cos(b*x + a) + \sin(b*x + \\ & a)) - 2*d^2*polylog(3, -I*\cos(b*x + a) - \sin(b*x + a)) - (-2*I*b*d^2*x - 2 \\ & *I*b*c*d)*dilog(I*\cos(b*x + a) + \sin(b*x + a)) - (-2*I*b*d^2*x - 2*I*b*c*d) \\ & *dilog(I*\cos(b*x + a) - \sin(b*x + a)) - (2*I*b*d^2*x + 2*I*b*c*d)*dilog(-I* \\ & \cos(b*x + a) + \sin(b*x + a)) - (2*I*b*d^2*x + 2*I*b*c*d)*dilog(-I*\cos(b*x + \\ & a) - \sin(b*x + a)) - (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\cos(b*x + a) + I* \\ & \sin(b*x + a) + I) + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(\cos(b*x + a) - I*\sin \\ & (b*x + a) + I) - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\log(I*\cos \\ & (b*x + a) + \sin(b*x + a) + 1) + (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - \\ & a^2*d^2)*\log(I*\cos(b*x + a) - \sin(b*x + a) + 1) - (b^2*d^2*x^2 + 2*b^2*c*d* \\ & x + 2*a*b*c*d - a^2*d^2)*\log(-I*\cos(b*x + a) + \sin(b*x + a) + 1) + (b^2*d^2 \\ & *x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*\log(-I*\cos(b*x + a) - \sin(b*x + a) \\ &) + 1) - (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(-\cos(b*x + a) + I*\sin(b*x + a) \\ & + I) + (b^2*c^2 - 2*a*b*c*d + a^2*d^2)*\log(-\cos(b*x + a) - I*\sin(b*x + a) \\ & + I))/b^3 \end{aligned}$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^2 \sec(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^2*sec(b*x + a), x)

maple [B] time = 0.14, size = 392, normalized size = 2.86

$$\frac{4icda \arctan\left(e^{i(bx+a)}\right)}{b^2} - \frac{2cd \ln\left(1 + ie^{i(bx+a)}\right)x}{b} + \frac{2cd \ln\left(1 - ie^{i(bx+a)}\right)x}{b} + \frac{2cd \ln\left(1 - ie^{i(bx+a)}\right)a}{b^2} + \frac{2id^2 \operatorname{polylog}\left(2, -\right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*sec(b*x+a),x)

[Out]
$$\begin{aligned} & 4*I/b^2*c*d*a*\arctan(\exp(I*(b*x+a)))-2/b*c*d*\ln(1+I*\exp(I*(b*x+a)))*x+2/b*c \\ & *d*\ln(1-I*\exp(I*(b*x+a)))*x+2/b^2*c*d*\ln(1-I*\exp(I*(b*x+a)))*a-2*I/b*c^2*ar \\ & \operatorname{ctan}(\exp(I*(b*x+a)))+1/b^3*a^2*d^2*\ln(1+I*\exp(I*(b*x+a)))-1/b*d^2*\ln(1+I*ex \\ & p(I*(b*x+a)))*x^2-2*d^2*polylog(3,-I*\exp(I*(b*x+a)))/b^3+2*I/b^2*c*d*polylo \\ & g(2,-I*\exp(I*(b*x+a)))+2*I/b^2*d^2*polylog(2,-I*\exp(I*(b*x+a)))*x-2*I/b^2*c \\ & *d*polylog(2,I*\exp(I*(b*x+a)))-1/b^3*a^2*d^2*\ln(1-I*\exp(I*(b*x+a)))+1/b*d^2 \end{aligned}$$

*ln(1-I*exp(I*(b*x+a)))*x^2-2*I/b^3*d^2*a^2*arctan(exp(I*(b*x+a)))+2*d^2*polylog(3,I*exp(I*(b*x+a)))/b^3-2/b^2*c*d*ln(1+I*exp(I*(b*x+a)))*a-2*I/b^2*d^2*polylog(2,I*exp(I*(b*x+a)))*x

maxima [B] time = 0.73, size = 396, normalized size = 2.89

$$\frac{2c^2 \log(\sec(bx+a) + \tan(bx+a)) - \frac{4acd \log(\sec(bx+a) + \tan(bx+a))}{b} + \frac{2a^2d^2 \log(\sec(bx+a) + \tan(bx+a))}{b^2} + \frac{4d^2 \text{Li}_3(e^{i(bx+a)}) - 4a^2 \text{Li}_3(e^{i(bx+a)})}{b^3}}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a),x, algorithm="maxima")

[Out] 1/2*(2*c^2*log(sec(b*x + a) + tan(b*x + a)) - 4*a*c*d*log(sec(b*x + a) + tan(b*x + a))/b + 2*a^2*d^2*log(sec(b*x + a) + tan(b*x + a))/b^2 + (4*d^2*polylog(3, I*e^(I*b*x + I*a)) - 4*d^2*polylog(3, -I*e^(I*b*x + I*a)) + (-2*I*(b*x + a)^2*d^2 + (-4*I*b*c*d + 4*I*a*d^2)*(b*x + a))*arctan2(cos(b*x + a), sin(b*x + a) + 1) + (-2*I*(b*x + a)^2*d^2 + (-4*I*b*c*d + 4*I*a*d^2)*(b*x + a))*arctan2(cos(b*x + a), -sin(b*x + a) + 1) + (-4*I*b*c*d - 4*I*(b*x + a)*d^2 + 4*I*a*d^2)*dilog(I*e^(I*b*x + I*a)) + (4*I*b*c*d + 4*I*(b*x + a)*d^2 - 4*I*a*d^2)*dilog(-I*e^(I*b*x + I*a)) + ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a))*log(cos(b*x + a)^2 + sin(b*x + a)^2 + 2*sin(b*x + a) + 1) - ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a))*log(cos(b*x + a)^2 + sin(b*x + a)^2 - 2*sin(b*x + a) + 1))/b^2)/b

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^2}{\cos(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^2/cos(a + b*x),x)

[Out] int((c + d*x)^2/cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^2 \sec(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sec(b*x+a),x)

[Out] Integral((c + d*x)**2*sec(a + b*x), x)

3.31 $\int (c + dx) \sec(a + bx) dx$

Optimal. Leaf size=75

$$\frac{idLi_2(-ie^{i(a+bx)})}{b^2} - \frac{idLi_2(ie^{i(a+bx)})}{b^2} - \frac{2i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b}$$

[Out] $-2*I*(d*x+c)*\arctan(\exp(I*(b*x+a)))/b+I*d*\text{polylog}(2,-I*\exp(I*(b*x+a)))/b^2-I*d*\text{polylog}(2,I*\exp(I*(b*x+a)))/b^2$

Rubi [A] time = 0.04, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {4181, 2279, 2391}

$$\frac{idLi_2(-ie^{i(a+bx)})}{b^2} - \frac{idLi_2(ie^{i(a+bx)})}{b^2} - \frac{2i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)*Sec[a + b*x], x]

[Out] $((-2*I)*(c + d*x)*\text{ArcTan}[E^{I*(a + b*x)}])/b + (I*d*\text{PolyLog}[2, (-I)*E^{I*(a + b*x)}])/b^2 - (I*d*\text{PolyLog}[2, I*E^{I*(a + b*x)}])/b^2$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int (c + dx) \sec(a + bx) dx &= -\frac{2i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} - \frac{d \int \log(1 - ie^{i(a+bx)}) dx}{b} + \frac{d \int \log(1 + ie^{i(a+bx)}) dx}{b} \\
&= -\frac{2i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} + \frac{(id) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x, e^{i(a+bx)}\right)}{b^2} - \frac{(id) \text{Subst}\left(\int \frac{\log(1+ix)}{x} dx, x, e^{i(a+bx)}\right)}{b^2} \\
&= -\frac{2i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} + \frac{id\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{id\text{Li}_2(ie^{i(a+bx)})}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.01, size = 87, normalized size = 1.16

$$\frac{id\text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{id\text{Li}_2(ie^{i(a+bx)})}{b^2} + \frac{c \tanh^{-1}(\sin(a + bx))}{b} - \frac{2idx \tan^{-1}(e^{ia+ibx})}{b}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + d*x)*Sec[a + b*x], x]

[Out] ((-2*I)*d*x*ArcTan[E^(I*a + I*b*x)])/b + (c*ArcTanh[Sin[a + b*x]])/b + (I*d*PolyLog[2, (-I)*E^(I*(a + b*x))])/b^2 - (I*d*PolyLog[2, I*E^(I*(a + b*x))])/b^2

fricas [B] time = 0.94, size = 306, normalized size = 4.08

$$-i d\text{Li}_2(i \cos(bx + a) + \sin(bx + a)) - i d\text{Li}_2(i \cos(bx + a) - \sin(bx + a)) + i d\text{Li}_2(-i \cos(bx + a) + \sin(bx + a))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a), x, algorithm="fricas")

[Out] 1/2*(-I*d*dilog(I*cos(b*x + a) + sin(b*x + a)) - I*d*dilog(I*cos(b*x + a) - sin(b*x + a)) + I*d*dilog(-I*cos(b*x + a) + sin(b*x + a)) + I*d*dilog(-I*cos(b*x + a) - sin(b*x + a)) + (b*c - a*d)*log(cos(b*x + a) + I*sin(b*x + a) + I) - (b*c - a*d)*log(cos(b*x + a) - I*sin(b*x + a) + I) + (b*d*x + a*d)*log(I*cos(b*x + a) + sin(b*x + a) + 1) - (b*d*x + a*d)*log(I*cos(b*x + a) - sin(b*x + a) + 1) + (b*d*x + a*d)*log(-I*cos(b*x + a) + sin(b*x + a) + 1) - (b*d*x + a*d)*log(-I*cos(b*x + a) - sin(b*x + a) + 1) + (b*c - a*d)*log(-cos(b*x + a) + I*sin(b*x + a) + I) - (b*c - a*d)*log(-cos(b*x + a) - I*sin(b*x + a) + I))/b^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c) \sec(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)*sec(b*x + a), x)

maple [B] time = 0.01, size = 172, normalized size = 2.29

$$-\frac{d \ln(1 + ie^{i(bx+a)})}{b} x + \frac{d \ln(1 - ie^{i(bx+a)})}{b} x - \frac{id \operatorname{dilog}(1 - ie^{i(bx+a)})}{b^2} - \frac{d \ln(1 + ie^{i(bx+a)})}{b^2} a + \frac{d \ln(1 - ie^{i(bx+a)})}{b^2} a + id$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sec(b*x+a),x)

[Out] $-1/b*d*\ln(1+I*\exp(I*(b*x+a)))*x+1/b*d*\ln(1-I*\exp(I*(b*x+a)))*x-I/b^2*d*\operatorname{dilog}(1-I*\exp(I*(b*x+a)))-1/b^2*d*\ln(1+I*\exp(I*(b*x+a)))*a+1/b^2*d*\ln(1-I*\exp(I*(b*x+a)))*a+I/b^2*d*\operatorname{dilog}(1+I*\exp(I*(b*x+a)))-1/b^2*d*a*\ln(\sec(b*x+a)+\tan(b*x+a))+1/b*c*\ln(\sec(b*x+a)+\tan(b*x+a))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{c + dx}{\cos(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/cos(a + b*x),x)

[Out] int((c + d*x)/cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx) \sec(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a),x)

[Out] Integral((c + d*x)*sec(a + b*x), x)

$$3.32 \quad \int \frac{\sec(a+bx)}{c+dx} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\sec(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable(sec(b*x+a)/(d*x+c), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sec(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[a + b*x]/(c + d*x), x]

[Out] Defer[Int][Sec[a + b*x]/(c + d*x), x]

Rubi steps

$$\int \frac{\sec(a+bx)}{c+dx} dx = \int \frac{\sec(a+bx)}{c+dx} dx$$

Mathematica [A] time = 4.55, size = 0, normalized size = 0.00

$$\int \frac{\sec(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[a + b*x]/(c + d*x), x]

[Out] Integrate[Sec[a + b*x]/(c + d*x), x]

fricas [A] time = 0.84, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(bx+a)}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)/(d*x+c), x, algorithm="fricas")

[Out] integral(sec(b*x + a)/(d*x + c), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)/(d*x+c),x, algorithm="giac")

[Out] integrate(sec(b*x + a)/(d*x + c), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{\sec(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b*x+a)/(d*x+c),x)

[Out] int(sec(b*x+a)/(d*x+c),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)/(d*x+c),x, algorithm="maxima")

[Out] integrate(sec(b*x + a)/(d*x + c), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{\cos(a + bx)(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(a + b*x)*(c + d*x)),x)

[Out] int(1/(cos(a + b*x)*(c + d*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(b*x+a)/(d*x+c),x)
```

```
[Out] Integral(sec(a + b*x)/(c + d*x), x)
```

3.33 $\int (c + dx)^3 \sec^2(a + bx) dx$

Optimal. Leaf size=114

$$\frac{3d^3 \text{Li}_3(-e^{2i(a+bx)})}{2b^4} - \frac{3id^2(c+dx)\text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{3d(c+dx)^2 \log(1+e^{2i(a+bx)})}{b^2} + \frac{(c+dx)^3 \tan(a+bx)}{b} - \frac{i(c+dx)}{b}$$

[Out] $-I*(d*x+c)^3/b+3*d*(d*x+c)^2*\ln(1+\exp(2*I*(b*x+a)))/b^2-3*I*d^2*(d*x+c)*\text{polylog}(2,-\exp(2*I*(b*x+a)))/b^3+3/2*d^3*\text{polylog}(3,-\exp(2*I*(b*x+a)))/b^4+(d*x+c)^3*\tan(b*x+a)/b$

Rubi [A] time = 0.22, antiderivative size = 114, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4184, 3719, 2190, 2531, 2282, 6589}

$$-\frac{3id^2(c+dx)\text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{3d(c+dx)^2 \log(1+e^{2i(a+bx)})}{b^2} + \frac{3d^3 \text{Li}_3(-e^{2i(a+bx)})}{2b^4} + \frac{(c+dx)^3 \tan(a+bx)}{b} - \frac{i(c+dx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*\text{Sec}[a + b*x]^2, x]$

[Out] $((-I)*(c + d*x)^3)/b + (3*d*(c + d*x)^2*\text{Log}[1 + E^((2*I)*(a + b*x))])/b^2 - ((3*I)*d^2*(c + d*x)*\text{PolyLog}[2, -E^((2*I)*(a + b*x))])/b^3 + (3*d^3*\text{PolyLog}[3, -E^((2*I)*(a + b*x))])/(2*b^4) + ((c + d*x)^3*\text{Tan}[a + b*x])/b$

Rule 2190

$\text{Int}[(((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_))*((c_) + (d_)*(x_))^\wedge(m_)]/((a_) + (b_)*((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)), x_Symbol] \text{ :> Simp} [((c + d*x)^\wedge m*\text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n]/a)]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^\wedge(m - 1)*\text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n]/a)], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

$\text{Int}[u_, x_Symbol] \text{ :> With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_)*(v_)^\wedge(n_))^\wedge(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

$\text{Int}[\text{Log}[1 + (e_)*((F_)^\wedge((c_)*((a_) + (b_)*(x_)))^\wedge(n_))]*(f_) + (g_)*(x_)]^\wedge(m_), x_Symbol] \text{ :> -Simp} [((f + g*x)^\wedge m*\text{PolyLog}[2, -(e*(F^\wedge(c*(a + b*x$

)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3719

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_.))^(p_.)]/((d_.) + (e_.)*(x_.)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned}
 \int (c + dx)^3 \sec^2(a + bx) dx &= \frac{(c + dx)^3 \tan(a + bx)}{b} - \frac{(3d) \int (c + dx)^2 \tan(a + bx) dx}{b} \\
 &= -\frac{i(c + dx)^3}{b} + \frac{(c + dx)^3 \tan(a + bx)}{b} + \frac{(6id) \int \frac{e^{2i(a+bx)}(c+dx)^2}{1+e^{2i(a+bx)}} dx}{b} \\
 &= -\frac{i(c + dx)^3}{b} + \frac{3d(c + dx)^2 \log(1 + e^{2i(a+bx)})}{b^2} + \frac{(c + dx)^3 \tan(a + bx)}{b} - \frac{(6d^2) \int (c + dx) \sec^2(a + bx) dx}{b^2} \\
 &= -\frac{i(c + dx)^3}{b} + \frac{3d(c + dx)^2 \log(1 + e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{(c + dx)^3 \tan(a + bx)}{b} \\
 &= -\frac{i(c + dx)^3}{b} + \frac{3d(c + dx)^2 \log(1 + e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{(c + dx)^3 \tan(a + bx)}{b} \\
 &= -\frac{i(c + dx)^3}{b} + \frac{3d(c + dx)^2 \log(1 + e^{2i(a+bx)})}{b^2} - \frac{3id^2(c + dx) \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{3d^3 \int (c + dx) \sec^2(a + bx) dx}{b^3}
 \end{aligned}$$

Mathematica [A] time = 0.51, size = 109, normalized size = 0.96

$$\frac{2b^2(c+dx)^2 \left(b(c+dx) \tan(a+bx) + 3d \log\left(1 + e^{2i(a+bx)}\right) - ib(c+dx) \right) - 6ibd^2(c+dx) \operatorname{Li}_2\left(-e^{2i(a+bx)}\right) + 3d^3 \operatorname{Li}_3\left(-e^{2i(a+bx)}\right)}{2b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Sec[a + b*x]^2,x]

[Out] $((-6*I)*b*d^2*(c + d*x)*\operatorname{PolyLog}[2, -E^{((2*I)*(a + b*x))}] + 3*d^3*\operatorname{PolyLog}[3, -E^{((2*I)*(a + b*x))}] + 2*b^2*(c + d*x)^2*((-I)*b*(c + d*x) + 3*d*\operatorname{Log}[1 + E^{((2*I)*(a + b*x))}] + b*(c + d*x)*\operatorname{Tan}[a + b*x]))/(2*b^4)$

fricas [C] time = 1.22, size = 786, normalized size = 6.89

$$6d^3 \cos(bx + a) \operatorname{polylog}(3, i \cos(bx + a) + \sin(bx + a)) + 6d^3 \cos(bx + a) \operatorname{polylog}(3, i \cos(bx + a) - \sin(bx + a))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sec(b*x+a)^2,x, algorithm="fricas")

[Out] $1/2*(6*d^3*\cos(b*x + a)*\operatorname{polylog}(3, I*\cos(b*x + a) + \sin(b*x + a)) + 6*d^3*\cos(b*x + a)*\operatorname{polylog}(3, I*\cos(b*x + a) - \sin(b*x + a)) + 6*d^3*\cos(b*x + a)*\operatorname{polylog}(3, -I*\cos(b*x + a) + \sin(b*x + a)) + 6*d^3*\cos(b*x + a)*\operatorname{polylog}(3, -I*\cos(b*x + a) - \sin(b*x + a)) + (6*I*b*d^3*x + 6*I*b*c*d^2)*\cos(b*x + a)*\operatorname{dilog}(I*\cos(b*x + a) + \sin(b*x + a)) + (-6*I*b*d^3*x - 6*I*b*c*d^2)*\cos(b*x + a)*\operatorname{dilog}(I*\cos(b*x + a) - \sin(b*x + a)) + (-6*I*b*d^3*x - 6*I*b*c*d^2)*\cos(b*x + a)*\operatorname{dilog}(-I*\cos(b*x + a) + \sin(b*x + a)) + (6*I*b*d^3*x + 6*I*b*c*d^2)*\cos(b*x + a)*\operatorname{dilog}(-I*\cos(b*x + a) - \sin(b*x + a)) + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*\cos(b*x + a)*\log(\cos(b*x + a) + I*\sin(b*x + a) + I) + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*\cos(b*x + a)*\log(\cos(b*x + a) - I*\sin(b*x + a) + I) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + 2*a*b*c*d^2 - a^2*d^3)*\cos(b*x + a)*\log(I*\cos(b*x + a) + \sin(b*x + a) + 1) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + 2*a*b*c*d^2 - a^2*d^3)*\cos(b*x + a)*\log(I*\cos(b*x + a) - \sin(b*x + a) + 1) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + 2*a*b*c*d^2 - a^2*d^3)*\cos(b*x + a)*\log(-I*\cos(b*x + a) + \sin(b*x + a) + 1) + 3*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + 2*a*b*c*d^2 - a^2*d^3)*\cos(b*x + a)*\log(-I*\cos(b*x + a) - \sin(b*x + a) + 1) + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*\cos(b*x + a)*\log(-\cos(b*x + a) + I*\sin(b*x + a) + I) + 3*(b^2*c^2*d - 2*a*b*c*d^2 + a^2*d^3)*\cos(b*x + a)*\log(-\cos(b*x + a) - I*\sin(b*x + a) + I) + 2*(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3)*\sin(b*x + a))/(b^4*\cos(b*x + a))$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^3 \sec(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sec(b*x+a)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^3*sec(b*x + a)^2, x)

maple [B] time = 0.20, size = 316, normalized size = 2.77

$$-\frac{2id^3x^3}{b} + \frac{3dc^2 \ln(e^{2i(bx+a)} + 1)}{b^2} - \frac{6dc^2 \ln(e^{i(bx+a)})}{b^2} - \frac{6d^3a^2 \ln(e^{i(bx+a)})}{b^4} - \frac{3id^2c \operatorname{polylog}(2, -e^{2i(bx+a)})}{b^3} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*sec(b*x+a)^2,x)

[Out] $-2*I/b*d^3*x^3+3/b^2*d*c^2*\ln(\exp(2*I*(b*x+a))+1)-6/b^2*d*c^2*\ln(\exp(I*(b*x+a)))-6/b^4*d^3*a^2*\ln(\exp(I*(b*x+a)))+2*I*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/b/(\exp(2*I*(b*x+a))+1)-12*I/b^2*d^2*c*a*x-3*I/b^3*d^2*c*\operatorname{polylog}(2, -\exp(2*I*(b*x+a)))+6/b^2*d^2*c*\ln(\exp(2*I*(b*x+a))+1)*x+3/b^2*d^3*\ln(\exp(2*I*(b*x+a))+1)*x^2-6*I/b^3*d^2*c*a^2+3/2*d^3*\operatorname{polylog}(3, -\exp(2*I*(b*x+a)))/b^4+12/b^3*d^2*c*a*\ln(\exp(I*(b*x+a)))-3*I/b^3*d^3*\operatorname{polylog}(2, -\exp(2*I*(b*x+a)))*x-6*I/b*d^2*c*x^2+6*I/b^3*d^3*a^2*x+4*I/b^4*d^3*a^3$

maxima [B] time = 1.42, size = 1056, normalized size = 9.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*sec(b*x+a)^2,x, algorithm="maxima")

[Out] $1/2*(2*c^3*\tan(b*x + a) - 6*a*c^2*d*\tan(b*x + a)/b + 6*a^2*c*d^2*\tan(b*x + a)/b^2 - 2*a^3*d^3*\tan(b*x + a)/b^3 + 3*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2 + 2*\cos(2*b*x + 2*a) + 1) + 4*(b*x + a)*\sin(2*b*x + 2*a))*c^2*d/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*b - 6*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2 + 2*\cos(2*b*x + 2*a) + 1) + 4*(b*x + a)*\sin(2*b*x + 2*a))*a*c*d^2/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*b^2) + 3*((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*\log(\cos(2*b*x + 2*a)^2 + \sin(2*b*x + 2*a)^2 + 2*\cos(2*b*x + 2*a) + 1) + 4*(b*x + a)*\sin(2*b*x + 2*a))*a^2*d^3/((\cos(2*b*x + 2*a))^2 + \sin(2*b*x + 2*a))^2 + 2*\cos(2*b*x + 2*a) + 1)*b^3) + 2*((6*(b*x + a)^2*d^3 + 12*(b*c*d^2 - a*d^3)*(b*x + a) + 6*((b*x + a)^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*\cos(2*b*x + 2*a) + (6*I*(b*x + a)^2*d^3 + (12*I*b*c*d^2 - 12*I*a*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*\arctan2(\sin(2*b*x + 2*a), \cos(2*b*x + 2*a))$

+ 1) - 4*((b*x + a)^3*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2)*cos(2*b*x + 2*a) - (6*b*c*d^2 + 6*(b*x + a)*d^3 - 6*a*d^3 + 6*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*cos(2*b*x + 2*a) - (-6*I*b*c*d^2 - 6*I*(b*x + a)*d^3 + 6*I*a*d^3)*sin(2*b*x + 2*a))*dilog(-e^(2*I*b*x + 2*I*a)) + (-3*I*(b*x + a)^2*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a) + (-3*I*(b*x + a)^2*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a))*cos(2*b*x + 2*a) + 3*((b*x + a)^2*d^3 + 2*(b*c*d^2 - a*d^3)*(b*x + a))*sin(2*b*x + 2*a))*log(cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 + 2*cos(2*b*x + 2*a) + 1) + (-3*I*d^3*cos(2*b*x + 2*a) + 3*d^3*sin(2*b*x + 2*a) - 3*I*d^3)*polylog(3, -e^(2*I*b*x + 2*I*a)) + (-4*I*(b*x + a)^3*d^3 + (-12*I*b*c*d^2 + 12*I*a*d^3)*(b*x + a)^2)*sin(2*b*x + 2*a))/(-2*I*b^3*cos(2*b*x + 2*a) + 2*b^3*sin(2*b*x + 2*a) - 2*I*b^3))/b

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^3}{\cos(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^3/cos(a + b*x)^2, x)

[Out] int((c + d*x)^3/cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^3 \sec^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sec(b*x+a)**2, x)

[Out] Integral((c + d*x)**3*sec(a + b*x)**2, x)

3.34 $\int (c + dx)^2 \sec^2(a + bx) dx$

Optimal. Leaf size=82

$$-\frac{id^2 \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{2d(c+dx) \log(1+e^{2i(a+bx)})}{b^2} + \frac{(c+dx)^2 \tan(a+bx)}{b} - \frac{i(c+dx)^2}{b}$$

[Out] $-I*(d*x+c)^2/b+2*d*(d*x+c)*\ln(1+\exp(2*I*(b*x+a)))/b^2-I*d^2*\text{polylog}(2,-\exp(2*I*(b*x+a)))/b^3+(d*x+c)^2*\tan(b*x+a)/b$

Rubi [A] time = 0.13, antiderivative size = 82, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {4184, 3719, 2190, 2279, 2391}

$$\frac{2d(c+dx) \log(1+e^{2i(a+bx)})}{b^2} - \frac{id^2 \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{(c+dx)^2 \tan(a+bx)}{b} - \frac{i(c+dx)^2}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2*\text{Sec}[a + b*x]^2,x]$

[Out] $((-I)*(c + d*x)^2)/b + (2*d*(c + d*x)*\text{Log}[1 + E^{((2*I)*(a + b*x))}])/b^2 - (I*d^2*\text{PolyLog}[2, -E^{((2*I)*(a + b*x))}])/b^3 + ((c + d*x)^2*\text{Tan}[a + b*x])/b$

Rule 2190

$\text{Int}[\frac{((F_)^((g_)*((e_)+(f_)*(x_)))^((n_)*((c_)+(d_)*(x_))^((m_)))/((a_)+(b_)*((F_)^((g_)*((e_)+(f_)*(x_)))^((n_))), x_Symbol]}{> \text{Simp}[\frac{(c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a]}{(b*f*g*n*\text{Log}[F])}, x] - \text{Dist}[\frac{d*m}{b*f*g*n*\text{Log}[F]}, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a}], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x\} \&\& \text{IGtQ}\{m, 0\}$

Rule 2279

$\text{Int}[\text{Log}[(a_)+(b_)*((F_)^((e_)*((c_)+(d_)*(x_)))^((n_))], x_Symbol] :> \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \&\& \text{GtQ}\{a, 0\}$

Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_)^((n_)))]/(x_), x_Symbol] :> -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x\} \&\& \text{EqQ}\{c*d, 1\}$

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^2 \sec^2(a + bx) dx &= \frac{(c + dx)^2 \tan(a + bx)}{b} - \frac{(2d) \int (c + dx) \tan(a + bx) dx}{b} \\
&= -\frac{i(c + dx)^2}{b} + \frac{(c + dx)^2 \tan(a + bx)}{b} + \frac{(4id) \int \frac{e^{2i(a+bx)}(c+dx)}{1+e^{2i(a+bx)}} dx}{b} \\
&= -\frac{i(c + dx)^2}{b} + \frac{2d(c + dx) \log(1 + e^{2i(a+bx)})}{b^2} + \frac{(c + dx)^2 \tan(a + bx)}{b} - \frac{(2d^2) \int \log(1 + e^{2i(a+bx)}) dx}{b} \\
&= -\frac{i(c + dx)^2}{b} + \frac{2d(c + dx) \log(1 + e^{2i(a+bx)})}{b^2} + \frac{(c + dx)^2 \tan(a + bx)}{b} + \frac{(id^2) \text{Subst}(\int \log(1 + e^{2i(a+bx)}) dx, x, \frac{c+dx}{1+e^{2i(a+bx)}})}{b} \\
&= -\frac{i(c + dx)^2}{b} + \frac{2d(c + dx) \log(1 + e^{2i(a+bx)})}{b^2} - \frac{id^2 \text{Li}_2(-e^{2i(a+bx)})}{b^3} + \frac{(c + dx)^2 \tan(a + bx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.25, size = 75, normalized size = 0.91

$$\frac{b(c + dx) \left(b(c + dx) \tan(a + bx) + 2d \log(1 + e^{2i(a+bx)}) - ib(c + dx) \right) - id^2 \text{Li}_2(-e^{2i(a+bx)})}{b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^2*Sec[a + b*x]^2,x]
```

```
[Out] ((-I)*d^2*PolyLog[2, -E^((2*I)*(a + b*x))] + b*(c + d*x)*((-I)*b*(c + d*x)
+ 2*d*Log[1 + E^((2*I)*(a + b*x))] + b*(c + d*x)*Tan[a + b*x]))/b^3
```

fricas [B] time = 0.92, size = 450, normalized size = 5.49

$$\frac{id^2 \cos(bx + a) \text{Li}_2(i \cos(bx + a) + \sin(bx + a)) - id^2 \cos(bx + a) \text{Li}_2(i \cos(bx + a) - \sin(bx + a)) - id^2 \cos(bx + a)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^2,x, algorithm="fricas")

[Out] (I*d^2*cos(b*x + a)*dilog(I*cos(b*x + a) + sin(b*x + a)) - I*d^2*cos(b*x + a)*dilog(I*cos(b*x + a) - sin(b*x + a)) - I*d^2*cos(b*x + a)*dilog(-I*cos(b*x + a) + sin(b*x + a)) + I*d^2*cos(b*x + a)*dilog(-I*cos(b*x + a) - sin(b*x + a)) + (b*c*d - a*d^2)*cos(b*x + a)*log(cos(b*x + a) + I*sin(b*x + a) + I) + (b*c*d - a*d^2)*cos(b*x + a)*log(cos(b*x + a) - I*sin(b*x + a) + I) + (b*d^2*x + a*d^2)*cos(b*x + a)*log(I*cos(b*x + a) + sin(b*x + a) + 1) + (b*d^2*x + a*d^2)*cos(b*x + a)*log(I*cos(b*x + a) - sin(b*x + a) + 1) + (b*d^2*x + a*d^2)*cos(b*x + a)*log(-I*cos(b*x + a) + sin(b*x + a) + 1) + (b*d^2*x + a*d^2)*cos(b*x + a)*log(-I*cos(b*x + a) - sin(b*x + a) + 1) + (b*c*d - a*d^2)*cos(b*x + a)*log(-cos(b*x + a) + I*sin(b*x + a) + I) + (b*c*d - a*d^2)*cos(b*x + a)*log(-cos(b*x + a) - I*sin(b*x + a) + I) + (b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(b*x + a))/(b^3*cos(b*x + a))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^2 \sec(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2*sec(b*x + a)^2, x)

maple [B] time = 0.08, size = 170, normalized size = 2.07

$$\frac{2i(d^2x^2 + 2cdx + c^2)}{b(e^{2i(bx+a)} + 1)} + \frac{2dc \ln(e^{2i(bx+a)} + 1)}{b^2} - \frac{4dc \ln(e^{i(bx+a)})}{b^2} - \frac{2id^2x^2}{b} - \frac{4id^2ax}{b^2} - \frac{2id^2a^2}{b^3} + \frac{2d^2 \ln(e^{2i(bx+a)} + 1)x}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*sec(b*x+a)^2,x)

[Out] 2*I*(d^2*x^2+2*c*d*x+c^2)/b/(exp(2*I*(b*x+a))+1)+2/b^2*d*c*ln(exp(2*I*(b*x+a))+1)-4/b^2*d*c*ln(exp(I*(b*x+a)))-2*I/b*d^2*x^2-4*I/b^2*d^2*a*x-2*I/b^3*d^2*a^2+2/b^2*d^2*ln(exp(2*I*(b*x+a))+1)*x-I*d^2*polylog(2,-exp(2*I*(b*x+a)))/b^3+4/b^3*d^2*a*ln(exp(I*(b*x+a)))

maxima [B] time = 1.48, size = 324, normalized size = 3.95

$$\frac{2b^2c^2 + (2bd^2x + 2bcd + 2(bd^2x + bcd) \cos(2bx + 2a) + (2ibd^2x + 2ibcd) \sin(2bx + 2a)) \arctan(\sin(2bx + 2a))}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^2,x, algorithm="maxima")

[Out] (2*b^2*c^2 + (2*b*d^2*x + 2*b*c*d + 2*(b*d^2*x + b*c*d)*cos(2*b*x + 2*a) + (2*I*b*d^2*x + 2*I*b*c*d)*sin(2*b*x + 2*a))*arctan2(sin(2*b*x + 2*a), cos(2*b*x + 2*a) + 1) - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x)*cos(2*b*x + 2*a) - (d^2*cos(2*b*x + 2*a) + I*d^2*sin(2*b*x + 2*a) + d^2)*dilog(-e^(2*I*b*x + 2*I*a)) + (-I*b*d^2*x - I*b*c*d + (-I*b*d^2*x - I*b*c*d)*cos(2*b*x + 2*a) + (b*d^2*x + b*c*d)*sin(2*b*x + 2*a))*log(cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 + 2*cos(2*b*x + 2*a) + 1) + (-2*I*b^2*d^2*x^2 - 4*I*b^2*c*d*x)*sin(2*b*x + 2*a))/(-I*b^3*cos(2*b*x + 2*a) + b^3*sin(2*b*x + 2*a) - I*b^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^2}{\cos(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^2/cos(a + b*x)^2,x)

[Out] int((c + d*x)^2/cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^2 \sec^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sec(b*x+a)**2,x)

[Out] Integral((c + d*x)**2*sec(a + b*x)**2, x)

3.35 $\int (c + dx) \sec^2(a + bx) dx$

Optimal. Leaf size=28

$$\frac{d \log(\cos(a + bx))}{b^2} + \frac{(c + dx) \tan(a + bx)}{b}$$

[Out] $d \cdot \ln(\cos(b \cdot x + a)) / b^2 + (d \cdot x + c) \cdot \tan(b \cdot x + a) / b$

Rubi [A] time = 0.03, antiderivative size = 28, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {4184, 3475}

$$\frac{d \log(\cos(a + bx))}{b^2} + \frac{(c + dx) \tan(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d \cdot x) \cdot \text{Sec}[a + b \cdot x]^2, x]$

[Out] $(d \cdot \text{Log}[\text{Cos}[a + b \cdot x]]) / b^2 + ((c + d \cdot x) \cdot \text{Tan}[a + b \cdot x]) / b$

Rule 3475

$\text{Int}[\tan[(c _.) + (d _.)(x _.)], x_Symbol] \rightarrow -\text{Simp}[\text{Log}[\text{RemoveContent}[\text{Cos}[c + d \cdot x], x]] / d, x] /;$ FreeQ[{c, d}, x]

Rule 4184

$\text{Int}[\text{csc}[(e _.) + (f _.)(x _.)]^2 \cdot ((c _.) + (d _.)(x _.))^{(m _.)}, x_Symbol] \rightarrow -\text{Simp}[\frac{(c + d \cdot x)^m \cdot \text{Cot}[e + f \cdot x]}{f}, x] + \text{Dist}[(d \cdot m) / f, \text{Int}[(c + d \cdot x)^{(m - 1)} \cdot \text{Cot}[e + f \cdot x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int (c + dx) \sec^2(a + bx) dx &= \frac{(c + dx) \tan(a + bx)}{b} - \frac{d \int \tan(a + bx) dx}{b} \\ &= \frac{d \log(\cos(a + bx))}{b^2} + \frac{(c + dx) \tan(a + bx)}{b} \end{aligned}$$

Mathematica [A] time = 0.01, size = 36, normalized size = 1.29

$$\frac{d \log(\cos(a + bx))}{b^2} + \frac{c \tan(a + bx)}{b} + \frac{dx \tan(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Sec[a + b*x]^2,x]

[Out] (d*Log[Cos[a + b*x]])/b^2 + (c*Tan[a + b*x])/b + (d*x*Tan[a + b*x])/b

fricas [A] time = 0.68, size = 45, normalized size = 1.61

$$\frac{d \cos(bx + a) \log(-\cos(bx + a)) + (bdx + bc) \sin(bx + a)}{b^2 \cos(bx + a)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)^2,x, algorithm="fricas")

[Out] (d*cos(b*x + a)*log(-cos(b*x + a)) + (b*d*x + b*c)*sin(b*x + a))/(b^2*cos(b*x + a))

giac [B] time = 5.83, size = 1459, normalized size = 52.11

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)^2,x, algorithm="giac")

[Out]
$$\begin{aligned} & -1/2*(4*b*d*x*\tan(1/2*b*x)^2*\tan(1/2*a) + 4*b*d*x*\tan(1/2*b*x)*\tan(1/2*a)^2 \\ & - d*\log(4*(\tan(1/2*b*x)^8*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^8*\tan(1/2*a)^2 - 8 \\ & * \tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^8 + 8*\tan(1/2*b*x)^7*\tan(1/2*a) \\ & + 16*\tan(1/2*b*x)^6*\tan(1/2*a)^2 - 8*\tan(1/2*b*x)^5*\tan(1/2*a)^3 - 2*\tan(1/2*b*x)^4*\tan(1/2*a)^4 + 8*\tan(1/2*b*x)^5*\tan(1/2*a) + 36*\tan(1/2*b*x)^4*\tan(1/2*a)^2 + 8*\tan(1/2*b*x)^3*\tan(1/2*a)^3 - 2*\tan(1/2*b*x)^4 - 8*\tan(1/2*b*x)^3*\tan(1/2*a) + 16*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 8*\tan(1/2*b*x)*\tan(1/2*a)^3 + \tan(1/2*a)^4 - 8*\tan(1/2*b*x)*\tan(1/2*a) - 2*\tan(1/2*a)^2 + 1)/(\tan(1/2*a)^4 + 2*\tan(1/2*a)^2 + 1))*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 4*b*c*\tan(1/2*b*x)^2*\tan(1/2*a) + 4*b*c*\tan(1/2*b*x)*\tan(1/2*a)^2 - 4*b*d*x*\tan(1/2*b*x) \\ & + d*\log(4*(\tan(1/2*b*x)^8*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^8*\tan(1/2*a)^2 - 8 \\ & * \tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^8 + 8*\tan(1/2*b*x)^7*\tan(1/2*a) \\ & + 16*\tan(1/2*b*x)^6*\tan(1/2*a)^2 - 8*\tan(1/2*b*x)^5*\tan(1/2*a)^3 - 2*\tan(1/2*b*x)^4*\tan(1/2*a)^4 + 8*\tan(1/2*b*x)^5*\tan(1/2*a) + 36*\tan(1/2*b*x)^4*\tan(1/2*a)^2 + 8*\tan(1/2*b*x)^3*\tan(1/2*a)^3 - 2*\tan(1/2*b*x)^4 - 8*\tan(1/2*b*x)^3*\tan(1/2*a) + 16*\tan(1/2*b*x)^2*\tan(1/2*a)^2 + 8*\tan(1/2*b*x)*\tan(1/2*a)^3 + \tan(1/2*a)^4 - 8*\tan(1/2*b*x)*\tan(1/2*a) - 2*\tan(1/2*a)^2 + 1)/(\tan(1/2*a)^4 + 2*\tan(1/2*a)^2 + 1))*\tan(1/2*b*x)^2 - 4*b*d*x*\tan(1/2*a) + 4*d*\log(4*(\tan(1/2*b*x)^8*\tan(1/2*a)^4 - 2*\tan(1/2*b*x)^8*\tan(1/2*a)^2 - 8*\tan(1/2*b*x)^7*\tan(1/2*a)^3 + \tan(1/2*b*x)^8 + 8*\tan(1/2*b*x)^7*\tan(1/2*a) + 16*\tan(1/2*b*x)^6*\tan(1/2*a)^2 - 8*\tan(1/2*b*x)^5*\tan(1/2*a)^3 - 2*\tan(1/2*b*x) \end{aligned}$$

)^4*tan(1/2*a)^4 + 8*tan(1/2*b*x)^5*tan(1/2*a) + 36*tan(1/2*b*x)^4*tan(1/2*a)^2 + 8*tan(1/2*b*x)^3*tan(1/2*a)^3 - 2*tan(1/2*b*x)^4 - 8*tan(1/2*b*x)^3*tan(1/2*a) + 16*tan(1/2*b*x)^2*tan(1/2*a)^2 + 8*tan(1/2*b*x)*tan(1/2*a)^3 + tan(1/2*a)^4 - 8*tan(1/2*b*x)*tan(1/2*a) - 2*tan(1/2*a)^2 + 1)/(tan(1/2*a)^4 + 2*tan(1/2*a)^2 + 1))*tan(1/2*b*x)*tan(1/2*a) + d*log(4*(tan(1/2*b*x)^8*tan(1/2*a)^4 - 2*tan(1/2*b*x)^8*tan(1/2*a)^2 - 8*tan(1/2*b*x)^7*tan(1/2*a)^3 + tan(1/2*b*x)^8 + 8*tan(1/2*b*x)^7*tan(1/2*a) + 16*tan(1/2*b*x)^6*tan(1/2*a)^2 - 8*tan(1/2*b*x)^5*tan(1/2*a)^3 - 2*tan(1/2*b*x)^4*tan(1/2*a)^4 + 8*tan(1/2*b*x)^5*tan(1/2*a) + 36*tan(1/2*b*x)^4*tan(1/2*a)^2 + 8*tan(1/2*b*x)^3*tan(1/2*a)^3 - 2*tan(1/2*b*x)^4 - 8*tan(1/2*b*x)^3*tan(1/2*a) + 16*tan(1/2*b*x)^2*tan(1/2*a)^2 + 8*tan(1/2*b*x)*tan(1/2*a)^3 + tan(1/2*a)^4 - 8*tan(1/2*b*x)*tan(1/2*a) - 2*tan(1/2*a)^2 + 1)/(tan(1/2*a)^4 + 2*tan(1/2*a)^2 + 1))*tan(1/2*a)^2 - 4*b*c*tan(1/2*b*x) - 4*b*c*tan(1/2*a) - d*log(4*(tan(1/2*b*x)^8*tan(1/2*a)^4 - 2*tan(1/2*b*x)^8*tan(1/2*a)^2 - 8*tan(1/2*b*x)^7*tan(1/2*a)^3 + tan(1/2*b*x)^8 + 8*tan(1/2*b*x)^7*tan(1/2*a) + 16*tan(1/2*b*x)^6*tan(1/2*a)^2 - 8*tan(1/2*b*x)^5*tan(1/2*a)^3 - 2*tan(1/2*b*x)^4*tan(1/2*a)^4 + 8*tan(1/2*b*x)^5*tan(1/2*a) + 36*tan(1/2*b*x)^4*tan(1/2*a)^2 + 8*tan(1/2*b*x)^3*tan(1/2*a)^3 - 2*tan(1/2*b*x)^4 - 8*tan(1/2*b*x)^3*tan(1/2*a) + 16*tan(1/2*b*x)^2*tan(1/2*a)^2 + 8*tan(1/2*b*x)*tan(1/2*a)^3 + tan(1/2*a)^4 - 8*tan(1/2*b*x)*tan(1/2*a) - 2*tan(1/2*a)^2 + 1)/(tan(1/2*a)^4 + 2*tan(1/2*a)^2 + 1)))/(b^2*tan(1/2*b*x)^2*tan(1/2*a)^2 - b^2*tan(1/2*b*x)^2 - 4*b^2*tan(1/2*b*x)*tan(1/2*a) - b^2*tan(1/2*a)^2 + b^2)

maple [A] time = 0.02, size = 37, normalized size = 1.32

$$\frac{d \tan(bx + a)x}{b} + \frac{d \ln(\cos(bx + a))}{b^2} + \frac{c \tan(bx + a)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sec(b*x+a)^2,x)

[Out] 1/b*d*tan(b*x+a)*x+d*ln(cos(b*x+a))/b^2+1/b*c*tan(b*x+a)

maxima [B] time = 1.01, size = 159, normalized size = 5.68

$$\frac{2c \tan(bx + a) - \frac{2ad \tan(bx+a)}{b} + \frac{((\cos(2bx+2a)^2 + \sin(2bx+2a)^2 + 2 \cos(2bx+2a) + 1) \log(\cos(2bx+2a)^2 + \sin(2bx+2a)^2 + 2 \cos(2bx+2a) + 1))}{(\cos(2bx+2a)^2 + \sin(2bx+2a)^2 + 2 \cos(2bx+2a) + 1)b}}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*(2*c*tan(b*x + a) - 2*a*d*tan(b*x + a)/b + ((cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 + 2*cos(2*b*x + 2*a) + 1)*log(cos(2*b*x + 2*a)^2 + sin(2*b*x

+ 2*a)^2 + 2*cos(2*b*x + 2*a) + 1) + 4*(b*x + a)*sin(2*b*x + 2*a))*d/((cos(2*b*x + 2*a)^2 + sin(2*b*x + 2*a)^2 + 2*cos(2*b*x + 2*a) + 1)*b))/b

mupad [B] time = 0.83, size = 55, normalized size = 1.96

$$\frac{d \ln(e^{a2i} e^{bx2i} + 1)}{b^2} + \frac{(c + dx) 2i}{b (e^{a2i+bx2i} + 1)} - \frac{dx 2i}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)/cos(a + b*x)^2,x)

[Out] (d*log(exp(a*2i)*exp(b*x*2i) + 1))/b^2 + ((c + d*x)*2i)/(b*(exp(a*2i + b*x*2i) + 1)) - (d*x*2i)/b

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx) \sec^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)**2,x)

[Out] Integral((c + d*x)*sec(a + b*x)**2, x)

$$3.36 \quad \int \frac{\sec^2(a+bx)}{c+dx} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sec^2(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable(sec(b*x+a)^2/(d*x+c), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sec^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[a + b*x]^2/(c + d*x), x]

[Out] Defer[Int][Sec[a + b*x]^2/(c + d*x), x]

Rubi steps

$$\int \frac{\sec^2(a+bx)}{c+dx} dx = \int \frac{\sec^2(a+bx)}{c+dx} dx$$

Mathematica [A] time = 5.62, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[a + b*x]^2/(c + d*x), x]

[Out] Integrate[Sec[a + b*x]^2/(c + d*x), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec(bx+a)^2}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="fricas")

[Out] integral(sec(b*x + a)^2/(d*x + c), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="giac")

[Out] integrate(sec(b*x + a)^2/(d*x + c), x)

maple [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b*x+a)^2/(d*x+c),x)

[Out] int(sec(b*x+a)^2/(d*x+c),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$2 \left(\frac{(bd^2x+bcd+(bd^2x+bcd)\cos(2bx+2a)^2+(bd^2x+bcd)\sin(2bx+2a)^2+2(bd^2x+bcd)\cos(2bx+2a)) \int \frac{\sin(2bx+2a)}{(dx+c)^2(\cos(2bx+2a)^2+\sin(2bx+2a)^2+2\cos(2bx+2a))} dx}{b} \right)$$

$$bdx + (bdx + bc) \cos(2bx + 2a)^2 + (bdx + bc) \sin(2bx + 2a)^2 + bc + 2(bdx + bc) \cos(2bx + 2a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="maxima")

[Out] 2*((b*d^2*x + b*c*d + (b*d^2*x + b*c*d)*cos(2*b*x + 2*a)^2 + (b*d^2*x + b*c*d)*sin(2*b*x + 2*a)^2 + 2*(b*d^2*x + b*c*d)*cos(2*b*x + 2*a))*integrate(sin(2*b*x + 2*a)/(b*d^2*x^2 + 2*b*c*d*x + b*c^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*cos(2*b*x + 2*a)^2 + (b*d^2*x^2 + 2*b*c*d*x + b*c^2)*sin(2*b*x + 2*a)^2 + 2*(b*d^2*x^2 + 2*b*c*d*x + b*c^2)*cos(2*b*x + 2*a)), x) + sin(2*b*x + 2*a))/(b*d*x + (b*d*x + b*c)*cos(2*b*x + 2*a)^2 + (b*d*x + b*c)*sin(2*b*x + 2*a)^2 + b*c + 2*(b*d*x + b*c)*cos(2*b*x + 2*a))

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{\cos(a + bx)^2 (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(1/(cos(a + b*x)^2*(c + d*x)),x)
```

```
[Out] int(1/(cos(a + b*x)^2*(c + d*x)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\sec^2(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(b*x+a)**2/(d*x+c),x)
```

```
[Out] Integral(sec(a + b*x)**2/(c + d*x), x)
```

3.37 $\int (c + dx)^3 \sec^3(a + bx) dx$

Optimal. Leaf size=337

$$\frac{3id^3\text{Li}_2(-ie^{i(a+bx)})}{b^4} - \frac{3id^3\text{Li}_2(ie^{i(a+bx)})}{b^4} - \frac{3id^3\text{Li}_4(-ie^{i(a+bx)})}{b^4} + \frac{3id^3\text{Li}_4(ie^{i(a+bx)})}{b^4} - \frac{3d^2(c+dx)\text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{3d^2(c+dx)\text{Li}_3(ie^{i(a+bx)})}{b^3}$$

[Out] $-6*I*d^2*(d*x+c)*\arctan(\exp(I*(b*x+a)))/b^3 - I*(d*x+c)^3*\arctan(\exp(I*(b*x+a)))/b^3 + I*d^3*\text{polylog}(2, -I*\exp(I*(b*x+a)))/b^4 + 3/2*I*d*(d*x+c)^2*\text{polylog}(2, -I*\exp(I*(b*x+a)))/b^2 - 3*I*d^3*\text{polylog}(2, I*\exp(I*(b*x+a)))/b^4 - 3/2*I*d*(d*x+c)^2*\text{polylog}(2, I*\exp(I*(b*x+a)))/b^2 - 3*d^2*(d*x+c)*\text{polylog}(3, -I*\exp(I*(b*x+a)))/b^3 + 3*d^2*(d*x+c)*\text{polylog}(3, I*\exp(I*(b*x+a)))/b^3 - 3*I*d^3*\text{polylog}(4, -I*\exp(I*(b*x+a)))/b^4 + 3*I*d^3*\text{polylog}(4, I*\exp(I*(b*x+a)))/b^4 - 3/2*d*(d*x+c)^2*\sec(b*x+a)/b^2 + 1/2*(d*x+c)^3*\sec(b*x+a)*\tan(b*x+a)/b$

Rubi [A] time = 0.27, antiderivative size = 337, normalized size of antiderivative = 1.00, number of steps used = 15, number of rules used = 8, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {4186, 4181, 2279, 2391, 2531, 6609, 2282, 6589}

$$-\frac{3d^2(c+dx)\text{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{3d^2(c+dx)\text{Li}_3(ie^{i(a+bx)})}{b^3} - \frac{6id^2(c+dx)\tan^{-1}(e^{i(a+bx)})}{b^3} + \frac{3id(c+dx)^2\text{Li}_2(-ie^{i(a+bx)})}{2b^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*\text{Sec}[a + b*x]^3, x]$

[Out] $((-6*I)*d^2*(c + d*x)*\text{ArcTan}[E^{(I*(a + b*x))}])/b^3 - (I*(c + d*x)^3*\text{ArcTan}[E^{(I*(a + b*x))}])/b + ((3*I)*d^3*\text{PolyLog}[2, (-I)*E^{(I*(a + b*x))}])/b^4 + ((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, (-I)*E^{(I*(a + b*x))}])/b^2 - ((3*I)*d^3*\text{PolyLog}[2, I*E^{(I*(a + b*x))}])/b^4 - (((3*I)/2)*d*(c + d*x)^2*\text{PolyLog}[2, I*E^{(I*(a + b*x))}])/b^2 - (3*d^2*(c + d*x)*\text{PolyLog}[3, (-I)*E^{(I*(a + b*x))}])/b^3 + (3*d^2*(c + d*x)*\text{PolyLog}[3, I*E^{(I*(a + b*x))}])/b^3 - ((3*I)*d^3*\text{PolyLog}[4, (-I)*E^{(I*(a + b*x))}])/b^4 + ((3*I)*d^3*\text{PolyLog}[4, I*E^{(I*(a + b*x))}])/b^4 - (3*d*(c + d*x)^2*\text{Sec}[a + b*x])/(2*b^2) + ((c + d*x)^3*\text{Sec}[a + b*x]*\text{Tan}[a + b*x])/(2*b)$

Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_.)*((F_)^{((e_.)*((c_.) + (d_.)*(x_)))})^{(n_.)}], x_Symbol]$
 $\rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, n\}, x \ \&\& \ \text{GtQ}[a, 0]$

Rule 2282

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /;$ Funci


```
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] := -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x
))))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol
] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
```

$+ b*x)))^p)/(b*c*p*\text{Log}[F]), x] - \text{Dist}[(f*m)/(b*c*p*\text{Log}[F]), \text{Int}[(e + f*x)^{(m-1)*\text{PolyLog}[n+1, d*(F^{c*(a+b*x)})^p], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, n, p\}, x] \&\& \text{GtQ}[m, 0]$

Rubi steps

$$\begin{aligned} \int (c + dx)^3 \sec^3(a + bx) dx &= -\frac{3d(c + dx)^2 \sec(a + bx)}{2b^2} + \frac{(c + dx)^3 \sec(a + bx) \tan(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^3 \sec(a + bx) dx \\ &= -\frac{6id^2(c + dx) \tan^{-1}(e^{i(a+bx)})}{b^3} - \frac{i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} - \frac{3d(c + dx)^2 \sec(a + bx)}{2b^2} \\ &= -\frac{6id^2(c + dx) \tan^{-1}(e^{i(a+bx)})}{b^3} - \frac{i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)})}{2b^2} \\ &= -\frac{6id^2(c + dx) \tan^{-1}(e^{i(a+bx)})}{b^3} - \frac{i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id^3 \text{Li}_2(-ie^{i(a+bx)})}{b^4} + \dots \\ &= -\frac{6id^2(c + dx) \tan^{-1}(e^{i(a+bx)})}{b^3} - \frac{i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id^3 \text{Li}_2(-ie^{i(a+bx)})}{b^4} + \dots \\ &= -\frac{6id^2(c + dx) \tan^{-1}(e^{i(a+bx)})}{b^3} - \frac{i(c + dx)^3 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{3id^3 \text{Li}_2(-ie^{i(a+bx)})}{b^4} + \dots \end{aligned}$$

Mathematica [A] time = 2.99, size = 311, normalized size = 0.92

$$-2ib^3(c + dx)^3 \tan^{-1}(e^{i(a+bx)}) + b^3(c + dx)^3 \tan(a + bx) \sec(a + bx) + 3id(b^2(c + dx)^2 \text{Li}_2(-ie^{i(a+bx)}) + 2ibd(c + dx) \dots)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*Sec[a + b*x]^3,x]

[Out] ((-2*I)*b^3*(c + d*x)^3*ArcTan[E^(I*(a + b*x))]) - (6*I)*d^2*(2*b*(c + d*x)*ArcTan[E^(I*(a + b*x))] - d*PolyLog[2, (-I)*E^(I*(a + b*x))] + d*PolyLog[2, I*E^(I*(a + b*x))]) + (3*I)*d*(b^2*(c + d*x)^2*PolyLog[2, (-I)*E^(I*(a + b*x))] + (2*I)*b*d*(c + d*x)*PolyLog[3, (-I)*E^(I*(a + b*x))] - 2*d^2*PolyLog[4, (-I)*E^(I*(a + b*x))]) - (3*I)*d*(b^2*(c + d*x)^2*PolyLog[2, I*E^(I*(a + b*x))] + (2*I)*b*d*(c + d*x)*PolyLog[3, I*E^(I*(a + b*x))] - 2*d^2*PolyLog[4, I*E^(I*(a + b*x))]) - 3*b^2*d*(c + d*x)^2*Sec[a + b*x] + b^3*(c + d*x)^3*Sec[a + b*x]*Tan[a + b*x])/(2*b^4)

fricas [C] time = 1.01, size = 1311, normalized size = 3.89

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*sec(b*x+a)^3,x, algorithm="fricas")
```

```
[Out] 1/4*(6*I*d^3*cos(b*x + a)^2*polylog(4, I*cos(b*x + a) + sin(b*x + a)) + 6*I*d^3*cos(b*x + a)^2*polylog(4, I*cos(b*x + a) - sin(b*x + a)) - 6*I*d^3*cos(b*x + a)^2*polylog(4, -I*cos(b*x + a) + sin(b*x + a)) - 6*I*d^3*cos(b*x + a)^2*polylog(4, -I*cos(b*x + a) - sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d - 6*I*d^3)*cos(b*x + a)^2*dilog(I*cos(b*x + a) + sin(b*x + a)) + (-3*I*b^2*d^3*x^2 - 6*I*b^2*c*d^2*x - 3*I*b^2*c^2*d - 6*I*d^3)*cos(b*x + a)^2*dilog(I*cos(b*x + a) - sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d + 6*I*d^3)*cos(b*x + a)^2*dilog(-I*cos(b*x + a) + sin(b*x + a)) + (3*I*b^2*d^3*x^2 + 6*I*b^2*c*d^2*x + 3*I*b^2*c^2*d + 6*I*d^3)*cos(b*x + a)^2*dilog(-I*cos(b*x + a) - sin(b*x + a)) + (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6*a)*d^3)*cos(b*x + a)^2*log(cos(b*x + a) + I*sin(b*x + a) + I) - (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6*a)*d^3)*cos(b*x + a)^2*log(cos(b*x + a) - I*sin(b*x + a) + I) + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2*log(I*cos(b*x + a) + sin(b*x + a) + 1) - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2*log(I*cos(b*x + a) - sin(b*x + a) + 1) + (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2*log(-I*cos(b*x + a) + sin(b*x + a) + 1) - (b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*a*b^2*c^2*d - 3*a^2*b*c*d^2 + (a^3 + 6*a)*d^3 + 3*(b^3*c^2*d + 2*b*d^3)*x)*cos(b*x + a)^2*log(-I*cos(b*x + a) - sin(b*x + a) + 1) + (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6*a)*d^3)*cos(b*x + a)^2*log(-cos(b*x + a) + I*sin(b*x + a) + I) - (b^3*c^3 - 3*a*b^2*c^2*d + 3*(a^2 + 2)*b*c*d^2 - (a^3 + 6*a)*d^3)*cos(b*x + a)^2*log(-cos(b*x + a) - I*sin(b*x + a) + I) - 6*(b*d^3*x + b*c*d^2)*cos(b*x + a)^2*polylog(3, I*cos(b*x + a) + sin(b*x + a)) + 6*(b*d^3*x + b*c*d^2)*cos(b*x + a)^2*polylog(3, I*cos(b*x + a) - sin(b*x + a)) - 6*(b*d^3*x + b*c*d^2)*cos(b*x + a)^2*polylog(3, -I*cos(b*x + a) + sin(b*x + a)) + 6*(b*d^3*x + b*c*d^2)*cos(b*x + a)^2*polylog(3, -I*cos(b*x + a) - sin(b*x + a)) - 6*(b^2*d^3*x^2 + 2*b^2*c*d^2*x + b^2*c^2*d)*cos(b*x + a) + 2*(b^3*d^3*x^3 + 3*b^3*c*d^2*x^2 + 3*b^3*c^2*d*x + b^3*c^3)*sin(b*x + a))/(b^4*cos(b*x + a)^2)
```

```
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (dx + c)^3 \sec(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^3*sec(b*x+a)^3,x, algorithm="giac")
```

```
[Out] integrate((d*x + c)^3*sec(b*x + a)^3, x)
```

maple [B] time = 0.30, size = 1127, normalized size = 3.34

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^3*sec(b*x+a)^3,x)`

[Out]
$$3I^3d^3\text{polylog}(2, -I\exp(I(b*x+a)))/b^4 + 3I^3d^3\text{polylog}(4, I\exp(I(b*x+a)))/b^4 + 3/b^3d^2c^2\text{polylog}(3, I\exp(I(b*x+a))) + 3/b^3d^3\text{polylog}(3, I\exp(I(b*x+a))) * x - 1/2/b^4a^3d^3\ln(1+I\exp(I(b*x+a))) - 3/b^3d^2c^2\text{polylog}(3, -I\exp(I(b*x+a))) + 1/2/b^4a^3d^3\ln(1-I\exp(I(b*x+a))) - 1/2/b^3d^3\ln(1+I\exp(I(b*x+a))) * x^3 + 1/2/b^3d^3\ln(1-I\exp(I(b*x+a))) * x^3 - 3/b^3d^3\text{polylog}(3, -I\exp(I(b*x+a))) * x - 3I^3d^3\text{polylog}(2, I\exp(I(b*x+a)))/b^4 - 3I^3d^3\text{polylog}(4, -I\exp(I(b*x+a)))/b^4 + 3/2/b^3d^2c^2\ln(1-I\exp(I(b*x+a))) * x^2 - 3/2/b^3d^2c^2\ln(1+I\exp(I(b*x+a))) * x^2 + 3/2/b^3c^2d^2\ln(1-I\exp(I(b*x+a))) * x + 3/2/b^2c^2d^2\ln(1-I\exp(I(b*x+a))) * a - 3/2/b^3a^2c^2d^2\ln(1-I\exp(I(b*x+a))) + 3/2/b^3a^2c^2d^2\ln(1+I\exp(I(b*x+a))) - 3/2/b^3c^2d^2\ln(1+I\exp(I(b*x+a))) * x - 3/2/b^2c^2d^2\ln(1+I\exp(I(b*x+a))) * a - 6I/b^3c^2d^2\arctan(\exp(I(b*x+a))) + 3/2I/b^2d^3\text{polylog}(2, -I\exp(I(b*x+a))) * x^2 - 3/2I/b^2d^3\text{polylog}(2, I\exp(I(b*x+a))) * x^2 + 3/2I/b^2c^2d^2\text{polylog}(2, -I\exp(I(b*x+a))) - 3/2I/b^2c^2d^2\text{polylog}(2, I\exp(I(b*x+a))) + 6I/b^4d^3a^2\arctan(\exp(I(b*x+a))) + I/b^4d^3a^3\arctan(\exp(I(b*x+a))) - I/b^3c^3\arctan(\exp(I(b*x+a))) + 3/b^3d^3\ln(1-I\exp(I(b*x+a))) * x + 3/b^4d^3\ln(1-I\exp(I(b*x+a))) * a - 3/b^3d^3\ln(1+I\exp(I(b*x+a))) * x - 3/b^4d^3\ln(1+I\exp(I(b*x+a))) * a - 3I/b^3c^2d^2a^2\arctan(\exp(I(b*x+a))) - 3I/b^2c^2d^2\text{polylog}(2, I\exp(I(b*x+a))) * x + 3I/b^2c^2d^2\text{polylog}(2, -I\exp(I(b*x+a))) * x + 3I/b^2c^2d^2a^2\arctan(\exp(I(b*x+a))) - I/b^2(\exp(2I(b*x+a))+1)^2(d^3x^3b\exp(3I(b*x+a))+3c^2d^2x^2b\exp(3I(b*x+a))+3c^2d^2x^2b\exp(3I(b*x+a))-d^3x^3b\exp(I(b*x+a))+c^3b\exp(3I(b*x+a))-3c^2d^2x^2b\exp(I(b*x+a))-3I^3d^3x^2\exp(3I(b*x+a))-3c^2d^2x^2b\exp(I(b*x+a))-6I^3c^2d^2x^2\exp(3I(b*x+a))-c^3b\exp(I(b*x+a))-3I^3c^2d^2\exp(3I(b*x+a))-3I^3d^3x^2\exp(I(b*x+a))-6I^3c^2d^2x^2\exp(I(b*x+a))-3I^3c^2d^2\exp(I(b*x+a)))$$

maxima [B] time = 5.47, size = 3828, normalized size = 11.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3*sec(b*x+a)^3,x, algorithm="maxima")`

[Out]
$$-1/4*(c^3*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1)) - 3*a*c^2*d*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1))/b + 3*a^2*c*d^2*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1))/b^2$$

$$\begin{aligned}
& - a^3 d^3 (2 \sin(bx + a) / (\sin(bx + a)^2 - 1) - \log(\sin(bx + a) + 1) + \log(\sin(bx + a) - 1)) / b^3 + 4 * ((2 * (bx + a)^3 d^3 + 12 * b * c * d^2 - 12 * a * d^3 + \\
& 6 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 6 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a) + 2 * ((bx + a)^3 d^3 + 6 * b * c * d^2 - 6 * a * d^3 + 3 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 3 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a)) * \cos(4 * bx + 4 * a) + 4 * ((bx + a)^3 d^3 + 6 * b * c * d^2 - 6 * a * d^3 + 3 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 3 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a)) * \cos(2 * bx + 2 * a) - (-2 * I * (bx + a)^3 d^3 - 12 * I * b * c * d^2 + 12 * I * a * d^3 + (-6 * I * b * c * d^2 + 6 * I * a * d^3) * (bx + a)^2 + (-6 * I * b^2 * c^2 * d + 12 * I * a * b * c * d^2 + (-6 * I * a^2 - 12 * I) * d^3) * (bx + a)) * \sin(4 * bx + 4 * a) - (-4 * I * (bx + a)^3 d^3 - 24 * I * b * c * d^2 + 24 * I * a * d^3 + (-12 * I * b * c * d^2 + 12 * I * a * d^3) * (bx + a)^2 + (-12 * I * b^2 * c^2 * d + 24 * I * a * b * c * d^2 + (-12 * I * a^2 - 24 * I) * d^3) * (bx + a)) * \sin(2 * bx + 2 * a)) * \arctan2(\cos(bx + a), \sin(bx + a) + 1) + (2 * (bx + a)^3 d^3 + 12 * b * c * d^2 - 12 * a * d^3 + 6 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 6 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a) + 2 * ((bx + a)^3 d^3 + 6 * b * c * d^2 - 6 * a * d^3 + 3 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 3 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a)) * \cos(4 * bx + 4 * a) + 4 * ((bx + a)^3 d^3 + 6 * b * c * d^2 - 6 * a * d^3 + 3 * (b * c * d^2 - a * d^3) * (bx + a)^2 + 3 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (a^2 + 2) * d^3) * (bx + a)) * \cos(2 * bx + 2 * a) - (-2 * I * (bx + a)^3 d^3 - 12 * I * b * c * d^2 + 12 * I * a * d^3 + (-6 * I * b * c * d^2 + 6 * I * a * d^3) * (bx + a)^2 + (-6 * I * b^2 * c^2 * d + 12 * I * a * b * c * d^2 + (-6 * I * a^2 - 12 * I) * d^3) * (bx + a)) * \sin(4 * bx + 4 * a) - (-4 * I * (bx + a)^3 d^3 - 24 * I * b * c * d^2 + 24 * I * a * d^3 + (-12 * I * b * c * d^2 + 12 * I * a * d^3) * (bx + a)^2 + (-12 * I * b^2 * c^2 * d + 24 * I * a * b * c * d^2 + (-12 * I * a^2 - 24 * I) * d^3) * (bx + a)) * \sin(2 * bx + 2 * a)) * \arctan2(\cos(bx + a), -\sin(bx + a) + 1) + (4 * (bx + a)^3 d^3 - 12 * I * b^2 * c^2 * d + 24 * I * a * b * c * d^2 - 12 * I * a^2 * d^3 + (12 * b * c * d^2 - (12 * a + 12 * I) * d^3) * (bx + a)^2 + (12 * b^2 * c^2 * d - (24 * a + 24 * I) * b * c * d^2 + 12 * (a^2 + 2 * I * a) * d^3) * (bx + a)) * \cos(3 * bx + 3 * a) - (4 * (bx + a)^3 d^3 + 12 * I * b^2 * c^2 * d - 24 * I * a * b * c * d^2 + 12 * I * a^2 * d^3 + (12 * b * c * d^2 - (12 * a - 12 * I) * d^3) * (bx + a)^2 + (12 * b^2 * c^2 * d - (24 * a - 24 * I) * b * c * d^2 + 12 * (a^2 - 2 * I * a) * d^3) * (bx + a)) * \cos(bx + a) + (6 * b^2 * c^2 * d - 12 * a * b * c * d^2 + 6 * (bx + a)^2 * d^3 + 6 * (a^2 + 2) * d^3 + 12 * (b * c * d^2 - a * d^3) * (bx + a) + 6 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (bx + a)^2 * d^3 + (a^2 + 2) * d^3 + 2 * (b * c * d^2 - a * d^3) * (bx + a)) * \cos(4 * bx + 4 * a) + 12 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (bx + a)^2 * d^3 + (a^2 + 2) * d^3 + 2 * (b * c * d^2 - a * d^3) * (bx + a)) * \cos(2 * bx + 2 * a) - (-6 * I * b^2 * c^2 * d + 12 * I * a * b * c * d^2 - 6 * I * (bx + a)^2 * d^3 + (-6 * I * a^2 - 12 * I) * d^3 + (-12 * I * b * c * d^2 + 12 * I * a * d^3) * (bx + a)) * \sin(4 * bx + 4 * a) - (-12 * I * b^2 * c^2 * d + 24 * I * a * b * c * d^2 - 12 * I * (bx + a)^2 * d^3 + (-12 * I * a^2 - 24 * I) * d^3 + (-24 * I * b * c * d^2 + 24 * I * a * d^3) * (bx + a)) * \sin(2 * bx + 2 * a)) * \operatorname{dilog}(I * e^{(I * bx + I * a)}) - (6 * b^2 * c^2 * d - 12 * a * b * c * d^2 + 6 * (bx + a)^2 * d^3 + 6 * (a^2 + 2) * d^3 + 12 * (b * c * d^2 - a * d^3) * (bx + a) + 6 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (bx + a)^2 * d^3 + (a^2 + 2) * d^3 + 2 * (b * c * d^2 - a * d^3) * (bx + a)) * \cos(4 * bx + 4 * a) + 12 * (b^2 * c^2 * d - 2 * a * b * c * d^2 + (bx + a)^2 * d^3 + (a^2 + 2) * d^3 + 2 * (b * c * d^2 - a * d^3) * (bx + a)) * \cos(2 * bx + 2 * a) + (6 * I * b^2 * c^2 * d - 12 * I * a * b * c * d^2 + 6 * I * (bx + a)^2 * d^3 + (6 * I * a^2 + 12 * I) * d^3 + (12 * I * b * c * d^2 - 12 * I * a * d^3) * (bx + a)) * \sin(4 * bx + 4 * a) + (12 * I * b^2 * c^2 * d - 24 * I * a * b * c * d^2 + 12 * I * (bx + a)^2 * d^3 + (12 * I * a
\end{aligned}$$

$$\begin{aligned}
&^2 + 24*I)*d^3 + (24*I*b*c*d^2 - 24*I*a*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*d \\
&\text{ilog}(-I*e^{(I*b*x + I*a)}) - (-I*(b*x + a)^3*d^3 - 6*I*b*c*d^2 + 6*I*a*d^3 + \\
&(-3*I*b*c*d^2 + 3*I*a*d^3)*(b*x + a)^2 + (-3*I*b^2*c^2*d + 6*I*a*b*c*d^2 + \\
&(-3*I*a^2 - 6*I)*d^3)*(b*x + a) + (-I*(b*x + a)^3*d^3 - 6*I*b*c*d^2 + 6*I*a \\
&*d^3 + (-3*I*b*c*d^2 + 3*I*a*d^3)*(b*x + a)^2 + (-3*I*b^2*c^2*d + 6*I*a*b*c \\
&*d^2 + (-3*I*a^2 - 6*I)*d^3)*(b*x + a))*\cos(4*b*x + 4*a) + (-2*I*(b*x + a)^ \\
&3*d^3 - 12*I*b*c*d^2 + 12*I*a*d^3 + (-6*I*b*c*d^2 + 6*I*a*d^3)*(b*x + a)^2 \\
&+ (-6*I*b^2*c^2*d + 12*I*a*b*c*d^2 + (-6*I*a^2 - 12*I)*d^3)*(b*x + a))*\cos(\\
&2*b*x + 2*a) + ((b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3) \\
&*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(4 \\
&*b*x + 4*a) + 2*((b*x + a)^3*d^3 + 6*b*c*d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3 \\
&)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(\\
&2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\sin(b*x + a) + 1) - (\\
&I*(b*x + a)^3*d^3 + 6*I*b*c*d^2 - 6*I*a*d^3 + (3*I*b*c*d^2 - 3*I*a*d^3)*(b*x \\
&+ a)^2 + (3*I*b^2*c^2*d - 6*I*a*b*c*d^2 + (3*I*a^2 + 6*I)*d^3)*(b*x + a) \\
&+ (I*(b*x + a)^3*d^3 + 6*I*b*c*d^2 - 6*I*a*d^3 + (3*I*b*c*d^2 - 3*I*a*d^3)* \\
&(b*x + a)^2 + (3*I*b^2*c^2*d - 6*I*a*b*c*d^2 + (3*I*a^2 + 6*I)*d^3)*(b*x + \\
&a))*\cos(4*b*x + 4*a) + (2*I*(b*x + a)^3*d^3 + 12*I*b*c*d^2 - 12*I*a*d^3 + (\\
&6*I*b*c*d^2 - 6*I*a*d^3)*(b*x + a)^2 + (6*I*b^2*c^2*d - 12*I*a*b*c*d^2 + (6 \\
&*I*a^2 + 12*I)*d^3)*(b*x + a))*\cos(2*b*x + 2*a) - ((b*x + a)^3*d^3 + 6*b*c* \\
&d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d^ \\
&2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(4*b*x + 4*a) - 2*((b*x + a)^3*d^3 + 6*b*c \\
&*d^2 - 6*a*d^3 + 3*(b*c*d^2 - a*d^3)*(b*x + a)^2 + 3*(b^2*c^2*d - 2*a*b*c*d \\
&^2 + (a^2 + 2)*d^3)*(b*x + a))*\sin(2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b \\
&*x + a)^2 - 2*\sin(b*x + a) + 1) - (12*d^3*\cos(4*b*x + 4*a) + 24*d^3*\cos(2*b \\
&*x + 2*a) + 12*I*d^3*\sin(4*b*x + 4*a) + 24*I*d^3*\sin(2*b*x + 2*a) + 12*d^3) \\
&*polylog(4, I*e^{(I*b*x + I*a)}) + (12*d^3*\cos(4*b*x + 4*a) + 24*d^3*\cos(2*b*x \\
&+ 2*a) + 12*I*d^3*\sin(4*b*x + 4*a) + 24*I*d^3*\sin(2*b*x + 2*a) + 12*d^3)* \\
&polylog(4, -I*e^{(I*b*x + I*a)}) - (-12*I*b*c*d^2 - 12*I*(b*x + a)*d^3 + 12*I \\
&*a*d^3 + (-12*I*b*c*d^2 - 12*I*(b*x + a)*d^3 + 12*I*a*d^3)*\cos(4*b*x + 4*a) \\
&+ (-24*I*b*c*d^2 - 24*I*(b*x + a)*d^3 + 24*I*a*d^3)*\cos(2*b*x + 2*a) + 12* \\
&(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(4*b*x + 4*a) + 24*(b*c*d^2 + (b*x + a \\
&)*d^3 - a*d^3)*\sin(2*b*x + 2*a))*polylog(3, I*e^{(I*b*x + I*a)}) - (12*I*b*c* \\
&d^2 + 12*I*(b*x + a)*d^3 - 12*I*a*d^3 + (12*I*b*c*d^2 + 12*I*(b*x + a)*d^3 \\
&- 12*I*a*d^3)*\cos(4*b*x + 4*a) + (24*I*b*c*d^2 + 24*I*(b*x + a)*d^3 - 24*I* \\
&a*d^3)*\cos(2*b*x + 2*a) - 12*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(4*b*x + \\
&4*a) - 24*(b*c*d^2 + (b*x + a)*d^3 - a*d^3)*\sin(2*b*x + 2*a))*polylog(3, -I \\
&*e^{(I*b*x + I*a)}) - (-4*I*(b*x + a)^3*d^3 - 12*b^2*c^2*d + 24*a*b*c*d^2 - 1 \\
&2*a^2*d^3 + (-12*I*b*c*d^2 - 12*(-I*a + 1)*d^3)*(b*x + a)^2 + (-12*I*b^2*c^ \\
&2*d - 24*(-I*a + 1)*b*c*d^2 + (-12*I*a^2 + 24*a)*d^3)*(b*x + a))*\sin(3*b*x \\
&+ 3*a) - (4*I*(b*x + a)^3*d^3 - 12*b^2*c^2*d + 24*a*b*c*d^2 - 12*a^2*d^3 - \\
&12*(-I*b*c*d^2 + (I*a + 1)*d^3)*(b*x + a)^2 + (12*I*b^2*c^2*d - 24*(I*a + 1 \\
&)*b*c*d^2 + (12*I*a^2 + 24*a)*d^3)*(b*x + a))*\sin(b*x + a))/(-4*I*b^3*\cos(4 \\
&*b*x + 4*a) - 8*I*b^3*\cos(2*b*x + 2*a) + 4*b^3*\sin(4*b*x + 4*a) + 8*b^3*\sin \\
&(2*b*x + 2*a) - 4*I*b^3))/b
\end{aligned}$$

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^3/cos(a + b*x)^3,x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^3 \sec^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*sec(b*x+a)**3,x)

[Out] Integral((c + d*x)**3*sec(a + b*x)**3, x)

3.38 $\int (c + dx)^2 \sec^3(a + bx) dx$

Optimal. Leaf size=193

$$-\frac{d^2 \operatorname{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{d^2 \operatorname{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{d^2 \tanh^{-1}(\sin(a + bx))}{b^3} + \frac{id(c + dx) \operatorname{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{id(c + dx) \operatorname{Li}_2(ie^{i(a+bx)})}{b^2}$$

[Out] $-I*(d*x+c)^2*\arctan(\exp(I*(b*x+a)))/b+d^2*\operatorname{arctanh}(\sin(b*x+a))/b^3+I*d*(d*x+c)*\operatorname{polylog}(2,-I*\exp(I*(b*x+a)))/b^2-I*d*(d*x+c)*\operatorname{polylog}(2,I*\exp(I*(b*x+a)))/b^2-d^2*\operatorname{polylog}(3,-I*\exp(I*(b*x+a)))/b^3+d^2*\operatorname{polylog}(3,I*\exp(I*(b*x+a)))/b^3-d*(d*x+c)*\sec(b*x+a)/b^2+1/2*(d*x+c)^2*\sec(b*x+a)*\tan(b*x+a)/b$

Rubi [A] time = 0.14, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {4186, 3770, 4181, 2531, 2282, 6589}

$$\frac{id(c + dx) \operatorname{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{id(c + dx) \operatorname{Li}_2(ie^{i(a+bx)})}{b^2} - \frac{d(c + dx) \sec(a + bx)}{b^2} - \frac{d^2 \operatorname{Li}_3(-ie^{i(a+bx)})}{b^3} + \frac{d^2 \operatorname{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{d^2 \operatorname{Li}_3(ie^{i(a+bx)})}{b^3} + \frac{d^2 \operatorname{Li}_3(-ie^{i(a+bx)})}{b^3}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(c + d*x)^2*\operatorname{Sec}[a + b*x]^3, x]$

[Out] $((-I)*(c + d*x)^2*\operatorname{ArcTan}[E^{I*(a + b*x)}])/b + (d^2*\operatorname{ArcTanh}[\operatorname{Sin}[a + b*x]])/b^3 + (I*d*(c + d*x)*\operatorname{PolyLog}[2, (-I)*E^{I*(a + b*x)}])/b^2 - (I*d*(c + d*x)*\operatorname{PolyLog}[2, I*E^{I*(a + b*x)}])/b^2 - (d^2*\operatorname{PolyLog}[3, (-I)*E^{I*(a + b*x)}])/b^3 + (d^2*\operatorname{PolyLog}[3, I*E^{I*(a + b*x)}])/b^3 - (d*(c + d*x)*\operatorname{Sec}[a + b*x])/b^2 + ((c + d*x)^2*\operatorname{Sec}[a + b*x]*\operatorname{Tan}[a + b*x])/(2*b)$

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.))*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]
```


Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
  /; FreeQ[{c, d}, x]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol]
 := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Dist
 [(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
 x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))],
 x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
 := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^2 \sec^3(a + bx) dx &= -\frac{d(c + dx) \sec(a + bx)}{b^2} + \frac{(c + dx)^2 \sec(a + bx) \tan(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^2 \sec(a + bx) dx \\
&= -\frac{i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{d^2 \tanh^{-1}(\sin(a + bx))}{b^3} - \frac{d(c + dx) \sec(a + bx)}{b^2} + \frac{(c + dx)^2 \sec(a + bx)}{2b} \\
&= -\frac{i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{d^2 \tanh^{-1}(\sin(a + bx))}{b^3} + \frac{id(c + dx) \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{(c + dx)^2 \sec(a + bx)}{2b} \\
&= -\frac{i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{d^2 \tanh^{-1}(\sin(a + bx))}{b^3} + \frac{id(c + dx) \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{(c + dx)^2 \sec(a + bx)}{2b} \\
&= -\frac{i(c + dx)^2 \tan^{-1}(e^{i(a+bx)})}{b} + \frac{d^2 \tanh^{-1}(\sin(a + bx))}{b^3} + \frac{id(c + dx) \text{Li}_2(-ie^{i(a+bx)})}{b^2} - \frac{(c + dx)^2 \sec(a + bx)}{2b}
\end{aligned}$$

Mathematica [A] time = 0.92, size = 184, normalized size = 0.95

$$\frac{-2ib^2(c + dx)^2 \tan^{-1}(e^{i(a+bx)}) + b^2(c + dx)^2 \tan(a + bx) \sec(a + bx) + 2ibd(c + dx) \text{Li}_2(-ie^{i(a+bx)}) - 2ibd(c + dx) \sec(a + bx)}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*Sec[a + b*x]^3,x]

[Out] ((-2*I)*b^2*(c + d*x)^2*ArcTan[E^(I*(a + b*x))]) + 2*d^2*ArcTanh[Sin[a + b*x]] + (2*I)*b*d*(c + d*x)*PolyLog[2, (-I)*E^(I*(a + b*x))] - (2*I)*b*d*(c + d*x)*PolyLog[2, I*E^(I*(a + b*x))] - 2*d^2*PolyLog[3, (-I)*E^(I*(a + b*x))] + 2*d^2*PolyLog[3, I*E^(I*(a + b*x))] - 2*b*d*(c + d*x)*Sec[a + b*x] + b^2*(c + d*x)^2*Sec[a + b*x]*Tan[a + b*x]/(2*b^3)

fricas [C] time = 1.24, size = 795, normalized size = 4.12

$$\frac{2d^2 \cos(bx + a)^2 \text{polylog}(3, i \cos(bx + a) + \sin(bx + a)) - 2d^2 \cos(bx + a)^2 \text{polylog}(3, i \cos(bx + a) - \sin(bx + a))}{2b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^3,x, algorithm="fricas")

[Out] -1/4*(2*d^2*cos(b*x + a)^2*polylog(3, I*cos(b*x + a) + sin(b*x + a)) - 2*d^2*cos(b*x + a)^2*polylog(3, I*cos(b*x + a) - sin(b*x + a)) + 2*d^2*cos(b*x + a)^2*polylog(3, -I*cos(b*x + a) + sin(b*x + a)) - 2*d^2*cos(b*x + a)^2*polylog(3, -I*cos(b*x + a) - sin(b*x + a)) - (-2*I*b*d^2*x - 2*I*b*c*d)*cos(b*x + a)^2*dilog(I*cos(b*x + a) + sin(b*x + a)) - (-2*I*b*d^2*x - 2*I*b*c*d)

```

*cos(b*x + a)^2*dilog(I*cos(b*x + a) - sin(b*x + a)) - (2*I*b*d^2*x + 2*I*b
*c*d)*cos(b*x + a)^2*dilog(-I*cos(b*x + a) + sin(b*x + a)) - (2*I*b*d^2*x +
2*I*b*c*d)*cos(b*x + a)^2*dilog(-I*cos(b*x + a) - sin(b*x + a)) - (b^2*c^2
- 2*a*b*c*d + (a^2 + 2)*d^2)*cos(b*x + a)^2*log(cos(b*x + a) + I*sin(b*x +
a) + I) + (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2)*cos(b*x + a)^2*log(cos(b*x
+ a) - I*sin(b*x + a) + I) - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*
d^2)*cos(b*x + a)^2*log(I*cos(b*x + a) + sin(b*x + a) + 1) + (b^2*d^2*x^2 +
2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*cos(b*x + a)^2*log(I*cos(b*x + a) - sin
(b*x + a) + 1) - (b^2*d^2*x^2 + 2*b^2*c*d*x + 2*a*b*c*d - a^2*d^2)*cos(b*x
+ a)^2*log(-I*cos(b*x + a) + sin(b*x + a) + 1) + (b^2*d^2*x^2 + 2*b^2*c*d*x
+ 2*a*b*c*d - a^2*d^2)*cos(b*x + a)^2*log(-I*cos(b*x + a) - sin(b*x + a) +
1) - (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2)*cos(b*x + a)^2*log(-cos(b*x + a
) + I*sin(b*x + a) + I) + (b^2*c^2 - 2*a*b*c*d + (a^2 + 2)*d^2)*cos(b*x + a
)^2*log(-cos(b*x + a) - I*sin(b*x + a) + I) + 4*(b*d^2*x + b*c*d)*cos(b*x +
a) - 2*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^2*c^2)*sin(b*x + a))/(b^3*cos(b*x +
a)^2)

```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^2 \sec(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)^2*sec(b*x + a)^3, x)

maple [B] time = 0.17, size = 584, normalized size = 3.03

$$-\frac{ic^2 \arctan(e^{i(bx+a)})}{b} - \frac{id^2 a^2 \arctan(e^{i(bx+a)})}{b^3} + \frac{2icda \arctan(e^{i(bx+a)})}{b^2} - \frac{2id^2 \arctan(e^{i(bx+a)})}{b^3} + \frac{cd \ln(1 - ie^{i(bx+a)})}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*sec(b*x+a)^3,x)

```

[Out] -I/b*c^2*arctan(exp(I*(b*x+a)))-I/b^3*d^2*a^2*arctan(exp(I*(b*x+a)))-I/b^2*
d^2*polylog(2,I*exp(I*(b*x+a)))*x+I/b^2*d^2*polylog(2,-I*exp(I*(b*x+a)))*x+
1/b^2*c*d*ln(1-I*exp(I*(b*x+a)))*a-1/b^2*c*d*ln(1+I*exp(I*(b*x+a)))*a-I/b^2
*c*d*polylog(2,I*exp(I*(b*x+a)))+I/b^2*c*d*polylog(2,-I*exp(I*(b*x+a)))-1/2
/b*d^2*ln(1+I*exp(I*(b*x+a)))*x^2+1/2/b^3*a^2*d^2*ln(1+I*exp(I*(b*x+a)))-1/
2/b^3*a^2*d^2*ln(1-I*exp(I*(b*x+a)))+1/2/b*d^2*ln(1-I*exp(I*(b*x+a)))*x^2+d
^2*polylog(3,I*exp(I*(b*x+a)))/b^3-1/b*c*d*ln(1+I*exp(I*(b*x+a)))*x+2*I/b^2
*c*d*a*arctan(exp(I*(b*x+a)))-2*I/b^3*d^2*arctan(exp(I*(b*x+a)))+1/b*c*d*ln
(1-I*exp(I*(b*x+a)))*x-d^2*polylog(3,-I*exp(I*(b*x+a)))/b^3-I/b^2/(exp(2*I*

```

$$(b*x+a)) + 1)^2 * (d^2 * x^2 * b * \exp(3*I*(b*x+a)) + 2*c*d*x*b*\exp(3*I*(b*x+a)) + c^2*b*\exp(3*I*(b*x+a)) - d^2*x^2*b*\exp(I*(b*x+a)) - 2*c*d*x*b*\exp(I*(b*x+a)) - 2*I*d^2*x*\exp(3*I*(b*x+a)) - c^2*b*\exp(I*(b*x+a)) - 2*I*c*d*\exp(3*I*(b*x+a)) - 2*I*d^2*x*\exp(I*(b*x+a)) - 2*I*c*d*\exp(I*(b*x+a)))$$

maxima [B] time = 2.70, size = 1893, normalized size = 9.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*sec(b*x+a)^3,x, algorithm="maxima")

[Out]
$$-1/4*(c^2*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1)) - 2*a*c*d*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1))/b + a^2*d^2*(2*\sin(b*x + a)/(\sin(b*x + a)^2 - 1) - \log(\sin(b*x + a) + 1) + \log(\sin(b*x + a) - 1))/b^2 + 4*((2*(b*x + a)^2*d^2 + 4*(b*c*d - a*d^2)*(b*x + a) + 4*d^2 + 2*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\cos(4*b*x + 4*a) + 4*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\cos(2*b*x + 2*a) - (-2*I*(b*x + a)^2*d^2 + (-4*I*b*c*d + 4*I*a*d^2)*(b*x + a) - 4*I*d^2)*\sin(4*b*x + 4*a) - (-4*I*(b*x + a)^2*d^2 + (-8*I*b*c*d + 8*I*a*d^2)*(b*x + a) - 8*I*d^2)*\sin(2*b*x + 2*a))*\arctan2(\cos(b*x + a), \sin(b*x + a) + 1) + (2*(b*x + a)^2*d^2 + 4*(b*c*d - a*d^2)*(b*x + a) + 4*d^2 + 2*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\cos(4*b*x + 4*a) + 4*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\cos(2*b*x + 2*a) - (-2*I*(b*x + a)^2*d^2 + (-4*I*b*c*d + 4*I*a*d^2)*(b*x + a) - 4*I*d^2)*\sin(4*b*x + 4*a) - (-4*I*(b*x + a)^2*d^2 + (-8*I*b*c*d + 8*I*a*d^2)*(b*x + a) - 8*I*d^2)*\sin(2*b*x + 2*a))*\arctan2(\cos(b*x + a), -\sin(b*x + a) + 1) + (4*(b*x + a)^2*d^2 - 8*I*b*c*d + 8*I*a*d^2 + (8*b*c*d - (8*a + 8*I)*d^2)*(b*x + a))*\cos(3*b*x + 3*a) - (4*(b*x + a)^2*d^2 + 8*I*b*c*d - 8*I*a*d^2 + (8*b*c*d - (8*a - 8*I)*d^2)*(b*x + a))*\cos(b*x + a) + (4*b*c*d + 4*(b*x + a)*d^2 - 4*a*d^2 + 4*(b*c*d + (b*x + a)*d^2 - a*d^2))*\cos(4*b*x + 4*a) + 8*(b*c*d + (b*x + a)*d^2 - a*d^2))*\cos(2*b*x + 2*a) - (-4*I*b*c*d - 4*I*(b*x + a)*d^2 + 4*I*a*d^2)*\sin(4*b*x + 4*a) - (-8*I*b*c*d - 8*I*(b*x + a)*d^2 + 8*I*a*d^2)*\sin(2*b*x + 2*a))*\operatorname{dilog}(I*e^{I*b*x + I*a}) - (4*b*c*d + 4*(b*x + a)*d^2 - 4*a*d^2 + 4*(b*c*d + (b*x + a)*d^2 - a*d^2))*\cos(4*b*x + 4*a) + 8*(b*c*d + (b*x + a)*d^2 - a*d^2))*\cos(2*b*x + 2*a) + (4*I*b*c*d + 4*I*(b*x + a)*d^2 - 4*I*a*d^2)*\sin(4*b*x + 4*a) + (8*I*b*c*d + 8*I*(b*x + a)*d^2 - 8*I*a*d^2)*\sin(2*b*x + 2*a))*\operatorname{dilog}(-I*e^{I*b*x + I*a}) - (-I*(b*x + a)^2*d^2 + (-2*I*b*c*d + 2*I*a*d^2)*(b*x + a) - 2*I*d^2 + (-I*(b*x + a)^2*d^2 + (-2*I*b*c*d + 2*I*a*d^2)*(b*x + a) - 2*I*d^2))*\cos(4*b*x + 4*a) + (-2*I*(b*x + a)^2*d^2 + (-4*I*b*c*d + 4*I*a*d^2)*(b*x + a) - 4*I*d^2))*\cos(2*b*x + 2*a) + ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\sin(4*b*x + 4*a) + 2*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x + a) + 2*d^2))*\sin(2*b*x + 2*a))*\log(\cos(b*x + a)^2 + \sin(b*x + a)^2 + 2*\sin(b*x + a) + 1) - (I*(b*x + a)^2*d^2 + (2*I*b*c*d - 2*I*a*d^2)*(b*x + a) +$$

```

2*I*d^2 + (I*(b*x + a)^2*d^2 + (2*I*b*c*d - 2*I*a*d^2)*(b*x + a) + 2*I*d^2
)*cos(4*b*x + 4*a) + (2*I*(b*x + a)^2*d^2 + (4*I*b*c*d - 4*I*a*d^2)*(b*x +
a) + 4*I*d^2)*cos(2*b*x + 2*a) - ((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*x
+ a) + 2*d^2)*sin(4*b*x + 4*a) - 2*((b*x + a)^2*d^2 + 2*(b*c*d - a*d^2)*(b*
x + a) + 2*d^2)*sin(2*b*x + 2*a))*log(cos(b*x + a)^2 + sin(b*x + a)^2 - 2*s
in(b*x + a) + 1) - (-4*I*d^2*cos(4*b*x + 4*a) - 8*I*d^2*cos(2*b*x + 2*a) +
4*d^2*sin(4*b*x + 4*a) + 8*d^2*sin(2*b*x + 2*a) - 4*I*d^2)*polylog(3, I*e^(
I*b*x + I*a)) - (4*I*d^2*cos(4*b*x + 4*a) + 8*I*d^2*cos(2*b*x + 2*a) - 4*d^
2*sin(4*b*x + 4*a) - 8*d^2*sin(2*b*x + 2*a) + 4*I*d^2)*polylog(3, -I*e^(I*b
*x + I*a)) - (-4*I*(b*x + a)^2*d^2 - 8*b*c*d + 8*a*d^2 + (-8*I*b*c*d - 8*(-
I*a + 1)*d^2)*(b*x + a))*sin(3*b*x + 3*a) - (4*I*(b*x + a)^2*d^2 - 8*b*c*d
+ 8*a*d^2 - 8*(-I*b*c*d + (I*a + 1)*d^2)*(b*x + a))*sin(b*x + a))/(-4*I*b^2
*cos(4*b*x + 4*a) - 8*I*b^2*cos(2*b*x + 2*a) + 4*b^2*sin(4*b*x + 4*a) + 8*b
^2*sin(2*b*x + 2*a) - 4*I*b^2))/b

```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.01

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^2/cos(a + b*x)^3,x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^2 \sec^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2*sec(b*x+a)**3,x)

[Out] Integral((c + d*x)**2*sec(a + b*x)**3, x)

3.39 $\int (c + dx) \sec^3(a + bx) dx$

Optimal. Leaf size=117

$$\frac{id\text{Li}_2(-ie^{i(a+bx)})}{2b^2} - \frac{id\text{Li}_2(ie^{i(a+bx)})}{2b^2} - \frac{d \sec(a + bx)}{2b^2} - \frac{i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} + \frac{(c + dx) \tan(a + bx) \sec(a + bx)}{2b}$$

[Out] $-I*(d*x+c)*\arctan(\exp(I*(b*x+a)))/b+1/2*I*d*\text{polylog}(2,-I*\exp(I*(b*x+a)))/b^2-1/2*I*d*\text{polylog}(2,I*\exp(I*(b*x+a)))/b^2-1/2*d*\sec(b*x+a)/b^2+1/2*(d*x+c)*\sec(b*x+a)*\tan(b*x+a)/b$

Rubi [A] time = 0.07, antiderivative size = 117, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {4185, 4181, 2279, 2391}

$$\frac{id\text{Li}_2(-ie^{i(a+bx)})}{2b^2} - \frac{id\text{Li}_2(ie^{i(a+bx)})}{2b^2} - \frac{d \sec(a + bx)}{2b^2} - \frac{i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} + \frac{(c + dx) \tan(a + bx) \sec(a + bx)}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)*\text{Sec}[a + b*x]^3, x]$

[Out] $((-I)*(c + d*x)*\text{ArcTan}[E^{I*(a + b*x)}])/b + ((I/2)*d*\text{PolyLog}[2, (-I)*E^{I*(a + b*x)}])/b^2 - ((I/2)*d*\text{PolyLog}[2, I*E^{I*(a + b*x)}])/b^2 - (d*\text{Sec}[a + b*x])/(2*b^2) + ((c + d*x)*\text{Sec}[a + b*x]*\text{Tan}[a + b*x])/(2*b)$

Rule 2279

$\text{Int}[\text{Log}[(a_) + (b_)*(F_)^{((e_)*((c_) + (d_)*(x_)))^{(n_)}}, x_Symbol]$
 $:= \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a + b*x]/x, x], x, (F^{(e*(c + d*x))})^n], x] /;$ $\text{FreeQ}\{F, a, b, c, d, e, n\}, x\} \ \&\& \ \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_) + (e_)*(x_)^{(n_)}]/(x_), x_Symbol] := -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /;$ $\text{FreeQ}\{c, d, e, n\}, x\} \ \&\& \ \text{EqQ}[c*d, 1]$

Rule 4181

$\text{Int}[\text{csc}[(e_) + \text{Pi}*(k_) + (f_)*(x_)]*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $:= \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanh}[E^{I*k*Pi}*E^{I*(e + f*x)}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{I*k*Pi}*E^{I*(e + f*x)}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{I*k*Pi}*E^{I*(e + f*x)}], x], x) /;$ $\text{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \text{IntegerQ}[2*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :=
  -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x
, x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rubi steps

$$\begin{aligned} \int (c + dx) \sec^3(a + bx) dx &= -\frac{d \sec(a + bx)}{2b^2} + \frac{(c + dx) \sec(a + bx) \tan(a + bx)}{2b} + \frac{1}{2} \int (c + dx) \sec(a + bx) dx \\ &= -\frac{i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} - \frac{d \sec(a + bx)}{2b^2} + \frac{(c + dx) \sec(a + bx) \tan(a + bx)}{2b} - \frac{d}{2} \int (c + dx) \sec(a + bx) dx \\ &= -\frac{i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} - \frac{d \sec(a + bx)}{2b^2} + \frac{(c + dx) \sec(a + bx) \tan(a + bx)}{2b} + \frac{d}{2} \int (c + dx) \sec(a + bx) dx \\ &= -\frac{i(c + dx) \tan^{-1}(e^{i(a+bx)})}{b} + \frac{id \operatorname{Li}_2(-ie^{i(a+bx)})}{2b^2} - \frac{id \operatorname{Li}_2(ie^{i(a+bx)})}{2b^2} - \frac{d \sec(a + bx)}{2b^2} + \frac{d}{2} \int (c + dx) \sec(a + bx) dx \end{aligned}$$

Mathematica [B] time = 3.68, size = 389, normalized size = 3.32

$$\frac{d \left(i \left(\operatorname{Li}_2 \left(-e^{i(-a-bx+\frac{\pi}{2})} \right) - \operatorname{Li}_2 \left(e^{i(-a-bx+\frac{\pi}{2})} \right) \right) + (-a - bx + \frac{\pi}{2}) \left(\log \left(1 - e^{i(-a-bx+\frac{\pi}{2})} \right) - \log \left(1 + e^{i(-a-bx+\frac{\pi}{2})} \right) \right) \right) - \frac{\pi}{2}}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*Sec[a + b*x]^3,x]

[Out] (c*ArcTanh[Sin[a + b*x]])/(2*b) + (d*((-a + Pi/2 - b*x)*(Log[1 - E^(I*(-a + Pi/2 - b*x))] - Log[1 + E^(I*(-a + Pi/2 - b*x))]) - (-a + Pi/2)*Log[Tan[(-a + Pi/2 - b*x)/2]] + I*(PolyLog[2, -E^(I*(-a + Pi/2 - b*x))] - PolyLog[2, E^(I*(-a + Pi/2 - b*x))])))/(2*b^2) + (d*x)/(4*b*(Cos[a/2 + (b*x)/2] - Sin[a/2 + (b*x)/2])^2) - (d*Sin[(b*x)/2])/(2*b^2*(Cos[a/2] - Sin[a/2])*(Cos[a/2 + (b*x)/2] - Sin[a/2 + (b*x)/2])) - (d*x)/(4*b*(Cos[a/2 + (b*x)/2] + Sin[a/2 + (b*x)/2])^2) + (d*Sin[(b*x)/2])/(2*b^2*(Cos[a/2] + Sin[a/2])*(Cos[a/2 + (b*x)/2] + Sin[a/2 + (b*x)/2])) + (c*Sec[a + b*x]*Tan[a + b*x])/(2*b)

fricas [B] time = 0.96, size = 435, normalized size = 3.72

$$-id \cos(bx + a)^2 \operatorname{Li}_2(i \cos(bx + a) + \sin(bx + a)) - id \cos(bx + a)^2 \operatorname{Li}_2(i \cos(bx + a) - \sin(bx + a)) + id \cos(bx + a)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{4}*(-I*d*\cos(b*x + a)^2*\operatorname{dilog}(I*\cos(b*x + a) + \sin(b*x + a)) - I*d*\cos(b*x + a)^2*\operatorname{dilog}(I*\cos(b*x + a) - \sin(b*x + a)) + I*d*\cos(b*x + a)^2*\operatorname{dilog}(-I*\cos(b*x + a) + \sin(b*x + a)) + I*d*\cos(b*x + a)^2*\operatorname{dilog}(-I*\cos(b*x + a) - \sin(b*x + a)) + (b*c - a*d)*\cos(b*x + a)^2*\log(\cos(b*x + a) + I*\sin(b*x + a) + I) - (b*c - a*d)*\cos(b*x + a)^2*\log(\cos(b*x + a) - I*\sin(b*x + a) + I) + (b*d*x + a*d)*\cos(b*x + a)^2*\log(I*\cos(b*x + a) + \sin(b*x + a) + 1) - (b*d*x + a*d)*\cos(b*x + a)^2*\log(I*\cos(b*x + a) - \sin(b*x + a) + 1) + (b*d*x + a*d)*\cos(b*x + a)^2*\log(-I*\cos(b*x + a) + \sin(b*x + a) + 1) - (b*d*x + a*d)*\cos(b*x + a)^2*\log(-I*\cos(b*x + a) - \sin(b*x + a) + 1) + (b*c - a*d)*\cos(b*x + a)^2*\log(-\cos(b*x + a) + I*\sin(b*x + a) + I) - (b*c - a*d)*\cos(b*x + a)^2*\log(-\cos(b*x + a) - I*\sin(b*x + a) + I) - 2*d*\cos(b*x + a) + 2*(b*d*x + b*c)*\sin(b*x + a))/(b^2*\cos(b*x + a)^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c) \sec(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*sec(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)*sec(b*x + a)^3, x)

maple [B] time = 0.12, size = 267, normalized size = 2.28

$$\frac{i(dxbe^{3i(bx+a)} + cbe^{3i(bx+a)} - dxbe^{i(bx+a)} - cbe^{i(bx+a)} - ide^{3i(bx+a)} - ide^{i(bx+a)})}{b^2(e^{2i(bx+a)} + 1)^2} - \frac{ic \arctan(e^{i(bx+a)})}{b} - \frac{d \ln(1 + ie^{i(bx+a)})}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*sec(b*x+a)^3,x)

[Out] $-I/b^2/(\exp(2*I*(b*x+a))+1)^2*(d*x*b*\exp(3*I*(b*x+a))+c*b*\exp(3*I*(b*x+a))-d*x*b*\exp(I*(b*x+a))-c*b*\exp(I*(b*x+a))-I*d*\exp(3*I*(b*x+a))-I*d*\exp(I*(b*x+a)))-I/b*c*\arctan(\exp(I*(b*x+a)))-1/2/b*d*\ln(1+I*\exp(I*(b*x+a)))*x-1/2/b^2*d*\ln(1+I*\exp(I*(b*x+a)))*a+1/2/b*d*\ln(1-I*\exp(I*(b*x+a)))*x+1/2/b^2*d*\ln(1-I*\exp(I*(b*x+a)))*a+1/2*I/b^2*d*\operatorname{dilog}(1+I*\exp(I*(b*x+a)))-1/2*I/b^2*d*\operatorname{dilog}(1-I*\exp(I*(b*x+a)))+I/b^2*d*a*\arctan(\exp(I*(b*x+a)))$

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)*sec(b*x+a)^3,x, algorithm="maxima")`

[Out] Timed out

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.01

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/cos(a + b*x)^3,x)`

[Out] `\text{Hanged}`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx) \sec^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)*sec(b*x+a)**3,x)`

[Out] `Integral((c + d*x)*sec(a + b*x)**3, x)`

$$3.40 \quad \int \frac{\sec^2(a+bx)}{c+dx} dx$$

Optimal. Leaf size=19

$$\text{Int}\left(\frac{\sec^2(a+bx)}{c+dx}, x\right)$$

[Out] Unintegrable(sec(b*x+a)^2/(d*x+c), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sec^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Int[Sec[a + b*x]^2/(c + d*x), x]

[Out] Defer[Int][Sec[a + b*x]^2/(c + d*x), x]

Rubi steps

$$\int \frac{\sec^2(a+bx)}{c+dx} dx = \int \frac{\sec^2(a+bx)}{c+dx} dx$$

Mathematica [A] time = 1.42, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(a+bx)}{c+dx} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sec[a + b*x]^2/(c + d*x), x]

[Out] Integrate[Sec[a + b*x]^2/(c + d*x), x]

fricas [A] time = 0.78, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sec^2(bx+a)}{dx+c}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="fricas")

[Out] integral(sec(b*x + a)^2/(d*x + c), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec(bx + a)^2}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="giac")

[Out] integrate(sec(b*x + a)^2/(d*x + c), x)

maple [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(bx + a)}{dx + c} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(sec(b*x+a)^2/(d*x+c),x)

[Out] int(sec(b*x+a)^2/(d*x+c),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(sec(b*x+a)^2/(d*x+c),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{\cos(a + bx)^2 (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(cos(a + b*x)^2*(c + d*x)),x)

[Out] int(1/(cos(a + b*x)^2*(c + d*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sec^2(a + bx)}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(sec(b*x+a)**2/(d*x+c),x)
```

```
[Out] Integral(sec(a + b*x)**2/(c + d*x), x)
```

3.41 $\int (c + dx)^{5/2} \cos(a + bx) dx$

Optimal. Leaf size=194

$$\frac{15\sqrt{\frac{\pi}{2}} d^{5/2} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15\sqrt{\frac{\pi}{2}} d^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} - \frac{15d^2\sqrt{c+dx} \sin(a+bx)}{4b^3} + \dots$$

[Out] $5/2*d*(d*x+c)^{(3/2)}*\cos(b*x+a)/b^2+(d*x+c)^{(5/2)}*\sin(b*x+a)/b+15/8*d^{(5/2)}*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}+15/8*d^{(5/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}-15/4*d^2*\sin(b*x+a)*(d*x+c)^{(1/2)}/b^3$

Rubi [A] time = 0.42, antiderivative size = 194, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{15\sqrt{\frac{\pi}{2}} d^{5/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15\sqrt{\frac{\pi}{2}} d^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} - \frac{15d^2\sqrt{c+dx} \sin(a+bx)}{4b^3} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(5/2)}*\text{Cos}[a + b*x], x]$

[Out] $(5*d*(c + d*x)^{(3/2)}*\text{Cos}[a + b*x])/(2*b^2) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(4*b^{(7/2)}) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])*\text{Sin}[a - (b*c)/d])/(4*b^{(7/2)}) - (15*d^2*\text{Sqrt}[c + d*x]*\text{Sin}[a + b*x])/(4*b^3) + ((c + d*x)^{(5/2)}*\text{Sin}[a + b*x])/b$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Cos}[e + f*x], x] \text{ :> } -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 3304

$\text{Int}[\text{sin}[\text{Pi}/2 + (e + f*x)/\text{Sqrt}[c + d*x]], x] \text{ :> } \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int (c + dx)^{5/2} \cos(a + bx) dx &= \frac{(c + dx)^{5/2} \sin(a + bx)}{b} - \frac{(5d) \int (c + dx)^{3/2} \sin(a + bx) dx}{2b} \\
 &= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{2b^2} + \frac{(c + dx)^{5/2} \sin(a + bx)}{b} - \frac{(15d^2) \int \sqrt{c + dx} \cos(a + bx) dx}{4b^2} \\
 &= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{2b^2} - \frac{15d^2 \sqrt{c + dx} \sin(a + bx)}{4b^3} + \frac{(c + dx)^{5/2} \sin(a + bx)}{b} + \dots \\
 &= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{2b^2} - \frac{15d^2 \sqrt{c + dx} \sin(a + bx)}{4b^3} + \frac{(c + dx)^{5/2} \sin(a + bx)}{b} + \dots \\
 &= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{2b^2} - \frac{15d^2 \sqrt{c + dx} \sin(a + bx)}{4b^3} + \frac{(c + dx)^{5/2} \sin(a + bx)}{b} + \dots \\
 &= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{2b^2} + \frac{15d^{5/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{7/2}} + \frac{15d^{5/2} \sqrt{\frac{\pi}{2}}}{\dots}
 \end{aligned}$$

Mathematica [C] time = 0.06, size = 124, normalized size = 0.64

$$\frac{d^3 e^{-\frac{i(ad+bc)}{d}} \left(e^{2ia} \sqrt{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{7}{2}, -\frac{ib(c+dx)}{d}\right) + e^{\frac{2ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{7}{2}, \frac{ib(c+dx)}{d}\right) \right)}{2b^4 \sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Cos[a + b*x], x]

[Out] $-1/2*(d^3*(E^{((2*I)*a)}*\text{Sqrt}[((-I)*b*(c + d*x))/d]*\text{Gamma}[7/2, ((-I)*b*(c + d*x))/d] + E^{(((2*I)*b*c)/d}*\text{Sqrt}[(I*b*(c + d*x))/d]*\text{Gamma}[7/2, (I*b*(c + d*x))/d]))/(b^4*E^{((I*(b*c + a*d))/d}*\text{Sqrt}[c + d*x])$

fricas [A] time = 1.07, size = 190, normalized size = 0.98

$$\frac{15 \sqrt{2} \pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 15 \sqrt{2} \pi d^3 \sqrt{\frac{b}{\pi d}} C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{bc-ad}{d}\right) + 2 \sqrt{dx+c}}{8b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a), x, algorithm="fricas")

[Out] $1/8*(15*\text{sqrt}(2)*\pi*d^3*\text{sqrt}(b/(\pi*d))*\cos(-(b*c - a*d)/d)*\text{fresnel_sin}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(\pi*d))) + 15*\text{sqrt}(2)*\pi*d^3*\text{sqrt}(b/(\pi*d))*\text{fresnel_cos}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(\pi*d)))*\sin(-(b*c - a*d)/d) + 2*\text{sqrt}(d*x + c)*(10*(b^2*d^2*x + b^2*c*d)*\cos(b*x + a) + (4*b^3*d^2*x^2 + 8*b^3*c*d*x + 4*b^3*c^2 - 15*b*d^2)*\sin(b*x + a)))/b^4$

giac [C] time = 0.91, size = 1239, normalized size = 6.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a), x, algorithm="giac")

[Out] $-1/16*(8*(\text{sqrt}(2)*\text{sqrt}(\pi)*d*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c))*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1))} + \text{sqrt}(2)*\text{sqrt}(\pi)*d*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c))*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1))})*c^3 + 6*c*d^2*((\text{sqrt}(2)*\text{sqrt}(\pi))*(4*b^2*c^2 + 4*I*b*c*d - 3*d^2)*d*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c))*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1))*b^2} + 2*(-2*I*(d*x + c)^(3/2)*b*d + 4*I*\text{sqrt}(d*x + c)*b*c*d - 3*\text{sqrt}(d*x + c)*d^2)*e^{((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b^2}/d^2 + (\text{sqrt}(2)*\text{sqrt}(\pi))*(4*b^2*c^2 -$

```

4*I*b*c*d - 3*d^2)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(
b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) +
1)*b^2) + 2*(2*I*(d*x + c)^(3/2)*b*d - 4*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x
+ c)*d^2)*e^((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b^2)/d^2 - d^3*(sqrt(2)*
sqrt(pi)*(8*b^3*c^3 + 12*I*b^2*c^2*d - 18*b*c*d^2 - 15*I*d^3)*d*erf(-1/2*sq
rt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*
d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*(-4*I*(d*x + c)^(5/2)*b
^2*d + 12*I*(d*x + c)^(3/2)*b^2*c*d - 12*I*sqrt(d*x + c)*b^2*c^2*d - 10*(d*
x + c)^(3/2)*b*d^2 + 18*sqrt(d*x + c)*b*c*d^2 + 15*I*sqrt(d*x + c)*d^3)*e^(-
I*(d*x + c)*b + I*b*c - I*a*d)/d)/b^3)/d^3 + (sqrt(2)*sqrt(pi)*(8*b^3*c^3
- 12*I*b^2*c^2*d - 18*b*c*d^2 + 15*I*d^3)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sq
rt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*
(-I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*(4*I*(d*x + c)^(5/2)*b^2*d - 12*I*(d*x
+ c)^(3/2)*b^2*c*d + 12*I*sqrt(d*x + c)*b^2*c^2*d - 10*(d*x + c)^(3/2)*b*d^
2 + 18*sqrt(d*x + c)*b*c*d^2 - 15*I*sqrt(d*x + c)*d^3)*e^((I*(d*x + c)*b -
I*b*c + I*a*d)/d)/b^3)/d^3 - 12*(sqrt(2)*sqrt(pi)*(2*b*c + I*d)*d*erf(-1/2
*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I
*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) + sqrt(2)*sqrt(pi)*(2*b*c
- I*d)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1
)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) - 2*I*
sqrt(d*x + c)*d*e^((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b + 2*I*sqrt(d*x + c)
*d*e^((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b)*c^2)/d

```

maple [A] time = 0.04, size = 232, normalized size = 1.20

$$\frac{d(dx+c)^{\frac{5}{2}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{b} - \frac{5d}{b} \left(\frac{d(dx+c)^{\frac{3}{2}} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2b} + \frac{3d}{2b} \left(\frac{d\sqrt{dx+c} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2b} - \frac{d\sqrt{2}\sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) + \sin\left(\frac{da-cb}{d}\right) \operatorname{FresnelS}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) \right)}{4b\sqrt{\frac{b}{d}}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*cos(b*x+a),x)

[Out] 2/d*(1/2*d/b*(d*x+c)^(5/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-5/2*d/b*(-1/2*d/b*(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+3/2*d/b*(1/2*d/b*(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/4*d/b*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(co

s((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))

maxima [C] time = 0.94, size = 261, normalized size = 1.35

$$\sqrt{2} \left(40 \sqrt{2} (dx + c)^{\frac{3}{2}} b^2 d \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left((15i + 15) \sqrt{\pi} d^3 \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{bc-ad}{d}\right) - (15i - 15) \sqrt{\pi} d^3 \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \sin\left(-\frac{bc-ad}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a), x, algorithm="maxima")

[Out] 1/32*sqrt(2)*(40*sqrt(2)*(d*x + c)^(3/2)*b^2*d*cos(((d*x + c)*b - b*c + a*d)/d) + ((15*I + 15)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) - (15*I - 15)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (-15*I - 15)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) + (15*I + 15)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)) + 4*(4*sqrt(2)*(d*x + c)^(5/2)*b^3 - 15*sqrt(2)*sqrt(d*x + c)*b*d^2)*sin(((d*x + c)*b - b*c + a*d)/d))/b^4

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) (c + dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^(5/2), x)

[Out] int(cos(a + b*x)*(c + d*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^{\frac{5}{2}} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(5/2)*cos(b*x+a), x)

[Out] Integral((c + d*x)**(5/2)*cos(a + b*x), x)

3.42 $\int (c + dx)^{3/2} \cos(a + bx) dx$

Optimal. Leaf size=169

$$\frac{3\sqrt{\frac{\pi}{2}} d^{3/2} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3\sqrt{\frac{\pi}{2}} d^{3/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3d\sqrt{c+dx} \cos(a+bx)}{2b^2} + \frac{(c+dx)^{3/2} \cos(a+bx)}{b}$$

[Out] $(d*x+c)^{(3/2)*\sin(b*x+a)/b-3/4*d^{(3/2)*\cos(a-b*c/d)*\text{FresnelC}(b^{(1/2)*2^{(1/2)}})/\text{Pi}^{(1/2)*(d*x+c)^{(1/2)/d^{(1/2)}}*2^{(1/2)*\text{Pi}^{(1/2)/b^{(5/2)+3/4*d^{(3/2)*\text{FresnelS}(b^{(1/2)*2^{(1/2)}})/\text{Pi}^{(1/2)*(d*x+c)^{(1/2)/d^{(1/2)}}*\sin(a-b*c/d)*2^{(1/2)*\text{Pi}^{(1/2)/b^{(5/2)+3/2*d*\cos(b*x+a)*(d*x+c)^{(1/2)/b^2}}$

Rubi [A] time = 0.24, antiderivative size = 169, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}} d^{3/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3\sqrt{\frac{\pi}{2}} d^{3/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3d\sqrt{c+dx} \cos(a+bx)}{2b^2} + \frac{(c+dx)^{3/2} \cos(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(3/2)*\text{Cos}[a + b*x], x]$

[Out] $(3*d*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/(2*b^2) - (3*d^{(3/2)*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]])/(2*b^{(5/2)}) + (3*d^{(3/2)*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/\text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(2*b^{(5/2)}) + ((c + d*x)^{(3/2)*\text{Sin}[a + b*x])/b$

Rule 3296

$\text{Int}[(c + d*x)^m \sin(e + f*x), x] \text{Symbol} \rightarrow -\text{Simp}[(c + d*x)^m \text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1} \text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e + f*x)/\text{Sqrt}[c + d*x]], x] \text{Symbol} \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

$\text{Int}[\sin[(e + f*x)/\text{Sqrt}[c + d*x]], x] \text{Symbol} \rightarrow \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Sin}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /; \text{FreeQ}\{c, d, e, f\}$

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int (c + dx)^{3/2} \cos(a + bx) dx &= \frac{(c + dx)^{3/2} \sin(a + bx)}{b} - \frac{(3d) \int \sqrt{c + dx} \sin(a + bx) dx}{2b} \\
 &= \frac{3d\sqrt{c + dx} \cos(a + bx)}{2b^2} + \frac{(c + dx)^{3/2} \sin(a + bx)}{b} - \frac{(3d^2) \int \frac{\cos(a + bx)}{\sqrt{c + dx}} dx}{4b^2} \\
 &= \frac{3d\sqrt{c + dx} \cos(a + bx)}{2b^2} + \frac{(c + dx)^{3/2} \sin(a + bx)}{b} - \frac{\left(3d^2 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{\sqrt{c + dx}} dx}{4b^2} \\
 &= \frac{3d\sqrt{c + dx} \cos(a + bx)}{2b^2} + \frac{(c + dx)^{3/2} \sin(a + bx)}{b} - \frac{\left(3d \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bc}{d} + bx\right) dx\right)}{2b^2} \\
 &= \frac{3d\sqrt{c + dx} \cos(a + bx)}{2b^2} - \frac{3d^{3/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{2b^{5/2}} + \frac{3d^{3/2} \sqrt{\frac{\pi}{2}} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{2b^{5/2}}
 \end{aligned}$$

Mathematica [C] time = 0.10, size = 122, normalized size = 0.72

$$\frac{d\sqrt{c + dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia} \Gamma\left(\frac{5}{2}, -\frac{ib(c+dx)}{d}\right)}{\sqrt{-\frac{ib(c+dx)}{d}}} + \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{5}{2}, \frac{ib(c+dx)}{d}\right)}{\sqrt{\frac{ib(c+dx)}{d}}} \right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(3/2)*Cos[a + b*x],x]

[Out] (d*Sqrt[c + d*x]*((E^((2*I)*a)*Gamma[5/2, ((-I)*b*(c + d*x))/d])/Sqrt[((-I)*b*(c + d*x))/d] + (E^(((2*I)*b*c)/d)*Gamma[5/2, (I*b*(c + d*x))/d])/Sqrt[(I*b*(c + d*x))/d]))/(2*b^2*E^((I*(b*c + a*d))/d))

fricas [A] time = 1.71, size = 156, normalized size = 0.92

$$\frac{3\sqrt{2}\pi d^2\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{bc-ad}{d}\right)C\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 3\sqrt{2}\pi d^2\sqrt{\frac{b}{\pi d}}S\left(\sqrt{2}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\sin\left(-\frac{bc-ad}{d}\right) - 2(3bd^2c + b^2d^2)}{4b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a),x, algorithm="fricas")

[Out] -1/4*(3*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 3*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) - 2*(3*b*d*cos(b*x + a) + 2*(b^2*d*x + b^2*c)*sin(b*x + a))*sqrt(d*x + c))/b^3

giac [C] time = 0.61, size = 773, normalized size = 4.57

$$4\left(\frac{\sqrt{2}\sqrt{\pi}d\operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd}\left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)} + \frac{\sqrt{2}\sqrt{\pi}d\operatorname{erf}\left(-\frac{\sqrt{2}\sqrt{bd}\sqrt{dx+c}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right)e^{\left(\frac{-ibc+iad}{d}\right)}}{\sqrt{bd}\left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}\right)c^2 + d^2\left(\frac{\sqrt{2}\sqrt{\pi}(4b^2c^2+4ibcd-3d^2)}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a),x, algorithm="giac")

[Out] -1/8*(4*(sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)))c^2 + d^2*((sqrt(2)*sqrt(pi)*(4*b^2*c^2 + 4*I*b*c*d - 3*d^2)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 2*(-2*I*(d*x + c)^(3/2)*b*d + 4*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2)*e^((-I*(d*x + c)^(3/2)*b*d + 4*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2)*e^((-I*(d*x + c)^(3/2)*b*d + 4*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2))))

+ c)*b + I*b*c - I*a*d)/d)/b^2)/d^2 + (sqrt(2)*sqrt(pi)*(4*b^2*c^2 - 4*I*b*c*d - 3*d^2)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 2*(2*I*(d*x + c)^(3/2)*b*d - 4*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2)*e^((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b^2)/d^2 - 4*(sqrt(2)*sqrt(pi)*(2*b*c + I*d)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) + sqrt(2)*sqrt(pi)*(2*b*c - I*d)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) - 2*I*sqrt(d*x + c)*d*e^((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b + 2*I*sqrt(d*x + c)*d*e^((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b)*c)/d

maple [A] time = 0.03, size = 189, normalized size = 1.12

$$\frac{d(dx+c)^{\frac{3}{2}} \sin\left(\frac{(dx+c)b + da-cb}{d}\right)}{b} - \frac{3d \left(\frac{d\sqrt{dx+c} \cos\left(\frac{(dx+c)b + da-cb}{d}\right)}{2b} + \frac{d\sqrt{2}\sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) - \sin\left(\frac{da-cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) \right)}{4b\sqrt{\frac{b}{d}}} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(3/2)*cos(b*x+a), x)

[Out] 2/d*(1/2*d/b*(d*x+c)^(3/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-3/2*d/b*(-1/2*d/b*(d*x+c)^(1/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/4*d/b*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)))

maxima [C] time = 1.08, size = 240, normalized size = 1.42

$$\sqrt{2} \left(8\sqrt{2}(dx+c)^{\frac{3}{2}}b^2 \sin\left(\frac{(dx+c)b-bc+ad}{d}\right) + 12\sqrt{2}\sqrt{dx+c}bd \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left((3i-3)\sqrt{\pi}d^2\left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{bc}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a), x, algorithm="maxima")

[Out] 1/16*sqrt(2)*(8*sqrt(2)*(d*x + c)^(3/2)*b^2*sin(((d*x + c)*b - b*c + a*d)/d) + 12*sqrt(2)*sqrt(d*x + c)*b*d*cos(((d*x + c)*b - b*c + a*d)/d) + ((3*I - 3)*sqrt(pi)*d^2*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) + (3*I + 3)*sqrt(pi)*d^2*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (-

$(3I + 3)\sqrt{\pi}d^2(b^2/d^2)^{1/4}\cos(-(b*c - a*d)/d) - (3I - 3)\sqrt{\pi}d^2(b^2/d^2)^{1/4}\sin(-(b*c - a*d)/d))\operatorname{erf}(\sqrt{d*x + c})\sqrt{-I*b/d})/b^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(ax + b) (c + dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)*(c + d*x)^(3/2), x)`

[Out] `int(cos(a + b*x)*(c + d*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^{\frac{3}{2}} \cos(ax + b) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(3/2)*cos(b*x+a), x)`

[Out] `Integral((c + d*x)**(3/2)*cos(a + b*x), x)`

3.43 $\int \sqrt{c + dx} \cos(a + bx) dx$

Optimal. Leaf size=142

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) + \sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} + \frac{\sqrt{c + dx} \sin(a + bx)}{b}$$

[Out] $-1/2*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-1/2*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}+\sin(b*x+a)*(d*x+c)^{(1/2)}/b$

Rubi [A] time = 0.17, antiderivative size = 142, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right) + \sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} + \frac{\sqrt{c + dx} \sin(a + bx)}{b}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[c + d*x]*Cos[a + b*x], x]`

[Out] $-((\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/b^{(3/2)} + (\text{Sqrt}[c + d*x]*\text{Sin}[a + b*x])/b$

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int \sqrt{c+dx} \cos(ax+bx) dx &= \frac{\sqrt{c+dx} \sin(ax+bx)}{b} - \frac{d \int \frac{\sin(ax+bx)}{\sqrt{c+dx}} dx}{2b} \\
 &= \frac{\sqrt{c+dx} \sin(ax+bx)}{b} - \frac{\left(d \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{2b} - \frac{\left(d \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{2b} \\
 &= \frac{\sqrt{c+dx} \sin(ax+bx)}{b} - \frac{\cos\left(a - \frac{bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{b} - \frac{\sin\left(a - \frac{bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{b} \\
 &= -\frac{\sqrt{d} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{b^{3/2}} - \frac{\sqrt{d} \sqrt{\frac{\pi}{2}} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{b^{3/2}} + \dots
 \end{aligned}$$

Mathematica [C] time = 0.09, size = 124, normalized size = 0.87

$$\frac{i\sqrt{c+dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia} \Gamma\left(\frac{3}{2}, -\frac{ib(c+dx)}{d}\right)}{\sqrt{-\frac{ib(c+dx)}{d}}} - \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{3}{2}, \frac{ib(c+dx)}{d}\right)}{\sqrt{\frac{ib(c+dx)}{d}}} \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x]*Cos[a + b*x], x]

[Out] $\frac{((-1/2*I)*\text{Sqrt}[c + d*x]*((E^{((2*I)*a)}*\text{Gamma}[3/2, ((-I)*b*(c + d*x))/d])/\text{Sqrt}[(I*b*(c + d*x))/d] - (E^{((2*I)*b*c)/d}*\text{Gamma}[3/2, (I*b*(c + d*x))/d])/\text{Sqrt}[(I*b*(c + d*x))/d]))/(b*E^{((I*(b*c + a*d))/d}))}{2 b^2}$

fricas [A] time = 0.66, size = 126, normalized size = 0.89

$$\frac{\sqrt{2} \pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + \sqrt{2} \pi d \sqrt{\frac{b}{\pi d}} C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{bc-ad}{d}\right) - 2 \sqrt{dx+c} b}{2 b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a), x, algorithm="fricas")

[Out] $-1/2*(\text{sqrt}(2)*\pi*d*\text{sqrt}(b/(\pi*d))*\cos(-(b*c - a*d)/d)*\text{fresnel_sin}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(\pi*d))) + \text{sqrt}(2)*\pi*d*\text{sqrt}(b/(\pi*d))*\text{fresnel_cos}(\text{sqrt}(2)*\text{sqrt}(d*x + c)*\text{sqrt}(b/(\pi*d)))*\sin(-(b*c - a*d)/d) - 2*\text{sqrt}(d*x + c)*b*\sin(b*x + a))/b^2$

giac [C] time = 0.51, size = 422, normalized size = 2.97

$$\frac{\sqrt{2} \sqrt{\pi} (2bc+id)d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} + \frac{\sqrt{2} \sqrt{\pi} (2bc-id)d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc+id}{d}\right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} - 2 \left(\frac{\sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} + \frac{\sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc+id}{d}\right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a), x, algorithm="giac")

[Out] $1/4*(\text{sqrt}(2)*\text{sqrt}(\pi)*(2*b*c + I*d)*d*\operatorname{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)*b)} + \text{sqrt}(2)*\text{sqrt}(\pi)*(2*b*c - I*d)*d*\operatorname{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)*b)} - 2*(\text{sqrt}(2)*\text{sqrt}(\pi)*d*\operatorname{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1))} + \text{sqrt}(2)*\text{sqrt}(\pi)*d*\operatorname{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1))})*c - 2*I*\text{sqrt}(d*x + c)*d*e^{((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b} + 2*I*\text{sqrt}(d*x + c)*d*e^{((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b}/d$

maple [A] time = 0.03, size = 144, normalized size = 1.01

$$\frac{d\sqrt{dx+c} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{b} - \frac{d\sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{2b\sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(1/2)*cos(b*x+a), x)

[Out] 2/d*(1/2*d/b*(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/4*d/b*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(cos((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))

maxima [C] time = 1.07, size = 196, normalized size = 1.38

$$\frac{\sqrt{2} \left(4 \sqrt{2} \sqrt{dx+c} b \sin\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left(-(i+1) \sqrt{\pi} d \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{bc-ad}{d}\right) + (i-1) \sqrt{\pi} d \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \sin\left(-\frac{bc-ad}{d}\right) \right) \text{erf}\left(\sqrt{d*x+c} \sqrt{\frac{b}{d}}\right)}{8b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a), x, algorithm="maxima")

[Out] 1/8*sqrt(2)*(4*sqrt(2)*sqrt(d*x + c)*b*sin(((d*x + c)*b - b*c + a*d)/d) + (- (I + 1)*sqrt(pi)*d*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) + (I - 1)*sqrt(pi)*d*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + ((I - 1)*sqrt(pi)*d*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) - (I + 1)*sqrt(pi)*d*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)))/b^2

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^(1/2), x)

[Out] int(cos(a + b*x)*(c + d*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**(1/2)*cos(b*x+a),x)
```

```
[Out] Integral(sqrt(c + d*x)*cos(a + b*x), x)
```

$$3.44 \quad \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=118

$$\frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b} \sqrt{d}} - \frac{\sqrt{2\pi} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b} \sqrt{d}}$$

[Out] $\cos(a-b*c/d)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}/d^{(1/2)}-\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(1/2)}/d^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.312$, Rules used = {3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b} \sqrt{d}} - \frac{\sqrt{2\pi} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{\sqrt{b} \sqrt{d}}$$

Antiderivative was successfully verified.

[In] `Int[Cos[a + b*x]/Sqrt[c + d*x], x]`

[Out] $(\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]])/(\text{Sqrt}[b]*\text{Sqrt}[d]) - (\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/ \text{Sqrt}[d]]*\text{Sin}[a - (b*c)/d])/(\text{Sqrt}[b]*\text{Sqrt}[d])$

Rule 3304

`Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3305

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]`

Rule 3306

`Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d`

*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_)*((e_) + (f_)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_)*((e_) + (f_)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{\sqrt{c + dx}} dx &= \cos\left(a - \frac{bc}{d}\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{\sqrt{c + dx}} dx - \sin\left(a - \frac{bc}{d}\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{\sqrt{c + dx}} dx \\ &= \frac{\left(2 \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c + dx}\right) - \left(2 \sin\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} \\ &= \frac{\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right) - \sqrt{2\pi} S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right) \sin\left(a - \frac{bc}{d}\right)}{\sqrt{b} \sqrt{d}} \end{aligned}$$

Mathematica [C] time = 0.06, size = 124, normalized size = 1.05

$$\frac{ie^{-\frac{i(ad+bc)}{d}} \left(e^{\frac{2ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) - e^{2ia} \sqrt{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) \right)}{2b\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/Sqrt[c + d*x], x]

[Out] ((I/2)*(-E^((2*I)*a)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d]) + E^(((2*I)*b*c)/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d])/(b*E^((I*(b*c + a*d))/d)*Sqrt[c + d*x])

fricas [A] time = 0.47, size = 108, normalized size = 0.92

$$\frac{\sqrt{2} \pi \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2} \sqrt{dx + c} \sqrt{\frac{b}{\pi d}}\right) - \sqrt{2} \pi \sqrt{\frac{b}{\pi d}} S\left(\sqrt{2} \sqrt{dx + c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{bc-ad}{d}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(1/2),x, algorithm="fricas")

[Out] (sqrt(2)*pi*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - sqrt(2)*pi*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d))/b

giac [C] time = 0.50, size = 166, normalized size = 1.41

$$\frac{\sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)} + \sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2 d^2}+1}\right)}{2d}\right) e^{\left(\frac{-ibc+iad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2 d^2}+1}\right) + \sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2 d^2}+1}\right)} \cdot \frac{1}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(1/2),x, algorithm="giac")

[Out] -1/2*(sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1))/d

maple [A] time = 0.03, size = 100, normalized size = 0.85

$$\frac{\sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) - \sin\left(\frac{da-cb}{d}\right) \operatorname{S}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{d \sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(1/2),x)

[Out] 1/d*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))

maxima [C] time = 0.99, size = 159, normalized size = 1.35

$$\frac{\sqrt{2} \left(\left((i-1) \sqrt{\pi} \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{bc-ad}{d}\right) + (i+1) \sqrt{\pi} \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \sin\left(-\frac{bc-ad}{d}\right) \right) \operatorname{erf}\left(\sqrt{dx+c} \sqrt{\frac{ib}{d}}\right) + \left(-(i+1) \sqrt{\pi} \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \right)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)^(1/2),x, algorithm="maxima")`

[Out]
$$-1/4*\sqrt{2}*(((I - 1)*\sqrt{\pi}*(b^2/d^2)^{(1/4)}*\cos(-(b*c - a*d)/d) + (I + 1)*\sqrt{\pi}*(b^2/d^2)^{(1/4)}*\sin(-(b*c - a*d)/d))*\operatorname{erf}(\sqrt{d*x + c}*\sqrt{I*b/d}) + (-(I + 1)*\sqrt{\pi}*(b^2/d^2)^{(1/4)}*\cos(-(b*c - a*d)/d) - (I - 1)*\sqrt{\pi}*(b^2/d^2)^{(1/4)}*\sin(-(b*c - a*d)/d))*\operatorname{erf}(\sqrt{d*x + c}*\sqrt{-I*b/d})) / b$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)/(c + d*x)^(1/2),x)`

[Out] `int(cos(a + b*x)/(c + d*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)**(1/2),x)`

[Out] `Integral(cos(a + b*x)/sqrt(c + d*x), x)`

$$3.45 \quad \int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=139

$$\frac{2\sqrt{2\pi} \sqrt{b} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{2\pi} \sqrt{b} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2 \cos(a+bx)}{d\sqrt{c+dx}}$$

[Out] $-2*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-2*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-2*\cos(b*x+a)/d/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 139, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{2\pi} \sqrt{b} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{2\pi} \sqrt{b} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2 \cos(a+bx)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(3/2), x]

[Out] $(-2*\text{Cos}[a + b*x])/(d*\text{Sqrt}[c + d*x]) - (2*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/d^{(3/2)} - (2*\text{Sqrt}[b]*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d])/d^{(3/2)}$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(a + bx)}{(c + dx)^{3/2}} dx &= -\frac{2 \cos(a + bx)}{d\sqrt{c + dx}} - \frac{(2b) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{d} \\
&= -\frac{2 \cos(a + bx)}{d\sqrt{c + dx}} - \frac{\left(2b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{d} - \frac{\left(2b \sin\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{d} \\
&= -\frac{2 \cos(a + bx)}{d\sqrt{c + dx}} - \frac{\left(4b \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d^2} - \frac{\left(4b \sin\left(a - \frac{bc}{d}\right)\right)}{d^2} \\
&= -\frac{2 \cos(a + bx)}{d\sqrt{c + dx}} - \frac{2\sqrt{b} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{b} \sqrt{2\pi} C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right) \sin}{d^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.32, size = 147, normalized size = 1.06

$$\frac{e^{-ia} \left(e^{2ia - \frac{ibc}{d}} \sqrt{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) + e^{-ibx} \left(-e^{2i(a+bx)} + e^{\frac{ib(c+dx)}{d}} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) - 1 \right) \right)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(3/2), x]

[Out] (E^((2*I)*a - (I*b*c)/d)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d] + (-1 - E^((2*I)*(a + b*x))) + E^((I*b*(c + d*x))/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d])/E^(I*b*x)/(d*E^(I*a)*Sqrt[c + d*x])

fricas [A] time = 0.62, size = 144, normalized size = 1.04

$$\frac{2 \left(\sqrt{2} (\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + \sqrt{2} (\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{bc-ad}{d}\right) \right)}{d^2 x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -2*(sqrt(2)*(pi*d*x + pi*c)*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + sqrt(2)*(pi*d*x + pi*c)*sqrt(b/(pi*d))*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) + sqrt(d*x + c)*cos(b*x + a))/(d^2*x + c*d)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(3/2), x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(3/2), x)

maple [A] time = 0.03, size = 140, normalized size = 1.01

$$\frac{2 \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{\sqrt{dx+c}} - \frac{2b\sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{d\sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)/(d*x+c)^(3/2),x)`

[Out] $2/d*(-1/(d*x+c)^{(1/2)}*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/d*b*2^{(1/2)}*Pi^{(1/2)}/(1/d*b)^{(1/2)}*(\cos((a*d-b*c)/d)*FresnelS(2^{(1/2)}/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\sin((a*d-b*c)/d)*FresnelC(2^{(1/2)}/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.74, size = 129, normalized size = 0.93

$$\frac{\left(\left(-i+1\right)\sqrt{2}\Gamma\left(-\frac{1}{2},\frac{i(dx+c)b}{d}\right)+\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{1}{2},-\frac{i(dx+c)b}{d}\right)\right)\cos\left(-\frac{bc-ad}{d}\right)+\left(\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{1}{2},\frac{i(dx+c)b}{d}\right)-\left(i+1\right)\sqrt{2}\Gamma\left(-\frac{1}{2},-\frac{i(dx+c)b}{d}\right)\right)\sin\left(-\frac{bc-ad}{d}\right)}{4\sqrt{dx+cd}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)^(3/2),x, algorithm="maxima")`

[Out] $1/4*((-I+1)*\sqrt{2}*\gamma(-1/2,I*(d*x+c)*b/d)+(I-1)*\sqrt{2}*\gamma(-1/2,-I*(d*x+c)*b/d))*\cos(-(b*c-a*d)/d)+((I-1)*\sqrt{2}*\gamma(-1/2,I*(d*x+c)*b/d)-(-I+1)*\sqrt{2}*\gamma(-1/2,-I*(d*x+c)*b/d))*\sin(-(b*c-a*d)/d)*\sqrt{(d*x+c)*b/d}/(\sqrt{d*x+c}*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a+b*x)/(c+d*x)^(3/2),x)`

[Out] `int(cos(a+b*x)/(c+d*x)^(3/2),x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a+bx)}{(c+dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)**(3/2),x)`

[Out] `Integral(cos(a+b*x)/(c+d*x)**(3/2),x)`

$$3.46 \quad \int \frac{\cos(a+bx)}{(c+dx)^{5/2}} dx$$

Optimal. Leaf size=168

$$\frac{4\sqrt{2\pi} b^{3/2} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} + \frac{4\sqrt{2\pi} b^{3/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} + \frac{4b \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \cos(a+bx)}{3d(c+dx)^{3/2}}$$

[Out] $-2/3*\cos(b*x+a)/d/(d*x+c)^{(3/2)}-4/3*b^{(3/2)}*\cos(a-b*c/d)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}+4/3*b^{(3/2)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}+4/3*b*\sin(b*x+a)/d^2/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{4\sqrt{2\pi} b^{3/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} + \frac{4\sqrt{2\pi} b^{3/2} \sin\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} + \frac{4b \sin(a+bx)}{3d^2 \sqrt{c+dx}} - \frac{2 \cos(a+bx)}{3d(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(5/2), x]

[Out] $(-2*\cos[a + b*x])/(3*d*(c + d*x)^{(3/2)}) - (4*b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\cos[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]/(3*d^{(5/2)})) + (4*b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\sin[a - (b*c)/d]/(3*d^{(5/2)})) + (4*b*\sin[a + b*x])/(3*d^2*\text{Sqrt}[c + d*x])$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{2\cos(a+bx)}{3d(c+dx)^{3/2}} - \frac{(2b) \int \frac{\sin(a+bx)}{(c+dx)^{3/2}} dx}{3d} \\
&= -\frac{2\cos(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{(4b^2) \int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{3d^2} \\
&= -\frac{2\cos(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{(4b^2 \cos(a - \frac{bc}{d})) \int \frac{\cos(\frac{bc}{d}+bx)}{\sqrt{c+dx}} dx}{3d^2} + \frac{(4b^2 \sin(a - \frac{bc}{d}))}{3d^2} \\
&= -\frac{2\cos(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{(8b^2 \cos(a - \frac{bc}{d})) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{3d^3} \\
&= -\frac{2\cos(a+bx)}{3d(c+dx)^{3/2}} - \frac{4b^{3/2}\sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{3d^{5/2}} + \frac{4b^{3/2}\sqrt{2\pi} S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right) \sin}{3d^{5/2}}
\end{aligned}$$

Mathematica [C] time = 0.29, size = 190, normalized size = 1.13

$$\frac{e^{-ia} \left(e^{-ibx} \left(4ib(c+dx) - 4de^{\frac{ib(c+dx)}{d}} \left(\frac{ib(c+dx)}{d} \right)^{3/2} \Gamma \left(\frac{1}{2}, \frac{ib(c+dx)}{d} \right) - 2d \right) - 2ie^{2ia - \frac{ibc}{d}} \left(e^{\frac{ib(c+dx)}{d}} (2b(c+dx) - id) - 2id \left(-\frac{ib}{d} \right) \right) \right)}{6d^2(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(5/2), x]

[Out] $((-2*I)*E^{((2*I)*a - (I*b*c)/d)}*(E^{((I*b*(c + d*x))/d)}*((-I)*d + 2*b*(c + d*x)) - (2*I)*d*(((-I)*b*(c + d*x))/d)^{(3/2)}*Gamma[1/2, ((-I)*b*(c + d*x))/d]) + (-2*d + (4*I)*b*(c + d*x) - 4*d*E^{((I*b*(c + d*x))/d)}*((I*b*(c + d*x))/d)^{(3/2)}*Gamma[1/2, (I*b*(c + d*x))/d])/E^{(I*b*x)}/(6*d^2*E^{(I*a)}*(c + d*x)^{(3/2)})$

fricas [A] time = 0.76, size = 208, normalized size = 1.24

$$\frac{2 \left(2 \sqrt{2} (\pi b d^2 x^2 + 2 \pi b c d x + \pi b c^2) \sqrt{\frac{b}{\pi d}} \cos \left(-\frac{bc-ad}{d} \right) C \left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}} \right) - 2 \sqrt{2} (\pi b d^2 x^2 + 2 \pi b c d x + \pi b c^2) \right)}{3 (d^4 x^2 + 2 c d^3 x + c^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(5/2), x, algorithm="fricas")

[Out] $-2/3*(2*\sqrt{2}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\cos(-\frac{b*c - a*d}{d})*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 2*\sqrt{2}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-\frac{b*c - a*d}{d}) + \sqrt{d*x + c}*(d*c*\cos(b*x + a) - 2*(b*d*x + b*c)*\sin(b*x + a)))/(d^4*x^2 + 2*c*d^3*x + c^2*d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(5/2), x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(5/2), x)

maple [A] time = 0.03, size = 180, normalized size = 1.07

$$\frac{2 \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{3(dx+c)^{\frac{3}{2}}} - \frac{4b \left(\frac{\sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{\sqrt{dx+c}} + \frac{b \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right)} - \sin\left(\frac{da-cb}{d}\right) \operatorname{FresnelS}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right)} \right)}{d \sqrt{\frac{b}{d}}} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)/(d*x+c)^(5/2), x)`

[Out] $2/d*(-1/3/(d*x+c)^{(3/2)}*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-2/3/d*b*(-1/(d*x+c)^{(1/2)}*\sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/d*b*2^{(1/2)}*\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(\cos((a*d-b*c)/d)*\operatorname{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin((a*d-b*c)/d)*\operatorname{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.72, size = 129, normalized size = 0.77

$$\frac{\left((i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, \frac{i(dx+c)b}{d}\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) + \left((i+1) \sqrt{2} \Gamma\left(-\frac{3}{2}, \frac{i(dx+c)b}{d}\right) - (i-1) \sqrt{2} \Gamma\left(-\frac{3}{2}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right)}{4(dx+c)^{\frac{3}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)^(5/2), x, algorithm="maxima")`

[Out] $-1/4*((I-1)*\sqrt{2}*\gamma(-3/2, I*(d*x+c)*b/d) - (I+1)*\sqrt{2}*\gamma(-3/2, -I*(d*x+c)*b/d))*\cos(-(b*c-a*d)/d) + ((I+1)*\sqrt{2}*\gamma(-3/2, I*(d*x+c)*b/d) - (I-1)*\sqrt{2}*\gamma(-3/2, -I*(d*x+c)*b/d))*\sin(-(b*c-a*d)/d)*((d*x+c)*b/d)^{(3/2)}/((d*x+c)^{(3/2)}*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + b x)}{(c + d x)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)/(c + d*x)^(5/2), x)`

[Out] `int(cos(a + b*x)/(c + d*x)^(5/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**(5/2), x)

[Out] Integral(cos(a + b*x)/(c + d*x)**(5/2), x)

$$3.47 \quad \int \frac{\cos(a+bx)}{(c+dx)^{7/2}} dx$$

Optimal. Leaf size=193

$$\frac{8\sqrt{2\pi} b^{5/2} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8\sqrt{2\pi} b^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^2 \cos(a+bx)}{15d^3 \sqrt{c+dx}} + \frac{4b \sin(a+bx)}{15d^2(c+dx)}$$

[Out] $-2/5*\cos(b*x+a)/d/(d*x+c)^{(5/2)}+4/15*b*\sin(b*x+a)/d^2/(d*x+c)^{(3/2)}+8/15*b^{(5/2)}*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}+8/15*b^{(5/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}+8/15*b^2*\cos(b*x+a)/d^3/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.30, antiderivative size = 193, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3306, 3305, 3351, 3304, 3352}

$$\frac{8\sqrt{2\pi} b^{5/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8\sqrt{2\pi} b^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^2 \cos(a+bx)}{15d^3 \sqrt{c+dx}} + \frac{4b \sin(a+bx)}{15d^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(7/2), x]

[Out] $(-2*\text{Cos}[a + b*x])/(5*d*(c + d*x)^{(5/2)}) + (8*b^2*\text{Cos}[a + b*x])/(15*d^3*\text{Sqrt}[c + d*x]) + (8*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(15*d^{(7/2)}) + (8*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d])/(15*d^{(7/2)}) + (4*b*\text{Sin}[a + b*x])/(15*d^2*(c + d*x)^{(3/2)})$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d

, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(a+bx)}{(c+dx)^{7/2}} dx &= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} - \frac{(2b) \int \frac{\sin(a+bx)}{(c+dx)^{5/2}} dx}{5d} \\
&= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} + \frac{4b\sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{(4b^2) \int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx}{15d^2} \\
&= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\cos(a+bx)}{15d^3\sqrt{c+dx}} + \frac{4b\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{(8b^3) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{15d^3} \\
&= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\cos(a+bx)}{15d^3\sqrt{c+dx}} + \frac{4b\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{\left(8b^3\cos\left(a-\frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d}+bx\right)}{\sqrt{c+dx}} dx}{15d^3} + \\
&= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\cos(a+bx)}{15d^3\sqrt{c+dx}} + \frac{4b\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{\left(16b^3\cos\left(a-\frac{bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{bc}{d}+bx\right) dx\right)}{15d^4} \\
&= \frac{2\cos(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b^2\cos(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b^{5/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}} + \frac{8b^{5/2}\sqrt{2\pi} C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{15d^{7/2}}
\end{aligned}$$

Mathematica [C] time = 0.34, size = 228, normalized size = 1.18

$$\frac{e^{-ia} \left(2e^{2ia} \left(2be^{-\frac{ibc}{d}} (c+dx) \left(e^{\frac{ib(c+dx)}{d}} (2b(c+dx) - id) - 2id \left(-\frac{ib(c+dx)}{d} \right)^{3/2} \Gamma\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) \right) - 3d^2 e^{ibx} \right) + e^{-ibx} \left(8b^2(c+dx)^{3/2} \right) \right)}{30d^3(c+dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(7/2), x]

[Out] (2*E^((2*I)*a)*(-3*d^2*E^(I*b*x) + (2*b*(c + d*x)*(E^((I*b*(c + d*x))/d))*((-I)*d + 2*b*(c + d*x)) - (2*I)*d*((-I)*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((-I)*b*(c + d*x))/d])/E^((I*b*c)/d) + (-6*d^2 + (4*I)*b*d*(c + d*x) + 8*b^2*(c + d*x)^2 + 8*d^2*E^((I*b*(c + d*x))/d))*((I*b*(c + d*x))/d)^(5/2)*Gamma[1/2, (I*b*(c + d*x))/d])/E^(I*b*x))/(30*d^3*E^(I*a)*(c + d*x)^(5/2))

fricas [A] time = 0.66, size = 296, normalized size = 1.53

$$\frac{2 \left(4\sqrt{2} (\pi b^2 d^3 x^3 + 3\pi b^2 c d^2 x^2 + 3\pi b^2 c^2 dx + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 4\sqrt{2} (\pi b^2 d^3 x^3 + 3\pi b^2 c d^2 x^2 + 3\pi b^2 c^2 dx + \pi b^2 c^3) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \right)}{30d^3(c+dx)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/2),x, algorithm="fricas")

[Out] $2/15*(4*\sqrt{2}*(\pi*b^2*d^3*x^3 + 3*\pi*b^2*c*d^2*x^2 + 3*\pi*b^2*c^2*d*x + \pi*b^2*c^3)*\sqrt{b/(\pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + 4*\sqrt{2}*(\pi*b^2*d^3*x^3 + 3*\pi*b^2*c*d^2*x^2 + 3*\pi*b^2*c^2*d*x + \pi*b^2*c^3)*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c})*\sqrt{b/(\pi*d)})*\sin(-(b*c - a*d)/d) + \sqrt{d*x + c}*((4*b^2*d^2*x^2 + 8*b^2*c*d*x + 4*b^2*c^2 - 3*d^2)*\cos(b*x + a) + 2*(b*d^2*x + b*c*d)*\sin(b*x + a)))/(d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(7/2), x)

maple [A] time = 0.03, size = 220, normalized size = 1.14

$$\frac{2 \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{5(dx+c)^{\frac{5}{2}}} - \frac{4b \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{3(dx+c)^{\frac{3}{2}}} + \frac{2b \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right) b \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{3d d \sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(7/2),x)

[Out] $2/d*(-1/5/(d*x+c)^(5/2)*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-2/5/d*b*(-1/3/(d*x+c)^(3/2)*\sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+2/3/d*b*(-1/(d*x+c)^(1/2)*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/d*b*2^(1/2)*\pi^(1/2)/(1/d*b)^(1/2)*(\cos((a*d-b*c)/d)$

*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))))

maxima [C] time = 1.80, size = 129, normalized size = 0.67

$$\frac{\left(\left(-i+1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},\frac{i(dx+c)b}{d}\right)+\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},-\frac{i(dx+c)b}{d}\right)\right)\cos\left(-\frac{bc-ad}{d}\right)+\left(\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},\frac{i(dx+c)b}{d}\right)-\left(i+1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},-\frac{i(dx+c)b}{d}\right)\right)\sin\left(-\frac{bc-ad}{d}\right)}{4(dx+c)^{\frac{5}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/2),x, algorithm="maxima")

[Out] -1/4*((-I + 1)*sqrt(2)*gamma(-5/2, I*(d*x + c)*b/d) + (I - 1)*sqrt(2)*gamma(-5/2, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) + ((I - 1)*sqrt(2)*gamma(-5/2, I*(d*x + c)*b/d) - (I + 1)*sqrt(2)*gamma(-5/2, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d)*((d*x + c)*b/d)^(5/2)/((d*x + c)^(5/2)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^(7/2),x)

[Out] int(cos(a + b*x)/(c + d*x)^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**(7/2),x)

[Out] Integral(cos(a + b*x)/(c + d*x)**(7/2), x)

3.48 $\int (c + dx)^{5/2} \cos^2(a + bx) dx$

Optimal. Leaf size=231

$$\frac{15\sqrt{\pi} d^{5/2} \sin\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} + \frac{15\sqrt{\pi} d^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} - \frac{15d^2\sqrt{c+dx} \sin(2a + 2bx)}{64b^3} + \dots$$

[Out] $-5/16*d*(d*x+c)^{(3/2)}/b^2+1/7*(d*x+c)^{(7/2)}/d+5/8*d*(d*x+c)^{(3/2)}*\cos(b*x+a)^2/b^2+1/2*(d*x+c)^{(5/2)}*\cos(b*x+a)*\sin(b*x+a)/b+15/128*d^{(5/2)}*\cos(2*a-2*b*c/d)*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(7/2)}+15/128*d^{(5/2)}*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*\text{Pi}^{(1/2)}/b^{(7/2)}-15/64*d^2*\sin(2*b*x+2*a)*(d*x+c)^{(1/2)}/b^3$

Rubi [A] time = 0.43, antiderivative size = 231, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3311, 32, 3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{15\sqrt{\pi} d^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{128b^{7/2}} + \frac{15\sqrt{\pi} d^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{128b^{7/2}} - \frac{15d^2\sqrt{c+dx} \sin(2a + 2bx)}{64b^3} + \dots$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(5/2)}*\text{Cos}[a + b*x]^2, x]$

[Out] $(-5*d*(c + d*x)^{(3/2)})/(16*b^2) + (c + d*x)^{(7/2)}/(7*d) + (5*d*(c + d*x)^{(3/2)}*\text{Cos}[a + b*x]^2)/(8*b^2) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/(128*b^{(7/2)}) + (15*d^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[2*a - (2*b*c)/d])/(128*b^{(7/2)}) + ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/(2*b) - (15*d^2*\text{Sqrt}[c + d*x]*\text{Sin}[2*a + 2*b*x])/(64*b^3)$

Rule 32

$\text{Int}[(a_. + (b_.)*(x_.))^{(m_.)}, x_Symbol] := \text{Simp}[(a + b*x)^{(m + 1)}/(b*(m + 1)), x] /; \text{FreeQ}\{a, b, m\}, x \ \&\& \ \text{NeQ}[m, -1]$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^{5/2} \cos^2(a + bx) dx &= \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} + \frac{1}{2} \int (c + dx)^{5/2} \\
&= \frac{(c + dx)^{7/2}}{7d} + \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} \\
&= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} + \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} \\
&= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} + \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} \\
&= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} + \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{(c + dx)^{5/2} \cos(a + bx) \sin(a + bx)}{2b} \\
&= -\frac{5d(c + dx)^{3/2}}{16b^2} + \frac{(c + dx)^{7/2}}{7d} + \frac{5d(c + dx)^{3/2} \cos^2(a + bx)}{8b^2} + \frac{15d^{5/2} \sqrt{\pi} \cos\left(2a - 2bx\right)}{128b^4}
\end{aligned}$$

Mathematica [A] time = 2.14, size = 194, normalized size = 0.84

$$\frac{\sqrt{\frac{b}{d}} \left(2 \sqrt{\frac{b}{d}} \sqrt{c + dx} (7d \sin(2(a + bx)) (16b^2(c + dx)^2 - 15d^2) + 140bd^2(c + dx) \cos(2(a + bx)) + 64b^3(c + dx)^3) \right)}{896b^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Cos[a + b*x]^2,x]

[Out] (Sqrt[b/d]*(105*d^3*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + 105*d^3*Sqrt[Pi]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] + 2*Sqrt[b/d]*Sqrt[c + d*x]*(64*b^3*(c + d*x)^3 + 140*b*d^2*(c + d*x)*Cos[2*(a + b*x)] + 7*d*(-15*d^2 + 16*b^2*(c + d*x)^2)*Sin[2*(a + b*x)]))/(896*b^4)

fricas [A] time = 0.62, size = 258, normalized size = 1.12

$$\frac{105 \pi d^4 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2 \sqrt{dx + c} \sqrt{\frac{b}{\pi d}}\right) + 105 \pi d^4 \sqrt{\frac{b}{\pi d}} C\left(2 \sqrt{dx + c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) + 4(32 b^4 d^3)}{896 b^4}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^2,x, algorithm="fricas")
```

```
[Out] 1/896*(105*pi*d^4*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d))) + 105*pi*d^4*sqrt(b/(pi*d))*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-2*(b*c - a*d)/d) + 4*(32*b^4*d^3*x^3 + 96*b^4*c*d^2*x^2 + 32*b^4*c^3 - 70*b^2*c*d^2 + 140*(b^2*d^3*x + b^2*c*d^2)*cos(b*x + a)^2 + 7*(16*b^3*d^3*x^2 + 32*b^3*c*d^2*x + 16*b^3*c^2*d - 15*b*d^3)*cos(b*x + a)*sin(b*x + a) + 2*(48*b^4*c^2*d - 35*b^2*d^3)*x)*sqrt(d*x + c))/(b^4*d)
```

```
giac [C] time = 0.84, size = 1311, normalized size = 5.68
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^2,x, algorithm="giac")
```

```
[Out] -1/8960*(2240*(sqrt(pi)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + sqrt(pi)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)) - 4*sqrt(d*x + c))*c^3 - 28*c*d^2*(64*(3*(d*x + c)^(5/2) - 10*(d*x + c)^(3/2)*c + 15*sqrt(d*x + c)*c^2)/d^2 - 15*(sqrt(pi)*(16*b^2*c^2 + 8*I*b*c*d - 3*d^2)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 2*(-4*I*(d*x + c)^(3/2)*b*d + 8*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2)*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b^2)/d^2 - 15*(sqrt(pi)*(16*b^2*c^2 - 8*I*b*c*d - 3*d^2)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 2*(4*I*(d*x + c)^(3/2)*b*d - 8*I*sqrt(d*x + c)*b*c*d - 3*sqrt(d*x + c)*d^2)*e^((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b^2)/d^2 - d^3*(256*(5*(d*x + c)^(7/2) - 21*(d*x + c)^(5/2)*c + 35*(d*x + c)^(3/2)*c^2 - 35*sqrt(d*x + c)*c^3)/d^3 + 35*(sqrt(pi)*(64*b^3*c^3 + 48*I*b^2*c^2*d - 36*b*c*d^2 - 15*I*d^3)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*(-16*I*(d*x + c)^(5/2)*b^2*d + 48*I*(d*x + c)^(3/2)*b^2*c*d - 48*I*sqrt(d*x + c)*b^2*c^2*d - 20*(d*x + c)^(3/2)*b*d^2 + 36*sqrt(d*x + c)*b*c*d^2 + 15*I*sqrt(d*x + c)*d^3)*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b^3)/d^3 + 35*(sqrt(pi)*(64*b^3*c^3 - 48*I*b^2*c^2*d - 36*b*c*d^2 + 15*I*d^3)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b^3) - 2*(16*I*(d*x + c)^(5/2)*b^2*d - 48*I*(d*x + c)^(3/2)*b^2*c*d + 48*I*sqrt(d*x + c)*b^2*c^2*d - 20*(d*x + c)^(3/2)*b*d^2 + 36*sqrt(d*x + c)*b*c*d^2 - 15*I*sqrt(d*x + c)*d^3)*e^((2*I*(d*x + c)*b - 2*I*b*c
```

+ 2*I*a*d)/d)/b^3)/d^3) - 560*(3*sqrt(pi))*(4*b*c + I*d)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((2*I*b*c - 2*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b) + 3*sqrt(pi)*(4*b*c - I*d)*d*erf(-sqrt(b*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-2*I*b*c + 2*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) + 16*(d*x + c)^(3/2) - 48*sqrt(d*x + c)*c - 6*I*sqrt(d*x + c)*d*e^((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b + 6*I*sqrt(d*x + c)*d*e^((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b)*c^2)/d

maple [A] time = 0.05, size = 242, normalized size = 1.05

$$\frac{\frac{(dx+c)^{\frac{7}{2}}}{7} + \frac{d(dx+c)^{\frac{5}{2}} \sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b}}{d} + \frac{\frac{5d \frac{d(dx+c)^{\frac{3}{2}} \cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b} + \frac{3d \frac{d \sqrt{dx+c} \sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b} - \frac{d \sqrt{\pi} \cos\left(\frac{2da-2cb}{d}\right) S\left(\frac{2 \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{d}}\right)}{4b}}{4b}}{d}}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*cos(b*x+a)^2,x)

[Out] 2/d*(1/14*(d*x+c)^(7/2)+1/8*d/b*(d*x+c)^(5/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-5/8*d/b*(-1/4*d/b*(d*x+c)^(3/2)*cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+3/4*d/b*(1/4*d/b*(d*x+c)^(1/2)*sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-1/8*d/b*Pi^(1/2)/(1/d*b)^(1/2)*(cos(2*(a*d-b*c)/d)*FresnelS(2/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+sin(2*(a*d-b*c)/d)*FresnelC(2/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))))

maxima [C] time = 2.16, size = 293, normalized size = 1.27

$$\sqrt{2} \left(\frac{512 \sqrt{2} (dx+c)^{\frac{7}{2}} b^4}{d} + 1120 \sqrt{2} (dx+c)^{\frac{3}{2}} b^2 d \cos\left(\frac{2((dx+c)b-bc+ad)}{d}\right) + \left((105i + 105) \cdot 4^{\frac{1}{4}} \sqrt{\pi} d^3 \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{2(bc-ad)}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/7168*sqrt(2)*(512*sqrt(2)*(d*x + c)^(7/2)*b^4/d + 1120*sqrt(2)*(d*x + c)^(3/2)*b^2*d*cos(2*((d*x + c)*b - b*c + a*d)/d) + ((105*I + 105)*4^(1/4)*sqrt

```
t(pi)*d^3*(b^2/d^2)^(1/4)*cos(-2*(b*c - a*d)/d) - (105*I - 105)*4^(1/4)*sqrt
t(pi)*d^3*(b^2/d^2)^(1/4)*sin(-2*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(2*I
*b/d)) + (-105*I - 105)*4^(1/4)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*cos(-2*(b*c -
a*d)/d) + (105*I + 105)*4^(1/4)*sqrt(pi)*d^3*(b^2/d^2)^(1/4)*sin(-2*(b*c -
a*d)/d))*erf(sqrt(d*x + c)*sqrt(-2*I*b/d)) + 56*(16*sqrt(2)*(d*x + c)^(5/2
)*b^3 - 15*sqrt(2)*sqrt(d*x + c)*b*d^2)*sin(2*((d*x + c)*b - b*c + a*d)/d))
/b^4
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^2 (c + dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a + b*x)^2*(c + d*x)^(5/2), x)
```

```
[Out] int(cos(a + b*x)^2*(c + d*x)^(5/2), x)
```

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**(5/2)*cos(b*x+a)**2, x)
```

```
[Out] Timed out
```

3.49 $\int (c + dx)^{3/2} \cos^2(a + bx) dx$

Optimal. Leaf size=203

$$\frac{3\sqrt{\pi} d^{3/2} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} + \frac{3\sqrt{\pi} d^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{5/2}}{5d}$$

[Out] $\frac{1}{5}*(d*x+c)^{(5/2)}/d+1/2*(d*x+c)^{(3/2)}*\cos(b*x+a)*\sin(b*x+a)/b-3/32*d^{(3/2)}*\cos(2*a-2*b*c/d)*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/b^{(5/2)}+3/32*d^{(3/2)}*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*\text{Pi}^{(1/2)}/b^{(5/2)}-3/16*d*(d*x+c)^{(1/2)}/b^2+3/8*d*\cos(b*x+a)^2*(d*x+c)^{(1/2)}/b^2$

Rubi [A] time = 0.34, antiderivative size = 203, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\pi} d^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{32b^{5/2}} + \frac{3\sqrt{\pi} d^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{32b^{5/2}} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{5/2}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^(3/2)*Cos[a + b*x]^2, x]

[Out] $(-3*d*\text{Sqrt}[c + d*x])/(16*b^2) + (c + d*x)^{(5/2)}/(5*d) + (3*d*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x]^2)/(8*b^2) - (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]])/ (32*b^{(5/2)}) + (3*d^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])]/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]])* \text{Sin}[2*a - (2*b*c)/d])/ (32*b^{(5/2)}) + ((c + d*x)^{(3/2)}*\text{Cos}[a + b*x]*\text{Sin}[a + b*x])/ (2*b^2)$

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x]

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int (c+dx)^{3/2} \cos^2(a+bx) dx &= \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{3/2} \cos(a+bx) \sin(a+bx)}{2b} + \frac{1}{2} \int (c+dx)^{3/2} a \\
&= \frac{(c+dx)^{5/2}}{5d} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{3/2} \cos(a+bx) \sin(a+bx)}{2b} - \frac{(3d\sqrt{c+dx} \cos^2(a+bx))}{8b^2} \\
&= -\frac{3d\sqrt{c+dx}}{16b^2} + \frac{(c+dx)^{5/2}}{5d} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{3/2} \cos(a+bx) \sin(a+bx)}{2b} \\
&= -\frac{3d\sqrt{c+dx}}{16b^2} + \frac{(c+dx)^{5/2}}{5d} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{3/2} \cos(a+bx) \sin(a+bx)}{2b} \\
&= -\frac{3d\sqrt{c+dx}}{16b^2} + \frac{(c+dx)^{5/2}}{5d} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} + \frac{(c+dx)^{3/2} \cos(a+bx) \sin(a+bx)}{2b} \\
&= -\frac{3d\sqrt{c+dx}}{16b^2} + \frac{(c+dx)^{5/2}}{5d} + \frac{3d\sqrt{c+dx} \cos^2(a+bx)}{8b^2} - \frac{3d^{3/2} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right)}{32b^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.67, size = 175, normalized size = 0.86

$$\frac{\sqrt{\frac{b}{d}} \left(-15\sqrt{\pi} d^2 \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{\frac{b}{d}} \sqrt{c+dx}}{\sqrt{\pi}}\right) + 15\sqrt{\pi} d^2 \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}} \sqrt{c+dx}}{\sqrt{\pi}}\right) + 2\sqrt{\frac{b}{d}} \sqrt{c+dx} (4b(c+dx) \right)}{160b^3}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(3/2)*Cos[a + b*x]^2,x]

[Out] (Sqrt[b/d]*(-15*d^2*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + 15*d^2*Sqrt[Pi]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] + 2*Sqrt[b/d]*Sqrt[c + d*x]*(15*d^2*Cos[2*(a + b*x)] + 4*b*(c + d*x)*(4*b*(c + d*x) + 5*d*Sin[2*(a + b*x)])))/(160*b^3)

fricas [A] time = 0.56, size = 195, normalized size = 0.96

$$\frac{15 \pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) - 15 \pi d^3 \sqrt{\frac{b}{\pi d}} S\left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) - 2(16 b^3 d^2 x^2)}{160 b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] $-1/160*(15*\pi*d^3*\sqrt{b/(pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)}) - 15*\pi*d^3*\sqrt{b/(pi*d)}*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)})*\sin(-2*(b*c - a*d)/d) - 2*(16*b^3*d^2*x^2 + 32*b^3*c*d*x + 16*b^3*c^2 + 30*b*d^2*\cos(b*x + a)^2 - 15*b*d^2 + 40*(b^2*d^2*x + b^2*c*d)*\cos(b*x + a)*\sin(b*x + a))*\sqrt{d*x + c})/(b^3*d)$

giac [C] time = 1.04, size = 807, normalized size = 3.98

$$240 \left(\frac{\sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{2ibc-2iad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)} + \frac{\sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{d}\right) e^{\left(\frac{-2ibc+2iad}{d}\right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2d^2}+1}\right)} - 4\sqrt{dx+c} \right) c^2 - d^2 \left(\frac{64(3(dx+c)^{5/2} - 10(dx+c)^{3/2}c + 15\sqrt{dx+c}c^2)}{d^2} - 15(\sqrt{\pi})(16b^2c^2 + 8Ib*c*d - 3d^2)d \operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + \sqrt{\pi}*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))} - 4*\sqrt{d*x+c})*c^2 - d^2*(64*(3*(d*x+c)^{5/2} - 10*(d*x+c)^{3/2}*c + 15*\sqrt{d*x+c})*c^2)/d^2 - 15*(\sqrt{\pi})*(16*b^2*c^2 + 8*I*b*c*d - 3*d^2)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))*b^2} + 2*(-4*I*(d*x+c)^{3/2}*b*d + 8*I*\sqrt{d*x+c}*b*c*d - 3*\sqrt{d*x+c}*d^2) e^{((-2I*(d*x+c)*b + 2I*b*c - 2I*a*d)/d)/b^2}/d^2 - 15*(\sqrt{\pi})*(16*b^2*c^2 - 8*I*b*c*d - 3*d^2)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))*b^2} + 2*(4*I*(d*x+c)^{3/2}*b*d - 8*I*\sqrt{d*x+c}*b*c*d - 3*\sqrt{d*x+c}*d^2) e^{((2I*(d*x+c)*b - 2I*b*c + 2I*a*d)/d)/b^2}/d^2 - 40*(3*\sqrt{\pi})*(4*b*c + I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))*b} + 3*\sqrt{\pi}*(4*b*c - I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))*b} + 16*(d*x+c)^{3/2} - 48*\sqrt{d*x+c}*c - 6*I*\sqrt{d*x+c}*d) e^{((2I*(d*x+c)*b - 2I*b*c + 2I*a*d)/d)}/d^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a)^2,x, algorithm="giac")

[Out] $-1/960*(240*(\sqrt{\pi})*d*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + \sqrt{\pi}*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))} - 4*\sqrt{d*x+c})*c^2 - d^2*(64*(3*(d*x+c)^{5/2} - 10*(d*x+c)^{3/2}*c + 15*\sqrt{d*x+c})*c^2)/d^2 - 15*(\sqrt{\pi})*(16*b^2*c^2 + 8*I*b*c*d - 3*d^2)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))*b^2} + 2*(-4*I*(d*x+c)^{3/2}*b*d + 8*I*\sqrt{d*x+c}*b*c*d - 3*\sqrt{d*x+c}*d^2) e^{((-2I*(d*x+c)*b + 2I*b*c - 2I*a*d)/d)/b^2}/d^2 - 15*(\sqrt{\pi})*(16*b^2*c^2 - 8*I*b*c*d - 3*d^2)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))*b^2} + 2*(4*I*(d*x+c)^{3/2}*b*d - 8*I*\sqrt{d*x+c}*b*c*d - 3*\sqrt{d*x+c}*d^2) e^{((2I*(d*x+c)*b - 2I*b*c + 2I*a*d)/d)/b^2}/d^2 - 40*(3*\sqrt{\pi})*(4*b*c + I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((2I*b*c - 2I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))*b} + 3*\sqrt{\pi}*(4*b*c - I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x+c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d) e^{((-2I*b*c + 2I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))*b} + 16*(d*x+c)^{3/2} - 48*\sqrt{d*x+c}*c - 6*I*\sqrt{d*x+c}*d) e^{((2I*(d*x+c)*b - 2I*b*c + 2I*a*d)/d)}/d^2$

$d)/b + 6*I*\sqrt{d*x + c}*d*e^{((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b}*c)/d$

maple [A] time = 0.04, size = 197, normalized size = 0.97

$$\frac{(dx+c)^{\frac{5}{2}}}{5} + \frac{d(dx+c)^{\frac{3}{2}} \sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b} - \frac{3d \left[\frac{d \sqrt{dx+c} \cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b} + \frac{d \sqrt{\pi} \left[\cos\left(\frac{2da-2cb}{d}\right) \text{FresnelC}\left(\frac{2 \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right) - \sin\left(\frac{2da-2cb}{d}\right) \text{S}\left(\frac{2 \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right)}\right]}{8b \sqrt{\frac{b}{d}}}\right]}{4b} \right]}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(3/2)*cos(b*x+a)^2,x)`

[Out] $2/d*(1/10*(d*x+c)^{(5/2)}+1/8*d/b*(d*x+c)^{(3/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-3/8*d/b*(-1/4*d/b*(d*x+c)^{(1/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+1/8*d/b*\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelC}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin(2*(a*d-b*c)/d)*\text{FresnelS}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.61, size = 272, normalized size = 1.34

$$\sqrt{2} \left(\frac{128 \sqrt{2} (dx+c)^{\frac{5}{2}} b^3}{d} + 160 \sqrt{2} (dx+c)^{\frac{3}{2}} b^2 \sin\left(\frac{2((dx+c)b-bc+ad)}{d}\right) + 120 \sqrt{2} \sqrt{dx+c} b d \cos\left(\frac{2((dx+c)b-bc+ad)}{d}\right) + \left((15i - 15) 4^{(1/4)} \sqrt{\pi} d^2 (b^2/d^2)^{(1/4)} \cos(-2*(b*c - a*d)/d) + (15*I + 15) 4^{(1/4)} \sqrt{\pi} d^2 (b^2/d^2)^{(1/4)} \sin(-2*(b*c - a*d)/d) \right) \right) / b^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(3/2)*cos(b*x+a)^2,x, algorithm="maxima")`

[Out] $1/1280*\sqrt{2}*(128*\sqrt{2}*(d*x + c)^{(5/2)}*b^3/d + 160*\sqrt{2}*(d*x + c)^{(3/2)}*b^2*\sin(2*((d*x + c)*b - b*c + a*d)/d) + 120*\sqrt{2}*\sqrt{d*x + c}*b*d*\cos(2*((d*x + c)*b - b*c + a*d)/d) + ((15*I - 15)*4^{(1/4)}*\sqrt{\pi})*d^2*(b^2/d^2)^{(1/4)}*\cos(-2*(b*c - a*d)/d) + (15*I + 15)*4^{(1/4)}*\sqrt{\pi})*d^2*(b^2/d^2)^{(1/4)}*\sin(-2*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{2*I*b/d}) + (-15*I + 15)*4^{(1/4)}*\sqrt{\pi})*d^2*(b^2/d^2)^{(1/4)}*\cos(-2*(b*c - a*d)/d) - (15*I - 15)*4^{(1/4)}*\sqrt{\pi})*d^2*(b^2/d^2)^{(1/4)}*\sin(-2*(b*c - a*d)/d))*\text{erf}(\sqrt{d*x + c}*\sqrt{-2*I*b/d}))/b^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^2 (c + dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2*(c + d*x)^(3/2), x)`

[Out] `int(cos(a + b*x)^2*(c + d*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^{\frac{3}{2}} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(3/2)*cos(b*x+a)**2, x)`

[Out] `Integral((c + d*x)**(3/2)*cos(a + b*x)**2, x)`

3.50 $\int \sqrt{c+dx} \cos^2(a+bx) dx$

Optimal. Leaf size=158

$$\frac{\sqrt{\pi} \sqrt{d} \sin\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right) - \sqrt{\pi} \sqrt{d} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{8b^{3/2}} + \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} + \frac{(c+dx)^{3/2}}{3d}$$

[Out] $1/3*(d*x+c)^{(3/2)}/d-1/8*\cos(2*a-2*b*c/d)*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*d^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-1/8*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*d^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}+1/4*\sin(2*b*x+2*a)*(d*x+c)^{(1/2)}/b$

Rubi [A] time = 0.28, antiderivative size = 158, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\pi} \sqrt{d} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{\pi} \sqrt{d}}\right) - \sqrt{\pi} \sqrt{d} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{8b^{3/2}} + \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} + \frac{(c+dx)^{3/2}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Cos[a + b*x]^2,x]

[Out] $(c + d*x)^{(3/2)}/(3*d) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/(8*b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[2*a - (2*b*c)/d])/(8*b^{(3/2)}) + (\text{Sqrt}[c + d*x]*\text{Sin}[2*a + 2*b*x])/(4*b)$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x]

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)]]/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{c+dx} \cos^2(a+bx) dx &= \int \left(\frac{1}{2} \sqrt{c+dx} + \frac{1}{2} \sqrt{c+dx} \cos(2a+2bx) \right) dx \\
&= \frac{(c+dx)^{3/2}}{3d} + \frac{1}{2} \int \sqrt{c+dx} \cos(2a+2bx) dx \\
&= \frac{(c+dx)^{3/2}}{3d} + \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} - \frac{d \int \frac{\sin(2a+2bx)}{\sqrt{c+dx}} dx}{8b} \\
&= \frac{(c+dx)^{3/2}}{3d} + \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} - \frac{\left(d \cos\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{8b} - \left(d \sin\left(2a - \frac{2bc}{d}\right) \right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx \\
&= \frac{(c+dx)^{3/2}}{3d} + \frac{\sqrt{c+dx} \sin(2a+2bx)}{4b} - \frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{4b} - \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{4b} \\
&= \frac{(c+dx)^{3/2}}{3d} - \frac{\sqrt{d} \sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{8b^{3/2}} - \frac{\sqrt{d} \sqrt{\pi} C\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{8b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.53, size = 146, normalized size = 0.92

$$\frac{1}{48} \sqrt{c+dx} \left(-\frac{3i\sqrt{2} e^{2i\left(a-\frac{bc}{d}\right)} \Gamma\left(\frac{3}{2}, -\frac{2ib(c+dx)}{d}\right)}{b\sqrt{-\frac{ib(c+dx)}{d}}} + \frac{3i\sqrt{2} e^{-2i\left(a-\frac{bc}{d}\right)} \Gamma\left(\frac{3}{2}, \frac{2ib(c+dx)}{d}\right)}{b\sqrt{\frac{ib(c+dx)}{d}}} + \frac{16(c+dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x]*Cos[a + b*x]^2, x]

[Out] (Sqrt[c + d*x]*((16*(c + d*x))/d - ((3*I)*Sqrt[2]*E^((2*I)*(a - (b*c)/d))*Gamma[3/2, ((-2*I)*b*(c + d*x))/d])/(b*Sqrt[((-I)*b*(c + d*x))/d]) + ((3*I)*Sqrt[2]*Gamma[3/2, ((2*I)*b*(c + d*x))/d])/(b*E^((2*I)*(a - (b*c)/d))*Sqrt[(I*b*(c + d*x))/d]))/48

fricas [A] time = 0.73, size = 148, normalized size = 0.94

$$\frac{3\pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2\sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 3\pi d^2 \sqrt{\frac{b}{\pi d}} C\left(2\sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) - 4(2b^2dx + 3b^2c)}{24b^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a)^2, x, algorithm="fricas")

[Out] $-1/24*(3*\pi*d^2*\sqrt{b/(pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)}) + 3*\pi*d^2*\sqrt{b/(pi*d)}*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(pi*d)})*\sin(-2*(b*c - a*d)/d) - 4*(2*b^2*d*x + 3*b*d*\cos(b*x + a)*\sin(b*x + a) + 2*b^2*c)*\sqrt{d*x + c})/(b^2*d)$

giac [C] time = 2.03, size = 428, normalized size = 2.71

$$12 \left(\frac{\sqrt{\pi} d \operatorname{erf} \left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2} + 1} \right)}{d} \right) e^{\left(\frac{2i bc - 2i ad}{d} \right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2 d^2} + 1} \right)} + \frac{\sqrt{\pi} d \operatorname{erf} \left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2 d^2} + 1} \right)}{d} \right) e^{\left(\frac{-2i bc + 2i ad}{d} \right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2 d^2} + 1} \right)} - 4 \sqrt{dx+c} \right) c - \frac{3 \sqrt{\pi} (4bc+id)d}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)*cos(b*x+a)^2,x, algorithm="giac")`

[Out] $-1/48*(12*(\sqrt{\pi})d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((2*I*b*c - 2*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + \sqrt{\pi}d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-2*I*b*c + 2*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))} - 4*\sqrt{d*x + c})*c - 3*\sqrt{\pi}*(4*b*c + I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((2*I*b*c - 2*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))*b} - 3*\sqrt{\pi}*(4*b*c - I*d)*d*\operatorname{erf}(-\sqrt{b*d})*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-2*I*b*c + 2*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))*b} - 16*(d*x + c)^(3/2) + 48*\sqrt{d*x + c}*c + 6*I*\sqrt{d*x + c}*d)*e^{((2*I*(d*x + c)*b - 2*I*b*c + 2*I*a*d)/d)/b} - 6*I*\sqrt{d*x + c}*d)*e^{((-2*I*(d*x + c)*b + 2*I*b*c - 2*I*a*d)/d)/b}/d$

maple [A] time = 0.04, size = 150, normalized size = 0.95

$$\frac{\frac{(dx+c)^{\frac{3}{2}}}{3} + \frac{d\sqrt{dx+c} \sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{4b}}{d} - \frac{d\sqrt{\pi} \left(\cos\left(\frac{2da-2cb}{d}\right) S\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right) + \sin\left(\frac{2da-2cb}{d}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right) \right)}{8b\sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)*cos(b*x+a)^2,x)`

[Out] $2/d*(1/6*(d*x+c)^(3/2)+1/8*d/b*(d*x+c)^(1/2)*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-1/16*d/b*\pi^(1/2)/(1/d*b)^(1/2)*(cos(2*(a*d-b*c)/d)*\operatorname{FresnelS}(2/\pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+\sin(2*(a*d-b*c)/d)*\operatorname{FresnelC}(2/\pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)))$

maxima [C] time = 1.39, size = 227, normalized size = 1.44

$$\sqrt{2} \left(\frac{32 \sqrt{2} (dx+c)^{\frac{3}{2}} b^2}{d} + 24 \sqrt{2} \sqrt{dx+c} b \sin \left(\frac{2((dx+c)b-bc+ad)}{d} \right) + \left(-(3i+3) \cdot 4^{\frac{1}{4}} \sqrt{\pi} d \left(\frac{b^2}{d^2} \right)^{\frac{1}{4}} \cos \left(-\frac{2(bc-ad)}{d} \right) + (3i-3) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/192*sqrt(2)*(32*sqrt(2)*(d*x + c)^(3/2)*b^2/d + 24*sqrt(2)*sqrt(d*x + c)*b*sin(2*((d*x + c)*b - b*c + a*d)/d) + (-(3*I + 3)*4^(1/4)*sqrt(pi)*d*(b^2/d^2)^(1/4)*cos(-2*(b*c - a*d)/d) + (3*I - 3)*4^(1/4)*sqrt(pi)*d*(b^2/d^2)^(1/4)*sin(-2*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(2*I*b/d)) + ((3*I - 3)*4^(1/4)*sqrt(pi)*d*(b^2/d^2)^(1/4)*cos(-2*(b*c - a*d)/d) - (3*I + 3)*4^(1/4)*sqrt(pi)*d*(b^2/d^2)^(1/4)*sin(-2*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-2*I*b/d)))/b^2

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx)^2 \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2*(c + d*x)^(1/2), x)

[Out] int(cos(a + b*x)^2*(c + d*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(1/2)*cos(b*x+a)**2,x)

[Out] Integral(sqrt(c + d*x)*cos(a + b*x)**2, x)

$$3.51 \quad \int \frac{\cos^2(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=130

$$\frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{c+dx}}{d}$$

[Out] 1/2*cos(2*a-2*b*c/d)*FresnelC(2*b^(1/2)*(d*x+c)^(1/2)/d^(1/2)/Pi^(1/2))*Pi^(1/2)/b^(1/2)/d^(1/2)-1/2*FresnelS(2*b^(1/2)*(d*x+c)^(1/2)/d^(1/2)/Pi^(1/2))*sin(2*a-2*b*c/d)*Pi^(1/2)/b^(1/2)/d^(1/2)+(d*x+c)^(1/2)/d

Rubi [A] time = 0.24, antiderivative size = 130, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{c+dx}}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/Sqrt[c + d*x], x]

[Out] Sqrt[c + d*x]/d + (Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelC[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi]*FresnelS[(2*Sqrt[b]*Sqrt[c + d*x])/(Sqrt[d]*Sqrt[Pi])]*Sin[2*a - (2*b*c)/d])/(2*Sqrt[b]*Sqrt[d])

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d

$*e - c*f)/d]$, Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))²], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^2(a + bx)}{\sqrt{c + dx}} dx &= \int \left(\frac{1}{2\sqrt{c + dx}} + \frac{\cos(2a + 2bx)}{2\sqrt{c + dx}} \right) dx \\
 &= \frac{\sqrt{c + dx}}{d} + \frac{1}{2} \int \frac{\cos(2a + 2bx)}{\sqrt{c + dx}} dx \\
 &= \frac{\sqrt{c + dx}}{d} + \frac{1}{2} \cos\left(2a - \frac{2bc}{d}\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx - \frac{1}{2} \sin\left(2a - \frac{2bc}{d}\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c + dx}} dx \\
 &= \frac{\sqrt{c + dx}}{d} + \frac{\cos\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} - \frac{\sin\left(2a - \frac{2bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{d} \\
 &= \frac{\sqrt{c + dx}}{d} + \frac{\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\pi} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{2\sqrt{b}\sqrt{d}}
 \end{aligned}$$

Mathematica [C] time = 0.22, size = 145, normalized size = 1.12

$$\frac{-\frac{i\sqrt{2}e^{2i\left(a-\frac{bc}{d}\right)}\sqrt{-\frac{ib(c+dx)}{d}}\Gamma\left(\frac{1}{2},-\frac{2ib(c+dx)}{d}\right)}{b} + \frac{i\sqrt{2}e^{-2i\left(a-\frac{bc}{d}\right)}\sqrt{\frac{ib(c+dx)}{d}}\Gamma\left(\frac{1}{2},\frac{2ib(c+dx)}{d}\right)}{b}}{8\sqrt{c+dx}} + 8\left(\frac{c}{d} + x\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/Sqrt[c + d*x], x]

[Out] $(8*(c/d + x) - (I*\sqrt{2}*E^{((2*I)*(a - (b*c)/d)})*\sqrt{((-I)*b*(c + d*x))/d})*\Gamma[1/2, ((-2*I)*b*(c + d*x))/d])/b + (I*\sqrt{2}*\sqrt{(I*b*(c + d*x))/d})*\Gamma[1/2, ((2*I)*b*(c + d*x))/d]/(b*E^{((2*I)*(a - (b*c)/d)}))/(8*\sqrt{c + d*x})$

fricas [A] time = 0.50, size = 114, normalized size = 0.88

$$\frac{\pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - \pi d \sqrt{\frac{b}{\pi d}} S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) + 2\sqrt{dx+c} b}{2bd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(1/2), x, algorithm="fricas")

[Out] $1/2*(\pi*d*\sqrt{b/(\pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - \pi*d*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}))*\sin(-2*(b*c - a*d)/d) + 2*\sqrt{d*x + c}*b/(b*d)$

giac [C] time = 0.49, size = 163, normalized size = 1.25

$$\frac{\frac{\sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}+1}\right)}{d}\right) e^{\left(\frac{2i bc-2i ad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2 d^2}+1}\right)} + \frac{\sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{bd} \sqrt{dx+c} \left(-\frac{ibd}{\sqrt{b^2 d^2}+1}\right)}{d}\right) e^{\left(\frac{-2i bc+2i ad}{d}\right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2 d^2}+1}\right)} - 4\sqrt{dx+c}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(1/2), x, algorithm="giac")

[Out] $-1/4*(\sqrt{\pi}*d*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((2*I*b*c - 2*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + \sqrt{\pi}*d*\operatorname{erf}(-\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-2*I*b*c + 2*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))} - 4*\sqrt{d*x + c})/d$

maple [A] time = 0.06, size = 108, normalized size = 0.83

$$\frac{\sqrt{dx+c} + \frac{\sqrt{\pi} \left(\cos\left(\frac{2da-2cb}{d}\right) \operatorname{FresnelC}\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) - \sin\left(\frac{2da-2cb}{d}\right) S\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{2\sqrt{\frac{b}{d}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^2/(d*x+c)^(1/2),x)`

[Out] $2/d*(1/2*(d*x+c)^(1/2)+1/4*Pi^(1/2)/(1/d*b)^(1/2)*(cos(2*(a*d-b*c)/d)*FresnelC(2/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(2*(a*d-b*c)/d)*FresnelS(2/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))$

maxima [C] time = 1.44, size = 187, normalized size = 1.44

$$\frac{\sqrt{2} \left((i-1) \cdot 4^{\frac{1}{4}} \sqrt{\pi} \left(\frac{b^2}{d^2} \right)^{\frac{1}{4}} \cos\left(-\frac{2(bc-ad)}{d}\right) + (i+1) \cdot 4^{\frac{1}{4}} \sqrt{\pi} \left(\frac{b^2}{d^2} \right)^{\frac{1}{4}} \sin\left(-\frac{2(bc-ad)}{d}\right) \right) \operatorname{erf}\left(\sqrt{dx+c} \sqrt{\frac{2ib}{d}}\right) + \left(-(i+1) \right)}{16b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^2/(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $-1/16*\sqrt{2}*(((I - 1)*4^(1/4)*\sqrt{\pi}*(b^2/d^2)^(1/4)*\cos(-2*(b*c - a*d)/d) + (I + 1)*4^(1/4)*\sqrt{\pi}*(b^2/d^2)^(1/4)*\sin(-2*(b*c - a*d)/d))*\operatorname{erf}(\sqrt{d*x + c}*\sqrt{2*I*b/d}) + (- (I + 1)*4^(1/4)*\sqrt{\pi}*(b^2/d^2)^(1/4)*\cos(-2*(b*c - a*d)/d) - (I - 1)*4^(1/4)*\sqrt{\pi}*(b^2/d^2)^(1/4)*\sin(-2*(b*c - a*d)/d))*\operatorname{erf}(\sqrt{d*x + c}*\sqrt{-2*I*b/d}) - 8*\sqrt{2}*\sqrt{d*x + c}*b/d/b$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2/(c + d*x)^(1/2),x)`

[Out] `int(cos(a + b*x)^2/(c + d*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**2/(d*x+c)**(1/2),x)`

[Out] `Integral(cos(a + b*x)**2/sqrt(c + d*x), x)`

$$3.52 \quad \int \frac{\cos^2(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=135

$$\frac{2\sqrt{\pi} \sqrt{b} \sin\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{d^{3/2}} - \frac{2\sqrt{\pi} \sqrt{b} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{d^{3/2}} - \frac{2 \cos^2(a+bx)}{d\sqrt{c+dx}}$$

[Out] $-2*\cos(2*a-2*b*c/d)*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*b^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-2*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*s\sin(2*a-2*b*c/d)*b^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-2*\cos(b*x+a)^2/d/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.26, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3313, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{2\sqrt{\pi} \sqrt{b} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{\pi} \sqrt{d}}\right)}{d^{3/2}} - \frac{2\sqrt{\pi} \sqrt{b} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b} \sqrt{c+dx}}{\sqrt{d} \sqrt{\pi}}\right)}{d^{3/2}} - \frac{2 \cos^2(a+bx)}{d\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/(c + d*x)^(3/2), x]

[Out] $(-2*\text{Cos}[a + b*x]^2)/(d*\text{Sqrt}[c + d*x]) - (2*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/d^{(3/2)} - (2*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])]*\text{Sin}[2*a - (2*b*c)/d])/d^{(3/2)}$

Rule 12

Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
1S[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
1C[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(a+bx)}{(c+dx)^{3/2}} dx &= -\frac{2\cos^2(a+bx)}{d\sqrt{c+dx}} + \frac{(4b) \int -\frac{\sin(2a+2bx)}{2\sqrt{c+dx}} dx}{d} \\
&= -\frac{2\cos^2(a+bx)}{d\sqrt{c+dx}} - \frac{(2b) \int \frac{\sin(2a+2bx)}{\sqrt{c+dx}} dx}{d} \\
&= -\frac{2\cos^2(a+bx)}{d\sqrt{c+dx}} - \frac{\left(2b \cos\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\sin\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{d} - \frac{\left(2b \sin\left(2a - \frac{2bc}{d}\right)\right) \int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{d} \\
&= -\frac{2\cos^2(a+bx)}{d\sqrt{c+dx}} - \frac{\left(4b \cos\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} - \frac{\left(4b \sin\left(2a - \frac{2bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} \\
&= -\frac{2\cos^2(a+bx)}{d\sqrt{c+dx}} - \frac{2\sqrt{b}\sqrt{\pi} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{d^{3/2}} - \frac{2\sqrt{b}\sqrt{\pi} C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right) \sin\left(2a - \frac{2bc}{d}\right)}{d^{3/2}}
\end{aligned}$$

Mathematica [A] time = 0.66, size = 133, normalized size = 0.99

$$\frac{2 \left(-\sqrt{\pi} \sqrt{\frac{b}{d}} \sin\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) - \sqrt{\pi} \sqrt{\frac{b}{d}} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{\frac{b}{d}}\sqrt{c+dx}}{\sqrt{\pi}}\right) - \frac{\cos^2(a+bx)}{\sqrt{c+dx}} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/(c + d*x)^(3/2), x]

[Out] (2*(-(Cos[a + b*x]^2/Sqrt[c + d*x]) - Sqrt[b/d]*Sqrt[Pi]*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] - Sqrt[b/d]*Sqrt[Pi]*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d]))/d

fricas [A] time = 0.55, size = 136, normalized size = 1.01

$$\frac{2 \left((\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + (\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) \sin\left(-\frac{2(bc-ad)}{d}\right) \right)}{d^2x + cd}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(3/2), x, algorithm="fricas")

[Out] -2*((pi*d*x + pi*c)*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d))) + (pi*d*x + pi*c)*sqrt(b/(pi*d))*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d))))/d

$\text{rt}(d*x + c)*\text{sqrt}(b/(\text{pi}*d)))*\sin(-2*(b*c - a*d)/d) + \text{sqrt}(d*x + c)*\cos(b*x + a)^2/(d^2*x + c*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^2}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^2/(d*x + c)^(3/2), x)

maple [A] time = 0.05, size = 146, normalized size = 1.08

$$\frac{\frac{1}{\sqrt{dx+c}} - \frac{\cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{\sqrt{dx+c}} - \frac{2b\sqrt{\pi} \left(\cos\left(\frac{2da-2cb}{d}\right) S\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right) + \sin\left(\frac{2da-2cb}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right) \right)}{d\sqrt{\frac{b}{d}}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^2/(d*x+c)^(3/2),x)

[Out] $2/d*(-1/2/(d*x+c)^{(1/2)}-1/2/(d*x+c)^{(1/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-1/d*b*\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelS}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\sin(2*(a*d-b*c)/d)*\text{FresnelC}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.82, size = 135, normalized size = 1.00

$$\frac{\sqrt{2} \left(\left(- (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, \frac{2i(dx+c)b}{d}\right) + (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -\frac{2i(dx+c)b}{d}\right) \right) \cos\left(-\frac{2(bc-ad)}{d}\right) + \left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, \frac{2i(dx+c)b}{d}\right) - (i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -\frac{2i(dx+c)b}{d}\right) \right) \sin\left(-\frac{2(bc-ad)}{d}\right) \right)}{8\sqrt{dx+c}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] $1/8*(\text{sqrt}(2)*((-1+1)*\text{sqrt}(2)*\text{gamma}(-1/2, 2*I*(d*x + c)*b/d) + (1-1)*\text{sqrt}(2)*\text{gamma}(-1/2, -2*I*(d*x + c)*b/d))*\cos(-2*(b*c - a*d)/d) + ((1-1)*\text{sqrt}(2)*\text{gamma}(-1/2, 2*I*(d*x + c)*b/d) - (1+1)*\text{sqrt}(2)*\text{gamma}(-1/2, -2*I*(d*x + c)*b/d))*\sin(-2*(b*c - a*d)/d)*\text{sqrt}((d*x + c)*b/d) - 8)/(\text{sqrt}(d*x + c)*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2/(c + d*x)^(3/2), x)`

[Out] `int(cos(a + b*x)^2/(c + d*x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{(c + dx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**2/(d*x+c)**(3/2), x)`

[Out] `Integral(cos(a + b*x)**2/(c + d*x)**(3/2), x)`

$$3.53 \quad \int \frac{\cos^2(a+bx)}{(c+dx)^{5/2}} dx$$

Optimal. Leaf size=170

$$-\frac{8\sqrt{\pi} b^{3/2} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} + \frac{8\sqrt{\pi} b^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} + \frac{8b \sin(a+bx) \cos(a+bx)}{3d^2\sqrt{c+dx}} - \frac{2 \cos(a+bx)}{3d}$$

[Out] $-2/3*\cos(b*x+a)^2/d/(d*x+c)^{(3/2)}-8/3*b^{(3/2)}*\cos(2*a-2*b*c/d)*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/d^{(5/2)}+8/3*b^{(3/2)}*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*\text{Pi}^{(1/2)}/d^{(5/2)}+8/3*b*\cos(b*x+a)*\sin(b*x+a)/d^2/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.31, antiderivative size = 170, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$-\frac{8\sqrt{\pi} b^{3/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{3d^{5/2}} + \frac{8\sqrt{\pi} b^{3/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} + \frac{8b \sin(a+bx) \cos(a+bx)}{3d^2\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/(c + d*x)^(5/2), x]

[Out] $(-2*\text{Cos}[a + b*x]^2)/(3*d*(c + d*x)^{(3/2)}) - (8*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])/(3*d^{(5/2)}) + (8*b^{(3/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])])*\sin[2*a - (2*b*c)/d]/(3*d^{(5/2)}) + (8*b*\text{Cos}[a + b*x]*\sin[a + b*x])/(3*d^2*\text{Sqrt}[c + d*x])$

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{3d^2\sqrt{c+dx}} + \frac{(8b^2)\int \frac{1}{\sqrt{c+dx}} dx}{3d^2} - \frac{(16b^2)\int \frac{\cos^2(a+bx)}{\sqrt{c+dx}} dx}{3d^2} \\
&= \frac{16b^2\sqrt{c+dx}}{3d^3} - \frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{(16b^2)\int \left(\frac{1}{2\sqrt{c+dx}} + \frac{\cos(2a+2bx)}{2\sqrt{c+dx}}\right) dx}{3d^2} \\
&= -\frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{(8b^2)\int \frac{\cos(2a+2bx)}{\sqrt{c+dx}} dx}{3d^2} \\
&= -\frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{\left(8b^2\cos\left(2a - \frac{2bc}{d}\right)\right)\int \frac{\cos\left(\frac{2bc}{d} + 2bx\right)}{\sqrt{c+dx}} dx}{3d^2} + \frac{(8b^2)\int \frac{1}{\sqrt{c+dx}} dx}{3d^2} \\
&= -\frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{3d^2\sqrt{c+dx}} - \frac{\left(16b^2\cos\left(2a - \frac{2bc}{d}\right)\right)\text{Subst}\left(\int \cos\left(\frac{2bx^2}{d}\right) dx\right)}{3d^3} + \frac{(8b^2)\int \frac{1}{\sqrt{c+dx}} dx}{3d^2} \\
&= -\frac{2\cos^2(a+bx)}{3d(c+dx)^{3/2}} - \frac{8b^{3/2}\sqrt{\pi}\cos\left(2a - \frac{2bc}{d}\right)C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{3d^{5/2}} + \frac{8b^{3/2}\sqrt{\pi}S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)\sin\left(2a - \frac{2bc}{d}\right)}{3d^{5/2}}
\end{aligned}$$

Mathematica [C] time = 1.39, size = 181, normalized size = 1.06

$$\frac{e^{-\frac{2i(ad+bc)}{d}} \left(-2\sqrt{2} e^{4ia} d \left(-\frac{ib(c+dx)}{d}\right)^{3/2} \Gamma\left(\frac{1}{2}, -\frac{2ib(c+dx)}{d}\right) + 2e^{\frac{2i(ad+bc)}{d}} (2b(c+dx)\sin(2(a+bx)) - d\cos^2(a+bx)) - 2\sqrt{2} \int \frac{1}{\sqrt{c+dx}} dx\right)}{3d^2(c+dx)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/(c + d*x)^(5/2), x]

[Out] (-2*Sqrt[2]*d*E^(((4*I)*a)*((-I)*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((-2*I)*b*(c + d*x))/d] - 2*Sqrt[2]*d*E^(((4*I)*b*c)/d)*((I*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((2*I)*b*(c + d*x))/d] + 2*E^(((2*I)*(b*c + a*d))/d)*(-(d*Cos[a + b*x]^2) + 2*b*(c + d*x)*Sin[2*(a + b*x)])/(3*d^2*E^(((2*I)*(b*c + a*d))/d)*(c + d*x)^(3/2))

fricas [A] time = 0.68, size = 206, normalized size = 1.21

$$\frac{2\left(4\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)\sqrt{\frac{b}{\pi d}} \cos\left(-\frac{2(bc-ad)}{d}\right) C\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) - 4\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)\sqrt{\frac{b}{\pi d}} S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\right)}{3\left(d^4 x^2 + 2cd^3 x\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="fricas")

[Out]
$$-2/3*(4*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) - 4*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-2*(b*c - a*d)/d) + (d*\cos(b*x + a)^2 - 4*(b*d*x + b*c)*\cos(b*x + a)*\sin(b*x + a))*\sqrt{d*x + c})/(d^4*x^2 + 2*c*d^3*x + c^2*d^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^2}{(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^2/(d*x + c)^(5/2), x)

maple [A] time = 0.05, size = 189, normalized size = 1.11

$$\frac{1}{3(dx+c)^{\frac{3}{2}}} - \frac{\cos\left(\frac{2(dx+c)b + 2da-2cb}{d}\right)}{3(dx+c)^{\frac{3}{2}}} - \frac{4b \left(-\frac{\sin\left(\frac{2(dx+c)b + 2da-2cb}{d}\right)}{\sqrt{dx+c}} + \frac{2b\sqrt{\pi} \left(\cos\left(\frac{2da-2cb}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) - \sin\left(\frac{2da-2cb}{d}\right) \text{S}\left(\frac{2\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}}d}\right) \right)}{d\sqrt{\frac{b}{d}}} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^2/(d*x+c)^(5/2),x)

[Out]
$$2/d*(-1/6/(d*x+c)^{(3/2)} - 1/6/(d*x+c)^{(3/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d) - 2/3/d*b*(-1/(d*x+c)^{(1/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d) + 2/d*b*\text{Pi}^{(1/2)}/((1/d*b)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\text{FresnelC}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d) - \sin(2*(a*d-b*c)/d)*\text{FresnelS}(2/\text{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))))$$

maxima [C] time = 2.21, size = 135, normalized size = 0.79

$$\frac{\sqrt{2} \left(\left((3i - 3) \sqrt{2} \Gamma\left(-\frac{3}{2}, \frac{2i(dx+c)b}{d}\right) - (3i + 3) \sqrt{2} \Gamma\left(-\frac{3}{2}, -\frac{2i(dx+c)b}{d}\right) \right) \cos\left(-\frac{2(bc-ad)}{d}\right) + (3i + 3) \sqrt{2} \Gamma\left(-\frac{3}{2}, \frac{2i(dx+c)b}{d}\right) \right)}{12(dx+c)^{\frac{3}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(5/2),x, algorithm="maxima")

[Out]
$$-1/12*\sqrt{2}*(((3*I - 3)*\sqrt{2}*\gamma(-3/2, 2*I*(d*x + c)*b/d) - (3*I + 3)*\sqrt{2}*\gamma(-3/2, -2*I*(d*x + c)*b/d))*\cos(-2*(b*c - a*d)/d) + ((3*I + 3)*\sqrt{2}*\gamma(-3/2, 2*I*(d*x + c)*b/d) - (3*I - 3)*\sqrt{2}*\gamma(-3/2, -2*I*(d*x + c)*b/d))*\sin(-2*(b*c - a*d)/d))*((d*x + c)*b/d)^(3/2) + 4)/((d*x + c)^(3/2)*d)$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)^2}{(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2/(c + d*x)^(5/2),x)

[Out] int(cos(a + b*x)^2/(c + d*x)^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^2(a + bx)}{(c + dx)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**2/(d*x+c)**(5/2),x)

[Out] Integral(cos(a + b*x)**2/(c + d*x)**(5/2), x)

3.54 $\int \frac{\cos^2(a+bx)}{(c+dx)^{7/2}} dx$

Optimal. Leaf size=216

$$\frac{32\sqrt{\pi} b^{5/2} \sin\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} + \frac{32\sqrt{\pi} b^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} + \frac{32b^2 \cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b \sin(a+bx)}{15d^2}$$

[Out] $-2/5*\cos(b*x+a)^2/d/(d*x+c)^{(5/2)}+8/15*b*\cos(b*x+a)*\sin(b*x+a)/d^2/(d*x+c)^{(3/2)}+32/15*b^{(5/2)}*\cos(2*a-2*b*c/d)*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/d^{(7/2)}+32/15*b^{(5/2)}*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*\text{Pi}^{(1/2)}/d^{(7/2)}-16/15*b^2/d^3/(d*x+c)^{(1/2)}+32/15*b^2*\cos(b*x+a)^2/d^3/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.32, antiderivative size = 216, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3314, 32, 3313, 12, 3306, 3305, 3351, 3304, 3352}

$$\frac{32\sqrt{\pi} b^{5/2} \sin\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{15d^{7/2}} + \frac{32\sqrt{\pi} b^{5/2} \cos\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{15d^{7/2}} + \frac{32b^2 \cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b \sin(a+bx)}{15d^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]^2/(c + d*x)^{(7/2)}, x]$

[Out] $(-16*b^2)/(15*d^3*\text{Sqrt}[c + d*x]) - (2*\text{Cos}[a + b*x]^2)/(5*d*(c + d*x)^{(5/2)}) + (32*b^2*\text{Cos}[a + b*x]^2)/(15*d^3*\text{Sqrt}[c + d*x]) + (32*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{Cos}[2*a - (2*b*c)/d]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]))]/(15*d^{(7/2)}) + (32*b^{(5/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]))*\sin[2*a - (2*b*c)/d])/(15*d^{(7/2)}) + (8*b*\text{Cos}[a + b*x]*\sin[a + b*x])/(15*d^2*(c + d*x)^{(3/2)})$

Rule 12

$\text{Int}[(a_*)(u_), x_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \ \&\& \ !\text{MatchQ}[u, (b_*)(v_)] /; \text{FreeQ}[b, x]$

Rule 32

$\text{Int}[(a_.) + (b_.)*(x_.))^{(m_.)}, x_Symbol] \rightarrow \text{Simp}[(a + b*x)^{(m + 1)}/(b*(m + 1)), x] /; \text{FreeQ}[\{a, b, m\}, x] \ \&\& \ \text{NeQ}[m, -1]$

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Ssin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Ssin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(a+bx)}{(c+dx)^{7/2}} dx &= -\frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{(8b^2)\int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} - \frac{(16b^2)\int \frac{\cos^2(a+bx)}{(c+dx)^{3/2}} dx}{15d^2} \\
&= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2\cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b\cos(a+bx)\sin(a+bx)}{15d^2(c+dx)^{3/2}} - \frac{(64b^2)\int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} \\
&= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2\cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b\cos(a+bx)\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{(32b^2)\int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} \\
&= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2\cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b\cos(a+bx)\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{(32b^2)\int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} \\
&= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2\cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{8b\cos(a+bx)\sin(a+bx)}{15d^2(c+dx)^{3/2}} + \frac{(64b^2)\int \frac{1}{(c+dx)^{3/2}} dx}{15d^2} \\
&= -\frac{16b^2}{15d^3\sqrt{c+dx}} - \frac{2\cos^2(a+bx)}{5d(c+dx)^{5/2}} + \frac{32b^2\cos^2(a+bx)}{15d^3\sqrt{c+dx}} + \frac{32b^{5/2}\sqrt{\pi}\cos\left(2a - \frac{2bc}{d}\right)S\left(\frac{2\sqrt{b}}{\sqrt{d}}\sqrt{c+dx}\right)}{15d^{7/2}}
\end{aligned}$$

Mathematica [A] time = 1.27, size = 244, normalized size = 1.13

$$16b^2c^2\cos(2(a+bx)) + 32b^2cdx\cos(2(a+bx)) + 16b^2d^2x^2\cos(2(a+bx)) + 32\sqrt{\pi}bd\left(\frac{b}{d}\right)^{3/2}(c+dx)^{5/2}\sin\left(2a - \frac{2bc}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/(c + d*x)^(7/2), x]

[Out] (-3*d^2 + 16*b^2*c^2*Cos[2*(a + b*x)] - 3*d^2*Cos[2*(a + b*x)] + 32*b^2*c*d*x*Cos[2*(a + b*x)] + 16*b^2*d^2*x^2*Cos[2*(a + b*x)] + 32*b*(b/d)^(3/2)*d*Sqrt[Pi]*(c + d*x)^(5/2)*Cos[2*a - (2*b*c)/d]*FresnelS[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]] + 32*b*(b/d)^(3/2)*d*Sqrt[Pi]*(c + d*x)^(5/2)*FresnelC[(2*Sqrt[b/d]*Sqrt[c + d*x])/Sqrt[Pi]]*Sin[2*a - (2*b*c)/d] + 4*b*c*d*Sin[2*(a + b*x)] + 4*b*d^2*x*Sin[2*(a + b*x)])/(15*d^3*(c + d*x)^(5/2))

fricas [A] time = 0.82, size = 323, normalized size = 1.50

$$2\left(16\left(\pi b^2 d^3 x^3 + 3\pi b^2 c d^2 x^2 + 3\pi b^2 c^2 d x + \pi b^2 c^3\right)\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{2(bc-ad)}{d}\right)S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + 16\left(\pi b^2 d^3 x^3 + 3\pi b^2 c d^2 x^2 + 3\pi b^2 c^2 d x + \pi b^2 c^3\right)\sqrt{\frac{b}{\pi d}}\sin\left(-\frac{2(bc-ad)}{d}\right)S\left(2\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(7/2),x, algorithm="fricas")

[Out] $2/15*(16*(\pi*b^2*d^3*x^3 + 3*\pi*b^2*c*d^2*x^2 + 3*\pi*b^2*c^2*d*x + \pi*b^2*c^3)*\sqrt{b/(\pi*d)}*\cos(-2*(b*c - a*d)/d)*\text{fresnel_sin}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + 16*(\pi*b^2*d^3*x^3 + 3*\pi*b^2*c*d^2*x^2 + 3*\pi*b^2*c^2*d*x + \pi*b^2*c^3)*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(2*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-2*(b*c - a*d)/d) - (8*b^2*d^2*x^2 + 16*b^2*c*d*x + 8*b^2*c^2 - (16*b^2*d^2*x^2 + 32*b^2*c*d*x + 16*b^2*c^2 - 3*d^2)*\cos(b*x + a)^2 - 4*(b*d^2*x + b*c*d)*\cos(b*x + a)*\sin(b*x + a))*\sqrt{d*x + c})/(d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x + c^3*d^3)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^2}{(dx + c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^2/(d*x + c)^(7/2), x)

maple [A] time = 0.04, size = 230, normalized size = 1.06

$$\frac{1}{5(dx+c)^{5/2}} - \frac{\cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{5(dx+c)^{5/2}} - \frac{4b \left(\frac{\sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{3(dx+c)^2} + \frac{4b \left(\frac{\cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{\sqrt{dx+c}} - \frac{2b\sqrt{\pi} \left(\cos\left(\frac{2da-2cb}{d}\right) S\left(\frac{2\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}\right)} + \sin\left(\frac{2da-2cb}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}\right)} \right)}{d\sqrt{\frac{b}{d}}}\right)}{3d} \right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^2/(d*x+c)^(7/2),x)

[Out] $2/d*(-1/10/(d*x+c)^(5/2)-1/10/(d*x+c)^(5/2)*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-2/5/d*b*(-1/3/(d*x+c)^(3/2)*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+4/3/d*b*(-1/$

$$(d*x+c)^{(1/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-2/d*b*Pi^{(1/2)}/(1/d*b)^{(1/2)} \\ *(\cos(2*(a*d-b*c)/d)*FresnelS(2/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+s \\ in(2*(a*d-b*c)/d)*FresnelC(2/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))))$$

maxima [C] time = 1.75, size = 135, normalized size = 0.62

$$\frac{\sqrt{2} \left(\left(- (5i + 5) \sqrt{2} \Gamma \left(-\frac{5}{2}, \frac{2i(dx+c)b}{d} \right) + (5i - 5) \sqrt{2} \Gamma \left(-\frac{5}{2}, -\frac{2i(dx+c)b}{d} \right) \right) \cos \left(-\frac{2(bc-ad)}{d} \right) + \left((5i - 5) \sqrt{2} \Gamma \left(-\frac{5}{2}, \frac{2i(dx+c)b}{d} \right) - (5i + 5) \sqrt{2} \Gamma \left(-\frac{5}{2}, -\frac{2i(dx+c)b}{d} \right) \right) \sin \left(-\frac{2(bc-ad)}{d} \right) \right)}{10(dx+c)^{\frac{5}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(7/2), x, algorithm="maxima")

[Out] $-1/10*(\sqrt{2}*((-(5*I + 5)*\sqrt{2}*\gamma(-5/2, 2*I*(d*x + c)*b/d) + (5*I - 5)*\sqrt{2}*\gamma(-5/2, -2*I*(d*x + c)*b/d))*\cos(-2*(b*c - a*d)/d) + ((5*I - 5)*\sqrt{2}*\gamma(-5/2, 2*I*(d*x + c)*b/d) - (5*I + 5)*\sqrt{2}*\gamma(-5/2, -2*I*(d*x + c)*b/d))*\sin(-2*(b*c - a*d)/d))*((d*x + c)*b/d)^{(5/2)} + 2)/((d*x + c)^{(5/2)}*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a + b x)^2}{(c + d x)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2/(c + d*x)^(7/2), x)

[Out] int(cos(a + b*x)^2/(c + d*x)^(7/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**2/(d*x+c)**(7/2), x)

[Out] Timed out

$$3.55 \quad \int \frac{\cos^2(a+bx)}{(c+dx)^{9/2}} dx$$

Optimal. Leaf size=247

$$\frac{128\sqrt{\pi} b^{7/2} \cos\left(2a - \frac{2bc}{d}\right) C\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} - \frac{128\sqrt{\pi} b^{7/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} - \frac{128b^3 \sin(a+bx) \cos(a+bx)}{105d^4 \sqrt{c+dx}}$$

[Out] $-16/105*b^2/d^3/(d*x+c)^{(3/2)}-2/7*\cos(b*x+a)^2/d/(d*x+c)^{(7/2)}+32/105*b^2*\cos(b*x+a)^2/d^3/(d*x+c)^{(3/2)}+8/35*b*\cos(b*x+a)*\sin(b*x+a)/d^2/(d*x+c)^{(5/2)}+128/105*b^{(7/2)}*\cos(2*a-2*b*c/d)*\text{FresnelC}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\text{Pi}^{(1/2)}/d^{(9/2)}-128/105*b^{(7/2)}*\text{FresnelS}(2*b^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)}/\text{Pi}^{(1/2)})*\sin(2*a-2*b*c/d)*\text{Pi}^{(1/2)}/d^{(9/2)}-128/105*b^3*\cos(b*x+a)*\sin(b*x+a)/d^4/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.41, antiderivative size = 247, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 32, 3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{128\sqrt{\pi} b^{7/2} \cos\left(2a - \frac{2bc}{d}\right) \text{FresnelC}\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{\pi}\sqrt{d}}\right)}{105d^{9/2}} - \frac{128\sqrt{\pi} b^{7/2} \sin\left(2a - \frac{2bc}{d}\right) S\left(\frac{2\sqrt{b}\sqrt{c+dx}}{\sqrt{d}\sqrt{\pi}}\right)}{105d^{9/2}} + \frac{32b^2 \cos^2(a+bx)}{105d^3(c+dx)^{3/2}} - 1$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^2/(c + d*x)^(9/2), x]

[Out] $(-16*b^2)/(105*d^3*(c+d*x)^{(3/2)}) - (2*\cos[a+b*x]^2)/(7*d*(c+d*x)^{(7/2)}) + (32*b^2*\cos[a+b*x]^2)/(105*d^3*(c+d*x)^{(3/2)}) + (128*b^{(7/2)}*\text{Sqrt}[\text{Pi}]*\cos[2*a - (2*b*c)/d]*\text{FresnelC}[(2*\text{Sqrt}[b]*\text{Sqrt}[c+d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}]))]/(105*d^{(9/2)}) - (128*b^{(7/2)}*\text{Sqrt}[\text{Pi}]*\text{FresnelS}[(2*\text{Sqrt}[b]*\text{Sqrt}[c+d*x])/(\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}])]*\sin[2*a - (2*b*c)/d])/ (105*d^{(9/2)}) + (8*b*\cos[a+b*x]*\sin[a+b*x])/ (35*d^2*(c+d*x)^{(5/2)}) - (128*b^3*\cos[a+b*x]*\sin[a+b*x])/ (105*d^4*\text{Sqrt}[c+d*x])$

Rule 32

Int[((a_.) + (b_.)*(x_))^(m_), x_Symbol] := Simp[(a + b*x)^(m + 1)/(b*(m + 1)), x] /; FreeQ[{a, b, m}, x] && NeQ[m, -1]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d

, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3314

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(a+bx)}{(c+dx)^{9/2}} dx &= -\frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} + \frac{(8b^2)\int \frac{1}{(c+dx)^{5/2}} dx}{35d^2} - \frac{(16b^2)\int \frac{\cos^2(a+bx)}{(c+dx)^{5/2}} dx}{35d^2} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} - \frac{12b^2\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{256b^4\sqrt{c+dx}}{105d^5} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} - \frac{12b^2\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} - \frac{12b^2\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{8b\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} - \frac{12b^2\cos(a+bx)\sin(a+bx)}{35d^2(c+dx)^{5/2}} \\
&= -\frac{16b^2}{105d^3(c+dx)^{3/2}} - \frac{2\cos^2(a+bx)}{7d(c+dx)^{7/2}} + \frac{32b^2\cos^2(a+bx)}{105d^3(c+dx)^{3/2}} + \frac{128b^{7/2}\sqrt{\pi}\cos\left(2a - \frac{2bc}{d}\right)C\left(\frac{2\sqrt{c+dx}}{d}\right)}{105d^{9/2}}
\end{aligned}$$

Mathematica [C] time = 0.86, size = 237, normalized size = 0.96

$$2\left(-32b^3(c+dx)^3\sin(2(a+bx)) + 16b^2d(c+dx)^2\cos^2(a+bx) + 16\sqrt{2}b^2d(c+dx)^2e^{2i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^2/(c + d*x)^(9/2), x]

[Out] (2*(-8*b^2*d*(c + d*x)^2 - 15*d^3*Cos[a + b*x]^2 + 16*b^2*d*(c + d*x)^2*Cos[a + b*x]^2 + 16*sqrt[2]*b^2*d*E^((2*I)*(a - (b*c)/d))*(c + d*x)^2*((-I)*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((-2*I)*b*(c + d*x))/d] + (16*sqrt[2]*b^2*d*(c + d*x)^2*((I*b*(c + d*x))/d)^(3/2)*Gamma[1/2, ((2*I)*b*(c + d*x))/d])/E^((2*I)*(a - (b*c)/d)) + 6*b*d^2*(c + d*x)*Sin[2*(a + b*x)] - 32*b^3*(c + d*x)^3*Sin[2*(a + b*x)]/(105*d^4*(c + d*x)^(7/2))

fricas [B] time = 0.71, size = 417, normalized size = 1.69

$$2 \left(64 \left(\pi b^3 d^4 x^4 + 4 \pi b^3 c d^3 x^3 + 6 \pi b^3 c^2 d^2 x^2 + 4 \pi b^3 c^3 d x + \pi b^3 c^4 \right) \sqrt{\frac{b}{\pi d}} \cos \left(-\frac{2(bc-ad)}{d} \right) C \left(2 \sqrt{dx+c} \sqrt{\frac{b}{\pi d}} \right) - 64 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/105*(64*(pi*b^3*d^4*x^4 + 4*pi*b^3*c*d^3*x^3 + 6*pi*b^3*c^2*d^2*x^2 + 4*pi*b^3*c^3*d*x + pi*b^3*c^4)*sqrt(b/(pi*d))*cos(-2*(b*c - a*d)/d)*fresnel_cos(2*sqrt(d*x + c)*sqrt(b/(pi*d))) - 64*(pi*b^3*d^4*x^4 + 4*pi*b^3*c*d^3*x^3 + 6*pi*b^3*c^2*d^2*x^2 + 4*pi*b^3*c^3*d*x + pi*b^3*c^4)*sqrt(b/(pi*d))*fresnel_sin(2*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-2*(b*c - a*d)/d) - (8*b^2*d^3*x^2 + 16*b^2*c*d^2*x + 8*b^2*c^2*d - (16*b^2*d^3*x^2 + 32*b^2*c*d^2*x + 16*b^2*c^2*d - 15*d^3)*cos(b*x + a)^2 + 4*(16*b^3*d^3*x^3 + 48*b^3*c*d^2*x^2 + 16*b^3*c^3 - 3*b*c*d^2 + 3*(16*b^3*c^2*d - b*d^3)*x)*cos(b*x + a)*sin(b*x + a))*sqrt(d*x + c))/(d^8*x^4 + 4*c*d^7*x^3 + 6*c^2*d^6*x^2 + 4*c^3*d^5*x + c^4*d^4)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx+a)^2}{(dx+c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^2/(d*x + c)^(9/2), x)

maple [A] time = 0.06, size = 273, normalized size = 1.11

$$\frac{1}{7(dx+c)^{\frac{7}{2}}} - \frac{\cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{7(dx+c)^{\frac{7}{2}}} - \frac{4b}{5(dx+c)^{\frac{5}{2}}} + \frac{\sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{5d} + \frac{4b}{3(dx+c)^{\frac{3}{2}}} - \frac{\cos\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{3d} + \frac{4b}{\sqrt{dx+c}} - \frac{\sin\left(\frac{2(dx+c)b}{d} + \frac{2da-2cb}{d}\right)}{2b\sqrt{\pi}} \operatorname{FresnelC}\left(\frac{2da-2cb}{d}\right) + \frac{2b\sqrt{\pi}}{2b\sqrt{\pi}} \operatorname{FresnelS}\left(\frac{2da-2cb}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^2/(d*x+c)^(9/2), x)`

[Out] $2/d*(-1/14/(d*x+c)^{(7/2)}-1/14/(d*x+c)^{(7/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-2/7/d*b*(-1/5/(d*x+c)^{(5/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+4/5/d*b*(-1/3/(d*x+c)^{(3/2)}*\cos(2/d*(d*x+c)*b+2*(a*d-b*c)/d)-4/3/d*b*(-1/(d*x+c)^{(1/2)}*\sin(2/d*(d*x+c)*b+2*(a*d-b*c)/d)+2/d*b*\operatorname{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(2*(a*d-b*c)/d)*\operatorname{FresnelC}(2/\operatorname{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin(2*(a*d-b*c)/d)*\operatorname{FresnelS}(2/\operatorname{Pi}^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.79, size = 135, normalized size = 0.55

$$\frac{\sqrt{2} \left((7i - 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, \frac{2i(dx+c)b}{d}\right) - (7i + 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, -\frac{2i(dx+c)b}{d}\right) \right) \cos\left(-\frac{2(bc-ad)}{d}\right) + (7i + 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, \frac{2i(dx+c)b}{d}\right)}{7(dx+c)^{\frac{7}{2}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^2/(d*x+c)^(9/2),x, algorithm="maxima")

[Out] $\frac{1}{7} \sqrt{2} \left(\left((7I - 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, 2I(d*x + c)b/d\right) - (7I + 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, -2I(d*x + c)b/d\right) \right) \cos\left(-\frac{2(b*c - a*d)}{d}\right) + \left((7I + 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, 2I(d*x + c)b/d\right) - (7I - 7) \sqrt{2} \Gamma\left(-\frac{7}{2}, -2I(d*x + c)b/d\right) \right) \sin\left(-\frac{2(b*c - a*d)}{d}\right) \right) \frac{(d*x + c)b/d^{7/2} - 1}{(d*x + c)^{7/2} * d}$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a + b x)^2}{(c + d x)^{9/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^2/(c + d*x)^(9/2),x)

[Out] int(cos(a + b*x)^2/(c + d*x)^(9/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**2/(d*x+c)**(9/2),x)

[Out] Timed out

3.56 $\int (c + dx)^{5/2} \cos^3(a + bx) dx$

Optimal. Leaf size=410

$$\frac{5\sqrt{\frac{\pi}{6}} d^{5/2} \sin\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{144b^{7/2}} + \frac{45\sqrt{\frac{\pi}{2}} d^{5/2} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}} + \frac{45\sqrt{\frac{\pi}{2}} d^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}}$$

[Out] $5/3*d*(d*x+c)^{(3/2)}*\cos(b*x+a)/b^2+5/18*d*(d*x+c)^{(3/2)}*\cos(b*x+a)^3/b^2+2/3*(d*x+c)^{(5/2)}*\sin(b*x+a)/b+1/3*(d*x+c)^{(5/2)}*\cos(b*x+a)^2*\sin(b*x+a)/b+5/864*d^{(5/2)}*\cos(3*a-3*b*c/d)*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}+5/864*d^{(5/2)}*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}+45/32*d^{(5/2)}*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}+45/32*d^{(5/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(7/2)}-45/16*d^2*\sin(b*x+a)*(d*x+c)^{(1/2)}/b^3-5/144*d^2*\sin(3*b*x+3*a)*(d*x+c)^{(1/2)}/b^3$

Rubi [A] time = 1.14, antiderivative size = 410, normalized size of antiderivative = 1.00, number of steps used = 23, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 3296, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{5\sqrt{\frac{\pi}{6}} d^{5/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{144b^{7/2}} + \frac{45\sqrt{\frac{\pi}{2}} d^{5/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}} + \frac{45\sqrt{\frac{\pi}{2}} d^{5/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{16b^{7/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(5/2)}*\text{Cos}[a + b*x]^3, x]$

[Out] $(5*d*(c + d*x)^{(3/2)}*\text{Cos}[a + b*x])/(3*b^2) + (5*d*(c + d*x)^{(3/2)}*\text{Cos}[a + b*x]^3)/(18*b^2) + (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(16*b^{(7/2)}) + (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(144*b^{(7/2)}) + (5*d^{(5/2)}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[3*a - (3*b*c)/d])/(144*b^{(7/2)}) + (45*d^{(5/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d])/(16*b^{(7/2)}) - (45*d^2*\text{Sqrt}[c + d*x]*\text{Sin}[a + b*x])/(16*b^3) + (2*(c + d*x)^{(5/2)}*\text{Sin}[a + b*x])/(3*b) + ((c + d*x)^{(5/2)}*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(3*b) - (5*d^2*\text{Sqrt}[c + d*x]*\text{Sin}[3*a + 3*b*x])/(144*b^3)$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Cos}[e + f*x], x] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x]]$

$e + f*x]$, $x]$, $x]$ /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3311

Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*SIN[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^(m)*(b*SIN[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*SIN[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*cos[e + f*x]*(b*SIN[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int (c + dx)^{5/2} \cos^3(a + bx) dx &= \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} + \frac{(c + dx)^{5/2} \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx)^5 \\
&= \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} + \frac{2(c + dx)^{5/2} \sin(a + bx)}{3b} + \frac{(c + dx)^{5/2} \cos^2(a + bx) \sin(a + bx)}{3b} \\
&= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{3b^2} + \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} + \frac{2(c + dx)^{5/2} \sin(a + bx)}{3b} \\
&= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{3b^2} + \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} - \frac{45d^2 \sqrt{c + dx} \sin(a + bx)}{16b^3} \\
&= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{3b^2} + \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} - \frac{45d^2 \sqrt{c + dx} \sin(a + bx)}{16b^3} \\
&= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{3b^2} + \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} - \frac{45d^2 \sqrt{c + dx} \sin(a + bx)}{16b^3} \\
&= \frac{5d(c + dx)^{3/2} \cos(a + bx)}{3b^2} + \frac{5d(c + dx)^{3/2} \cos^3(a + bx)}{18b^2} + \frac{45d^{5/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right)}{16b^{7/2}}
\end{aligned}$$

Mathematica [A] time = 3.10, size = 542, normalized size = 1.32

$$648b^3c^2\sqrt{c + dx} \sin(a + bx) + 72b^3c^2\sqrt{c + dx} \sin(3(a + bx)) + 648b^3d^2x^2\sqrt{c + dx} \sin(a + bx) + 72b^3d^2x^2\sqrt{c + dx} \sin(3(a + bx))$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(5/2)*Cos[a + b*x]^3,x]

[Out] (1620*b^2*c*d*Sqrt[c + d*x]*Cos[a + b*x] + 1620*b^2*d^2*x*Sqrt[c + d*x]*Cos[a + b*x] + 60*b^2*c*d*Sqrt[c + d*x]*Cos[3*(a + b*x)] + 60*b^2*d^2*x*Sqrt[c + d*x]*Cos[3*(a + b*x)] + 1215*Sqrt[b/d]*d^3*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]] + 5*Sqrt[b/d]*d^3*Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]] + 5*Sqrt[b/d]*d^3*Sqrt[6*Pi]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]*Sin[3*a - (3*b*c)/d] + 1215*Sqrt[b/d]*d^3*Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]*Sin[a - (b*c)/d] + 648*b^3*c^2*Sqrt[c + d*x]*Sin[a + b*x] - 2430

$$\frac{b^2 d^2 \sqrt{c+dx} \sin[a+bx] + 1296 b^3 c d x \sqrt{c+dx} \sin[a+bx] + 648 b^3 d^2 x^2 \sqrt{c+dx} \sin[a+bx] + 72 b^3 c^2 \sqrt{c+dx} \sin[3(a+bx)] - 30 b^2 d^2 \sqrt{c+dx} \sin[3(a+bx)] + 144 b^3 c d x \sqrt{c+dx} \sin[3(a+bx)] + 72 b^3 d^2 x^2 \sqrt{c+dx} \sin[3(a+bx)]}{(864 b^4)}$$

fricas [A] time = 0.70, size = 368, normalized size = 0.90

$$5 \sqrt{6} \pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 1215 \sqrt{2} \pi d^3 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 12$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^3,x, algorithm="fricas")

[Out]
$$\frac{1}{864} (5 \sqrt{6} \pi d^3 \sqrt{\frac{b}{\pi d}} \cos(-\frac{3(bc-ad)}{d}) \text{fresnel_sin}(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}) + 1215 \sqrt{2} \pi d^3 \sqrt{\frac{b}{\pi d}} \cos(-\frac{bc-ad}{d}) \text{fresnel_sin}(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}) + 1215 \sqrt{2} \pi d^3 \sqrt{\frac{b}{\pi d}} \text{fresnel_cos}(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}) \sin(-\frac{bc-ad}{d}) + 5 \sqrt{6} \pi d^3 \sqrt{\frac{b}{\pi d}} \text{fresnel_cos}(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}) \sin(-\frac{3(bc-ad)}{d}) + 24(10(b^2 d^2 x + b^2 c d) \cos(bx+a)^3 + 60(b^2 d^2 x + b^2 c d) \cos(bx+a) + (24 b^3 d^2 x^2 + 48 b^3 c d x + 24 b^3 c^2 - 100 b^2 d^2 + (12 b^3 d^2 x^2 + 24 b^3 c d x + 12 b^3 c^2 - 5 b^2 d^2) \cos(bx+a)^2) \sin(bx+a)) \sqrt{dx+c}) / b^4$$

giac [C] time = 1.92, size = 2457, normalized size = 5.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^3,x, algorithm="giac")

[Out]
$$-1/1728 (72 (\sqrt{6} \sqrt{\pi} d \text{erf}(-1/2 \sqrt{6} \sqrt{b d} \sqrt{dx+c}) (I b d / \sqrt{b^2 d^2} + 1) / d) e^{((3 I b c - 3 I a d) / d) / (\sqrt{b d} (I b d / \sqrt{b^2 d^2} + 1))} + 9 \sqrt{2} \sqrt{\pi} d \text{erf}(-1/2 \sqrt{2} \sqrt{b d} \sqrt{dx+c}) (I b d / \sqrt{b^2 d^2} + 1) / d) e^{((I b c - I a d) / d) / (\sqrt{b d} (I b d / \sqrt{b^2 d^2} + 1))} + 9 \sqrt{2} \sqrt{\pi} d \text{erf}(-1/2 \sqrt{2} \sqrt{b d} \sqrt{dx+c}) (-I b d / \sqrt{b^2 d^2} + 1) / d) e^{((-I b c + I a d) / d) / (\sqrt{b d} (-I b d / \sqrt{b^2 d^2} + 1))} + \sqrt{6} \sqrt{\pi} d \text{erf}(-1/2 \sqrt{6} \sqrt{b d} \sqrt{dx+c}) (-I b d / \sqrt{b^2 d^2} + 1) / d) e^{((-3 I b c + 3 I a d) / d) / (\sqrt{b d} (-I b d / \sqrt{b^2 d^2} + 1))} c^3 + 18 c d^2 ((\sqrt{6} \sqrt{\pi} (12 b^2 c^2 + 4 I b c d - d^2) d \text{erf}(-1/2 \sqrt{6} \sqrt{b d} \sqrt{dx+c}) (I b d / \sqrt{b^2 d^2} + 1) / d) e^{((3 I b c - 3 I a d) / d) / (\sqrt{b d} (I b d / \sqrt{b^2 d^2} + 1))} b^2 + 6 (-2 I (dx+c)^{3/2} b d + 4 I \sqrt{dx+c} b c d - \sqrt{dx+c} b^2 d^2) \cos(bx+a)^2) \sin(bx+a)) \sqrt{dx+c}) / b^4$$

$$\begin{aligned}
& t(dx + c)d^2)e^{((-3I*(dx + c)*b + 3I*b*c - 3I*a*d)/d)/b^2)/d^2 + 9*(\\
& 3\sqrt{2})\sqrt{\pi}*(4b^2c^2 + 4I*b*c*d - 3d^2)*d*\operatorname{erf}(-1/2\sqrt{2})\sqrt{ \\
& b*d)\sqrt{dx + c}*(I*b*d/\sqrt{b^2d^2} + 1)/d)e^{(I*b*c - I*a*d)/d)/(\sqrt{ \\
& b*d)*(I*b*d/\sqrt{b^2d^2} + 1)*b^2) + 2*(-6I*(dx + c)^{(3/2)}*b*d + 12I*s \\
& \operatorname{qrt}(dx + c)*b*c*d - 9\sqrt{dx + c}*d^2)e^{((-I*(dx + c)*b + I*b*c - I*a* \\
& d)/d)/b^2)/d^2 + 9*(3\sqrt{2})\sqrt{\pi}*(4b^2c^2 - 4I*b*c*d - 3d^2)*d*\operatorname{er} \\
& \operatorname{f}(-1/2\sqrt{2})\sqrt{b*d}\sqrt{dx + c)*(-I*b*d/\sqrt{b^2d^2} + 1)/d)e^{((-I \\
& *b*c + I*a*d)/d)/(\sqrt{b*d)*(-I*b*d/\sqrt{b^2d^2} + 1)*b^2) + 2*(6I*(dx + \\
& c)^{(3/2)}*b*d - 12I*\sqrt{dx + c}*b*c*d - 9\sqrt{dx + c}*d^2)e^{(I*(dx \\
& + c)*b - I*b*c + I*a*d)/d)/b^2)/d^2 + (\sqrt{6})\sqrt{\pi}*(12b^2c^2 - 4I*b \\
& *c*d - d^2)*d*\operatorname{erf}(-1/2\sqrt{6})\sqrt{b*d}\sqrt{dx + c)*(-I*b*d/\sqrt{b^2d^2} \\
&) + 1)/d)e^{((-3I*b*c + 3I*a*d)/d)/(\sqrt{b*d)*(-I*b*d/\sqrt{b^2d^2} + 1)* \\
& b^2) + 6*(2I*(dx + c)^{(3/2)}*b*d - 4I*\sqrt{dx + c}*b*c*d - \sqrt{dx + c} \\
& *d^2)e^{((3I*(dx + c)*b - 3I*b*c + 3I*a*d)/d)/b^2)/d^2) - d^3*((\sqrt{6} \\
& *\sqrt{\pi}*(72b^3c^3 + 36I*b^2c^2*d - 18b*c*d^2 - 5I*d^3)*d*\operatorname{erf}(-1/2*s \\
& \operatorname{qrt}(6)\sqrt{b*d}\sqrt{dx + c}*(I*b*d/\sqrt{b^2d^2} + 1)/d)e^{((3I*b*c - 3 \\
& *I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2d^2} + 1)*b^3) - 6*(-12I*(dx + c)^{(\\
& 5/2)}*b^2*d + 36I*(dx + c)^{(3/2)}*b^2*c*d - 36I*\sqrt{dx + c}*b^2*c^2*d - \\
& 10*(dx + c)^{(3/2)}*b*d^2 + 18\sqrt{dx + c}*b*c*d^2 + 5I*\sqrt{dx + c}*d^3 \\
&)e^{((-3I*(dx + c)*b + 3I*b*c - 3I*a*d)/d)/b^3)/d^3 + 27*(\sqrt{2})\sqrt{ \\
& \pi}*(24b^3c^3 + 36I*b^2c^2*d - 54b*c*d^2 - 45I*d^3)*d*\operatorname{erf}(-1/2\sqrt{2} \\
&)\sqrt{b*d}\sqrt{dx + c}*(I*b*d/\sqrt{b^2d^2} + 1)/d)e^{(I*b*c - I*a*d)/d} \\
&)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2d^2} + 1)*b^3) - 2*(-12I*(dx + c)^{(5/2)}*b^2* \\
& d + 36I*(dx + c)^{(3/2)}*b^2*c*d - 36I*\sqrt{dx + c}*b^2*c^2*d - 30*(dx + \\
& c)^{(3/2)}*b*d^2 + 54\sqrt{dx + c}*b*c*d^2 + 45I*\sqrt{dx + c}*d^3)e^{((-I \\
& *(dx + c)*b + I*b*c - I*a*d)/d)/b^3)/d^3 + 27*(\sqrt{2})\sqrt{\pi}*(24b^3c^ \\
& 3 - 36I*b^2c^2*d - 54b*c*d^2 + 45I*d^3)*d*\operatorname{erf}(-1/2\sqrt{2})\sqrt{b*d}* \\
& \operatorname{qrt}(dx + c)*(-I*b*d/\sqrt{b^2d^2} + 1)/d)e^{((-I*b*c + I*a*d)/d)/(\sqrt{b*d} \\
&)*(-I*b*d/\sqrt{b^2d^2} + 1)*b^3) - 2*(12I*(dx + c)^{(5/2)}*b^2*d - 36I*(dx \\
& + c)^{(3/2)}*b^2*c*d + 36I*\sqrt{dx + c}*b^2*c^2*d - 30*(dx + c)^{(3/2)}*b* \\
& d^2 + 54\sqrt{dx + c}*b*c*d^2 - 45I*\sqrt{dx + c}*d^3)e^{(I*(dx + c)*b \\
& - I*b*c + I*a*d)/d)/b^3)/d^3 + (\sqrt{6})\sqrt{\pi}*(72b^3c^3 - 36I*b^2c^2 \\
& *d - 18b*c*d^2 + 5I*d^3)*d*\operatorname{erf}(-1/2\sqrt{6})\sqrt{b*d}\sqrt{dx + c)*(-I*b \\
& *d/\sqrt{b^2d^2} + 1)/d)e^{((-3I*b*c + 3I*a*d)/d)/(\sqrt{b*d)*(-I*b*d/\sqrt{ \\
& b^2d^2} + 1)*b^3) - 6*(12I*(dx + c)^{(5/2)}*b^2*d - 36I*(dx + c)^{(3/2)}* \\
& b^2*c*d + 36I*\sqrt{dx + c}*b^2*c^2*d - 10*(dx + c)^{(3/2)}*b*d^2 + 18\sqrt{ \\
& dx + c}*b*c*d^2 - 5I*\sqrt{dx + c}*d^3)e^{((3I*(dx + c)*b - 3I*b*c + \\
& 3I*a*d)/d)/b^3)/d^3) - 36*(\sqrt{6})\sqrt{\pi}*(6b*c + I*d)*d*\operatorname{erf}(-1/2\sqrt{ \\
& 6})\sqrt{b*d}\sqrt{dx + c}*(I*b*d/\sqrt{b^2d^2} + 1)/d)e^{((3I*b*c - 3I*a \\
& *d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2d^2} + 1)*b) + 9\sqrt{2})\sqrt{\pi}*(6b*c \\
& + 3I*d)*d*\operatorname{erf}(-1/2\sqrt{2})\sqrt{b*d}\sqrt{dx + c}*(I*b*d/\sqrt{b^2d^2} + \\
& 1)/d)e^{(I*b*c - I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2d^2} + 1)*b) + 9\sqrt{ \\
& 2})\sqrt{\pi}*(6b*c - 3I*d)*d*\operatorname{erf}(-1/2\sqrt{2})\sqrt{b*d}\sqrt{dx + c)*(- \\
& I*b*d/\sqrt{b^2d^2} + 1)/d)e^{((-I*b*c + I*a*d)/d)/(\sqrt{b*d)*(-I*b*d/\sqrt{ \\
& b^2d^2} + 1)*b) + \sqrt{6})\sqrt{\pi}*(6b*c - I*d)*d*\operatorname{erf}(-1/2\sqrt{6})\sqrt{b}
\end{aligned}$$

*d)*sqrt(d*x + c)*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-3*I*b*c + 3*I*a*d)/d)/
 (sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)*b) - 6*I*sqrt(d*x + c)*d*e^((3*I*(d*x
 + c)*b - 3*I*b*c + 3*I*a*d)/d)/b - 54*I*sqrt(d*x + c)*d*e^((I*(d*x + c)*b
 - I*b*c + I*a*d)/d)/b + 54*I*sqrt(d*x + c)*d*e^((-I*(d*x + c)*b + I*b*c - I
 *a*d)/d)/b + 6*I*sqrt(d*x + c)*d*e^((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/
 d)/b)*c^2)/d

maple [A] time = 0.06, size = 474, normalized size = 1.16

$$\frac{3d(dx+c)^{\frac{5}{2}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{4b} - \frac{15d \left[\frac{d(dx+c)^{\frac{3}{2}} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2b} + \frac{3d \sqrt{dx+c} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2b} - \frac{d\sqrt{2} \sqrt{\pi} \left[\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right) + \sin\left(\frac{da-cb}{d}\right) F\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d}} d}\right)\right]}{4b \sqrt{\frac{b}{d}}}\right]}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(5/2)*cos(b*x+a)^3,x)

[Out] 2/d*(3/8*d/b*(d*x+c)^(5/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-15/8*d/b*(-1/2*d/
 b*(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+3/2*d/b*(1/2*d/b*(d*x+c)^(1/
 2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/4*d/b*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(c
 os((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)+
 sin((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d
))+1/24*d/b*(d*x+c)^(5/2)*sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-5/24*d/b*(-1/6*
 d/b*(d*x+c)^(3/2)*cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)+1/2*d/b*(1/6*d/b*(d*x+c)
 ^1/2)*sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/36*d/b*2^(1/2)*Pi^(1/2)*3^(1/2)/(
 1/d*b)^(1/2)*(cos(3*(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/d*b)^(
 1/2)*(d*x+c)^(1/2)*b/d)+sin(3*(a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/
 2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d))))

maxima [C] time = 1.41, size = 543, normalized size = 1.32

$$\left(240(dx+c)^{\frac{3}{2}} b^3 \cos\left(\frac{3((dx+c)b-bc+ad)}{d}\right) + 6480(dx+c)^{\frac{3}{2}} b^3 \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left((5i+5) \cdot 9^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} b d^2 \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(5/2)*cos(b*x+a)^3,x, algorithm="maxima")

[Out] 1/3456*(240*(d*x + c)^(3/2)*b^3*cos(3*((d*x + c)*b - b*c + a*d)/d) + 6480*(d*x + c)^(3/2)*b^3*cos(((d*x + c)*b - b*c + a*d)/d) + ((5*I + 5)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*cos(-3*(b*c - a*d)/d) - (5*I - 5)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(3*I*b/d)) + ((1215*I + 1215)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) - (1215*I - 1215)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (-(1215*I - 1215)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) + (1215*I + 1215)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)) + (-(5*I - 5)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*cos(-3*(b*c - a*d)/d) + (5*I + 5)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d^2*(b^2/d^2)^(1/4)*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-3*I*b/d)) + 24*(12*(d*x + c)^(5/2)*b^4/d - 5*sqrt(d*x + c)*b^2*d)*sin(3*((d*x + c)*b - b*c + a*d)/d) + 648*(4*(d*x + c)^(5/2)*b^4/d - 15*sqrt(d*x + c)*b^2*d)*sin(((d*x + c)*b - b*c + a*d)/d))*d/b^5

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^3 (c + dx)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x)^(5/2),x)

[Out] int(cos(a + b*x)^3*(c + d*x)^(5/2), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(5/2)*cos(b*x+a)**3,x)

[Out] Timed out

3.57 $\int (c + dx)^{3/2} \cos^3(a + bx) dx$

Optimal. Leaf size=354

$$\frac{9\sqrt{\frac{\pi}{2}}d^{3/2}\cos\left(a-\frac{bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{8b^{5/2}} - \frac{\sqrt{\frac{\pi}{6}}d^{3/2}\cos\left(3a-\frac{3bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}} + \frac{\sqrt{\frac{\pi}{6}}d^{3/2}\sin\left(3a-\frac{3bc}{d}\right)S\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}}$$

[Out] $2/3*(d*x+c)^{(3/2)}*\sin(b*x+a)/b+1/3*(d*x+c)^{(3/2)}*\cos(b*x+a)^2*\sin(b*x+a)/b-1/144*d^{(3/2)}*\cos(3*a-3*b*c/d)*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}+1/144*d^{(3/2)}*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}-9/16*d^{(3/2)}*\cos(a-b*c/d)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}+9/16*d^{(3/2)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(5/2)}+d*\cos(b*x+a)*(d*x+c)^{(1/2)}/b^2+1/6*d*\cos(b*x+a)^3*(d*x+c)^{(1/2)}/b^2$

Rubi [A] time = 0.99, antiderivative size = 354, normalized size of antiderivative = 1.00, number of steps used = 20, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3311, 3296, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{9\sqrt{\frac{\pi}{2}}d^{3/2}\cos\left(a-\frac{bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{8b^{5/2}} - \frac{\sqrt{\frac{\pi}{6}}d^{3/2}\cos\left(3a-\frac{3bc}{d}\right)\text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}} + \frac{\sqrt{\frac{\pi}{6}}d^{3/2}\sin\left(3a-\frac{3bc}{d}\right)\text{FresnelS}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{24b^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(3/2)}*\text{Cos}[a + b*x]^3, x]$

[Out] $(d*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x])/b^2 + (d*\text{Sqrt}[c + d*x]*\text{Cos}[a + b*x]^3)/(6*b^2) - (9*d^{(3/2)}*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(8*b^{(5/2)}) - (d^{(3/2)}*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(24*b^{(5/2)}) + (d^{(3/2)}*\text{Sqrt}[\text{Pi}/6]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[3*a - (3*b*c)/d])/(24*b^{(5/2)}) + (9*d^{(3/2)}*\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d])/(8*b^{(5/2)}) + (2*(c + d*x)^{(3/2)}*\text{Sin}[a + b*x])/(3*b) + ((c + d*x)^{(3/2)}*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(3*b)$

Rule 3296

$\text{Int}[(c + d*x)^m*\text{Cos}[e + f*x], x] \text{ :> } -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{GtQ}[m, 0]$

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```


Rubi steps

$$\begin{aligned}
\int (c + dx)^{3/2} \cos^3(a + bx) dx &= \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} + \frac{(c + dx)^{3/2} \cos^2(a + bx) \sin(a + bx)}{3b} + \frac{2}{3} \int (c + dx)^{3/2} \\
&= \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} + \frac{2(c + dx)^{3/2} \sin(a + bx)}{3b} + \frac{(c + dx)^{3/2} \cos^2(a + bx) \sin(a + bx)}{3b} \\
&= \frac{d\sqrt{c + dx} \cos(a + bx)}{b^2} + \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} + \frac{2(c + dx)^{3/2} \sin(a + bx)}{3b} + \frac{(c + dx)^{3/2} \cos^2(a + bx) \sin(a + bx)}{3b} \\
&= \frac{d\sqrt{c + dx} \cos(a + bx)}{b^2} + \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} + \frac{2(c + dx)^{3/2} \sin(a + bx)}{3b} + \frac{(c + dx)^{3/2} \cos^2(a + bx) \sin(a + bx)}{3b} \\
&= \frac{d\sqrt{c + dx} \cos(a + bx)}{b^2} + \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} + \frac{2(c + dx)^{3/2} \sin(a + bx)}{3b} + \frac{(c + dx)^{3/2} \cos^2(a + bx) \sin(a + bx)}{3b} \\
&= \frac{d\sqrt{c + dx} \cos(a + bx)}{b^2} + \frac{d\sqrt{c + dx} \cos^3(a + bx)}{6b^2} - \frac{9d^{3/2} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}}{d} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}\right)}{8b^{5/2}}
\end{aligned}$$

Mathematica [A] time = 1.60, size = 390, normalized size = 1.10

$$-81\sqrt{2\pi} d \cos\left(a - \frac{bc}{d}\right) C\left(\sqrt{\frac{b}{d}} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}\right) - \sqrt{6\pi} d \cos\left(3a - \frac{3bc}{d}\right) C\left(\sqrt{\frac{b}{d}} \sqrt{\frac{6}{\pi}} \sqrt{c + dx}\right) + \sqrt{6\pi} d \sin\left(3a - \frac{3bc}{d}\right) S\left(\sqrt{\frac{b}{d}} \sqrt{\frac{6}{\pi}} \sqrt{c + dx}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(3/2)*Cos[a + b*x]^3,x]

[Out] (162*Sqrt[b/d]*d*Sqrt[c + d*x]*Cos[a + b*x] + 6*Sqrt[b/d]*d*Sqrt[c + d*x]*Cos[3*(a + b*x)] - 81*d*Sqrt[2*Pi]*Cos[a - (b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]] - d*Sqrt[6*Pi]*Cos[3*a - (3*b*c)/d]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]] + d*Sqrt[6*Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]*Sin[3*a - (3*b*c)/d] + 81*d*Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]*Sin[a - (b*c)/d] + 108*b*c*Sqrt[b/d]*Sqrt[c + d*x]*Sin[a + b*x] + 108*b*Sqrt[b/d]*d*x*Sqrt[c + d*x]*Sin[a + b*x] + 12*b*c*Sqrt[b/d]*Sqrt[c + d*x]*Sin[3*(a + b*x)] + 12*b*Sqrt[b/d]*d*x*Sqrt[c + d*x]*Sin[3*(a + b*x)])/(144*b^2*Sqrt[b/d])

fricas [A] time = 0.57, size = 299, normalized size = 0.84

$$\sqrt{6} \pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 81 \sqrt{2} \pi d^2 \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) - 81 \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a)^3,x, algorithm="fricas")

[Out] -1/144*(sqrt(6)*pi*d^2*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_cos(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 81*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 81*sqrt(2)*pi*d^2*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) * sin(-(b*c - a*d)/d) - sqrt(6)*pi*d^2*sqrt(b/(pi*d))*fresnel_sin(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) * sin(-3*(b*c - a*d)/d) - 24*(b*d*cos(b*x + a)^3 + 6*b*d*cos(b*x + a) + 2*(2*b^2*d*x + 2*b^2*c + (b^2*d*x + b^2*c)*cos(b*x + a)^2)*sin(b*x + a))*sqrt(d*x + c))/b^3

giac [C] time = 2.18, size = 1533, normalized size = 4.33

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a)^3,x, algorithm="giac")

[Out] -1/288*(12*(sqrt(6)*sqrt(pi)*d*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c))*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((3*I*b*c - 3*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + 9*sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c))*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)) + 9*sqrt(2)*sqrt(pi)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c))*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c + I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1)) + sqrt(6)*sqrt(pi)*d*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c))*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-3*I*b*c + 3*I*a*d)/d)/(sqrt(b*d)*(-I*b*d/sqrt(b^2*d^2) + 1))) * c^2 + d^2*((sqrt(6)*sqrt(pi))*(12*b^2*c^2 + 4*I*b*c*d - d^2)*d*erf(-1/2*sqrt(6)*sqrt(b*d)*sqrt(d*x + c))*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((3*I*b*c - 3*I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 6*(-2*I*(d*x + c)^(3/2)*b*d + 4*I*sqrt(d*x + c)*b*c*d - sqrt(d*x + c)*d^2)*e^((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/d)/b^2)/d^2 + 9*(3*sqrt(2)*sqrt(pi)*(4*b^2*c^2 + 4*I*b*c*d - 3*d^2)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c))*(I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((I*b*c - I*a*d)/d)/(sqrt(b*d)*(I*b*d/sqrt(b^2*d^2) + 1)*b^2) + 2*(-6*I*(d*x + c)^(3/2)*b*d + 12*I*sqrt(d*x + c)*b*c*d - 9*sqrt(d*x + c)*d^2)*e^((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b^2)/d^2 + 9*(3*sqrt(2)*sqrt(pi)*(4*b^2*c^2 - 4*I*b*c*d - 3*d^2)*d*erf(-1/2*sqrt(2)*sqrt(b*d)*sqrt(d*x + c))*(-I*b*d/sqrt(b^2*d^2) + 1)/d)*e^((-I*b*c +

$$\begin{aligned}
& I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)*b^2) + 2*(6*I*(d*x + c)^{(3/2)}*b*d - 12*I*\text{sqrt}(d*x + c)*b*c*d - 9*\text{sqrt}(d*x + c)*d^2)*e^{((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b^2)/d^2 + (\text{sqrt}(6)*\text{sqrt}(\pi)*(12*b^2*c^2 - 4*I*b*c*d - d^2)*d*\text{erf}(-1/2*\text{sqrt}(6)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-3*I*b*c + 3*I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)*b^2) + 6*(2*I*(d*x + c)^{(3/2)}*b*d - 4*I*\text{sqrt}(d*x + c)*b*c*d - \text{sqrt}(d*x + c)*d^2)*e^{((3*I*(d*x + c)*b - 3*I*b*c + 3*I*a*d)/d)/b^2)/d^2} - 4*(\text{sqrt}(6)*\text{sqrt}(\pi)*(6*b*c + I*d)*d*\text{erf}(-1/2*\text{sqrt}(6)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((3*I*b*c - 3*I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)*b) + 9*\text{sqrt}(2)*\text{sqrt}(\pi)*(6*b*c + 3*I*d)*d*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\text{sqrt}(b*d)*(I*b*d/\text{sqrt}(b^2*d^2) + 1)*b) + 9*\text{sqrt}(2)*\text{sqrt}(\pi)*(6*b*c - 3*I*d)*d*\text{erf}(-1/2*\text{sqrt}(2)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)*b) + \text{sqrt}(6)*\text{sqrt}(\pi)*(6*b*c - I*d)*d*\text{erf}(-1/2*\text{sqrt}(6)*\text{sqrt}(b*d)*\text{sqrt}(d*x + c)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)/d)*e^{((-3*I*b*c + 3*I*a*d)/d)/(\text{sqrt}(b*d)*(-I*b*d/\text{sqrt}(b^2*d^2) + 1)*b) - 6*I*\text{sqrt}(d*x + c)*d*e^{((3*I*(d*x + c)*b - 3*I*b*c + 3*I*a*d)/d)/b} - 54*I*\text{sqrt}(d*x + c)*d*e^{((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b} + 54*I*\text{sqrt}(d*x + c)*d*e^{((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b} + 6*I*\text{sqrt}(d*x + c)*d*e^{((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/d)/b}*c)/d
\end{aligned}$$

maple [A] time = 0.05, size = 386, normalized size = 1.09

$$\frac{3d(dx+c)^{\frac{3}{2}} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{4b} - \frac{9d \left(\frac{d \sqrt{dx+c} \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2b} + \frac{d \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) - \sin\left(\frac{da-cb}{d}\right) \text{FresnelS}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{4b \sqrt{\frac{b}{d}}}}{4b} + \frac{d(dx+c)}{4b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\text{int}((d*x+c)^{(3/2)}*\cos(b*x+a)^3,x)$

[Out] $2/d*(3/8*d/b*(d*x+c)^{(3/2)}*\sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-9/8*d/b*(-1/2*d/b*(d*x+c)^{(1/2)}*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/4*d/b*2^{(1/2)}*\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(\cos((a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin((a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))+1/24*d/b*(d*x+c)^{(3/2)}*\sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/8*d/b*(-1/6*d/b*(d*x+c)^{(1/2)}*\cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)+1/36*d/b*2^{(1/2)}*\Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(3*(a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/\Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin(3*(a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/\Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.89, size = 495, normalized size = 1.40

$$\left(\frac{48(dx+c)^{\frac{3}{2}}b^3 \sin\left(\frac{3((dx+c)b-bc+ad)}{d}\right)}{d} + \frac{432(dx+c)^{\frac{3}{2}}b^3 \sin\left(\frac{(dx+c)b-bc+ad}{d}\right)}{d} + 24\sqrt{dx+c}b^2 \cos\left(\frac{3((dx+c)b-bc+ad)}{d}\right) + 648\sqrt{dx+c}b^2 \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(3/2)*cos(b*x+a)^3,x, algorithm="maxima")

[Out] 1/576*(48*(d*x + c)^(3/2)*b^3*sin(3*((d*x + c)*b - b*c + a*d)/d)/d + 432*(d*x + c)^(3/2)*b^3*sin(((d*x + c)*b - b*c + a*d)/d)/d + 24*sqrt(d*x + c)*b^2*cos(3*((d*x + c)*b - b*c + a*d)/d) + 648*sqrt(d*x + c)*b^2*cos(((d*x + c)*b - b*c + a*d)/d) + ((I - 1)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*cos(-3*(b*c - a*d)/d) + (I + 1)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(3*I*b/d)) + ((81*I - 81)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) + (81*I + 81)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(I*b/d)) + (-81*I + 81)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*cos(-(b*c - a*d)/d) - (81*I - 81)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*sin(-(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-I*b/d)) + (-I + 1)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*cos(-3*(b*c - a*d)/d) - (I - 1)*9^(1/4)*sqrt(2)*sqrt(pi)*b*d*(b^2/d^2)^(1/4)*sin(-3*(b*c - a*d)/d))*erf(sqrt(d*x + c)*sqrt(-3*I*b/d)))/d/b^4

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^3 (c + dx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3*(c + d*x)^(3/2), x)

[Out] int(cos(a + b*x)^3*(c + d*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^{\frac{3}{2}} \cos^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**(3/2)*cos(b*x+a)**3,x)

[Out] Integral((c + d*x)**(3/2)*cos(a + b*x)**3, x)

3.58 $\int \sqrt{c + dx} \cos^3(a + bx) dx$

Optimal. Leaf size=304

$$\frac{\sqrt{\frac{\pi}{6}} \sqrt{d} \sin\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}}$$

[Out] $-1/72*\cos(3*a-3*b*c/d)*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-1/72*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*d^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-3/8*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}-3/8*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*d^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/b^{(3/2)}+3/4*\sin(b*x+a)*(d*x+c)^{(1/2)}/b+1/12*\sin(3*b*x+3*a)*(d*x+c)^{(1/2)}/b$

Rubi [A] time = 0.48, antiderivative size = 304, normalized size of antiderivative = 1.00, number of steps used = 14, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3312, 3296, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{\pi}{6}} \sqrt{d} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{d} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{d} \cos\left(a - \frac{bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[c + d*x]*Cos[a + b*x]^3,x]

[Out] $(-3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]/(4*b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]/(12*b^{(3/2)}) - (\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/6]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[3*a - (3*b*c)/d]/(12*b^{(3/2)}) - (3*\text{Sqrt}[d]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d]/(4*b^{(3/2)}) + (3*\text{Sqrt}[c + d*x]*\text{Sin}[a + b*x])/4*b + (\text{Sqrt}[c + d*x]*\text{Sin}[3*a + 3*b*x])/12*b)$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{c+dx} \cos^3(a+bx) dx &= \int \left(\frac{3}{4} \sqrt{c+dx} \cos(a+bx) + \frac{1}{4} \sqrt{c+dx} \cos(3a+3bx) \right) dx \\
&= \frac{1}{4} \int \sqrt{c+dx} \cos(3a+3bx) dx + \frac{3}{4} \int \sqrt{c+dx} \cos(a+bx) dx \\
&= \frac{3\sqrt{c+dx} \sin(a+bx)}{4b} + \frac{\sqrt{c+dx} \sin(3a+3bx)}{12b} - \frac{d \int \frac{\sin(3a+3bx)}{\sqrt{c+dx}} dx}{24b} - \frac{(3d) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{8b} \\
&= \frac{3\sqrt{c+dx} \sin(a+bx)}{4b} + \frac{\sqrt{c+dx} \sin(3a+3bx)}{12b} - \frac{\left(d \cos\left(3a - \frac{3bc}{d}\right) \right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c+dx}} dx}{24b} \\
&= \frac{3\sqrt{c+dx} \sin(a+bx)}{4b} + \frac{\sqrt{c+dx} \sin(3a+3bx)}{12b} - \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Subst}\left(\int \sin\left(\frac{3bc}{d} + 3bx\right) dx\right)}{12b} \\
&= \frac{3\sqrt{d} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{4b^{3/2}} - \frac{\sqrt{d} \sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{12b^{3/2}}
\end{aligned}$$

Mathematica [C] time = 0.42, size = 254, normalized size = 0.84

$$\frac{i\sqrt{c+dx} e^{-\frac{3i(ad+bc)}{d}} \left(-27e^{2i\left(2a+\frac{bc}{d}\right)} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{3}{2}, -\frac{ib(c+dx)}{d}\right) + 27e^{2ia+\frac{4ibc}{d}} \sqrt{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{3}{2}, \frac{ib(c+dx)}{d}\right) + \sqrt{3} \left(e^{\frac{6ibc}{d}} \sqrt{-\frac{ib(c+dx)}{d}} \right) \right)}{72b\sqrt{\frac{b^2(c+dx)^2}{d^2}}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[c + d*x]*Cos[a + b*x]^3,x]

[Out] ((I/72)*Sqrt[c + d*x]*(-27*E^((2*I)*(2*a + (b*c)/d))*Sqrt[(I*b*(c + d*x))/d]*Gamma[3/2, ((-I)*b*(c + d*x))/d] + 27*E^((2*I)*a + ((4*I)*b*c)/d)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[3/2, (I*b*(c + d*x))/d] + Sqrt[3]*(-E^((6*I)*a)*Sqrt[(I*b*(c + d*x))/d]*Gamma[3/2, ((-3*I)*b*(c + d*x))/d] + E^(((6*I)*b*c)/d)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[3/2, ((3*I)*b*(c + d*x))/d]))/(b*E^(((3*I)*(b*c + a*d))/d)*Sqrt[(b^2*(c + d*x)^2)/d^2])

fricas [A] time = 0.47, size = 245, normalized size = 0.81

$$\frac{\sqrt{6} \pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 27 \sqrt{2} \pi d \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 27 \sqrt{2}}{72b\sqrt{\frac{b^2(c+dx)^2}{d^2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a)^3,x, algorithm="fricas")

[Out] $-1/72*(\sqrt{6}*\pi*d*\sqrt{b/(pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(pi*d)}) + 27*\sqrt{2}*\pi*d*\sqrt{b/(pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(pi*d)}) + 27*\sqrt{2}*\pi*d*\sqrt{b/(pi*d)}*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(pi*d)})*\sin(-(b*c - a*d)/d) + \sqrt{6}*\pi*d*\sqrt{b/(pi*d)}*\text{fresnel_cos}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(pi*d)})*\sin(-3*(b*c - a*d)/d) - 24*(b*\cos(b*x + a)^2 + 2*b)*\sqrt{d*x + c}*\sin(b*x + a))/b^2$

giac [C] time = 3.16, size = 838, normalized size = 2.76

$$\frac{\sqrt{6} \sqrt{\pi} (6bc+id)d \operatorname{erf}\left(-\frac{\sqrt{6} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{3ibc-3iad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} + \frac{9 \sqrt{2} \sqrt{\pi} (6bc+3id)d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right) b} + \frac{9 \sqrt{2} \sqrt{\pi} (6bc-3id)d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right)}{2d}\right) e^{\left(\frac{ibc-id}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2d^2}+1}\right) b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/2)*cos(b*x+a)^3,x, algorithm="giac")

[Out] $1/144*(\sqrt{6}*\sqrt{\pi}*(6*b*c + I*d)*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((3*I*b*c - 3*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1)*b)} + 9*\sqrt{2}*\sqrt{\pi}*(6*b*c + 3*I*d)*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1)*b)} + 9*\sqrt{2}*\sqrt{\pi}*(6*b*c - 3*I*d)*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1)*b)} + \sqrt{6}*\sqrt{\pi}*(6*b*c - I*d)*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-3*I*b*c + 3*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1)*b)} - 6*(\sqrt{6}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((3*I*b*c - 3*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + 9*\sqrt{2}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((I*b*c - I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2} + 1))} + 9*\sqrt{2}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-I*b*c + I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))} + \sqrt{6}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x + c}*(-I*b*d/\sqrt{b^2*d^2} + 1)/d)*e^{((-3*I*b*c + 3*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2} + 1))})*c - 6*I*\sqrt{d*x + c}*d*e^{((3*I*(d*x + c)*b - 3*I*b*c + 3*I*a*d)/d)/b} - 54*I*\sqrt{d*x + c}*d*e^{((I*(d*x + c)*b - I*b*c + I*a*d)/d)/b} + 54*I*\sqrt{d*x + c}*d*e^{((-I*(d*x + c)*b + I*b*c - I*a*d)/d)/b} + 6*I*\sqrt{d*x + c}*d*e^{((-3*I*(d*x + c)*b + 3*I*b*c - 3*I*a*d)/d)/b}/d$

maple [A] time = 0.05, size = 294, normalized size = 0.97

$$\frac{3d\sqrt{dx+c} \sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{4b} - \frac{3d\sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}}\right) \right)}{8b\sqrt{\frac{b}{d}}} + \frac{d\sqrt{dx+c} \sin\left(\frac{3(dx+c)b}{d} + \frac{3da-3cb}{d}\right)}{12b}$$

d

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^(1/2)*cos(b*x+a)^3,x)`

[Out] $2/d*(3/8*d/b*(d*x+c)^{(1/2)}*\sin(1/d*(d*x+c)*b+(a*d-b*c)/d)-3/16*d/b*2^{(1/2)}*Pi^{(1/2)}/(1/d*b)^{(1/2)}*(\cos((a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\sin((a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/Pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))+1/24*d/b*(d*x+c)^{(1/2)}*\sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/144*d/b*2^{(1/2)}*Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(3*(a*d-b*c)/d)*\text{FresnelS}(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)+\sin(3*(a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/Pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.63, size = 422, normalized size = 1.39

$$\left(\frac{24\sqrt{dx+c}b^2 \sin\left(\frac{3((dx+c)b-bc+ad)}{d}\right)}{d} + \frac{216\sqrt{dx+c}b^2 \sin\left(\frac{(dx+c)b-bc+ad}{d}\right)}{d} + \left(-(i+1) \cdot 9^{\frac{1}{4}} \sqrt{2} \sqrt{\pi} b \left(\frac{b^2}{d^2}\right)^{\frac{1}{4}} \cos\left(-\frac{3(bc-ad)}{d}\right) + (i-1) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^(1/2)*cos(b*x+a)^3,x, algorithm="maxima")`

[Out] $1/288*(24*\text{sqrt}(d*x + c)*b^2*\sin(3*((d*x + c)*b - b*c + a*d)/d)/d + 216*\text{sqrt}(d*x + c)*b^2*\sin(((d*x + c)*b - b*c + a*d)/d)/d + (- (I + 1)*9^{(1/4)}*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\cos(-3*(b*c - a*d)/d) + (I - 1)*9^{(1/4)}*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\sin(-3*(b*c - a*d)/d))*\text{erf}(\text{sqrt}(d*x + c)*\text{sqrt}(3*I*b/d)) + (- (27*I + 27)*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\cos(-(b*c - a*d)/d) + (27*I - 27)*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\sin(-(b*c - a*d)/d))*\text{erf}(\text{sqrt}(d*x + c)*\text{sqrt}(I*b/d)) + ((27*I - 27)*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\cos(-(b*c - a*d)/d) - (27*I + 27)*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\sin(-(b*c - a*d)/d))*\text{erf}(\text{sqrt}(d*x + c)*\text{sqrt}(-I*b/d)) + ((I - 1)*9^{(1/4)}*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\cos(-3*(b*c - a*d)/d) - (I + 1)*9^{(1/4)}*\text{sqrt}(2)*\text{sqrt}(pi)*b*(b^2/d^2)^{(1/4)}*\sin(-3*(b*c - a*d)/d))*\text{erf}(\text{sqrt}(d*x + c)*\text{sqrt}(-3*I*b/d)))*d/b^3$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^3 \sqrt{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^3*(c + d*x)^(1/2), x)`

[Out] `int(cos(a + b*x)^3*(c + d*x)^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{c + dx} \cos^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(1/2)*cos(b*x+a)**3, x)`

[Out] `Integral(sqrt(c + d*x)*cos(a + b*x)**3, x)`

$$3.59 \quad \int \frac{\cos^3(a+bx)}{\sqrt{c+dx}} dx$$

Optimal. Leaf size=257

$$\frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\frac{\pi}{6}} \sin\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}}$$

[Out] 1/12*cos(3*a-3*b*c/d)*FresnelC(b^(1/2)*6^(1/2)/Pi^(1/2)*(d*x+c)^(1/2)/d^(1/2))*6^(1/2)*Pi^(1/2)/b^(1/2)/d^(1/2)-1/12*FresnelS(b^(1/2)*6^(1/2)/Pi^(1/2)*(d*x+c)^(1/2)/d^(1/2))*sin(3*a-3*b*c/d)*6^(1/2)*Pi^(1/2)/b^(1/2)/d^(1/2)+3/4*cos(a-b*c/d)*FresnelC(b^(1/2)*2^(1/2)/Pi^(1/2)*(d*x+c)^(1/2)/d^(1/2))*2^(1/2)*Pi^(1/2)/b^(1/2)/d^(1/2)-3/4*FresnelS(b^(1/2)*2^(1/2)/Pi^(1/2)*(d*x+c)^(1/2)/d^(1/2))*sin(a-b*c/d)*2^(1/2)*Pi^(1/2)/b^(1/2)/d^(1/2)

Rubi [A] time = 0.42, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3312, 3306, 3305, 3351, 3304, 3352}

$$\frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} + \frac{\sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}} - \frac{\sqrt{\frac{\pi}{6}} \sin\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{2\sqrt{b}\sqrt{d}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^3/Sqrt[c + d*x], x]

[Out] (3*Sqrt[Pi/2]*Cos[a - (b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) + (Sqrt[Pi/6]*Cos[3*a - (3*b*c)/d]*FresnelC[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]])/(2*Sqrt[b]*Sqrt[d]) - (Sqrt[Pi/6]*FresnelS[(Sqrt[b]*Sqrt[6/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[3*a - (3*b*c)/d])/(2*Sqrt[b]*Sqrt[d]) - (3*Sqrt[Pi/2]*FresnelS[(Sqrt[b]*Sqrt[2/Pi]*Sqrt[c + d*x])/Sqrt[d]]*Sin[a - (b*c)/d])/(2*Sqrt[b]*Sqrt[d])

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}

, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3306

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^3(a + bx)}{\sqrt{c + dx}} dx &= \int \left(\frac{3 \cos(a + bx)}{4\sqrt{c + dx}} + \frac{\cos(3a + 3bx)}{4\sqrt{c + dx}} \right) dx \\
 &= \frac{1}{4} \int \frac{\cos(3a + 3bx)}{\sqrt{c + dx}} dx + \frac{3}{4} \int \frac{\cos(a + bx)}{\sqrt{c + dx}} dx \\
 &= \frac{1}{4} \cos\left(3a - \frac{3bc}{d}\right) \int \frac{\cos\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c + dx}} dx + \frac{1}{4} \left(3 \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\cos\left(\frac{bc}{d} + bx\right)}{\sqrt{c + dx}} dx - \frac{1}{4} \sin\left(3a - \frac{3bc}{d}\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c + dx}} dx \\
 &= \frac{\cos\left(3a - \frac{3bc}{d}\right) \text{Subst}\left(\int \cos\left(\frac{3bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{2d} + \frac{\left(3 \cos\left(a - \frac{bc}{d}\right)\right) \text{Subst}\left(\int \cos\left(\frac{bx^2}{d}\right) dx, x, \sqrt{c + dx}\right)}{2d} \\
 &= \frac{3\sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{2\sqrt{b} \sqrt{d}} + \frac{\sqrt{\frac{\pi}{6}} \cos\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{2\sqrt{b} \sqrt{d}} - \frac{\sqrt{\frac{\pi}{6}} S\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c + dx}}{\sqrt{d}}\right)}{2\sqrt{b} \sqrt{d}}
 \end{aligned}$$

Mathematica [C] time = 0.36, size = 236, normalized size = 0.92

$$\frac{ie^{-\frac{3i(ad+bc)}{d}} \left(-9e^{2i\left(2a+\frac{bc}{d}\right)} \sqrt{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, -\frac{ib(c+dx)}{d}\right) + 9e^{2ia+\frac{4ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, \frac{ib(c+dx)}{d}\right) + \sqrt{3} \left(e^{\frac{6ibc}{d}} \sqrt{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{1}{2}, \frac{3ibc}{d}\right) \right) \right)}{24b\sqrt{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/Sqrt[c + d*x], x]

[Out] ((I/24)*(-9*E^((2*I)*(2*a + (b*c)/d))*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-I)*b*(c + d*x))/d] + 9*E^((2*I)*a + ((4*I)*b*c)/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, (I*b*(c + d*x))/d] + Sqrt[3]*(-E^((6*I)*a)*Sqrt[((-I)*b*(c + d*x))/d]*Gamma[1/2, ((-3*I)*b*(c + d*x))/d] + E^(((6*I)*b*c)/d)*Sqrt[(I*b*(c + d*x))/d]*Gamma[1/2, ((3*I)*b*(c + d*x))/d]))/(b*E^(((3*I)*(b*c + a*d))/d)*Sqrt[c + d*x])

fricas [A] time = 0.64, size = 213, normalized size = 0.83

$$\frac{\sqrt{6} \pi \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) C\left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 9 \sqrt{2} \pi \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) - 9 \sqrt{2} \pi \sqrt{\frac{b}{\pi d}} \cos\left(\frac{bc-ad}{d}\right) C\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right)}{12b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(1/2), x, algorithm="fricas")

[Out] 1/12*(sqrt(6)*pi*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_cos(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d))) + 9*sqrt(2)*pi*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_cos(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) - 9*sqrt(2)*pi*sqrt(b/(pi*d))*fresnel_sin(sqrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) - sqrt(6)*pi*sqrt(b/(pi*d))*fresnel_sin(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-3*(b*c - a*d)/d))/b

giac [C] time = 0.62, size = 328, normalized size = 1.28

$$\frac{\sqrt{6} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{6} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)}{2d}\right) e^{\left(\frac{3ibc-3iad}{d}\right)} + 9 \sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)} + 9 \sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)} + \frac{9 \sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)} + \frac{9 \sqrt{2} \sqrt{\pi} d \operatorname{erf}\left(-\frac{\sqrt{2} \sqrt{bd} \sqrt{dx+c} \left(\frac{ibd}{\sqrt{b^2 d^2}}+1\right)}{2d}\right) e^{\left(\frac{ibc-iad}{d}\right)}}{\sqrt{bd} \left(-\frac{ibd}{\sqrt{b^2 d^2}}\right)} \frac{1}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(1/2), x, algorithm="giac")

[Out] $-1/24*(\sqrt{6}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((3*I*b*c-3*I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2}+1))}+9*\sqrt{2}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c}*(I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((I*b*c-I*a*d)/d)/(\sqrt{b*d}*(I*b*d/\sqrt{b^2*d^2}+1))}+9*\sqrt{2}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{2}*\sqrt{b*d}*\sqrt{d*x+c})*(-I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((-I*b*c+I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2}+1))}+\sqrt{6}*\sqrt{\pi}*d*\operatorname{erf}(-1/2*\sqrt{6}*\sqrt{b*d}*\sqrt{d*x+c})*(-I*b*d/\sqrt{b^2*d^2}+1)/d)*e^{((-3*I*b*c+3*I*a*d)/d)/(\sqrt{b*d}*(-I*b*d/\sqrt{b^2*d^2}+1))})/d$

maple [A] time = 0.06, size = 212, normalized size = 0.82

$$\frac{3\sqrt{2}\sqrt{\pi}\left(\cos\left(\frac{da-cb}{d}\right)\operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right)-\sin\left(\frac{da-cb}{d}\right)\operatorname{S}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right)\right)}{4\sqrt{\frac{b}{d}}} + \frac{\sqrt{2}\sqrt{\pi}\sqrt{3}\left(\cos\left(\frac{3da-3cb}{d}\right)\operatorname{FresnelC}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right)-\sin\left(\frac{3da-3cb}{d}\right)\operatorname{S}\left(\frac{\sqrt{2}\sqrt{3}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right)\right)}{12\sqrt{\frac{b}{d}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(b*x+a)^3/(d*x+c)^(1/2),x)`

[Out] $2/d*(3/8*2^{(1/2)}*\pi^{(1/2)}/(1/d*b)^{(1/2)}*(\cos((a*d-b*c)/d)*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin((a*d-b*c)/d)*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))+1/24*2^{(1/2)}*\pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(\cos(3*(a*d-b*c)/d)*\operatorname{FresnelC}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d)-\sin(3*(a*d-b*c)/d)*\operatorname{FresnelS}(2^{(1/2)}/\pi^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))$

maxima [C] time = 1.38, size = 375, normalized size = 1.46

$$\left(\frac{(i-1)*9^{\frac{1}{4}}\sqrt{2}\sqrt{\pi}b\left(\frac{b^2}{d^2}\right)^{\frac{1}{4}}\cos\left(-\frac{3(bc-ad)}{d}\right)}{d} + \frac{(i+1)*9^{\frac{1}{4}}\sqrt{2}\sqrt{\pi}b\left(\frac{b^2}{d^2}\right)^{\frac{1}{4}}\sin\left(-\frac{3(bc-ad)}{d}\right)}{d}\right)\operatorname{erf}\left(\sqrt{dx+c}\sqrt{\frac{3ib}{d}}\right) + \left(\frac{(9i-9)\sqrt{2}\sqrt{\pi}b\left(\frac{b^2}{d^2}\right)^{\frac{1}{4}}\cos\left(-\frac{3(bc-ad)}{d}\right)}{d} + \frac{(9i+9)\sqrt{2}\sqrt{\pi}b\left(\frac{b^2}{d^2}\right)^{\frac{1}{4}}\sin\left(-\frac{3(bc-ad)}{d}\right)}{d}\right)\operatorname{erf}\left(\sqrt{dx+c}\sqrt{\frac{3ib}{d}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)^3/(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] $-1/48*((I-1)*9^{(1/4)}*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\cos(-3*(b*c-a*d)/d)/d+(I+1)*9^{(1/4)}*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\sin(-3*(b*c-a*d)/d)/d*\operatorname{erf}(\sqrt{d*x+c}*\sqrt{3*I*b/d})+(9*I-9)*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\cos(-(b*c-a*d)/d)/d+(9*I+9)*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\sin(-(b*c-a*d)/d)/d*\operatorname{erf}(\sqrt{d*x+c}*\sqrt{I*b/d})+(-9*I+9)*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\cos(-(b*c-a*d)/d)/d+(-9*I-9)*\sqrt{2}*\sqrt{\pi}*b*(b^2/d^2)^{(1/4)}*\sin(-(b*c-a*d)/d)/d*\operatorname{erf}(\sqrt{d*x+c}*\sqrt{I*b/d})$

$9) \sqrt{2} \sqrt{\pi} b (b^2/d^2)^{1/4} \cos(-(b*c - a*d)/d)/d - (9*I - 9) \sqrt{2} \sqrt{\pi} b (b^2/d^2)^{1/4} \sin(-(b*c - a*d)/d)/d * \operatorname{erf}(\sqrt{d*x + c}) * \sqrt{-I*b/d}) + (-I + 1) * 9^{1/4} * \sqrt{2} * \sqrt{\pi} * b * (b^2/d^2)^{1/4} * \cos(-3*(b*c - a*d)/d)/d - (I - 1) * 9^{1/4} * \sqrt{2} * \sqrt{\pi} * b * (b^2/d^2)^{1/4} * \sin(-3*(b*c - a*d)/d)/d * \operatorname{erf}(\sqrt{d*x + c}) * \sqrt{-3*I*b/d})) * d/b^2$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a + bx)^3}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3/(c + d*x)^(1/2), x)

[Out] int(cos(a + b*x)^3/(c + d*x)^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^3(a + bx)}{\sqrt{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**3/(d*x+c)**(1/2), x)

[Out] Integral(cos(a + b*x)**3/sqrt(c + d*x), x)

$$3.60 \quad \int \frac{\cos^3(a+bx)}{(c+dx)^{3/2}} dx$$

Optimal. Leaf size=271

$$\frac{\sqrt{\frac{3\pi}{2}} \sqrt{b} \sin\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}}$$

[Out] $-3/2*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-3/2*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*b^{(1/2)}*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-1/2*\cos(3*a-3*b*c/d)*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-1/2*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*b^{(1/2)}*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(3/2)}-2*\cos(b*x+a)^{3/d}/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3313, 3306, 3305, 3351, 3304, 3352}

$$\frac{\sqrt{\frac{3\pi}{2}} \sqrt{b} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{b} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{3\sqrt{\frac{\pi}{2}} \sqrt{b} \cos\left(a - \frac{bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^3/(c + d*x)^(3/2), x]

[Out] $(-2*\cos[a + b*x]^3)/(d*\text{Sqrt}[c + d*x]) - (3*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\cos[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/d^{(3/2)} - (\text{Sqrt}[b]*\text{Sqrt}[(3*\text{Pi})/2]*\cos[3*a - (3*b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/d^{(3/2)} - (\text{Sqrt}[b]*\text{Sqrt}[(3*\text{Pi})/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\sin[3*a - (3*b*c)/d])/d^{(3/2)} - (3*\text{Sqrt}[b]*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\sin[a - (b*c)/d])/d^{(3/2)}$

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3305


```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(a+bx)}{(c+dx)^{3/2}} dx &= -\frac{2\cos^3(a+bx)}{d\sqrt{c+dx}} + \frac{(6b) \int \left(-\frac{\sin(a+bx)}{4\sqrt{c+dx}} - \frac{\sin(3a+3bx)}{4\sqrt{c+dx}} \right) dx}{d} \\
&= -\frac{2\cos^3(a+bx)}{d\sqrt{c+dx}} - \frac{(3b) \int \frac{\sin(a+bx)}{\sqrt{c+dx}} dx}{2d} - \frac{(3b) \int \frac{\sin(3a+3bx)}{\sqrt{c+dx}} dx}{2d} \\
&= -\frac{2\cos^3(a+bx)}{d\sqrt{c+dx}} - \frac{\left(3b \cos\left(3a - \frac{3bc}{d}\right)\right) \int \frac{\sin\left(\frac{3bc}{d} + 3bx\right)}{\sqrt{c+dx}} dx}{2d} - \frac{\left(3b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{\sqrt{c+dx}} dx}{2d} \\
&= -\frac{2\cos^3(a+bx)}{d\sqrt{c+dx}} - \frac{\left(3b \cos\left(3a - \frac{3bc}{d}\right)\right) \text{Subst}\left(\int \sin\left(\frac{3bx^2}{d}\right) dx, x, \sqrt{c+dx}\right)}{d^2} - \frac{\left(3b \cos\left(a - \frac{bc}{d}\right)\right) \int \frac{\sin\left(\frac{bc}{d} + bx\right)}{\sqrt{c+dx}} dx}{2d} \\
&= -\frac{2\cos^3(a+bx)}{d\sqrt{c+dx}} - \frac{3\sqrt{b} \sqrt{\frac{\pi}{2}} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}} - \frac{\sqrt{b} \sqrt{\frac{3\pi}{2}} \cos\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{3/2}}
\end{aligned}$$

Mathematica [A] time = 1.56, size = 299, normalized size = 1.10

$$\frac{\sqrt{6\pi} \sqrt{\frac{b}{d}} \sqrt{c+dx} \sin\left(3a - \frac{3bc}{d}\right) C\left(\sqrt{\frac{b}{d}} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}\right) + 3\sqrt{2\pi} \sqrt{\frac{b}{d}} \sqrt{c+dx} \sin\left(a - \frac{bc}{d}\right) C\left(\sqrt{\frac{b}{d}} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}\right) + \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/(c + d*x)^(3/2), x]

[Out] $-\frac{1}{2}*(3*\text{Cos}[a + b*x] + \text{Cos}[3*(a + b*x)]) + 3*\text{Sqrt}[b/d]*\text{Sqrt}[2*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{Cos}[a - (b*c)/d]*\text{FresnelS}[\text{Sqrt}[b/d]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x]] + \text{Sqrt}[b/d]*\text{Sqrt}[6*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelS}[\text{Sqrt}[b/d]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x]] + \text{Sqrt}[b/d]*\text{Sqrt}[6*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[3*a - (3*b*c)/d] + 3*\text{Sqrt}[b/d]*\text{Sqrt}[2*\text{Pi}]*\text{Sqrt}[c + d*x]*\text{FresnelC}[\text{Sqrt}[b/d]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x]]*\text{Sin}[a - (b*c)/d]/(d*\text{Sqrt}[c + d*x])$

fricas [A] time = 0.66, size = 265, normalized size = 0.98

$$\frac{\sqrt{6}(\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{3(bc-ad)}{d}\right) S\left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + 3\sqrt{2}(\pi dx + \pi c) \sqrt{\frac{b}{\pi d}} \cos\left(-\frac{bc-ad}{d}\right) S\left(\sqrt{2} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}}\right) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="fricas")

[Out] $-1/2*(\sqrt{6}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + 3*\sqrt{2}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}) + 3*\sqrt{2}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-3*(b*c - a*d)/d) + \sqrt{6}*(\pi*d*x + \pi*c)*\sqrt{b/(\pi*d)}*\text{fresnel_cos}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})*\sin(-3*(b*c - a*d)/d) + 4*\sqrt{d*x + c}*\cos(b*x + a)^3/(d^2*x + c*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^3}{(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^3/(d*x + c)^(3/2), x)

maple [A] time = 0.05, size = 286, normalized size = 1.06

$$\frac{3 \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2\sqrt{dx+c}} - \frac{3b\sqrt{2}\sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right) \right)}{2d\sqrt{\frac{b}{d}}} - \frac{\cos\left(\frac{3(dx+c)b}{d} + \frac{3da-3cb}{d}\right)}{2\sqrt{dx+c}} - \frac{b\sqrt{2}\sqrt{\pi}\sqrt{3}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^3/(d*x+c)^(3/2),x)

[Out] $2/d*(-3/4/(d*x+c)^(1/2)*\cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-3/4/d*b*2^(1/2)*\text{Pi}^(1/2)/(1/d*b)^(1/2)*(\cos((a*d-b*c)/d)*\text{FresnelS}(2^(1/2)/\text{Pi}^(1/2)/(1/d*b)^(1/2))*(d*x+c)^(1/2)*b/d)+\sin((a*d-b*c)/d)*\text{FresnelC}(2^(1/2)/\text{Pi}^(1/2)/(1/d*b)^(1/2))*(d*x+c)^(1/2)*b/d))-1/4/(d*x+c)^(1/2)*\cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/4/d*b*2^(1/2)*\text{Pi}^(1/2)*3^(1/2)/(1/d*b)^(1/2)*(\cos(3*(a*d-b*c)/d)*\text{FresnelS}(2^(1/2)/\text{Pi}^(1/2)*3^(1/2)/(1/d*b)^(1/2))*(d*x+c)^(1/2)*b/d)+\sin(3*(a*d-b*c)/d)*\text{FresnelC}(2^(1/2)/\text{Pi}^(1/2)*3^(1/2)/(1/d*b)^(1/2))*(d*x+c)^(1/2)*b/d))$

maxima [C] time = 1.98, size = 252, normalized size = 0.93

$$\frac{\sqrt{3} \left(\left(-(i+1) \sqrt{2} \Gamma\left(-\frac{1}{2}, \frac{3i(dx+c)b}{d}\right) + (i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, -\frac{3i(dx+c)b}{d}\right) \right) \cos\left(-\frac{3(bc-ad)}{d}\right) + \left((i-1) \sqrt{2} \Gamma\left(-\frac{1}{2}, \frac{3i(dx+c)b}{d}\right) \right) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/16*(sqrt(3)*((-I + 1)*sqrt(2)*gamma(-1/2, 3*I*(d*x + c)*b/d) + (I - 1)*sqrt(2)*gamma(-1/2, -3*I*(d*x + c)*b/d))*cos(-3*(b*c - a*d)/d) + ((I - 1)*sqrt(2)*gamma(-1/2, 3*I*(d*x + c)*b/d) - (I + 1)*sqrt(2)*gamma(-1/2, -3*I*(d*x + c)*b/d))*sin(-3*(b*c - a*d)/d)*sqrt((d*x + c)*b/d) + ((-3*I + 3)*sqrt(2)*gamma(-1/2, I*(d*x + c)*b/d) + (3*I - 3)*sqrt(2)*gamma(-1/2, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) + ((3*I - 3)*sqrt(2)*gamma(-1/2, I*(d*x + c)*b/d) - (3*I + 3)*sqrt(2)*gamma(-1/2, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d)*sqrt((d*x + c)*b/d)/(sqrt(d*x + c)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a + bx)^3}{(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^3/(c + d*x)^(3/2),x)

[Out] int(cos(a + b*x)^3/(c + d*x)^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^3(a + bx)}{(c + dx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**3/(d*x+c)**(3/2),x)

[Out] Integral(cos(a + b*x)**3/(c + d*x)**(3/2), x)

3.61 $\int \frac{\cos^3(a+bx)}{(c+dx)^{5/2}} dx$

Optimal. Leaf size=292

$$\frac{\sqrt{2\pi} b^{3/2} \cos\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{2}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{6\pi} b^{3/2} \cos\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{\sqrt{6\pi} b^{3/2} \sin\left(3a - \frac{3bc}{d}\right) S\left(\frac{\sqrt{b} \sqrt{\frac{6}{\pi}} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}}$$

[Out] $-2/3*\cos(b*x+a)^3/d/(d*x+c)^{(3/2)}-b^{(3/2)}*\cos(a-b*c/d)*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}+b^{(3/2)}*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}-b^{(3/2)}*\cos(3*a-3*b*c/d)*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}+b^{(3/2)}*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(5/2)}+4*b*\cos(b*x+a)^2*\sin(b*x+a)/d^2/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.74, antiderivative size = 292, normalized size of antiderivative = 1.00, number of steps used = 18, number of rules used = 7, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.389$, Rules used = {3314, 3306, 3305, 3351, 3304, 3352, 3312}

$$\frac{\sqrt{2\pi} b^{3/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{\sqrt{6\pi} b^{3/2} \cos\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} + \frac{\sqrt{6\pi} b^{3/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{6}{\pi}} \sqrt{b} \sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[\text{Cos}[a + b*x]^3/(c + d*x)^{(5/2)}, x]$

[Out] $(-2*\text{Cos}[a + b*x]^3)/(3*d*(c + d*x)^{(3/2)}) - (b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\text{Cos}[a - (b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/d^{(5/2)} - (b^{(3/2)}*\text{Sqrt}[6*\text{Pi}]*\text{Cos}[3*a - (3*b*c)/d]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/d^{(5/2)} + (b^{(3/2)}*\text{Sqrt}[6*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[3*a - (3*b*c)/d])/d^{(5/2)} + (b^{(3/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\text{Sin}[a - (b*c)/d])/d^{(5/2)} + (4*b*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x])/(d^2*\text{Sqrt}[c + d*x])$

Rule 3304

$\text{Int}[\sin[\text{Pi}/2 + (e_.) + (f_.)*(x_.)]/\text{Sqrt}[(c_.) + (d_.)*(x_.)], x_Symbol] := \text{Dist}[2/d, \text{Subst}[\text{Int}[\text{Cos}[(f*x^2)/d], x], x, \text{Sqrt}[c + d*x]], x] /;$ $\text{FreeQ}\{\{c, d, e, f\}, x\} \ \&\& \ \text{ComplexFreeQ}[f] \ \&\& \ \text{EqQ}[d*e - c*f, 0]$

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos
[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d
*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d,
e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := In
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbo
l] := Simp[((c + d*x)^(m + 1)*(b*Sine[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(
b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sine[e +
f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)
^(m + 2)*(b*Sine[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e +
f*x]*(b*Sine[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c,
d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*Fresne
lC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(a+bx)}{(c+dx)^{5/2}} dx &= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\cos^2(a+bx)\sin(a+bx)}{d^2\sqrt{c+dx}} + \frac{(8b^2)\int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{d^2} - \frac{(12b^2)\int \frac{\cos^3(a+bx)}{\sqrt{c+dx}} dx}{d^2} \\
&= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\cos^2(a+bx)\sin(a+bx)}{d^2\sqrt{c+dx}} - \frac{(12b^2)\int \left(\frac{3\cos(a+bx)}{4\sqrt{c+dx}} + \frac{\cos(3a+3bx)}{4\sqrt{c+dx}}\right) dx}{d^2} + \\
&= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{4b\cos^2(a+bx)\sin(a+bx)}{d^2\sqrt{c+dx}} - \frac{(3b^2)\int \frac{\cos(3a+3bx)}{\sqrt{c+dx}} dx}{d^2} - \frac{(9b^2)\int \frac{\cos(a+bx)}{\sqrt{c+dx}} dx}{d^2} \\
&= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b^{3/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{8b^{3/2}\sqrt{2\pi}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} \\
&= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} + \frac{8b^{3/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{8b^{3/2}\sqrt{2\pi}S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} \\
&= -\frac{2\cos^3(a+bx)}{3d(c+dx)^{3/2}} - \frac{b^{3/2}\sqrt{2\pi}\cos\left(a-\frac{bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}} - \frac{b^{3/2}\sqrt{6\pi}\cos\left(3a-\frac{3bc}{d}\right)C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{d^{5/2}}
\end{aligned}$$

Mathematica [C] time = 2.01, size = 268, normalized size = 0.92

$$\frac{-3de^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2},-\frac{ib(c+dx)}{d}\right)-3de^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2},\frac{ib(c+dx)}{d}\right)-3\sqrt{3}de^{3i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{3/2}\Gamma\left(\frac{1}{2},-\frac{ib(c+dx)}{d}\right)}{6d^2(c+dx)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^3/(c + d*x)^(5/2), x]

[Out] $(-4*d*\text{Cos}[a + b*x]^3 - 3*d*E^{(I*(a - (b*c)/d))*((-I)*b*(c + d*x))/d}^{(3/2)} * \text{Gamma}[1/2, ((-I)*b*(c + d*x))/d] - (3*d*((I*b*(c + d*x))/d)^{(3/2)} * \text{Gamma}[1/2, (I*b*(c + d*x))/d])/E^{(I*(a - (b*c)/d))} - 3*\text{Sqrt}[3]*d*E^{((3*I)*(a - (b*c)/d))*((-I)*b*(c + d*x))/d}^{(3/2)} * \text{Gamma}[1/2, ((-3*I)*b*(c + d*x))/d] - (3*\text{Sqrt}[3]*d*((I*b*(c + d*x))/d)^{(3/2)} * \text{Gamma}[1/2, ((3*I)*b*(c + d*x))/d])/E^{((3*I)*(a - (b*c)/d))} + 24*b*(c + d*x)*\text{Cos}[a + b*x]^2*\text{Sin}[a + b*x]/(6*d^2*(c + d*x)^{(3/2)})$

fricas [A] time = 0.75, size = 367, normalized size = 1.26

$$3\sqrt{6}\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)\sqrt{\frac{b}{\pi d}}\cos\left(-\frac{3(bc-ad)}{d}\right)C\left(\sqrt{6}\sqrt{dx+c}\sqrt{\frac{b}{\pi d}}\right) + 3\sqrt{2}\left(\pi b d^2 x^2 + 2\pi b c d x + \pi b c^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="fricas")

[Out]
$$-1/3*(3*\sqrt{6}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\cos(-3*(b*c - a*d)/d)*\text{fresnel_cos}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})) + 3*\sqrt{2}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\cos(-(b*c - a*d)/d)*\text{fresnel_cos}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)})) - 3*\sqrt{2}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{2}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}))*\sin(-(b*c - a*d)/d) - 3*\sqrt{6}*(\pi*b*d^2*x^2 + 2*\pi*b*c*d*x + \pi*b*c^2)*\sqrt{b/(\pi*d)}*\text{fresnel_sin}(\sqrt{6}*\sqrt{d*x + c}*\sqrt{b/(\pi*d)}))*\sin(-3*(b*c - a*d)/d) + 2*(d*\cos(b*x + a)^3 - 6*(b*d*x + b*c)*\cos(b*x + a)^2*\sin(b*x + a)*\sqrt{d*x + c})/(d^4*x^2 + 2*c*d^3*x + c^2*d^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx+a)^3}{(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^3/(d*x + c)^(5/2), x)

maple [A] time = 0.05, size = 368, normalized size = 1.26

$$\frac{\cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{2(dx+c)^{\frac{3}{2}}} - \frac{b\sqrt{2}\sqrt{\pi}\left(\cos\left(\frac{da-cb}{d}\right)\text{FresnelC}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right) - \sin\left(\frac{da-cb}{d}\right)\text{S}\left(\frac{\sqrt{2}\sqrt{dx+c}b}{\sqrt{\pi}\sqrt{\frac{b}{d}d}}\right)\right)}{d\sqrt{\frac{b}{d}}} - \frac{\cos\left(\frac{3(dx+c)b}{d} + \frac{3da-3cb}{d}\right)}{6(dx+c)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^3/(d*x+c)^(5/2),x)


```
[Out] 2/d*(-1/4/(d*x+c)^(3/2)*cos(1/d*(d*x+c)*b+(a*d-b*c)/d)-1/2/d*b*(-1/(d*x+c)^(1/2)*sin(1/d*(d*x+c)*b+(a*d-b*c)/d)+1/d*b*2^(1/2)*Pi^(1/2)/(1/d*b)^(1/2)*(cos((a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)-sin((a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)))-1/12/(d*x+c)^(3/2)*cos(3/d*(d*x+c)*b+3*(a*d-b*c)/d)-1/2/d*b*(-1/(d*x+c)^(1/2)*sin(3/d*(d*x+c)*b+3*(a*d-b*c)/d)+1/d*b*2^(1/2)*Pi^(1/2)*3^(1/2)/(1/d*b)^(1/2)*(cos(3*(a*d-b*c)/d)*FresnelC(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)-sin(3*(a*d-b*c)/d)*FresnelS(2^(1/2)/Pi^(1/2)*3^(1/2)/(1/d*b)^(1/2)*(d*x+c)^(1/2)*b/d)))))
```

maxima [C] time = 2.02, size = 253, normalized size = 0.87

$$\frac{3\sqrt{3}\left(\left((i-1)\sqrt{2}\Gamma\left(-\frac{3}{2}, \frac{3i(dx+c)b}{d}\right) - (i+1)\sqrt{2}\Gamma\left(-\frac{3}{2}, -\frac{3i(dx+c)b}{d}\right)\right)\cos\left(-\frac{3(bc-ad)}{d}\right) + \left((i+1)\sqrt{2}\Gamma\left(-\frac{3}{2}, \frac{3i(dx+c)b}{d}\right) - (i-1)\sqrt{2}\Gamma\left(-\frac{3}{2}, -\frac{3i(dx+c)b}{d}\right)\right)\sin\left(-\frac{3(bc-ad)}{d}\right)\right)}{(d*x+c)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)^3/(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] -1/16*(3*sqrt(3)*(((I - 1)*sqrt(2)*gamma(-3/2, 3*I*(d*x + c)*b/d) - (I + 1)*sqrt(2)*gamma(-3/2, -3*I*(d*x + c)*b/d))*cos(-3*(b*c - a*d)/d) + ((I + 1)*sqrt(2)*gamma(-3/2, 3*I*(d*x + c)*b/d) - (I - 1)*sqrt(2)*gamma(-3/2, -3*I*(d*x + c)*b/d))*sin(-3*(b*c - a*d)/d))*((d*x + c)*b/d)^(3/2) + (((3*I - 3)*sqrt(2)*gamma(-3/2, I*(d*x + c)*b/d) - (3*I + 3)*sqrt(2)*gamma(-3/2, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) + ((3*I + 3)*sqrt(2)*gamma(-3/2, I*(d*x + c)*b/d) - (3*I - 3)*sqrt(2)*gamma(-3/2, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d))*((d*x + c)*b/d)^(3/2))/((d*x + c)^(3/2)*d)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a + bx)^3}{(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(a + b*x)^3/(c + d*x)^(5/2),x)
```

```
[Out] int(cos(a + b*x)^3/(c + d*x)^(5/2), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^3(a + bx)}{(c + dx)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)**3/(d*x+c)**(5/2),x)
```

```
[Out] Integral(cos(a + b*x)**3/(c + d*x)**(5/2), x)
```

3.62 $\int \frac{\cos^3(a+bx)}{(c+dx)^{7/2}} dx$

Optimal. Leaf size=356

$$\frac{6\sqrt{6\pi} b^{5/2} \sin\left(3a - \frac{3bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{6}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{2\sqrt{2\pi} b^{5/2} \sin\left(a - \frac{bc}{d}\right) C\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{2\sqrt{2\pi} b^{5/2} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}\sqrt{\frac{2}{\pi}}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}}$$

[Out] $-2/5*\cos(b*x+a)^3/d/(d*x+c)^{(5/2)}+4/5*b*\cos(b*x+a)^2*\sin(b*x+a)/d^2/(d*x+c)^{(3/2)}+2/5*b^{(5/2)}*\cos(a-b*c/d)*\text{FresnelS}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}+2/5*b^{(5/2)}*\text{FresnelC}(b^{(1/2)}*2^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(a-b*c/d)*2^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}+6/5*b^{(5/2)}*\cos(3*a-3*b*c/d)*\text{FresnelS}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}+6/5*b^{(5/2)}*\text{FresnelC}(b^{(1/2)}*6^{(1/2)}/\text{Pi}^{(1/2)}*(d*x+c)^{(1/2)}/d^{(1/2)})*\sin(3*a-3*b*c/d)*6^{(1/2)}*\text{Pi}^{(1/2)}/d^{(7/2)}-16/5*b^2*\cos(b*x+a)/d^3/(d*x+c)^{(1/2)}+24/5*b^2*\cos(b*x+a)^3/d^3/(d*x+c)^{(1/2)}$

Rubi [A] time = 0.83, antiderivative size = 356, normalized size of antiderivative = 1.00, number of steps used = 19, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3314, 3297, 3306, 3305, 3351, 3304, 3352, 3313}

$$\frac{6\sqrt{6\pi} b^{5/2} \sin\left(3a - \frac{3bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{6}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{2\sqrt{2\pi} b^{5/2} \sin\left(a - \frac{bc}{d}\right) \text{FresnelC}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}} + \frac{2\sqrt{2\pi} b^{5/2} \cos\left(a - \frac{bc}{d}\right) \text{FresnelS}\left(\frac{\sqrt{\frac{2}{\pi}}\sqrt{b}\sqrt{c+dx}}{\sqrt{d}}\right)}{5d^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^3/(c + d*x)^(7/2), x]

[Out] $(-16*b^2*\cos[a + b*x])/(5*d^3*\text{Sqrt}[c + d*x]) - (2*\cos[a + b*x]^3)/(5*d*(c + d*x)^{(5/2)}) + (24*b^2*\cos[a + b*x]^3)/(5*d^3*\text{Sqrt}[c + d*x]) + (2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\cos[a - (b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(5*d^{(7/2)}) + (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\cos[3*a - (3*b*c)/d]*\text{FresnelS}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])])/(5*d^{(7/2)}) + (6*b^{(5/2)}*\text{Sqrt}[6*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[6/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\sin[3*a - (3*b*c)/d])/(5*d^{(7/2)}) + (2*b^{(5/2)}*\text{Sqrt}[2*\text{Pi}]*\text{FresnelC}[(\text{Sqrt}[b]*\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[c + d*x])/(\text{Sqrt}[d])]*\sin[a - (b*c)/d])/(5*d^{(7/2)}) + (4*b*\cos[a + b*x]^2*\sin[a + b*x])/(5*d^2*(c + d*x)^{(3/2)})$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3304

```
Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3305

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]
```

Rule 3306

```
Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/Sqrt[c + d*x], x], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && NeQ[d*e - c*f, 0]
```

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]
```

Rule 3314

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)]^(n_)), x_Symbol] := Simp[((c + d*x)^(m + 1)*(b*Sin[e + f*x])^n)/(d*(m + 1)), x] + (Dist[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^(n - 2), x], x] - Dist[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), Int[(c + d*x)^(m + 2)*(b*Sin[e + f*x])^n, x], x] - Simp[(b*f*n*(c + d*x)^(m + 2)*Cos[e + f*x]*(b*Sin[e + f*x])^(n - 1))/(d^2*(m + 1)*(m + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && LtQ[m, -2]
```

Rule 3351

```
Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rule 3352

```
Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(a+bx)}{(c+dx)^{7/2}} dx &= -\frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{4b \cos^2(a+bx) \sin(a+bx)}{5d^2(c+dx)^{3/2}} + \frac{(8b^2) \int \frac{\cos(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} - \frac{(12b^2) \int \frac{\cos^3(a+bx)}{(c+dx)^{3/2}} dx}{5d^2} \\ &= -\frac{16b^2 \cos(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \cos^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{4b \cos^2(a+bx) \sin(a+bx)}{5d^2(c+dx)^{3/2}} \\ &= -\frac{16b^2 \cos(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \cos^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{4b \cos^2(a+bx) \sin(a+bx)}{5d^2(c+dx)^{3/2}} \\ &= -\frac{16b^2 \cos(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \cos^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{4b \cos^2(a+bx) \sin(a+bx)}{5d^2(c+dx)^{3/2}} \\ &= -\frac{16b^2 \cos(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \cos^3(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{16b^{5/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}}{d}\right)}{5d^{7/2}} \\ &= -\frac{16b^2 \cos(a+bx)}{5d^3 \sqrt{c+dx}} - \frac{2 \cos^3(a+bx)}{5d(c+dx)^{5/2}} + \frac{24b^2 \cos^3(a+bx)}{5d^3 \sqrt{c+dx}} + \frac{2b^{5/2} \sqrt{2\pi} \cos\left(a - \frac{bc}{d}\right) S\left(\frac{\sqrt{b}}{d}\right)}{5d^{7/2}} \end{aligned}$$

Mathematica [B] time = 6.31, size = 1429, normalized size = 4.01

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[Cos[a + b*x]^3/(c + d*x)^(7/2), x]
```

```
[Out] (3*(-(Sin[a]*((2*(b/d)^(5/2)*Sin[(b*c)/d]*(Cos[(b*(c + d*x))/d])/((b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x])) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]])) + Sin[(b*(c + d*x))/d])/((b/d)^(3/2)*(c + d*x)^(3/2))))/3)/(5*d) - (2*(b/d)^(5/2)*Cos[(b*c)/d]*(Sin[(b*(c + d*x))/d])/((b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(Cos[(b*(c + d*x))/d])/((b/d)^(5/2)*(c + d*x)^(5/2))))/3)/(5*d)
```

```

*x))/d)/((b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*
Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqrt[c + d*x]
))/3)/(5*d))) + Cos[a]*((-2*(b/d)^(5/2)*Cos[(b*c)/d]*(Cos[(b*(c + d*x))/d
]/((b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(b*(c + d*x))/d]/(Sqrt[b/d]*Sqr
rt[c + d*x])) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + S
in[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d) - (2*(b/d)^(5
/2)*Sin[(b*c)/d]*(Sin[(b*(c + d*x))/d]/((b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(
Cos[(b*(c + d*x))/d]/((b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*Fresne
lC[Sqrt[b/d]*Sqrt[2/Pi]*Sqrt[c + d*x]]) + Sin[(b*(c + d*x))/d]/(Sqrt[b/d]*S
qrt[c + d*x]))))/3))/(5*d))))/4 + (-Sin[3*a]*((18*Sqrt[3]*(b/d)^(5/2)*Sin[
(3*b*c)/d]*(Cos[(3*b*(c + d*x))/d]/(9*Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(5/2))
- (2*(2*(Cos[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*x])) + Sqrt[2*
Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]) + Sin[(3*b*(c + d*x))/d]/
(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))))/3))/(5*d) - (18*Sqrt[3]*(b/d)^(5/
2)*Cos[(3*b*c)/d]*(Sin[(3*b*(c + d*x))/d]/(9*Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(
5/2)) + (2*(Cos[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))
- 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*x]]) + Sin[(3*b
*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*x]))))/3))/(5*d))) + Cos[3*a]*
((-18*Sqrt[3]*(b/d)^(5/2)*Cos[(3*b*c)/d]*(Cos[(3*b*(c + d*x))/d]/(9*Sqrt[3]
*(b/d)^(5/2)*(c + d*x)^(5/2)) - (2*(2*(Cos[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt
[b/d]*Sqrt[c + d*x])) + Sqrt[2*Pi]*FresnelS[Sqrt[b/d]*Sqrt[6/Pi]*Sqrt[c + d*
x]]) + Sin[(3*b*(c + d*x))/d]/(3*Sqrt[3]*(b/d)^(3/2)*(c + d*x)^(3/2))))/3))
/(5*d) - (18*Sqrt[3]*(b/d)^(5/2)*Sin[(3*b*c)/d]*(Sin[(3*b*(c + d*x))/d]/(9*
Sqrt[3]*(b/d)^(5/2)*(c + d*x)^(5/2)) + (2*(Cos[(3*b*(c + d*x))/d]/(3*Sqrt[3
]*(b/d)^(3/2)*(c + d*x)^(3/2)) - 2*(-(Sqrt[2*Pi]*FresnelC[Sqrt[b/d]*Sqrt[6/
Pi]*Sqrt[c + d*x])) + Sin[(3*b*(c + d*x))/d]/(Sqrt[3]*Sqrt[b/d]*Sqrt[c + d*
x]))))/3))/(5*d))))/4

```

fricas [A] time = 0.68, size = 528, normalized size = 1.48

$$2 \left(3 \sqrt{6} \left(\pi b^2 d^3 x^3 + 3 \pi b^2 c d^2 x^2 + 3 \pi b^2 c^2 d x + \pi b^2 c^3 \right) \sqrt{\frac{b}{\pi d}} \cos \left(-\frac{3(bc-ad)}{d} \right) S \left(\sqrt{6} \sqrt{dx+c} \sqrt{\frac{b}{\pi d}} \right) + \sqrt{2} \left(\pi b^2 d^3 x^3 + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)^3/(d*x+c)^(7/2),x, algorithm="fricas")
```

```

[Out] 2/5*(3*sqrt(6)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi
*b^2*c^3)*sqrt(b/(pi*d))*cos(-3*(b*c - a*d)/d)*fresnel_sin(sqrt(6)*sqrt(d*x
+ c)*sqrt(b/(pi*d))) + sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi
*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*cos(-(b*c - a*d)/d)*fresnel_sin(s
qrt(2)*sqrt(d*x + c)*sqrt(b/(pi*d))) + sqrt(2)*(pi*b^2*d^3*x^3 + 3*pi*b^2*c
*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*fresnel_cos(sqrt(2
)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-(b*c - a*d)/d) + 3*sqrt(6)*(pi*b^2*d^3
*x^3 + 3*pi*b^2*c*d^2*x^2 + 3*pi*b^2*c^2*d*x + pi*b^2*c^3)*sqrt(b/(pi*d))*f

```

```
resnel_cos(sqrt(6)*sqrt(d*x + c)*sqrt(b/(pi*d)))*sin(-3*(b*c - a*d)/d) + ((
12*b^2*d^2*x^2 + 24*b^2*c*d*x + 12*b^2*c^2 - d^2)*cos(b*x + a)^3 + 2*(b*d^2
*x + b*c*d)*cos(b*x + a)^2*sin(b*x + a) - 8*(b^2*d^2*x^2 + 2*b^2*c*d*x + b^
2*c^2)*cos(b*x + a))*sqrt(d*x + c))/(d^6*x^3 + 3*c*d^5*x^2 + 3*c^2*d^4*x +
c^3*d^3)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^3}{(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(7/2),x, algorithm="giac")

[Out] integrate(cos(b*x + a)^3/(d*x + c)^(7/2), x)

maple [A] time = 0.05, size = 450, normalized size = 1.26

$$\frac{3 \cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{10(dx+c)^{\frac{5}{2}}} + \frac{3b \left(\frac{\sin\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{3(dx+c)^{\frac{3}{2}}} + \frac{2b \left(\frac{\cos\left(\frac{(dx+c)b}{d} + \frac{da-cb}{d}\right)}{\sqrt{dx+c}} - \frac{b \sqrt{2} \sqrt{\pi} \left(\cos\left(\frac{da-cb}{d}\right) S\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right) + \sin\left(\frac{da-cb}{d}\right) \text{FresnelC}\left(\frac{\sqrt{2} \sqrt{dx+c} b}{\sqrt{\pi} \sqrt{\frac{b}{d} d}\right)}\right)}{d \sqrt{\frac{b}{d}}}\right)}{3d} \right)}{5d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^3/(d*x+c)^(7/2),x)

[Out] $2/d * (-3/20 / (d*x+c)^{(5/2)} * \cos(1/d * (d*x+c) * b + (a*d - b*c) / d) - 3/10 / d * b * (-1/3 / (d*x+c)^{(3/2)} * \sin(1/d * (d*x+c) * b + (a*d - b*c) / d) + 2/3 / d * b * (-1 / (d*x+c)^{(1/2)} * \cos(1/d * (d*x+c) * b + (a*d - b*c) / d) - 1/d * b * 2^{(1/2)} * \text{Pi}^{(1/2)} / (1/d * b)^{(1/2)} * (\cos((a*d - b*c) / d) * \text{FresnelS}(2^{(1/2)} / \text{Pi}^{(1/2)} / (1/d * b)^{(1/2)} * (d*x+c)^{(1/2)} * b / d) + \sin((a*d - b*c) / d) * \text{FresnelC}(2^{(1/2)} / \text{Pi}^{(1/2)} / (1/d * b)^{(1/2)} * (d*x+c)^{(1/2)} * b / d))) - 1/20 / (d*x+c)^{(5/2)} * \cos(3/d * (d*x+c) * b + 3 * (a*d - b*c) / d) - 3/10 / d * b * (-1/3 / (d*x+c)^{(3/2)} * \sin(3/d * (d*x+c) * b + 3 * (a*d - b*c) / d) + 2/d * b * (-1 / (d*x+c)^{(1/2)} * \cos(3/d * (d*x+c) * b + 3 * (a*d - b*c) / d) - 1/d * b * 2^{(1/2)} * \text{Pi}^{(1/2)} * 3^{(1/2)} / (1/d * b)^{(1/2)} * (\cos(3 * (a*d - b*c) / d) * \text{FresnelS}(2^{(1/2)} / \text{Pi}^{(1/2)} * 3^{(1/2)} / (1/d * b)^{(1/2)} * (d*x+c)^{(1/2)} * b / d) + \sin(3 *$

$(a*d-b*c)/d)*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*3^{(1/2)}/(1/d*b)^{(1/2)}*(d*x+c)^{(1/2)}*b/d))))$

maxima [C] time = 2.09, size = 253, normalized size = 0.71

$$\frac{9\sqrt{3}\left(\left(-i+1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},\frac{3i(dx+c)b}{d}\right)+\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},-\frac{3i(dx+c)b}{d}\right)\right)\cos\left(-\frac{3(bc-ad)}{d}\right)+\left(i-1\right)\sqrt{2}\Gamma\left(-\frac{5}{2},\frac{3i(dx+c)b}{d}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^3/(d*x+c)^(7/2),x, algorithm="maxima")

[Out] $-1/16*(9*\text{sqrt}(3)*((-I+1)*\text{sqrt}(2)*\text{gamma}(-5/2,3*I*(d*x+c)*b/d)+(I-1)*\text{sqrt}(2)*\text{gamma}(-5/2,-3*I*(d*x+c)*b/d))*\cos(-3*(b*c-a*d)/d)+((I-1)*\text{sqrt}(2)*\text{gamma}(-5/2,3*I*(d*x+c)*b/d)-(I+1)*\text{sqrt}(2)*\text{gamma}(-5/2,-3*I*(d*x+c)*b/d))*\sin(-3*(b*c-a*d)/d)*((d*x+c)*b/d)^{(5/2)}+((-3*I+3)*\text{sqrt}(2)*\text{gamma}(-5/2,I*(d*x+c)*b/d)+(3*I-3)*\text{sqrt}(2)*\text{gamma}(-5/2,-I*(d*x+c)*b/d))*\cos(-(b*c-a*d)/d)+((3*I-3)*\text{sqrt}(2)*\text{gamma}(-5/2,I*(d*x+c)*b/d)-(3*I+3)*\text{sqrt}(2)*\text{gamma}(-5/2,-I*(d*x+c)*b/d))*\sin(-(b*c-a*d)/d))*((d*x+c)*b/d)^{(5/2)}/((d*x+c)^{(5/2)}*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{\cos(a+bx)^3}{(c+dx)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a+b*x)^3/(c+d*x)^(7/2),x)

[Out] int(cos(a+b*x)^3/(c+d*x)^(7/2),x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**3/(d*x+c)**(7/2),x)

[Out] Timed out

3.63 $\int x^{3/2} \cos(x) dx$

Optimal. Leaf size=49

$$-\frac{3}{2}\sqrt{\frac{\pi}{2}} C\left(\sqrt{\frac{2}{\pi}}\sqrt{x}\right) + x^{3/2} \sin(x) + \frac{3}{2}\sqrt{x} \cos(x)$$

[Out] $x^{(3/2)}*\sin(x)-3/4*\text{FresnelC}(2^{(1/2)}/\text{Pi}^{(1/2)}*x^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}+3/2*x^{(1/2)}*\cos(x)$

Rubi [A] time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3304, 3352}

$$-\frac{3}{2}\sqrt{\frac{\pi}{2}} \text{FresnelC}\left(\sqrt{\frac{2}{\pi}}\sqrt{x}\right) + x^{3/2} \sin(x) + \frac{3}{2}\sqrt{x} \cos(x)$$

Antiderivative was successfully verified.

[In] Int[x^(3/2)*Cos[x], x]

[Out] $(3*\text{Sqrt}[x]*\text{Cos}[x])/2 - (3*\text{Sqrt}[\text{Pi}/2]*\text{FresnelC}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[x]])/2 + x^{(3/2)}*\text{Sin}[x]$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int x^{3/2} \cos(x) dx &= x^{3/2} \sin(x) - \frac{3}{2} \int \sqrt{x} \sin(x) dx \\
&= \frac{3}{2} \sqrt{x} \cos(x) + x^{3/2} \sin(x) - \frac{3}{4} \int \frac{\cos(x)}{\sqrt{x}} dx \\
&= \frac{3}{2} \sqrt{x} \cos(x) + x^{3/2} \sin(x) - \frac{3}{2} \text{Subst} \left(\int \cos(x^2) dx, x, \sqrt{x} \right) \\
&= \frac{3}{2} \sqrt{x} \cos(x) - \frac{3}{2} \sqrt{\frac{\pi}{2}} C \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right) + x^{3/2} \sin(x)
\end{aligned}$$

Mathematica [C] time = 0.01, size = 55, normalized size = 1.12

$$\frac{\sqrt{x} \Gamma\left(\frac{5}{2}, -ix\right)}{2\sqrt{-ix}} + \frac{\sqrt{x} \Gamma\left(\frac{5}{2}, ix\right)}{2\sqrt{ix}}$$

Antiderivative was successfully verified.

[In] Integrate[x^(3/2)*Cos[x], x]

[Out] (Sqrt[x]*Gamma[5/2, (-I)*x])/(2*Sqrt[(-I)*x]) + (Sqrt[x]*Gamma[5/2, I*x])/(2*Sqrt[I*x])

fricas [A] time = 0.89, size = 35, normalized size = 0.71

$$-\frac{3}{4} \sqrt{2} \sqrt{\pi} C \left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}} \right) + \frac{1}{2} (2x \sin(x) + 3 \cos(x)) \sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3/2)*cos(x), x, algorithm="fricas")

[Out] -3/4*sqrt(2)*sqrt(pi)*fresnel_cos(sqrt(2)*sqrt(x)/sqrt(pi)) + 1/2*(2*x*sin(x) + 3*cos(x))*sqrt(x)

giac [C] time = 0.49, size = 69, normalized size = 1.41

$$\left(\frac{3}{16}i + \frac{3}{16}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf} \left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{x} \right) - \left(\frac{3}{16}i - \frac{3}{16}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf} \left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{x} \right) - \frac{1}{4} (2ix^{\frac{3}{2}} - 3\sqrt{x}) e^{ix}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3/2)*cos(x), x, algorithm="giac")

[Out] $(3/16*I + 3/16)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*\sqrt{x}) - (3/16*I - 3/16)*\sqrt{2}*\sqrt{\pi}*\operatorname{erf}(-(1/2*I + 1/2)*\sqrt{2}*\sqrt{x}) - 1/4*(2*I*x^{3/2} - 3*\sqrt{x})*e^{I*x} - 1/4*(-2*I*x^{3/2} - 3*\sqrt{x})*e^{-I*x}$

maple [A] time = 0.04, size = 34, normalized size = 0.69

$$x^{\frac{3}{2}} \sin(x) - \frac{3 \operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\pi}}{4} + \frac{3\sqrt{x} \cos(x)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^{3/2}*\cos(x), x)$

[Out] $x^{3/2}*\sin(x) - 3/4*\operatorname{FresnelC}(2^{1/2}/\pi^{1/2}*x^{1/2})*2^{1/2}*\pi^{1/2} + 3/2*x^{1/2}*\cos(x)$

maxima [C] time = 1.33, size = 74, normalized size = 1.51

$$x^{\frac{3}{2}} \sin(x) + \frac{1}{32} \sqrt{\pi} \left((3i - 3) \sqrt{2} \operatorname{erf}\left(\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) + (3i + 3) \sqrt{2} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) - (3i + 3) \sqrt{2} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{integrate}(x^{3/2}*\cos(x), x, \text{algorithm}="maxima")$

[Out] $x^{3/2}*\sin(x) + 1/32*\sqrt{\pi}*((3*I - 3)*\sqrt{2}*\operatorname{erf}((1/2*I + 1/2)*\sqrt{2}*\sqrt{x}) + (3*I + 3)*\sqrt{2}*\operatorname{erf}((1/2*I - 1/2)*\sqrt{2}*\sqrt{x}) - (3*I + 3)*\sqrt{2}*\operatorname{erf}(\sqrt{-I}*\sqrt{x}) + (3*I - 3)*\sqrt{2}*\operatorname{erf}((-1)^{1/4}*\sqrt{x})) + 3/2*\sqrt{x}*\cos(x)$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x^{3/2} \cos(x) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] $\operatorname{int}(x^{3/2}*\cos(x), x)$

[Out] $\operatorname{int}(x^{3/2}*\cos(x), x)$

sympy [A] time = 4.78, size = 83, normalized size = 1.69

$$\frac{5x^{\frac{3}{2}} \sin(x) \Gamma\left(\frac{5}{4}\right)}{4\Gamma\left(\frac{9}{4}\right)} + \frac{15\sqrt{x} \cos(x) \Gamma\left(\frac{5}{4}\right)}{8\Gamma\left(\frac{9}{4}\right)} - \frac{15\sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}}\right) \Gamma\left(\frac{5}{4}\right)}{16\Gamma\left(\frac{9}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(3/2)*cos(x),x)
```

```
[Out] 5*x**(3/2)*sin(x)*gamma(5/4)/(4*gamma(9/4)) + 15*sqrt(x)*cos(x)*gamma(5/4)/
(8*gamma(9/4)) - 15*sqrt(2)*sqrt(pi)*fresnelc(sqrt(2)*sqrt(x)/sqrt(pi))*gam
ma(5/4)/(16*gamma(9/4))
```

3.64 $\int \sqrt{x} \cos(x) dx$

Optimal. Leaf size=36

$$\sqrt{x} \sin(x) - \sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{x}\right)$$

[Out] $-1/2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*x^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}+\sin(x)*x^{(1/2)}$

Rubi [A] time = 0.03, antiderivative size = 36, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3296, 3305, 3351}

$$\sqrt{x} \sin(x) - \sqrt{\frac{\pi}{2}} S\left(\sqrt{\frac{2}{\pi}} \sqrt{x}\right)$$

Antiderivative was successfully verified.

[In] Int[Sqrt[x]*Cos[x], x]

[Out] $-(\text{Sqrt}[\text{Pi}/2]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[x]]) + \text{Sqrt}[x]*\text{Sin}[x]$

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[
((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] :> Dist[2/d
, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}
, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^2], x_Symbol] :> Simp[(Sqrt[Pi/2]*FresnelS[
Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned}
\int \sqrt{x} \cos(x) dx &= \sqrt{x} \sin(x) - \frac{1}{2} \int \frac{\sin(x)}{\sqrt{x}} dx \\
&= \sqrt{x} \sin(x) - \text{Subst} \left(\int \sin(x^2) dx, x, \sqrt{x} \right) \\
&= -\sqrt{\frac{\pi}{2}} S \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right) + \sqrt{x} \sin(x)
\end{aligned}$$

Mathematica [C] time = 0.01, size = 48, normalized size = 1.33

$$\frac{\sqrt{-ix} \Gamma\left(\frac{3}{2}, -ix\right) + \sqrt{ix} \Gamma\left(\frac{3}{2}, ix\right)}{2\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[x]*Cos[x],x]

[Out] (Sqrt[(-I)*x]*Gamma[3/2, (-I)*x] + Sqrt[I*x]*Gamma[3/2, I*x])/(2*Sqrt[x])

fricas [A] time = 0.51, size = 26, normalized size = 0.72

$$-\frac{1}{2} \sqrt{2} \sqrt{\pi} S \left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}} \right) + \sqrt{x} \sin(x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)*cos(x),x, algorithm="fricas")

[Out] -1/2*sqrt(2)*sqrt(pi)*fresnel_sin(sqrt(2)*sqrt(x)/sqrt(pi)) + sqrt(x)*sin(x)

giac [C] time = 0.44, size = 53, normalized size = 1.47

$$-\left(\frac{1}{8}i - \frac{1}{8}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) + \left(\frac{1}{8}i + \frac{1}{8}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) - \frac{1}{2}i \sqrt{x} e^{ix} + \frac{1}{2}i \sqrt{x} e^{-ix}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1/2)*cos(x),x, algorithm="giac")

[Out] -(1/8*I - 1/8)*sqrt(2)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(x)) + (1/8*I + 1/8)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(x)) - 1/2*I*sqrt(x)*e^(I*x) + 1/2*I*sqrt(x)*e^(-I*x)

maple [A] time = 0.03, size = 27, normalized size = 0.75

$$-\frac{S\left(\frac{\sqrt{2}\sqrt{x}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\pi}}{2} + \sin(x)\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(1/2)*cos(x),x)`

[Out] `-1/2*FresnelS(2^(1/2)/Pi^(1/2)*x^(1/2))*2^(1/2)*Pi^(1/2)+sin(x)*x^(1/2)`

maxima [C] time = 1.05, size = 67, normalized size = 1.86

$$-\frac{1}{16}\sqrt{\pi}\left((i+1)\sqrt{2}\operatorname{erf}\left(\left(\frac{1}{2}i+\frac{1}{2}\right)\sqrt{2}\sqrt{x}\right)+(i-1)\sqrt{2}\operatorname{erf}\left(\left(\frac{1}{2}i-\frac{1}{2}\right)\sqrt{2}\sqrt{x}\right)-(i-1)\sqrt{2}\operatorname{erf}\left(\sqrt{-i}\sqrt{x}\right)+(i-1)\sqrt{2}\operatorname{erf}\left(\sqrt{-i}\sqrt{x}\right)\right)+\sin(x)\sqrt{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^(1/2)*cos(x),x, algorithm="maxima")`

[Out] `-1/16*sqrt(pi)*((I + 1)*sqrt(2)*erf((1/2*I + 1/2)*sqrt(2)*sqrt(x)) + (I - 1)*sqrt(2)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(x)) - (I - 1)*sqrt(2)*erf(sqrt(-I)*sqrt(x)) + (I + 1)*sqrt(2)*erf((-1)^(1/4)*sqrt(x))) + sqrt(x)*sin(x)`

mupad [B] time = 0.03, size = 26, normalized size = 0.72

$$\sqrt{x}\sin(x) - \frac{\sqrt{2}\sqrt{\pi}S\left(\frac{\sqrt{2}\sqrt{x}}{\sqrt{\pi}}\right)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^(1/2)*cos(x),x)`

[Out] `x^(1/2)*sin(x) - (2^(1/2)*pi^(1/2)*fresnels((2^(1/2)*x^(1/2))/pi^(1/2)))/2`

sympy [A] time = 0.85, size = 61, normalized size = 1.69

$$\frac{3\sqrt{x}\sin(x)\Gamma\left(\frac{3}{4}\right)}{4\Gamma\left(\frac{7}{4}\right)} - \frac{3\sqrt{2}\sqrt{\pi}S\left(\frac{\sqrt{2}\sqrt{x}}{\sqrt{\pi}}\right)\Gamma\left(\frac{3}{4}\right)}{8\Gamma\left(\frac{7}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**(1/2)*cos(x),x)`

[Out] `3*sqrt(x)*sin(x)*gamma(3/4)/(4*gamma(7/4)) - 3*sqrt(2)*sqrt(pi)*fresnels(sqrt(2)*sqrt(x)/sqrt(pi))*gamma(3/4)/(8*gamma(7/4))`

$$3.65 \quad \int \frac{\cos(x)}{\sqrt{x}} dx$$

Optimal. Leaf size=24

$$\sqrt{2\pi} C \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right)$$

[Out] FresnelC(2^(1/2)/Pi^(1/2)*x^(1/2))*2^(1/2)*Pi^(1/2)

Rubi [A] time = 0.02, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3304, 3352}

$$\sqrt{2\pi} \text{FresnelC} \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right)$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/Sqrt[x], x]

[Out] Sqrt[2*Pi]*FresnelC[Sqrt[2/Pi]*Sqrt[x]]

Rule 3304

Int[sin[Pi/2 + (e_.) + (f_.)*(x_.)]/Sqrt[(c_.) + (d_.)*(x_.)], x_Symbol] := Dist[2/d, Subst[Int[Cos[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3352

Int[Cos[(d_.)*((e_.) + (f_.)*(x_.))^2], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelC[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(x)}{\sqrt{x}} dx &= 2 \text{Subst} \left(\int \cos(x^2) dx, x, \sqrt{x} \right) \\ &= \sqrt{2\pi} C \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right) \end{aligned}$$

Mathematica [C] time = 0.01, size = 51, normalized size = 2.12

$$\frac{i\left(\sqrt{-ix}\Gamma\left(\frac{1}{2}, -ix\right) - \sqrt{ix}\Gamma\left(\frac{1}{2}, ix\right)\right)}{2\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/Sqrt[x], x]

[Out] $((-1/2*I)*(Sqrt[(-I)*x]*Gamma[1/2, (-I)*x] - Sqrt[I*x]*Gamma[1/2, I*x]))/Sqrt[x]$

fricas [A] time = 0.63, size = 18, normalized size = 0.75

$$\sqrt{2} \sqrt{\pi} C\left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x^(1/2), x, algorithm="fricas")

[Out] sqrt(2)*sqrt(pi)*fresnel_cos(sqrt(2)*sqrt(x)/sqrt(pi))

giac [C] time = 0.34, size = 35, normalized size = 1.46

$$-\left(\frac{1}{4}i + \frac{1}{4}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(\left(\frac{1}{2}i - \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right) + \left(\frac{1}{4}i - \frac{1}{4}\right) \sqrt{2} \sqrt{\pi} \operatorname{erf}\left(-\left(\frac{1}{2}i + \frac{1}{2}\right) \sqrt{2} \sqrt{x}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x^(1/2), x, algorithm="giac")

[Out] $-(1/4*I + 1/4)*sqrt(2)*sqrt(pi)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(x)) + (1/4*I - 1/4)*sqrt(2)*sqrt(pi)*erf(-(1/2*I + 1/2)*sqrt(2)*sqrt(x))$

maple [A] time = 0.03, size = 19, normalized size = 0.79

$$\operatorname{FresnelC}\left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}}\right) \sqrt{2} \sqrt{\pi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/x^(1/2), x)

[Out] FresnelC(2^(1/2)/Pi^(1/2)*x^(1/2))*2^(1/2)*Pi^(1/2)

maxima [C] time = 0.75, size = 60, normalized size = 2.50

$$-\frac{1}{8} \sqrt{\pi} \left((i-1) \sqrt{2} \operatorname{erf} \left(\left(\frac{1}{2}i + \frac{1}{2} \right) \sqrt{2} \sqrt{x} \right) + (i+1) \sqrt{2} \operatorname{erf} \left(\left(\frac{1}{2}i - \frac{1}{2} \right) \sqrt{2} \sqrt{x} \right) - (i+1) \sqrt{2} \operatorname{erf} \left(\sqrt{-i} \sqrt{x} \right) + (i-1) \sqrt{2} \operatorname{erf} \left(\sqrt{-i} \sqrt{x} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x^(1/2),x, algorithm="maxima")

[Out] -1/8*sqrt(pi)*((I - 1)*sqrt(2)*erf((1/2*I + 1/2)*sqrt(2)*sqrt(x)) + (I + 1)*sqrt(2)*erf((1/2*I - 1/2)*sqrt(2)*sqrt(x)) - (I + 1)*sqrt(2)*erf(sqrt(-I)*sqrt(x)) + (I - 1)*sqrt(2)*erf((-1)^(1/4)*sqrt(x)))

mupad [B] time = 0.03, size = 18, normalized size = 0.75

$$\sqrt{2} \sqrt{\pi} C \left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(x)/x^(1/2),x)

[Out] 2^(1/2)*pi^(1/2)*fresnelc((2^(1/2)*x^(1/2))/pi^(1/2))

sympy [A] time = 0.72, size = 37, normalized size = 1.54

$$\frac{\sqrt{2} \sqrt{\pi} C \left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}} \right) \Gamma \left(\frac{1}{4} \right)}{4 \Gamma \left(\frac{5}{4} \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x**(1/2),x)

[Out] sqrt(2)*sqrt(pi)*fresnelc(sqrt(2)*sqrt(x)/sqrt(pi))*gamma(1/4)/(4*gamma(5/4))

$$3.66 \quad \int \frac{\cos(x)}{x^{3/2}} dx$$

Optimal. Leaf size=35

$$-2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{x}\right) - \frac{2 \cos(x)}{\sqrt{x}}$$

[Out] $-2*\text{FresnelS}(2^{(1/2)}/\text{Pi}^{(1/2)}*x^{(1/2)})*2^{(1/2)}*\text{Pi}^{(1/2)}-2*\cos(x)/x^{(1/2)}$

Rubi [A] time = 0.04, antiderivative size = 35, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 8, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3297, 3305, 3351}

$$-2\sqrt{2\pi} S\left(\sqrt{\frac{2}{\pi}} \sqrt{x}\right) - \frac{2 \cos(x)}{\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Int[Cos[x]/x^(3/2), x]

[Out] $(-2*\text{Cos}[x])/\text{Sqrt}[x] - 2*\text{Sqrt}[2*\text{Pi}]*\text{FresnelS}[\text{Sqrt}[2/\text{Pi}]*\text{Sqrt}[x]]$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3305

Int[sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*(x_)], x_Symbol] := Dist[2/d, Subst[Int[Sin[(f*x^2)/d], x], x, Sqrt[c + d*x]], x] /; FreeQ[{c, d, e, f}, x] && ComplexFreeQ[f] && EqQ[d*e - c*f, 0]

Rule 3351

Int[Sin[(d_.)*((e_.) + (f_.)*(x_))^(2)], x_Symbol] := Simp[(Sqrt[Pi/2]*FresnelS[Sqrt[2/Pi]*Rt[d, 2]*(e + f*x)])/(f*Rt[d, 2]), x] /; FreeQ[{d, e, f}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(x)}{x^{3/2}} dx &= -\frac{2 \cos(x)}{\sqrt{x}} - 2 \int \frac{\sin(x)}{\sqrt{x}} dx \\ &= -\frac{2 \cos(x)}{\sqrt{x}} - 4 \operatorname{Subst} \left(\int \sin(x^2) dx, x, \sqrt{x} \right) \\ &= -\frac{2 \cos(x)}{\sqrt{x}} - 2\sqrt{2\pi} S \left(\sqrt{\frac{2}{\pi}} \sqrt{x} \right) \end{aligned}$$

Mathematica [C] time = 0.04, size = 63, normalized size = 1.80

$$\frac{-e^{-ix} (1 + e^{2ix}) + \sqrt{-ix} \Gamma\left(\frac{1}{2}, -ix\right) + \sqrt{ix} \Gamma\left(\frac{1}{2}, ix\right)}{\sqrt{x}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[x]/x^(3/2), x]

[Out] $(-(1 + E^{(2I)x})/E^{Ix}) + \operatorname{Sqrt}[(-I)x] \operatorname{Gamma}[1/2, (-I)x] + \operatorname{Sqrt}[Ix] \operatorname{Gamma}[1/2, Ix])/\operatorname{Sqrt}[x]$

fricas [A] time = 0.46, size = 31, normalized size = 0.89

$$\frac{2 \left(\sqrt{2} \sqrt{\pi} x S \left(\frac{\sqrt{2} \sqrt{x}}{\sqrt{\pi}} \right) + \sqrt{x} \cos(x) \right)}{x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x^(3/2), x, algorithm="fricas")

[Out] $-2*(\operatorname{sqrt}(2)*\operatorname{sqrt}(\pi)*x*\operatorname{fresnel_sin}(\operatorname{sqrt}(2)*\operatorname{sqrt}(x)/\operatorname{sqrt}(\pi))) + \operatorname{sqrt}(x)*\cos(x))/x$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(x)}{x^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(x)/x^(3/2), x, algorithm="giac")

[Out] integrate(cos(x)/x^(3/2), x)

maple [A] time = 0.03, size = 28, normalized size = 0.80

$$-2S\left(\frac{\sqrt{2}\sqrt{x}}{\sqrt{\pi}}\right)\sqrt{2}\sqrt{\pi} - \frac{2\cos(x)}{\sqrt{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)/x^(3/2), x)`

[Out] `-2*FresnelS(2^(1/2)/Pi^(1/2)*x^(1/2))*2^(1/2)*Pi^(1/2)-2*cos(x)/x^(1/2)`

maxima [C] time = 1.40, size = 21, normalized size = 0.60

$$-\left(\frac{1}{4}i + \frac{1}{4}\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, ix\right) + \left(\frac{1}{4}i - \frac{1}{4}\right)\sqrt{2}\Gamma\left(-\frac{1}{2}, -ix\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/x^(3/2), x, algorithm="maxima")`

[Out] `-(1/4*I + 1/4)*sqrt(2)*gamma(-1/2, I*x) + (1/4*I - 1/4)*sqrt(2)*gamma(-1/2, -I*x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{\cos(x)}{x^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)/x^(3/2), x)`

[Out] `int(cos(x)/x^(3/2), x)`

sympy [A] time = 1.60, size = 61, normalized size = 1.74

$$\frac{\sqrt{2}\sqrt{\pi}S\left(\frac{\sqrt{2}\sqrt{x}}{\sqrt{\pi}}\right)\Gamma\left(-\frac{1}{4}\right)}{2\Gamma\left(\frac{3}{4}\right)} + \frac{\cos(x)\Gamma\left(-\frac{1}{4}\right)}{2\sqrt{x}\Gamma\left(\frac{3}{4}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)/x**(3/2), x)`

[Out] `sqrt(2)*sqrt(pi)*fresnels(sqrt(2)*sqrt(x)/sqrt(pi))*gamma(-1/4)/(2*gamma(3/4)) + cos(x)*gamma(-1/4)/(2*sqrt(x)*gamma(3/4))`

3.67 $\int (c + dx)^{4/3} \cos(a + bx) dx$

Optimal. Leaf size=183

$$\frac{2id^2 e^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{9b^3(c+dx)^{2/3}} - \frac{2id^2 e^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{9b^3(c+dx)^{2/3}} + \frac{4d\sqrt[3]{c+dx} \cos(a+bx)}{3b^2} + \frac{(c+dx)^{4/3} \sin(a+bx)}{b}$$

[Out] $4/3*d*(d*x+c)^{(1/3)}*\cos(b*x+a)/b^2+2/9*I*d^2*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(2/3)}*GAMMA(1/3,-I*b*(d*x+c)/d)/b^3/(d*x+c)^{(2/3)}-2/9*I*d^2*(I*b*(d*x+c)/d)^{(2/3)}*GAMMA(1/3,I*b*(d*x+c)/d)/b^3/\exp(I*(a-b*c/d))/(d*x+c)^{(2/3)}+(d*x+c)^{(4/3)}*\sin(b*x+a)/b$

Rubi [A] time = 0.24, antiderivative size = 183, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3296, 3307, 2181}

$$\frac{2id^2 e^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \text{Gamma}\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{9b^3(c+dx)^{2/3}} - \frac{2id^2 e^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \text{Gamma}\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{9b^3(c+dx)^{2/3}} + \frac{4d\sqrt[3]{c+dx} \cos(a+bx)}{3b^2} + \frac{(c+dx)^{4/3} \sin(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^(4/3)*Cos[a + b*x], x]

[Out] $(4*d*(c+d*x)^{(1/3)}*\text{Cos}[a+b*x])/(3*b^2) + (((2*I)/9)*d^2*E^{I*(a-(b*c)/d)}*(((-I)*b*(c+d*x))/d)^{(2/3)}*\text{Gamma}[1/3, ((-I)*b*(c+d*x))/d])/(b^3*(c+d*x)^{(2/3)}) - (((2*I)/9)*d^2*((I*b*(c+d*x))/d)^{(2/3)}*\text{Gamma}[1/3, (I*b*(c+d*x))/d])/(b^3*E^{I*(a-(b*c)/d)}*(c+d*x)^{(2/3)}) + ((c+d*x)^{(4/3)}*\text{Sin}[a+b*x])/b$

Rule 2181

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:= -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-(f*g*Log[F])/d)*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3307

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rubi steps

$$\begin{aligned} \int (c + dx)^{4/3} \cos(a + bx) dx &= \frac{(c + dx)^{4/3} \sin(a + bx)}{b} - \frac{(4d) \int \sqrt[3]{c + dx} \sin(a + bx) dx}{3b} \\ &= \frac{4d \sqrt[3]{c + dx} \cos(a + bx)}{3b^2} + \frac{(c + dx)^{4/3} \sin(a + bx)}{b} - \frac{(4d^2) \int \frac{\cos(a+bx)}{(c+dx)^{2/3}} dx}{9b^2} \\ &= \frac{4d \sqrt[3]{c + dx} \cos(a + bx)}{3b^2} + \frac{(c + dx)^{4/3} \sin(a + bx)}{b} - \frac{(2d^2) \int \frac{e^{-i(a+bx)}}{(c+dx)^{2/3}} dx}{9b^2} - \frac{(2d^2) \int \frac{e^{i(a+bx)}}{(c+dx)^{2/3}} dx}{9b^2} \\ &= \frac{4d \sqrt[3]{c + dx} \cos(a + bx)}{3b^2} + \frac{2id^2 e^{i\left(a - \frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{9b^3(c + dx)^{2/3}} - \frac{2id^2 e^{-i\left(a - \frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{9b^3(c + dx)^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.11, size = 122, normalized size = 0.67

$$\frac{d \sqrt[3]{c + dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia} \Gamma\left(\frac{7}{3}, -\frac{ib(c+dx)}{d}\right)}{\sqrt[3]{-\frac{ib(c+dx)}{d}}} + \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{7}{3}, \frac{ib(c+dx)}{d}\right)}{\sqrt[3]{\frac{ib(c+dx)}{d}}} \right)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(4/3)*Cos[a + b*x], x]

[Out] (d*(c + d*x)^(1/3)*((E^((2*I)*a)*Gamma[7/3, ((-I)*b*(c + d*x))/d])/(((-I)*b*(c + d*x))/d)^(1/3) + (E^(((2*I)*b*c)/d)*Gamma[7/3, (I*b*(c + d*x))/d])/((I*b*(c + d*x))/d)^(1/3)))/(2*b^2*E^((I*(b*c + a*d))/d))

fricas [A] time = 0.85, size = 132, normalized size = 0.72

$$\frac{-2i d^2 \left(\frac{ib}{d}\right)^{\frac{2}{3}} e^{\left(\frac{ibc-id}{d}\right)} \Gamma\left(\frac{1}{3}, \frac{ibdx+ibc}{d}\right) + 2i d^2 \left(-\frac{ib}{d}\right)^{\frac{2}{3}} e^{\left(\frac{-ibc+id}{d}\right)} \Gamma\left(\frac{1}{3}, \frac{-ibdx-ibc}{d}\right) + 3(4bd \cos(bx + a) + 3(b^2 dx + b^2))}{9b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(4/3)*cos(b*x+a),x, algorithm="fricas")

[Out] $\frac{1}{9}*(-2*I*d^2*(I*b/d)^(2/3)*e^((I*b*c - I*a*d)/d)*\text{gamma}(1/3, (I*b*d*x + I*b*c)/d) + 2*I*d^2*(-I*b/d)^(2/3)*e^((-I*b*c + I*a*d)/d)*\text{gamma}(1/3, (-I*b*d*x - I*b*c)/d) + 3*(4*b*d*\cos(b*x + a) + 3*(b^2*d*x + b^2*c)*\sin(b*x + a))*(d*x + c)^(1/3))/b^3$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{4}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(4/3)*cos(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^(4/3)*cos(b*x + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{4}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(4/3)*cos(b*x+a),x)

[Out] int((d*x+c)^(4/3)*cos(b*x+a),x)

maxima [A] time = 1.33, size = 235, normalized size = 1.28

$$\frac{9(dx + c)^{\frac{4}{3}} b \left(\frac{dx+c}{d}\right)^{\frac{1}{3}} d \sin\left(\frac{(dx+c)b-bc+ad}{d}\right) + 12(dx + c)^{\frac{1}{3}} \left(\frac{dx+c}{d}\right)^{\frac{1}{3}} d^2 \cos\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left(\left(\sqrt{3} - i\right)\Gamma\left(\frac{1}{3}, \frac{i(dx+c)}{d}\right) + \left(\sqrt{3} + i\right)\Gamma\left(\frac{1}{3}, \frac{-i(dx+c)}{d}\right)\right) d^2 \cos\left(\frac{(dx+c)b-bc+ad}{d}\right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(4/3)*cos(b*x+a),x, algorithm="maxima")

[Out] $\frac{1}{9}*(9*(d*x + c)^(4/3)*b*((d*x + c)*b/d)^(1/3)*d*\sin(((d*x + c)*b - b*c + a*d)/d) + 12*(d*x + c)^(1/3)*((d*x + c)*b/d)^(1/3)*d^2*\cos(((d*x + c)*b - b*c + a*d)/d) + (((\text{sqrt}(3) - I)*\text{gamma}(1/3, I*(d*x + c)*b/d) + (\text{sqrt}(3) + I)*\text{gamma}(1/3, -I*(d*x + c)*b/d))*d^2*\cos(-(b*c - a*d)/d) + ((-I*\text{sqrt}(3) - 1)*\text{gamma}(1/3, I*(d*x + c)*b/d) + (I*\text{sqrt}(3) - 1)*\text{gamma}(1/3, -I*(d*x + c)*b/d))*d^2*\sin(-(b*c - a*d)/d))*(d*x + c)^(1/3))/(b^2*((d*x + c)*b/d)^(1/3)*d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) (c + dx)^{4/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)*(c + d*x)^(4/3), x)`

[Out] `int(cos(a + b*x)*(c + d*x)^(4/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^{\frac{4}{3}} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(4/3)*cos(b*x+a), x)`

[Out] `Integral((c + d*x)**(4/3)*cos(a + b*x), x)`

3.68 $\int (c + dx)^{2/3} \cos(a + bx) dx$

Optimal. Leaf size=152

$$\frac{de^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{(c+dx)^{2/3} \sin(a+bx)}{b}$$

[Out] $1/3*d*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, -I*b*(d*x+c)/d)/b^2/(d*x+c)^{(1/3)}+1/3*d*(I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, I*b*(d*x+c)/d)/b^2/\exp(I*(a-b*c/d))/(d*x+c)^{(1/3)}+(d*x+c)^{(2/3)}*\sin(b*x+a)/b$

Rubi [A] time = 0.15, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3296, 3308, 2181}

$$\frac{de^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{(c+dx)^{2/3} \sin(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^{(2/3)}*\text{Cos}[a + b*x], x]$

[Out] $(d*E^{(I*(a - (b*c)/d))*((-I)*b*(c + d*x))/d})^{(1/3)}*\text{Gamma}[2/3, ((-I)*b*(c + d*x))/d]/(3*b^2*(c + d*x)^{(1/3)}) + (d*((I*b*(c + d*x))/d))^{(1/3)}*\text{Gamma}[2/3, (I*b*(c + d*x))/d]/(3*b^2*E^{(I*(a - (b*c)/d))*(c + d*x)^{(1/3)}) + ((c + d*x)^{(2/3)}*\text{Sin}[a + b*x])/b$

Rule 2181

$\text{Int}[(F_)^{((g_.)*((e_.) + (f_.)*(x_)))}*((c_.) + (d_.)*(x_))^{(m_)}, x_Symbol] \rightarrow -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, -((f*g*\text{Log}[F])/d)]*(c + d*x)]/(d*(-((f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-((f*g*\text{Log}[F])*(c + d*x))/d))^{\text{FracPart}[m]}], x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\amp; \ !\text{IntegerQ}[m]$

Rule 3296

$\text{Int}[(c_.) + (d_.)*(x_)]^{(m_.)}*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\amp; \ \text{GtQ}[m, 0]$

Rule 3308

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]
```

Rubi steps

$$\begin{aligned} \int (c + dx)^{2/3} \cos(a + bx) dx &= \frac{(c + dx)^{2/3} \sin(a + bx)}{b} - \frac{(2d) \int \frac{\sin(a+bx)}{\sqrt[3]{c+dx}} dx}{3b} \\ &= \frac{(c + dx)^{2/3} \sin(a + bx)}{b} - \frac{(id) \int \frac{e^{-i(a+bx)}}{\sqrt[3]{c+dx}} dx}{3b} + \frac{(id) \int \frac{e^{i(a+bx)}}{\sqrt[3]{c+dx}} dx}{3b} \\ &= \frac{de^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{3b^2 \sqrt[3]{c+dx}} + \frac{(c + dx)}{3b} \end{aligned}$$

Mathematica [A] time = 0.11, size = 124, normalized size = 0.82

$$\frac{i(c + dx)^{2/3} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia} \Gamma\left(\frac{5}{3}, -\frac{ib(c+dx)}{d}\right)}{\left(-\frac{ib(c+dx)}{d}\right)^{2/3}} - \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{5}{3}, \frac{ib(c+dx)}{d}\right)}{\left(\frac{ib(c+dx)}{d}\right)^{2/3}} \right)}{2b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)^(2/3)*Cos[a + b*x], x]
```

```
[Out] ((-1/2*I)*(c + d*x)^(2/3)*((E^((2*I)*a)*Gamma[5/3, ((-I)*b*(c + d*x))/d]))/(((-I)*b*(c + d*x))/d)^(2/3) - (E^(((2*I)*b*c)/d)*Gamma[5/3, (I*b*(c + d*x))/d]))/((I*b*(c + d*x))/d)^(2/3))/((b*E^((I*(b*c + a*d))/d)))
```

fricas [A] time = 0.86, size = 102, normalized size = 0.67

$$\frac{d \left(\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{ibc-iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{ibdx+ibc}{d}\right) + d \left(-\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{-ibc+iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{-ibdx-ibc}{d}\right) + 3(dx + c)^{\frac{2}{3}} b \sin(bx + a)}{3b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)^(2/3)*cos(b*x+a), x, algorithm="fricas")
```

```
[Out] 1/3*(d*(I*b/d)^(1/3)*e^((I*b*c - I*a*d)/d)*gamma(2/3, (I*b*d*x + I*b*c)/d) + d*(-I*b/d)^(1/3)*e^((-I*b*c + I*a*d)/d)*gamma(2/3, (-I*b*d*x - I*b*c)/d) + 3*(d*x + c)^(2/3)*b*sin(b*x + a))/b^2
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{2}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(2/3)*cos(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^(2/3)*cos(b*x + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{2}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(2/3)*cos(b*x+a),x)

[Out] int((d*x+c)^(2/3)*cos(b*x+a),x)

maxima [A] time = 1.87, size = 186, normalized size = 1.22

$$\frac{6(dx+c)^{\frac{2}{3}} \left(\frac{(dx+c)b}{d}\right)^{\frac{2}{3}} d \sin\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left(\left((\sqrt{3}+i)\Gamma\left(\frac{2}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3}-i)\Gamma\left(\frac{2}{3}, -\frac{i(dx+c)b}{d}\right)\right) d \cos\left(-\frac{bc-ad}{d}\right) + 6b\left(\frac{(dx+c)b}{d}\right)^{\frac{2}{3}} d}{6b\left(\frac{(dx+c)b}{d}\right)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(2/3)*cos(b*x+a),x, algorithm="maxima")

[Out] 1/6*(6*(d*x + c)^(2/3)*((d*x + c)*b/d)^(2/3)*d*sin(((d*x + c)*b - b*c + a*d)/d) + (((sqrt(3) + I)*gamma(2/3, I*(d*x + c)*b/d) + (sqrt(3) - I)*gamma(2/3, -I*(d*x + c)*b/d))*d*cos(-(b*c - a*d)/d) + ((-I*sqrt(3) + 1)*gamma(2/3, I*(d*x + c)*b/d) + (I*sqrt(3) + 1)*gamma(2/3, -I*(d*x + c)*b/d))*d*sin(-(b*c - a*d)/d)*(d*x + c)^(2/3))/(b*((d*x + c)*b/d)^(2/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) (c + dx)^{2/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^(2/3),x)

```
[Out] int(cos(a + b*x)*(c + d*x)^(2/3), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int (c + dx)^{\frac{2}{3}} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**(2/3)*cos(b*x+a), x)
```

```
[Out] Integral((c + d*x)**(2/3)*cos(a + b*x), x)
```

3.69 $\int \sqrt[3]{c+dx} \cos(a+bx) dx$

Optimal. Leaf size=152

$$\frac{de^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{\sqrt[3]{c+dx}\sin(a+bx)}{b}$$

[Out] $1/6*d*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(2/3)}*GAMMA(1/3,-I*b*(d*x+c)/d)/b^2/(d*x+c)^{(2/3)}+1/6*d*(I*b*(d*x+c)/d)^{(2/3)}*GAMMA(1/3,I*b*(d*x+c)/d)/b^2/\exp(I*(a-b*c/d))/(d*x+c)^{(2/3)}+(d*x+c)^{(1/3)}*\sin(b*x+a)/b$

Rubi [A] time = 0.16, antiderivative size = 152, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3296, 3308, 2181}

$$\frac{de^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{\sqrt[3]{c+dx}\sin(a+bx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^(1/3)*Cos[a + b*x], x]

[Out] $(d*E^{I*(a-(b*c)/d)}*(((-I)*b*(c+d*x))/d)^{(2/3)}*Gamma[1/3, ((-I)*b*(c+d*x))/d])/(6*b^2*(c+d*x)^{(2/3)}) + (d*((I*b*(c+d*x))/d)^{(2/3)}*Gamma[1/3, (I*b*(c+d*x))/d])/(6*b^2*E^{I*(a-(b*c)/d)}*(c+d*x)^{(2/3)}) + ((c+d*x)^{(1/3)}*Sin[a+b*x])/b$

Rule 2181

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3296

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> -Simp[(c + d*x)^m*Cos[e + f*x]/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \sqrt[3]{c+dx} \cos(a+bx) dx &= \frac{\sqrt[3]{c+dx} \sin(a+bx)}{b} - \frac{d \int \frac{\sin(a+bx)}{(c+dx)^{2/3}} dx}{3b} \\ &= \frac{\sqrt[3]{c+dx} \sin(a+bx)}{b} - \frac{(id) \int \frac{e^{-i(a+bx)}}{(c+dx)^{2/3}} dx}{6b} + \frac{(id) \int \frac{e^{i(a+bx)}}{(c+dx)^{2/3}} dx}{6b} \\ &= \frac{de^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{de^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{6b^2(c+dx)^{2/3}} + \frac{\sqrt[3]{c}}{b} \end{aligned}$$

Mathematica [A] time = 0.09, size = 124, normalized size = 0.82

$$\frac{i\sqrt[3]{c+dx} e^{-\frac{i(ad+bc)}{d}} \left(\frac{e^{2ia\Gamma\left(\frac{4}{3}, -\frac{ib(c+dx)}{d}\right)}}{\sqrt[3]{-\frac{ib(c+dx)}{d}}} - \frac{e^{\frac{2ibc}{d}} \Gamma\left(\frac{4}{3}, \frac{ib(c+dx)}{d}\right)}{\sqrt[3]{\frac{ib(c+dx)}{d}}} \right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^(1/3)*Cos[a + b*x], x]

[Out] ((-1/2*I)*(c + d*x)^(1/3)*((E^((2*I)*a)*Gamma[4/3, ((-I)*b*(c + d*x))/d]))/(((-I)*b*(c + d*x))/d)^(1/3) - (E^(((2*I)*b*c)/d)*Gamma[4/3, (I*b*(c + d*x))/d])/((I*b*(c + d*x))/d)^(1/3))/((b*E^((I*(b*c + a*d))/d))

fricas [A] time = 1.14, size = 102, normalized size = 0.67

$$\frac{d \left(\frac{ib}{d}\right)^{\frac{2}{3}} e^{\left(\frac{ibc-iad}{d}\right)} \Gamma\left(\frac{1}{3}, \frac{ibdx+ibc}{d}\right) + d \left(-\frac{ib}{d}\right)^{\frac{2}{3}} e^{\left(\frac{-ibc+iad}{d}\right)} \Gamma\left(\frac{1}{3}, \frac{-ibdx-ibc}{d}\right) + 6(dx+c)^{\frac{1}{3}} b \sin(bx+a)}{6b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/3)*cos(b*x+a), x, algorithm="fricas")

[Out] 1/6*(d*(I*b/d)^(2/3)*e^((I*b*c - I*a*d)/d)*gamma(1/3, (I*b*d*x + I*b*c)/d) + d*(-I*b/d)^(2/3)*e^((-I*b*c + I*a*d)/d)*gamma(1/3, (-I*b*d*x - I*b*c)/d) + 6*(d*x + c)^(1/3)*b*sin(b*x + a))/b^2

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{1}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/3)*cos(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^(1/3)*cos(b*x + a), x)

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int (dx + c)^{\frac{1}{3}} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^(1/3)*cos(b*x+a),x)

[Out] int((d*x+c)^(1/3)*cos(b*x+a),x)

maxima [A] time = 1.73, size = 186, normalized size = 1.22

$$\frac{12(dx+c)^{\frac{1}{3}} \left(\frac{(dx+c)b}{d}\right)^{\frac{1}{3}} d \sin\left(\frac{(dx+c)b-bc+ad}{d}\right) + \left(\left((i\sqrt{3}+1)\Gamma\left(\frac{1}{3}, \frac{i(dx+c)b}{d}\right) + (-i\sqrt{3}+1)\Gamma\left(\frac{1}{3}, -\frac{i(dx+c)b}{d}\right)\right) d \cos\left(-\frac{bc-a}{d}\right)}{12b\left(\frac{(dx+c)b}{d}\right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^(1/3)*cos(b*x+a),x, algorithm="maxima")

[Out] 1/12*(12*(d*x + c)^(1/3)*((d*x + c)*b/d)^(1/3)*d*sin(((d*x + c)*b - b*c + a*d)/d) + (((I*sqrt(3) + 1)*gamma(1/3, I*(d*x + c)*b/d) + (-I*sqrt(3) + 1)*gamma(1/3, -I*(d*x + c)*b/d))*d*cos(-(b*c - a*d)/d) + ((sqrt(3) - I)*gamma(1/3, I*(d*x + c)*b/d) + (sqrt(3) + I)*gamma(1/3, -I*(d*x + c)*b/d))*d*sin(-(b*c - a*d)/d)*(d*x + c)^(1/3))/(b*((d*x + c)*b/d)^(1/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) (c + dx)^{1/3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^(1/3),x)

[Out] `int(cos(a + b*x)*(c + d*x)^(1/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt[3]{c + dx} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**(1/3)*cos(b*x+a), x)`

[Out] `Integral((c + d*x)**(1/3)*cos(a + b*x), x)`

$$3.70 \quad \int \frac{\cos(a+bx)}{\sqrt[3]{c+dx}} dx$$

Optimal. Leaf size=135

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}} - \frac{ie^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}}$$

[Out] $-1/2*I*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, -I*b*(d*x+c)/d)/b/(d*x+c)^{(1/3)}+1/2*I*(I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, I*b*(d*x+c)/d)/b/\exp(I*(a-b*c/d))/(d*x+c)^{(1/3)}$

Rubi [A] time = 0.12, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3307, 2181}

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}} - \frac{ie^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \text{Gamma}\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(1/3), x]

[Out] $((-I/2)*E^{I*(a - (b*c)/d)}*(((I)*b*(c + d*x))/d)^{(1/3)}*Gamma[2/3, ((I)*b*(c + d*x))/d])/(b*(c + d*x)^{(1/3)}) + ((I/2)*(((I)*b*(c + d*x))/d)^{(1/3)}*Gamma[2/3, (I*b*(c + d*x))/d])/(b*E^{I*(a - (b*c)/d)}*(c + d*x)^{(1/3)})$

Rule 2181

Int[(F_)^((g_)*((e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^(m_), x_Symbol]
 := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3307

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol]
 := Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rubi steps

$$\int \frac{\cos(a+bx)}{\sqrt[3]{c+dx}} dx = \frac{1}{2} \int \frac{e^{-i(a+bx)}}{\sqrt[3]{c+dx}} dx + \frac{1}{2} \int \frac{e^{i(a+bx)}}{\sqrt[3]{c+dx}} dx$$

$$= -\frac{ie^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}} + \frac{ie^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{2b\sqrt[3]{c+dx}}$$

Mathematica [A] time = 0.06, size = 124, normalized size = 0.92

$$\frac{ie^{-\frac{i(ad+bc)}{d}} \left(e^{\frac{2ibc}{d}} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right) - e^{2ia} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right) \right)}{2b\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(1/3), x]

[Out] ((I/2)*(-E^((2*I)*a)*((-I)*b*(c + d*x))/d)^(1/3)*Gamma[2/3, ((-I)*b*(c + d*x))/d]) + E^(((2*I)*b*c)/d)*((I*b*(c + d*x))/d)^(1/3)*Gamma[2/3, (I*b*(c + d*x))/d])/(bE^((I*(b*c + a*d))/d)*(c + d*x)^(1/3))

fricas [A] time = 0.98, size = 86, normalized size = 0.64

$$\frac{i \left(\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{ibc-iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{ibdx+ibc}{d}\right) - i \left(-\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{-ibc+iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{-ibdx-ibc}{d}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(1/3), x, algorithm="fricas")

[Out] 1/2*(I*(I*b/d)^(1/3)*e^((I*b*c - I*a*d)/d)*gamma(2/3, (I*b*d*x + I*b*c)/d) - I*(-I*b/d)^(1/3)*e^((-I*b*c + I*a*d)/d)*gamma(2/3, (-I*b*d*x - I*b*c)/d)) /b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx+a)}{(dx+c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(1/3), x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(1/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{1}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(1/3), x)

[Out] int(cos(b*x+a)/(d*x+c)^(1/3), x)

maxima [A] time = 2.07, size = 137, normalized size = 1.01

$$\frac{(dx + c)^{\frac{2}{3}} \left(\left((i\sqrt{3} - 1) \Gamma\left(\frac{2}{3}, \frac{i(dx+c)b}{d}\right) + (-i\sqrt{3} - 1) \Gamma\left(\frac{2}{3}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) + \left((\sqrt{3} + i) \Gamma\left(\frac{2}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3} - i) \Gamma\left(\frac{2}{3}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right) \right)}{4 \left(\frac{dx+c}{d}\right)^{\frac{2}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(1/3), x, algorithm="maxima")

[Out] 1/4*(d*x + c)^(2/3)*(((I*sqrt(3) - 1)*gamma(2/3, I*(d*x + c)*b/d) + (-I*sqrt(3) - 1)*gamma(2/3, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) + ((sqrt(3) + I)*gamma(2/3, I*(d*x + c)*b/d) + (sqrt(3) - I)*gamma(2/3, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d)/(((d*x + c)*b/d)^(2/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{1/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^(1/3), x)

[Out] int(cos(a + b*x)/(c + d*x)^(1/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{\sqrt[3]{c + dx}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**(1/3), x)

[Out] Integral(cos(a + b*x)/(c + d*x)**(1/3), x)

$$3.71 \quad \int \frac{\cos(a+bx)}{(c+dx)^{2/3}} dx$$

Optimal. Leaf size=135

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}} - \frac{ie^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}}$$

[Out] $-1/2*I*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(2/3)*\text{GAMMA}(1/3,-I*b*(d*x+c)/d)/b/(d*x+c)^{(2/3)}+1/2*I*(I*b*(d*x+c)/d)^{(2/3)*\text{GAMMA}(1/3,I*b*(d*x+c)/d)/b/\exp(I*(a-b*c/d))/(d*x+c)^{(2/3)}$

Rubi [A] time = 0.12, antiderivative size = 135, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$, Rules used = {3307, 2181}

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\text{Gamma}\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}} - \frac{ie^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\text{Gamma}\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(2/3), x]

[Out] $((-I/2)*E^{(I*(a - (b*c)/d))*((-I)*b*(c + d*x))/d)^{(2/3)*\text{Gamma}[1/3, ((-I)*b*(c + d*x))/d]}/(b*(c + d*x)^{(2/3)}) + ((I/2)*((I*b*(c + d*x))/d)^{(2/3)*\text{Gamma}[1/3, (I*b*(c + d*x))/d]}/(b*E^{(I*(a - (b*c)/d))*((c + d*x)^{(2/3))})$

Rule 2181

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]
 :> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])/d))^(FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3307

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + Pi*(k_) + (f_)*(x_)], x_Symbol]
 :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rubi steps

$$\int \frac{\cos(a + bx)}{(c + dx)^{2/3}} dx = \frac{1}{2} \int \frac{e^{-i(a+bx)}}{(c + dx)^{2/3}} dx + \frac{1}{2} \int \frac{e^{i(a+bx)}}{(c + dx)^{2/3}} dx$$

$$= -\frac{ie^{i\left(a-\frac{bc}{d}\right)}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}} + \frac{ie^{-i\left(a-\frac{bc}{d}\right)}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right)}{2b(c+dx)^{2/3}}$$

Mathematica [A] time = 0.06, size = 124, normalized size = 0.92

$$\frac{ie^{-\frac{i(ad+bc)}{d}}\left(e^{\frac{2ibc}{d}}\left(\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},\frac{ib(c+dx)}{d}\right) - e^{2ia}\left(-\frac{ib(c+dx)}{d}\right)^{2/3}\Gamma\left(\frac{1}{3},-\frac{ib(c+dx)}{d}\right)\right)}{2b(c+dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(2/3),x]

[Out] ((I/2)*(-(E^((2*I)*a)*(((I)*b*(c + d*x))/d)^(2/3)*Gamma[1/3, ((I)*b*(c + d*x))/d]) + E^(((2*I)*b*c)/d)*((I*b*(c + d*x))/d)^(2/3)*Gamma[1/3, (I*b*(c + d*x))/d]))/(b*E^((I*(b*c + a*d))/d)*(c + d*x)^(2/3))

fricas [A] time = 0.61, size = 86, normalized size = 0.64

$$\frac{i\left(\frac{ib}{d}\right)^{\frac{2}{3}}e^{\left(\frac{ibc-iad}{d}\right)}\Gamma\left(\frac{1}{3},\frac{ibdx+ibc}{d}\right) - i\left(-\frac{ib}{d}\right)^{\frac{2}{3}}e^{\left(\frac{-ibc+iad}{d}\right)}\Gamma\left(\frac{1}{3},\frac{-ibdx-ibc}{d}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(2/3),x, algorithm="fricas")

[Out] 1/2*(I*(I*b/d)^(2/3)*e^((I*b*c - I*a*d)/d)*gamma(1/3, (I*b*d*x + I*b*c)/d) - I*(-I*b/d)^(2/3)*e^((-I*b*c + I*a*d)/d)*gamma(1/3, (-I*b*d*x - I*b*c)/d) /b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(2/3),x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(2/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(2/3), x)

[Out] int(cos(b*x+a)/(d*x+c)^(2/3), x)

maxima [A] time = 1.74, size = 138, normalized size = 1.02

$$\frac{(dx + c)^{\frac{1}{3}} \left(\left((\sqrt{3} - i) \Gamma\left(\frac{1}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3} + i) \Gamma\left(\frac{1}{3}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) - \left((i\sqrt{3} + 1) \Gamma\left(\frac{1}{3}, \frac{i(dx+c)b}{d}\right) + (-i\sqrt{3} + 1) \Gamma\left(\frac{1}{3}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right) \right)}{4 \left(\frac{(dx+c)b}{d}\right)^{\frac{1}{3}} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(2/3), x, algorithm="maxima")

[Out] -1/4*(d*x + c)^(1/3)*(((sqrt(3) - I)*gamma(1/3, I*(d*x + c)*b/d) + (sqrt(3) + I)*gamma(1/3, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) - ((I*sqrt(3) + 1)*gamma(1/3, I*(d*x + c)*b/d) + (-I*sqrt(3) + 1)*gamma(1/3, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d)/(((d*x + c)*b/d)^(1/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^(2/3), x)

[Out] int(cos(a + b*x)/(c + d*x)^(2/3), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{2}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)**(2/3), x)

[Out] Integral(cos(a + b*x)/(c + d*x)**(2/3), x)

3.72 $\int \frac{\cos(a+bx)}{(c+dx)^{4/3}} dx$

Optimal. Leaf size=151

$$-\frac{3 \cos(a+bx)}{d\sqrt[3]{c+dx}} + \frac{3e^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{2d\sqrt[3]{c+dx}} + \frac{3e^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{2d\sqrt[3]{c+dx}}$$

[Out] $-3*\cos(b*x+a)/d/(d*x+c)^{(1/3)}+3/2*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, -I*b*(d*x+c)/d)/d/(d*x+c)^{(1/3)}+3/2*(I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3, I*b*(d*x+c)/d)/d/\exp(I*(a-b*c/d))/(d*x+c)^{(1/3)}$

Rubi [A] time = 0.15, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3297, 3308, 2181}

$$\frac{3e^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{2d\sqrt[3]{c+dx}} + \frac{3e^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{2d\sqrt[3]{c+dx}} - \frac{3 \cos(a+bx)}{d\sqrt[3]{c+dx}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(4/3), x]

[Out] $(-3*\text{Cos}[a + b*x])/(d*(c + d*x)^{(1/3)}) + (3*E^{(I*(a - (b*c)/d))}*(((-I)*b*(c + d*x))/d)^{(1/3)}*\text{Gamma}[2/3, ((-I)*b*(c + d*x))/d])/(2*d*(c + d*x)^{(1/3)}) + (3*((I*b*(c + d*x))/d)^{(1/3)}*\text{Gamma}[2/3, (I*b*(c + d*x))/d])/(2*d*E^{(I*(a - (b*c)/d))}*(c + d*x)^{(1/3)})$

Rule 2181

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d]*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(c + d*x)^(m + 1)*Sin[e + f*x]/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{(c + dx)^{4/3}} dx &= -\frac{3 \cos(a + bx)}{d \sqrt[3]{c + dx}} - \frac{(3b) \int \frac{\sin(a + bx)}{\sqrt[3]{c + dx}} dx}{d} \\ &= -\frac{3 \cos(a + bx)}{d \sqrt[3]{c + dx}} - \frac{(3ib) \int \frac{e^{-i(a + bx)}}{\sqrt[3]{c + dx}} dx}{2d} + \frac{(3ib) \int \frac{e^{i(a + bx)}}{\sqrt[3]{c + dx}} dx}{2d} \\ &= -\frac{3 \cos(a + bx)}{d \sqrt[3]{c + dx}} + \frac{3e^{i\left(a - \frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c + dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c + dx)}{d}\right)}{2d \sqrt[3]{c + dx}} + \frac{3e^{-i\left(a - \frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c + dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c + dx)}{d}\right)}{2d \sqrt[3]{c + dx}} \end{aligned}$$

Mathematica [A] time = 0.06, size = 121, normalized size = 0.80

$$\frac{e^{-\frac{i(ad+bc)}{d}} \left(e^{2ia} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(-\frac{1}{3}, -\frac{ib(c+dx)}{d}\right) + e^{\frac{2ibc}{d}} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(-\frac{1}{3}, \frac{ib(c+dx)}{d}\right) \right)}{2d \sqrt[3]{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(4/3), x]

[Out] $-1/2*(E^{((2*I)*a)*((-I)*b*(c + d*x))/d} \Gamma[-1/3, ((-I)*b*(c + d*x))/d] + E^{((2*I)*b*c)/d} \Gamma[-1/3, (I*b*(c + d*x))/d]) / (d * E^{((I*(b*c + a*d))/d)*(c + d*x)^{1/3}}$

fricas [A] time = 0.95, size = 117, normalized size = 0.77

$$\frac{3 \left((dx + c) \left(\frac{ib}{d} \right)^{\frac{1}{3}} e^{\left(\frac{ibc - iad}{d} \right)} \Gamma\left(\frac{2}{3}, \frac{ibdx + ibc}{d} \right) + (dx + c) \left(-\frac{ib}{d} \right)^{\frac{1}{3}} e^{\left(\frac{-ibc + iad}{d} \right)} \Gamma\left(\frac{2}{3}, \frac{-ibdx - ibc}{d} \right) - 2(dx + c)^{\frac{2}{3}} \cos(bx + a) \right)}{2(d^2x + cd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(4/3), x, algorithm="fricas")

[Out] $3/2*((d*x + c)*(I*b/d)^{1/3}*e^{((I*b*c - I*a*d)/d)*gamma(2/3, (I*b*d*x + I*b*c)/d)} + (d*x + c)*(-I*b/d)^{1/3}*e^{((-I*b*c + I*a*d)/d)*gamma(2/3, (-I*b*d*x - I*b*c)/d)} - 2*(d*x + c)^{2/3}*cos(b*x + a)) / (d^2*x + c*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(4/3),x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(4/3), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(4/3),x)

[Out] int(cos(b*x+a)/(d*x+c)^(4/3),x)

maxima [A] time = 1.56, size = 138, normalized size = 0.91

$$\frac{\left(\left((\sqrt{3} + i)\Gamma\left(-\frac{1}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3} - i)\Gamma\left(-\frac{1}{3}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) - \left((i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, \frac{i(dx+c)b}{d}\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{1}{3}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right) \right)}{4(dx+c)^{\frac{1}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(4/3),x, algorithm="maxima")

[Out] -1/4*(((sqrt(3) + I)*gamma(-1/3, I*(d*x + c)*b/d) + (sqrt(3) - I)*gamma(-1/3, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) - ((I*sqrt(3) - 1)*gamma(-1/3, I*(d*x + c)*b/d) + (-I*sqrt(3) - 1)*gamma(-1/3, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d))*((d*x + c)*b/d)^(1/3)/((d*x + c)^(1/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^(4/3),x)

[Out] `int(cos(a + b*x)/(c + d*x)^(4/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{4}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)**(4/3), x)`

[Out] `Integral(cos(a + b*x)/(c + d*x)**(4/3), x)`

3.73 $\int \frac{\cos(a+bx)}{(c+dx)^{5/3}} dx$

Optimal. Leaf size=153

$$-\frac{3 \cos(a+bx)}{2d(c+dx)^{2/3}} + \frac{3e^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{4d(c+dx)^{2/3}} + \frac{3e^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{4d(c+dx)^{2/3}}$$

[Out] $-3/2*\cos(b*x+a)/d/(d*x+c)^{(2/3)}+3/4*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(2/3)}$
 $*\text{GAMMA}(1/3,-I*b*(d*x+c)/d)/d/(d*x+c)^{(2/3)}+3/4*(I*b*(d*x+c)/d)^{(2/3)*\text{GAMMA}($
 $1/3,I*b*(d*x+c)/d)/\exp(I*(a-b*c/d))/(d*x+c)^{(2/3)}$

Rubi [A] time = 0.15, antiderivative size = 153, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3297, 3308, 2181}

$$\frac{3e^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \text{Gamma}\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{4d(c+dx)^{2/3}} + \frac{3e^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \text{Gamma}\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{4d(c+dx)^{2/3}} - \frac{3 \cos(a+bx)}{2d(c+dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(5/3), x]

[Out] $(-3*\text{Cos}[a + b*x])/(2*d*(c + d*x)^{(2/3)}) + (3*E^{(I*(a - (b*c)/d))}*(((-I)*b*(c + d*x))/d)^{(2/3)}*\text{Gamma}[1/3, ((-I)*b*(c + d*x))/d])/(4*d*(c + d*x)^{(2/3)})$
 $+ (3*((I*b*(c + d*x))/d)^{(2/3)}*\text{Gamma}[1/3, (I*b*(c + d*x))/d])/(4*d*E^{(I*(a - (b*c)/d))}*(c + d*x)^{(2/3)})$

Rule 2181

Int[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]
 := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d]*(c + d*x)]/(d*(-(f*g*Log[F])/d)^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3297

Int[((c_) + (d_)*(x_))^(m_)*sin[(e_) + (f_)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3308

Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[I/2, Int[(c + d*x)^m/E^(I*(e + f*x)), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{(c + dx)^{5/3}} dx &= -\frac{3 \cos(a + bx)}{2d(c + dx)^{2/3}} - \frac{(3b) \int \frac{\sin(a+bx)}{(c+dx)^{2/3}} dx}{2d} \\ &= -\frac{3 \cos(a + bx)}{2d(c + dx)^{2/3}} - \frac{(3ib) \int \frac{e^{-i(a+bx)}}{(c+dx)^{2/3}} dx}{4d} + \frac{(3ib) \int \frac{e^{i(a+bx)}}{(c+dx)^{2/3}} dx}{4d} \\ &= -\frac{3 \cos(a + bx)}{2d(c + dx)^{2/3}} + \frac{3e^{i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, -\frac{ib(c+dx)}{d}\right)}{4d(c + dx)^{2/3}} + \frac{3e^{-i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{2/3} \Gamma\left(\frac{1}{3}, \frac{ib(c+dx)}{d}\right)}{4d(c + dx)^{2/3}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 121, normalized size = 0.79

$$\frac{e^{-\frac{i(ad+bc)}{d}} \left(e^{2ia} \left(-\frac{ib(c+dx)}{d} \right)^{2/3} \Gamma\left(-\frac{2}{3}, -\frac{ib(c+dx)}{d}\right) + e^{\frac{2ibc}{d}} \left(\frac{ib(c+dx)}{d} \right)^{2/3} \Gamma\left(-\frac{2}{3}, \frac{ib(c+dx)}{d}\right) \right)}{2d(c + dx)^{2/3}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(5/3), x]

[Out] $-1/2*(E^{((2*I)*a)*((-I)*b*(c + d*x))/d})^{2/3}*Gamma[-2/3, ((-I)*b*(c + d*x))/d] + E^{((2*I)*b*c)/d}*((I*b*(c + d*x))/d)^{2/3}*Gamma[-2/3, (I*b*(c + d*x))/d]/(d*E^{((I*(b*c + a*d))/d)*(c + d*x)^{2/3}})$

fricas [A] time = 0.90, size = 117, normalized size = 0.76

$$\frac{3 \left((dx + c) \left(\frac{ib}{d} \right)^{\frac{2}{3}} e^{\left(\frac{ibc-iad}{d} \right)} \Gamma\left(\frac{1}{3}, \frac{ibdx+ibc}{d} \right) + (dx + c) \left(-\frac{ib}{d} \right)^{\frac{2}{3}} e^{\left(\frac{-ibc+iad}{d} \right)} \Gamma\left(\frac{1}{3}, \frac{-ibdx-ibc}{d} \right) - 2(dx + c)^{\frac{1}{3}} \cos(bx + a) \right)}{4(d^2x + cd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(5/3), x, algorithm="fricas")

[Out] $3/4*((d*x + c)*(I*b/d)^{2/3}*e^{((I*b*c - I*a*d)/d)*gamma(1/3, (I*b*d*x + I*b*c)/d)} + (d*x + c)*(-I*b/d)^{2/3}*e^{((-I*b*c + I*a*d)/d)*gamma(1/3, (-I*b*d*x - I*b*c)/d)} - 2*(d*x + c)^{1/3}*cos(b*x + a))/(d^2*x + c*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(5/3),x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(5/3), x)

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(5/3),x)

[Out] int(cos(b*x+a)/(d*x+c)^(5/3),x)

maxima [A] time = 1.96, size = 138, normalized size = 0.90

$$\frac{\left(\left((-i\sqrt{3} - 1)\Gamma\left(-\frac{2}{3}, \frac{i(dx+c)b}{d}\right) + (i\sqrt{3} - 1)\Gamma\left(-\frac{2}{3}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) - \left((\sqrt{3} - i)\Gamma\left(-\frac{2}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3} + i)\Gamma\left(-\frac{2}{3}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right) }{4(dx+c)^{\frac{2}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(5/3),x, algorithm="maxima")

[Out] 1/4*(((I*sqrt(3) - 1)*gamma(-2/3, I*(d*x + c)*b/d) + (I*sqrt(3) - 1)*gamma(-2/3, -I*(d*x + c)*b/d))*cos(-(b*c - a*d)/d) - ((sqrt(3) - I)*gamma(-2/3, I*(d*x + c)*b/d) + (sqrt(3) + I)*gamma(-2/3, -I*(d*x + c)*b/d))*sin(-(b*c - a*d)/d))*((d*x + c)*b/d)^(2/3)/((d*x + c)^(2/3)*d)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)/(c + d*x)^(5/3),x)

```
[Out] int(cos(a + b*x)/(c + d*x)^(5/3), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{\cos(a + bx)}{(c + dx)^{\frac{5}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(b*x+a)/(d*x+c)**(5/3), x)
```

```
[Out] Integral(cos(a + b*x)/(c + d*x)**(5/3), x)
```

3.74 $\int \frac{\cos(a+bx)}{(c+dx)^{7/3}} dx$

Optimal. Leaf size=182

$$\frac{9b \sin(a+bx)}{4d^2 \sqrt[3]{c+dx}} + \frac{9ibe^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c+dx}} - \frac{9ibe^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c+dx}} - \frac{3 \cos(a+bx)}{4d(c+dx)^{4/3}}$$

[Out] $-3/4*\cos(b*x+a)/d/(d*x+c)^{(4/3)}+9/8*I*b*\exp(I*(a-b*c/d))*(-I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3,-I*b*(d*x+c)/d)/d^2/(d*x+c)^{(1/3)}-9/8*I*b*(I*b*(d*x+c)/d)^{(1/3)}*GAMMA(2/3,I*b*(d*x+c)/d)/d^2/\exp(I*(a-b*c/d))/(d*x+c)^{(1/3)}+9/4*b*\sin(b*x+a)/d^2/(d*x+c)^{(1/3)}$

Rubi [A] time = 0.20, antiderivative size = 182, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3297, 3307, 2181}

$$\frac{9ibe^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c+dx}} - \frac{9ibe^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c+dx}} + \frac{9b \sin(a+bx)}{4d^2 \sqrt[3]{c+dx}} - \frac{3 \cos(a+bx)}{4d(c+dx)^{4/3}}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]/(c + d*x)^(7/3), x]

[Out] $(-3*\cos[a + b*x])/(4*d*(c + d*x)^{(4/3)}) + (((9*I)/8)*b*E^{(I*(a - (b*c)/d))} * (((-I)*b*(c + d*x))/d)^{(1/3)}*Gamma[2/3, ((-I)*b*(c + d*x))/d])/(d^2*(c + d*x)^{(1/3)}) - (((9*I)/8)*b*((I*b*(c + d*x))/d)^{(1/3)}*Gamma[2/3, (I*b*(c + d*x))/d])/(d^2*E^{(I*(a - (b*c)/d))}*(c + d*x)^{(1/3)}) + (9*b*\sin[a + b*x])/(4*d^2*(c + d*x)^{(1/3)})$

Rule 2181

Int[(F_)^((g_.)*(e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol] := -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

]

Rule 3307

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_.)], x_Symbol
] :> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]

Rubi steps

$$\begin{aligned} \int \frac{\cos(a + bx)}{(c + dx)^{7/3}} dx &= -\frac{3 \cos(a + bx)}{4d(c + dx)^{4/3}} - \frac{(3b) \int \frac{\sin(a+bx)}{(c+dx)^{4/3}} dx}{4d} \\ &= -\frac{3 \cos(a + bx)}{4d(c + dx)^{4/3}} + \frac{9b \sin(a + bx)}{4d^2 \sqrt[3]{c + dx}} - \frac{(9b^2) \int \frac{\cos(a+bx)}{\sqrt[3]{c+dx}} dx}{4d^2} \\ &= -\frac{3 \cos(a + bx)}{4d(c + dx)^{4/3}} + \frac{9b \sin(a + bx)}{4d^2 \sqrt[3]{c + dx}} - \frac{(9b^2) \int \frac{e^{-i(a+bx)}}{\sqrt[3]{c+dx}} dx}{8d^2} - \frac{(9b^2) \int \frac{e^{i(a+bx)}}{\sqrt[3]{c+dx}} dx}{8d^2} \\ &= -\frac{3 \cos(a + bx)}{4d(c + dx)^{4/3}} + \frac{9ibe^{i\left(a-\frac{bc}{d}\right)} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, -\frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c + dx}} - \frac{9ibe^{-i\left(a-\frac{bc}{d}\right)} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(\frac{2}{3}, \frac{ib(c+dx)}{d}\right)}{8d^2 \sqrt[3]{c + dx}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 125, normalized size = 0.69

$$\frac{ibe^{-\frac{i(ad+bc)}{d}} \left(e^{2ia} \sqrt[3]{-\frac{ib(c+dx)}{d}} \Gamma\left(-\frac{4}{3}, -\frac{ib(c+dx)}{d}\right) - e^{\frac{2ibc}{d}} \sqrt[3]{\frac{ib(c+dx)}{d}} \Gamma\left(-\frac{4}{3}, \frac{ib(c+dx)}{d}\right) \right)}{2d^2 \sqrt[3]{c + dx}}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]/(c + d*x)^(7/3), x]

[Out] ((I/2)*b*(E^((2*I)*a)*((-I)*b*(c + d*x))/d)^(1/3)*Gamma[-4/3, ((-I)*b*(c + d*x))/d] - E^(((2*I)*b*c)/d)*((I*b*(c + d*x))/d)^(1/3)*Gamma[-4/3, (I*b*(c + d*x))/d))/(d^2*E^((I*(b*c + a*d))/d)*(c + d*x)^(1/3))

fricas [A] time = 0.91, size = 183, normalized size = 1.01

$$\frac{(-9ibd^2x^2 - 18ibcdx - 9ibc^2) \left(\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{ibc-iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{ibdx+ibc}{d}\right) + (9ibd^2x^2 + 18ibcdx + 9ibc^2) \left(-\frac{ib}{d}\right)^{\frac{1}{3}} e^{\left(\frac{-ibc+iad}{d}\right)} \Gamma\left(\frac{2}{3}, \frac{ibdx-ibc}{d}\right)}{8(d^4x^2 + 2cd^3x + c^2d^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/3),x, algorithm="fricas")

[Out] $\frac{1}{8} * ((-9 * I * b * d^2 * x^2 - 18 * I * b * c * d * x - 9 * I * b * c^2) * (I * b / d)^{(1/3)} * e^{((I * b * c - I * a * d) / d)} * \text{gamma}(2/3, (I * b * d * x + I * b * c) / d) + (9 * I * b * d^2 * x^2 + 18 * I * b * c * d * x + 9 * I * b * c^2) * (-I * b / d)^{(1/3)} * e^{((-I * b * c + I * a * d) / d)} * \text{gamma}(2/3, (-I * b * d * x - I * b * c) / d) - 6 * (d * x + c)^{(2/3)} * (d * \cos(b * x + a) - 3 * (b * d * x + b * c) * \sin(b * x + a)) / (d^4 * x^2 + 2 * c * d^3 * x + c^2 * d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/3),x, algorithm="giac")

[Out] integrate(cos(b*x + a)/(d*x + c)^(7/3), x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)}{(dx + c)^{\frac{7}{3}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)/(d*x+c)^(7/3),x)

[Out] int(cos(b*x+a)/(d*x+c)^(7/3),x)

maxima [A] time = 1.82, size = 137, normalized size = 0.75

$$\frac{\left(\left((i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, \frac{i(dx+c)b}{d}\right) + (-i\sqrt{3} - 1)\Gamma\left(-\frac{4}{3}, -\frac{i(dx+c)b}{d}\right) \right) \cos\left(-\frac{bc-ad}{d}\right) + \left((\sqrt{3} + i)\Gamma\left(-\frac{4}{3}, \frac{i(dx+c)b}{d}\right) + (\sqrt{3} - i)\Gamma\left(-\frac{4}{3}, -\frac{i(dx+c)b}{d}\right) \right) \sin\left(-\frac{bc-ad}{d}\right) \right)}{4(dx+c)^{\frac{4}{3}}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)/(d*x+c)^(7/3),x, algorithm="maxima")

[Out] $-1/4 * (((I * \text{sqrt}(3) - 1) * \text{gamma}(-4/3, I * (d * x + c) * b / d) + (-I * \text{sqrt}(3) - 1) * \text{gamma}(-4/3, -I * (d * x + c) * b / d)) * \cos(-(b * c - a * d) / d) + ((\text{sqrt}(3) + I) * \text{gamma}(-4/3, I * (d * x + c) * b / d) + (\text{sqrt}(3) - I) * \text{gamma}(-4/3, -I * (d * x + c) * b / d)) * \sin(-(b * c - a * d) / d)) * ((d * x + c) * b / d)^{(4/3)} / ((d * x + c)^{(4/3)} * d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\cos(a + bx)}{(c + dx)^{7/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)/(c + d*x)^(7/3), x)`

[Out] `int(cos(a + b*x)/(c + d*x)^(7/3), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(a + bx)}{(c + dx)^{7/3}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)/(d*x+c)**(7/3), x)`

[Out] `Integral(cos(a + b*x)/(c + d*x)**(7/3), x)`

3.75 $\int x\sqrt{\cos(a+bx)} dx$

Optimal. Leaf size=15

$$\text{Int}(x\sqrt{\cos(a+bx)}, x)$$

[Out] Unintegrable(x*cos(b*x+a)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x\sqrt{\cos(a+bx)} dx$$

Verification is Not applicable to the result.

[In] Int[x*Sqrt[Cos[a + b*x]], x]

[Out] Defer[Int][x*Sqrt[Cos[a + b*x]], x]

Rubi steps

$$\int x\sqrt{\cos(a+bx)} dx = \int x\sqrt{\cos(a+bx)} dx$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[x*Sqrt[Cos[a + b*x]], x]

[Out] \$Aborted

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\cos(bx+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate(x*sqrt(cos(b*x + a)), x)

maple [A] time = 0.33, size = 0, normalized size = 0.00

$$\int x(\sqrt{\cos(bx+a)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(b*x+a)^(1/2),x)

[Out] int(x*cos(b*x+a)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\cos(bx+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(x*sqrt(cos(b*x + a)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int x\sqrt{\cos(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(a + b*x)^(1/2),x)

[Out] int(x*cos(a + b*x)^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\cos(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)**(1/2),x)

[Out] Integral(x*sqrt(cos(a + b*x)), x)

3.76 $\int \sqrt{\cos(a + bx)} dx$

Optimal. Leaf size=16

$$\frac{2E\left(\frac{1}{2}(a + bx) \middle| 2\right)}{b}$$

[Out] $2*(\cos(1/2*b*x+1/2*a)^2)^{(1/2)}/\cos(1/2*b*x+1/2*a)*\text{EllipticE}(\sin(1/2*b*x+1/2*a), 2^{(1/2)})/b$

Rubi [A] time = 0.01, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2639}

$$\frac{2E\left(\frac{1}{2}(a + bx) \middle| 2\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[a + b*x]], x]

[Out] (2*EllipticE[(a + b*x)/2, 2])/b

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \sqrt{\cos(a + bx)} dx = \frac{2E\left(\frac{1}{2}(a + bx) \middle| 2\right)}{b}$$

Mathematica [A] time = 0.01, size = 16, normalized size = 1.00

$$\frac{2E\left(\frac{1}{2}(a + bx) \middle| 2\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[a + b*x]], x]

[Out] (2*EllipticE[(a + b*x)/2, 2])/b

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\sqrt{\cos(bx+a)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(cos(b*x + a)), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\cos(bx+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate(sqrt(cos(b*x + a)), x)

maple [B] time = 0.00, size = 133, normalized size = 8.31

$$\frac{2\sqrt{\left(2\left(\cos^2\left(\frac{bx}{2} + \frac{a}{2}\right)\right) - 1\right)\left(\sin^2\left(\frac{bx}{2} + \frac{a}{2}\right)\right)}\sqrt{\frac{1}{2} - \frac{\cos(bx+a)}{2}}\sqrt{-2\left(\cos^2\left(\frac{bx}{2} + \frac{a}{2}\right)\right) + 1}\text{EllipticE}\left(\cos\left(\frac{bx}{2} + \frac{a}{2}\right), \sqrt{-2\left(\sin^4\left(\frac{bx}{2} + \frac{a}{2}\right)\right) + \sin^2\left(\frac{bx}{2} + \frac{a}{2}\right)}\right)\sin\left(\frac{bx}{2} + \frac{a}{2}\right)\sqrt{2\left(\cos^2\left(\frac{bx}{2} + \frac{a}{2}\right)\right) - 1}}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^(1/2),x)

[Out] $2*((2*\cos(1/2*b*x+1/2*a)^2-1)*\sin(1/2*b*x+1/2*a)^2)^(1/2)*(\sin(1/2*b*x+1/2*a)^2)^(1/2)*(-2*\cos(1/2*b*x+1/2*a)^2+1)^(1/2)*\text{EllipticE}(\cos(1/2*b*x+1/2*a), 2^(1/2))/(-2*\sin(1/2*b*x+1/2*a)^4+\sin(1/2*b*x+1/2*a)^2)^(1/2)/\sin(1/2*b*x+1/2*a)/(2*\cos(1/2*b*x+1/2*a)^2-1)^(1/2)/b$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\cos(bx+a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(sqrt(cos(b*x + a)), x)

mupad [B] time = 0.18, size = 15, normalized size = 0.94

$$\frac{2 E\left(\frac{a}{2} + \frac{bx}{2} \middle| 2\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^(1/2), x)`

[Out] `(2*ellipticE(a/2 + (b*x)/2, 2))/b`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{\cos(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(b*x+a)**(1/2), x)`

[Out] `Integral(sqrt(cos(a + b*x)), x)`

$$3.77 \quad \int \frac{\sqrt{\cos(a+bx)}}{x} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\sqrt{\cos(a+bx)}}{x}, x\right)$$

[Out] Unintegrable(cos(b*x+a)^(1/2)/x,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt{\cos(a+bx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[Cos[a + b*x]]/x,x]

[Out] Defer[Int][Sqrt[Cos[a + b*x]]/x, x]

Rubi steps

$$\int \frac{\sqrt{\cos(a+bx)}}{x} dx = \int \frac{\sqrt{\cos(a+bx)}}{x} dx$$

Mathematica [A] time = 0.66, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(a+bx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[Cos[a + b*x]]/x,x]

[Out] Integrate[Sqrt[Cos[a + b*x]]/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(bx + a)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2)/x,x, algorithm="giac")

[Out] integrate(sqrt(cos(b*x + a))/x, x)

maple [A] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(bx + a)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^(1/2)/x,x)

[Out] int(cos(b*x+a)^(1/2)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(bx + a)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(cos(b*x + a))/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\sqrt{\cos(a + bx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^(1/2)/x,x)

[Out] int(cos(a + b*x)^(1/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{\cos(a + bx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**(1/2)/x,x)

[Out] Integral(sqrt(cos(a + b*x))/x, x)

3.78 $\int x \cos^{\frac{3}{2}}(a + bx) dx$

Optimal. Leaf size=61

$$\frac{1}{3} \text{Int} \left(\frac{x}{\sqrt{\cos(a + bx)}}, x \right) + \frac{4 \cos^{\frac{3}{2}}(a + bx)}{9b^2} + \frac{2x \sin(a + bx) \sqrt{\cos(a + bx)}}{3b}$$

[Out] $4/9 * \cos(b*x+a)^{(3/2)}/b^2 + 2/3 * x * \sin(b*x+a) * \cos(b*x+a)^{(1/2)}/b + 1/3 * \text{Unintegrate}(x/\cos(b*x+a)^{(1/2)}, x)$

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int x \cos^{\frac{3}{2}}(a + bx) dx$$

Verification is Not applicable to the result.

[In] $\text{Int}[x * \text{Cos}[a + b*x]^{(3/2)}, x]$

[Out] $(4 * \text{Cos}[a + b*x]^{(3/2)}) / (9 * b^2) + (2 * x * \text{Sqrt}[\text{Cos}[a + b*x]] * \text{Sin}[a + b*x]) / (3 * b) + \text{Defer}[\text{Int}[x / \text{Sqrt}[\text{Cos}[a + b*x]], x] / 3$

Rubi steps

$$\int x \cos^{\frac{3}{2}}(a + bx) dx = \frac{4 \cos^{\frac{3}{2}}(a + bx)}{9b^2} + \frac{2x \sqrt{\cos(a + bx)} \sin(a + bx)}{3b} + \frac{1}{3} \int \frac{x}{\sqrt{\cos(a + bx)}} dx$$

Mathematica [A] time = 1.94, size = 0, normalized size = 0.00

$$\int x \cos^{\frac{3}{2}}(a + bx) dx$$

Verification is Not applicable to the result.

[In] $\text{Integrate}[x * \text{Cos}[a + b*x]^{(3/2)}, x]$

[Out] $\text{Integrate}[x * \text{Cos}[a + b*x]^{(3/2)}, x]$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(b*x+a)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \cos (bx + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(b*x+a)^(3/2),x, algorithm="giac")`

[Out] `integrate(x*cos(b*x + a)^(3/2), x)`

maple [A] time = 0.04, size = 0, normalized size = 0.00

$$\int x \left(\cos^{\frac{3}{2}} (bx + a) \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*cos(b*x+a)^(3/2),x)`

[Out] `int(x*cos(b*x+a)^(3/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int x \cos (bx + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*cos(b*x+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x*cos(b*x + a)^(3/2), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int x \cos (a + bx)^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*cos(a + b*x)^(3/2),x)`

[Out] `int(x*cos(a + b*x)^(3/2), x)`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)**(3/2),x)

[Out] Timed out

3.79 $\int \cos^{\frac{3}{2}}(a + bx) dx$

Optimal. Leaf size=42

$$\frac{2F\left(\frac{1}{2}(a + bx) \middle| 2\right)}{3b} + \frac{2 \sin(a + bx) \sqrt{\cos(a + bx)}}{3b}$$

[Out] $2/3 * (\cos(1/2 * b * x + 1/2 * a) ^ 2) ^ (1/2) / \cos(1/2 * b * x + 1/2 * a) * \text{EllipticF}(\sin(1/2 * b * x + 1/2 * a), 2 ^ (1/2)) / b + 2/3 * \sin(b * x + a) * \cos(b * x + a) ^ (1/2) / b$

Rubi [A] time = 0.02, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2635, 2641}

$$\frac{2F\left(\frac{1}{2}(a + bx) \middle| 2\right)}{3b} + \frac{2 \sin(a + bx) \sqrt{\cos(a + bx)}}{3b}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^(3/2), x]

[Out] $(2 * \text{EllipticF}[(a + b * x) / 2, 2]) / (3 * b) + (2 * \text{Sqrt}[\text{Cos}[a + b * x]] * \text{Sin}[a + b * x]) / (3 * b)$

Rule 2635

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b * Cos[c + d * x] * (b * Sin[c + d * x])^(n - 1)) / (d * n), x] + Dist[(b^2 * (n - 1)) / n, Int[(b * Sin[c + d * x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2 * n]

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2 * EllipticF[(1 * (c - Pi/2 + d * x)) / 2, 2]) / d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(a + bx) dx &= \frac{2\sqrt{\cos(a + bx)} \sin(a + bx)}{3b} + \frac{1}{3} \int \frac{1}{\sqrt{\cos(a + bx)}} dx \\ &= \frac{2F\left(\frac{1}{2}(a + bx) \middle| 2\right)}{3b} + \frac{2\sqrt{\cos(a + bx)} \sin(a + bx)}{3b} \end{aligned}$$

Mathematica [A] time = 0.02, size = 36, normalized size = 0.86

$$\frac{2 \left(F \left(\frac{1}{2}(a + bx) \middle| 2 \right) + \sin(a + bx) \sqrt{\cos(a + bx)} \right)}{3b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^(3/2), x]

[Out] (2*(EllipticF[(a + b*x)/2, 2] + Sqrt[Cos[a + b*x]]*Sin[a + b*x]))/(3*b)

fricas [F] time = 0.64, size = 0, normalized size = 0.00

$$\text{integral} \left(\cos(bx + a)^{\frac{3}{2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2), x, algorithm="fricas")

[Out] integral(cos(b*x + a)^(3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \cos(bx + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2), x, algorithm="giac")

[Out] integrate(cos(b*x + a)^(3/2), x)

maple [B] time = 0.18, size = 179, normalized size = 4.26

$$\frac{2 \sqrt{\left(2 \left(\cos^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) - 1 \right) \left(\sin^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right)} \left(4 \left(\sin^4 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) \cos \left(\frac{bx}{2} + \frac{a}{2} \right) + \sqrt{\frac{1}{2} - \frac{\cos(bx+a)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right)} \right)}{3 \sqrt{-2 \left(\sin^4 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) + \sin^2 \left(\frac{bx}{2} + \frac{a}{2} \right)} \sin \left(\frac{bx}{2} + \frac{a}{2} \right) \sqrt{2 \left(\cos \left(\frac{bx}{2} + \frac{a}{2} \right) \right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^(3/2), x)

[Out] -2/3*((2*cos(1/2*b*x+1/2*a)^2-1)*sin(1/2*b*x+1/2*a)^2)^(1/2)*(4*sin(1/2*b*x+1/2*a)^4*cos(1/2*b*x+1/2*a)+(sin(1/2*b*x+1/2*a)^2)^(1/2)*(2*sin(1/2*b*x+1/2*a)^2-1)^(1/2)*EllipticF(cos(1/2*b*x+1/2*a), 2^(1/2))-2*sin(1/2*b*x+1/2*a)^(1/2)*sqrt(2*(cos(1/2*b*x+1/2*a))))

$2*\cos(1/2*b*x+1/2*a)/(-2*\sin(1/2*b*x+1/2*a)^4+\sin(1/2*b*x+1/2*a)^2)^{(1/2)}/\sin(1/2*b*x+1/2*a)/(2*\cos(1/2*b*x+1/2*a)^2-1)^{(1/2)}/b$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \cos(bx + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2),x, algorithm="maxima")

[Out] integrate(cos(b*x + a)^(3/2), x)

mupad [B] time = 0.19, size = 35, normalized size = 0.83

$$\frac{2F\left(\frac{a}{2} + \frac{bx}{2} \middle| 2\right)}{3b} + \frac{2\sqrt{\cos(a + bx)} \sin(a + bx)}{3b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^(3/2),x)

[Out] (2*ellipticF(a/2 + (b*x)/2, 2))/(3*b) + (2*cos(a + b*x)^(1/2)*sin(a + b*x))/(3*b)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \cos^{\frac{3}{2}}(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**(3/2),x)

[Out] Integral(cos(a + b*x)**(3/2), x)

$$3.80 \quad \int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{\cos^{\frac{3}{2}}(a+bx)}{x}, x\right)$$

[Out] Unintegrable(cos(b*x+a)^(3/2)/x,x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx$$

Verification is Not applicable to the result.

[In] Int[Cos[a + b*x]^(3/2)/x,x]

[Out] Defer[Int][Cos[a + b*x]^(3/2)/x, x]

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx = \int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx$$

Mathematica [A] time = 15.48, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(a+bx)}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[Cos[a + b*x]^(3/2)/x,x]

[Out] Integrate[Cos[a + b*x]^(3/2)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2)/x,x, algorithm="giac")

[Out] integrate(cos(b*x + a)^(3/2)/x, x)

maple [A] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(bx + a)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(b*x+a)^(3/2)/x,x)

[Out] int(cos(b*x+a)^(3/2)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(bx + a)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)^(3/2)/x,x, algorithm="maxima")

[Out] integrate(cos(b*x + a)^(3/2)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{\cos(a + bx)^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)^(3/2)/x,x)

[Out] int(cos(a + b*x)^(3/2)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(a + bx)}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(b*x+a)**(3/2)/x,x)

[Out] Integral(cos(a + b*x)**(3/2)/x, x)

$$3.81 \quad \int \left(-\frac{x}{3\sqrt{\cos(a+bx)}} + x \cos^{\frac{3}{2}}(a+bx) \right) dx$$

Optimal. Leaf size=42

$$\frac{4 \cos^{\frac{3}{2}}(a+bx)}{9b^2} + \frac{2x \sin(a+bx) \sqrt{\cos(a+bx)}}{3b}$$

[Out] $4/9*\cos(b*x+a)^{(3/2)}/b^2+2/3*x*\sin(b*x+a)*\cos(b*x+a)^{(1/2)}/b$

Rubi [A] time = 0.06, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 28, $\frac{\text{number of rules}}{\text{integrand size}} = 0.036$, Rules used = {3310}

$$\frac{4 \cos^{\frac{3}{2}}(a+bx)}{9b^2} + \frac{2x \sin(a+bx) \sqrt{\cos(a+bx)}}{3b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[-x/(3*\text{Sqrt}[\text{Cos}[a + b*x]]) + x*\text{Cos}[a + b*x]^{(3/2)}, x]$

[Out] $(4*\text{Cos}[a + b*x]^{(3/2)})/(9*b^2) + (2*x*\text{Sqrt}[\text{Cos}[a + b*x]]*\text{Sin}[a + b*x])/(3*b)$

Rule 3310

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[(d*(b*Ssin[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c
+ d*x)*(b*Ssin[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b
*Ssin[e + f*x])^(n - 1))/(f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1
]
```

Rubi steps

$$\begin{aligned} \int \left(-\frac{x}{3\sqrt{\cos(a+bx)}} + x \cos^{\frac{3}{2}}(a+bx) \right) dx &= -\left(\frac{1}{3} \int \frac{x}{\sqrt{\cos(a+bx)}} dx \right) + \int x \cos^{\frac{3}{2}}(a+bx) dx \\ &= \frac{4 \cos^{\frac{3}{2}}(a+bx)}{9b^2} + \frac{2x \sqrt{\cos(a+bx)} \sin(a+bx)}{3b} \end{aligned}$$

Mathematica [A] time = 0.43, size = 40, normalized size = 0.95

$$\frac{\sqrt{\cos(a+bx)} \left(4x \sin(a+bx) + \frac{8 \cos(a+bx)}{3b} \right)}{6b}$$

Antiderivative was successfully verified.

```
[In] Integrate[-1/3*x/Sqrt[Cos[a + b*x]] + x*cos[a + b*x]^(3/2), x]
```

```
[Out] (Sqrt[Cos[a + b*x]]*((8*cos[a + b*x])/(3*b) + 4*x*sin[a + b*x]))/(6*b)
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(b*x+a)^(3/2)-1/3*x/cos(b*x+a)^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \cos(bx + a)^{\frac{3}{2}} - \frac{x}{3\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(b*x+a)^(3/2)-1/3*x/cos(b*x+a)^(1/2), x, algorithm="giac")
```

```
[Out] integrate(x*cos(b*x + a)^(3/2) - 1/3*x/sqrt(cos(b*x + a)), x)
```

maple [F] time = 0.21, size = 0, normalized size = 0.00

$$\int x \left(\cos^{\frac{3}{2}}(bx + a) \right) - \frac{x}{3\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x*cos(b*x+a)^(3/2)-1/3*x/cos(b*x+a)^(1/2), x)
```

```
[Out] int(x*cos(b*x+a)^(3/2)-1/3*x/cos(b*x+a)^(1/2), x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \cos(bx + a)^{\frac{3}{2}} - \frac{x}{3\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*cos(b*x+a)^(3/2)-1/3*x/cos(b*x+a)^(1/2), x, algorithm="maxima")
```

```
[Out] integrate(x*cos(b*x + a)^(3/2) - 1/3*x/sqrt(cos(b*x + a)), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x \cos(a + bx)^{3/2} - \frac{x}{3\sqrt{\cos(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(a + b*x)^(3/2) - x/(3*cos(a + b*x)^(1/2)), x)

[Out] int(x*cos(a + b*x)^(3/2) - x/(3*cos(a + b*x)^(1/2)), x)

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*cos(b*x+a)**(3/2)-1/3*x/cos(b*x+a)**(1/2), x)

[Out] Timed out

$$3.82 \quad \int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$$

Optimal. Leaf size=63

$$-\frac{9}{8} \operatorname{Int}\left(\frac{\cos^{\frac{3}{2}}(x)}{x}, x\right) + \frac{3}{8} \operatorname{Int}\left(\frac{1}{x\sqrt{\cos(x)}}, x\right) - \frac{\cos^{\frac{3}{2}}(x)}{2x^2} + \frac{3 \sin(x)\sqrt{\cos(x)}}{4x}$$

[Out] $-1/2*\cos(x)^{(3/2)}/x^2+3/4*\sin(x)*\cos(x)^{(1/2)}/x-9/8*\operatorname{Unintegrable}(\cos(x)^{(3/2)}/x,x)+3/8*\operatorname{Unintegrable}(1/x/\cos(x)^{(1/2)},x)$

Rubi [A] time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Int}[\operatorname{Cos}[x]^{(3/2)}/x^3, x]$

[Out] $-\operatorname{Cos}[x]^{(3/2)}/(2*x^2) + (3*\operatorname{Sqrt}[\operatorname{Cos}[x]]*\operatorname{Sin}[x])/(4*x) + (3*\operatorname{Defer}[\operatorname{Int}][1/(x*\operatorname{Sqrt}[\operatorname{Cos}[x]])], x])/8 - (9*\operatorname{Defer}[\operatorname{Int}][\operatorname{Cos}[x]^{(3/2)}/x, x])/8$

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx = -\frac{\cos^{\frac{3}{2}}(x)}{2x^2} + \frac{3\sqrt{\cos(x)} \sin(x)}{4x} + \frac{3}{8} \int \frac{1}{x\sqrt{\cos(x)}} dx - \frac{9}{8} \int \frac{\cos^{\frac{3}{2}}(x)}{x} dx$$

Mathematica [A] time = 4.97, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$$

Verification is Not applicable to the result.

[In] $\operatorname{Integrate}[\operatorname{Cos}[x]^{(3/2)}/x^3, x]$

[Out] $\operatorname{Integrate}[\operatorname{Cos}[x]^{(3/2)}/x^3, x]$

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^(3/2)/x^3,x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(x)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^(3/2)/x^3,x, algorithm="giac")`

[Out] `integrate(cos(x)^(3/2)/x^3, x)`

maple [A] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(x)^(3/2)/x^3,x)`

[Out] `int(cos(x)^(3/2)/x^3,x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos(x)^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(x)^(3/2)/x^3,x, algorithm="maxima")`

[Out] `integrate(cos(x)^(3/2)/x^3, x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\cos(x)^{3/2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(x)^(3/2)/x^3,x)
```

```
[Out] int(cos(x)^(3/2)/x^3, x)
```

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\cos^{\frac{3}{2}}(x)}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(x)**(3/2)/x**3,x)
```

```
[Out] Integral(cos(x)**(3/2)/x**3, x)
```

$$3.83 \quad \int \frac{x}{\sqrt{\cos(a+bx)}} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{x}{\sqrt{\cos(a+bx)}}, x\right)$$

[Out] Unintegrable(x/cos(b*x+a)^(1/2), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{\sqrt{\cos(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Int[x/Sqrt[Cos[a + b*x]], x]

[Out] Defer[Int][x/Sqrt[Cos[a + b*x]], x]

Rubi steps

$$\int \frac{x}{\sqrt{\cos(a+bx)}} dx = \int \frac{x}{\sqrt{\cos(a+bx)}} dx$$

Mathematica [A] time = 0.30, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[x/Sqrt[Cos[a + b*x]], x]

[Out] Integrate[x/Sqrt[Cos[a + b*x]], x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(b*x+a)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(cos(b*x + a)), x)

maple [A] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/cos(b*x+a)^(1/2),x)

[Out] int(x/cos(b*x+a)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(b*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(cos(b*x + a)), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{x}{\sqrt{\cos(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/cos(a + b*x)^(1/2),x)

[Out] int(x/cos(a + b*x)^(1/2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{\cos(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(b*x+a)**(1/2),x)
```

```
[Out] Integral(x/sqrt(cos(a + b*x)), x)
```

$$3.84 \quad \int \frac{1}{\sqrt{\cos(a+bx)}} dx$$

Optimal. Leaf size=16

$$\frac{2F\left(\frac{1}{2}(a+bx)\middle|2\right)}{b}$$

[Out] $2*(\cos(1/2*b*x+1/2*a)^2)^{(1/2)}/\cos(1/2*b*x+1/2*a)*\text{EllipticF}(\sin(1/2*b*x+1/2*a),2^{(1/2)})/b$

Rubi [A] time = 0.01, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2641}

$$\frac{2F\left(\frac{1}{2}(a+bx)\middle|2\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[Cos[a + b*x]],x]

[Out] (2*EllipticF[(a + b*x)/2, 2])/b

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{1}{\sqrt{\cos(a+bx)}} dx = \frac{2F\left(\frac{1}{2}(a+bx)\middle|2\right)}{b}$$

Mathematica [A] time = 0.02, size = 16, normalized size = 1.00

$$\frac{2F\left(\frac{1}{2}(a+bx)\middle|2\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[Cos[a + b*x]],x]

[Out] $(2*\text{EllipticF}[(a + b*x)/2, 2])/b$

fricas [F] time = 1.01, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\sqrt{\cos(bx + a)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(b*x+a)^(1/2),x, algorithm="fricas")`

[Out] `integral(1/sqrt(cos(b*x + a)), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(b*x+a)^(1/2),x, algorithm="giac")`

[Out] `integrate(1/sqrt(cos(b*x + a)), x)`

maple [C] time = 0.00, size = 18, normalized size = 1.12

$$\frac{2 \operatorname{am}^{-1}\left(\frac{bx}{2} + \frac{a}{2}|\sqrt{2}\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(b*x+a)^(1/2),x)`

[Out] `2/b*InverseJacobiAM(1/2*b*x+1/2*a,2^(1/2))`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(bx + a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(b*x+a)^(1/2),x, algorithm="maxima")`

[Out] `integrate(1/sqrt(cos(b*x + a)), x)`

mupad [B] time = 0.20, size = 15, normalized size = 0.94

$$\frac{2F\left(\frac{a}{2} + \frac{bx}{2} \middle| 2\right)}{b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/cos(a + b*x)^(1/2), x)`

[Out] `(2*ellipticF(a/2 + (b*x)/2, 2))/b`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{\cos(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/cos(b*x+a)**(1/2), x)`

[Out] `Integral(1/sqrt(cos(a + b*x)), x)`

$$3.85 \quad \int \frac{1}{x\sqrt{\cos(a+bx)}} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x\sqrt{\cos(a+bx)}}, x\right)$$

[Out] Unintegrable(1/x/cos(b*x+a)^(1/2), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x\sqrt{\cos(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[Cos[a + b*x]]), x]

[Out] Defer[Int][1/(x*Sqrt[Cos[a + b*x]]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{\cos(a+bx)}} dx = \int \frac{1}{x\sqrt{\cos(a+bx)}} dx$$

Mathematica [A] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(a+bx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[Cos[a + b*x]]), x]

[Out] Integrate[1/(x*Sqrt[Cos[a + b*x]]), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/cos(b*x+a)^(1/2), x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/cos(b*x+a)^(1/2),x, algorithm="giac")

[Out] integrate(1/(x*sqrt(cos(b*x + a))), x)

maple [A] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/cos(b*x+a)^(1/2),x)

[Out] int(1/x/cos(b*x+a)^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(bx+a)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/cos(b*x+a)^(1/2),x, algorithm="maxima")

[Out] integrate(1/(x*sqrt(cos(b*x + a))), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x\sqrt{\cos(a+bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*cos(a + b*x)^(1/2)),x)

[Out] int(1/(x*cos(a + b*x)^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{\cos(a + bx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/cos(b*x+a)**(1/2),x)

[Out] Integral(1/(x*sqrt(cos(a + b*x))), x)

$$3.86 \quad \int \frac{x}{\cos^{\frac{3}{2}}(a+bx)} dx$$

Optimal. Leaf size=55

$$-\text{Int}(x\sqrt{\cos(a+bx)}, x) + \frac{4\sqrt{\cos(a+bx)}}{b^2} + \frac{2x \sin(a+bx)}{b\sqrt{\cos(a+bx)}}$$

[Out] 2*x*sin(b*x+a)/b/cos(b*x+a)^(1/2)+4*cos(b*x+a)^(1/2)/b^2-Unintegrable(x*cos(b*x+a)^(1/2), x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{x}{\cos^{\frac{3}{2}}(a+bx)} dx$$

Verification is Not applicable to the result.

[In] Int[x/Cos[a + b*x]^(3/2), x]

[Out] (4*Sqrt[Cos[a + b*x]])/b^2 + (2*x*Sin[a + b*x])/(b*Sqrt[Cos[a + b*x]]) - Der[Int][x*Sqrt[Cos[a + b*x]], x]

Rubi steps

$$\int \frac{x}{\cos^{\frac{3}{2}}(a+bx)} dx = \frac{4\sqrt{\cos(a+bx)}}{b^2} + \frac{2x \sin(a+bx)}{b\sqrt{\cos(a+bx)}} - \int x\sqrt{\cos(a+bx)} dx$$

Mathematica [F] time = 0.00, size = 0, normalized size = 0.00

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[x/Cos[a + b*x]^(3/2), x]

[Out] \$Aborted

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(b*x+a)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (constant residues)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(b*x+a)^(3/2),x, algorithm="giac")`

[Out] `integrate(x/cos(b*x + a)^(3/2), x)`

maple [A] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/cos(b*x+a)^(3/2),x)`

[Out] `int(x/cos(b*x+a)^(3/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(b*x+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate(x/cos(b*x + a)^(3/2), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{x}{\cos(a + bx)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/cos(a + b*x)^(3/2),x)`

[Out] `int(x/cos(a + b*x)^(3/2), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos^{\frac{3}{2}}(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(b*x+a)**(3/2),x)`

[Out] `Integral(x/cos(a + b*x)**(3/2), x)`

$$3.87 \quad \int \frac{1}{\cos^{\frac{3}{2}}(a+bx)} dx$$

Optimal. Leaf size=38

$$\frac{2 \sin(a+bx)}{b\sqrt{\cos(a+bx)}} - \frac{2E\left(\frac{1}{2}(a+bx) \middle| 2\right)}{b}$$

[Out] $-2*(\cos(1/2*b*x+1/2*a)^2)^{(1/2)}/\cos(1/2*b*x+1/2*a)*\text{EllipticE}(\sin(1/2*b*x+1/2*a), 2^{(1/2)})/b+2*\sin(b*x+a)/b/\cos(b*x+a)^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {2636, 2639}

$$\frac{2 \sin(a+bx)}{b\sqrt{\cos(a+bx)}} - \frac{2E\left(\frac{1}{2}(a+bx) \middle| 2\right)}{b}$$

Antiderivative was successfully verified.

[In] Int[Cos[a + b*x]^(-3/2), x]

[Out] $(-2*\text{EllipticE}[(a + b*x)/2, 2])/b + (2*\text{Sin}[a + b*x])/(b*\text{Sqrt}[\text{Cos}[a + b*x]])$

Rule 2636

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{1}{\cos^{\frac{3}{2}}(a+bx)} dx = \frac{2 \sin(a+bx)}{b\sqrt{\cos(a+bx)}} - \int \sqrt{\cos(a+bx)} dx$$

$$= -\frac{2E\left(\frac{1}{2}(a+bx)\middle|2\right)}{b} + \frac{2 \sin(a+bx)}{b\sqrt{\cos(a+bx)}}$$

Mathematica [A] time = 0.05, size = 38, normalized size = 1.00

$$\frac{2 \sin(a+bx)}{b\sqrt{\cos(a+bx)}} - \frac{2E\left(\frac{1}{2}(a+bx)\middle|2\right)}{b}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[a + b*x]^(-3/2), x]

[Out] (-2*EllipticE[(a + b*x)/2, 2])/b + (2*Sin[a + b*x])/(b*Sqrt[Cos[a + b*x]])

fricas [F] time = 0.92, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{\cos(bx+a)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(b*x+a)^(3/2), x, algorithm="fricas")

[Out] integral(cos(b*x + a)^(-3/2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(bx+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(b*x+a)^(3/2), x, algorithm="giac")

[Out] integrate(cos(b*x + a)^(-3/2), x)

maple [A] time = 0.00, size = 101, normalized size = 2.66

$$\frac{2 \left(\sqrt{\frac{1}{2} - \frac{\cos(bx+a)}{2}} \sqrt{2 \left(\sin^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) - 1} \operatorname{EllipticE} \left(\cos \left(\frac{bx}{2} + \frac{a}{2} \right), \sqrt{2} \right) - 2 \left(\sin^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) \cos \left(\frac{bx}{2} + \frac{a}{2} \right) \right)}{\sin \left(\frac{bx}{2} + \frac{a}{2} \right) \sqrt{2 \left(\cos^2 \left(\frac{bx}{2} + \frac{a}{2} \right) \right) - 1} b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(b*x+a)^(3/2), x)

[Out] -2*((sin(1/2*b*x+1/2*a)^2)^(1/2)*(2*sin(1/2*b*x+1/2*a)^2-1)^(1/2)*EllipticE(cos(1/2*b*x+1/2*a), 2^(1/2))-2*sin(1/2*b*x+1/2*a)^2*cos(1/2*b*x+1/2*a))/sin(1/2*b*x+1/2*a)/(2*cos(1/2*b*x+1/2*a)^2-1)^(1/2)/b

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos(bx+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(b*x+a)^(3/2), x, algorithm="maxima")

[Out] integrate(cos(b*x + a)^(-3/2), x)

mupad [B] time = 0.44, size = 42, normalized size = 1.11

$$\frac{2 \sin(a + bx) {}_2F_1 \left(-\frac{1}{4}, \frac{1}{2}; \frac{3}{4}; \cos(a + bx)^2 \right)}{b \sqrt{\cos(a + bx)} \sqrt{\sin(a + bx)^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/cos(a + b*x)^(3/2), x)

[Out] (2*sin(a + b*x)*hypergeom([-1/4, 1/2], 3/4, cos(a + b*x)^2))/(b*cos(a + b*x)^(1/2)*(sin(a + b*x)^2)^(1/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\cos^{\frac{3}{2}}(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/cos(b*x+a)**(3/2), x)

[Out] Integral(cos(a + b*x)**(-3/2), x)

$$3.88 \quad \int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx$$

Optimal. Leaf size=17

$$\text{Int}\left(\frac{1}{x \cos^{\frac{3}{2}}(a+bx)}, x\right)$$

[Out] Unintegrable(1/x/cos(b*x+a)^(3/2), x)

Rubi [A] time = 0.03, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Cos[a + b*x]^(3/2)), x]

[Out] Defer[Int][1/(x*Cos[a + b*x]^(3/2)), x]

Rubi steps

$$\int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx = \int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx$$

Mathematica [A] time = 14.91, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos^{\frac{3}{2}}(a+bx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Cos[a + b*x]^(3/2)), x]

[Out] Integrate[1/(x*Cos[a + b*x]^(3/2)), x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/cos(b*x+a)^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: `integrate: implementation incomplete (constant residues)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/cos(b*x+a)^(3/2),x, algorithm="giac")`

[Out] `integrate(1/(x*cos(b*x + a)^(3/2)), x)`

maple [A] time = 0.04, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/cos(b*x+a)^(3/2),x)`

[Out] `int(1/x/cos(b*x+a)^(3/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x \cos(bx + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/cos(b*x+a)^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/(x*cos(b*x + a)^(3/2)), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \cos(a + bx)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*cos(a + b*x)^(3/2)),x)`

```
[Out] int(1/(x*cos(a + b*x)^(3/2)), x)
```

```
sympy [A] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{1}{x \cos^{\frac{3}{2}}(a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/cos(b*x+a)**(3/2),x)
```

```
[Out] Integral(1/(x*cos(a + b*x)**(3/2)), x)
```

$$3.89 \quad \int \left(\frac{x}{\cos^{\frac{3}{2}}(a+bx)} + x\sqrt{\cos(a+bx)} \right) dx$$

Optimal. Leaf size=38

$$\frac{4\sqrt{\cos(a+bx)}}{b^2} + \frac{2x \sin(a+bx)}{b\sqrt{\cos(a+bx)}}$$

[Out] $2*x*\sin(b*x+a)/b/\cos(b*x+a)^{(1/2)}+4*\cos(b*x+a)^{(1/2)}/b^2$

Rubi [A] time = 0.06, antiderivative size = 38, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 25, $\frac{\text{number of rules}}{\text{integrand size}} = 0.040$, Rules used = {3315}

$$\frac{4\sqrt{\cos(a+bx)}}{b^2} + \frac{2x \sin(a+bx)}{b\sqrt{\cos(a+bx)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/\text{Cos}[a + b*x]^{(3/2)} + x*\text{Sqrt}[\text{Cos}[a + b*x]], x]$

[Out] $(4*\text{Sqrt}[\text{Cos}[a + b*x]])/b^2 + (2*x*\text{Sin}[a + b*x])/(b*\text{Sqrt}[\text{Cos}[a + b*x]])$

Rule 3315

$\text{Int}[(c_. + d_.)*(x_.)*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] :=$
 $\text{Simp}[(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n + 1)})/(b*f*(n + 1)), x] +$
 $(\text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n + 2)}, x], x]$
 $] - \text{Simp}[d*(b*\text{Sin}[e + f*x])^{(n + 2)})/(b^2*f^2*(n + 1)*(n + 2)), x]) /;$ $\text{FreeQ}\{b, c, d, e, f\}, x \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{NeQ}[n, -2]$

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\cos^{\frac{3}{2}}(a+bx)} + x\sqrt{\cos(a+bx)} \right) dx &= \int \frac{x}{\cos^{\frac{3}{2}}(a+bx)} dx + \int x\sqrt{\cos(a+bx)} dx \\ &= \frac{4\sqrt{\cos(a+bx)}}{b^2} + \frac{2x \sin(a+bx)}{b\sqrt{\cos(a+bx)}} \end{aligned}$$

Mathematica [A] time = 0.40, size = 33, normalized size = 0.87

$$\frac{2(bx \sin(a+bx) + 2 \cos(a+bx))}{b^2 \sqrt{\cos(a+bx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/Cos[a + b*x]^(3/2) + x*Sqrt[Cos[a + b*x]],x]
```

```
[Out] (2*(2*Cos[a + b*x] + b*x*Sin[a + b*x]))/(b^2*Sqrt[Cos[a + b*x]])
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(b*x+a)^(3/2)+x*cos(b*x+a)^(1/2),x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (has polynomial part)
```

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\cos(bx+a)} + \frac{x}{\cos(bx+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(b*x+a)^(3/2)+x*cos(b*x+a)^(1/2),x, algorithm="giac")
```

```
[Out] integrate(x*sqrt(cos(b*x + a)) + x/cos(b*x + a)^(3/2), x)
```

maple [F] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(bx+a)^{\frac{3}{2}}} + x(\sqrt{\cos(bx+a)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/cos(b*x+a)^(3/2)+x*cos(b*x+a)^(1/2),x)
```

```
[Out] int(x/cos(b*x+a)^(3/2)+x*cos(b*x+a)^(1/2),x)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{\cos(bx+a)} + \frac{x}{\cos(bx+a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(b*x+a)^(3/2)+x*cos(b*x+a)^(1/2),x, algorithm="maxima")
```

[Out] integrate(x*sqrt(cos(b*x + a)) + x/cos(b*x + a)^(3/2), x)

mupad [B] time = 0.66, size = 51, normalized size = 1.34

$$\frac{2\sqrt{\cos(a+bx)}(2\cos(2a+2bx)+bx\sin(2a+2bx)+2)}{b^2(\cos(2a+2bx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(a + b*x)^(1/2) + x/cos(a + b*x)^(3/2), x)

[Out] (2*cos(a + b*x)^(1/2)*(2*cos(2*a + 2*b*x) + b*x*sin(2*a + 2*b*x) + 2))/(b^2*(cos(2*a + 2*b*x) + 1))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x(\cos^2(a+bx)+1)}{\cos^{\frac{3}{2}}(a+bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(b*x+a)**(3/2)+x*cos(b*x+a)**(1/2), x)

[Out] Integral(x*(cos(a + b*x)**2 + 1)/cos(a + b*x)**(3/2), x)

$$3.90 \quad \int \left(\frac{x}{\cos^{\frac{3}{2}}(x)} + x\sqrt{\cos(x)} \right) dx$$

Optimal. Leaf size=20

$$4\sqrt{\cos(x)} + \frac{2x \sin(x)}{\sqrt{\cos(x)}}$$

[Out] 2*x*sin(x)/cos(x)^(1/2)+4*cos(x)^(1/2)

Rubi [A] time = 0.04, antiderivative size = 20, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 17, $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$, Rules used = {3315}

$$4\sqrt{\cos(x)} + \frac{2x \sin(x)}{\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

[In] Int[x/Cos[x]^(3/2) + x*Sqrt[Cos[x]],x]

[Out] 4*Sqrt[Cos[x]] + (2*x*Sin[x])/Sqrt[Cos[x]]

Rule 3315

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[((c + d*x)*Cos[e + f*x]*(b*Sin[e + f*x])^(n + 1))/(b*f*(n + 1)), x] +
  (Dist[(n + 2)/(b^2*(n + 1)), Int[(c + d*x)*(b*Sin[e + f*x])^(n + 2), x], x
] - Simp[(d*(b*Sin[e + f*x])^(n + 2))/(b^2*f^2*(n + 1)*(n + 2)), x]) /; Fre
eQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2]
```

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\cos^{\frac{3}{2}}(x)} + x\sqrt{\cos(x)} \right) dx &= \int \frac{x}{\cos^{\frac{3}{2}}(x)} dx + \int x\sqrt{\cos(x)} dx \\ &= 4\sqrt{\cos(x)} + \frac{2x \sin(x)}{\sqrt{\cos(x)}} \end{aligned}$$

Mathematica [A] time = 0.09, size = 17, normalized size = 0.85

$$\frac{2(x \sin(x) + 2 \cos(x))}{\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[x/Cos[x]^(3/2) + x*Sqrt[Cos[x]], x]
```

```
[Out] (2*(2*Cos[x] + x*Sin[x]))/Sqrt[Cos[x]]
```

```
fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00
```

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(x)^(3/2)+x*cos(x)^(1/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (has polynomial part)
```

```
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x\sqrt{\cos(x)} + \frac{x}{\cos(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(x)^(3/2)+x*cos(x)^(1/2), x, algorithm="giac")
```

```
[Out] integrate(x*sqrt(cos(x)) + x/cos(x)^(3/2), x)
```

```
maple [F] time = 0.26, size = 0, normalized size = 0.00
```

$$\int \frac{x}{\cos(x)^{\frac{3}{2}}} + x(\sqrt{\cos(x)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/cos(x)^(3/2)+x*cos(x)^(1/2), x)
```

```
[Out] int(x/cos(x)^(3/2)+x*cos(x)^(1/2), x)
```

```
maxima [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x\sqrt{\cos(x)} + \frac{x}{\cos(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/cos(x)^(3/2)+x*cos(x)^(1/2), x, algorithm="maxima")
```

[Out] integrate(x*sqrt(cos(x)) + x/cos(x)^(3/2), x)

mupad [B] time = 0.33, size = 15, normalized size = 0.75

$$\frac{4 \cos(x) + 2 x \sin(x)}{\sqrt{\cos(x)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x*cos(x)^(1/2) + x/cos(x)^(3/2), x)

[Out] (4*cos(x) + 2*x*sin(x))/cos(x)^(1/2)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x (\cos^2(x) + 1)}{\cos^{\frac{3}{2}}(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)**(3/2)+x*cos(x)**(1/2), x)

[Out] Integral(x*(cos(x)**2 + 1)/cos(x)**(3/2), x)

$$3.91 \quad \int \left(\frac{x}{\cos^{\frac{5}{2}}(x)} - \frac{x}{3\sqrt{\cos(x)}} \right) dx$$

Optimal. Leaf size=24

$$\frac{2x \sin(x)}{3 \cos^{\frac{3}{2}}(x)} - \frac{4}{3\sqrt{\cos(x)}}$$

[Out] $2/3*x*\sin(x)/\cos(x)^{(3/2)}-4/3/\cos(x)^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {3315}

$$\frac{2x \sin(x)}{3 \cos^{\frac{3}{2}}(x)} - \frac{4}{3\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x/\text{Cos}[x]^{(5/2)} - x/(3*\text{Sqrt}[\text{Cos}[x]]), x]$

[Out] $-4/(3*\text{Sqrt}[\text{Cos}[x]]) + (2*x*\text{Sin}[x])/(3*\text{Cos}[x]^{(3/2)})$

Rule 3315

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :=
  Simp[((c + d*x)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n + 1))/(b*f*(n + 1)), x] +
  (Dist[(n + 2)/(b^2*(n + 1)), Int[(c + d*x)*(b*Ssin[e + f*x])^(n + 2), x], x]
  ] - Simp[(d*(b*Ssin[e + f*x])^(n + 2))/(b^2*f^2*(n + 1)*(n + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2]
```

Rubi steps

$$\begin{aligned} \int \left(\frac{x}{\cos^{\frac{5}{2}}(x)} - \frac{x}{3\sqrt{\cos(x)}} \right) dx &= - \left(\frac{1}{3} \int \frac{x}{\sqrt{\cos(x)}} dx \right) + \int \frac{x}{\cos^{\frac{5}{2}}(x)} dx \\ &= - \frac{4}{3\sqrt{\cos(x)}} + \frac{2x \sin(x)}{3 \cos^{\frac{3}{2}}(x)} \end{aligned}$$

Mathematica [A] time = 0.08, size = 17, normalized size = 0.71

$$\frac{8 - 4x \tan(x)}{6\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/Cos[x]^(5/2) - x/(3*Sqrt[Cos[x]]), x]

[Out] -1/6*(8 - 4*x*Tan[x])/Sqrt[Cos[x]]

fricas [A] time = 0.91, size = 15, normalized size = 0.62

$$\frac{2(x \sin(x) - 2 \cos(x))}{3 \cos(x)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)^(5/2)-1/3*x/cos(x)^(1/2), x, algorithm="fricas")

[Out] 2/3*(x*sin(x) - 2*cos(x))/cos(x)^(3/2)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x}{3\sqrt{\cos(x)}} + \frac{x}{\cos(x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)^(5/2)-1/3*x/cos(x)^(1/2), x, algorithm="giac")

[Out] integrate(-1/3*x/sqrt(cos(x)) + x/cos(x)^(5/2), x)

maple [F] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(x)^{\frac{5}{2}}} - \frac{x}{3\sqrt{\cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/cos(x)^(5/2)-1/3*x/cos(x)^(1/2), x)

[Out] int(x/cos(x)^(5/2)-1/3*x/cos(x)^(1/2), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{x}{3\sqrt{\cos(x)}} + \frac{x}{\cos(x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)^(5/2)-1/3*x/cos(x)^(1/2), x, algorithm="maxima")

[Out] integrate(-1/3*x/sqrt(cos(x)) + x/cos(x)^(5/2), x)

mupad [B] time = 0.14, size = 16, normalized size = 0.67

$$\frac{4 \cos(x) - 2 x \sin(x)}{3 \cos(x)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/cos(x)^(5/2) - x/(3*cos(x)^(1/2)), x)

[Out] -(4*cos(x) - 2*x*sin(x))/(3*cos(x)^(3/2))

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \left(-\frac{3x}{5 \cos^2(x)} \right) dx + \int \frac{x}{\sqrt{\cos(x)}} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)**(5/2)-1/3*x/cos(x)**(1/2), x)

[Out] -(Integral(-3*x/cos(x)**(5/2), x) + Integral(x/sqrt(cos(x)), x))/3

$$3.92 \quad \int \left(\frac{x}{\cos^{\frac{7}{2}}(x)} + \frac{3}{5}x\sqrt{\cos(x)} \right) dx$$

Optimal. Leaf size=47

$$-\frac{4}{15\cos^{\frac{3}{2}}(x)} + \frac{12\sqrt{\cos(x)}}{5} + \frac{2x\sin(x)}{5\cos^{\frac{5}{2}}(x)} + \frac{6x\sin(x)}{5\sqrt{\cos(x)}}$$

[Out] $-4/15/\cos(x)^{(3/2)}+2/5*x*\sin(x)/\cos(x)^{(5/2)}+6/5*x*\sin(x)/\cos(x)^{(1/2)}+12/5*\cos(x)^{(1/2)}$

Rubi [A] time = 0.06, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 1, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.050$, Rules used = {3315}

$$-\frac{4}{15\cos^{\frac{3}{2}}(x)} + \frac{12\sqrt{\cos(x)}}{5} + \frac{2x\sin(x)}{5\cos^{\frac{5}{2}}(x)} + \frac{6x\sin(x)}{5\sqrt{\cos(x)}}$$

Antiderivative was successfully verified.

[In] `Int[x/Cos[x]^(7/2) + (3*x*Sqrt[Cos[x]])/5,x]`

[Out] $-4/(15*\text{Cos}[x]^{(3/2)}) + (12*\text{Sqrt}[\text{Cos}[x]])/5 + (2*x*\text{Sin}[x])/(5*\text{Cos}[x]^{(5/2)}) + (6*x*\text{Sin}[x])/(5*\text{Sqrt}[\text{Cos}[x]])$

Rule 3315

```
Int[((c_.) + (d_.)*(x_))*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :>
  Simp[((c + d*x)*Cos[e + f*x]*(b*Ssin[e + f*x])^(n + 1))/(b*f*(n + 1)), x] +
  (Dist[(n + 2)/(b^2*(n + 1)), Int[(c + d*x)*(b*Ssin[e + f*x])^(n + 2), x], x
] - Simp[(d*(b*Ssin[e + f*x])^(n + 2))/(b^2*f^2*(n + 1)*(n + 2)), x]) /; Fre
eQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2]
```

Rubi steps

$$\begin{aligned}
\int \left(\frac{x}{\cos^{\frac{7}{2}}(x)} + \frac{3}{5} x \sqrt{\cos(x)} \right) dx &= \frac{3}{5} \int x \sqrt{\cos(x)} dx + \int \frac{x}{\cos^{\frac{7}{2}}(x)} dx \\
&= -\frac{4}{15 \cos^{\frac{3}{2}}(x)} + \frac{2x \sin(x)}{5 \cos^{\frac{5}{2}}(x)} + \frac{3}{5} \int \frac{x}{\cos^{\frac{3}{2}}(x)} dx + \frac{3}{5} \int x \sqrt{\cos(x)} dx \\
&= -\frac{4}{15 \cos^{\frac{3}{2}}(x)} + \frac{12\sqrt{\cos(x)}}{5} + \frac{2x \sin(x)}{5 \cos^{\frac{5}{2}}(x)} + \frac{6x \sin(x)}{5\sqrt{\cos(x)}}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 33, normalized size = 0.70

$$\frac{21x \sin(x) + 9x \sin(3x) + 46 \cos(x) + 18 \cos(3x)}{30 \cos^{\frac{5}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Cos[x]^(7/2) + (3*x*Sqrt[Cos[x]])/5,x]

[Out] (46*Cos[x] + 18*Cos[3*x] + 21*x*Sin[x] + 9*x*Sin[3*x])/(30*Cos[x]^(5/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)^(7/2)+3/5*x*cos(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3}{5} x \sqrt{\cos(x)} + \frac{x}{\cos(x)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/cos(x)^(7/2)+3/5*x*cos(x)^(1/2),x, algorithm="giac")

[Out] integrate(3/5*x*sqrt(cos(x)) + x/cos(x)^(7/2), x)

maple [F] time = 0.36, size = 0, normalized size = 0.00

$$\int \frac{x}{\cos(x)^{\frac{7}{2}}} + \frac{3x(\sqrt{\cos(x)})}{5} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/cos(x)^(7/2)+3/5*x*cos(x)^(1/2),x)`

[Out] `int(x/cos(x)^(7/2)+3/5*x*cos(x)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{3}{5} x \sqrt{\cos(x)} + \frac{x}{\cos(x)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(x)^(7/2)+3/5*x*cos(x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(3/5*x*sqrt(cos(x)) + x/cos(x)^(7/2), x)`

mupad [B] time = 0.53, size = 31, normalized size = 0.66

$$\frac{36 \cos(x)^3 + 18 x \sin(x) \cos(x)^2 - 4 \cos(x) + 6 x \sin(x)}{15 \cos(x)^{5/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((3*x*cos(x)^(1/2))/5 + x/cos(x)^(7/2),x)`

[Out] `(36*cos(x)^3 - 4*cos(x) + 6*x*sin(x) + 18*x*cos(x)^2*sin(x))/(15*cos(x)^(5/2))`

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/cos(x)**(7/2)+3/5*x*cos(x)**(1/2),x)`

[Out] Timed out

$$3.93 \quad \int \left(\frac{x^2}{\cos^{\frac{3}{2}}(x)} + x^2 \sqrt{\cos(x)} \right) dx$$

Optimal. Leaf size=32

$$\frac{2x^2 \sin(x)}{\sqrt{\cos(x)}} + 8x\sqrt{\cos(x)} - 16E\left(\frac{x}{2} \middle| 2\right)$$

[Out] $-16*(\cos(1/2*x)^2)^{(1/2)}/\cos(1/2*x)*\text{EllipticE}(\sin(1/2*x), 2^{(1/2)})+2*x^2*\sin(x)/\cos(x)^{(1/2)}+8*x*\cos(x)^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.095$, Rules used = {3316, 2639}

$$\frac{2x^2 \sin(x)}{\sqrt{\cos(x)}} + 8x\sqrt{\cos(x)} - 16E\left(\frac{x}{2} \middle| 2\right)$$

Antiderivative was successfully verified.

[In] Int[x^2/Cos[x]^(3/2) + x^2*Sqrt[Cos[x]], x]

[Out] 8*x*Sqrt[Cos[x]] - 16*EllipticE[x/2, 2] + (2*x^2*Sin[x])/Sqrt[Cos[x]]

Rule 2639

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3316

Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((c + d*x)^m*Cos[e + f*x]*(b*Sin[e + f*x])^(n + 1))/(b*f*(n + 1)), x] + (Dist[(n + 2)/(b^2*(n + 1)), Int[(c + d*x)^m*(b*Sin[e + f*x])^(n + 2), x], x] + Dist[(d^2*m*(m - 1))/(b^2*f^2*(n + 1)*(n + 2)), Int[(c + d*x)^(m - 2)*(b*Sin[e + f*x])^(n + 2), x], x] - Simp[(d*m*(c + d*x)^(m - 1)*(b*Sin[e + f*x])^(n + 2))/(b^2*f^2*(n + 1)*(n + 2)), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && NeQ[n, -2] && GtQ[m, 1]

Rubi steps

$$\begin{aligned}
\int \left(\frac{x^2}{\cos^{\frac{3}{2}}(x)} + x^2 \sqrt{\cos(x)} \right) dx &= \int \frac{x^2}{\cos^{\frac{3}{2}}(x)} dx + \int x^2 \sqrt{\cos(x)} dx \\
&= 8x \sqrt{\cos(x)} + \frac{2x^2 \sin(x)}{\sqrt{\cos(x)}} - 8 \int \sqrt{\cos(x)} dx \\
&= 8x \sqrt{\cos(x)} - 16E \left(\frac{x}{2} \middle| 2 \right) + \frac{2x^2 \sin(x)}{\sqrt{\cos(x)}}
\end{aligned}$$

Mathematica [A] time = 0.15, size = 29, normalized size = 0.91

$$2 \left(\frac{x(x \sin(x) + 4 \cos(x))}{\sqrt{\cos(x)}} - 8E \left(\frac{x}{2} \middle| 2 \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Cos[x]^(3/2) + x^2*Sqrt[Cos[x]],x]

[Out] 2*(-8*EllipticE[x/2, 2] + (x*(4*Cos[x] + x*Sin[x]))/Sqrt[Cos[x]])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/cos(x)^(3/2)+x^2*cos(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\cos(x)} + \frac{x^2}{\cos(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/cos(x)^(3/2)+x^2*cos(x)^(1/2),x, algorithm="giac")

[Out] integrate(x^2*sqrt(cos(x)) + x^2/cos(x)^(3/2), x)

maple [F] time = 0.26, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\cos(x)^{\frac{3}{2}}} + x^2 (\sqrt{\cos(x)}) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/cos(x)^(3/2)+x^2*cos(x)^(1/2),x)`

[Out] `int(x^2/cos(x)^(3/2)+x^2*cos(x)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{\cos(x)} + \frac{x^2}{\cos(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/cos(x)^(3/2)+x^2*cos(x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(x^2*sqrt(cos(x)) + x^2/cos(x)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int x^2 \sqrt{\cos(x)} + \frac{x^2}{\cos(x)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*cos(x)^(1/2) + x^2/cos(x)^(3/2),x)`

[Out] `int(x^2*cos(x)^(1/2) + x^2/cos(x)^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2 (\cos^2(x) + 1)}{\cos^{\frac{3}{2}}(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/cos(x)**(3/2)+x**2*cos(x)**(1/2),x)`

[Out] `Integral(x**2*(cos(x)**2 + 1)/cos(x)**(3/2), x)`

$$3.94 \quad \int \left(\frac{x}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3}x\sqrt{\sec(x)} \right) dx$$

Optimal. Leaf size=24

$$\frac{4}{9\sec^{\frac{3}{2}}(x)} + \frac{2x\sin(x)}{3\sqrt{\sec(x)}}$$

[Out] 4/9/sec(x)^(3/2)+2/3*x*sin(x)/sec(x)^(1/2)

Rubi [A] time = 0.08, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {4187, 4189}

$$\frac{4}{9\sec^{\frac{3}{2}}(x)} + \frac{2x\sin(x)}{3\sqrt{\sec(x)}}$$

Antiderivative was successfully verified.

[In] Int[x/Sec[x]^(3/2) - (x*Sqrt[Sec[x]])/3,x]

[Out] 4/(9*Sec[x]^(3/2)) + (2*x*Sin[x])/(3*Sqrt[Sec[x]])

Rule 4187

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :=
  Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c
+ d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[(((c + d*x)*Cos[e + f*x]*(b*C
sc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -
1]
```

Rule 4189

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symb
ol] := Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e
+ f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \left(\frac{x}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3} x \sqrt{\sec(x)} \right) dx &= - \left(\frac{1}{3} \int x \sqrt{\sec(x)} dx \right) + \int \frac{x}{\sec^{\frac{3}{2}}(x)} dx \\
&= \frac{4}{9 \sec^{\frac{3}{2}}(x)} + \frac{2x \sin(x)}{3 \sqrt{\sec(x)}} + \frac{1}{3} \int x \sqrt{\sec(x)} dx - \frac{1}{3} \left(\sqrt{\cos(x)} \sqrt{\sec(x)} \right) \int \frac{x}{\sqrt{\cos(x)}} dx \\
&= \frac{4}{9 \sec^{\frac{3}{2}}(x)} + \frac{2x \sin(x)}{3 \sqrt{\sec(x)}}
\end{aligned}$$

Mathematica [A] time = 0.09, size = 17, normalized size = 0.71

$$\frac{2(3x \tan(x) + 2)}{9 \sec^{\frac{3}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sec[x]^(3/2) - (x*Sqrt[Sec[x]])/3,x]

[Out] (2*(2 + 3*x*Tan[x]))/(9*Sec[x]^(3/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(3/2)-1/3*x*sec(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{1}{3} x \sqrt{\sec(x)} + \frac{x}{\sec(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(3/2)-1/3*x*sec(x)^(1/2),x, algorithm="giac")

[Out] integrate(-1/3*x*sqrt(sec(x)) + x/sec(x)^(3/2), x)

maple [F] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{x}{\sec(x)^{\frac{3}{2}}} - \frac{x(\sqrt{\sec(x)})}{3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/sec(x)^(3/2)-1/3*x*sec(x)^(1/2),x)`

[Out] `int(x/sec(x)^(3/2)-1/3*x*sec(x)^(1/2),x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{1}{3} x \sqrt{\sec(x)} + \frac{x}{\sec(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/sec(x)^(3/2)-1/3*x*sec(x)^(1/2),x, algorithm="maxima")`

[Out] `integrate(-1/3*x*sqrt(sec(x)) + x/sec(x)^(3/2), x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$-\int \frac{x \sqrt{\frac{1}{\cos(x)}}}{3} - \frac{x}{\left(\frac{1}{\cos(x)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x/(1/cos(x))^(3/2) - (x*(1/cos(x))^(1/2))/3,x)`

[Out] `-int((x*(1/cos(x))^(1/2))/3 - x/(1/cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \left(-\frac{3x}{\sec^{\frac{3}{2}}(x)} \right) dx + \int x \sqrt{\sec(x)} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x/sec(x)**(3/2)-1/3*x*sec(x)**(1/2),x)`

[Out] `-(Integral(-3*x/sec(x)**(3/2), x) + Integral(x*sqrt(sec(x)), x))/3`

$$3.95 \quad \int \left(\frac{x}{\sec^{\frac{5}{2}}(x)} - \frac{3x}{5\sqrt{\sec(x)}} \right) dx$$

Optimal. Leaf size=24

$$\frac{4}{25 \sec^{\frac{5}{2}}(x)} + \frac{2x \sin(x)}{5 \sec^{\frac{3}{2}}(x)}$$

[Out] 4/25/sec(x)^(5/2)+2/5*x*sin(x)/sec(x)^(3/2)

Rubi [A] time = 0.08, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {4187, 4189}

$$\frac{4}{25 \sec^{\frac{5}{2}}(x)} + \frac{2x \sin(x)}{5 \sec^{\frac{3}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Int[x/Sec[x]^(5/2) - (3*x)/(5*Sqrt[Sec[x]]),x]

[Out] 4/(25*Sec[x]^(5/2)) + (2*x*Sin[x])/(5*Sec[x]^(3/2))

Rule 4187

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :>
  Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c
+ d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[((c + d*x)*Cos[e + f*x]*(b*C
sc[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -
1]
```

Rule 4189

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symb
ol] :> Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e
+ f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \left(\frac{x}{\sec^{\frac{5}{2}}(x)} - \frac{3x}{5\sqrt{\sec(x)}} \right) dx &= -\left(\frac{3}{5} \int \frac{x}{\sqrt{\sec(x)}} dx \right) + \int \frac{x}{\sec^{\frac{5}{2}}(x)} dx \\
&= \frac{4}{25 \sec^{\frac{5}{2}}(x)} + \frac{2x \sin(x)}{5 \sec^{\frac{3}{2}}(x)} + \frac{3}{5} \int \frac{x}{\sqrt{\sec(x)}} dx - \frac{1}{5} (3\sqrt{\cos(x)} \sqrt{\sec(x)}) \int x \sqrt{\cos(x)} \\
&= \frac{4}{25 \sec^{\frac{5}{2}}(x)} + \frac{2x \sin(x)}{5 \sec^{\frac{3}{2}}(x)}
\end{aligned}$$

Mathematica [A] time = 0.14, size = 17, normalized size = 0.71

$$\frac{2(5x \tan(x) + 2)}{25 \sec^{\frac{5}{2}}(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sec[x]^(5/2) - (3*x)/(5*Sqrt[Sec[x]]),x]

[Out] (2*(2 + 5*x*Tan[x]))/(25*Sec[x]^(5/2))

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(5/2)-3/5*x/sec(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{3x}{5\sqrt{\sec(x)}} + \frac{x}{\sec(x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(5/2)-3/5*x/sec(x)^(1/2),x, algorithm="giac")

[Out] integrate(-3/5*x/sqrt(sec(x)) + x/sec(x)^(5/2), x)

maple [F] time = 0.18, size = 0, normalized size = 0.00

$$\int \frac{x}{\sec(x)^{\frac{5}{2}}} - \frac{3x}{5\sqrt{\sec(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/sec(x)^(5/2)-3/5*x/sec(x)^(1/2),x)

[Out] int(x/sec(x)^(5/2)-3/5*x/sec(x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{3x}{5\sqrt{\sec(x)}} + \frac{x}{\sec(x)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(5/2)-3/5*x/sec(x)^(1/2),x, algorithm="maxima")

[Out] integrate(-3/5*x/sqrt(sec(x)) + x/sec(x)^(5/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$-\int \frac{3x}{5\sqrt{\frac{1}{\cos(x)}}} - \frac{x}{\left(\frac{1}{\cos(x)}\right)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(1/cos(x))^(5/2) - (3*x)/(5*(1/cos(x))^(1/2)),x)

[Out] -int((3*x)/(5*(1/cos(x))^(1/2)) - x/(1/cos(x))^(5/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \left(-\frac{5x}{\sec^2(x)} \right) dx + \int \frac{3x}{\sqrt{\sec(x)}} dx}{5}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)**(5/2)-3/5*x/sec(x)**(1/2),x)

[Out] -(Integral(-5*x/sec(x)**(5/2), x) + Integral(3*x/sqrt(sec(x)), x))/5

$$3.96 \quad \int \left(\frac{x}{\sec^{\frac{7}{2}}(x)} - \frac{5}{21} x \sqrt{\sec(x)} \right) dx$$

Optimal. Leaf size=47

$$\frac{20}{63 \sec^{\frac{3}{2}}(x)} + \frac{4}{49 \sec^{\frac{7}{2}}(x)} + \frac{2x \sin(x)}{7 \sec^{\frac{5}{2}}(x)} + \frac{10x \sin(x)}{21 \sqrt{\sec(x)}}$$

[Out] 4/49/sec(x)^(7/2)+20/63/sec(x)^(3/2)+2/7*x*sin(x)/sec(x)^(5/2)+10/21*x*sin(x)/sec(x)^(1/2)

Rubi [A] time = 0.09, antiderivative size = 47, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 2, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {4187, 4189}

$$\frac{20}{63 \sec^{\frac{3}{2}}(x)} + \frac{4}{49 \sec^{\frac{7}{2}}(x)} + \frac{2x \sin(x)}{7 \sec^{\frac{5}{2}}(x)} + \frac{10x \sin(x)}{21 \sqrt{\sec(x)}}$$

Antiderivative was successfully verified.

[In] Int[x/Sec[x]^(7/2) - (5*x*Sqrt[Sec[x]])/21,x]

[Out] 4/(49*Sec[x]^(7/2)) + 20/(63*Sec[x]^(3/2)) + (2*x*Sin[x])/(7*Sec[x]^(5/2)) + (10*x*Sin[x])/(21*Sqrt[Sec[x]])

Rule 4187

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)), x_Symbol] :=
  Simp[(d*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist[(n + 1)/(b^2*n), Int[(c
+ d*x)*(b*Csc[e + f*x])^(n + 2), x], x] + Simp[((c + d*x)*Cos[e + f*x]*(b*Cs
c[e + f*x])^(n + 1))/(b*f*n), x]) /; FreeQ[{b, c, d, e, f}, x] && LtQ[n, -
1]
```

Rule 4189

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_))^(m_.), x_Symb
ol] := Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e
+ f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \left(\frac{x}{\sec^{\frac{7}{2}}(x)} - \frac{5}{21} x \sqrt{\sec(x)} \right) dx &= - \left(\frac{5}{21} \int x \sqrt{\sec(x)} dx \right) + \int \frac{x}{\sec^{\frac{7}{2}}(x)} dx \\
&= \frac{4}{49 \sec^{\frac{7}{2}}(x)} + \frac{2x \sin(x)}{7 \sec^{\frac{5}{2}}(x)} + \frac{5}{7} \int \frac{x}{\sec^{\frac{3}{2}}(x)} dx - \frac{1}{21} (5 \sqrt{\cos(x)} \sqrt{\sec(x)}) \int \frac{1}{\sqrt{\cos(x)}} dx \\
&= \frac{4}{49 \sec^{\frac{7}{2}}(x)} + \frac{20}{63 \sec^{\frac{3}{2}}(x)} + \frac{2x \sin(x)}{7 \sec^{\frac{5}{2}}(x)} + \frac{10x \sin(x)}{21 \sqrt{\sec(x)}} + \frac{5}{21} \int x \sqrt{\sec(x)} dx - \frac{5}{21} \int \frac{1}{\sqrt{\cos(x)}} dx \\
&= \frac{4}{49 \sec^{\frac{7}{2}}(x)} + \frac{20}{63 \sec^{\frac{3}{2}}(x)} + \frac{2x \sin(x)}{7 \sec^{\frac{5}{2}}(x)} + \frac{10x \sin(x)}{21 \sqrt{\sec(x)}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 45, normalized size = 0.96

$$\sqrt{\sec(x)} \left(\frac{13}{42} x \sin(2x) + \frac{1}{28} x \sin(4x) + \frac{88}{441} \cos(2x) + \frac{1}{98} \cos(4x) + \frac{167}{882} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x/Sec[x]^(7/2) - (5*x*Sqrt[Sec[x]])/21,x]

[Out] Sqrt[Sec[x]]*(167/882 + (88*Cos[2*x])/441 + Cos[4*x]/98 + (13*x*Sin[2*x])/42 + (x*Sin[4*x])/28)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(7/2)-5/21*x*sec(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{5}{21} x \sqrt{\sec(x)} + \frac{x}{\sec(x)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(7/2)-5/21*x*sec(x)^(1/2),x, algorithm="giac")

[Out] integrate(-5/21*x*sqrt(sec(x)) + x/sec(x)^(7/2), x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int \frac{x}{\sec(x)^{\frac{7}{2}}} - \frac{5x(\sqrt{\sec(x)})}{21} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/sec(x)^(7/2)-5/21*x*sec(x)^(1/2), x)

[Out] int(x/sec(x)^(7/2)-5/21*x*sec(x)^(1/2), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{5}{21} x \sqrt{\sec(x)} + \frac{x}{\sec(x)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)^(7/2)-5/21*x*sec(x)^(1/2), x, algorithm="maxima")

[Out] integrate(-5/21*x*sqrt(sec(x)) + x/sec(x)^(7/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$-\int \frac{5x \sqrt{\frac{1}{\cos(x)}}}{21} - \frac{x}{\left(\frac{1}{\cos(x)}\right)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(1/cos(x))^(7/2) - (5*x*(1/cos(x))^(1/2))/21, x)

[Out] -int((5*x*(1/cos(x))^(1/2))/21 - x/(1/cos(x))^(7/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \left(-\frac{21x}{\sec^{\frac{7}{2}}(x)} \right) dx + \int 5x \sqrt{\sec(x)} dx}{21}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/sec(x)**(7/2)-5/21*x*sec(x)**(1/2), x)

[Out] -(Integral(-21*x/sec(x)**(7/2), x) + Integral(5*x*sqrt(sec(x)), x))/21

$$3.97 \quad \int \left(\frac{x^2}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3}x^2\sqrt{\sec(x)} \right) dx$$

Optimal. Leaf size=62

$$\frac{2x^2 \sin(x)}{3\sqrt{\sec(x)}} + \frac{8x}{9 \sec^{\frac{3}{2}}(x)} - \frac{16 \sin(x)}{27\sqrt{\sec(x)}} - \frac{16}{27}\sqrt{\cos(x)}\sqrt{\sec(x)}F\left(\frac{x}{2}\middle|2\right)$$

[Out] 8/9*x/sec(x)^(3/2)-16/27*sin(x)/sec(x)^(1/2)+2/3*x^2*sin(x)/sec(x)^(1/2)-16/27*(cos(1/2*x)^2)^(1/2)/cos(1/2*x)*EllipticF(sin(1/2*x),2^(1/2))*cos(x)^(1/2)*sec(x)^(1/2)

Rubi [A] time = 0.15, antiderivative size = 62, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 24, $\frac{\text{number of rules}}{\text{integrand size}} = 0.208$, Rules used = {4188, 4189, 3769, 3771, 2641}

$$\frac{2x^2 \sin(x)}{3\sqrt{\sec(x)}} + \frac{8x}{9 \sec^{\frac{3}{2}}(x)} - \frac{16 \sin(x)}{27\sqrt{\sec(x)}} - \frac{16}{27}\sqrt{\cos(x)}\sqrt{\sec(x)}F\left(\frac{x}{2}\middle|2\right)$$

Antiderivative was successfully verified.

[In] Int[x^2/Sec[x]^(3/2) - (x^2*Sqrt[Sec[x]])/3,x]

[Out] (8*x)/(9*Sec[x]^(3/2)) - (16*Sqrt[Cos[x]]*EllipticF[x/2, 2]*Sqrt[Sec[x]])/27 - (16*Sin[x])/(27*Sqrt[Sec[x]]) + (2*x^2*Sin[x])/(3*Sqrt[Sec[x]])

Rule 2641

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3769

Int[(csc[(c_.) + (d_.)*(x_)])*(b_.))^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]

Rule 3771

Int[(csc[(c_.) + (d_.)*(x_)])*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 4188

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(n + 1)/(b^2*n), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n + 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^n, x], x]
+ Simp[((c + d*x)^m*Cos[e + f*x]*(b*Csc[e + f*x])^(n + 1))/(b*f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && LtQ[n, -1] && GtQ[m, 1]
```

Rule 4189

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol]
:> Dist[(b*Sin[e + f*x])^n*(b*Csc[e + f*x])^n, Int[(c + d*x)^m/(b*Sin[e
+ f*x])^n, x], x] /; FreeQ[{b, c, d, e, f, m, n}, x] && !IntegerQ[n]
```

Rubi steps

$$\begin{aligned}
\int \left(\frac{x^2}{\sec^{\frac{3}{2}}(x)} - \frac{1}{3} x^2 \sqrt{\sec(x)} \right) dx &= - \left(\frac{1}{3} \int x^2 \sqrt{\sec(x)} dx \right) + \int \frac{x^2}{\sec^{\frac{3}{2}}(x)} dx \\
&= \frac{8x}{9 \sec^{\frac{3}{2}}(x)} + \frac{2x^2 \sin(x)}{3 \sqrt{\sec(x)}} + \frac{1}{3} \int x^2 \sqrt{\sec(x)} dx - \frac{8}{9} \int \frac{1}{\sec^{\frac{3}{2}}(x)} dx - \frac{1}{3} \left(\sqrt{\cos(x)} \right) dx \\
&= \frac{8x}{9 \sec^{\frac{3}{2}}(x)} - \frac{16 \sin(x)}{27 \sqrt{\sec(x)}} + \frac{2x^2 \sin(x)}{3 \sqrt{\sec(x)}} - \frac{8}{27} \int \sqrt{\sec(x)} dx \\
&= \frac{8x}{9 \sec^{\frac{3}{2}}(x)} - \frac{16 \sin(x)}{27 \sqrt{\sec(x)}} + \frac{2x^2 \sin(x)}{3 \sqrt{\sec(x)}} - \frac{1}{27} \left(8 \sqrt{\cos(x)} \sqrt{\sec(x)} \right) \int \frac{1}{\sqrt{\cos(x)}} dx \\
&= \frac{8x}{9 \sec^{\frac{3}{2}}(x)} - \frac{16}{27} \sqrt{\cos(x)} F \left(\frac{x}{2} \middle| 2 \right) \sqrt{\sec(x)} - \frac{16 \sin(x)}{27 \sqrt{\sec(x)}} + \frac{2x^2 \sin(x)}{3 \sqrt{\sec(x)}}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 51, normalized size = 0.82

$$\frac{1}{27} \sqrt{\sec(x)} \left(9x^2 \sin(2x) + 12x - 8 \sin(2x) + 12x \cos(2x) - 16 \sqrt{\cos(x)} F \left(\frac{x}{2} \middle| 2 \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2/Sec[x]^(3/2) - (x^2*Sqrt[Sec[x]])/3, x]
```

```
[Out] (Sqrt[Sec[x]]*(12*x + 12*x*Cos[2*x] - 16*Sqrt[Cos[x]]*EllipticF[x/2, 2] - 8*Sin[2*x] + 9*x^2*Sin[2*x]))/27
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sec(x)^(3/2)-1/3*x^2*sec(x)^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{1}{3}x^2\sqrt{\sec(x)} + \frac{x^2}{\sec(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sec(x)^(3/2)-1/3*x^2*sec(x)^(1/2),x, algorithm="giac")

[Out] integrate(-1/3*x^2*sqrt(sec(x)) + x^2/sec(x)^(3/2), x)

maple [F] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sec(x)^{\frac{3}{2}}} - \frac{x^2(\sqrt{\sec(x)})}{3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/sec(x)^(3/2)-1/3*x^2*sec(x)^(1/2),x)

[Out] int(x^2/sec(x)^(3/2)-1/3*x^2*sec(x)^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{1}{3}x^2\sqrt{\sec(x)} + \frac{x^2}{\sec(x)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/sec(x)^(3/2)-1/3*x^2*sec(x)^(1/2),x, algorithm="maxima")

[Out] integrate(-1/3*x^2*sqrt(sec(x)) + x^2/sec(x)^(3/2), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$-\int \frac{x^2 \sqrt{\frac{1}{\cos(x)}}}{3} - \frac{x^2}{\left(\frac{1}{\cos(x)}\right)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(1/cos(x))^(3/2) - (x^2*(1/cos(x))^(1/2))/3, x)`

[Out] `-int((x^2*(1/cos(x))^(1/2))/3 - x^2/(1/cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \left(-\frac{3x^2}{\sec^2(x)} \right) dx + \int x^2 \sqrt{\sec(x)} dx}{3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/sec(x)**(3/2)-1/3*x**2*sec(x)**(1/2), x)`

[Out] `-(Integral(-3*x**2/sec(x)**(3/2), x) + Integral(x**2*sqrt(sec(x)), x))/3`

3.98 $\int (c + dx)^m (b \cos(e + fx))^n dx$

Optimal. Leaf size=21

$$\text{Int}((c + dx)^m (b \cos(e + fx))^n, x)$$

[Out] Unintegrable((d*x+c)^m*(b*cos(f*x+e))^n,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m (b \cos(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*(b*Cos[e + f*x])^n,x]

[Out] Defer[Int][(c + d*x)^m*(b*Cos[e + f*x])^n, x]

Rubi steps

$$\int (c + dx)^m (b \cos(e + fx))^n dx = \int (c + dx)^m (b \cos(e + fx))^n dx$$

Mathematica [A] time = 0.82, size = 0, normalized size = 0.00

$$\int (c + dx)^m (b \cos(e + fx))^n dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*(b*Cos[e + f*x])^n,x]

[Out] Integrate[(c + d*x)^m*(b*Cos[e + f*x])^n, x]

fricas [A] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}((dx + c)^m (b \cos(fx + e))^n, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(b*cos(f*x+e))^n,x, algorithm="fricas")

[Out] integral((d*x + c)^m*(b*cos(f*x + e))^n, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m (b \cos(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(b*cos(f*x+e))^n,x, algorithm="giac")

[Out] integrate((d*x + c)^m*(b*cos(f*x + e))^n, x)

maple [A] time = 0.30, size = 0, normalized size = 0.00

$$\int (dx + c)^m (b \cos(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*(b*cos(f*x+e))^n,x)

[Out] int((d*x+c)^m*(b*cos(f*x+e))^n,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m (b \cos(fx + e))^n dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*(b*cos(f*x+e))^n,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*(b*cos(f*x + e))^n, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int (b \cos(e + fx))^n (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((b*cos(e + f*x))^n*(c + d*x)^m,x)

[Out] int((b*cos(e + f*x))^n*(c + d*x)^m, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (b \cos(e + fx))^n (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*(b*cos(f*x+e))**n,x)

[Out] Integral((b*cos(e + f*x))**n*(c + d*x)**m, x)

3.99 $\int (c + dx)^m \cos^3(a + bx) dx$

Optimal. Leaf size=275

$$\frac{3ie^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{8b} - \frac{i3^{-m-1}e^{3i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{3ib(c+dx)}{d}\right)}{8b}$$

[Out] $-3/8*I*\exp(I*(a-b*c/d))*(d*x+c)^m*\text{GAMMA}(1+m,-I*b*(d*x+c)/d)/b/((-I*b*(d*x+c)/d)^m)+3/8*I*(d*x+c)^m*\text{GAMMA}(1+m,I*b*(d*x+c)/d)/b/\exp(I*(a-b*c/d))/((I*b*(d*x+c)/d)^m)-1/8*I*3^{(-1-m)}*\exp(3*I*(a-b*c/d))*(d*x+c)^m*\text{GAMMA}(1+m,-3*I*b*(d*x+c)/d)/b/((-I*b*(d*x+c)/d)^m)+1/8*I*3^{(-1-m)}*(d*x+c)^m*\text{GAMMA}(1+m,3*I*b*(d*x+c)/d)/b/\exp(3*I*(a-b*c/d))/((I*b*(d*x+c)/d)^m)$

Rubi [A] time = 0.30, antiderivative size = 275, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3312, 3307, 2181}

$$\frac{3ie^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1,-\frac{ib(c+dx)}{d}\right)}{8b} - \frac{i3^{-m-1}e^{3i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1,-\frac{3ib(c+dx)}{d}\right)}{8b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^m*\text{Cos}[a + b*x]^3,x]$

[Out] $(((-3*I)/8)*E^{I*(a-(b*c)/d)}*(c+d*x)^m*\text{Gamma}[1+m,((-I)*b*(c+d*x))/d])/(b*(((I)*b*(c+d*x))/d)^m)+(((3*I)/8)*(c+d*x)^m*\text{Gamma}[1+m,(I*b*(c+d*x))/d])/(b*E^{I*(a-(b*c)/d)}*((I*b*(c+d*x))/d)^m)-((I/8)*3^{(-1-m)}*E^{((3*I)*(a-(b*c)/d)}*(c+d*x)^m*\text{Gamma}[1+m,((-3*I)*b*(c+d*x))/d])/(b*(((I)*b*(c+d*x))/d)^m)+((I/8)*3^{(-1-m)}*(c+d*x)^m*\text{Gamma}[1+m,((3*I)*b*(c+d*x))/d])/(b*E^{((3*I)*(a-(b*c)/d)}*((I*b*(c+d*x))/d)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_)+(f_)*(x_))*((c_)+(d_)*(x_))^{(m_)}, x_Symbol]$
 $\rightarrow -\text{Simp}[(F^{(g*(e-(c*f)/d)}*(c+d*x)^{\text{FracPart}[m]}*\text{Gamma}[m+1,(-(f*g*\text{Log}[F])/d)]*(c+d*x)))/(d*(-((f*g*\text{Log}[F])/d))^{\text{IntPart}[m]+1}*(-((f*g*\text{Log}[F])*(c+d*x))/d))^{\text{FracPart}[m]}], x] /;$ FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]

Rule 3307

$\text{Int}[(c_)+(d_)*(x_))^{(m_)*\sin[(e_)+\text{Pi}*(k_)+(f_)*(x_)]}, x_Symbol]$
 $\rightarrow \text{Dist}[I/2, \text{Int}[(c+d*x)^m/(E^{I*k*Pi}*E^{I*(e+f*x)}), x], x] - \text{Dist}[\text{Im}[\text{Int}[(c+d*x)^m/(E^{I*k*Pi}*E^{I*(e+f*x)}), x], x]$

$I/2, \text{Int}[(c + d*x)^m * E^{(I*k*Pi)*E^{(I*(e + f*x))}}, x], x] /; \text{FreeQ}[\{c, d, e, f, m\}, x] \ \&\& \ \text{IntegerQ}[2*k]$

Rule 3312

$\text{Int}[(c + d*x)^m * \sin[e + f*x]^n, x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}[\{c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (\text{!RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rubi steps

$$\begin{aligned} \int (c + dx)^m \cos^3(a + bx) dx &= \int \left(\frac{3}{4}(c + dx)^m \cos(a + bx) + \frac{1}{4}(c + dx)^m \cos(3a + 3bx) \right) dx \\ &= \frac{1}{4} \int (c + dx)^m \cos(3a + 3bx) dx + \frac{3}{4} \int (c + dx)^m \cos(a + bx) dx \\ &= \frac{1}{8} \int e^{-i(3a+3bx)} (c + dx)^m dx + \frac{1}{8} \int e^{i(3a+3bx)} (c + dx)^m dx + \frac{3}{8} \int e^{-i(a+bx)} (c + dx)^m dx \\ &= -\frac{3ie^{i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{ib(c+dx)}{d}\right)}{8b} + \frac{3ie^{-i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(\frac{ib(c+dx)}{d}\right)^m \Gamma\left(m + 1, \frac{ib(c+dx)}{d}\right)}{8b} \end{aligned}$$

Mathematica [A] time = 0.17, size = 253, normalized size = 0.92

$$\frac{i3^{-m-1} e^{-\frac{3i(ad+bc)}{d}} (c + dx)^m \left(\frac{b^2(c+dx)^2}{d^2}\right)^{-m} \left(3^{m+2} e^{2ia + \frac{4ibc}{d}} \left(-\frac{ib(c+dx)}{d}\right)^m \Gamma\left(m + 1, \frac{ib(c+dx)}{d}\right) - 3^{m+2} e^{2i\left(2a + \frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^m \Gamma\left(m + 1, \frac{ib(c+dx)}{d}\right)\right)}{8b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m * Cos[a + b*x]^3, x]

[Out] $((I/8)*3^{(-1 - m)}*(c + d*x)^m*(-(3^{(2 + m)}*E^{((2*I)*(2*a + (b*c)/d))}*((I*b*(c + d*x))/d)^m*\Gamma[1 + m, ((-I)*b*(c + d*x))/d]) + 3^{(2 + m)}*E^{((2*I)*a + ((4*I)*b*c)/d}*(((-I)*b*(c + d*x))/d)^m*\Gamma[1 + m, (I*b*(c + d*x))/d] - E^{((6*I)*a)}*((I*b*(c + d*x))/d)^m*\Gamma[1 + m, ((-3*I)*b*(c + d*x))/d] + E^{((6*I)*b*c)/d}*(((-I)*b*(c + d*x))/d)^m*\Gamma[1 + m, ((3*I)*b*(c + d*x))/d])/(b*E^{((3*I)*(b*c + a*d))/d}*((b^2*(c + d*x)^2)/d^2)^m)$

fricas [A] time = 0.92, size = 186, normalized size = 0.68

$$\frac{ie^{\left(\frac{-dm \log\left(\frac{3ib}{d}\right) - 3ibc + 3iad}{d}\right)} \Gamma\left(m + 1, \frac{3ibdx + 3ibc}{d}\right) + 9ie^{\left(\frac{-dm \log\left(\frac{ib}{d}\right) - ibc + iad}{d}\right)} \Gamma\left(m + 1, \frac{ibdx + ibc}{d}\right) - 9ie^{\left(\frac{-dm \log\left(-\frac{ib}{d}\right) + ibc - iad}{d}\right)} \Gamma\left(m + 1, \frac{ibdx + ibc}{d}\right)}{24b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a)^3,x, algorithm="fricas")

[Out] $\frac{1}{24} * (I * e^{-(d * m * \log(3 * I * b / d) - 3 * I * b * c + 3 * I * a * d) / d} * \text{gamma}(m + 1, (3 * I * b * d * x + 3 * I * b * c) / d) + 9 * I * e^{-(d * m * \log(I * b / d) - I * b * c + I * a * d) / d} * \text{gamma}(m + 1, (I * b * d * x + I * b * c) / d) - 9 * I * e^{-(d * m * \log(-I * b / d) + I * b * c - I * a * d) / d} * \text{gamma}(m + 1, (-I * b * d * x - I * b * c) / d) - I * e^{-(d * m * \log(-3 * I * b / d) + 3 * I * b * c - 3 * I * a * d) / d} * \text{gamma}(m + 1, (-3 * I * b * d * x - 3 * I * b * c) / d)) / b$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a)^3,x, algorithm="giac")

[Out] integrate((d*x + c)^m*cos(b*x + a)^3, x)

maple [F] time = 0.30, size = 0, normalized size = 0.00

$$\int (dx + c)^m (\cos^3(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*cos(b*x+a)^3,x)

[Out] int((d*x+c)^m*cos(b*x+a)^3,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a)^3,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*cos(b*x + a)^3, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \cos(a + bx)^3 (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^3*(c + d*x)^m,x)`

[Out] `int(cos(a + b*x)^3*(c + d*x)^m, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^m \cos^3(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**m*cos(b*x+a)**3,x)`

[Out] `Integral((c + d*x)**m*cos(a + b*x)**3, x)`

3.100 $\int (c + dx)^m \cos^2(a + bx) dx$

Optimal. Leaf size=162

$$\frac{i^{2-m-3} e^{2i\left(a-\frac{bc}{d}\right)} (c+dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m+1, -\frac{2ib(c+dx)}{d}\right)}{b} + \frac{i^{2-m-3} e^{-2i\left(a-\frac{bc}{d}\right)} (c+dx)^m \left(\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m+1, \frac{2ib(c+dx)}{d}\right)}{b}$$

[Out] $1/2*(d*x+c)^{(1+m)}/d/(1+m)-I*2^{(-3-m)}*\exp(2*I*(a-b*c/d))*(d*x+c)^m*\text{GAMMA}(1+m, -2*I*b*(d*x+c)/d)/b/((-I*b*(d*x+c)/d)^m)+I*2^{(-3-m)}*(d*x+c)^m*\text{GAMMA}(1+m, 2*I*b*(d*x+c)/d)/b/\exp(2*I*(a-b*c/d))/((I*b*(d*x+c)/d)^m)$

Rubi [A] time = 0.21, antiderivative size = 162, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3312, 3307, 2181}

$$\frac{i^{2-m-3} e^{2i\left(a-\frac{bc}{d}\right)} (c+dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, -\frac{2ib(c+dx)}{d}\right)}{b} + \frac{i^{2-m-3} e^{-2i\left(a-\frac{bc}{d}\right)} (c+dx)^m \left(\frac{ib(c+dx)}{d}\right)^{-m} \text{Gamma}\left(m+1, \frac{2ib(c+dx)}{d}\right)}{b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^m * \text{Cos}[a + b*x]^2, x]$

[Out] $(c + d*x)^{(1 + m)}/(2*d*(1 + m)) - (I*2^{(-3 - m)}*E^{((2*I)*(a - (b*c)/d)}*(c + d*x)^m*\text{Gamma}[1 + m, ((-2*I)*b*(c + d*x))/d])/b*((-I)*b*(c + d*x))/d)^m + (I*2^{(-3 - m)}*(c + d*x)^m*\text{Gamma}[1 + m, ((2*I)*b*(c + d*x))/d])/b*(E^{((2*I)*(a - (b*c)/d)}*((I*b*(c + d*x))/d)^m)$

Rule 2181

$\text{Int}[(F_)^{\left(\left(g_{.}\right)*\left(e_{.}\right) + \left(f_{.}\right)*\left(x_{.}\right)\right)}*\left(\left(c_{.}\right) + \left(d_{.}\right)*\left(x_{.}\right)\right)^{\left(m_{.}\right)}, x_Symbol]$
 $:\> -\text{Simp}[(F^{\left(g*(e - (c*f)/d)\right)}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, (-((f*g*\text{Log}[F])/d))*(c + d*x])]/(d*(-((f*g*\text{Log}[F])/d))^{\left(\text{IntPart}[m] + 1\right)}*(-((f*g*\text{Log}[F])*(c + d*x))/d))^{\text{FracPart}[m]}], x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\& \ !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[\left(\left(c_{.}\right) + \left(d_{.}\right)*\left(x_{.}\right)\right)^{\left(m_{.}\right)}*\sin\left[\left(e_{.}\right) + \text{Pi}*\left(k_{.}\right) + \left(f_{.}\right)*\left(x_{.}\right)\right], x_Symbol]$
 $:\> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x)}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x)}), x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IntegerQ}[2*k]$

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int
t[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f
, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned} \int (c + dx)^m \cos^2(a + bx) dx &= \int \left(\frac{1}{2}(c + dx)^m + \frac{1}{2}(c + dx)^m \cos(2a + 2bx) \right) dx \\ &= \frac{(c + dx)^{1+m}}{2d(1+m)} + \frac{1}{2} \int (c + dx)^m \cos(2a + 2bx) dx \\ &= \frac{(c + dx)^{1+m}}{2d(1+m)} + \frac{1}{4} \int e^{-i(2a+2bx)}(c + dx)^m dx + \frac{1}{4} \int e^{i(2a+2bx)}(c + dx)^m dx \\ &= \frac{(c + dx)^{1+m}}{2d(1+m)} - \frac{i2^{-3-m} e^{2i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{2ib(c+dx)}{d}\right)}{b} + \frac{i2^{-3-m} e^{-2i\left(a-\frac{bc}{d}\right)} (c + dx)^m \left(\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, \frac{2ib(c+dx)}{d}\right)}{b} \end{aligned}$$

Mathematica [A] time = 0.20, size = 150, normalized size = 0.93

$$\frac{1}{8}(c+dx)^m \left(-\frac{i2^{-m} e^{2i\left(a-\frac{bc}{d}\right)} \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{2ib(c+dx)}{d}\right)}{b} + \frac{i2^{-m} e^{-2i\left(a-\frac{bc}{d}\right)} \left(\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, \frac{2ib(c+dx)}{d}\right)}{b} + \frac{4c}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*Cos[a + b*x]^2,x]

[Out] ((c + d*x)^m*((4*c + 4*d*x)/(d + d*m) - (I*E^((2*I)*(a - (b*c)/d))*Gamma[1 + m, ((-2*I)*b*(c + d*x))/d])/(2^m*b*((-I)*b*(c + d*x))/d)^m) + (I*Gamma[1 + m, ((2*I)*b*(c + d*x))/d])/(2^m*b*E^((2*I)*(a - (b*c)/d))*((I*b*(c + d*x))/d)^m))/8

fricas [A] time = 1.77, size = 134, normalized size = 0.83

$$\frac{(idm + id)e^{\left(-\frac{dm \log\left(\frac{2ib}{d}\right) - 2ibc + 2iad}{d}\right)} \Gamma\left(m + 1, \frac{2ibdx + 2ibc}{d}\right) + (-idm - id)e^{\left(-\frac{dm \log\left(-\frac{2ib}{d}\right) + 2ibc - 2iad}{d}\right)} \Gamma\left(m + 1, \frac{-2ibdx - 2ibc}{d}\right) + 4c}{8(bdm + bd)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a)^2,x, algorithm="fricas")

[Out] $\frac{1}{8} * ((I*d*m + I*d) * e^{-(d*m*\log(2*I*b/d) - 2*I*b*c + 2*I*a*d)/d} * \text{gamma}(m + 1, (2*I*b*d*x + 2*I*b*c)/d) + (-I*d*m - I*d) * e^{-(d*m*\log(-2*I*b/d) + 2*I*b*c - 2*I*a*d)/d} * \text{gamma}(m + 1, (-2*I*b*d*x - 2*I*b*c)/d) + 4*(b*d*x + b*c)*(d*x + c)^m) / (b*d*m + b*d)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^m*cos(b*x+a)^2,x, algorithm="giac")`

[Out] `integrate((d*x + c)^m*cos(b*x + a)^2, x)`

maple [F] time = 0.21, size = 0, normalized size = 0.00

$$\int (dx + c)^m (\cos^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^m*cos(b*x+a)^2,x)`

[Out] `int((d*x+c)^m*cos(b*x+a)^2,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(dm + d) \int (dx + c)^m \cos(2bx + 2a) dx + e^{(m \log(dx+c) + \log(dx+c))}}{2(dm + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^m*cos(b*x+a)^2,x, algorithm="maxima")`

[Out] $\frac{1}{2} * ((d*m + d) * \text{integrate}((d*x + c)^m * \cos(2*b*x + 2*a), x) + e^{(m*\log(d*x + c) + \log(d*x + c))}) / (d*m + d)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx)^2 (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(a + b*x)^2*(c + d*x)^m,x)`

[Out] `int(cos(a + b*x)^2*(c + d*x)^m, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^m \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*cos(b*x+a)**2,x)

[Out] Integral((c + d*x)**m*cos(a + b*x)**2, x)

3.101 $\int (c + dx)^m \cos(a + bx) dx$

Optimal. Leaf size=131

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,\frac{ib(c+dx)}{d}\right)}{2b} - \frac{ie^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\Gamma\left(m+1,-\frac{ib(c+dx)}{d}\right)}{2b}$$

[Out] $-1/2*I*\exp(I*(a-b*c/d))*(d*x+c)^m*\text{GAMMA}(1+m,-I*b*(d*x+c)/d)/b/((-I*b*(d*x+c)/d)^m)+1/2*I*(d*x+c)^m*\text{GAMMA}(1+m,I*b*(d*x+c)/d)/b/\exp(I*(a-b*c/d))/((I*b*(d*x+c)/d)^m)$

Rubi [A] time = 0.10, antiderivative size = 131, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3307, 2181}

$$\frac{ie^{-i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(\frac{ib(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1,\frac{ib(c+dx)}{d}\right)}{2b} - \frac{ie^{i\left(a-\frac{bc}{d}\right)}(c+dx)^m\left(-\frac{ib(c+dx)}{d}\right)^{-m}\text{Gamma}\left(m+1,-\frac{ib(c+dx)}{d}\right)}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^m*\text{Cos}[a + b*x], x]$

[Out] $((-I/2)*E^{I*(a - (b*c)/d)}*(c + d*x)^m*\text{Gamma}[1 + m, ((-I)*b*(c + d*x))/d])/b*(((-I)*b*(c + d*x))/d)^m + ((I/2)*(c + d*x)^m*\text{Gamma}[1 + m, (I*b*(c + d*x))/d])/b*(E^{I*(a - (b*c)/d)}*((I*b*(c + d*x))/d)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $:\> -\text{Simp}[(F^{(g*(e - (c*f)/d)}*(c + d*x))^{\text{FracPart}[m]}*\text{Gamma}[m + 1, (-((f*g*\text{Log}[F])/d))*(c + d*x])]/(d*(-((f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-((f*g*\text{Log}[F])*(c + d*x))/d))^{\text{FracPart}[m]}], x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x \&\& !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c + d*x)^m*\sin[(e + \text{Pi}*k) + (f + g*x)], x_Symbol]$
 $:\> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{I*k*\text{Pi}}*E^{I*(e + f*x)}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{I*k*\text{Pi}}*E^{I*(e + f*x)}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x \&\& \text{IntegerQ}[2*k]$

Rubi steps

$$\int (c + dx)^m \cos(a + bx) dx = \frac{1}{2} \int e^{-i(a+bx)}(c + dx)^m dx + \frac{1}{2} \int e^{i(a+bx)}(c + dx)^m dx$$

$$= -\frac{ie^{i\left(a-\frac{bc}{d}\right)}(c + dx)^m \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(1 + m, -\frac{ib(c+dx)}{d}\right)}{2b} + \frac{ie^{-i\left(a-\frac{bc}{d}\right)}(c + dx)^m \left(\frac{ib(c+dx)}{d}\right)}{2b}$$

Mathematica [A] time = 0.05, size = 122, normalized size = 0.93

$$\frac{ie^{-\frac{i(ad+bc)}{d}}(c + dx)^m \left(e^{2ia} \left(-\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, -\frac{ib(c+dx)}{d}\right) - e^{\frac{2ibc}{d}} \left(\frac{ib(c+dx)}{d}\right)^{-m} \Gamma\left(m + 1, \frac{ib(c+dx)}{d}\right)\right)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^m*Cos[a + b*x], x]

[Out] ((-1/2*I)*(c + d*x)^m*((E^((2*I)*a)*Gamma[1 + m, ((-I)*b*(c + d*x))/d])/(((-I)*b*(c + d*x))/d)^m - (E^(((2*I)*b*c)/d)*Gamma[1 + m, (I*b*(c + d*x))/d])/((I*b*(c + d*x))/d)^m))/(b*E^((I*(b*c + a*d))/d))

fricas [A] time = 1.04, size = 96, normalized size = 0.73

$$\frac{ie^{\left(-\frac{dm \log\left(\frac{ib}{d}\right) - ibc + iad}{d}\right)} \Gamma\left(m + 1, \frac{ibdx + ibc}{d}\right) - ie^{\left(-\frac{dm \log\left(-\frac{ib}{d}\right) + ibc - iad}{d}\right)} \Gamma\left(m + 1, \frac{-ibdx - ibc}{d}\right)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a),x, algorithm="fricas")

[Out] 1/2*(I*e^(-(d*m*log(I*b/d) - I*b*c + I*a*d)/d)*gamma(m + 1, (I*b*d*x + I*b*c)/d) - I*e^(-(d*m*log(-I*b/d) + I*b*c - I*a*d)/d)*gamma(m + 1, (-I*b*d*x - I*b*c)/d))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^m*cos(b*x + a), x)

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*cos(b*x+a), x)

[Out] int((d*x+c)^m*cos(b*x+a), x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*cos(b*x+a), x, algorithm="maxima")

[Out] integrate((d*x + c)^m*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \cos(a + bx) (c + dx)^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(a + b*x)*(c + d*x)^m, x)

[Out] int(cos(a + b*x)*(c + d*x)^m, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^m \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*cos(b*x+a), x)

[Out] Integral((c + d*x)**m*cos(a + b*x), x)

3.102 $\int (c + dx)^m \sec(a + bx) dx$

Optimal. Leaf size=17

$$\text{Int}(\sec(a + bx)(c + dx)^m, x)$$

[Out] Unintegrable((d*x+c)^m*sec(b*x+a), x)

Rubi [A] time = 0.02, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m \sec(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*Sec[a + b*x], x]

[Out] Defer[Int] [(c + d*x)^m*Sec[a + b*x], x]

Rubi steps

$$\int (c + dx)^m \sec(a + bx) dx = \int (c + dx)^m \sec(a + bx) dx$$

Mathematica [A] time = 5.44, size = 0, normalized size = 0.00

$$\int (c + dx)^m \sec(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*Sec[a + b*x], x]

[Out] Integrate[(c + d*x)^m*Sec[a + b*x], x]

fricas [A] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}((dx + c)^m \sec(bx + a), x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a), x, algorithm="fricas")

[Out] integral((d*x + c)^m*sec(b*x + a), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \sec (bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a),x, algorithm="giac")

[Out] integrate((d*x + c)^m*sec(b*x + a), x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int (dx + c)^m \sec (bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*sec(b*x+a),x)

[Out] int((d*x+c)^m*sec(b*x+a),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \sec (bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a),x, algorithm="maxima")

[Out] integrate((d*x + c)^m*sec(b*x + a), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{(c + dx)^m}{\cos (a + bx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^m/cos(a + b*x),x)

[Out] int((c + d*x)^m/cos(a + b*x), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^m \sec (a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*sec(b*x+a),x)

[Out] Integral((c + d*x)**m*sec(a + b*x), x)

3.103 $\int (c + dx)^m \sec^2(a + bx) dx$

Optimal. Leaf size=19

$$\text{Int}(\sec^2(a + bx)(c + dx)^m, x)$$

[Out] Unintegrable((d*x+c)^m*sec(b*x+a)^2,x)

Rubi [A] time = 0.04, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int (c + dx)^m \sec^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Int[(c + d*x)^m*Sec[a + b*x]^2,x]

[Out] Defer[Int] [(c + d*x)^m*Sec[a + b*x]^2, x]

Rubi steps

$$\int (c + dx)^m \sec^2(a + bx) dx = \int (c + dx)^m \sec^2(a + bx) dx$$

Mathematica [A] time = 0.80, size = 0, normalized size = 0.00

$$\int (c + dx)^m \sec^2(a + bx) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c + d*x)^m*Sec[a + b*x]^2,x]

[Out] Integrate[(c + d*x)^m*Sec[a + b*x]^2, x]

fricas [A] time = 1.14, size = 0, normalized size = 0.00

$$\text{integral}((dx + c)^m \sec(bx + a)^2, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a)^2,x, algorithm="fricas")

[Out] integral((d*x + c)^m*sec(b*x + a)^2, x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \sec(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a)^2,x, algorithm="giac")

[Out] integrate((d*x + c)^m*sec(b*x + a)^2, x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int (dx + c)^m (\sec^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^m*sec(b*x+a)^2,x)

[Out] int((d*x+c)^m*sec(b*x+a)^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (dx + c)^m \sec(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^m*sec(b*x+a)^2,x, algorithm="maxima")

[Out] integrate((d*x + c)^m*sec(b*x + a)^2, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(c + dx)^m}{\cos(a + bx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^m/cos(a + b*x)^2,x)

[Out] int((c + d*x)^m/cos(a + b*x)^2, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int (c + dx)^m \sec^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**m*sec(b*x+a)**2,x)

[Out] Integral((c + d*x)**m*sec(a + b*x)**2, x)

3.104 $\int x^{3+m} \cos(a + bx) dx$

Optimal. Leaf size=75

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+4,-ibx)}{2b^4} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+4,ibx)}{2b^4}$$

[Out] $-1/2*\exp(I*a)*x^m*\text{GAMMA}(4+m,-I*b*x)/b^4/((-I*b*x)^m)-1/2*x^m*\text{GAMMA}(4+m,I*b*x)/b^4/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.08, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$\frac{e^{ia}x^m(-ibx)^{-m}\text{Gamma}(m+4,-ibx)}{2b^4} - \frac{e^{-ia}x^m(ibx)^{-m}\text{Gamma}(m+4,ibx)}{2b^4}$$

Antiderivative was successfully verified.

[In] Int[x^(3 + m)*Cos[a + b*x], x]

[Out] $-(E^{(I*a)*x^m*\text{Gamma}[4 + m, (-I)*b*x]})/(2*b^4*((-I)*b*x)^m) - (x^m*\text{Gamma}[4 + m, I*b*x])/(2*b^4*E^{(I*a)*(I*b*x)^m})$

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-((f*g*Log[F])*(c + d*x))/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rubi steps

$$\begin{aligned} \int x^{3+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{3+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{3+m} dx \\ &= -\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(4+m,-ibx)}{2b^4} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(4+m,ibx)}{2b^4} \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 1.00

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+4,-ibx)}{2b^4} - \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+4,ibx)}{2b^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^(3+m)*Cos[a+b*x],x]

[Out] $-1/2*(E^{I*a}*x^m*\Gamma[4+m,(-I)*b*x])/(b^4*((-I)*b*x)^m) - (x^m*\Gamma[4+m,I*b*x])/(2*b^4*E^{I*a}*(I*b*x)^m)$

fricas [A] time = 0.53, size = 54, normalized size = 0.72

$$\frac{i e^{(-(m+3)\log(ib)-ia)}\Gamma(m+4,ibx) - i e^{(-(m+3)\log(-ib)+ia)}\Gamma(m+4,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a),x, algorithm="fricas")

[Out] $1/2*(I*e^{-(m+3)*\log(I*b)-I*a}*gamma(m+4,I*b*x) - I*e^{-(m+3)*\log(-I*b)+I*a}*gamma(m+4,-I*b*x))/b$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+3} \cos(bx+a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a),x, algorithm="giac")

[Out] integrate(x^(m+3)*cos(b*x+a),x)

maple [C] time = 0.15, size = 455, normalized size = 6.07

$$2^{3+m} (b^2)^{-\frac{m}{2}} \sqrt{\pi} \left(\frac{3 \cdot 2^{-4-m} x^{3+m} b^3 (b^2)^{\frac{m}{2}} \left(\frac{8}{3} + \frac{2m}{3}\right) \sin(bx)}{\sqrt{\pi} (4+m)} - \frac{2^{-3-m} x^{1+m} b (b^2)^{\frac{m}{2}} (-m^2 - 7m - 12) (\cos(bx)xb - \sin(bx))}{\sqrt{\pi} (4+m)} + \frac{2^{-3-m} x^{2+m} b^2 (b^2)^{\frac{m}{2}} (-m^2 - 7m - 12) (\cos(bx)xb - \sin(bx))}{\sqrt{\pi} (4+m)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(3+m)*cos(b*x+a),x)

[Out] $2^{(3+m)}/b^4*(b^2)^{(-1/2*m)}*Pi^{(1/2)}*(3*2^{(-4-m)}/Pi^{(1/2)})/(4+m)*x^{(3+m)}*b^3*(b^2)^{(1/2*m)}*(8/3+2/3*m)*sin(b*x)-2^{(-3-m)}/Pi^{(1/2)}/(4+m)*x^{(1+m)}*b*(b^2)^{(-1/2*m)}$

$(1/2*m)*(-m^2-7*m-12)*(cos(b*x)*x*b-sin(b*x))+2^(-3-m)/Pi^(1/2)/(4+m)*x^(2+m)*b^2*(b^2)^(1/2*m)*(-m^3-8*m^2-19*m-12)*(b*x)^(-3/2-m)*LommelS1(m+3/2,3/2,b*x)*sin(b*x)-2^(-3-m)/Pi^(1/2)*x^(2+m)*b^2*(b^2)^(1/2*m)*(2+m)*(1+m)*(3+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+1/2,1/2,b*x))*cos(a)-2^(3+m)*b^(-4-m)*Pi^(1/2)*(2^(-3-m)/Pi^(1/2)/(5+m)*x^(2+m)*b^(2+m)*(m^2+7*m+10)*sin(b*x)-2^(-3-m)/Pi^(1/2)*x^(2+m)*b^(2+m)*(cos(b*x)*x*b-sin(b*x))-2^(-3-m)/Pi^(1/2)*x^(2+m)*b^(2+m)*m*(3+m)*(2+m)*(b*x)^(-3/2-m)*LommelS1(m+1/2,3/2,b*x)*sin(b*x)+2^(-3-m)/Pi^(1/2)*x^(2+m)*b^(2+m)*(3+m)*(2+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+3/2,1/2,b*x))*sin(a)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+3} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a),x, algorithm="maxima")

[Out] integrate(x^(m + 3)*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+3} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m + 3)*cos(a + b*x),x)

[Out] int(x^(m + 3)*cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+3} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(3+m)*cos(b*x+a),x)

[Out] Integral(x**(m + 3)*cos(a + b*x), x)

3.105 $\int x^{2+m} \cos(a + bx) dx$

Optimal. Leaf size=79

$$\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+3,-ibx)}{2b^3} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+3,ibx)}{2b^3}$$

[Out] $1/2*I*\exp(I*a)*x^m*\text{GAMMA}(3+m,-I*b*x)/b^3/((-I*b*x)^m)-1/2*I*x^m*\text{GAMMA}(3+m,I*b*x)/b^3/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.08, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$\frac{ie^{ia}x^m(-ibx)^{-m}\text{Gamma}(m+3,-ibx)}{2b^3} - \frac{ie^{-ia}x^m(ibx)^{-m}\text{Gamma}(m+3,ibx)}{2b^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(2+m)}*\text{Cos}[a+bx],x]$

[Out] $((I/2)*E^{(I*a)}*x^m*\text{Gamma}[3+m,(-I)*b*x])/(b^3*((-I)*b*x)^m) - ((I/2)*x^m*\text{Gamma}[3+m,I*b*x])/(b^3*E^{(I*a)}*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_)+(f_)*(x_))*((c_)+(d_)*(x_))^{(m_)}, x_Symbol]$
 $:\> -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d])*(c + d*x)]/(d*(-(f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-(f*g*\text{Log}[F])*(c + d*x)/d)^{\text{FracPart}[m]}, x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\amp; \ !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_)+(d_)*(x_))^{(m_)}*\sin[(e_)+\text{Pi}*(k_)+(f_)*(x_)], x_Symbol]$
 $:\> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x \ \&\amp; \ \text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^{2+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{2+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{2+m} dx \\ &= \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(3+m,-ibx)}{2b^3} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(3+m,ibx)}{2b^3} \end{aligned}$$

Mathematica [A] time = 0.02, size = 79, normalized size = 1.00

$$\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+3,-ibx)}{2b^3} - \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+3,ibx)}{2b^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^(2+m)*Cos[a+b*x],x]

[Out] ((I/2)*E^(I*a)*x^m*Gamma[3+m,(-I)*b*x])/(b^3*((-I)*b*x)^m) - ((I/2)*x^m*Gamma[3+m,I*b*x])/(b^3*E^(I*a)*(I*b*x)^m)

fricas [A] time = 1.40, size = 54, normalized size = 0.68

$$\frac{ie^{-(m+2)\log(ib)-ia}\Gamma(m+3,ibx) - ie^{-(m+2)\log(-ib)+ia}\Gamma(m+3,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*cos(b*x+a),x, algorithm="fricas")

[Out] 1/2*(I*e^(-(m+2)*log(I*b)-I*a)*gamma(m+3,I*b*x) - I*e^(-(m+2)*log(-I*b)+I*a)*gamma(m+3,-I*b*x))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+2} \cos(bx+a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*cos(b*x+a),x, algorithm="giac")

[Out] integrate(x^(m+2)*cos(b*x+a),x)

maple [C] time = 0.12, size = 354, normalized size = 4.48

$$2^{2+m} (b^2)^{-\frac{1}{2}-\frac{m}{2}} \sqrt{\pi} \left(\frac{3 \cdot 2^{-3-m} x^{2+m} (b^2)^{\frac{3}{2}+\frac{m}{2}} \left(2+\frac{2m}{3}\right) \sin(bx)}{\sqrt{\pi} (3+m)b} - \frac{2^{-2-m} x^{2+m} (b^2)^{\frac{3}{2}+\frac{m}{2}} (2+m)m(bx)^{-\frac{3}{2}-m} \text{LommelS1}\left(m+\frac{1}{2},\frac{3}{2},bx\right) \sin(bx)}{\sqrt{\pi} b} + \dots \right)$$

b^2

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(2+m)*cos(b*x+a),x)

```
[Out] 2^(2+m)/b^2*(b^2)^(-1/2-1/2*m)*Pi^(1/2)*(3*2^(-3-m)/Pi^(1/2)/(3+m)*x^(2+m)*
(b^2)^(3/2+1/2*m)*(2+2/3*m)/b*sin(b*x)-2^(-2-m)/Pi^(1/2)*x^(2+m)*(b^2)^(3/2
+1/2*m)/b*(2+m)*m*(b*x)^(-3/2-m)*LommelS1(m+1/2,3/2,b*x)*sin(b*x)+2^(-2-m)/
Pi^(1/2)*x^(2+m)*(b^2)^(3/2+1/2*m)/b*(2+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin
(b*x))*LommelS1(m+3/2,1/2,b*x))*cos(a)-2^(2+m)*b^(-3-m)*Pi^(1/2)*(-2^(-2-m)
/Pi^(1/2)*x^(1+m)*b^(1+m)*(cos(b*x)*x*b-sin(b*x))+2^(-2-m)/Pi^(1/2)/(4+m)*x
^(2+m)*b^(2+m)*(m^2+5*m+4)*(b*x)^(-3/2-m)*LommelS1(m+3/2,3/2,b*x)*sin(b*x)+
2^(-2-m)/Pi^(1/2)*x^(2+m)*b^(2+m)*(2+m)*(1+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-
sin(b*x))*LommelS1(m+1/2,1/2,b*x))*sin(a)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+2} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(2+m)*cos(b*x+a),x, algorithm="maxima")
```

```
[Out] integrate(x^(m + 2)*cos(b*x + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+2} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^(m + 2)*cos(a + b*x),x)
```

```
[Out] int(x^(m + 2)*cos(a + b*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+2} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(2+m)*cos(b*x+a),x)
```

```
[Out] Integral(x**(m + 2)*cos(a + b*x), x)
```

3.106 $\int x^{1+m} \cos(a + bx) dx$

Optimal. Leaf size=75

$$\frac{e^{ia} x^m (-ibx)^{-m} \Gamma(m+2, -ibx)}{2b^2} + \frac{e^{-ia} x^m (ibx)^{-m} \Gamma(m+2, ibx)}{2b^2}$$

[Out] $1/2 * \exp(I*a) * x^m * \text{GAMMA}(2+m, -I*b*x) / b^2 / ((-I*b*x)^m) + 1/2 * x^m * \text{GAMMA}(2+m, I*b*x) / b^2 / \exp(I*a) / ((I*b*x)^m)$

Rubi [A] time = 0.08, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$\frac{e^{ia} x^m (-ibx)^{-m} \text{Gamma}(m+2, -ibx)}{2b^2} + \frac{e^{-ia} x^m (ibx)^{-m} \text{Gamma}(m+2, ibx)}{2b^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(1+m)} * \text{Cos}[a + b*x], x]$

[Out] $(E^{(I*a)} * x^m * \text{Gamma}[2+m, (-I)*b*x]) / (2*b^2 * ((-I)*b*x)^m) + (x^m * \text{Gamma}[2+m, I*b*x]) / (2*b^2 * E^{(I*a)} * (I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^{((g_.) * ((e_.) + (f_.) * (x_))) * ((c_.) + (d_.) * (x_))^{(m_)}}, x_Symbol]$
 $:= -\text{Simp}[(F^{(g*(e - (c*f)/d)) * (c + d*x)^{\text{FracPart}[m]} * \text{Gamma}[m+1, -(f*g*\text{Log}[F])/d]) * (c + d*x)] / (d * (-(f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1} * (-(f*g*\text{Log}[F] * (c + d*x))/d))^{\text{FracPart}[m]}], x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x] \&\& !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_.) + (d_.) * (x_)]^{(m_.)} * \sin[(e_.) + \text{Pi} * (k_.) + (f_.) * (x_)], x_Symbol]$
 $:= \text{Dist}[I/2, \text{Int}[(c + d*x)^m / (E^{(I*k*Pi)} * E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m * E^{(I*k*Pi)} * E^{(I*(e + f*x))}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x] \&\& \text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^{1+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{1+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{1+m} dx \\ &= \frac{e^{ia} x^m (-ibx)^{-m} \Gamma(2+m, -ibx)}{2b^2} + \frac{e^{-ia} x^m (ibx)^{-m} \Gamma(2+m, ibx)}{2b^2} \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 1.00

$$\frac{e^{ia}x^m(-ibx)^{-m}\Gamma(m+2,-ibx)}{2b^2} + \frac{e^{-ia}x^m(ibx)^{-m}\Gamma(m+2,ibx)}{2b^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^(1+m)*Cos[a+b*x],x]

[Out] (E^(I*a)*x^m*Gamma[2+m,(-I)*b*x])/(2*b^2*((-I)*b*x)^m) + (x^m*Gamma[2+m,I*b*x])/(2*b^2*E^(I*a)*(I*b*x)^m)

fricas [A] time = 0.44, size = 54, normalized size = 0.72

$$\frac{i e^{(-(m+1)\log(ib)-ia)}\Gamma(m+2,ibx) - i e^{(-(m+1)\log(-ib)+ia)}\Gamma(m+2,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*cos(b*x+a),x, algorithm="fricas")

[Out] 1/2*(I*e^(-(m+1)*log(I*b)-I*a)*gamma(m+2,I*b*x) - I*e^(-(m+1)*log(-I*b)+I*a)*gamma(m+2,-I*b*x))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+1} \cos(bx+a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*cos(b*x+a),x, algorithm="giac")

[Out] integrate(x^(m+1)*cos(b*x+a),x)

maple [C] time = 0.11, size = 291, normalized size = 3.88

$$\frac{2^{1+m} (b^2)^{-\frac{m}{2}} \sqrt{\pi} \left(\frac{2^{-1-m} x^{1+m} b (b^2)^{\frac{m}{2}} \sin(bx)}{\sqrt{\pi} (2+m)} + \frac{3 \cdot 2^{-2-m} x^{2+m} b^2 (b^2)^{\frac{m}{2}} \left(\frac{2}{3} + \frac{2m}{3}\right) (bx)^{-\frac{3}{2}-m} \text{LommelS1}\left(m + \frac{3}{2}, \frac{3}{2}, bx\right) \sin(bx)}{\sqrt{\pi} (2+m)} + \frac{2^{-1-m} x^{2+m} b^2 (b^2)^{\frac{m}{2}} \sin(bx)}{\sqrt{\pi} (2+m)} \right)}{b^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1+m)*cos(b*x+a),x)

[Out] 2^(1+m)/b^2*(b^2)^(-1/2*m)*Pi^(1/2)*(2^(-1-m)/Pi^(1/2)/(2+m)*x^(1+m)*b*(b^2)^(1/2*m)*sin(b*x)+3*2^(-2-m)/Pi^(1/2)/(2+m)*x^(2+m)*b^2*(b^2)^(1/2*m)*(2/3)

```
+2/3*m)*(b*x)^(-3/2-m)*LommelS1(m+3/2,3/2,b*x)*sin(b*x)+2^(-1-m)/Pi^(1/2)*x
^(2+m)*b^2*(b^2)^(1/2*m)*(1+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*Lomme
lS1(m+1/2,1/2,b*x))*cos(a)-2^(1+m)*b^(-2-m)*Pi^(1/2)*(2^(-1-m)/Pi^(1/2)*x^(
2+m)*b^(2+m)*m*(b*x)^(-3/2-m)*LommelS1(m+1/2,3/2,b*x)*sin(b*x)-2^(-1-m)/Pi^
(1/2)*x^(2+m)*b^(2+m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+3/2
,1/2,b*x))*sin(a)
```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+1} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^(1+m)*cos(b*x+a),x, algorithm="maxima")
```

```
[Out] integrate(x^(m + 1)*cos(b*x + a), x)
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+1} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x^(m + 1)*cos(a + b*x),x)
```

```
[Out] int(x^(m + 1)*cos(a + b*x), x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+1} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**(1+m)*cos(b*x+a),x)
```

```
[Out] Integral(x**(m + 1)*cos(a + b*x), x)
```

3.107 $\int x^m \cos(a + bx) dx$

Optimal. Leaf size=79

$$\frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+1,ibx)}{2b} - \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+1,-ibx)}{2b}$$

[Out] $-1/2*I*\exp(I*a)*x^m*\text{GAMMA}(1+m,-I*b*x)/b/((-I*b*x)^m)+1/2*I*x^m*\text{GAMMA}(1+m,I*b*x)/b/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.07, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3307, 2181}

$$\frac{ie^{-ia}x^m(ibx)^{-m}\text{Gamma}(m+1,ibx)}{2b} - \frac{ie^{ia}x^m(-ibx)^{-m}\text{Gamma}(m+1,-ibx)}{2b}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^m*\text{Cos}[a + b*x], x]$

[Out] $((-I/2)*E^(I*a)*x^m*\text{Gamma}[1 + m, (-I)*b*x])/(b*((-I)*b*x)^m) + ((I/2)*x^m*\text{Gamma}[1 + m, I*b*x])/(b*E^(I*a)*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_))*((c_) + (d_)*(x_))^(m_), x_Symbol]$
 $:\> -\text{Simp}[(F^(g*(e - (c*f)/d))*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, (-((f*g*\text{Log}[F])/d))*(c + d*x])]/(d*(-((f*g*\text{Log}[F])/d))^{(\text{IntPart}[m] + 1)*(-((f*g*\text{Log}[F])*(c + d*x))/d))^{\text{FracPart}[m]})], x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\& \ !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_) + (d_)*(x_))^(m_)*\sin[(e_) + \text{Pi}*(k_) + (f_)*(x_)], x_Symbol]$
 $:\> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^m \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^m dx + \frac{1}{2} \int e^{i(a+bx)} x^m dx \\ &= -\frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(1+m,-ibx)}{2b} + \frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(1+m,ibx)}{2b} \end{aligned}$$

Mathematica [A] time = 0.01, size = 79, normalized size = 1.00

$$\frac{ie^{-ia}x^m(ibx)^{-m}\Gamma(m+1,ibx)}{2b} - \frac{ie^{ia}x^m(-ibx)^{-m}\Gamma(m+1,-ibx)}{2b}$$

Antiderivative was successfully verified.

[In] Integrate[x^m*Cos[a + b*x], x]

[Out] $((-1/2*I)*E^{(I*a)}*x^m*\Gamma[1 + m, (-I)*b*x])/(b*((-I)*b*x)^m) + ((I/2)*x^m*\Gamma[1 + m, I*b*x])/(b*E^{(I*a)}*(I*b*x)^m)$

fricas [A] time = 0.76, size = 50, normalized size = 0.63

$$\frac{ie^{(-m\log(ib)-ia)}\Gamma(m+1,ibx) - ie^{(-m\log(-ib)+ia)}\Gamma(m+1,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*cos(b*x+a), x, algorithm="fricas")

[Out] $1/2*(I*e^{(-m*\log(I*b) - I*a)}*\gamma(m + 1, I*b*x) - I*e^{(-m*\log(-I*b) + I*a)}*\gamma(m + 1, -I*b*x))/b$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*cos(b*x+a), x, algorithm="giac")

[Out] integrate(x^m*cos(b*x + a), x)

maple [C] time = 0.10, size = 379, normalized size = 4.80

$$2^m (b^2)^{-\frac{1}{2}-\frac{m}{2}} \sqrt{\pi} \left(\frac{3 \cdot 2^{-1-m} (b^2)^{\frac{1}{2}+\frac{m}{2}} x^m (6+2m) \sin(bx)}{\sqrt{\pi} (1+m)(9+3m)b} + \frac{(b^2)^{\frac{1}{2}+\frac{m}{2}} x^m 2^{-m} (\cos(bx)xb - \sin(bx))}{\sqrt{\pi} (1+m)b} + \frac{2^{-m} x^{2+m} (b^2)^{\frac{1}{2}+\frac{m}{2}}}{\sqrt{\pi} (1+m)b} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*cos(b*x+a), x)

[Out] $2^m*(b^2)^{(-1/2-1/2*m)}*Pi^{(1/2)}*(3*2^{(-1-m)}/Pi^{(1/2)}/(1+m)*(b^2)^{(1/2+1/2*m)}*x^m*(6+2*m)/(9+3*m)/b*\sin(b*x)+1/Pi^{(1/2)}/(1+m)*(b^2)^{(1/2+1/2*m)}*x^m*2^{($

$$-m)/b*(\cos(b*x)*x*b-\sin(b*x))+2^{(-m)}/\text{Pi}^{(1/2)}/(1+m)*x^{(2+m)}*(b^2)^{(1/2+1/2*m)}*b*m*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2,3/2,b*x)*\sin(b*x)-2^{(-m)}/\text{Pi}^{(1/2)}/(1+m)*x^{(2+m)}*(b^2)^{(1/2+1/2*m)}*b*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+3/2,1/2,b*x))*\cos(a)-2^m*b^{(-1-m)}*\text{Pi}^{(1/2)}*(1/\text{Pi}^{(1/2)})/(2+m)*x^{(1+m)}*b^{(1+m)}*2^{(-m)}*\sin(b*x)-2^{(-m)}/\text{Pi}^{(1/2)}/(2+m)*x^{(2+m)}*b^{(2+m)}*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2,3/2,b*x)*\sin(b*x)-3*2^{(-1-m)}/\text{Pi}^{(1/2)}/(2+m)*x^{(2+m)}*b^{(2+m)}*(4/3+2/3*m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2,1/2,b*x))*\sin(a)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*cos(b*x+a),x, algorithm="maxima")

[Out] integrate(x^m*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*cos(a + b*x),x)

[Out] int(x^m*cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*cos(b*x+a),x)

[Out] Integral(x**m*cos(a + b*x), x)

3.108 $\int x^{-1+m} \cos(a + bx) dx$

Optimal. Leaf size=65

$$-\frac{1}{2}e^{ia}x^m(-ibx)^{-m}\Gamma(m, -ibx) - \frac{1}{2}e^{-ia}x^m(ibx)^{-m}\Gamma(m, ibx)$$

[Out] $-1/2*\exp(I*a)*x^m*\text{GAMMA}(m, -I*b*x)/((-I*b*x)^m) - 1/2*x^m*\text{GAMMA}(m, I*b*x)/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.07, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$-\frac{1}{2}e^{ia}x^m(-ibx)^{-m}\text{Gamma}(m, -ibx) - \frac{1}{2}e^{-ia}x^m(ibx)^{-m}\text{Gamma}(m, ibx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-1 + m)}*\text{Cos}[a + b*x], x]$

[Out] $-(E^{(I*a)*x^m*\text{Gamma}[m, (-I)*b*x]})/(2*((-I)*b*x)^m) - (x^m*\text{Gamma}[m, I*b*x])/(2*E^{(I*a)*(I*b*x)^m})$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $:= -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]*\text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d]}*(c + d*x)]/(d*(-(f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-(f*g*\text{Log}[F]*(c + d*x))/d)^{\text{FracPart}[m]}, x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x$ && $!\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_) + (d_)*(x_))^{(m_)}*\sin[(e_) + \text{Pi}*(k_) + (f_)*(x_)], x_Symbol]$
 $:= \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)*E^{(I*(e + f*x))}}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)*E^{(I*(e + f*x))}}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x$ && $\text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^{-1+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{-1+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{-1+m} dx \\ &= -\frac{1}{2} e^{ia} x^m (-ibx)^{-m} \Gamma(m, -ibx) - \frac{1}{2} e^{-ia} x^m (ibx)^{-m} \Gamma(m, ibx) \end{aligned}$$

Mathematica [A] time = 0.02, size = 62, normalized size = 0.95

$$\frac{1}{2}e^{-ia}x^m \left(-e^{2ia}(-ibx)^{-m}\Gamma(m, -ibx) - (ibx)^{-m}\Gamma(m, ibx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-1 + m)*Cos[a + b*x], x]

[Out] (x^m*(-(E^{((2*I)*a)}*Gamma[m, (-I)*b*x])/((-I)*b*x)^m - Gamma[m, I*b*x]/(I*b*x)^m)/(2*E^(I*a))

fricas [A] time = 0.68, size = 50, normalized size = 0.77

$$\frac{i e^{-(m-1)\log(ib)-ia}\Gamma(m, ibx) - i e^{-(m-1)\log(-ib)+ia}\Gamma(m, -ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*cos(b*x+a), x, algorithm="fricas")

[Out] 1/2*(I*e^{-(m-1)*log(I*b) - I*a}*gamma(m, I*b*x) - I*e^{-(m-1)*log(-I*b) + I*a}*gamma(m, -I*b*x))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-1} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*cos(b*x+a), x, algorithm="giac")

[Out] integrate(x^(m-1)*cos(b*x + a), x)

maple [C] time = 0.11, size = 427, normalized size = 6.57

$$2^{-1+m} (b^2)^{-\frac{m}{2}} \sqrt{\pi} \left(\frac{3x^{-1+m} 2^{-m} (b^2)^{\frac{m}{2}} (2x^2 b^2 + 2m + 4) \sin(bx)}{\sqrt{\pi} m (6 + 3m) b} + \frac{2^{1-m} x^{-1+m} (b^2)^{\frac{m}{2}} (\cos(bx) x b - \sin(bx))}{\sqrt{\pi} m b} \right) - \frac{3}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-1+m)*cos(b*x+a), x)

[Out] 2^(-1+m)*(b²)^(-1/2*m)*Pi^(1/2)*(3/Pi^(1/2)/m*x^(-1+m)*2^(-m)*(b²)^(1/2*m))*(2*b²*x^{2+2*m+4})/(6+3*m)/b*sin(b*x)+2^(1-m)/Pi^(1/2)/m*x^(-1+m)*(b²)⁽¹

$$\frac{1}{2m} / b * (\cos(b*x) * x * b - \sin(b*x)) - 3 / \text{Pi}^{(1/2)} / m * x^{(2+m)} * 2^{(1-m)} * (b^2)^{(1/2*m)} * b^2 / (6+3*m) * (b*x)^{(-3/2-m)} * \text{LommelS1}(m+3/2, 3/2, b*x) * \sin(b*x) - 1 / \text{Pi}^{(1/2)} / m * x^{(2+m)} * 2^{(1-m)} * (b^2)^{(1/2*m)} * b^2 * (b*x)^{(-5/2-m)} * (\cos(b*x) * x * b - \sin(b*x)) * \text{LommelS1}(m+1/2, 1/2, b*x) * \cos(a) - 2^{(-1+m)} * b^{(-m)} * \text{Pi}^{(1/2)} * (2^{(1-m)} / \text{Pi}^{(1/2)} / (1+m)) * x^m * b^m * \sin(b*x) - 2^{(1-m)} / \text{Pi}^{(1/2)} / (1+m) * x^m * b^m / m * (\cos(b*x) * x * b - \sin(b*x)) - 1 / \text{Pi}^{(1/2)} / (1+m) * x^{(2+m)} * b^{(2+m)} * 2^{(1-m)} * (b*x)^{(-3/2-m)} * \text{LommelS1}(m+1/2, 3/2, b*x) * \sin(b*x) + 1 / \text{Pi}^{(1/2)} / (1+m) * x^{(2+m)} * b^{(2+m)} * 2^{(1-m)} / m * (b*x)^{(-5/2-m)} * (\cos(b*x) * x * b - \sin(b*x)) * \text{LommelS1}(m+3/2, 1/2, b*x) * \sin(a)$$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-1} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*cos(b*x+a), x, algorithm="maxima")

[Out] integrate(x^(m - 1)*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int x^{m-1} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 1)*cos(a + b*x), x)

[Out] int(x^(m - 1)*cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-1} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*cos(b*x+a), x)

[Out] Integral(x^(m - 1)*cos(a + b*x), x)

3.109 $\int x^{-2+m} \cos(a + bx) dx$

Optimal. Leaf size=75

$$\frac{1}{2}ie^{ia}bx^m(-ibx)^{-m}\Gamma(m-1, -ibx) - \frac{1}{2}ie^{-ia}bx^m(ibx)^{-m}\Gamma(m-1, ibx)$$

[Out] $\frac{1}{2}I*b*\exp(I*a)*x^m*\text{GAMMA}(-1+m, -I*b*x)/((-I*b*x)^m) - \frac{1}{2}I*b*x^m*\text{GAMMA}(-1+m, I*b*x)/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.07, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$\frac{1}{2}ie^{ia}bx^m(-ibx)^{-m}\text{Gamma}(m-1, -ibx) - \frac{1}{2}ie^{-ia}bx^m(ibx)^{-m}\text{Gamma}(m-1, ibx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-2 + m)}*\text{Cos}[a + b*x], x]$

[Out] $((I/2)*b*E^{(I*a)}*x^m*\text{Gamma}[-1 + m, (-I)*b*x])/((-I)*b*x)^m - ((I/2)*b*x^m*\text{Gamma}[-1 + m, I*b*x])/(E^{(I*a)}*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $\rightarrow -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, (-((f*g*\text{Log}[F])/d))*(c + d*x)])/(d*(-((f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-((f*g*\text{Log}[F])*(c + d*x))/d))^{\text{FracPart}[m]}], x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x$ && $!\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_) + (d_)*(x_))^{(m_)}*\sin[(e_) + \text{Pi}*(k_) + (f_)*(x_)], x_Symbol]$
 $\rightarrow \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x$ && $\text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^{-2+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{-2+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{-2+m} dx \\ &= \frac{1}{2} i b e^{ia} x^m (-ibx)^{-m} \Gamma(-1 + m, -ibx) - \frac{1}{2} i b e^{-ia} x^m (ibx)^{-m} \Gamma(-1 + m, ibx) \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 1.00

$$\frac{1}{2}ie^{ia}bx^m(-ibx)^{-m}\Gamma(m-1,-ibx) - \frac{1}{2}ie^{-ia}bx^m(ibx)^{-m}\Gamma(m-1,ibx)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-2 + m)*Cos[a + b*x], x]

[Out] ((I/2)*b*E^(I*a)*x^m*Gamma[-1 + m, (-I)*b*x])/((-I)*b*x)^m - ((I/2)*b*x^m*Gamma[-1 + m, I*b*x])/(E^(I*a)*(I*b*x)^m)

fricas [A] time = 0.70, size = 54, normalized size = 0.72

$$\frac{ie^{-(m-2)\log(ib)-ia}\Gamma(m-1,ibx) - ie^{-(m-2)\log(-ib)+ia}\Gamma(m-1,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a), x, algorithm="fricas")

[Out] 1/2*(I*e^{(-m-2)*log(I*b) - I*a})*gamma(m-1, I*b*x) - I*e^{(-m-2)*log(-I*b) + I*a})*gamma(m-1, -I*b*x))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-2} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a), x, algorithm="giac")

[Out] integrate(x^(m-2)*cos(b*x + a), x)

maple [C] time = 0.12, size = 530, normalized size = 7.07

$$2^{-2+m}b^2(b^2)^{-\frac{1}{2}-\frac{m}{2}}\sqrt{\pi}\left(\frac{32^{1-m}x^{-2+m}(b^2)^{-\frac{1}{2}+\frac{m}{2}}(2x^2b^2+2m+2)\sin(bx)}{\sqrt{\pi}(-1+m)(3+3m)b} - \frac{2^{2-m}x^{-2+m}(b^2)^{-\frac{1}{2}+\frac{m}{2}}(x^2b^2-m^2-m)}{\sqrt{\pi}(-1+m)b(1+m)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-2+m)*cos(b*x+a), x)

[Out] 2^(-2+m)*b²*(b²)^(-1/2-1/2*m)*Pi^(1/2)*(3*2^(1-m)/Pi^(1/2))/(-1+m)*x^(-2+m)*(b²)^(-1/2+1/2*m)*(2*b²*x^{2+2*m+2})/(3+3*m)/b*sin(b*x)-2^(2-m)/Pi^(1/2)/

$(-1+m)*x^{(-2+m)}*(b^2)^{(-1/2+1/2*m)}/b*(b^2*x^2-m^2-m)/(1+m)/m*(\cos(b*x)*x*b-\sin(b*x))-3*2^{(2-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)}*(b^2)^{(-1/2+1/2*m)}*b^3/(3+3*m)*$
 $(b*x)^{(-3/2-m)}*\text{LommelS1}(m+1/2, 3/2, b*x)*\sin(b*x)+2^{(2-m)}/\text{Pi}^{(1/2)}/(-1+m)*x^{(2+m)}*(b^2)^{(-1/2+1/2*m)}*b^3/(1+m)/m*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*$
 $\text{LommelS1}(m+3/2, 1/2, b*x))*\cos(a)-2^{(-2+m)}*b^{(1-m)}*\text{Pi}^{(1/2)}*(2^{(1-m)}/\text{Pi}^{(1/2)}/m*x^{(-1+m)}*b^{(-1+m)}*(-2*b^2*x^2+2*m^2+2*m-4)/(2+m)/(-1+m)*\sin(b*x)-3*2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(-1+m)}*b^{(-1+m)}/(-3+3*m)*(\cos(b*x)*x*b-\sin(b*x))+2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(2+m)}*b^{(2+m)}/(2+m)/(-1+m)*(b*x)^{(-3/2-m)}*\text{LommelS1}(m+3/2, 3/2, b*x)*\sin(b*x)+3*2^{(2-m)}/\text{Pi}^{(1/2)}/m*x^{(2+m)}*b^{(2+m)}/(-3+3*m)*(b*x)^{(-5/2-m)}*(\cos(b*x)*x*b-\sin(b*x))*\text{LommelS1}(m+1/2, 1/2, b*x))*\sin(a)$

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-2} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a), x, algorithm="maxima")

[Out] integrate(x^(m - 2)*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m-2} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 2)*cos(a + b*x), x)

[Out] int(x^(m - 2)*cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-2} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a), x)

[Out] Integral(x^(m - 2)*cos(a + b*x), x)

3.110 $\int x^{-3+m} \cos(a + bx) dx$

Optimal. Leaf size=75

$$\frac{1}{2}e^{ia}b^2x^m(-ibx)^{-m}\Gamma(m-2, -ibx) + \frac{1}{2}e^{-ia}b^2x^m(ibx)^{-m}\Gamma(m-2, ibx)$$

[Out] $1/2*b^2*\exp(I*a)*x^m*\text{GAMMA}(-2+m, -I*b*x)/((-I*b*x)^m)+1/2*b^2*x^m*\text{GAMMA}(-2+m, I*b*x)/\exp(I*a)/((I*b*x)^m)$

Rubi [A] time = 0.07, antiderivative size = 75, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 2, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3307, 2181}

$$\frac{1}{2}e^{ia}b^2x^m(-ibx)^{-m}\text{Gamma}(m-2, -ibx) + \frac{1}{2}e^{-ia}b^2x^m(ibx)^{-m}\text{Gamma}(m-2, ibx)$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-3 + m)}*\text{Cos}[a + b*x], x]$

[Out] $(b^2*E^{(I*a)}*x^m*\text{Gamma}[-2 + m, (-I)*b*x])/(2*((-I)*b*x)^m) + (b^2*x^m*\text{Gamma}[-2 + m, I*b*x])/(2*E^{(I*a)}*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^{(m_)}], x_Symbol]$
 $:= -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]*\text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d]}*(c + d*x)]/(d*(-(f*g*\text{Log}[F])/d))^{\text{IntPart}[m] + 1}*(-(f*g*\text{Log}[F]*(c + d*x))/d)^{\text{FracPart}[m]}], x] /;$ $\text{FreeQ}\{F, c, d, e, f, g, m\}, x$ && $!\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_.) + (d_.)*(x_)]^{(m_)}*\sin[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_)], x_Symbol]$
 $:= \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /;$ $\text{FreeQ}\{c, d, e, f, m\}, x$ && $\text{IntegerQ}[2*k]$

Rubi steps

$$\begin{aligned} \int x^{-3+m} \cos(a + bx) dx &= \frac{1}{2} \int e^{-i(a+bx)} x^{-3+m} dx + \frac{1}{2} \int e^{i(a+bx)} x^{-3+m} dx \\ &= \frac{1}{2} b^2 e^{ia} x^m (-ibx)^{-m} \Gamma(-2 + m, -ibx) + \frac{1}{2} b^2 e^{-ia} x^m (ibx)^{-m} \Gamma(-2 + m, ibx) \end{aligned}$$

Mathematica [A] time = 0.02, size = 75, normalized size = 1.00

$$\frac{1}{2}e^{ia}b^2x^m(-ibx)^{-m}\Gamma(m-2,-ibx) + \frac{1}{2}e^{-ia}b^2x^m(ibx)^{-m}\Gamma(m-2,ibx)$$

Antiderivative was successfully verified.

[In] Integrate[x[^](-3 + m)*Cos[a + b*x], x]

[Out] (b[^]2*E[^](I*a)*x[^]m*Gamma[-2 + m, (-I)*b*x])/(2*((-I)*b*x)[^]m) + (b[^]2*x[^]m*Gamma[-2 + m, I*b*x])/(2*E[^](I*a)*(I*b*x)[^]m)

fricas [A] time = 0.49, size = 54, normalized size = 0.72

$$\frac{ie^{-(m-3)\log(ib)-ia}\Gamma(m-2,ibx) - ie^{-(m-3)\log(-ib)+ia}\Gamma(m-2,-ibx)}{2b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x[^](-3+m)*cos(b*x+a), x, algorithm="fricas")

[Out] 1/2*(I*e[^](-(m-3)*log(I*b) - I*a)*gamma(m-2, I*b*x) - I*e[^](-(m-3)*log(-I*b) + I*a)*gamma(m-2, -I*b*x))/b

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-3} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x[^](-3+m)*cos(b*x+a), x, algorithm="giac")

[Out] integrate(x[^](m-3)*cos(b*x+a), x)

maple [C] time = 0.11, size = 600, normalized size = 8.00

$$2^{-3+m}b^2(b^2)^{-\frac{m}{2}}\sqrt{\pi}\left(\frac{2^{-2m}x^{-3+m}(b^2)^{\frac{m}{2}}(-2x^4b^4 + 2x^2b^2m^2 + 2x^2b^2m - 4x^2b^2 + 2m^3 + 2m^2 - 4m)\sin(bx)}{\sqrt{\pi}(-2+m)b^3m(2+m)(-1+m)} - 2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x[^](-3+m)*cos(b*x+a), x)

[Out] 2[^](-3+m)*b[^]2*(b[^]2)[^](-1/2*m)*Pi[^](1/2)*(2[^](2-m)/Pi[^](1/2)/(-2+m)*x[^](-3+m)/b[^]3*(b[^]2)[^](1/2*m)*(-2*b[^]4*x[^]4+2*b[^]2*m[^]2*x[^]2+2*b[^]2*m*x[^]2-4*b[^]2*x[^]2+2*m[^]3+2*m[^]2-4

```

*m)/m/(2+m)/(-1+m)*sin(b*x)-2^(-m+3)/Pi^(1/2)/(-2+m)*x^(-3+m)/b^3*(b^2)^(1/
2*m)*(b^2*x^2-m^2+m)/m/(-1+m)*(cos(b*x)*x*b-sin(b*x))+2^(-m+3)/Pi^(1/2)/(-2
+m)*x^(2+m)*b^2*(b^2)^(1/2*m)/m/(2+m)/(-1+m)*(b*x)^(-3/2-m)*LommelS1(m+3/2,
3/2,b*x)*sin(b*x)+2^(-m+3)/Pi^(1/2)/(-2+m)*x^(2+m)*b^2*(b^2)^(1/2*m)/m/(-1+
m)*(b*x)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+1/2,1/2,b*x))*cos(a)-2
^(-3+m)*b^(2-m)*Pi^(1/2)*(2^(2-m)/Pi^(1/2)/(-1+m)*x^(-2+m)*b^(-2+m)*(-2*b^2
*x^2+2*m^2-2*m-4)/(1+m)/(-2+m)*sin(b*x)+2^(-m+3)/Pi^(1/2)/(-1+m)*x^(-2+m)*b
^(-2+m)*(b^2*x^2-m^2-m)/(1+m)/(-2+m)/m*(cos(b*x)*x*b-sin(b*x))+2^(-m+3)/Pi^
(1/2)/(-1+m)*x^(2+m)*b^(2+m)/(1+m)/(-2+m)*(b*x)^(-3/2-m)*LommelS1(m+1/2,3/2
,b*x)*sin(b*x)-2^(-m+3)/Pi^(1/2)/(-1+m)*x^(2+m)*b^(2+m)/(1+m)/(-2+m)/m*(b*x
)^(-5/2-m)*(cos(b*x)*x*b-sin(b*x))*LommelS1(m+3/2,1/2,b*x))*sin(a)

```

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-3} \cos(bx + a) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-3+m)*cos(b*x+a),x, algorithm="maxima")

[Out] integrate(x^(m - 3)*cos(b*x + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m-3} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 3)*cos(a + b*x),x)

[Out] int(x^(m - 3)*cos(a + b*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-3} \cos(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(-3+m)*cos(b*x+a),x)

[Out] Integral(x**(m - 3)*cos(a + b*x), x)

3.111 $\int x^{3+m} \cos^2(a + bx) dx$

Optimal. Leaf size=99

$$-\frac{e^{2ia}2^{-m-6}x^m(-ibx)^{-m}\Gamma(m+4,-2ibx)}{b^4} - \frac{e^{-2ia}2^{-m-6}x^m(ibx)^{-m}\Gamma(m+4,2ibx)}{b^4} + \frac{x^{m+4}}{2(m+4)}$$

[Out] $1/2*x^{(4+m)/(4+m)-2^{(-6-m)*exp(2*I*a)}*x^m*\text{GAMMA}(4+m,-2*I*b*x)/b^4/((-I*b*x)^m)-2^{(-6-m)*x^m*\text{GAMMA}(4+m,2*I*b*x)/b^4/exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.16, antiderivative size = 99, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$-\frac{e^{2ia}2^{-m-6}x^m(-ibx)^{-m}\text{Gamma}(m+4,-2ibx)}{b^4} - \frac{e^{-2ia}2^{-m-6}x^m(ibx)^{-m}\text{Gamma}(m+4,2ibx)}{b^4} + \frac{x^{m+4}}{2(m+4)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(3+m)}*\text{Cos}[a+bx]^2,x]$

[Out] $x^{(4+m)/(2*(4+m))} - (2^{(-6-m)*E^{((2*I)*a)}*x^m*\text{Gamma}[4+m,(-2*I)*b*x])/(b^4*((-I)*b*x)^m) - (2^{(-6-m)*x^m*\text{Gamma}[4+m,(2*I)*b*x]}/(b^4*E^{((2*I)*a)}*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $:\> -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d])*(c + d*x)]/(d*(-(f*g*\text{Log}[F])/d))^{(\text{IntPart}[m] + 1)*(-(f*g*\text{Log}[F])*(c + d*x))/d)}^{\text{FracPart}[m]}, x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \&\& \text{!IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_) + (d_)*(x_))^{(m_)*\sin[(e_) + \text{Pi}*(k_) + (f_)*(x_)]}, x_Symbol]$
 $:\> \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \&\& \text{IntegerQ}[2*k]$

Rule 3312

$\text{Int}[(c_) + (d_)*(x_))^{(m_)*\sin[(e_) + (f_)*(x_)]^{(n_)}, x_Symbol] :\> \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \&\& \text{IGtQ}[n, 1] \&\& (\text{!RationalQ}[m] \|\| (\text{GeQ}[m, -1] \&\& \text{LtQ}[m, 1]))$

Rubi steps

$$\begin{aligned}
\int x^{3+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{3+m}}{2} + \frac{1}{2} x^{3+m} \cos(2a + 2bx) \right) dx \\
&= \frac{x^{4+m}}{2(4+m)} + \frac{1}{2} \int x^{3+m} \cos(2a + 2bx) dx \\
&= \frac{x^{4+m}}{2(4+m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{3+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{3+m} dx \\
&= \frac{x^{4+m}}{2(4+m)} - \frac{2^{-6-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(4+m, -2ibx)}{b^4} - \frac{2^{-6-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(4+m, 2ibx)}{b^4}
\end{aligned}$$

Mathematica [A] time = 0.11, size = 92, normalized size = 0.93

$$\frac{1}{64} x^m \left(-\frac{e^{2ia} 2^{-m} (-ibx)^{-m} \Gamma(m+4, -2ibx)}{b^4} - \frac{e^{-2ia} 2^{-m} (ibx)^{-m} \Gamma(m+4, 2ibx)}{b^4} + \frac{32x^4}{m+4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(3+m)*Cos[a+b*x]^2,x]

[Out] (x^m*((32*x^4)/(4+m) - (E^((2*I)*a)*Gamma[4+m, (-2*I)*b*x])/(2^m*b^4*((-I)*b*x)^m) - Gamma[4+m, (2*I)*b*x])/(2^m*b^4*(E^((2*I)*a)*(I*b*x)^m))/64

fricas [A] time = 0.67, size = 77, normalized size = 0.78

$$\frac{4 b x x^{m+3} + (i m + 4 i) e^{(-m+3) \log(2 i b)-2 i a} \Gamma(m+4, 2 i b x) + (-i m - 4 i) e^{(-m+3) \log(-2 i b)+2 i a} \Gamma(m+4, -2 i b x)}{8 (b m + 4 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^(m+3) + (I*m+4*I)*e^(-(m+3)*log(2*I*b) - 2*I*a)*gamma(m+4, 2*I*b*x) + (-I*m-4*I)*e^(-(m+3)*log(-2*I*b) + 2*I*a)*gamma(m+4, -2*I*b*x))/(b*m+4*b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+3} \cos(bx+a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x^(m + 3)*cos(b*x + a)^2, x)

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int x^{3+m} (\cos^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(3+m)*cos(b*x+a)^2,x)

[Out] int(x^(3+m)*cos(b*x+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m + 4) \int x^3 x^m \cos(2bx + 2a) dx + e^{(m \log(x) + 4 \log(x))}}{2(m + 4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(3+m)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*((m + 4)*integrate(x^3*x^m*cos(2*b*x + 2*a), x) + e^(m*log(x) + 4*log(x))) / (m + 4)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+3} \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m + 3)*cos(a + b*x)^2,x)

[Out] int(x^(m + 3)*cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+3} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(3+m)*cos(b*x+a)**2,x)

[Out] Integral(x**(m + 3)*cos(a + b*x)**2, x)

3.112 $\int x^{2+m} \cos^2(a + bx) dx$

Optimal. Leaf size=103

$$\frac{ie^{2ia}2^{-m-5}x^m(-ibx)^{-m}\Gamma(m+3,-2ibx)}{b^3} - \frac{ie^{-2ia}2^{-m-5}x^m(ibx)^{-m}\Gamma(m+3,2ibx)}{b^3} + \frac{x^{m+3}}{2(m+3)}$$

[Out] $1/2*x^{(3+m)}/(3+m)+I*2^{(-5-m)}*\exp(2*I*a)*x^m*\text{GAMMA}(3+m,-2*I*b*x)/b^3/((-I*b*x)^m)-I*2^{(-5-m)}*x^m*\text{GAMMA}(3+m,2*I*b*x)/b^3/\exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.14, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$\frac{ie^{2ia}2^{-m-5}x^m(-ibx)^{-m}\text{Gamma}(m+3,-2ibx)}{b^3} - \frac{ie^{-2ia}2^{-m-5}x^m(ibx)^{-m}\text{Gamma}(m+3,2ibx)}{b^3} + \frac{x^{m+3}}{2(m+3)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(2+m)}*\text{Cos}[a+bx]^2,x]$

[Out] $x^{(3+m)}/(2*(3+m)) + (I*2^{(-5-m)}*E^{((2*I)*a)}*x^m*\text{Gamma}[3+m,(-2*I)*b*x])/b^3*((-I)*b*x)^m - (I*2^{(-5-m)}*x^m*\text{Gamma}[3+m,(2*I)*b*x])/b^3*E^{((2*I)*a)}*(I*b*x)^m$

Rule 2181

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d])*(c + d*x)]/(d*(-(f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d)^FracPart[m], x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int x^{2+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{2+m}}{2} + \frac{1}{2} x^{2+m} \cos(2a + 2bx) \right) dx \\
&= \frac{x^{3+m}}{2(3+m)} + \frac{1}{2} \int x^{2+m} \cos(2a + 2bx) dx \\
&= \frac{x^{3+m}}{2(3+m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{2+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{2+m} dx \\
&= \frac{x^{3+m}}{2(3+m)} + \frac{i2^{-5-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(3+m, -2ibx)}{b^3} - \frac{i2^{-5-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(3+m, 2ibx)}{b^3}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 96, normalized size = 0.93

$$\frac{1}{32} x^m \left(\frac{ie^{2ia} 2^{-m} (-ibx)^{-m} \Gamma(m+3, -2ibx)}{b^3} - \frac{ie^{-2ia} 2^{-m} (ibx)^{-m} \Gamma(m+3, 2ibx)}{b^3} + \frac{16x^3}{m+3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(2 + m)*Cos[a + b*x]^2,x]

[Out] (x^m*((16*x^3)/(3 + m) + (I*E^((2*I)*a))*Gamma[3 + m, (-2*I)*b*x]))/(2^m*b^3*((-I)*b*x)^m) - (I*Gamma[3 + m, (2*I)*b*x])/(2^m*b^3*E^((2*I)*a)*(I*b*x)^m))/32

fricas [A] time = 0.63, size = 77, normalized size = 0.75

$$\frac{4 b x x^{m+2} + (i m + 3 i) e^{-(m+2) \log(2 i b)-2 i a} \Gamma(m+3, 2 i b x) + (-i m - 3 i) e^{-(m+2) \log(-2 i b)+2 i a} \Gamma(m+3, -2 i b x)}{8 (b m + 3 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^(m + 2) + (I*m + 3*I)*e^(-(m + 2)*log(2*I*b) - 2*I*a)*gamma(m + 3, 2*I*b*x) + (-I*m - 3*I)*e^(-(m + 2)*log(-2*I*b) + 2*I*a)*gamma(m + 3, -2*I*b*x))/(b*m + 3*b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+2} \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*cos(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x^(m + 2)*cos(b*x + a)^2, x)

maple [F] time = 0.15, size = 0, normalized size = 0.00

$$\int x^{2+m} (\cos^2 (bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(2+m)*cos(b*x+a)^2,x)

[Out] int(x^(2+m)*cos(b*x+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m + 3) \int x^2 x^m \cos(2bx + 2a) dx + e^{(m \log(x) + 3 \log(x))}}{2(m + 3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(2+m)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*((m + 3)*integrate(x^2*x^m*cos(2*b*x + 2*a), x) + e^(m*log(x) + 3*log(x))) / (m + 3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+2} \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m + 2)*cos(a + b*x)^2,x)

[Out] int(x^(m + 2)*cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+2} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(2+m)*cos(b*x+a)**2,x)

[Out] Integral(x**(m + 2)*cos(a + b*x)**2, x)

3.113 $\int x^{1+m} \cos^2(a + bx) dx$

Optimal. Leaf size=97

$$\frac{e^{2ia}2^{-m-4}x^m(-ibx)^{-m}\Gamma(m+2,-2ibx)}{b^2} + \frac{e^{-2ia}2^{-m-4}x^m(ibx)^{-m}\Gamma(m+2,2ibx)}{b^2} + \frac{x^{m+2}}{2(m+2)}$$

[Out] $1/2*x^{(2+m)/(2+m)+2^{(-4-m)*exp(2*I*a)}*x^m*\text{GAMMA}(2+m,-2*I*b*x)/b^2/((-I*b*x)^m)+2^{(-4-m)*x^m*\text{GAMMA}(2+m,2*I*b*x)/b^2/exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.14, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$\frac{e^{2ia}2^{-m-4}x^m(-ibx)^{-m}\text{Gamma}(m+2,-2ibx)}{b^2} + \frac{e^{-2ia}2^{-m-4}x^m(ibx)^{-m}\text{Gamma}(m+2,2ibx)}{b^2} + \frac{x^{m+2}}{2(m+2)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(1+m)}*\text{Cos}[a+bx]^2,x]$

[Out] $x^{(2+m)/(2*(2+m))} + (2^{(-4-m)*E^{((2*I)*a)}*x^m*\text{Gamma}[2+m,(-2*I)*b*x]})/(b^2*((-I)*b*x)^m) + (2^{(-4-m)*x^m*\text{Gamma}[2+m,(2*I)*b*x]})/(b^2*E^{((2*I)*a)}*(I*b*x)^m)$

Rule 2181

$\text{Int}[(F_)^((g_)*(e_) + (f_)*(x_)))*((c_) + (d_)*(x_))^{(m_)}, x_Symbol]$
 $\rightarrow -\text{Simp}[(F^{(g*(e - (c*f)/d))}*(c + d*x)^{\text{FracPart}[m]}*\text{Gamma}[m + 1, -(f*g*\text{Log}[F])/d])*(c + d*x)]/(d*(-(f*g*\text{Log}[F])/d))^{(\text{IntPart}[m] + 1)*(-(f*g*\text{Log}[F])*(c + d*x))/d)^{\text{FracPart}[m]})], x] /; \text{FreeQ}\{F, c, d, e, f, g, m\}, x \ \&\& \ !\text{IntegerQ}[m]$

Rule 3307

$\text{Int}[(c_) + (d_)*(x_))^{(m_)}*\sin[(e_) + \text{Pi}*(k_) + (f_)*(x_)], x_Symbol]$
 $\rightarrow \text{Dist}[I/2, \text{Int}[(c + d*x)^m/(E^{(I*k*Pi)}*E^{(I*(e + f*x))}), x], x] - \text{Dist}[I/2, \text{Int}[(c + d*x)^m*E^{(I*k*Pi)}*E^{(I*(e + f*x))}, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IntegerQ}[2*k]$

Rule 3312

$\text{Int}[(c_) + (d_)*(x_))^{(m_)}*\sin[(e_) + (f_)*(x_)]^{(n_)}, x_Symbol]$ $\rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rubi steps

$$\begin{aligned}
\int x^{1+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{1+m}}{2} + \frac{1}{2} x^{1+m} \cos(2a + 2bx) \right) dx \\
&= \frac{x^{2+m}}{2(2+m)} + \frac{1}{2} \int x^{1+m} \cos(2a + 2bx) dx \\
&= \frac{x^{2+m}}{2(2+m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{1+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{1+m} dx \\
&= \frac{x^{2+m}}{2(2+m)} + \frac{2^{-4-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(2+m, -2ibx)}{b^2} + \frac{2^{-4-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(2+m, 2ibx)}{b^2}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 90, normalized size = 0.93

$$\frac{1}{16} x^m \left(\frac{e^{2ia} 2^{-m} (-ibx)^{-m} \Gamma(m+2, -2ibx)}{b^2} + \frac{e^{-2ia} 2^{-m} (ibx)^{-m} \Gamma(m+2, 2ibx)}{b^2} + \frac{8x^2}{m+2} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(1+m)*Cos[a+b*x]^2,x]

[Out] (x^m*((8*x^2)/(2+m) + (E^((2*I)*a))*Gamma[2+m, (-2*I)*b*x])/(2^m*b^2*((-I)*b*x)^m) + Gamma[2+m, (2*I)*b*x]/(2^m*b^2*E^((2*I)*a)*(I*b*x)^m))/16

fricas [A] time = 0.75, size = 77, normalized size = 0.79

$$\frac{4 b x x^{m+1} + (i m + 2i) e^{(-m+1) \log(2i b) - 2i a} \Gamma(m+2, 2i b x) + (-i m - 2i) e^{(-m+1) \log(-2i b) + 2i a} \Gamma(m+2, -2i b x)}{8 (b m + 2 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^(m+1) + (I*m + 2*I)*e^(-(m+1)*log(2*I*b) - 2*I*a)*gamma(m+2, 2*I*b*x) + (-I*m - 2*I)*e^(-(m+1)*log(-2*I*b) + 2*I*a)*gamma(m+2, -2*I*b*x))/(b*m + 2*b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+1} \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*cos(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x^(m + 1)*cos(b*x + a)^2, x)

maple [F] time = 0.22, size = 0, normalized size = 0.00

$$\int x^{1+m} (\cos^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(1+m)*cos(b*x+a)^2,x)

[Out] int(x^(1+m)*cos(b*x+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m + 2) \int x x^m \cos(2bx + 2a) dx + e^{(m \log(x) + 2 \log(x))}}{2(m + 2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(1+m)*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*((m + 2)*integrate(x*x^m*cos(2*b*x + 2*a), x) + e^(m*log(x) + 2*log(x)))/(m + 2)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m+1} \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m + 1)*cos(a + b*x)^2,x)

[Out] int(x^(m + 1)*cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m+1} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**(1+m)*cos(b*x+a)**2,x)

[Out] Integral(x**(m + 1)*cos(a + b*x)**2, x)

3.114 $\int x^m \cos^2(a + bx) dx$

Optimal. Leaf size=103

$$-\frac{ie^{2ia}2^{-m-3}x^m(-ibx)^{-m}\Gamma(m+1,-2ibx)}{b} + \frac{ie^{-2ia}2^{-m-3}x^m(ibx)^{-m}\Gamma(m+1,2ibx)}{b} + \frac{x^{m+1}}{2(m+1)}$$

[Out] $1/2*x^{(1+m)}/(1+m)-I*2^{(-3-m)*exp(2*I*a)}*x^m*GAMMA(1+m,-2*I*b*x)/b/((-I*b*x)^m)+I*2^{(-3-m)*x^m*GAMMA(1+m,2*I*b*x)/b/exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.13, antiderivative size = 103, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3312, 3307, 2181}

$$-\frac{ie^{2ia}2^{-m-3}x^m(-ibx)^{-m}\Gamma(m+1,-2ibx)}{b} + \frac{ie^{-2ia}2^{-m-3}x^m(ibx)^{-m}\Gamma(m+1,2ibx)}{b} + \frac{x^{m+1}}{2(m+1)}$$

Antiderivative was successfully verified.

[In] Int[x^m*Cos[a + b*x]^2,x]

[Out] $x^{(1+m)}/(2*(1+m)) - (I*2^{(-3-m)*E^{((2*I)*a)}}*x^m*\Gamma[1+m, (-2*I)*b*x])/b*((-I)*b*x)^m + (I*2^{(-3-m)*x^m*\Gamma[1+m, (2*I)*b*x])/b*(E^{((2*I)*a)}*(I*b*x)^m)$

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d])*(c + d*x)]/(d*(-(f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F]*(c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```


Rubi steps

$$\begin{aligned}
\int x^m \cos^2(a + bx) dx &= \int \left(\frac{x^m}{2} + \frac{1}{2} x^m \cos(2a + 2bx) \right) dx \\
&= \frac{x^{1+m}}{2(1+m)} + \frac{1}{2} \int x^m \cos(2a + 2bx) dx \\
&= \frac{x^{1+m}}{2(1+m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^m dx + \frac{1}{4} \int e^{i(2a+2bx)} x^m dx \\
&= \frac{x^{1+m}}{2(1+m)} - \frac{i2^{-3-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(1+m, -2ibx)}{b} + \frac{i2^{-3-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(1+m, 2ibx)}{b}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 90, normalized size = 0.87

$$\frac{1}{8} x^m \left(e^{2ia} (-2^{-m}) x (-ibx)^{-m-1} \Gamma(m+1, -2ibx) - e^{-2ia} 2^{-m} x (ibx)^{-m-1} \Gamma(m+1, 2ibx) + \frac{4x}{m+1} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^m * Cos[a + b*x]^2, x]

[Out] (x^m * ((4*x)/(1+m) - (E^((2*I)*a)) * x * ((-I)*b*x)^(-1-m) * Gamma[1+m, (-2*I)*b*x])/2^m - (x*(I*b*x)^(-1-m) * Gamma[1+m, (2*I)*b*x])/(2^m * E^((2*I)*a)))/8

fricas [A] time = 0.50, size = 69, normalized size = 0.67

$$\frac{4 b x x^m + (i m + i) e^{(-m \log(2i b) - 2i a)} \Gamma(m+1, 2i b x) + (-i m - i) e^{(-m \log(-2i b) + 2i a)} \Gamma(m+1, -2i b x)}{8 (b m + b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m * cos(b*x+a)^2, x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^m + (I*m + I)*e^(-m*log(2*I*b) - 2*I*a)*gamma(m + 1, 2*I*b*x) + (-I*m - I)*e^(-m*log(-2*I*b) + 2*I*a)*gamma(m + 1, -2*I*b*x))/(b*m + b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*cos(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x^m*cos(b*x + a)^2, x)

maple [F] time = 0.16, size = 0, normalized size = 0.00

$$\int x^m (\cos^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*cos(b*x+a)^2,x)

[Out] int(x^m*cos(b*x+a)^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m + 1) \int x^m \cos(2bx + 2a) dx + e^{(m \log(x) + \log(x))}}{2(m + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^m*cos(b*x+a)^2,x, algorithm="maxima")

[Out] 1/2*((m + 1)*integrate(x^m*cos(2*b*x + 2*a), x) + e^(m*log(x) + log(x)))/(m + 1)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^m \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^m*cos(a + b*x)^2,x)

[Out] int(x^m*cos(a + b*x)^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^m \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**m*cos(b*x+a)**2,x)

[Out] Integral(x**m*cos(a + b*x)**2, x)

3.115 $\int x^{-1+m} \cos^2(a + bx) dx$

Optimal. Leaf size=85

$$e^{2ia} (-2^{-m-2}) x^m (-ibx)^{-m} \Gamma(m, -2ibx) - e^{-2ia} 2^{-m-2} x^m (ibx)^{-m} \Gamma(m, 2ibx) + \frac{x^m}{2m}$$

[Out] $1/2*x^m/m-2^{-(2-m)}*\exp(2*I*a)*x^m*\text{GAMMA}(m, -2*I*b*x)/((-I*b*x)^m)-2^{-(2-m)}*x^m*\text{GAMMA}(m, 2*I*b*x)/\exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.13, antiderivative size = 85, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$e^{2ia} (-2^{-m-2}) x^m (-ibx)^{-m} \text{Gamma}(m, -2ibx) - e^{-2ia} 2^{-m-2} x^m (ibx)^{-m} \text{Gamma}(m, 2ibx) + \frac{x^m}{2m}$$

Antiderivative was successfully verified.

[In] Int[x^(-1 + m)*Cos[a + b*x]², x]

[Out] $x^m/(2*m) - (2^{-(2 - m)}*E^{((2*I)*a)}*x^m*\text{Gamma}[m, (-2*I)*b*x])/((-I)*b*x)^m - (2^{-(2 - m)}*x^m*\text{Gamma}[m, (2*I)*b*x])/(E^{((2*I)*a)}*(I*b*x)^m)$

Rule 2181

```
Int[(F_)^((g_.)*(e_.) + (f_.)*(x_))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, (-((f*g*Log[F])/d))*(c + d*x])]/(d*(-((f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F])*(c + d*x)/d))^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int x^{-1+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{-1+m}}{2} + \frac{1}{2} x^{-1+m} \cos(2a + 2bx) \right) dx \\
&= \frac{x^m}{2m} + \frac{1}{2} \int x^{-1+m} \cos(2a + 2bx) dx \\
&= \frac{x^m}{2m} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{-1+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{-1+m} dx \\
&= \frac{x^m}{2m} - 2^{-2-m} e^{2ia} x^m (-ibx)^{-m} \Gamma(m, -2ibx) - 2^{-2-m} e^{-2ia} x^m (ibx)^{-m} \Gamma(m, 2ibx)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 77, normalized size = 0.91

$$\frac{1}{4} x^m \left(e^{2ia} (-2^{-m}) (-ibx)^{-m} \Gamma(m, -2ibx) - e^{-2ia} 2^{-m} (ibx)^{-m} \Gamma(m, 2ibx) + \frac{2}{m} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x[^](-1 + m)*Cos[a + b*x]^2, x]

[Out] (x[^]m*(2/m - (E[^]((2*I)*a))*Gamma[m, (-2*I)*b*x]))/(2[^]m*((-I)*b*x)[^]m) - Gamma[m, (2*I)*b*x]/(2[^]m*E[^]((2*I)*a)*(I*b*x)[^]m))/4

fricas [A] time = 0.68, size = 64, normalized size = 0.75

$$\frac{4 b x x^{m-1} + i m e^{-(m-1) \log(2 i b)-2 i a} \Gamma(m, 2 i b x) - i m e^{-(m-1) \log(-2 i b)+2 i a} \Gamma(m, -2 i b x)}{8 b m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x[^](-1+m)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x[^](m - 1) + I*m*e[^](-(m - 1)*log(2*I*b) - 2*I*a)*gamma(m, 2*I*b*x) - I*m*e[^](-(m - 1)*log(-2*I*b) + 2*I*a)*gamma(m, -2*I*b*x))/(b*m)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-1} \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x[^](-1+m)*cos(b*x+a)^2,x, algorithm="giac")

[Out] integrate(x[^](m - 1)*cos(b*x + a)^2, x)

maple [F] time = 0.20, size = 0, normalized size = 0.00

$$\int x^{-1+m} (\cos^2 (bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-1+m)*cos(b*x+a)²,x)

[Out] int(x^(-1+m)*cos(b*x+a)²,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{m \int \frac{x^m \cos(2bx+2a)}{x} dx + x^m}{2m}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-1+m)*cos(b*x+a)²,x, algorithm="maxima")

[Out] 1/2*(m*integrate(x^m*cos(2*b*x + 2*a)/x, x) + x^m)/m

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m-1} \cos (a + b x)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 1)*cos(a + b*x)²,x)

[Out] int(x^(m - 1)*cos(a + b*x)², x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-1} \cos^2 (a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^{**(-1+m)}*cos(b*x+a)^{**2},x)

[Out] Integral(x^{** (m - 1)}*cos(a + b*x)^{**2}, x)

3.116 $\int x^{-2+m} \cos^2(a + bx) dx$

Optimal. Leaf size=101

$$ie^{2ia}b2^{-m-1}x^m(-ibx)^{-m}\Gamma(m-1, -2ibx) - ie^{-2ia}b2^{-m-1}x^m(ibx)^{-m}\Gamma(m-1, 2ibx) - \frac{x^{m-1}}{2(1-m)}$$

[Out] $-1/2*x^{(-1+m)}/(1-m)+I*2^{(-1-m)}*b*\exp(2*I*a)*x^m*\text{GAMMA}(-1+m, -2*I*b*x)/((-I*b*x)^m)-I*2^{(-1-m)}*b*x^m*\text{GAMMA}(-1+m, 2*I*b*x)/\exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.14, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$ie^{2ia}b2^{-m-1}x^m(-ibx)^{-m}\text{Gamma}(m-1, -2ibx) - ie^{-2ia}b2^{-m-1}x^m(ibx)^{-m}\text{Gamma}(m-1, 2ibx) - \frac{x^{m-1}}{2(1-m)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-2 + m)}*\text{Cos}[a + b*x]^2, x]$

[Out] $-x^{(-1 + m)}/(2*(1 - m)) + (I*2^{(-1 - m)}*b*E^{((2*I)*a)}*x^m*\text{Gamma}[-1 + m, (-2*I)*b*x])/((-I)*b*x)^m - (I*2^{(-1 - m)}*b*x^m*\text{Gamma}[-1 + m, (2*I)*b*x])/ (E^{(2*I)*a}*(I*b*x)^m)$

Rule 2181

```
Int[(F_)^((g_.)*((e_.) + (f_.)*(x_)))*((c_.) + (d_.)*(x_))^(m_), x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F])/d])*(c + d*x)]/(d*(-(f*g*Log[F])/d))^(IntPart[m] + 1)*(-(f*g*Log[F]*(c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int x^{-2+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{-2+m}}{2} + \frac{1}{2} x^{-2+m} \cos(2a + 2bx) \right) dx \\
&= -\frac{x^{-1+m}}{2(1-m)} + \frac{1}{2} \int x^{-2+m} \cos(2a + 2bx) dx \\
&= -\frac{x^{-1+m}}{2(1-m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{-2+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{-2+m} dx \\
&= -\frac{x^{-1+m}}{2(1-m)} + i2^{-1-m} b e^{2ia} x^m (-ibx)^{-m} \Gamma(-1+m, -2ibx) - i2^{-1-m} b e^{-2ia} x^m (ibx)^{-m} \Gamma(-1+m, 2ibx)
\end{aligned}$$

Mathematica [A] time = 0.10, size = 91, normalized size = 0.90

$$\frac{1}{2} x^m \left(i e^{2ia} b 2^{-m} (-ibx)^{-m} \Gamma(m-1, -2ibx) - i e^{-2ia} b 2^{-m} (ibx)^{-m} \Gamma(m-1, 2ibx) + \frac{1}{(m-1)x} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x^(-2 + m)*Cos[a + b*x]^2,x]

[Out] (x^m*(1/((-1 + m)*x) + (I*b*E^((2*I)*a))*Gamma[-1 + m, (-2*I)*b*x])/(2^m*((-I)*b*x)^m) - (I*b*Gamma[-1 + m, (2*I)*b*x])/(2^m*E^((2*I)*a)*(I*b*x)^m))/2

fricas [A] time = 1.05, size = 77, normalized size = 0.76

$$\frac{4 b x x^{m-2} + (i m - i) e^{(-m-2) \log(2 i b)-2 i a} \Gamma(m-1, 2 i b x) + (-i m + i) e^{(-m-2) \log(-2 i b)+2 i a} \Gamma(m-1, -2 i b x)}{8(b m - b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a)^2,x, algorithm="fricas")

[Out] 1/8*(4*b*x*x^(m-2) + (I*m - I)*e^(-(m-2)*log(2*I*b) - 2*I*a)*gamma(m-1, 2*I*b*x) + (-I*m + I)*e^(-(m-2)*log(-2*I*b) + 2*I*a)*gamma(m-1, -2*I*b*x))/(b*m - b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-2} \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a)²,x, algorithm="giac")

[Out] integrate(x^(m - 2)*cos(b*x + a)², x)

maple [F] time = 0.14, size = 0, normalized size = 0.00

$$\int x^{-2+m} (\cos^2(bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-2+m)*cos(b*x+a)²,x)

[Out] int(x^(-2+m)*cos(b*x+a)²,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m-1)x \int \frac{x^m \cos(2bx+2a)}{x^2} dx + x^m}{2(m-1)x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-2+m)*cos(b*x+a)²,x, algorithm="maxima")

[Out] 1/2*((m - 1)*x*integrate(x^m*cos(2*b*x + 2*a)/x², x) + x^m)/((m - 1)*x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m-2} \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 2)*cos(a + b*x)²,x)

[Out] int(x^(m - 2)*cos(a + b*x)², x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-2} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^{**(-2+m)}*cos(b*x+a)^{**2},x)

[Out] Integral(x^{** (m - 2)}*cos(a + b*x)^{**2}, x)

3.117 $\int x^{-3+m} \cos^2(a + bx) dx$

Optimal. Leaf size=95

$$e^{2ia}b^22^{-m}x^m(-ibx)^{-m}\Gamma(m-2,-2ibx) + e^{-2ia}b^22^{-m}x^m(ibx)^{-m}\Gamma(m-2,2ibx) - \frac{x^{m-2}}{2(2-m)}$$

[Out] $-1/2*x^{(-2+m)/(2-m)+b^2*\exp(2*I*a)*x^m*\text{GAMMA}(-2+m,-2*I*b*x)/(2^m)/((-I*b*x)^m)+b^2*x^m*\text{GAMMA}(-2+m,2*I*b*x)/(2^m)/\exp(2*I*a)/((I*b*x)^m)$

Rubi [A] time = 0.14, antiderivative size = 95, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3312, 3307, 2181}

$$e^{2ia}b^22^{-m}x^m(-ibx)^{-m}\text{Gamma}(m-2,-2ibx)+e^{-2ia}b^22^{-m}x^m(ibx)^{-m}\text{Gamma}(m-2,2ibx)-\frac{x^{m-2}}{2(2-m)}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^{(-3+m)*\text{Cos}[a+b*x]^2,x]$

[Out] $-x^{(-2+m)/(2*(2-m))} + (b^2*E^{((2*I)*a)*x^m*\text{Gamma}[-2+m,(-2*I)*b*x]})/(2^m*((-I)*b*x)^m) + (b^2*x^m*\text{Gamma}[-2+m,(2*I)*b*x])/(2^m*E^{((2*I)*a)*(I*b*x)^m})$

Rule 2181

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> -Simp[(F^(g*(e - (c*f)/d))*(c + d*x)^FracPart[m]*Gamma[m + 1, -(f*g*Log[F]/d)]*(c + d*x)]/(d*(-(f*g*Log[F]/d))^(IntPart[m] + 1)*(-(f*g*Log[F] + (c + d*x))/d)^FracPart[m]), x] /; FreeQ[{F, c, d, e, f, g, m}, x] && !IntegerQ[m]
```

Rule 3307

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol]
:> Dist[I/2, Int[(c + d*x)^m/(E^(I*k*Pi)*E^(I*(e + f*x))), x], x] - Dist[I/2, Int[(c + d*x)^m*E^(I*k*Pi)*E^(I*(e + f*x)), x], x] /; FreeQ[{c, d, e, f, m}, x] && IntegerQ[2*k]
```

Rule 3312

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol]
:> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))
```

Rubi steps

$$\begin{aligned}
\int x^{-3+m} \cos^2(a + bx) dx &= \int \left(\frac{x^{-3+m}}{2} + \frac{1}{2} x^{-3+m} \cos(2a + 2bx) \right) dx \\
&= -\frac{x^{-2+m}}{2(2-m)} + \frac{1}{2} \int x^{-3+m} \cos(2a + 2bx) dx \\
&= -\frac{x^{-2+m}}{2(2-m)} + \frac{1}{4} \int e^{-i(2a+2bx)} x^{-3+m} dx + \frac{1}{4} \int e^{i(2a+2bx)} x^{-3+m} dx \\
&= -\frac{x^{-2+m}}{2(2-m)} + 2^{-m} b^2 e^{2ia} x^m (-ibx)^{-m} \Gamma(-2+m, -2ibx) + 2^{-m} b^2 e^{-2ia} x^m (ibx)^{-m} \Gamma(-2+m, 2ibx)
\end{aligned}$$

Mathematica [A] time = 0.09, size = 95, normalized size = 1.00

$$e^{2ia} b^2 2^{-m} x^m (-ibx)^{-m} \Gamma(m-2, -2ibx) + e^{-2ia} b^2 2^{-m} x^m (ibx)^{-m} \Gamma(m-2, 2ibx) - \frac{x^{m-2}}{2(2-m)}$$

Antiderivative was successfully verified.

[In] Integrate[x[^](-3 + m)*Cos[a + b*x][^]2, x]

[Out] -1/2*x[^](-2 + m)/(2 - m) + (b[^]2*E[^]((2*I)*a)*x[^]m*Gamma[-2 + m, (-2*I)*b*x])/(2[^]m*((-I)*b*x)[^]m) + (b[^]2*x[^]m*Gamma[-2 + m, (2*I)*b*x])/(2[^]m*E[^]((2*I)*a)*(I*b*x)[^]m)

fricas [A] time = 0.71, size = 77, normalized size = 0.81

$$\frac{4 b x x^{m-3} + (i m - 2i) e^{-(m-3) \log(2i b) - 2i a} \Gamma(m-2, 2i b x) + (-i m + 2i) e^{-(m-3) \log(-2i b) + 2i a} \Gamma(m-2, -2i b x)}{8 (b m - 2 b)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x[^](-3+m)*cos(b*x+a)[^]2, x, algorithm="fricas")

[Out] 1/8*(4*b*x*x[^](m - 3) + (I*m - 2*I)*e[^](-(m - 3)*log(2*I*b) - 2*I*a)*gamma(m - 2, 2*I*b*x) + (-I*m + 2*I)*e[^](-(m - 3)*log(-2*I*b) + 2*I*a)*gamma(m - 2, -2*I*b*x))/(b*m - 2*b)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-3} \cos(bx + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-3+m)*cos(b*x+a)²,x, algorithm="giac")

[Out] integrate(x^(m - 3)*cos(b*x + a)², x)

maple [F] time = 0.15, size = 0, normalized size = 0.00

$$\int x^{-3+m} (\cos^2 (bx + a)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(-3+m)*cos(b*x+a)²,x)

[Out] int(x^(-3+m)*cos(b*x+a)²,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{(m - 2)x^2 \int \frac{x^m \cos(2bx + 2a)}{x^3} dx + x^m}{2(m - 2)x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^(-3+m)*cos(b*x+a)²,x, algorithm="maxima")

[Out] 1/2*((m - 2)*x²*integrate(x^m*cos(2*b*x + 2*a)/x³, x) + x^m)/((m - 2)*x²)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^{m-3} \cos(a + bx)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^(m - 3)*cos(a + b*x)²,x)

[Out] int(x^(m - 3)*cos(a + b*x)², x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^{m-3} \cos^2(a + bx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^{**(-3+m)}*cos(b*x+a)^{**2},x)

[Out] Integral(x^{** (m - 3)}*cos(a + b*x)^{**2}, x)

3.118 $\int (c + dx)^3 (a + a \cos(e + fx)) dx$

Optimal. Leaf size=89

$$-\frac{6ad^2(c + dx) \sin(e + fx)}{f^3} + \frac{3ad(c + dx)^2 \cos(e + fx)}{f^2} + \frac{a(c + dx)^3 \sin(e + fx)}{f} + \frac{a(c + dx)^4}{4d} - \frac{6ad^3 \cos(e + fx)}{f^4}$$

[Out] $1/4*a*(d*x+c)^4/d-6*a*d^3*\cos(f*x+e)/f^4+3*a*d*(d*x+c)^2*\cos(f*x+e)/f^2-6*a*d^2*(d*x+c)*\sin(f*x+e)/f^3+a*(d*x+c)^3*\sin(f*x+e)/f$

Rubi [A] time = 0.12, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2638}

$$-\frac{6ad^2(c + dx) \sin(e + fx)}{f^3} + \frac{3ad(c + dx)^2 \cos(e + fx)}{f^2} + \frac{a(c + dx)^3 \sin(e + fx)}{f} + \frac{a(c + dx)^4}{4d} - \frac{6ad^3 \cos(e + fx)}{f^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*(a + a*\text{Cos}[e + f*x]), x]$

[Out] $(a*(c + d*x)^4)/(4*d) - (6*a*d^3*\text{Cos}[e + f*x])/f^4 + (3*a*d*(c + d*x)^2*\text{Cos}[e + f*x])/f^2 - (6*a*d^2*(c + d*x)*\text{Sin}[e + f*x])/f^3 + (a*(c + d*x)^3*\text{Sin}[e + f*x])/f$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[\text{Cos}[c + d*x]/d, x] \text{ /; FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \text{ :> } -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] \text{ /; FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3317

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \text{ :> } \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\text{Sin}[e + f*x])^n, x], x] \text{ /; FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{IGtQ}[m, 0] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned}
\int (c + dx)^3 (a + a \cos(e + fx)) dx &= \int (a(c + dx)^3 + a(c + dx)^3 \cos(e + fx)) dx \\
&= \frac{a(c + dx)^4}{4d} + a \int (c + dx)^3 \cos(e + fx) dx \\
&= \frac{a(c + dx)^4}{4d} + \frac{a(c + dx)^3 \sin(e + fx)}{f} - \frac{(3ad) \int (c + dx)^2 \sin(e + fx) dx}{f} \\
&= \frac{a(c + dx)^4}{4d} + \frac{3ad(c + dx)^2 \cos(e + fx)}{f^2} + \frac{a(c + dx)^3 \sin(e + fx)}{f} - \frac{(6ad^2) \int (c + dx) \sin(e + fx) dx}{f^2} \\
&= \frac{a(c + dx)^4}{4d} + \frac{3ad(c + dx)^2 \cos(e + fx)}{f^2} - \frac{6ad^2(c + dx) \sin(e + fx)}{f^3} + \frac{a(c + dx)^3 \sin(e + fx)}{f} \\
&= \frac{a(c + dx)^4}{4d} - \frac{6ad^3 \cos(e + fx)}{f^4} + \frac{3ad(c + dx)^2 \cos(e + fx)}{f^2} - \frac{6ad^2(c + dx) \sin(e + fx)}{f^3} + \frac{a(c + dx)^3 \sin(e + fx)}{f}
\end{aligned}$$

Mathematica [A] time = 0.59, size = 122, normalized size = 1.37

$$a \left(\frac{3d(c^2 f^2 + 2cdf^2 x + d^2(f^2 x^2 - 2)) \cos(e + fx)}{f^4} + \frac{(c + dx)(c^2 f^2 + 2cdf^2 x + d^2(f^2 x^2 - 6)) \sin(e + fx)}{f^3} + \frac{1}{4} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + a*Cos[e + f*x]),x]

[Out] a*((x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3))/4 + (3*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x])/f^4 + ((c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Sin[e + f*x])/f^3)

fricas [A] time = 0.62, size = 168, normalized size = 1.89

$$\frac{ad^3 f^4 x^4 + 4acd^2 f^4 x^3 + 6ac^2 d f^4 x^2 + 4ac^3 f^4 x + 12(ad^3 f^2 x^2 + 2acd^2 f^2 x + ac^2 d f^2 - 2ad^3) \cos(fx + e) + 4(ad^3 f^2 x^2 + 2acd^2 f^2 x + ac^2 d f^2 - 2ad^3) \sin(fx + e)}{4f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] 1/4*(a*d^3*f^4*x^4 + 4*a*c*d^2*f^4*x^3 + 6*a*c^2*d*f^4*x^2 + 4*a*c^3*f^4*x + 12*(a*d^3*f^2*x^2 + 2*a*c*d^2*f^2*x + a*c^2*d*f^2 - 2*a*d^3)*cos(f*x + e) + 4*(a*d^3*f^2*x^2 + 2*a*c*d^2*f^2*x + a*c^2*d*f^2 - 2*a*d^3)*sin(f*x + e))/f^4

giac [A] time = 0.45, size = 156, normalized size = 1.75

$$\frac{1}{4} ad^3 x^4 + acd^2 x^3 + \frac{3}{2} ac^2 dx^2 + ac^3 x + \frac{3(ad^3 f^2 x^2 + 2acd^2 f^2 x + ac^2 d f^2 - 2ad^3) \cos(fx + e)}{f^4} + \frac{(ad^3 f^3 x^3 + 3acd^2 f^3 x^2 + 3ac^2 d f^3 x + ac^3 f^3) \sin(fx + e)}{f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] 1/4*a*d^3*x^4 + a*c*d^2*x^3 + 3/2*a*c^2*d*x^2 + a*c^3*x + 3*(a*d^3*f^2*x^2 + 2*a*c*d^2*f^2*x + a*c^2*d*f^2 - 2*a*d^3)*cos(f*x + e)/f^4 + (a*d^3*f^3*x^3 + 3*a*c*d^2*f^3*x^2 + 3*a*c^2*d*f^3*x + a*c^3*f^3 - 6*a*d^3*f*x - 6*a*c*d^2*f)*sin(f*x + e)/f^4

maple [B] time = 0.05, size = 476, normalized size = 5.35

$$\frac{ad^3((fx+e)^3 \sin(fx+e) + 3(fx+e)^2 \cos(fx+e) - 6 \cos(fx+e) - 6(fx+e) \sin(fx+e))}{f^3} + \frac{3acd^2((fx+e)^2 \sin(fx+e) - 2 \sin(fx+e) + 2(fx+e) \cos(fx+e))}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3*(a+a*cos(f*x+e)),x)

[Out] 1/f*(a/f^3*d^3*((f*x+e)^3*sin(f*x+e)+3*(f*x+e)^2*cos(f*x+e)-6*cos(f*x+e)-6*(f*x+e)*sin(f*x+e))+3*a/f^2*c*d^2*((f*x+e)^2*sin(f*x+e)-2*sin(f*x+e)+2*(f*x+e)*cos(f*x+e))-3*a/f^3*d^3*e*((f*x+e)^2*sin(f*x+e)-2*sin(f*x+e)+2*(f*x+e)*cos(f*x+e))+3*a/f*c^2*d*(cos(f*x+e)+(f*x+e)*sin(f*x+e))-6*a/f^2*c*d^2*e*(cos(f*x+e)+(f*x+e)*sin(f*x+e))+3*a/f^3*d^3*e^2*(cos(f*x+e)+(f*x+e)*sin(f*x+e))+a*c^3*sin(f*x+e)-3*a/f*c^2*d*e*sin(f*x+e)+3*a/f^2*c*d^2*e^2*sin(f*x+e)-a/f^3*d^3*e^3*sin(f*x+e)+1/4*a/f^3*d^3*(f*x+e)^4+a/f^2*c*d^2*(f*x+e)^3-a/f^3*d^3*e*(f*x+e)^3+3/2*a/f*c^2*d*(f*x+e)^2-3*a/f^2*c*d^2*e*(f*x+e)^2+3/2*a/f^3*d^3*e^2*(f*x+e)^2+a*c^3*(f*x+e)-3*a/f*c^2*d*e*(f*x+e)+3*a/f^2*c*d^2*e^2*(f*x+e)-a/f^3*d^3*e^3*(f*x+e))

maxima [B] time = 0.62, size = 456, normalized size = 5.12

$$4(fx+e)ac^3 + \frac{(fx+e)^4 ad^3}{f^3} - \frac{4(fx+e)^3 ad^3 e}{f^3} + \frac{6(fx+e)^2 ad^3 e^2}{f^3} - \frac{4(fx+e) ad^3 e^3}{f^3} + \frac{4(fx+e)^3 acd^2}{f^2} - \frac{12(fx+e)^2 acd^2 e}{f^2} + \frac{12(fx+e) acd^2 e^2}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*cos(f*x+e)),x, algorithm="maxima")

```
[Out] 1/4*(4*(f*x + e)*a*c^3 + (f*x + e)^4*a*d^3/f^3 - 4*(f*x + e)^3*a*d^3*e/f^3
+ 6*(f*x + e)^2*a*d^3*e^2/f^3 - 4*(f*x + e)*a*d^3*e^3/f^3 + 4*(f*x + e)^3*a
*c*d^2/f^2 - 12*(f*x + e)^2*a*c*d^2*e/f^2 + 12*(f*x + e)*a*c*d^2*e^2/f^2 +
6*(f*x + e)^2*a*c^2*d/f - 12*(f*x + e)*a*c^2*d*e/f + 4*a*c^3*sin(f*x + e) -
4*a*d^3*e^3*sin(f*x + e)/f^3 + 12*a*c*d^2*e^2*sin(f*x + e)/f^2 - 12*a*c^2*
d*e*sin(f*x + e)/f + 12*((f*x + e)*sin(f*x + e) + cos(f*x + e))*a*d^3*e^2/f
^3 - 24*((f*x + e)*sin(f*x + e) + cos(f*x + e))*a*c*d^2*e/f^2 + 12*((f*x +
e)*sin(f*x + e) + cos(f*x + e))*a*c^2*d/f - 12*(2*(f*x + e)*cos(f*x + e) +
((f*x + e)^2 - 2)*sin(f*x + e))*a*d^3*e/f^3 + 12*(2*(f*x + e)*cos(f*x + e)
+ ((f*x + e)^2 - 2)*sin(f*x + e))*a*c*d^2/f^2 + 4*(3*((f*x + e)^2 - 2)*cos(
f*x + e) + ((f*x + e)^3 - 6*f*x - 6*e)*sin(f*x + e))*a*d^3/f^3)/f
```

mupad [B] time = 0.26, size = 189, normalized size = 2.12

$$\frac{\sin(e + fx) (ac^3 f^2 - 6acd^2)}{f^3} - \frac{3 \cos(e + fx) (2ad^3 - ac^2 d f^2)}{f^4} + \frac{ad^3 x^4}{4} + ac^3 x - \frac{3x \sin(e + fx) (2ad^3 - ac^2 d f^2)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(e + f*x))*(c + d*x)^3, x)
```

```
[Out] (sin(e + f*x)*(a*c^3*f^2 - 6*a*c*d^2))/f^3 - (3*cos(e + f*x)*(2*a*d^3 - a*c
^2*d*f^2))/f^4 + (a*d^3*x^4)/4 + a*c^3*x - (3*x*sin(e + f*x)*(2*a*d^3 - a*c
^2*d*f^2))/f^3 + (3*a*c^2*d*x^2)/2 + a*c*d^2*x^3 + (3*a*d^3*x^2*cos(e + f*x
))/f^2 + (a*d^3*x^3*sin(e + f*x))/f + (6*a*c*d^2*x*cos(e + f*x))/f^2 + (3*a
*c*d^2*x^2*sin(e + f*x))/f
```

sympy [A] time = 1.38, size = 264, normalized size = 2.97

$$\left\{ \begin{array}{l} ac^3x + \frac{ac^3 \sin(e+fx)}{f} + \frac{3ac^2 dx^2}{2} + \frac{3ac^2 dx \sin(e+fx)}{f} + \frac{3ac^2 d \cos(e+fx)}{f^2} + acd^2x^3 + \frac{3acd^2x^2 \sin(e+fx)}{f} + \frac{6acd^2x \cos(e+fx)}{f^2} - \frac{6acd^2 \sin(e+fx)}{f^3} \\ (a \cos(e) + a) \left(c^3x + \frac{3c^2 dx^2}{2} + cd^2x^3 + \frac{d^3x^4}{4} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**3*(a+a*cos(f*x+e)), x)
```

```
[Out] Piecewise((a*c**3*x + a*c**3*sin(e + f*x)/f + 3*a*c**2*d*x**2/2 + 3*a*c**2*
d*x*sin(e + f*x)/f + 3*a*c**2*d*cos(e + f*x)/f**2 + a*c*d**2*x**3 + 3*a*c*d
**2*x**2*sin(e + f*x)/f + 6*a*c*d**2*x*cos(e + f*x)/f**2 - 6*a*c*d**2*sin(e
+ f*x)/f**3 + a*d**3*x**4/4 + a*d**3*x**3*sin(e + f*x)/f + 3*a*d**3*x**2*c
os(e + f*x)/f**2 - 6*a*d**3*x*sin(e + f*x)/f**3 - 6*a*d**3*cos(e + f*x)/f**
4, Ne(f, 0)), ((a*cos(e) + a)*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**
3*x**4/4), True))
```

3.119 $\int (c + dx)^2 (a + a \cos(e + fx)) dx$

Optimal. Leaf size=67

$$\frac{2ad(c + dx) \cos(e + fx)}{f^2} + \frac{a(c + dx)^2 \sin(e + fx)}{f} + \frac{a(c + dx)^3}{3d} - \frac{2ad^2 \sin(e + fx)}{f^3}$$

[Out] $1/3*a*(d*x+c)^3/d+2*a*d*(d*x+c)*\cos(f*x+e)/f^2-2*a*d^2*\sin(f*x+e)/f^3+a*(d*x+c)^2*\sin(f*x+e)/f$

Rubi [A] time = 0.08, antiderivative size = 67, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3317, 3296, 2637}

$$\frac{2ad(c + dx) \cos(e + fx)}{f^2} + \frac{a(c + dx)^2 \sin(e + fx)}{f} + \frac{a(c + dx)^3}{3d} - \frac{2ad^2 \sin(e + fx)}{f^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2*(a + a*\text{Cos}[e + f*x]),x]$

[Out] $(a*(c + d*x)^3)/(3*d) + (2*a*d*(c + d*x)*\text{Cos}[e + f*x])/f^2 - (2*a*d^2*\text{Sin}[e + f*x])/f^3 + (a*(c + d*x)^2*\text{Sin}[e + f*x])/f$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
 $\text{FreeQ}\{c, d, x\}$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$
 $\text{FreeQ}\{c, d, e, f, x\} \ \&\& \ \text{GtQ}[m, 0]$

Rule 3317

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\text{Sin}[e + f*x])^n, x], x] /;$
 $\text{FreeQ}\{a, b, c, d, e, f, m, x\} \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{IGtQ}[m, 0] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned}
\int (c + dx)^2(a + a \cos(e + fx)) dx &= \int (a(c + dx)^2 + a(c + dx)^2 \cos(e + fx)) dx \\
&= \frac{a(c + dx)^3}{3d} + a \int (c + dx)^2 \cos(e + fx) dx \\
&= \frac{a(c + dx)^3}{3d} + \frac{a(c + dx)^2 \sin(e + fx)}{f} - \frac{(2ad) \int (c + dx) \sin(e + fx) dx}{f} \\
&= \frac{a(c + dx)^3}{3d} + \frac{2ad(c + dx) \cos(e + fx)}{f^2} + \frac{a(c + dx)^2 \sin(e + fx)}{f} - \frac{(2ad^2) \int (c + dx) \sin(e + fx) dx}{f^2} \\
&= \frac{a(c + dx)^3}{3d} + \frac{2ad(c + dx) \cos(e + fx)}{f^2} - \frac{2ad^2 \sin(e + fx)}{f^3} + \frac{a(c + dx)^2 \sin(e + fx)}{f}
\end{aligned}$$

Mathematica [A] time = 0.35, size = 80, normalized size = 1.19

$$a \left(\frac{(c^2 f^2 + 2cd f^2 x + d^2 (f^2 x^2 - 2)) \sin(e + fx)}{f^3} + c^2 x + \frac{2d(c + dx) \cos(e + fx)}{f^2} + cd x^2 + \frac{d^2 x^3}{3} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*(a + a*Cos[e + f*x]), x]

[Out] a*(c^2*x + c*d*x^2 + (d^2*x^3)/3 + (2*d*(c + d*x)*Cos[e + f*x])/f^2 + ((c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Sin[e + f*x])/f^3)

fricas [A] time = 0.73, size = 102, normalized size = 1.52

$$\frac{ad^2 f^3 x^3 + 3 acd f^3 x^2 + 3 ac^2 f^3 x + 6 (ad^2 f x + acd f) \cos (fx + e) + 3 (ad^2 f^2 x^2 + 2 acd f^2 x + ac^2 f^2 - 2 ad^2) \sin (fx + e)}{3 f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e)), x, algorithm="fricas")

[Out] 1/3*(a*d^2*f^3*x^3 + 3*a*c*d*f^3*x^2 + 3*a*c^2*f^3*x + 6*(a*d^2*f*x + a*c*d*f)*cos(f*x + e) + 3*(a*d^2*f^2*x^2 + 2*a*c*d*f^2*x + a*c^2*f^2 - 2*a*d^2)*sin(f*x + e))/f^3

giac [A] time = 0.44, size = 94, normalized size = 1.40

$$\frac{1}{3} ad^2 x^3 + acd x^2 + ac^2 x + \frac{2(ad^2 f x + acd f) \cos (fx + e)}{f^3} + \frac{(ad^2 f^2 x^2 + 2 acd f^2 x + ac^2 f^2 - 2 ad^2) \sin (fx + e)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] $\frac{1}{3}ad^2x^3 + acdx^2 + ac^2x + 2(ad^2fx + acd^2f)\cos(fx + e)/f^3 + (ad^2f^2x^2 + 2acdf^2x + ac^2f^2 - 2ad^2)\sin(fx + e)/f^3$

maple [B] time = 0.03, size = 236, normalized size = 3.52

$$\frac{ad^2\left((fx+e)^2\sin(fx+e)-2\sin(fx+e)+2(fx+e)\cos(fx+e)\right)}{f^2} + \frac{2acd(\cos(fx+e)+(fx+e)\sin(fx+e))}{f} - \frac{2ad^2e(\cos(fx+e)+(fx+e)\sin(fx+e))}{f^2} + ac^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*(a+a*cos(f*x+e)),x)

[Out] $\frac{1}{f}\left(\frac{a}{f^2}d^2\left((fx+e)^2\sin(fx+e)-2\sin(fx+e)+2(fx+e)\cos(fx+e)\right)+2a/fcd\left(\cos(fx+e)+(fx+e)\sin(fx+e)\right)-2a/f^2d^2e\left(\cos(fx+e)+(fx+e)\sin(fx+e)\right)+ac^2\sin(fx+e)-2a/fcd^2e\sin(fx+e)+a/f^2d^2e^2\sin(fx+e)+1/3a/f^2d^2(fx+e)^3+a/fcd(fx+e)^2-a/f^2d^2e(fx+e)^2+ac^2(fx+e)-2a/fcd^2e(fx+e)+a/f^2d^2e^2(fx+e)\right)$

maxima [B] time = 0.75, size = 235, normalized size = 3.51

$$3(fx+e)ac^2 + \frac{(fx+e)^3ad^2}{f^2} - \frac{3(fx+e)^2ad^2e}{f^2} + \frac{3(fx+e)ad^2e^2}{f^2} + \frac{3(fx+e)^2acd}{f} - \frac{6(fx+e)acde}{f} + 3ac^2\sin(fx+e) + \frac{3ad^2e^2\sin(fx+e)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e)),x, algorithm="maxima")

[Out] $\frac{1}{3}\left(3(fx+e)ac^2 + (fx+e)^3ad^2/f^2 - 3(fx+e)^2ad^2e/f^2 + 3(fx+e)ad^2e^2/f^2 + 3(fx+e)^2acd/f - 6(fx+e)acd^2e/f + 3ac^2\sin(fx+e) + 3ad^2e^2\sin(fx+e)/f^2 - 6acd^2e\sin(fx+e)/f - 6((fx+e)\sin(fx+e) + \cos(fx+e))ad^2e/f^2 + 6((fx+e)\sin(fx+e) + \cos(fx+e))acd/f + 3(2(fx+e)\cos(fx+e) + ((fx+e)^2 - 2)\sin(fx+e))ad^2/f^2\right)/f$

mupad [B] time = 0.29, size = 112, normalized size = 1.67

$$\frac{ad^2x^3}{3} - \frac{\sin(e+fx)(2ad^2-ac^2f^2)}{f^3} + ac^2x + acdx^2 + \frac{2ad^2x\cos(e+fx)}{f^2} + \frac{ad^2x^2\sin(e+fx)}{f} + \frac{2acd\cos(e+fx)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(e + f*x))*(c + d*x)^2,x)
```

```
[Out] (a*d^2*x^3)/3 - (sin(e + f*x)*(2*a*d^2 - a*c^2*f^2))/f^3 + a*c^2*x + a*c*d*x^2 + (2*a*d^2*x*cos(e + f*x))/f^2 + (a*d^2*x^2*sin(e + f*x))/f + (2*a*c*d*cos(e + f*x))/f^2 + (2*a*c*d*x*sin(e + f*x))/f
```

sympy [A] time = 0.61, size = 151, normalized size = 2.25

$$\left\{ \begin{array}{l} ac^2x + \frac{ac^2 \sin(e+fx)}{f} + acdx^2 + \frac{2acdx \sin(e+fx)}{f} + \frac{2acd \cos(e+fx)}{f^2} + \frac{ad^2x^3}{3} + \frac{ad^2x^2 \sin(e+fx)}{f} + \frac{2ad^2x \cos(e+fx)}{f^2} - \frac{2ad^2 \sin(e+fx)}{f^3} \\ (a \cos(e) + a) \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**2*(a+a*cos(f*x+e)),x)
```

```
[Out] Piecewise((a*c**2*x + a*c**2*sin(e + f*x)/f + a*c*d*x**2 + 2*a*c*d*x*sin(e + f*x)/f + 2*a*c*d*cos(e + f*x)/f**2 + a*d**2*x**3/3 + a*d**2*x**2*sin(e + f*x)/f + 2*a*d**2*x*cos(e + f*x)/f**2 - 2*a*d**2*sin(e + f*x)/f**3, Ne(f, 0)), ((a*cos(e) + a)*(c**2*x + c*d*x**2 + d**2*x**3/3), True))
```

3.120 $\int (c + dx)(a + a \cos(e + fx)) dx$

Optimal. Leaf size=44

$$\frac{a(c + dx) \sin(e + fx)}{f} + \frac{a(c + dx)^2}{2d} + \frac{ad \cos(e + fx)}{f^2}$$

[Out] $1/2*a*(d*x+c)^2/d+a*d*\cos(f*x+e)/f^2+a*(d*x+c)*\sin(f*x+e)/f$

Rubi [A] time = 0.04, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3317, 3296, 2638}

$$\frac{a(c + dx) \sin(e + fx)}{f} + \frac{a(c + dx)^2}{2d} + \frac{ad \cos(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] `Int[(c + d*x)*(a + a*Cos[e + f*x]),x]`

[Out] $(a*(c + d*x)^2)/(2*d) + (a*d*\cos[e + f*x])/f^2 + (a*(c + d*x)*\sin[e + f*x])/f$

Rule 2638

`Int[sin[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3317

`Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[m, 0] || NeQ[a^2 - b^2, 0])`

Rubi steps

$$\begin{aligned}
\int (c + dx)(a + a \cos(e + fx)) dx &= \int (a(c + dx) + a(c + dx) \cos(e + fx)) dx \\
&= \frac{a(c + dx)^2}{2d} + a \int (c + dx) \cos(e + fx) dx \\
&= \frac{a(c + dx)^2}{2d} + \frac{a(c + dx) \sin(e + fx)}{f} - \frac{(ad) \int \sin(e + fx) dx}{f} \\
&= \frac{a(c + dx)^2}{2d} + \frac{ad \cos(e + fx)}{f^2} + \frac{a(c + dx) \sin(e + fx)}{f}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 52, normalized size = 1.18

$$\frac{a(-2(e + fx)(-2cf + de - dfx) + 4f(c + dx) \sin(e + fx) + 4d \cos(e + fx))}{4f^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)*(a + a*Cos[e + f*x]), x]

[Out] (a*(-2*(e + f*x)*(d*e - 2*c*f - d*f*x) + 4*d*Cos[e + f*x] + 4*f*(c + d*x)*Sin[e + f*x]))/(4*f^2)

fricas [A] time = 0.68, size = 51, normalized size = 1.16

$$\frac{adf^2x^2 + 2acf^2x + 2ad \cos(fx + e) + 2(adfx + acf) \sin(fx + e)}{2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*cos(f*x+e)), x, algorithm="fricas")

[Out] 1/2*(a*d*f^2*x^2 + 2*a*c*f^2*x + 2*a*d*cos(f*x + e) + 2*(a*d*f*x + a*c*f)*sin(f*x + e))/f^2

giac [A] time = 0.42, size = 46, normalized size = 1.05

$$\frac{1}{2} adx^2 + acx + \frac{ad \cos(fx + e)}{f^2} + \frac{(adfx + acf) \sin(fx + e)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*cos(f*x+e)), x, algorithm="giac")

[Out] $1/2*a*d*x^2 + a*c*x + a*d*\cos(f*x + e)/f^2 + (a*d*f*x + a*c*f)*\sin(f*x + e)/f^2$

maple [B] time = 0.03, size = 89, normalized size = 2.02

$$\frac{\frac{ad(\cos(fx+e)+(fx+e)\sin(fx+e))}{f} + ac \sin(fx+e) - \frac{ade \sin(fx+e)}{f} + \frac{ad(fx+e)^2}{2f} + ac(fx+e) - \frac{ade(fx+e)}{f}}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)*(a+a*cos(f*x+e)),x)`

[Out] $1/f*(a/f*d*(\cos(f*x+e)+(f*x+e)*\sin(f*x+e))+a*c*\sin(f*x+e)-a/f*d*e*\sin(f*x+e)+1/2*a/f*d*(f*x+e)^2+a*c*(f*x+e)-a/f*d*e*(f*x+e))$

maxima [B] time = 0.34, size = 91, normalized size = 2.07

$$\frac{2(fx+e)ac + \frac{(fx+e)^2 ad}{f} - \frac{2(fx+e)ade}{f} + 2ac \sin(fx+e) - \frac{2ade \sin(fx+e)}{f} + \frac{2((fx+e)\sin(fx+e)+\cos(fx+e))ad}{f}}{2f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)*(a+a*cos(f*x+e)),x, algorithm="maxima")`

[Out] $1/2*(2*(f*x + e)*a*c + (f*x + e)^2*a*d/f - 2*(f*x + e)*a*d*e/f + 2*a*c*\sin(f*x + e) - 2*a*d*e*\sin(f*x + e)/f + 2*((f*x + e)*\sin(f*x + e) + \cos(f*x + e))*a*d/f)/f$

mupad [B] time = 0.09, size = 52, normalized size = 1.18

$$\frac{\frac{af(2c \sin(e+fx)+2dx \sin(e+fx))}{2} + ad \cos(e+fx)}{f^2} + \frac{a(dx^2 + 2cx)}{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(e + f*x))*(c + d*x),x)`

[Out] $((a*f*(2*c*\sin(e + f*x) + 2*d*x*\sin(e + f*x)))/2 + a*d*\cos(e + f*x))/f^2 + (a*(2*c*x + d*x^2))/2$

sympy [A] time = 0.25, size = 68, normalized size = 1.55

$$\begin{cases} acx + \frac{ac \sin(e+fx)}{f} + \frac{adx^2}{2} + \frac{adx \sin(e+fx)}{f} + \frac{ad \cos(e+fx)}{f^2} & \text{for } f \neq 0 \\ (a \cos(e) + a) \left(cx + \frac{dx^2}{2} \right) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*(a+a*cos(f*x+e)),x)
```

```
[Out] Piecewise((a*c*x + a*c*sin(e + f*x)/f + a*d*x**2/2 + a*d*x*sin(e + f*x)/f +  
a*d*cos(e + f*x)/f**2, Ne(f, 0)), ((a*cos(e) + a)*(c*x + d*x**2/2), True))
```

$$3.121 \quad \int \frac{a+a \cos(e+fx)}{c+dx} dx$$

Optimal. Leaf size=65

$$\frac{a \operatorname{Ci}\left(xf + \frac{cf}{d}\right) \cos\left(e - \frac{cf}{d}\right)}{d} - \frac{a \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} + \frac{a \log(c + dx)}{d}$$

[Out] a*Ci(c*f/d+f*x)*cos(-e+c*f/d)/d+a*ln(d*x+c)/d+a*Si(c*f/d+f*x)*sin(-e+c*f/d)/d

Rubi [A] time = 0.15, antiderivative size = 65, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3303, 3299, 3302}

$$\frac{a \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d} - \frac{a \sin\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d} + \frac{a \log(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[e + f*x])/(c + d*x),x]

[Out] (a*Cos[e - (c*f)/d]*CosIntegral[(c*f)/d + f*x])/d + (a*Log[c + d*x])/d - (a*Sin[e - (c*f)/d]*SinIntegral[(c*f)/d + f*x])/d

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3317


```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + a \cos(e + fx)}{c + dx} dx &= \int \left(\frac{a}{c + dx} + \frac{a \cos(e + fx)}{c + dx} \right) dx \\
&= \frac{a \log(c + dx)}{d} + a \int \frac{\cos(e + fx)}{c + dx} dx \\
&= \frac{a \log(c + dx)}{d} + \left(a \cos \left(e - \frac{cf}{d} \right) \right) \int \frac{\cos \left(\frac{cf}{d} + fx \right)}{c + dx} dx - \left(a \sin \left(e - \frac{cf}{d} \right) \right) \int \frac{\sin \left(\frac{cf}{d} + fx \right)}{c + dx} dx \\
&= \frac{a \cos \left(e - \frac{cf}{d} \right) \text{Ci} \left(\frac{cf}{d} + fx \right)}{d} + \frac{a \log(c + dx)}{d} - \frac{a \sin \left(e - \frac{cf}{d} \right) \text{Si} \left(\frac{cf}{d} + fx \right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 55, normalized size = 0.85

$$\frac{a \left(\text{Ci} \left(f \left(\frac{c}{d} + x \right) \right) \cos \left(e - \frac{cf}{d} \right) - \sin \left(e - \frac{cf}{d} \right) \text{Si} \left(f \left(\frac{c}{d} + x \right) \right) + \log(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[e + f*x])/(c + d*x), x]
```

```
[Out] (a*(Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] + Log[c + d*x] - Sin[e - (c*f)/d]*SinIntegral[f*(c/d + x)])/d
```

fricas [A] time = 0.73, size = 92, normalized size = 1.42

$$\frac{2 a \sin \left(-\frac{de-cf}{d} \right) \text{Si} \left(\frac{dfx+cf}{d} \right) + \left(a \text{Ci} \left(\frac{dfx+cf}{d} \right) + a \text{Ci} \left(-\frac{dfx+cf}{d} \right) \right) \cos \left(-\frac{de-cf}{d} \right) + 2 a \log(dx + c)}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(f*x+e))/(d*x+c), x, algorithm="fricas")
```

```
[Out] 1/2*(2*a*sin(-(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + (a*cos_integral((d*f*x + c*f)/d) + a*cos_integral(-(d*f*x + c*f)/d))*cos(-(d*e - c*f)/d) + 2*a*log(d*x + c))/d
```

giac [C] time = 0.49, size = 692, normalized size = 10.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))/(d*x+c),x, algorithm="giac")

[Out] $\frac{1}{2}*(2*a*\log(\text{abs}(d*x + c))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + a*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + a*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + 2*a*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*a*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2*\tan(1/2*e) + 4*a*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)^2*\tan(1/2*e) - 2*a*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*a*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e)^2 - 4*a*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d)*\tan(1/2*e)^2 + 2*a*\log(\text{abs}(d*x + c))*\tan(1/2*c*f/d)^2 - a*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)^2 - a*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)^2 + 4*a*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 4*a*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d)*\tan(1/2*e) + 2*a*\log(\text{abs}(d*x + c))*\tan(1/2*e)^2 - a*\text{real_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*e)^2 - a*\text{real_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*e)^2 + 2*a*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*c*f/d) - 2*a*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*c*f/d) + 4*a*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*c*f/d) - 2*a*\text{imag_part}(\cos_integral(f*x + c*f/d))*\tan(1/2*e) + 2*a*\text{imag_part}(\cos_integral(-f*x - c*f/d))*\tan(1/2*e) - 4*a*\sin_integral((d*f*x + c*f)/d)*\tan(1/2*e) + 2*a*\log(\text{abs}(d*x + c)) + a*\text{real_part}(\cos_integral(f*x + c*f/d)) + a*\text{real_part}(\cos_integral(-f*x - c*f/d)))/(d*\tan(1/2*c*f/d)^2*\tan(1/2*e)^2 + d*\tan(1/2*c*f/d)^2 + d*\tan(1/2*e)^2 + d)$

maple [A] time = 0.04, size = 95, normalized size = 1.46

$$\frac{a \operatorname{Si}\left(fx + e + \frac{cf-de}{d}\right) \sin\left(\frac{cf-de}{d}\right)}{d} + \frac{a \operatorname{Ci}\left(fx + e + \frac{cf-de}{d}\right) \cos\left(\frac{cf-de}{d}\right)}{d} + \frac{a \ln\left(\left(fx + e\right)d + cf - de\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(f*x+e))/(d*x+c),x)

[Out] $a*\operatorname{Si}(f*x+e+(c*f-d*e)/d)*\sin((c*f-d*e)/d)/d+a*\operatorname{Ci}(f*x+e+(c*f-d*e)/d)*\cos((c*f-d*e)/d)/d+a*\ln((f*x+e)*d+c*f-d*e)/d$

maxima [C] time = 0.93, size = 172, normalized size = 2.65

$$\frac{2af \log\left(c + \frac{(fx+e)d - de}{f}\right)}{d} - \frac{\left(f \left(E_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) + E_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \cos\left(-\frac{de - cf}{d}\right) + f \left(i E_1\left(\frac{i(fx+e)d - ide + icf}{d}\right) - i E_1\left(-\frac{i(fx+e)d - ide + icf}{d}\right)\right) \sin\left(-\frac{de - cf}{d}\right)}{d}$$

$2f$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))/(d*x+c),x, algorithm="maxima")

[Out] $\frac{1}{2} * (2 * a * f * \log(c + (f * x + e) * d / f - d * e / f) / d - (f * (\exp_integral_e(1, (I * (f * x + e) * d - I * d * e + I * c * f) / d) + \exp_integral_e(1, -(I * (f * x + e) * d - I * d * e + I * c * f) / d)) * \cos(-(d * e - c * f) / d) + f * (I * \exp_integral_e(1, (I * (f * x + e) * d - I * d * e + I * c * f) / d) - I * \exp_integral_e(1, -(I * (f * x + e) * d - I * d * e + I * c * f) / d))) * \sin(-(d * e - c * f) / d)) * a / d) / f$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{a + a \cos(e + f x)}{c + d x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(e + f*x))/(c + d*x),x)

[Out] int((a + a*cos(e + f*x))/(c + d*x), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int \frac{\cos(e + f x)}{c + d x} dx + \int \frac{1}{c + d x} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))/(d*x+c),x)

[Out] a*(Integral(cos(e + f*x)/(c + d*x), x) + Integral(1/(c + d*x), x))

$$3.122 \quad \int \frac{a+a \cos(e+fx)}{(c+dx)^2} dx$$

Optimal. Leaf size=89

$$\frac{af \operatorname{Ci}\left(xf + \frac{cf}{d}\right) \sin\left(e - \frac{cf}{d}\right)}{d^2} - \frac{af \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{a \cos(e+fx)}{d(c+dx)} - \frac{a}{d(c+dx)}$$

[Out] $-a/d/(d*x+c) - a*\cos(f*x+e)/d/(d*x+c) - a*f*\cos(-e+c*f/d)*\operatorname{Si}(c*f/d+f*x)/d^2 + a*f*\operatorname{Ci}(c*f/d+f*x)*\sin(-e+c*f/d)/d^2$

Rubi [A] time = 0.16, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3317, 3297, 3303, 3299, 3302}

$$\frac{af \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^2} - \frac{af \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{a \cos(e+fx)}{d(c+dx)} - \frac{a}{d(c+dx)}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[e + f*x])/(c + d*x)^2, x]$

[Out] $-(a/(d*(c + d*x))) - (a*\operatorname{Cos}[e + f*x])/(d*(c + d*x)) - (a*f*\operatorname{CosIntegral}[(c*f)/d + f*x]*\operatorname{Sin}[e - (c*f)/d])/d^2 - (a*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2$

Rule 3297

$\operatorname{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow \operatorname{Simp}[(c + d*x)^{(m + 1)*\operatorname{Sin}[e + f*x]}/(d*(m + 1)), x] - \operatorname{Dist}[f/(d*(m + 1)), \operatorname{Int}[(c + d*x)^{(m + 1)*\operatorname{Cos}[e + f*x]}, x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{LtQ}[m, -1]$

Rule 3299

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x \ \&\& \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)
, x_Symbol] :> Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{a + a \cos(e + fx)}{(c + dx)^2} dx &= \int \left(\frac{a}{(c + dx)^2} + \frac{a \cos(e + fx)}{(c + dx)^2} \right) dx \\
&= -\frac{a}{d(c + dx)} + a \int \frac{\cos(e + fx)}{(c + dx)^2} dx \\
&= -\frac{a}{d(c + dx)} - \frac{a \cos(e + fx)}{d(c + dx)} - \frac{(af) \int \frac{\sin(e+fx)}{c+dx} dx}{d} \\
&= -\frac{a}{d(c + dx)} - \frac{a \cos(e + fx)}{d(c + dx)} - \frac{\left(af \cos\left(e - \frac{cf}{d}\right)\right) \int \frac{\sin\left(\frac{cf}{d}+fx\right)}{c+dx} dx}{d} - \frac{\left(af \sin\left(e - \frac{cf}{d}\right)\right) \int}{d} \\
&= -\frac{a}{d(c + dx)} - \frac{a \cos(e + fx)}{d(c + dx)} - \frac{af \operatorname{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^2} - \frac{af \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(\frac{cf}{d} + \right)}{d^2}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 78, normalized size = 0.88

$$\frac{a \left(f(c + dx) \operatorname{Ci}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + f(c + dx) \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(f\left(\frac{c}{d} + x\right)\right) + d(\cos(e + fx) + 1) \right)}{d^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[e + f*x])/(c + d*x)^2,x]
```

```
[Out] -((a*(d*(1 + Cos[e + f*x]) + f*(c + d*x)*CosIntegral[f*(c/d + x)]*Sin[e - (
c*f)/d] + f*(c + d*x)*Cos[e - (c*f)/d]*SinIntegral[f*(c/d + x)]))/(d^2*(c +
d*x))
```

fricas [A] time = 0.86, size = 135, normalized size = 1.52

$$\frac{2ad \cos(fx + e) + 2(adfx + acf) \cos\left(-\frac{de - cf}{d}\right) \operatorname{Si}\left(\frac{dfx + cf}{d}\right) + 2ad - \left((adfx + acf) \operatorname{Ci}\left(\frac{dfx + cf}{d}\right) + (adfx + acf)\right)}{2(d^3x + cd^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))/(d*x+c)^2,x, algorithm="fricas")

[Out] $-1/2*(2*a*d*\cos(f*x + e) + 2*(a*d*f*x + a*c*f)*\cos(-(d*e - c*f)/d)*\sin_integral((d*f*x + c*f)/d) + 2*a*d - ((a*d*f*x + a*c*f)*\cos_integral((d*f*x + c*f)/d) + (a*d*f*x + a*c*f)*\cos_integral(-(d*f*x + c*f)/d))*\sin(-(d*e - c*f)/d))/(d^3*x + c*d^2)$

giac [B] time = 0.54, size = 578, normalized size = 6.49

$$\frac{\left((dx + c)\left(\frac{cf}{dx+c} - f - \frac{de}{dx+c}\right)f^2 \operatorname{Ci}\left(-\frac{(dx+c)\left(\frac{cf}{dx+c} - f - \frac{de}{dx+c}\right) - cf + de}{d}\right) \sin\left(\frac{cf - de}{d}\right) - cf^3 \operatorname{Ci}\left(-\frac{(dx+c)\left(\frac{cf}{dx+c} - f - \frac{de}{dx+c}\right) - cf + de}{d}\right) \sin\left(\frac{cf - de}{d}\right)\right)}{d^3x + cd^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))/(d*x+c)^2,x, algorithm="giac")

[Out] $((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin((c*f - d*e)/d) - c*f^3*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin((c*f - d*e)/d) + d*f^2*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*e*\sin((c*f - d*e)/d) - (d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*\cos((c*f - d*e)/d)*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) + c*f^3*\cos((c*f - d*e)/d)*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) - d*f^2*\cos((c*f - d*e)/d)*e*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) + d*f^2*\cos((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c))/d))*a*d^2/(((d*x + c)*d^4*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*d^4*f + d^5*e)*f) - a/((d*x + c)*d)$

maple [A] time = 0.04, size = 143, normalized size = 1.61

$$\frac{f^2 a \left(\frac{\cos(fx+e)}{((fx+e)d+cf-de)d} - \frac{\operatorname{Si}\left(fx+e+\frac{cf-de}{d}\right) \cos\left(\frac{cf-de}{d}\right) - \operatorname{Ci}\left(fx+e+\frac{cf-de}{d}\right) \sin\left(\frac{cf-de}{d}\right)}{d} \right)}{f} - \frac{f^2 a}{((fx+e)d+cf-de)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(f*x+e))/(d*x+c)^2,x)`

[Out] $1/f*(f^2*a*(-\cos(f*x+e)/((f*x+e)*d+c*f-d*e)/d-(\operatorname{Si}(f*x+e+(c*f-d*e)/d))*\cos((c*f-d*e)/d)/d-Ci(f*x+e+(c*f-d*e)/d)*\sin((c*f-d*e)/d)/d)-f^2*a/((f*x+e)*d+c*f-d*e)/d)$

maxima [C] time = 1.00, size = 196, normalized size = 2.20

$$\frac{16af^2}{(fx+e)d^2-d^2e+cdf} + \frac{\left(8f^2\left(E_2\left(\frac{i(fx+e)d-de+icf}{d}\right)+E_2\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\cos\left(-\frac{de-cf}{d}\right)+f^2\left(8iE_2\left(\frac{i(fx+e)d-de+icf}{d}\right)-8iE_2\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\right)}{16f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(f*x+e))/(d*x+c)^2,x, algorithm="maxima")`

[Out] $-1/16*(16*a*f^2/((f*x + e)*d^2 - d^2*e + c*d*f) + (8*f^2*(\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + \exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\cos(-(d*e - c*f)/d) + f^2*(8*I*\exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) - 8*I*\exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*\sin(-(d*e - c*f)/d))*a/((f*x + e)*d^2 - d^2*e + c*d*f))/f$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{a + a \cos(e + f x)}{(c + d x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(e + f*x))/(c + d*x)^2,x)`

[Out] `int((a + a*cos(e + f*x))/(c + d*x)^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a \left(\int \frac{\cos(e + f x)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(f*x+e))/(d*x+c)**2,x)`

[Out] $a*(\operatorname{Integral}(\cos(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + \operatorname{Integral}(1/(c**2 + 2*c*d*x + d**2*x**2), x))$

3.123 $\int (c + dx)^3 (a + a \cos(e + fx))^2 dx$

Optimal. Leaf size=237

$$\frac{12a^2d^2(c + dx) \sin(e + fx)}{f^3} - \frac{3a^2d^2(c + dx) \sin(e + fx) \cos(e + fx)}{4f^3} - \frac{3a^2cd^2x}{4f^2} + \frac{3a^2d(c + dx)^2 \cos^2(e + fx)}{4f^2} + \frac{6a^2c}{f}$$

[Out] $-3/4*a^2*c*d^2*x/f^2-3/8*a^2*d^3*x^2/f^2+3/8*a^2*(d*x+c)^4/d-12*a^2*d^3*\cos(f*x+e)/f^4+6*a^2*d*(d*x+c)^2*\cos(f*x+e)/f^2-3/8*a^2*d^3*\cos(f*x+e)^2/f^4+3/4*a^2*d*(d*x+c)^2*\cos(f*x+e)^2/f^2-12*a^2*d^2*(d*x+c)*\sin(f*x+e)/f^3+2*a^2*(d*x+c)^3*\sin(f*x+e)/f-3/4*a^2*d^2*(d*x+c)*\cos(f*x+e)*\sin(f*x+e)/f^3+1/2*a^2*(d*x+c)^3*\cos(f*x+e)*\sin(f*x+e)/f$

Rubi [A] time = 0.26, antiderivative size = 237, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3317, 3296, 2638, 3311, 32, 3310}

$$\frac{12a^2d^2(c + dx) \sin(e + fx)}{f^3} - \frac{3a^2d^2(c + dx) \sin(e + fx) \cos(e + fx)}{4f^3} - \frac{3a^2cd^2x}{4f^2} + \frac{3a^2d(c + dx)^2 \cos^2(e + fx)}{4f^2} + \frac{6a^2c}{f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3*(a + a*\text{Cos}[e + f*x])^2, x]$

[Out] $(-3*a^2*c*d^2*x)/(4*f^2) - (3*a^2*d^3*x^2)/(8*f^2) + (3*a^2*(c + d*x)^4)/(8*d) - (12*a^2*d^3*\text{Cos}[e + f*x])/f^4 + (6*a^2*d*(c + d*x)^2*\text{Cos}[e + f*x])/f^2 - (3*a^2*d^3*\text{Cos}[e + f*x]^2)/(8*f^4) + (3*a^2*d*(c + d*x)^2*\text{Cos}[e + f*x]^2)/(4*f^2) - (12*a^2*d^2*(c + d*x)*\text{Sin}[e + f*x])/f^3 + (2*a^2*(c + d*x)^3*\text{Sin}[e + f*x])/f - (3*a^2*d^2*(c + d*x)*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(4*f^3) + (a^2*(c + d*x)^3*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f)$

Rule 32

$\text{Int}[(a + b*x)^m, x] := \text{Simp}[(a + b*x)^{m+1}/(b*(m+1)), x] /;$ $\text{FreeQ}\{a, b, m, x\} \ \&\& \ \text{NeQ}[m, -1]$

Rule 2638

$\text{Int}[\sin[(c + d*x)], x] := -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ $\text{FreeQ}\{c, d, x\}$

Rule 3296

$\text{Int}[(c + d*x)^m*\sin[e + f*x], x] := -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x]] /;$

$e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3310

$\text{Int}[\left((c_{.}) + (d_{.})*(x_{.})\right)*\left((b_{.})*\sin\left[(e_{.}) + (f_{.})*(x_{.})\right]\right)^{(n_{.})}, x_Symbol] \rightarrow$
 $\text{Simp}[\left(d*(b*\sin[e + f*x])^n\right)/(f^2*n^2), x] + \left(\text{Dist}[(b^2*(n - 1))/n, \text{Int}[(c + d*x)*(b*\sin[e + f*x])^{(n - 2)}, x], x] - \text{Simp}[(b*(c + d*x)*\cos[e + f*x]*(b*\sin[e + f*x])^{(n - 1)})/(f*n), x]\right) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1]$

Rule 3311

$\text{Int}[\left((c_{.}) + (d_{.})*(x_{.})\right)^{(m_{.})}* \left((b_{.})*\sin\left[(e_{.}) + (f_{.})*(x_{.})\right]\right)^{(n_{.})}, x_Symbol] \rightarrow$
 $\text{Simp}[\left(d*m*(c + d*x)^{(m - 1})*(b*\sin[e + f*x])^n\right)/(f^2*n^2), x] + \left(\text{Dist}[(b^2*(n - 1))/n, \text{Int}[(c + d*x)^m*(b*\sin[e + f*x])^{(n - 2)}, x], x] - \text{Dist}[(d^2*m*(m - 1))/(f^2*n^2), \text{Int}[(c + d*x)^{(m - 2)}*(b*\sin[e + f*x])^n, x], x] - \text{Simp}[(b*(c + d*x)^m*\cos[e + f*x]*(b*\sin[e + f*x])^{(n - 1)})/(f*n), x]\right) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{GtQ}[m, 1]$

Rule 3317

$\text{Int}[\left((c_{.}) + (d_{.})*(x_{.})\right)^{(m_{.})}* \left((a_{.}) + (b_{.})*\sin\left[(e_{.}) + (f_{.})*(x_{.})\right]\right)^{(n_{.})}, x_Symbol] \rightarrow$
 $\text{Int}[\text{ExpandIntegrand}[(c + d*x)^m, (a + b*\sin[e + f*x])^n, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{IGtQ}[n, 0] \ \&\& \ (\text{EqQ}[n, 1] \ || \ \text{IGtQ}[m, 0] \ || \ \text{NeQ}[a^2 - b^2, 0])$

Rubi steps

$$\begin{aligned} \int (c + dx)^3 (a + a \cos(e + fx))^2 dx &= \int \left(a^2 (c + dx)^3 + 2a^2 (c + dx)^3 \cos(e + fx) + a^2 (c + dx)^3 \cos^2(e + fx) \right) dx \\ &= \frac{a^2 (c + dx)^4}{4d} + a^2 \int (c + dx)^3 \cos^2(e + fx) dx + (2a^2) \int (c + dx)^3 \cos(e + fx) dx \\ &= \frac{a^2 (c + dx)^4}{4d} + \frac{3a^2 d (c + dx)^2 \cos^2(e + fx)}{4f^2} + \frac{2a^2 (c + dx)^3 \sin(e + fx)}{f} + \frac{a^2 (c + dx)^3 \cos(e + fx)}{f} \\ &= \frac{3a^2 (c + dx)^4}{8d} + \frac{6a^2 d (c + dx)^2 \cos(e + fx)}{f^2} - \frac{3a^2 d^3 \cos^2(e + fx)}{8f^4} + \frac{3a^2 d (c + dx)^3 \cos(e + fx)}{f} \\ &= -\frac{3a^2 c d^2 x}{4f^2} - \frac{3a^2 d^3 x^2}{8f^2} + \frac{3a^2 (c + dx)^4}{8d} + \frac{6a^2 d (c + dx)^2 \cos(e + fx)}{f^2} - \frac{3a^2 d^3 \cos^2(e + fx)}{8f^4} \\ &= -\frac{3a^2 c d^2 x}{4f^2} - \frac{3a^2 d^3 x^2}{8f^2} + \frac{3a^2 (c + dx)^4}{8d} - \frac{12a^2 d^3 \cos(e + fx)}{f^4} + \frac{6a^2 d (c + dx)^3 \cos(e + fx)}{f} \end{aligned}$$

Mathematica [A] time = 1.44, size = 217, normalized size = 0.92

$$\frac{a^2 \left(96d \left(c^2 f^2 + 2cd f^2 x + d^2 \left(f^2 x^2 - 2 \right) \right) \cos(e + fx) + 3d \left(2c^2 f^2 + 4cd f^2 x + d^2 \left(2f^2 x^2 - 1 \right) \right) \cos(2(e + fx)) + 2f \right)}{16f^4}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3*(a + a*Cos[e + f*x])^2,x]

[Out] (a^2*(96*d*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-2 + f^2*x^2))*Cos[e + f*x] + 3*d*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-1 + 2*f^2*x^2))*Cos[2*(e + f*x)] + 2*f*(3*f^3*x*(4*c^3 + 6*c^2*d*x + 4*c*d^2*x^2 + d^3*x^3) + 16*(c + d*x)*(c^2*f^2 + 2*c*d*f^2*x + d^2*(-6 + f^2*x^2))*Sin[e + f*x] + (c + d*x)*(2*c^2*f^2 + 4*c*d*f^2*x + d^2*(-3 + 2*f^2*x^2))*Sin[2*(e + f*x)]))/16*f^4)

fricas [A] time = 0.57, size = 369, normalized size = 1.56

$$\frac{3a^2d^3f^4x^4 + 12a^2cd^2f^4x^3 + 3(6a^2c^2df^4 - a^2d^3f^2)x^2 + 3(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos(fx)}{16f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] 1/8*(3*a^2*d^3*f^4*x^4 + 12*a^2*c*d^2*f^4*x^3 + 3*(6*a^2*c^2*d*f^4 - a^2*d^3*f^2)*x^2 + 3*(2*a^2*d^3*f^2*x^2 + 4*a^2*c*d^2*f^2*x + 2*a^2*c^2*d*f^2 - a^2*d^3)*cos(f*x + e)^2 + 6*(2*a^2*c^3*f^4 - a^2*c*d^2*f^2)*x + 48*(a^2*d^3*f^2*x^2 + 2*a^2*c*d^2*f^2*x + a^2*c^2*d*f^2 - 2*a^2*d^3)*cos(f*x + e) + 2*(8*a^2*d^3*f^3*x^3 + 24*a^2*c*d^2*f^3*x^2 + 8*a^2*c^3*f^3 - 48*a^2*c*d^2*f + 24*(a^2*c^2*d*f^3 - 2*a^2*d^3*f)*x + (2*a^2*d^3*f^3*x^3 + 6*a^2*c*d^2*f^3*x^2 + 2*a^2*c^3*f^3 - 3*a^2*c*d^2*f + 3*(2*a^2*c^2*d*f^3 - a^2*d^3*f)*x)*cos(f*x + e))*sin(f*x + e))/f^4

giac [A] time = 0.72, size = 339, normalized size = 1.43

$$\frac{3}{8}a^2d^3x^4 + \frac{3}{2}a^2cd^2x^3 + \frac{9}{4}a^2c^2dx^2 + \frac{3}{2}a^2c^3x + \frac{3(2a^2d^3f^2x^2 + 4a^2cd^2f^2x + 2a^2c^2df^2 - a^2d^3)\cos(2fx + 2e)}{16f^4} + \frac{6(a^2d^3f^2x^2 + 2a^2cd^2f^2x + a^2c^2df^2 - a^2d^3)\cos(fx + e)\sin(fx + e)}{16f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3*(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] 3/8*a^2*d^3*x^4 + 3/2*a^2*c*d^2*x^3 + 9/4*a^2*c^2*d*x^2 + 3/2*a^2*c^3*x + 3/16*(2*a^2*d^3*f^2*x^2 + 4*a^2*c*d^2*f^2*x + 2*a^2*c^2*d*f^2 - a^2*d^3)*cos(2*f*x + 2*e)/f^4 + 6*(a^2*d^3*f^2*x^2 + 2*a^2*c*d^2*f^2*x + a^2*c^2*d*f^2 - a^2*d^3)*cos(f*x + e)*sin(f*x + e)/f^4

$$- 2a^2d^3 \cos(fx + e)/f^4 + 1/8(2a^2d^3f^3x^3 + 6a^2cd^2f^3x^2 + 6a^2c^2d^2f^3x + 2a^2c^3f^3 - 3a^2d^3fx - 3a^2cd^2f) \sin(2fx + 2e)/f^4 + 2(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2d^2f^3x + a^2c^3f^3 - 6a^2d^3fx - 6a^2cd^2f) \sin(fx + e)/f^4$$

maple [B] time = 0.05, size = 1129, normalized size = 4.76

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^3*(a+a*cos(f*x+e))^2,x)`

[Out] $1/f * (-3a^2/f^2 * cd^2 * e * (fx+e)^2 - 6a^2/f^2 * cd^2 * e * ((fx+e) * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) - 1/4 * (fx+e)^2 - 1/4 * \sin(fx+e)^2) - 12a^2/f^2 * cd^2 * e * (\cos(fx+e) + (fx+e) * \sin(fx+e)) + 2a^2/f^3 * d^3 * ((fx+e)^3 * \sin(fx+e) + 3 * (fx+e)^2 * \cos(fx+e) - 6 * \cos(fx+e) - 6 * (fx+e) * \sin(fx+e)) + 1/4 * a^2/f^3 * d^3 * (fx+e)^4 + a^2/f^3 * d^3 * ((fx+e)^3 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) + 3/4 * (fx+e)^2 * \cos(fx+e)^2 - 3/2 * (fx+e) * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) + 3/8 * (fx+e)^2 + 3/8 * \sin(fx+e)^2 - 3/8 * (fx+e)^4) - 3a^2/f * c^2 * d * e * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) - 6a^2/f * c^2 * d * e * \sin(fx+e) + 3a^2/f^2 * cd^2 * e^2 * (fx+e) - 3a^2/f * c^2 * d * e * (fx+e) + 2a^2 * c^3 * \sin(fx+e) + a^2 * c^3 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) + a^2 * c^3 * (fx+e) + a^2/f^2 * cd^2 * (fx+e)^3 + 3/2 * a^2/f^3 * d^3 * e^2 * (fx+e)^2 + 6a^2/f^2 * cd^2 * ((fx+e)^2 * \sin(fx+e) - 2 * \sin(fx+e) + 2 * (fx+e) * \cos(fx+e)) + 6a^2/f * c^2 * d * (\cos(fx+e) + (fx+e) * \sin(fx+e)) - a^2/f^3 * d^3 * e^3 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) - 2a^2/f^3 * d^3 * e^3 * \sin(fx+e) + 3a^2/f^2 * cd^2 * ((fx+e)^2 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) + 1/2 * (fx+e) * \cos(fx+e)^2 - 1/4 * \cos(fx+e) * \sin(fx+e) - 1/4 * fx - 1/4 * e - 1/3 * (fx+e)^3) + 3a^2/f * c^2 * d * ((fx+e) * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) - 1/4 * (fx+e)^2 - 1/4 * \sin(fx+e)^2) - 6a^2/f^3 * d^3 * e * ((fx+e)^2 * \sin(fx+e) - 2 * \sin(fx+e) + 2 * (fx+e) * \cos(fx+e)) + 3a^2/f^3 * d^3 * e^2 * ((fx+e) * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) - 1/4 * (fx+e)^2 - 1/4 * \sin(fx+e)^2) - a^2/f^3 * d^3 * e^3 * (fx+e) - 3a^2/f^3 * d^3 * e * ((fx+e)^2 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e) + 1/2 * (fx+e) * \cos(fx+e)^2 - 1/4 * \cos(fx+e) * \sin(fx+e) - 1/4 * fx - 1/4 * e - 1/3 * (fx+e)^3) + 6a^2/f^3 * d^3 * e^2 * (\cos(fx+e) + (fx+e) * \sin(fx+e)) + 3/2 * a^2/f * c^2 * d * (fx+e)^2 - a^2/f^3 * d^3 * e * (fx+e)^3 + 6a^2/f^2 * cd^2 * e^2 * \sin(fx+e) + 3a^2/f^2 * cd^2 * e^2 * (1/2 * \cos(fx+e) * \sin(fx+e) + 1/2 * fx + 1/2 * e))$

maxima [B] time = 0.97, size = 949, normalized size = 4.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^3*(a+a*cos(f*x+e))^2,x, algorithm="maxima")`

```
[Out] 1/16*(4*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*c^3 + 16*(f*x + e)*a^2*c^3 + 4
*(f*x + e)^4*a^2*d^3/f^3 - 16*(f*x + e)^3*a^2*d^3*e/f^3 + 24*(f*x + e)^2*a^
2*d^3*e^2/f^3 - 4*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*d^3*e^3/f^3 - 16*(f*
x + e)*a^2*d^3*e^3/f^3 + 16*(f*x + e)^3*a^2*c*d^2/f^2 - 48*(f*x + e)^2*a^2*
c*d^2*e/f^2 + 12*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*c*d^2*e^2/f^2 + 48*(f
*x + e)*a^2*c*d^2*e^2/f^2 + 24*(f*x + e)^2*a^2*c^2*d/f - 12*(2*f*x + 2*e +
sin(2*f*x + 2*e))*a^2*c^2*d*e/f - 48*(f*x + e)*a^2*c^2*d*e/f + 32*a^2*c^3*s
in(f*x + e) - 32*a^2*d^3*e^3*sin(f*x + e)/f^3 + 96*a^2*c*d^2*e^2*sin(f*x +
e)/f^2 - 96*a^2*c^2*d*e*sin(f*x + e)/f + 6*(2*(f*x + e)^2 + 2*(f*x + e)*sin
(2*f*x + 2*e) + cos(2*f*x + 2*e))*a^2*d^3*e^2/f^3 + 96*((f*x + e)*sin(f*x +
e) + cos(f*x + e))*a^2*d^3*e^2/f^3 - 12*(2*(f*x + e)^2 + 2*(f*x + e)*sin(2
*f*x + 2*e) + cos(2*f*x + 2*e))*a^2*c*d^2*e/f^2 - 192*((f*x + e)*sin(f*x +
e) + cos(f*x + e))*a^2*c*d^2*e/f^2 + 6*(2*(f*x + e)^2 + 2*(f*x + e)*sin(2*f
*x + 2*e) + cos(2*f*x + 2*e))*a^2*c^2*d/f + 96*((f*x + e)*sin(f*x + e) + co
s(f*x + e))*a^2*c^2*d/f - 2*(4*(f*x + e)^3 + 6*(f*x + e)*cos(2*f*x + 2*e) +
3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))*a^2*d^3*e/f^3 - 96*(2*(f*x + e)*co
s(f*x + e) + ((f*x + e)^2 - 2)*sin(f*x + e))*a^2*d^3*e/f^3 + 2*(4*(f*x + e)
^3 + 6*(f*x + e)*cos(2*f*x + 2*e) + 3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))
*a^2*c*d^2/f^2 + 96*(2*(f*x + e)*cos(f*x + e) + ((f*x + e)^2 - 2)*sin(f*x +
e))*a^2*c*d^2/f^2 + (2*(f*x + e)^4 + 3*(2*(f*x + e)^2 - 1)*cos(2*f*x + 2*e)
) + 2*(2*(f*x + e)^3 - 3*f*x - 3*e)*sin(2*f*x + 2*e))*a^2*d^3/f^3 + 32*(3*(
f*x + e)^2 - 2)*cos(f*x + e) + ((f*x + e)^3 - 6*f*x - 6*e)*sin(f*x + e))*a
^2*d^3/f^3)/f
```

mupad [B] time = 0.91, size = 452, normalized size = 1.91

$$\frac{16 a^2 c^3 f^3 \sin(e + f x) - \frac{3 a^2 d^3 \cos(2 e + 2 f x)}{2} - 96 a^2 d^3 \cos(e + f x) + 12 a^2 c^3 f^4 x + 2 a^2 c^3 f^3 \sin(2 e + 2 f x) + \dots}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(e + f*x))^2*(c + d*x)^3,x)
```

```
[Out] (16*a^2*c^3*f^3*sin(e + f*x) - (3*a^2*d^3*cos(2*e + 2*f*x))/2 - 96*a^2*d^3*
cos(e + f*x) + 12*a^2*c^3*f^4*x + 2*a^2*c^3*f^3*sin(2*e + 2*f*x) + 3*a^2*d^
3*f^4*x^4 - 96*a^2*c*d^2*f*sin(e + f*x) - 96*a^2*d^3*f*x*sin(e + f*x) + 3*a
^2*d^3*f^2*x^2*cos(2*e + 2*f*x) + 2*a^2*d^3*f^3*x^3*sin(2*e + 2*f*x) + 48*a
^2*c^2*d*f^2*cos(e + f*x) - 3*a^2*c*d^2*f*sin(2*e + 2*f*x) - 3*a^2*d^3*f*x*
sin(2*e + 2*f*x) + 3*a^2*c^2*d*f^2*cos(2*e + 2*f*x) + 18*a^2*c^2*d*f^4*x^2
+ 12*a^2*c*d^2*f^4*x^3 + 48*a^2*d^3*f^2*x^2*cos(e + f*x) + 16*a^2*d^3*f^3*x
^3*sin(e + f*x) + 6*a^2*c*d^2*f^2*x*cos(2*e + 2*f*x) + 6*a^2*c^2*d*f^3*x*si
n(2*e + 2*f*x) + 48*a^2*c*d^2*f^3*x^2*sin(e + f*x) + 6*a^2*c*d^2*f^3*x^2*si
n(2*e + 2*f*x) + 96*a^2*c*d^2*f^2*x*cos(e + f*x) + 48*a^2*c^2*d*f^3*x*sin(e
+ f*x))/(8*f^4)
```

sympy [A] time = 3.45, size = 779, normalized size = 3.29

$$\left\{ \begin{array}{l} \frac{a^2 c^3 x \sin^2(e+fx)}{2} + \frac{a^2 c^3 x \cos^2(e+fx)}{2} + a^2 c^3 x + \frac{a^2 c^3 \sin(e+fx) \cos(e+fx)}{2f} + \frac{2a^2 c^3 \sin(e+fx)}{f} + \frac{3a^2 c^2 dx^2 \sin^2(e+fx)}{4} + \frac{3a^2 c^2 dx^2 \cos^2(e+fx)}{4} \\ (a \cos(e) + a)^2 \left(c^3 x + \frac{3c^2 dx^2}{2} + cd^2 x^3 + \frac{d^3 x^4}{4} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3*(a+a*cos(f*x+e))**2,x)

[Out] Piecewise((a**2*c**3*x*sin(e + f*x)**2/2 + a**2*c**3*x*cos(e + f*x)**2/2 + a**2*c**3*x + a**2*c**3*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*c**3*sin(e + f*x)/f + 3*a**2*c**2*d*x**2*sin(e + f*x)**2/4 + 3*a**2*c**2*d*x**2*cos(e + f*x)**2/4 + 3*a**2*c**2*d*x**2/2 + 3*a**2*c**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) + 6*a**2*c**2*d*x*sin(e + f*x)/f - 3*a**2*c**2*d*sin(e + f*x)**2/(4*f**2) + 6*a**2*c**2*d*cos(e + f*x)/f**2 + a**2*c*d**2*x**3*sin(e + f*x)**2/2 + a**2*c*d**2*x**3*cos(e + f*x)**2/2 + a**2*c*d**2*x**3 + 3*a**2*c*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) + 6*a**2*c*d**2*x**2*sin(e + f*x)/f - 3*a**2*c*d**2*x*sin(e + f*x)**2/(4*f**2) + 3*a**2*c*d**2*x*cos(e + f*x)**2/(4*f**2) + 12*a**2*c*d**2*x*cos(e + f*x)/f**2 - 3*a**2*c*d**2*sin(e + f*x)*cos(e + f*x)/(4*f**3) - 12*a**2*c*d**2*sin(e + f*x)/f**3 + a**2*d**3*x**4*sin(e + f*x)**2/8 + a**2*d**3*x**4*cos(e + f*x)**2/8 + a**2*d**3*x**4/4 + a**2*d**3*x**3*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*d**3*x**3*sin(e + f*x)/f - 3*a**2*d**3*x**2*sin(e + f*x)**2/(8*f**2) + 3*a**2*d**3*x**2*cos(e + f*x)**2/(8*f**2) + 6*a**2*d**3*x**2*cos(e + f*x)/f**2 - 3*a**2*d**3*x*sin(e + f*x)*cos(e + f*x)/(4*f**3) - 12*a**2*d**3*x*sin(e + f*x)/f**3 + 3*a**2*d**3*sin(e + f*x)**2/(8*f**4) - 12*a**2*d**3*cos(e + f*x)/f**4, Ne(f, 0)), ((a*cos(e) + a)**2*(c**3*x + 3*c**2*d*x**2/2 + c*d**2*x**3 + d**3*x**4/4), True))

3.124 $\int (c + dx)^2 (a + a \cos(e + fx))^2 dx$

Optimal. Leaf size=168

$$\frac{a^2 d(c + dx) \cos^2(e + fx)}{2f^2} + \frac{4a^2 d(c + dx) \cos(e + fx)}{f^2} + \frac{2a^2 (c + dx)^2 \sin(e + fx)}{f} + \frac{a^2 (c + dx)^2 \sin(e + fx) \cos(e + fx)}{2f}$$

[Out] $-1/4*a^2*d^2*x/f^2+1/2*a^2*(d*x+c)^3/d+4*a^2*d*(d*x+c)*\cos(f*x+e)/f^2+1/2*a^2*d*(d*x+c)*\cos(f*x+e)^2/f^2-4*a^2*d^2*\sin(f*x+e)/f^3+2*a^2*(d*x+c)^2*\sin(f*x+e)/f-1/4*a^2*d^2*\cos(f*x+e)*\sin(f*x+e)/f^3+1/2*a^2*(d*x+c)^2*\cos(f*x+e)*\sin(f*x+e)/f$

Rubi [A] time = 0.18, antiderivative size = 168, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {3317, 3296, 2637, 3311, 32, 2635, 8}

$$\frac{a^2 d(c + dx) \cos^2(e + fx)}{2f^2} + \frac{4a^2 d(c + dx) \cos(e + fx)}{f^2} + \frac{2a^2 (c + dx)^2 \sin(e + fx)}{f} + \frac{a^2 (c + dx)^2 \sin(e + fx) \cos(e + fx)}{2f}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^2*(a + a*\text{Cos}[e + f*x])^2, x]$

[Out] $-(a^2*d^2*x)/(4*f^2) + (a^2*(c + d*x)^3)/(2*d) + (4*a^2*d*(c + d*x)*\text{Cos}[e + f*x])/f^2 + (a^2*d*(c + d*x)*\text{Cos}[e + f*x]^2)/(2*f^2) - (4*a^2*d^2*\text{Sin}[e + f*x])/f^3 + (2*a^2*(c + d*x)^2*\text{Sin}[e + f*x])/f - (a^2*d^2*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(4*f^3) + (a^2*(c + d*x)^2*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f)$

Rule 8

$\text{Int}[a_, x_Symbol] \text{ :> } \text{Simp}[a*x, x] \text{ /; } \text{FreeQ}[a, x]$

Rule 32

$\text{Int}[(a_. + (b_.)*(x_))^(m_), x_Symbol] \text{ :> } \text{Simp}[(a + b*x)^(m + 1)/(b*(m + 1)), x] \text{ /; } \text{FreeQ}\{a, b, m\}, x \text{ \&\& } \text{NeQ}[m, -1]$

Rule 2635

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] \text{ :> } -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^(n - 1)]/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^(n - 2), x], x] \text{ /; } \text{FreeQ}\{b, c, d\}, x \text{ \&\& } \text{GtQ}[n, 1] \text{ \&\& } \text{IntegerQ}[2*n]$

Rule 2637

```
Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

Rule 3296

```
Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[
((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[
e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Simp[
(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[
(d^2*m*(m - 1))/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3317

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.),
x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sine[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rubi steps

$$\begin{aligned}
\int (c + dx)^2 (a + a \cos(e + fx))^2 dx &= \int (a^2(c + dx)^2 + 2a^2(c + dx)^2 \cos(e + fx) + a^2(c + dx)^2 \cos^2(e + fx)) dx \\
&= \frac{a^2(c + dx)^3}{3d} + a^2 \int (c + dx)^2 \cos^2(e + fx) dx + (2a^2) \int (c + dx)^2 \cos(e + fx) dx \\
&= \frac{a^2(c + dx)^3}{3d} + \frac{a^2 d(c + dx) \cos^2(e + fx)}{2f^2} + \frac{2a^2(c + dx)^2 \sin(e + fx)}{f} + \frac{a^2(c + dx)^3}{3d} \\
&= \frac{a^2(c + dx)^3}{2d} + \frac{4a^2 d(c + dx) \cos(e + fx)}{f^2} + \frac{a^2 d(c + dx) \cos^2(e + fx)}{2f^2} + \frac{2a^2(c + dx)^3}{3d} \\
&= -\frac{a^2 d^2 x}{4f^2} + \frac{a^2(c + dx)^3}{2d} + \frac{4a^2 d(c + dx) \cos(e + fx)}{f^2} + \frac{a^2 d(c + dx) \cos^2(e + fx)}{2f^2}
\end{aligned}$$

Mathematica [A] time = 0.65, size = 193, normalized size = 1.15

$$\frac{a^2(16c^2f^2 \sin(e + fx) + 2c^2f^2 \sin(2(e + fx)) + 12c^2f^3x + 32cdf^2x \sin(e + fx) + 4cdf^2x \sin(2(e + fx)) + 32df($$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2*(a + a*Cos[e + f*x])^2,x]

[Out] (a^2*(12*c^2*f^3*x + 12*c*d*f^3*x^2 + 4*d^2*f^3*x^3 + 32*d*f*(c + d*x)*Cos[e + f*x] + 2*d*f*(c + d*x)*Cos[2*(e + f*x)] - 32*d^2*Sin[e + f*x] + 16*c^2*f^2*Sin[e + f*x] + 32*c*d*f^2*x*Sin[e + f*x] + 16*d^2*f^2*x^2*Sin[e + f*x] - d^2*Sin[2*(e + f*x)] + 2*c^2*f^2*Sin[2*(e + f*x)] + 4*c*d*f^2*x*Sin[2*(e + f*x)] + 2*d^2*f^2*x^2*Sin[2*(e + f*x)]))/(8*f^3)

fricas [A] time = 0.58, size = 212, normalized size = 1.26

$$\frac{2a^2d^2f^3x^3 + 6a^2cdf^3x^2 + 2(a^2d^2fx + a^2cdf) \cos(fx + e)^2 + (6a^2c^2f^3 - a^2d^2f)x + 16(a^2d^2fx + a^2cdf) \cos(f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] 1/4*(2*a^2*d^2*f^3*x^3 + 6*a^2*c*d*f^3*x^2 + 2*(a^2*d^2*f*x + a^2*c*d*f)*cos(f*x + e)^2 + (6*a^2*c^2*f^3 - a^2*d^2*f)*x + 16*(a^2*d^2*f*x + a^2*c*d*f)*cos(f*x + e) + (8*a^2*d^2*f^2*x^2 + 16*a^2*c*d*f^2*x + 8*a^2*c^2*f^2 - 16*a^2*d^2 + (2*a^2*d^2*f^2*x^2 + 4*a^2*c*d*f^2*x + 2*a^2*c^2*f^2 - a^2*d^2)*cos(f*x + e))*sin(f*x + e))/f^3

giac [A] time = 0.81, size = 207, normalized size = 1.23

$$\frac{1}{2}a^2d^2x^3 + \frac{3}{2}a^2cdx^2 + \frac{3}{2}a^2c^2x + \frac{(a^2d^2fx + a^2cdf) \cos(2fx + 2e)}{4f^3} + \frac{4(a^2d^2fx + a^2cdf) \cos(fx + e)}{f^3} + \frac{(2a^2d^2f^2x^2 + 4a^2c^2f^3 - a^2d^2f)x + 16(a^2d^2fx + a^2cdf) \cos(fx + e) + (8a^2d^2f^2x^2 + 16a^2c^2d^2fx + 8a^2c^2f^2 - 16a^2d^2 + (2a^2d^2f^2x^2 + 4a^2c^2d^2fx + 2a^2c^2f^2 - a^2d^2) \cos(fx + e)) \sin(fx + e)}{f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] 1/2*a^2*d^2*x^3 + 3/2*a^2*c*d*x^2 + 3/2*a^2*c^2*x + 1/4*(a^2*d^2*f*x + a^2*c*d*f)*cos(2*f*x + 2*e)/f^3 + 4*(a^2*d^2*f*x + a^2*c*d*f)*cos(f*x + e)/f^3 + 1/8*(2*a^2*d^2*f^2*x^2 + 4*a^2*c*d*f^2*x + 2*a^2*c^2*f^2 - a^2*d^2)*sin(2*f*x + 2*e)/f^3 + 2*(a^2*d^2*f^2*x^2 + 2*a^2*c*d*f^2*x + a^2*c^2*f^2 - 2*a^2*d^2)*sin(f*x + e)/f^3

maple [B] time = 0.05, size = 564, normalized size = 3.36

$$\frac{a^2 d^2 \left((fx+e)^2 \left(\frac{\cos(fx+e)\sin(fx+e)}{2} + \frac{fx}{2} + \frac{e}{2} \right) + \frac{(fx+e)(\cos^2(fx+e))}{2} - \frac{\cos(fx+e)\sin(fx+e)}{4} - \frac{fx}{4} - \frac{e}{4} - \frac{(fx+e)^3}{3} \right)}{f^2} + \frac{2a^2 cd \left((fx+e) \left(\frac{\cos(fx+e)\sin(fx+e)}{2} + \frac{fx}{2} + \frac{e}{2} \right) - \frac{(fx+e)^2}{2} \right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2*(a+a*cos(f*x+e))^2,x)

[Out] 1/f*(a^2/f^2*d^2*((f*x+e)^2*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)+1/2*(f*x+e)*cos(f*x+e)^2-1/4*cos(f*x+e)*sin(f*x+e)-1/4*f*x-1/4*e-1/3*(f*x+e)^3)+2*a^2/f*c*d*((f*x+e)*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2-1/4*sin(f*x+e)^2)-2*a^2/f^2*d^2*e*((f*x+e)*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2-1/4*sin(f*x+e)^2)+a^2*c^2*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)-2*a^2/f*c*d*e*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)+a^2/f^2*d^2*e^2*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)+2*a^2/f^2*d^2*((f*x+e)^2*sin(f*x+e)-2*sin(f*x+e)+2*(f*x+e)*cos(f*x+e))+4*a^2/f*c*d*(cos(f*x+e)+(f*x+e)*sin(f*x+e))-4*a^2/f^2*d^2*e*(cos(f*x+e)+(f*x+e)*sin(f*x+e))+2*a^2*c^2*sin(f*x+e)-4*a^2/f*c*d*e*sin(f*x+e)+2*a^2/f^2*d^2*e^2*sin(f*x+e)+1/3*a^2/f^2*d^2*(f*x+e)^3+a^2/f*c*d*(f*x+e)^2-a^2/f^2*d^2*e*(f*x+e)^2+a^2*c^2*(f*x+e)-2*a^2/f*c*d*e*(f*x+e)+a^2/f^2*d^2*e^2*(f*x+e))

maxima [B] time = 1.00, size = 494, normalized size = 2.94

$$6(2fx+2e+\sin(2fx+2e))a^2c^2+24(fx+e)a^2c^2+\frac{8(fx+e)^3a^2d^2}{f^2}-\frac{24(fx+e)^2a^2d^2e}{f^2}+\frac{6(2fx+2e+\sin(2fx+2e))a^2d^2e}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2*(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] 1/24*(6*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*c^2 + 24*(f*x + e)*a^2*c^2 + 8*(f*x + e)^3*a^2*d^2/f^2 - 24*(f*x + e)^2*a^2*d^2*e/f^2 + 6*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*d^2*e^2/f^2 + 24*(f*x + e)*a^2*d^2*e^2/f^2 + 24*(f*x + e)^2*a^2*c*d/f - 12*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*c*d*e/f - 48*(f*x + e)*a^2*c*d*e/f + 48*a^2*c^2*sin(f*x + e) + 48*a^2*d^2*e^2*sin(f*x + e)/f^2 - 96*a^2*c*d*e*sin(f*x + e)/f - 6*(2*(f*x + e)^2 + 2*(f*x + e)*sin(2*f*x + 2*e) + cos(2*f*x + 2*e))*a^2*d^2*e/f^2 - 96*((f*x + e)*sin(f*x + e) + cos(f*x + e))*a^2*d^2*e/f^2 + 6*(2*(f*x + e)^2 + 2*(f*x + e)*sin(2*f*x + 2*e) + cos(2*f*x + 2*e))*a^2*c*d/f + 96*((f*x + e)*sin(f*x + e) + cos(f*x + e))*a^2*c*d/f + (4*(f*x + e)^3 + 6*(f*x + e)*cos(2*f*x + 2*e) + 3*(2*(f*x + e)^2 - 1)*sin(2*f*x + 2*e))*a^2*d^2/f^2 + 48*(2*(f*x + e)*cos(f*x + e) + ((f*x + e)^2 - 2)*sin(f*x + e))*a^2*d^2/f^2)/f

mupad [B] time = 0.59, size = 255, normalized size = 1.52

$$\frac{8a^2c^2f^2\sin(e+fx) - \frac{a^2d^2\sin(2e+2fx)}{2} - 16a^2d^2\sin(e+fx) + 6a^2c^2f^3x + a^2c^2f^2\sin(2e+2fx) + 2a^2d^2\sin(e+fx)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(e + f*x))^2*(c + d*x)^2,x)`

[Out] $(8a^2c^2f^2\sin(e+fx) - (a^2d^2\sin(2e+2fx)))/2 - 16a^2d^2\sin(e+fx) + 6a^2c^2f^3x + a^2c^2f^2\sin(2e+2fx) + 2a^2d^2f^3x^3 + a^2c^2d^2f^2\cos(2e+2fx) + 16a^2d^2f^2x\cos(e+fx) + a^2d^2f^2x^2\sin(2e+2fx) + 6a^2c^2d^2f^2x^2 + a^2d^2f^2x\cos(2e+2fx) + 16a^2c^2d^2f^2x\cos(e+fx) + 8a^2d^2f^2x^2\sin(e+fx) + 16a^2c^2d^2f^2x\sin(e+fx) + 2a^2c^2d^2f^2x\sin(2e+2fx))/(4f^3)$

sympy [A] time = 1.59, size = 456, normalized size = 2.71

$$\left\{ \begin{array}{l} \frac{a^2c^2x\sin^2(e+fx)}{2} + \frac{a^2c^2x\cos^2(e+fx)}{2} + a^2c^2x + \frac{a^2c^2\sin(e+fx)\cos(e+fx)}{2f} + \frac{2a^2c^2\sin(e+fx)}{f} + \frac{a^2cdx^2\sin^2(e+fx)}{2} + \frac{a^2cdx^2\cos^2(e+fx)}{2} \\ (a\cos(e) + a)^2 \left(c^2x + cdx^2 + \frac{d^2x^3}{3} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**2*(a+a*cos(f*x+e))**2,x)`

[Out] `Piecewise((a**2*c**2*x**2*sin(e + f*x)**2/2 + a**2*c**2*x*cos(e + f*x)**2/2 + a**2*c**2*x + a**2*c**2*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*c**2*sin(e + f*x)/f + a**2*c*d*x**2*sin(e + f*x)**2/2 + a**2*c*d*x**2*cos(e + f*x)**2/2 + a**2*c*d*x**2 + a**2*c*d*x*sin(e + f*x)*cos(e + f*x)/f + 4*a**2*c*d*x*sin(e + f*x)/f - a**2*c*d*sin(e + f*x)**2/(2*f**2) + 4*a**2*c*d*cos(e + f*x)/f**2 + a**2*d**2*x**3*sin(e + f*x)**2/6 + a**2*d**2*x**3*cos(e + f*x)**2/6 + a**2*d**2*x**3/3 + a**2*d**2*x**2*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*d**2*x**2*sin(e + f*x)/f - a**2*d**2*x*sin(e + f*x)**2/(4*f**2) + a**2*d**2*x*cos(e + f*x)**2/(4*f**2) + 4*a**2*d**2*x*cos(e + f*x)/f**2 - a**2*d**2*sin(e + f*x)*cos(e + f*x)/(4*f**3) - 4*a**2*d**2*sin(e + f*x)/f**3, Ne(f, 0)), ((a*cos(e) + a)**2*(c**2*x + c*d*x**2 + d**2*x**3/3), True))`

3.125 $\int (c + dx)(a + a \cos(e + fx))^2 dx$

Optimal. Leaf size=118

$$\frac{2a^2(c + dx) \sin(e + fx)}{f} + \frac{a^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{a^2(c + dx)^2}{2d} + \frac{1}{2}a^2cx + \frac{a^2d \cos^2(e + fx)}{4f^2} + \frac{2a^2d \cos(e + fx) \sin(e + fx)}{f^2}$$

[Out] $1/2*a^2*c*x+1/4*a^2*d*x^2+1/2*a^2*(d*x+c)^2/d+2*a^2*d*\cos(f*x+e)/f^2+1/4*a^2*d*\cos(f*x+e)^2/f^2+2*a^2*(d*x+c)*\sin(f*x+e)/f+1/2*a^2*(d*x+c)*\cos(f*x+e)*\sin(f*x+e)/f$

Rubi [A] time = 0.10, antiderivative size = 118, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3317, 3296, 2638, 3310}

$$\frac{2a^2(c + dx) \sin(e + fx)}{f} + \frac{a^2(c + dx) \sin(e + fx) \cos(e + fx)}{2f} + \frac{a^2(c + dx)^2}{2d} + \frac{1}{2}a^2cx + \frac{a^2d \cos^2(e + fx)}{4f^2} + \frac{2a^2d \cos(e + fx) \sin(e + fx)}{f^2}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)*(a + a*\text{Cos}[e + f*x])^2, x]$

[Out] $(a^2*c*x)/2 + (a^2*d*x^2)/4 + (a^2*(c + d*x)^2)/(2*d) + (2*a^2*d*\text{Cos}[e + f*x])/f^2 + (a^2*d*\text{Cos}[e + f*x]^2)/(4*f^2) + (2*a^2*(c + d*x)*\text{Sin}[e + f*x])/f + (a^2*(c + d*x)*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f)$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)*\sin[(e_.) + (f_.)*(x_.)]}, x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3310

$\text{Int}[(c_. + (d_.)*(x_.))*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(d*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[(b*(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n-1)})/(f*n), x]) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1]$

Rule 3317

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.)
, x_Symbol] := Int[ExpandIntegrand[(c + d*x)^m, (a + b*Sin[e + f*x])^n, x],
x] /; FreeQ[{a, b, c, d, e, f, m}, x] && IGtQ[n, 0] && (EqQ[n, 1] || IGtQ[
m, 0] || NeQ[a^2 - b^2, 0])
```

Rubi steps

$$\begin{aligned} \int (c + dx)(a + a \cos(e + fx))^2 dx &= \int (a^2(c + dx) + 2a^2(c + dx) \cos(e + fx) + a^2(c + dx) \cos^2(e + fx)) dx \\ &= \frac{a^2(c + dx)^2}{2d} + a^2 \int (c + dx) \cos^2(e + fx) dx + (2a^2) \int (c + dx) \cos(e + fx) dx \\ &= \frac{a^2(c + dx)^2}{2d} + \frac{a^2 d \cos^2(e + fx)}{4f^2} + \frac{2a^2(c + dx) \sin(e + fx)}{f} + \frac{a^2(c + dx) \cos(e + fx)}{f} \\ &= \frac{1}{2}a^2cx + \frac{1}{4}a^2dx^2 + \frac{a^2(c + dx)^2}{2d} + \frac{2a^2d \cos(e + fx)}{f^2} + \frac{a^2d \cos^2(e + fx)}{4f^2} + \frac{2a^2d \sin(e + fx)}{f} \end{aligned}$$

Mathematica [A] time = 0.50, size = 80, normalized size = 0.68

$$\frac{a^2(-6(e + fx)(d(e - fx) - 2cf) + 16f(c + dx) \sin(e + fx) + 2f(c + dx) \sin(2(e + fx)) + 16d \cos(e + fx) + d \cos(2(e + fx)))}{8f^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c + d*x)*(a + a*Cos[e + f*x])^2,x]
```

```
[Out] (a^2*(-6*(e + f*x)*(-2*c*f + d*(e - f*x)) + 16*d*Cos[e + f*x] + d*Cos[2*(e + f*x)] + 16*f*(c + d*x)*Sin[e + f*x] + 2*f*(c + d*x)*Sin[2*(e + f*x)])/(8*f^2)
```

fricas [A] time = 0.59, size = 98, normalized size = 0.83

$$\frac{3a^2df^2x^2 + 6a^2cf^2x + a^2d \cos^2(fx + e) + 8a^2d \cos(fx + e) + 2(4a^2dfx + 4a^2cf + (a^2dfx + a^2cf) \cos(fx + e))}{4f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)*(a+a*cos(f*x+e))^2,x, algorithm="fricas")
```

```
[Out] 1/4*(3*a^2*d*f^2*x^2 + 6*a^2*c*f^2*x + a^2*d*cos(f*x + e)^2 + 8*a^2*d*cos(f*x + e) + 2*(4*a^2*d*f*x + 4*a^2*c*f + (a^2*d*f*x + a^2*c*f)*cos(f*x + e))*sin(f*x + e))/f^2
```

giac [A] time = 0.39, size = 107, normalized size = 0.91

$$\frac{3}{4}a^2dx^2 + \frac{3}{2}a^2cx + \frac{a^2d \cos(2fx + 2e)}{8f^2} + \frac{2a^2d \cos(fx + e)}{f^2} + \frac{(a^2dfx + a^2cf) \sin(2fx + 2e)}{4f^2} + \frac{2(a^2dfx + a^2cf)}{f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] 3/4*a^2*d*x^2 + 3/2*a^2*c*x + 1/8*a^2*d*cos(2*f*x + 2*e)/f^2 + 2*a^2*d*cos(f*x + e)/f^2 + 1/4*(a^2*d*f*x + a^2*c*f)*sin(2*f*x + 2*e)/f^2 + 2*(a^2*d*f*x + a^2*c*f)*sin(f*x + e)/f^2

maple [B] time = 0.05, size = 218, normalized size = 1.85

$$\frac{a^2d \left((fx+e) \left(\frac{\cos(fx+e)\sin(fx+e)}{2} + \frac{fx}{2} + \frac{e}{2} \right) - \frac{(fx+e)^2}{4} - \frac{\sin^2(fx+e)}{4} \right)}{f} + a^2c \left(\frac{\cos(fx+e)\sin(fx+e)}{2} + \frac{fx}{2} + \frac{e}{2} \right) - \frac{a^2de \left(\frac{\cos(fx+e)\sin(fx+e)}{2} + \frac{fx}{2} + \frac{e}{2} \right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)*(a+a*cos(f*x+e))^2,x)

[Out] 1/f*(a^2/f*d*((f*x+e)*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)-1/4*(f*x+e)^2-1/4*sin(f*x+e)^2)+a^2*c*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)-a^2/f*d*e*(1/2*cos(f*x+e)*sin(f*x+e)+1/2*f*x+1/2*e)+2*a^2/f*d*(cos(f*x+e)+(f*x+e)*sin(f*x+e))+2*a^2*c*sin(f*x+e)-2*a^2/f*d*e*sin(f*x+e)+1/2*a^2/f*d*(f*x+e)^2+a^2*c*(f*x+e)-a^2/f*d*e*(f*x+e))

maxima [A] time = 0.99, size = 197, normalized size = 1.67

$$\frac{2(2fx + 2e + \sin(2fx + 2e))a^2c + 8(fx + e)a^2c + \frac{4(fx+e)^2a^2d}{f} - \frac{2(2fx+2e+\sin(2fx+2e))a^2de}{f} - \frac{8(fx+e)a^2de}{f} + 16a^2}{8f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)*(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] 1/8*(2*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*c + 8*(f*x + e)*a^2*c + 4*(f*x + e)^2*a^2*d/f - 2*(2*f*x + 2*e + sin(2*f*x + 2*e))*a^2*d*e/f - 8*(f*x + e)*a^2*d*e/f + 16*a^2*c*sin(f*x + e) - 16*a^2*d*e*sin(f*x + e)/f + (2*(f*x + e)^2 + 2*(f*x + e)*sin(2*f*x + 2*e) + cos(2*f*x + 2*e))*a^2*d/f + 16*((f*x + e)*sin(f*x + e) + cos(f*x + e))*a^2*d/f)/f

mupad [B] time = 0.20, size = 117, normalized size = 0.99

$$\frac{3a^2 d f^2 x^2 - 16a^2 d \sin\left(\frac{e}{2} + \frac{fx}{2}\right)^2 - a^2 d \sin(e + fx)^2 + 8a^2 c f \sin(e + fx) + a^2 c f \sin(2e + 2fx) + 6a^2 c f}{4f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(e + f*x))^2*(c + d*x),x)`

[Out] `(3*a^2*d*f^2*x^2 - 16*a^2*d*sin(e/2 + (f*x)/2)^2 - a^2*d*sin(e + f*x)^2 + 8*a^2*c*f*sin(e + f*x) + a^2*c*f*sin(2*e + 2*f*x) + 6*a^2*c*f^2*x + a^2*d*f*x*sin(2*e + 2*f*x) + 8*a^2*d*f*x*sin(e + f*x))/(4*f^2)`

sympy [A] time = 0.63, size = 219, normalized size = 1.86

$$\left\{ \begin{array}{l} \frac{a^2 c x \sin^2(e+fx)}{2} + \frac{a^2 c x \cos^2(e+fx)}{2} + a^2 c x + \frac{a^2 c \sin(e+fx) \cos(e+fx)}{2f} + \frac{2a^2 c \sin(e+fx)}{f} + \frac{a^2 d x^2 \sin^2(e+fx)}{4} + \frac{a^2 d x^2 \cos^2(e+fx)}{4} + \dots \\ (a \cos(e) + a)^2 \left(cx + \frac{dx^2}{2} \right) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)*(a+a*cos(f*x+e))**2,x)`

[Out] `Piecewise((a**2*c*x*sin(e + f*x)**2/2 + a**2*c*x*cos(e + f*x)**2/2 + a**2*c*x + a**2*c*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*c*sin(e + f*x)/f + a**2*d*x**2*sin(e + f*x)**2/4 + a**2*d*x**2*cos(e + f*x)**2/4 + a**2*d*x**2/2 + a**2*d*x*sin(e + f*x)*cos(e + f*x)/(2*f) + 2*a**2*d*x*sin(e + f*x)/f - a**2*d*sin(e + f*x)**2/(4*f**2) + 2*a**2*d*cos(e + f*x)/f**2, Ne(f, 0)), ((a*cos(e) + a)**2*(c*x + d*x**2/2), True))`

$$3.126 \quad \int \frac{(a+a \cos(e+fx))^2}{c+dx} dx$$

Optimal. Leaf size=145

$$\frac{2a^2 \text{Ci}\left(xf + \frac{cf}{d}\right) \cos\left(e - \frac{cf}{d}\right)}{d} + \frac{a^2 \text{Ci}\left(2xf + \frac{2cf}{d}\right) \cos\left(2e - \frac{2cf}{d}\right)}{2d} - \frac{2a^2 \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{d} - \frac{a^2 \sin\left(2e - \frac{2cf}{d}\right)}{2d}$$

[Out] $1/2*a^2*Ci(2*c*f/d+2*f*x)*cos(-2*e+2*c*f/d)/d+2*a^2*Ci(c*f/d+f*x)*cos(-e+c*f/d)/d+3/2*a^2*\ln(d*x+c)/d+1/2*a^2*Si(2*c*f/d+2*f*x)*sin(-2*e+2*c*f/d)/d+2*a^2*Si(c*f/d+f*x)*sin(-e+c*f/d)/d$

Rubi [A] time = 0.34, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3318, 3312, 3303, 3299, 3302}

$$\frac{2a^2 \text{CosIntegral}\left(\frac{cf}{d} + fx\right) \cos\left(e - \frac{cf}{d}\right)}{d} + \frac{a^2 \text{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \cos\left(2e - \frac{2cf}{d}\right)}{2d} - \frac{2a^2 \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(xf + \frac{cf}{d}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[e + f*x])^2/(c + d*x), x]

[Out] $(2*a^2*\text{Cos}[e - (c*f)/d]*\text{CosIntegral}[(c*f)/d + f*x])/d + (a^2*\text{Cos}[2*e - (2*c*f)/d]*\text{CosIntegral}[(2*c*f)/d + 2*f*x])/(2*d) + (3*a^2*\text{Log}[c + d*x])/(2*d) - (2*a^2*\text{Sin}[e - (c*f)/d]*\text{SinIntegral}[(c*f)/d + f*x])/d - (a^2*\text{Sin}[2*e - (2*c*f)/d]*\text{SinIntegral}[(2*c*f)/d + 2*f*x])/(2*d)$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x] /; FreeQ[{c, d, e, f}, x] &&

NeQ[d*e - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(e + fx))^2}{c + dx} dx &= (4a^2) \int \frac{\sin^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right)}{c + dx} dx \\
 &= (4a^2) \int \left(\frac{3}{8(c + dx)} + \frac{\cos(e + fx)}{2(c + dx)} + \frac{\cos(2e + 2fx)}{8(c + dx)} \right) dx \\
 &= \frac{3a^2 \log(c + dx)}{2d} + \frac{1}{2}a^2 \int \frac{\cos(2e + 2fx)}{c + dx} dx + (2a^2) \int \frac{\cos(e + fx)}{c + dx} dx \\
 &= \frac{3a^2 \log(c + dx)}{2d} + \frac{1}{2} \left(a^2 \cos\left(2e - \frac{2cf}{d}\right) \right) \int \frac{\cos\left(\frac{2cf}{d} + 2fx\right)}{c + dx} dx + \left(2a^2 \cos\left(e - \frac{cf}{d}\right) \right) \\
 &= \frac{2a^2 \cos\left(e - \frac{cf}{d}\right) \text{Ci}\left(\frac{cf}{d} + fx\right)}{d} + \frac{a^2 \cos\left(2e - \frac{2cf}{d}\right) \text{Ci}\left(\frac{2cf}{d} + 2fx\right)}{2d} + \frac{3a^2 \log(c + dx)}{2d}
 \end{aligned}$$

Mathematica [A] time = 0.23, size = 114, normalized size = 0.79

$$\frac{a^2 \left(4\text{Ci}\left(f\left(\frac{c}{d} + x\right)\right) \cos\left(e - \frac{cf}{d}\right) + \text{Ci}\left(\frac{2f(c+dx)}{d}\right) \cos\left(2e - \frac{2cf}{d}\right) - 4 \sin\left(e - \frac{cf}{d}\right) \text{Si}\left(f\left(\frac{c}{d} + x\right)\right) - \sin\left(2e - \frac{2cf}{d}\right) \text{Si}\left(\frac{2f(c+dx)}{d}\right) \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[e + f*x])^2/(c + d*x), x]

[Out] (a^2*(4*Cos[e - (c*f)/d]*CosIntegral[f*(c/d + x)] + Cos[2*e - (2*c*f)/d]*CosIntegral[(2*f*(c + d*x))/d] + 3*Log[c + d*x] - 4*Sin[e - (c*f)/d]*SinIntegral

ral[f*(c/d + x)] - Sin[2*e - (2*c*f)/d]*SinIntegral[(2*f*(c + d*x))/d)]/(2*d)

fricas [A] time = 0.58, size = 186, normalized size = 1.28

$$\frac{2 a^2 \sin\left(-\frac{2(de-cf)}{d}\right) \operatorname{Si}\left(\frac{2(dfx+cf)}{d}\right) + 8 a^2 \sin\left(-\frac{de-cf}{d}\right) \operatorname{Si}\left(\frac{dfx+cf}{d}\right) + 6 a^2 \log(dx+c) + 4\left(a^2 \operatorname{Ci}\left(\frac{dfx+cf}{d}\right) + a^2 \operatorname{Ci}\left(\frac{dfx+cf}{d}\right)\right)}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))^2/(d*x+c),x, algorithm="fricas")

[Out] 1/4*(2*a^2*sin(-2*(d*e - c*f)/d)*sin_integral(2*(d*f*x + c*f)/d) + 8*a^2*sin(-2*(d*e - c*f)/d)*sin_integral((d*f*x + c*f)/d) + 6*a^2*log(d*x + c) + 4*(a^2*cos_integral((d*f*x + c*f)/d) + a^2*cos_integral(-(d*f*x + c*f)/d))*cos(-(d*e - c*f)/d) + (a^2*cos_integral(2*(d*f*x + c*f)/d) + a^2*cos_integral(-2*(d*f*x + c*f)/d))*cos(-2*(d*e - c*f)/d))/d

giac [C] time = 2.03, size = 6933, normalized size = 47.81

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))^2/(d*x+c),x, algorithm="giac")

[Out] 1/4*(6*a^2*log(abs(d*x + c))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + a^2*real_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 4*a^2*real_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 4*a^2*real_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + a^2*real_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 2*a^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) - 2*a^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) + 4*a^2*sin_integral(2*(d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e) + 8*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 - 8*a^2*imag_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 + 16*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)^2*tan(1/2*e)*tan(e)^2 - 8*a^2*imag_part(cos_integral(f*x + c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)^2*tan(e)^2 + 8*a^2*imag_part(cos_integral(-f*x - c*f/d))*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)^2*tan(e)^2 - 16*a^2*sin_integral((d*f*x + c*f)/d)*tan(c*f/d)^2*tan(1/2*c*f/d)*tan(1/2*e)^2*tan(e)^2 - 2*a^2*imag_part(cos_integral(2*f*x + 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2*tan(1/2*e)^2*tan(e)^2 + 2*a^2*imag_part(cos_integral(-2*f*x - 2*c*f/d))*tan(c*f/d)*tan(1/2*c*f/d)^2

$$\begin{aligned}
& * \tan(1/2 * e)^2 * \tan(e)^2 - 4 * a^2 * \sin_integral(2 * (d * f * x + c * f) / d) * \tan(c * f / d) * \\
& \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 + 6 * a^2 * \log(\text{abs}(d * x + c)) * \tan(c * f / d)^2 * \\
& \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 - a^2 * \text{real_part}(\cos_integral(2 * f * x + 2 * c * f / \\
& d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 + 4 * a^2 * \text{real_part}(\cos_integr \\
& al(f * x + c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 + 4 * a^2 * \text{real_pa} \\
& rt(\cos_integral(-f * x - c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 - \\
& a^2 * \text{real_part}(\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \\
& \tan(1/2 * e)^2 + 4 * a^2 * \text{real_part}(\cos_integral(2 * f * x + 2 * c * f / d)) * \tan(c * f / d)^2 * \\
& \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e) + 4 * a^2 * \text{real_part}(\cos_integral(-2 * f * x \\
& - 2 * c * f / d)) * \tan(c * f / d) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e) + 6 * a^2 * \log(\text{abs} \\
& (d * x + c)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e)^2 + a^2 * \text{real_part}(\cos_integ \\
& ral(2 * f * x + 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e)^2 - 4 * a^2 * \text{real_p} \\
& art(\cos_integral(f * x + c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e)^2 - 4 * a \\
& ^2 * \text{real_part}(\cos_integral(-f * x - c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(\\
& e)^2 + a^2 * \text{real_part}(\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c \\
& * f / d)^2 * \tan(e)^2 + 16 * a^2 * \text{real_part}(\cos_integral(f * x + c * f / d)) * \tan(c * f / d)^2 \\
& * \tan(1/2 * c * f / d) * \tan(1/2 * e) * \tan(e)^2 + 16 * a^2 * \text{real_part}(\cos_integral(-f * x - \\
& c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d) * \tan(1/2 * e) * \tan(e)^2 + 6 * a^2 * \log(\text{abs}(d * x \\
& + c)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 + a^2 * \text{real_part}(\cos_integral(2 * f * \\
& x + 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 - 4 * a^2 * \text{real_part}(\cos_inte \\
& gral(f * x + c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 - 4 * a^2 * \text{real_part}(\cos \\
& _integral(-f * x - c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 + a^2 * \text{real_part} \\
& (\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 + 6 * a^2 \\
& * \log(\text{abs}(d * x + c)) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 - a^2 * \text{real_part}(c \\
& os_integral(2 * f * x + 2 * c * f / d)) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e)^2 + 4 * a^ \\
& 2 * \text{real_part}(\cos_integral(f * x + c * f / d)) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e) \\
& ^2 + 4 * a^2 * \text{real_part}(\cos_integral(-f * x - c * f / d)) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e \\
&)^2 * \tan(e)^2 - a^2 * \text{real_part}(\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(1/2 * c * f / d) \\
& ^2 * \tan(1/2 * e)^2 * \tan(e)^2 + 8 * a^2 * \text{imag_part}(\cos_integral(f * x + c * f / d)) * \tan(c \\
& * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e) - 8 * a^2 * \text{imag_part}(\cos_integral(-f * x - c \\
& * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e) + 16 * a^2 * \sin_integral((d * f * \\
& x + c * f) / d) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e) - 8 * a^2 * \text{imag_part}(\cos_ \\
& integral(f * x + c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d) * \tan(1/2 * e)^2 + 8 * a^2 * \text{ima} \\
& g_part(\cos_integral(-f * x - c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d) * \tan(1/2 * e)^2 \\
& - 16 * a^2 * \sin_integral((d * f * x + c * f) / d) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d) * \tan(1/2 \\
& * e)^2 + 2 * a^2 * \text{imag_part}(\cos_integral(2 * f * x + 2 * c * f / d)) * \tan(c * f / d) * \tan(1/2 * c \\
& * f / d)^2 * \tan(1/2 * e)^2 - 2 * a^2 * \text{imag_part}(\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(\\
& c * f / d) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 + 4 * a^2 * \sin_integral(2 * (d * f * x + c * f) / d \\
&) * \tan(c * f / d) * \tan(1/2 * c * f / d)^2 * \tan(1/2 * e)^2 + 2 * a^2 * \text{imag_part}(\cos_integral(2 \\
& * f * x + 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e) - 2 * a^2 * \text{imag_part}(\cos \\
& _integral(-2 * f * x - 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e) + 4 * a^2 * s \\
& in_integral(2 * (d * f * x + c * f) / d) * \tan(c * f / d)^2 * \tan(1/2 * c * f / d)^2 * \tan(e) + 2 * a^2 \\
& * \text{imag_part}(\cos_integral(2 * f * x + 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * \tan(e) \\
& - 2 * a^2 * \text{imag_part}(\cos_integral(-2 * f * x - 2 * c * f / d)) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 \\
& * \tan(e) + 4 * a^2 * \sin_integral(2 * (d * f * x + c * f) / d) * \tan(c * f / d)^2 * \tan(1/2 * e)^2 * t
\end{aligned}$$

$$\begin{aligned}
& \operatorname{an}(e) - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 \tan(e) + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 \tan(e) - 4a^2 \operatorname{sin_integral}(2(dx + cf)/d) \tan(1/2cf/d)^2 \tan(1/2e)^2 \tan(e) + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) \tan(e)^2 + 16a^2 \operatorname{sin_integral}((dx + cf)/d) \tan(cf/d)^2 \tan(1/2cf/d) \tan(e)^2 - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 \tan(e)^2 + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 \tan(e)^2 - 4a^2 \operatorname{sin_integral}(2(dx + cf)/d) \tan(cf/d) \tan(1/2cf/d)^2 \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2e) \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2e) \tan(e)^2 - 16a^2 \operatorname{sin_integral}((dx + cf)/d) \tan(cf/d)^2 \tan(1/2e) \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 \tan(1/2e) \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 \tan(1/2e) \tan(e)^2 + 16a^2 \operatorname{sin_integral}((dx + cf)/d) \tan(1/2cf/d)^2 \tan(1/2e) \tan(e)^2 - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2e)^2 \tan(e)^2 + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2e)^2 \tan(e)^2 - 4a^2 \operatorname{sin_integral}(2(dx + cf)/d) \tan(cf/d) \tan(1/2e)^2 \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e)^2 \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e)^2 \tan(e)^2 - 16a^2 \operatorname{sin_integral}((dx + cf)/d) \tan(1/2cf/d) \tan(1/2e)^2 \tan(e)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(cf/d)^2 \tan(1/2cf/d)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d)^2 \tan(1/2cf/d)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2cf/d)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2cf/d)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d)^2 \tan(1/2cf/d)^2 + 16a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) \tan(1/2e) + 16a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) \tan(1/2e) + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(cf/d)^2 \tan(1/2e)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d)^2 \tan(1/2e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2e)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d)^2 \tan(1/2e)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(1/2cf/d)^2 \tan(1/2e)^2 + a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 + a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2cf/d)^2 \tan(1/2e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 \tan(e) + 4a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 \tan(e) + 4a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2e)^2 \tan(e) + 4a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2e)^2 \tan(e) + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(cf/d)^2 \tan(e)^2 + a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d)^2 \tan(
\end{aligned}$$

$$\begin{aligned}
& e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(e)^2 + 4 \\
& a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(e)^2 + a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d)^2 \tan(e)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(1/2cf/d)^2 \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2cf/d)^2 \tan(e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 \tan(e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2cf/d)^2 \tan(e)^2 + 16a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e) \tan(e)^2 + 16a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e) \tan(e)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(1/2e)^2 \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2e)^2 \tan(e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2e)^2 \tan(e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2e)^2 \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2e)^2 \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2cf/d) + 16a^2 \sin_integral((dfx + cf)/d) \tan(cf/d)^2 \tan(1/2cf/d) + 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 - 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2cf/d)^2 + 4a^2 \sin_integral(2*(dfx + cf)/d) \tan(cf/d) \tan(1/2cf/d)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 \tan(1/2e) + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 \tan(1/2e) - 16a^2 \sin_integral((dfx + cf)/d) \tan(cf/d)^2 \tan(1/2e) + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 \tan(1/2e) - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 \tan(1/2e) + 16a^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d)^2 \tan(1/2e) + 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(1/2e)^2 - 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(1/2e)^2 + 4a^2 \sin_integral(2*(dfx + cf)/d) \tan(cf/d) \tan(1/2e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e)^2 - 16a^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d) \tan(1/2e)^2 + 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d)^2 \tan(e) - 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d)^2 \tan(e) + 4a^2 \sin_integral(2*(dfx + cf)/d) \tan(cf/d)^2 \tan(e) - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2cf/d)^2 \tan(e) + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2cf/d)^2 \tan(e) - 4a^2 \sin_integral(2*(dfx + cf)/d) \tan(1/2e)^2 \tan(e) - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(e)^2 + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(e)^2 - 4a^2 \sin_integral(2*(dfx + cf)/d) \tan(cf/d) \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(e)^2 + 16a^2 \sin_integral((dfx + cf)/d) \tan(1/2cf/d) \tan(e)^2 - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1
\end{aligned}$$

$$\begin{aligned}
& /2e) \tan(e)^2 + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2e) \tan(e)^2 - 16a^2 \operatorname{sin_integral}((dfx + cf)/d) \tan(1/2e) \tan(e)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(cf/d)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d)^2 + 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(cf/d)^2 + 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(cf/d)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d)^2 + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(1/2cf/d)^2 + a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2cf/d)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d)^2 + a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2cf/d)^2 + 16a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) \tan(1/2e) + 16a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) \tan(1/2e) + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(1/2e)^2 + a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(1/2e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(1/2e)^2 - 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(1/2e)^2 + a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(1/2e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) \tan(e) + 4a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) \tan(e) + 6a^2 \log(\operatorname{abs}(dx + c)) \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) \tan(e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) \tan(e)^2 + 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) \tan(e)^2 - a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) \tan(e)^2 + 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(cf/d) - 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(cf/d) + 4a^2 \operatorname{sin_integral}(2(dfx + cf)/d) \tan(cf/d) + 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2cf/d) - 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2cf/d) + 16a^2 \operatorname{sin_integral}((dfx + cf)/d) \tan(1/2cf/d) - 8a^2 \operatorname{imag_part}(\cos_integral(fx + cf/d)) \tan(1/2e) + 8a^2 \operatorname{imag_part}(\cos_integral(-fx - cf/d)) \tan(1/2e) - 16a^2 \operatorname{sin_integral}((dfx + cf)/d) \tan(1/2e) - 2a^2 \operatorname{imag_part}(\cos_integral(2fx + 2cf/d)) \tan(e) + 2a^2 \operatorname{imag_part}(\cos_integral(-2fx - 2cf/d)) \tan(e) - 4a^2 \operatorname{sin_integral}(2(dfx + cf)/d) \tan(e) + 6a^2 \log(\operatorname{abs}(dx + c)) + a^2 \operatorname{real_part}(\cos_integral(2fx + 2cf/d)) + 4a^2 \operatorname{real_part}(\cos_integral(fx + cf/d)) + 4a^2 \operatorname{real_part}(\cos_integral(-fx - cf/d)) + a^2 \operatorname{real_part}(\cos_integral(-2fx - 2cf/d)) / (d \tan(cf/d)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 \tan(e)^2 + d \tan(cf/d)^2 \tan(1/2cf/d)^2 \tan(1/2e)^2 + d \tan(cf/d)^2 \tan(1/2e)^2 \tan(e)^2 + d \tan(1/2cf/d)^2 \tan(1/2e)^2 \tan(e)^2 + d \tan(1/2cf/d)^2 \tan(1/2e)^2 + d \tan(1/2e)^2 \tan(e)^2 + d \tan(cf/d)^2 + d \tan(1/2cf/d)^2 + d \tan(1/2e)^2 + d \tan(e)^2 + d)
\end{aligned}$$

maple [A] time = 0.05, size = 192, normalized size = 1.32

$$\frac{a^2 \operatorname{Si}\left(2fx + 2e + \frac{2cf-2de}{d}\right) \sin\left(\frac{2cf-2de}{d}\right)}{2d} + \frac{a^2 \operatorname{Ci}\left(2fx + 2e + \frac{2cf-2de}{d}\right) \cos\left(\frac{2cf-2de}{d}\right)}{2d} + \frac{3a^2 \ln\left((fx + e)d + cf - de\right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(f*x+e))^2/(d*x+c),x)`

[Out] $1/2*a^2*Si(2*f*x+2*e+2*(c*f-d*e)/d)*sin(2*(c*f-d*e)/d)/d+1/2*a^2*Ci(2*f*x+2*e+2*(c*f-d*e)/d)*cos(2*(c*f-d*e)/d)/d+3/2*a^2*ln((f*x+e)*d+c*f-d*e)/d+2*a^2*Si(f*x+e+(c*f-d*e)/d)*sin((c*f-d*e)/d)/d+2*a^2*Ci(f*x+e+(c*f-d*e)/d)*cos((c*f-d*e)/d)/d$

maxima [C] time = 1.14, size = 337, normalized size = 2.32

$$\frac{4a^2f \log\left(c + \frac{(fx+e)d}{f} - \frac{de}{f}\right)}{d} - \frac{4\left(f\left(E_1\left(\frac{i(fx+e)d-de+icf}{d}\right) + E_1\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\cos\left(-\frac{de-cf}{d}\right) + f\left(iE_1\left(\frac{i(fx+e)d-de+icf}{d}\right) - iE_1\left(-\frac{i(fx+e)d-de+icf}{d}\right)\right)\sin\left(-\frac{de-cf}{d}\right)\right)}{d} \sin\left(-\frac{de-cf}{d}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(f*x+e))^2/(d*x+c),x, algorithm="maxima")`

[Out] $1/4*(4*a^2*f*log(c + (f*x + e)*d/f - d*e/f)/d - 4*(f*(exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f*(I*exp_integral_e(1, (I*(f*x + e)*d - I*d*e + I*c*f)/d) - I*exp_integral_e(1, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d)*a^2/d - (f*(exp_integral_e(1, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + exp_integral_e(1, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*cos(-2*(d*e - c*f)/d) - f*(-I*exp_integral_e(1, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + I*exp_integral_e(1, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*sin(-2*(d*e - c*f)/d) - 2*f*log((f*x + e)*d - d*e + c*f))*a^2/d)/f$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(e + fx))^2}{c + dx} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(e + f*x))^2/(c + d*x),x)`

[Out] `int((a + a*cos(e + f*x))^2/(c + d*x), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int \frac{2 \cos(e + fx)}{c + dx} dx + \int \frac{\cos^2(e + fx)}{c + dx} dx + \int \frac{1}{c + dx} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(f*x+e))**2/(d*x+c),x)
```

```
[Out] a**2*(Integral(2*cos(e + f*x)/(c + d*x), x) + Integral(cos(e + f*x)**2/(c +  
d*x), x) + Integral(1/(c + d*x), x))
```

$$3.127 \quad \int \frac{(a+a \cos(e+fx))^2}{(c+dx)^2} dx$$

Optimal. Leaf size=159

$$\frac{a^2 f \operatorname{Ci}\left(2xf + \frac{2cf}{d}\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} - \frac{2a^2 f \operatorname{Ci}\left(xf + \frac{cf}{d}\right) \sin\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2a^2 f \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2} - \frac{a^2 f \cos\left(2e - \frac{2cf}{d}\right)}{d^2}$$

[Out] $-4*a^2*\cos(1/2*e+1/2*f*x)^4/d/(d*x+c)-2*a^2*f*\cos(-e+c*f/d)*\operatorname{Si}(c*f/d+f*x)/d^2-a^2*f*\cos(-2*e+2*c*f/d)*\operatorname{Si}(2*c*f/d+2*f*x)/d^2+a^2*f*\operatorname{Ci}(2*c*f/d+2*f*x)*\sin(-2*e+2*c*f/d)/d^2+2*a^2*f*\operatorname{Ci}(c*f/d+f*x)*\sin(-e+c*f/d)/d^2$

Rubi [A] time = 0.32, antiderivative size = 159, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3318, 3313, 3303, 3299, 3302}

$$\frac{a^2 f \operatorname{CosIntegral}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} - \frac{2a^2 f \operatorname{CosIntegral}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^2} - \frac{2a^2 f \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(xf + \frac{cf}{d}\right)}{d^2}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[(a + a*\operatorname{Cos}[e + f*x])^2/(c + d*x)^2, x]$

[Out] $(-4*a^2*\operatorname{Cos}[e/2 + (f*x)/2]^4)/(d*(c + d*x)) - (a^2*f*\operatorname{CosIntegral}[(2*c*f)/d + 2*f*x]*\operatorname{Sin}[2*e - (2*c*f)/d])/d^2 - (2*a^2*f*\operatorname{CosIntegral}[(c*f)/d + f*x]*\operatorname{Sin}[e - (c*f)/d])/d^2 - (2*a^2*f*\operatorname{Cos}[e - (c*f)/d]*\operatorname{SinIntegral}[(c*f)/d + f*x])/d^2 - (a^2*f*\operatorname{Cos}[2*e - (2*c*f)/d]*\operatorname{SinIntegral}[(2*c*f)/d + 2*f*x])/d^2$

Rule 3299

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{SinIntegral}[e + f*x]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \operatorname{EqQ}[d*e - c*f, 0]$

Rule 3302

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Simp}[\operatorname{CosIntegral}[e - \operatorname{Pi}/2 + f*x]/d, x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x\} \ \&\& \ \operatorname{EqQ}[d*(e - \operatorname{Pi}/2) - c*f, 0]$

Rule 3303

$\operatorname{Int}[\operatorname{sin}[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] \rightarrow \operatorname{Dist}[\operatorname{Cos}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Sin}[(c*f)/d + f*x]/(c + d*x), x], x] + \operatorname{Dist}[\operatorname{Sin}[(d*e - c*f)/d], \operatorname{Int}[\operatorname{Cos}[(c*f)/d + f*x]/(c + d*x), x], x] /;$ $\operatorname{FreeQ}\{c, d, e, f\}, x\} \ \&\&$

NeQ[d*e - c*f, 0]

Rule 3313

```
Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Si
mp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m +
1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n -
1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] &&
LtQ[m, -1]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(e + fx))^2}{(c + dx)^2} dx &= (4a^2) \int \frac{\sin^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right)}{(c + dx)^2} dx \\
 &= -\frac{4a^2 \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right)}{d(c + dx)} + \frac{(8a^2 f) \int \left(-\frac{\sin(e+fx)}{4(c+dx)} - \frac{\sin(2e+2fx)}{8(c+dx)}\right) dx}{d} \\
 &= -\frac{4a^2 \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right)}{d(c + dx)} - \frac{(a^2 f) \int \frac{\sin(2e+2fx)}{c+dx} dx}{d} - \frac{(2a^2 f) \int \frac{\sin(e+fx)}{c+dx} dx}{d} \\
 &= -\frac{4a^2 \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right)}{d(c + dx)} - \frac{\left(a^2 f \cos\left(2e - \frac{2cf}{d}\right)\right) \int \frac{\sin\left(\frac{2cf}{d} + 2fx\right)}{c+dx} dx}{d} - \frac{\left(2a^2 f \cos\left(e - \frac{cf}{d}\right)\right)}{d} \\
 &= -\frac{4a^2 \cos^4\left(\frac{e}{2} + \frac{fx}{2}\right)}{d(c + dx)} - \frac{a^2 f \operatorname{Ci}\left(\frac{2cf}{d} + 2fx\right) \sin\left(2e - \frac{2cf}{d}\right)}{d^2} - \frac{2a^2 f \operatorname{Ci}\left(\frac{cf}{d} + fx\right) \sin\left(e - \frac{cf}{d}\right)}{d^2}
 \end{aligned}$$

Mathematica [A] time = 0.50, size = 206, normalized size = 1.30

$$\frac{a^2 \left(2f(c + dx) \operatorname{Ci}\left(\frac{2f(c+dx)}{d}\right) \sin\left(2e - \frac{2cf}{d}\right) + 4f(c + dx) \operatorname{Ci}\left(f\left(\frac{c}{d} + x\right)\right) \sin\left(e - \frac{cf}{d}\right) + 4dfx \cos\left(e - \frac{cf}{d}\right) \operatorname{Si}\left(f\left(\frac{c}{d} + x\right)\right) \right)}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[e + f*x])^2/(c + d*x)^2,x]

[Out]
$$-1/2*(a^2*(3*d + 4*d*\cos[e + f*x] + d*\cos[2*(e + f*x)] + 2*f*(c + d*x)*\cosIntegral[(2*f*(c + d*x))/d]*\sin[2*e - (2*c*f)/d] + 4*f*(c + d*x)*\cosIntegral[f*(c/d + x)]*\sin[e - (c*f)/d] + 4*c*f*\cos[e - (c*f)/d]*\sinIntegral[f*(c/d + x)] + 4*d*f*x*\cos[e - (c*f)/d]*\sinIntegral[f*(c/d + x)] + 2*c*f*\cos[2*e - (2*c*f)/d]*\sinIntegral[(2*f*(c + d*x))/d] + 2*d*f*x*\cos[2*e - (2*c*f)/d]*\sinIntegral[(2*f*(c + d*x))/d]))/(d^2*(c + d*x))$$

fricas [A] time = 0.69, size = 284, normalized size = 1.79

$$2a^2d \cos(fx + e)^2 + 4a^2d \cos(fx + e) + 2a^2d + 2(a^2dfx + a^2cf) \cos\left(-\frac{2(de-cf)}{d}\right) \operatorname{Si}\left(\frac{2(dfxc+cf)}{d}\right) + 4(a^2dfx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))^2/(d*x+c)^2,x, algorithm="fricas")

[Out]
$$-1/2*(2*a^2*d*\cos(f*x + e)^2 + 4*a^2*d*\cos(f*x + e) + 2*a^2*d + 2*(a^2*d*f*x + a^2*c*f)*\cos(-2*(d*e - c*f)/d)*\sin_integral(2*(d*f*x + c*f)/d) + 4*(a^2*d*f*x + a^2*c*f)*\cos(-(d*e - c*f)/d)*\sin_integral((d*f*x + c*f)/d) - 2*((a^2*d*f*x + a^2*c*f)*\cos_integral((d*f*x + c*f)/d) + (a^2*d*f*x + a^2*c*f)*\cos_integral(-(d*f*x + c*f)/d))*\sin(-(d*e - c*f)/d) - ((a^2*d*f*x + a^2*c*f)*\cos_integral(2*(d*f*x + c*f)/d) + (a^2*d*f*x + a^2*c*f)*\cos_integral(-2*(d*f*x + c*f)/d))*\sin(-2*(d*e - c*f)/d))/(d^3*x + c*d^2)$$

giac [B] time = 1.00, size = 1133, normalized size = 7.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(f*x+e))^2/(d*x+c)^2,x, algorithm="giac")

[Out]
$$1/2*(2*(d*x + c)*a^2*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*\cos_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin(2*(c*f - d*e)/d) - 2*a^2*c*f^3*\cos_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin(2*(c*f - d*e)/d) + 2*a^2*d*f^2*\cos_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*e*\sin(2*(c*f - d*e)/d) + 4*(d*x + c)*a^2*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin((c*f - d*e)/d) - 4*a^2*c*f^3*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*\sin((c*f - d*e)/d) + 4*a^2*d*f^2*\cos_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d)*e*\sin((c*f - d*e)/d) - 4*(d*x + c)*a^2*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*$$

$\cos((c*f - d*e)/d)*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) + 4*a^2*c*f^3*\cos((c*f - d*e)/d)*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) - 4*a^2*d*f^2*\cos((c*f - d*e)/d)*e*\sin_integral(-((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) - 2*(d*x + c)*a^2*(c*f/(d*x + c) - f - d*e/(d*x + c))*f^2*\cos(2*(c*f - d*e)/d)*\sin_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) + 2*a^2*c*f^3*\cos(2*(c*f - d*e)/d)*\sin_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) - 2*a^2*d*f^2*\cos(2*(c*f - d*e)/d)*e*\sin_integral(-2*((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*f + d*e)/d) + a^2*d*f^2*\cos(2*(d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c))/d) + 4*a^2*d*f^2*\cos((d*x + c)*(c*f/(d*x + c) - f - d*e/(d*x + c))/d) + 3*a^2*d*f^2*d^2/(((d*x + c)*d^4*(c*f/(d*x + c) - f - d*e/(d*x + c)) - c*d^4*f + d^5*e)*f)$

maple [A] time = 0.05, size = 276, normalized size = 1.74

$$\frac{f^2 a^2 \left(\frac{2 \cos(2fx+2e)}{((fx+e)d+cf-de)d} - \frac{2 \left(\frac{2 \operatorname{Si}\left(2fx+2e+\frac{2cf-2de}{d}\right) \cos\left(\frac{2cf-2de}{d}\right) - 2 \operatorname{Ci}\left(2fx+2e+\frac{2cf-2de}{d}\right) \sin\left(\frac{2cf-2de}{d}\right)}{d} \right)}{d} \right)}{4} - \frac{3f^2 a^2}{2((fx+e)d+cf-de)d} + 2f^2 a^2 \left(\frac{\cos(f)}{((fx+e)d+cf-de)d} \right)}{f}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(f*x+e))^2/(d*x+c)^2,x)`

[Out] $\frac{1}{f} * \left(\frac{1}{4} * f^2 * a^2 * (-2 * \cos(2*f*x+2*e)) / ((f*x+e)*d+c*f-d*e) / d - 2 * (2 * \operatorname{Si}(2*f*x+2*e) + 2 * (c*f-d*e) / d) * \cos(2 * (c*f-d*e) / d) / d - 2 * \operatorname{Ci}(2*f*x+2*e+2 * (c*f-d*e) / d) * \sin(2 * (c*f-d*e) / d) / d \right) - \frac{3}{2} * f^2 * a^2 / ((f*x+e)*d+c*f-d*e) / d + 2 * f^2 * a^2 * (-\cos(f*x+e) / ((f*x+e)*d+c*f-d*e) / d - (\operatorname{Si}(f*x+e+(c*f-d*e) / d) * \cos((c*f-d*e) / d) / d - \operatorname{Ci}(f*x+e+(c*f-d*e) / d) * \sin((c*f-d*e) / d) / d) / d)$

maxima [C] time = 1.35, size = 370, normalized size = 2.33

$$\frac{64 a^2 f^2}{(fx+e)d^2-d^2e+cdf} + \frac{8 \left(8 f^2 \left(E_2 \left(\frac{i(fx+e)d-ide+icf}{d} \right) + E_2 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right) \cos\left(-\frac{de-cf}{d}\right) + f^2 \left(8i E_2 \left(\frac{i(fx+e)d-ide+icf}{d} \right) - 8i E_2 \left(-\frac{i(fx+e)d-ide+icf}{d} \right) \right)}{(fx+e)d^2-d^2e+cdf}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(f*x+e))^2/(d*x+c)^2,x, algorithm="maxima")`

```
[Out] -1/64*(64*a^2*f^2/((f*x + e)*d^2 - d^2*e + c*d*f) + 8*(8*f^2*(exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) + exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*cos(-(d*e - c*f)/d) + f^2*(8*I*exp_integral_e(2, (I*(f*x + e)*d - I*d*e + I*c*f)/d) - 8*I*exp_integral_e(2, -(I*(f*x + e)*d - I*d*e + I*c*f)/d))*sin(-(d*e - c*f)/d))*a^2/((f*x + e)*d^2 - d^2*e + c*d*f) + (16*f^2*(exp_integral_e(2, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) + exp_integral_e(2, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*cos(-2*(d*e - c*f)/d) + f^2*(16*I*exp_integral_e(2, (2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d) - 16*I*exp_integral_e(2, -(2*I*(f*x + e)*d - 2*I*d*e + 2*I*c*f)/d))*sin(-2*(d*e - c*f)/d) + 32*f^2)*a^2/((f*x + e)*d^2 - d^2*e + c*d*f))/f
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(e + fx))^2}{(c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a + a*cos(e + f*x))^2/(c + d*x)^2,x)
```

```
[Out] int((a + a*cos(e + f*x))^2/(c + d*x)^2, x)
```

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$a^2 \left(\int \frac{2 \cos(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{\cos^2(e + fx)}{c^2 + 2cdx + d^2x^2} dx + \int \frac{1}{c^2 + 2cdx + d^2x^2} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(f*x+e))**2/(d*x+c)**2,x)
```

```
[Out] a**2*(Integral(2*cos(e + f*x)/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(cos(e + f*x)**2/(c**2 + 2*c*d*x + d**2*x**2), x) + Integral(1/(c**2 + 2*c*d*x + d**2*x**2), x))
```

$$3.128 \quad \int \frac{(c+dx)^3}{a+a \cos(e+fx)} dx$$

Optimal. Leaf size=134

$$-\frac{12id^2(c+dx)\text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^3}{af} + \frac{12d^3\text{Li}_3(-e^{i(e+fx)})}{af^4}$$

[Out] $-I*(d*x+c)^3/a/f+6*d*(d*x+c)^2*\ln(1+\exp(I*(f*x+e)))/a/f^2-12*I*d^2*(d*x+c)*\text{polylog}(2,-\exp(I*(f*x+e)))/a/f^3+12*d^3*\text{polylog}(3,-\exp(I*(f*x+e)))/a/f^4+(d*x+c)^3*\tan(1/2*e+1/2*f*x)/a/f$

Rubi [A] time = 0.28, antiderivative size = 134, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.350$, Rules used = {3318, 4184, 3719, 2190, 2531, 2282, 6589}

$$-\frac{12id^2(c+dx)\text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^3}{af} + \frac{12d^3\text{Li}_3(-e^{i(e+fx)})}{af^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3/(a + a*\text{Cos}[e + f*x]), x]$

[Out] $((-I)*(c + d*x)^3)/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 + E^{(I*(e + f*x))}])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, -E^{(I*(e + f*x))}])/(a*f^3) + (12*d^3*\text{PolyLog}[3, -E^{(I*(e + f*x))}])/(a*f^4) + ((c + d*x)^3*\text{Tan}[e/2 + (f*x)/2])/(a*f)$

Rule 2190

$\text{Int}[(((F_)^((g_)*(e_) + (f_)*(x_)))^((n_)*((c_) + (d_)*(x_))^(m_)))/((a_) + (b_)*((F_)^((g_)*((e_) + (f_)*(x_)))^((n_))), x_Symbol] \rightarrow \text{Simp} [((c + d*x)^m*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c + d*x)^(m-1)*\text{Log}[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGTQ}[m, 0]$

Rule 2282

$\text{Int}[u, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^(n_))^(m_)] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^((c_)*((a_) + (b_)*x))* (F_)[v_] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{a+a\cos(e+fx)} dx &= \frac{\int (c+dx)^3 \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{2a} \\
&= \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(3d) \int (c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
&= -\frac{i(c+dx)^3}{af} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(6id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)} (c+dx)^2}{1+e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
&= -\frac{i(c+dx)^3}{af} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(12d^2) \int (c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af^2} \\
&= -\frac{i(c+dx)^3}{af} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx) \text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} \\
&= -\frac{i(c+dx)^3}{af} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx) \text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{(c+dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} \\
&= -\frac{i(c+dx)^3}{af} + \frac{6d(c+dx)^2 \log(1+e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx) \text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{12d^3 \text{Li}_3(-e^{i(e+fx)})}{af^3}
\end{aligned}$$

Mathematica [A] time = 0.33, size = 151, normalized size = 1.13

$$\frac{2 \cos\left(\frac{1}{2}(e+fx)\right) \left((c+dx)^3 \sin\left(\frac{1}{2}(e+fx)\right) - \frac{i \cos\left(\frac{1}{2}(e+fx)\right) (12d^2 f(c+dx) \text{Li}_2(-e^{i(e+fx)}) + f^2(c+dx)^2 (f(c+dx) + 6id \log(1+e^{i(e+fx)})))}{f^3} \right)}{af(\cos(e+fx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + a*Cos[e + f*x]),x]

[Out] (2*Cos[(e + f*x)/2]*((-I)*Cos[(e + f*x)/2]*(f^2*(c + d*x)^2*(f*(c + d*x) + (6*I)*d*Log[1 + E^(I*(e + f*x))]) + 12*d^2*f*(c + d*x)*PolyLog[2, -E^(I*(e + f*x))]) + (12*I)*d^3*PolyLog[3, -E^(I*(e + f*x))])/f^3 + (c + d*x)^3*Sin[(e + f*x)/2])/(a*f*(1 + Cos[e + f*x]))

fricas [C] time = 0.65, size = 418, normalized size = 3.12

$$\frac{(6i d^3 f x + 6i c d^2 f + (6i d^3 f x + 6i c d^2 f) \cos(fx + e)) \operatorname{Li}_2(-\cos(fx + e) + i \sin(fx + e)) + (-6i d^3 f x - 6i c d^2 f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] ((6*I*d^3*f*x + 6*I*c*d^2*f + (6*I*d^3*f*x + 6*I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) + I*sin(f*x + e)) + (-6*I*d^3*f*x - 6*I*c*d^2*f + (-6*I*d^3*f*x - 6*I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) - I*sin(f*x + e)) + 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) + 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) + 6*(d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) + I*sin(f*x + e)) + 6*(d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) - I*sin(f*x + e)) + (d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + 3*c^2*d*f^3*x + c^3*f^3)*sin(f*x + e))/(a*f^4*cos(f*x + e) + a*f^4)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx + c)^3}{a \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^3/(a*cos(f*x + e) + a), x)

maple [B] time = 0.16, size = 364, normalized size = 2.72

$$\frac{2i(d^3 x^3 + 3c d^2 x^2 + 3c^2 dx + c^3)}{fa(e^{i(fx+e)} + 1)} + \frac{6d c^2 \ln(e^{i(fx+e)} + 1)}{a f^2} - \frac{6d c^2 \ln(e^{i(fx+e)})}{a f^2} - \frac{6d^3 e^2 \ln(e^{i(fx+e)})}{a f^4} - \frac{12i d^3 \operatorname{polylog}(2, -\exp(I*(fx+e)))}{a f^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a+a*cos(f*x+e)),x)

[Out] 2*I*(d^3*x^3+3*c*d^2*x^2+3*c^2*d*x+c^3)/f/a/(exp(I*(f*x+e))+1)+6/a/f^2*d*c^2*ln(exp(I*(f*x+e))+1)-6/a/f^2*d*c^2*ln(exp(I*(f*x+e)))-6/a/f^4*d^3*e^2*ln(exp(I*(f*x+e)))-12*I/a/f^3*d^3*polylog(2,-exp(I*(f*x+e)))*x+12/a/f^2*d^2*c^2

$\ln(\exp(I*(f*x+e))+1)*x+6*I/a/f^3*d^3*e^2*x+4*I/a/f^4*d^3*e^3+6/a/f^2*d^3*\ln(\exp(I*(f*x+e))+1)*x^2-12*I/a/f^2*d^2*c*e*x+12*d^3*\text{polylog}(3,-\exp(I*(f*x+e)))/a/f^4+12/a/f^3*d^2*c*e*\ln(\exp(I*(f*x+e)))-2*I/a/f*d^3*x^3-6*I/a/f^3*d^2*c*e^2-12*I/a/f^3*d^2*c*\text{polylog}(2,-\exp(I*(f*x+e)))-6*I/a/f*d^2*c*x^2$

maxima [B] time = 1.16, size = 936, normalized size = 6.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e)),x, algorithm="maxima")

[Out] $-(6*((\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) + 2*(f*x + e)*\sin(f*x + e))*c*d^2*e/(a*f^2*\cos(f*x + e)^2 + a*f^2*\sin(f*x + e)^2 + 2*a*f^2*\cos(f*x + e) + a*f^2) - 3*((\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) + 2*(f*x + e)*\sin(f*x + e))*c^2*d/(a*f*\cos(f*x + e)^2 + a*f*\sin(f*x + e)^2 + 2*a*f*\cos(f*x + e) + a*f) - c^3*\sin(f*x + e)/(a*(\cos(f*x + e) + 1)) - 3*c*d^2*e^2*\sin(f*x + e)/(a*f^2*(\cos(f*x + e) + 1)) + 3*c^2*d*e*\sin(f*x + e)/(a*f*(\cos(f*x + e) + 1)) + (2*d^3*e^3 - (6*(f*x + e)^2*d^3 + 6*d^3*e^2 - 12*(d^3*e - c*d^2*f)*(f*x + e) + 6*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(f*x + e) + (6*I*(f*x + e)^2*d^3 + 6*I*d^3*e^2 + (-12*I*d^3*e + 12*I*c*d^2*f)*(f*x + e))*\sin(f*x + e))*\arctan2(\sin(f*x + e), \cos(f*x + e) + 1) + 2*((f*x + e)^3*d^3 + 3*(f*x + e)*d^3*e^2 - 3*(d^3*e - c*d^2*f)*(f*x + e)^2)*\cos(f*x + e) + (12*(f*x + e)*d^3 - 12*d^3*e + 12*c*d^2*f + 12*((f*x + e)*d^3 - d^3*e + c*d^2*f)*\cos(f*x + e) - (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f)*\sin(f*x + e))*\text{dilog}(-e^(I*f*x + I*e)) - (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e) + (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*\cos(f*x + e) + 3*((f*x + e)^2*d^3 + d^3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\sin(f*x + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) - (-12*I*d^3*\cos(f*x + e) + 12*d^3*\sin(f*x + e) - 12*I*d^3)*\text{polylog}(3, -e^(I*f*x + I*e)) - (-2*I*(f*x + e)^3*d^3 - 6*I*(f*x + e)*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e)^2)*\sin(f*x + e))/(-I*a*f^3*\cos(f*x + e) + a*f^3*\sin(f*x + e) - I*a*f^3))/f$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^3}{a + a \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^3/(a + a*cos(e + f*x)),x)

[Out] `int((c + d*x)^3/(a + a*cos(e + f*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^3}{\cos(e+fx)+1} dx + \int \frac{d^3x^3}{\cos(e+fx)+1} dx + \int \frac{3cd^2x^2}{\cos(e+fx)+1} dx + \int \frac{3c^2dx}{\cos(e+fx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**3/(a+a*cos(f*x+e)),x)`

[Out] `(Integral(c**3/(cos(e + f*x) + 1), x) + Integral(d**3*x**3/(cos(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(cos(e + f*x) + 1), x) + Integral(3*c**2*d*x/(cos(e + f*x) + 1), x))/a`

$$3.129 \quad \int \frac{(c+dx)^2}{a+a \cos(e+fx)} dx$$

Optimal. Leaf size=101

$$\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^2}{af} - \frac{4id^2 \text{Li}_2(-e^{i(e+fx)})}{af^3}$$

[Out] $-I*(d*x+c)^2/a/f+4*d*(d*x+c)*\ln(1+\exp(I*(f*x+e)))/a/f^2-4*I*d^2*\text{polylog}(2,-\exp(I*(f*x+e)))/a/f^3+(d*x+c)^2*\tan(1/2*e+1/2*f*x)/a/f$

Rubi [A] time = 0.20, antiderivative size = 101, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.300$, Rules used = {3318, 4184, 3719, 2190, 2279, 2391}

$$\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{af^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^2}{af} - \frac{4id^2 \text{Li}_2(-e^{i(e+fx)})}{af^3}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c+d*x)^2/(a+a*\text{Cos}[e+f*x]),x]$

[Out] $((-I)*(c+d*x)^2)/(a*f) + (4*d*(c+d*x)*\text{Log}[1+E^{I*(e+f*x)}])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2,-E^{I*(e+f*x)}])/(a*f^3) + ((c+d*x)^2*\text{Tan}[e/2+(f*x)/2])/(a*f)$

Rule 2190

$\text{Int}[(((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)*((c_)+(d_)*(x_))^{(m_)}))/((a_)+(b_)*((F_)^{((g_)*(e_)+(f_)*(x_)))})^{(n_)}), x_Symbol] \rightarrow \text{Simp} [((c+d*x)^m*\text{Log}[1+(b*(F^{(g*(e+f*x))))^n]/a)]/(b*f*g*n*\text{Log}[F]), x] - \text{Dist}[(d*m)/(b*f*g*n*\text{Log}[F]), \text{Int}[(c+d*x)^{(m-1)}*\text{Log}[1+(b*(F^{(g*(e+f*x))))^n]/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2279

$\text{Int}[\text{Log}[(a_)+(b_)*((F_)^{((e_)*((c_)+(d_)*(x_)))})^{(n_)}], x_Symbol] \rightarrow \text{Dist}[1/(d*e*n*\text{Log}[F]), \text{Subst}[\text{Int}[\text{Log}[a+b*x]/x, x], x, (F^{(e*(c+d*x))})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \&\& \text{GtQ}[a, 0]$

Rule 2391

$\text{Int}[\text{Log}[(c_)*((d_)+(e_)*(x_))^{(n_)}]/(x_), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(c*e*x^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \&\& \text{EqQ}[c*d, 1]$

Rule 3318

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3719

Int[((c_.) + (d_.)*(x_.))^(m_.)*tan[(e_.) + (f_.)*(x_.)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_.)]^2*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^2}{a + a \cos(e + fx)} dx &= \frac{\int (c + dx)^2 \csc^2\left(\frac{e + \pi}{2} + \frac{fx}{2}\right) dx}{2a} \\
 &= \frac{(c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(2d) \int (c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
 &= -\frac{i(c + dx)^2}{af} + \frac{(c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(4id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)(c+dx)}}{1 + e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
 &= -\frac{i(c + dx)^2}{af} + \frac{4d(c + dx) \log(1 + e^{i(e+fx)})}{af^2} + \frac{(c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(4d^2) \int \log\left(1 + e^{i(e+fx)}\right) dx}{af} \\
 &= -\frac{i(c + dx)^2}{af} + \frac{4d(c + dx) \log(1 + e^{i(e+fx)})}{af^2} + \frac{(c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(4id^2) \text{Subst}\left(\int \frac{1}{1 + e^{i(e+fx)}} dx\right)}{af} \\
 &= -\frac{i(c + dx)^2}{af} + \frac{4d(c + dx) \log(1 + e^{i(e+fx)})}{af^2} - \frac{4id^2 \text{Li}_2(-e^{i(e+fx)})}{af^3} + \frac{(c + dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}
 \end{aligned}$$

Mathematica [A] time = 0.34, size = 125, normalized size = 1.24

$$\frac{2 \cos\left(\frac{1}{2}(e + fx)\right) \left(f(c + dx) \left(f(c + dx) \sin\left(\frac{1}{2}(e + fx)\right) + \cos\left(\frac{1}{2}(e + fx)\right) \left(4d \log\left(1 + e^{i(e+fx)}\right) - if(c + dx) \right) \right) \right)}{af^3(\cos(e + fx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2/(a + a*Cos[e + f*x]),x]

[Out] (2*Cos[(e + f*x)/2]*((-4*I)*d^2*Cos[(e + f*x)/2]*PolyLog[2, -E^(I*(e + f*x))] + f*(c + d*x)*(Cos[(e + f*x)/2]*((-I)*f*(c + d*x) + 4*d*Log[1 + E^(I*(e + f*x))]) + f*(c + d*x)*Sin[(e + f*x)/2]))/(a*f^3*(1 + Cos[e + f*x]))

fricas [B] time = 0.66, size = 222, normalized size = 2.20

$$\frac{(2i d^2 \cos(fx + e) + 2i d^2) \text{Li}_2(-\cos(fx + e) + i \sin(fx + e)) + (-2i d^2 \cos(fx + e) - 2i d^2) \text{Li}_2(-\cos(fx + e) - i \sin(fx + e))}{af^3(\cos(e + fx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] ((2*I*d^2*cos(f*x + e) + 2*I*d^2)*dilog(-cos(f*x + e) + I*sin(f*x + e)) + (-2*I*d^2*cos(f*x + e) - 2*I*d^2)*dilog(-cos(f*x + e) - I*sin(f*x + e)) + 2*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) + 2*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*sin(f*x + e))/(a*f^3*cos(f*x + e) + a*f^3)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx + c)^2}{a \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*cos(f*x + e) + a), x)

maple [B] time = 0.11, size = 197, normalized size = 1.95

$$\frac{2i(d^2x^2 + 2cdx + c^2)}{fa(e^{i(fx+e)} + 1)} + \frac{4dc \ln(e^{i(fx+e)} + 1)}{af^2} - \frac{4dc \ln(e^{i(fx+e)})}{af^2} - \frac{2id^2x^2}{af} - \frac{4id^2ex}{af^2} - \frac{2id^2e^2}{af^3} + \frac{4d^2 \ln(e^{i(fx+e)} + 1)x}{af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((d*x+c)^2/(a+a*cos(f*x+e)),x)`

[Out] `2*I*(d^2*x^2+2*c*d*x+c^2)/f/a/(exp(I*(f*x+e))+1)+4/a/f^2*d*c*ln(exp(I*(f*x+e))+1)-4/a/f^2*d*c*ln(exp(I*(f*x+e)))-2*I/a/f*d^2*x^2-4*I/a/f^2*d^2*e*x-2*I/a/f^3*d^2*e^2+4/a/f^2*d^2*ln(exp(I*(f*x+e))+1)*x-4*I*d^2*polylog(2,-exp(I*(f*x+e)))/a/f^3+4/a/f^3*d^2*e*ln(exp(I*(f*x+e)))`

maxima [B] time = 1.06, size = 286, normalized size = 2.83

$$2c^2f^2 + (4d^2fx + 4cdf + 4(d^2fx + cdf) \cos(fx + e) + (4id^2fx + 4icdf) \sin(fx + e)) \arctan(\sin(fx + e), c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="maxima")`

[Out] `(2*c^2*f^2 + (4*d^2*f*x + 4*c*d*f + 4*(d^2*f*x + c*d*f)*cos(f*x + e) + (4*I*d^2*f*x + 4*I*c*d*f)*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) - 2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*cos(f*x + e) - (4*d^2*cos(f*x + e) + 4*I*d^2*sin(f*x + e) + 4*d^2)*dilog(-e^(I*f*x + I*e)) + (-2*I*d^2*f*x - 2*I*c*d*f + (-2*I*d^2*f*x - 2*I*c*d*f)*cos(f*x + e) + 2*(d^2*f*x + c*d*f)*sin(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) + (-2*I*d^2*f^2*x^2 - 4*I*c*d*f^2*x)*sin(f*x + e))/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x + e) - I*a*f^3)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^2}{a + a \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)^2/(a + a*cos(e + f*x)),x)`

[Out] `int((c + d*x)^2/(a + a*cos(e + f*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^2}{\cos(e+fx)+1} dx + \int \frac{d^2x^2}{\cos(e+fx)+1} dx + \int \frac{2cdx}{\cos(e+fx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)**2/(a+a*cos(f*x+e)),x)
```

```
[Out] (Integral(c**2/(cos(e + f*x) + 1), x) + Integral(d**2*x**2/(cos(e + f*x) + 1), x) + Integral(2*c*d*x/(cos(e + f*x) + 1), x))/a
```

$$3.130 \quad \int \frac{c+dx}{a+a \cos(e+fx)} dx$$

Optimal. Leaf size=49

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}$$

[Out] 2*d*ln(cos(1/2*e+1/2*f*x))/a/f^2+(d*x+c)*tan(1/2*e+1/2*f*x)/a/f

Rubi [A] time = 0.06, antiderivative size = 49, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3318, 4184, 3475}

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + a*Cos[e + f*x]),x]

[Out] (2*d*Log[Cos[e/2 + (f*x)/2]])/(a*f^2) + ((c + d*x)*Tan[e/2 + (f*x)/2])/(a*f)

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a + a \cos(e + fx)} dx &= \frac{\int (c + dx) \csc^2\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{2a} \\ &= \frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{d \int \tan\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\ &= \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} + \frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} \end{aligned}$$

Mathematica [A] time = 0.08, size = 70, normalized size = 1.43

$$\frac{2 \cos\left(\frac{1}{2}(e + fx)\right) \left(f(c + dx) \sin\left(\frac{1}{2}(e + fx)\right) + 2d \cos\left(\frac{1}{2}(e + fx)\right) \log\left(\cos\left(\frac{1}{2}(e + fx)\right)\right) \right)}{af^2(\cos(e + fx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + a*Cos[e + f*x]),x]

[Out] (2*Cos[(e + f*x)/2]*(2*d*Cos[(e + f*x)/2]*Log[Cos[(e + f*x)/2]] + f*(c + d*x)*Sin[(e + f*x)/2]))/(a*f^2*(1 + Cos[e + f*x]))

fricas [A] time = 0.74, size = 58, normalized size = 1.18

$$\frac{(d \cos(fx + e) + d) \log\left(\frac{1}{2} \cos(fx + e) + \frac{1}{2}\right) + (dfx + cf) \sin(fx + e)}{af^2 \cos(fx + e) + af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] ((d*cos(f*x + e) + d)*log(1/2*cos(f*x + e) + 1/2) + (d*f*x + c*f)*sin(f*x + e))/(a*f^2*cos(f*x + e) + a*f^2)

giac [B] time = 0.61, size = 234, normalized size = 4.78

$$dfx \tan\left(\frac{1}{2}fx\right) + dfx \tan\left(\frac{1}{2}e\right) - d \log\left(\frac{4\left(\tan\left(\frac{1}{2}fx\right)\right)^4 \tan\left(\frac{1}{2}e\right)^2 - 2 \tan\left(\frac{1}{2}fx\right)^3 \tan\left(\frac{1}{2}e\right) + \tan\left(\frac{1}{2}fx\right)^2 \tan\left(\frac{1}{2}e\right)^2 + \tan\left(\frac{1}{2}fx\right)^2 - 2 \tan\left(\frac{1}{2}e\right)}{\tan\left(\frac{1}{2}e\right)^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] $-(d*f*x*\tan(1/2*f*x) + d*f*x*\tan(1/2*e) - d*\log(4*(\tan(1/2*f*x))^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1))*\tan(1/2*f*x)*\tan(1/2*e) + c*f*\tan(1/2*f*x) + c*f*\tan(1/2*e) + d*\log(4*(\tan(1/2*f*x))^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1)))/(a*f^2*\tan(1/2*f*x)*\tan(1/2*e) - a*f^2)$

maple [A] time = 0.09, size = 60, normalized size = 1.22

$$\frac{c \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{dx \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{d \ln\left(1 + \tan^2\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+a*cos(f*x+e)),x)

[Out] $1/a*c/f*\tan(1/2*e+1/2*f*x)+1/a*d*x/f*\tan(1/2*e+1/2*f*x)-1/a*d/f^2*\ln(1+\tan(1/2*e+1/2*f*x)^2)$

maxima [B] time = 0.43, size = 160, normalized size = 3.27

$$\frac{\left(\left(\cos(fx+e)^2 + \sin(fx+e)^2 + 2 \cos(fx+e) + 1\right) \log\left(\cos(fx+e)^2 + \sin(fx+e)^2 + 2 \cos(fx+e) + 1\right) + 2 (fx+e) \sin(fx+e)\right) d}{af \cos(fx+e)^2 + af \sin(fx+e)^2 + 2af \cos(fx+e) + af} + \frac{c \sin(fx+e)}{a(\cos(fx+e)+1)} - \frac{de \sin(fx+e)}{af(\cos(fx+e)+1)}$$

$$f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*cos(f*x+e)),x, algorithm="maxima")

[Out] $((\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) + 2*(f*x + e)*\sin(f*x + e))*d/(a*f*\cos(f*x + e)^2 + a*f*\sin(f*x + e)^2 + 2*a*f*\cos(f*x + e) + a*f) + c*\sin(f*x + e)/(a*(\cos(f*x + e) + 1)) - d*e*\sin(f*x + e)/(a*f*(\cos(f*x + e) + 1)))/f$

mupad [B] time = 0.66, size = 65, normalized size = 1.33

$$\frac{2d \ln\left(e^{e^{1i}} e^{f x^{1i}} + 1\right)}{af^2} + \frac{(c + dx) 2i}{af \left(e^{e^{1i} + f x^{1i}} + 1\right)} - \frac{dx 2i}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + a*cos(e + f*x)),x)`

[Out] $(2*d*\log(\exp(e*1i)*\exp(f*x*1i) + 1))/(a*f^2) + ((c + d*x)*2i)/(a*f*(\exp(e*1i + f*x*1i) + 1)) - (d*x*2i)/(a*f)$

sympy [A] time = 0.65, size = 70, normalized size = 1.43

$$\begin{cases} \frac{c \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{dx \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{d \log\left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{af^2} & \text{for } f \neq 0 \\ \frac{cx + \frac{dx^2}{2}}{a \cos(e) + a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+a*cos(f*x+e)),x)`

[Out] `Piecewise((c*tan(e/2 + f*x/2)/(a*f) + d*x*tan(e/2 + f*x/2)/(a*f) - d*log(tan(e/2 + f*x/2)**2 + 1)/(a*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(a*cos(e) + a), True))`

$$3.131 \quad \int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{1}{(c+dx)(a \cos(e+fx)+a)}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+a*cos(f*x+e)), x)

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a + a*Cos[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a + a*Cos[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx = \int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx$$

Mathematica [A] time = 2.80, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a + a*Cos[e + f*x])), x]

[Out] Integrate[1/((c + d*x)*(a + a*Cos[e + f*x])), x]

fricas [A] time = 0.71, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{adx+ac+(adx+ac)\cos(fx+e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c + (a*d*x + a*c)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx+c)(a \cos(fx+e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*cos(f*x + e) + a)), x)

maple [A] time = 0.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx+c)(a + a \cos(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+a*cos(f*x+e)),x)

[Out] int(1/(d*x+c)/(a+a*cos(f*x+e)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$2 \left[\frac{\left((ad^2fx+acdf+(ad^2fx+acdf) \cos(fx+e)^2+(ad^2fx+acdf) \sin(fx+e)^2+2(ad^2fx+acdf) \cos(fx+e)) \int \frac{\sin(fx+e)}{(dx+c)^2(\cos(fx+e)^2+\sin(fx+e)^2+2 \cos(fx+e)+1)} \right)}{af} \right]$$

$$adfx + acf + (adfx + acf) \cos(fx + e)^2 + (adfx + acf) \sin(fx + e)^2 + 2(adfx + acf) \cos(fx + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e)),x, algorithm="maxima")

[Out] 2*((a*d^2*f*x + a*c*d*f + (a*d^2*f*x + a*c*d*f)*cos(f*x + e)^2 + (a*d^2*f*x + a*c*d*f)*sin(f*x + e)^2 + 2*(a*d^2*f*x + a*c*d*f)*cos(f*x + e))*integrate(sin(f*x + e)/(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*cos(f*x + e)^2 + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*sin(f*x + e)^2 + 2*(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*cos(f*x + e)), x) + sin(f*x + e)/(a*d*f*x + a*c*f + (a*d*f*x + a*c*f)*cos(f*x + e)^2 + (a*d*f*x + a*c*f)*sin(f*x + e)^2 + 2*(a*d*f*x + a*c*f)*cos(f*x + e))

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a + a \cos(e + f x)) (c + d x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + a*cos(e + f*x))*(c + d*x)),x)

[Out] int(1/((a + a*cos(e + f*x))*(c + d*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{c \cos(e + f x) + c + d x \cos(e + f x) + d x} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e)),x)

[Out] Integral(1/(c*cos(e + f*x) + c + d*x*cos(e + f*x) + d*x), x)/a

$$3.132 \quad \int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{1}{(c+dx)^2(a \cos(e+fx)+a)}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+a*cos(f*x+e)), x)

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + a*Cos[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Cos[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx = \int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx$$

Mathematica [A] time = 2.69, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + a*Cos[e + f*x])), x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Cos[e + f*x])), x]

fricas [A] time = 0.65, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 + (ad^2x^2 + 2acdx + ac^2) \cos(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 + (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)^2 (a \cos(fx + e) + a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(a*cos(f*x + e) + a)), x)

maple [A] time = 0.23, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)^2 (a + a \cos(fx + e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+a*cos(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a+a*cos(f*x+e)),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e)),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a + a \cos(e + fx)) (c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + a*cos(e + f*x))*(c + d*x)^2),x)

[Out] int(1/((a + a*cos(e + f*x))*(c + d*x)^2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{c^2 \cos(e+fx) + c^2 + 2cdx \cos(e+fx) + 2cdx + d^2x^2 \cos(e+fx) + d^2x^2} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+a*cos(f*x+e)), x)

[Out] Integral(1/(c**2*cos(e + f*x) + c**2 + 2*c*d*x*cos(e + f*x) + 2*c*d*x + d**2*x**2*cos(e + f*x) + d**2*x**2), x)/a

$$3.133 \quad \int \frac{(c+dx)^3}{(a+a \cos(e+fx))^2} dx$$

Optimal. Leaf size=271

$$-\frac{4id^2(c+dx)\text{Li}_2(-e^{i(e+fx)})}{a^2f^3} + \frac{2d^2(c+dx)\tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f^3} + \frac{2d(c+dx)^2\log(1+e^{i(e+fx)})}{a^2f^2} - \frac{d(c+dx)^2\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f^2} +$$

[Out] $-1/3*I*(d*x+c)^3/a^2/f+2*d*(d*x+c)^2*\ln(1+\exp(I*(f*x+e)))/a^2/f^2+4*d^3*\ln(\cos(1/2*e+1/2*f*x))/a^2/f^4-4*I*d^2*(d*x+c)*\text{polylog}(2,-\exp(I*(f*x+e)))/a^2/f^3+4*d^3*\text{polylog}(3,-\exp(I*(f*x+e)))/a^2/f^4-1/2*d*(d*x+c)^2*\sec(1/2*e+1/2*f*x)^2/a^2/f^2+2*d^2*(d*x+c)*\tan(1/2*e+1/2*f*x)/a^2/f^3+1/3*(d*x+c)^3*\tan(1/2*e+1/2*f*x)/a^2/f+1/6*(d*x+c)^3*\sec(1/2*e+1/2*f*x)^2*\tan(1/2*e+1/2*f*x)/a^2/f$

Rubi [A] time = 0.37, antiderivative size = 271, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {3318, 4186, 4184, 3475, 3719, 2190, 2531, 2282, 6589}

$$-\frac{4id^2(c+dx)\text{Li}_2(-e^{i(e+fx)})}{a^2f^3} + \frac{2d^2(c+dx)\tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2f^3} + \frac{2d(c+dx)^2\log(1+e^{i(e+fx)})}{a^2f^2} - \frac{d(c+dx)^2\sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f^2} +$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3/(a + a*\text{Cos}[e + f*x])^2, x]$

[Out] $((-I/3)*(c + d*x)^3)/(a^2*f) + (2*d*(c + d*x)^2*\text{Log}[1 + E^{(I*(e + f*x))}])/(a^2*f^2) + (4*d^3*\text{Log}[\text{Cos}[e/2 + (f*x)/2]])/(a^2*f^4) - ((4*I)*d^2*(c + d*x)*\text{PolyLog}[2, -E^{(I*(e + f*x))}])/(a^2*f^3) + (4*d^3*\text{PolyLog}[3, -E^{(I*(e + f*x))}])/(a^2*f^4) - (d*(c + d*x)^2*\text{Sec}[e/2 + (f*x)/2]^2)/(2*a^2*f^2) + (2*d^2*(c + d*x)*\text{Tan}[e/2 + (f*x)/2])/(a^2*f^3) + ((c + d*x)^3*\text{Tan}[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)^3*\text{Sec}[e/2 + (f*x)/2]^2*\text{Tan}[e/2 + (f*x)/2])/(6*a^2*f)$

Rule 2190

$\text{Int}[(((F_)^\wedge((g_) * ((e_) + (f_) * (x_)))^\wedge(n_) * ((c_) + (d_) * (x_))^\wedge(m_)) / ((a_) + (b_) * ((F_)^\wedge((g_) * ((e_) + (f_) * (x_)))^\wedge(n_))), x_Symbol] \rightarrow \text{Simp} [((c + d*x)^\wedge m * \text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a]] / (b*f*g^n * \text{Log}[F]), x] - \text{Dist} [(d*m) / (b*f*g^n * \text{Log}[F]), \text{Int}[(c + d*x)^\wedge(m - 1) * \text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a], x], x] /;$ FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2282

$\text{Int}[u, x_Symbol] \rightarrow \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x]] /;$ Functi

onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))* (F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*(f_.) + (g_.)*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^(n)])/ (b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^(n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3719

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e + f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4186

Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m - 1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,

$e, f\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{NeQ}[n, 2] \&\& \text{GtQ}[m, 1]$

Rule 6589

$\text{Int}[\text{PolyLog}[n, (c_.)*((a_.) + (b_.)*(x_.))^{(p_.)}]/((d_.) + (e_.)*(x_.)), x, \text{Symbol}] \rightarrow \text{Simp}[\text{PolyLog}[n + 1, c*(a + b*x)^p]/(e*p), x] /; \text{FreeQ}[\{a, b, c, d, e, n, p\}, x] \&\& \text{EqQ}[b*d, a*e]$

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^3}{(a + a \cos(e + fx))^2} dx &= \frac{\int (c + dx)^3 \csc^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{4a^2} \\
 &= -\frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2 f^2} + \frac{(c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2 f} \\
 &= -\frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2 f^2} + \frac{2d^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3} + \frac{(c + dx)^3 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{\int (c + dx)^3 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2 f} \\
 &= -\frac{i(c + dx)^3}{3a^2 f} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4} - \frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2 f^2} + \frac{2d^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3} \\
 &= -\frac{i(c + dx)^3}{3a^2 f} + \frac{2d(c + dx)^2 \log\left(1 + e^{i(e+fx)}\right)}{a^2 f^2} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4} - \frac{d(c + dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2 f^2} \\
 &= -\frac{i(c + dx)^3}{3a^2 f} + \frac{2d(c + dx)^2 \log\left(1 + e^{i(e+fx)}\right)}{a^2 f^2} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4} - \frac{4id^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3} \\
 &= -\frac{i(c + dx)^3}{3a^2 f} + \frac{2d(c + dx)^2 \log\left(1 + e^{i(e+fx)}\right)}{a^2 f^2} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4} - \frac{4id^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3} \\
 &= -\frac{i(c + dx)^3}{3a^2 f} + \frac{2d(c + dx)^2 \log\left(1 + e^{i(e+fx)}\right)}{a^2 f^2} + \frac{4d^3 \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{a^2 f^4} - \frac{4id^2(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{a^2 f^3}
 \end{aligned}$$

Mathematica [A] time = 1.05, size = 250, normalized size = 0.92

$$2 \cos\left(\frac{1}{2}(e + fx)\right) \left(-2 \cos^3\left(\frac{1}{2}(e + fx)\right) \left(-6d \left(f^2(c + dx)^2 \log\left(1 + e^{i(e+fx)}\right) - 2idf(c + dx) \operatorname{Li}_2\left(-e^{i(e+fx)}\right) + 2d^2 \operatorname{Li}_2\left(-e^{i(e+fx)}\right)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a + a*cos[e + f*x])^2,x]

[Out] (2*cos[(e + f*x)/2]*(-3*d*f^2*(c + d*x)^2*cos[(e + f*x)/2] + f^3*(c + d*x)^3*sin[(e + f*x)/2] + 12*d^2*cos[(e + f*x)/2]^3*(2*d*log[cos[(e + f*x)/2]] + f*(c + d*x)*tan[(e + f*x)/2]) - 2*cos[(e + f*x)/2]^3*(I*f^3*(c + d*x)^3 - 6*d*(f^2*(c + d*x)^2*log[1 + E^(I*(e + f*x))]) - (2*I)*d*f*(c + d*x)*polylog[2, -E^(I*(e + f*x))] + 2*d^2*polylog[3, -E^(I*(e + f*x))]) - f^3*(c + d*x)^3*tan[(e + f*x)/2]))/(3*a^2*f^4*(1 + cos[e + f*x])^2)

fricas [C] time = 0.66, size = 769, normalized size = 2.84

$$3d^3f^2x^2 + 6cd^2f^2x + 3c^2df^2 + 3(d^3f^2x^2 + 2cd^2f^2x + c^2df^2) \cos(fx + e) - (6id^3fx + 6icd^2f + (6id^3fx +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] -1/3*(3*d^3*f^2*x^2 + 6*c*d^2*f^2*x + 3*c^2*d*f^2 + 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2)*cos(f*x + e) - (6*I*d^3*f*x + 6*I*c*d^2*f + (6*I*d^3*f*x + 6*I*c*d^2*f)*cos(f*x + e)^2 + (12*I*d^3*f*x + 12*I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) + I*sin(f*x + e)) - (-6*I*d^3*f*x - 6*I*c*d^2*f + (-6*I*d^3*f*x - 6*I*c*d^2*f)*cos(f*x + e)^2 + (-12*I*d^3*f*x - 12*I*c*d^2*f)*cos(f*x + e))*dilog(-cos(f*x + e) - I*sin(f*x + e)) - 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3)*cos(f*x + e)^2 + 2*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3)*cos(f*x + e))*log(cos(f*x + e) + I*sin(f*x + e) + 1) - 3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3 + (d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3)*cos(f*x + e)^2 + 2*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 2*d^3)*cos(f*x + e))*log(cos(f*x + e) - I*sin(f*x + e) + 1) - 6*(d^3*cos(f*x + e)^2 + 2*d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) + I*sin(f*x + e)) - 6*(d^3*cos(f*x + e)^2 + 2*d^3*cos(f*x + e) + d^3)*polylog(3, -cos(f*x + e) - I*sin(f*x + e)) - (2*d^3*f^3*x^3 + 6*c*d^2*f^3*x^2 + 2*c^3*f^3 + 6*c*d^2*f + 6*(c^2*d*f^3 + d^3*f)*x + (d^3*f^3*x^3 + 3*c*d^2*f^3*x^2 + c^3*f^3 + 6*c*d^2*f + 3*(c^2*d*f^3 + 2*d^3*f)*x)*cos(f*x + e))*sin(f*x + e))/(a^2*f^4*cos(f*x + e)^2 + 2*a^2*f^4*cos(f*x + e) + a^2*f^4)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx + c)^3}{(a \cos(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^3/(a*cos(f*x + e) + a)^2, x)

maple [B] time = 0.46, size = 678, normalized size = 2.50

$$-\frac{4id^2cex}{a^2f^2} + \frac{4d^3 \operatorname{polylog}\left(3, -e^{i(fx+e)}\right)}{a^2f^4} + \frac{4d^3 \ln\left(e^{i(fx+e)} + 1\right)}{a^2f^4} - \frac{4d^3 \ln\left(e^{i(fx+e)}\right)}{a^2f^4} - \frac{4id^2c \operatorname{polylog}\left(2, -e^{i(fx+e)}\right)}{a^2f^3} + \frac{2dc^2}{a^2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a+a*cos(f*x+e))^2,x)

[Out] $-4*I/a^2/f^2*d^2*c*e*x+4*d^3*\operatorname{polylog}(3, -\exp(I*(f*x+e)))/a^2/f^4+4/a^2/f^4*d^3*\ln(\exp(I*(f*x+e))+1)-4/a^2/f^4*d^3*\ln(\exp(I*(f*x+e)))-2*I/a^2/f*d^2*c*x^2+2/a^2/f^2*d^2*c^2*\ln(\exp(I*(f*x+e))+1)-2/a^2/f^2*d^2*c^2*\ln(\exp(I*(f*x+e)))-2/a^2/f^4*d^3*e^2*\ln(\exp(I*(f*x+e)))-4*I/a^2/f^3*d^2*c*\operatorname{polylog}(2, -\exp(I*(f*x+e)))-4*I/a^2/f^3*d^3*\operatorname{polylog}(2, -\exp(I*(f*x+e)))*x-2/3*I/a^2/f*d^3*x^3+2/a^2/f^2*d^3*\ln(\exp(I*(f*x+e)))*x^2+4/3*I/a^2/f^4*d^3*e^3+4/a^2/f^3*d^2*c*e*\ln(\exp(I*(f*x+e)))+2*I/a^2/f^3*d^3*e^2*x-2*I/a^2/f^3*d^2*c*e^2+4/a^2/f^2*d^2*\ln(\exp(I*(f*x+e))+1)*c*x+2/3*I*(3*I*c^2*d*f*\exp(I*(f*x+e))+3*d^3*f^2*x^3*\exp(I*(f*x+e))+3*I*d^3*f*x^2*\exp(2*I*(f*x+e))+6*I*c*d^2*f*x*\exp(I*(f*x+e))+9*c*d^2*f^2*x^2*\exp(I*(f*x+e))+d^3*f^2*x^3+3*I*d^3*f*x^2*\exp(I*(f*x+e))+3*I*c^2*d*f*\exp(2*I*(f*x+e))+9*c^2*d*f^2*x*\exp(I*(f*x+e))+3*c*d^2*f^2*x^2+6*I*c*d^2*f*x*\exp(2*I*(f*x+e))+3*c^3*f^2*\exp(I*(f*x+e))+3*c^2*d*f^2*x+6*d^3*x*\exp(2*I*(f*x+e))+c^3*f^2+6*c*d^2*\exp(2*I*(f*x+e))+12*d^3*x*\exp(I*(f*x+e))+12*c*d^2*\exp(I*(f*x+e))+6*d^3*x+6*c*d^2)/f^3/a^2/(\exp(I*(f*x+e))+1)^3$

maxima [B] time = 3.96, size = 3274, normalized size = 12.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] $1/6*(12*(2*(3*(f*x + e)*\sin(f*x + e) + \cos(2*f*x + 2*e) + \cos(f*x + e))*\cos(3*f*x + 3*e) + 2*(9*(f*x + e)*\sin(f*x + e) + 6*\cos(f*x + e) + 1)*\cos(2*f*x$

$$\begin{aligned}
& + 2*e) + 6*\cos(2*f*x + 2*e)^2 + 6*\cos(f*x + e)^2 - (2*(3*\cos(2*f*x + 2*e) \\
& + 3*\cos(f*x + e) + 1)*\cos(3*f*x + 3*e) + \cos(3*f*x + 3*e)^2 + 6*(3*\cos(f*x \\
& + e) + 1)*\cos(2*f*x + 2*e) + 9*\cos(2*f*x + 2*e)^2 + 9*\cos(f*x + e)^2 + 6*(\sin \\
& (2*f*x + 2*e) + \sin(f*x + e))*\sin(3*f*x + 3*e) + \sin(3*f*x + 3*e)^2 + 9*\sin \\
& (2*f*x + 2*e)^2 + 18*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*\sin(f*x + e)^2 + 6 \\
& *\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1 \\
&) - 2*(f*x + 3*(f*x + e)*\cos(f*x + e) + e - \sin(2*f*x + 2*e) - \sin(f*x + e) \\
&)*\sin(3*f*x + 3*e) - 6*(f*x + 3*(f*x + e)*\cos(f*x + e) + e - 2*\sin(f*x + e) \\
&)*\sin(2*f*x + 2*e) + 6*\sin(2*f*x + 2*e)^2 + 6*\sin(f*x + e)^2 + 2*\cos(f*x + \\
& e))*c*d^2*e/(a^2*f^2*\cos(3*f*x + 3*e)^2 + 9*a^2*f^2*\cos(2*f*x + 2*e)^2 + 9* \\
& a^2*f^2*\cos(f*x + e)^2 + a^2*f^2*\sin(3*f*x + 3*e)^2 + 9*a^2*f^2*\sin(2*f*x + \\
& 2*e)^2 + 18*a^2*f^2*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*a^2*f^2*\sin(f*x + e) \\
& ^2 + 6*a^2*f^2*\cos(f*x + e) + a^2*f^2 + 2*(3*a^2*f^2*\cos(2*f*x + 2*e) + 3*a \\
& ^2*f^2*\cos(f*x + e) + a^2*f^2)*\cos(3*f*x + 3*e) + 6*(3*a^2*f^2*\cos(f*x + e) \\
& + a^2*f^2)*\cos(2*f*x + 2*e) + 6*(a^2*f^2*\sin(2*f*x + 2*e) + a^2*f^2*\sin(f*x \\
& + e))*\sin(3*f*x + 3*e)) - 6*(2*(3*(f*x + e)*\sin(f*x + e) + \cos(2*f*x + 2* \\
& e) + \cos(f*x + e))*\cos(3*f*x + 3*e) + 2*(9*(f*x + e)*\sin(f*x + e) + 6*\cos(f \\
& *x + e) + 1)*\cos(2*f*x + 2*e) + 6*\cos(2*f*x + 2*e)^2 + 6*\cos(f*x + e)^2 - (\\
& 2*(3*\cos(2*f*x + 2*e) + 3*\cos(f*x + e) + 1)*\cos(3*f*x + 3*e) + \cos(3*f*x + \\
& 3*e)^2 + 6*(3*\cos(f*x + e) + 1)*\cos(2*f*x + 2*e) + 9*\cos(2*f*x + 2*e)^2 + 9 \\
& *\cos(f*x + e)^2 + 6*(\sin(2*f*x + 2*e) + \sin(f*x + e))*\sin(3*f*x + 3*e) + \sin \\
& (3*f*x + 3*e)^2 + 9*\sin(2*f*x + 2*e)^2 + 18*\sin(2*f*x + 2*e)*\sin(f*x + e) \\
& + 9*\sin(f*x + e)^2 + 6*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^ \\
& 2 + 2*\cos(f*x + e) + 1) - 2*(f*x + 3*(f*x + e)*\cos(f*x + e) + e - \sin(2*f*x \\
& + 2*e) - \sin(f*x + e))*\sin(3*f*x + 3*e) - 6*(f*x + 3*(f*x + e)*\cos(f*x + e \\
&) + e - 2*\sin(f*x + e))*\sin(2*f*x + 2*e) + 6*\sin(2*f*x + 2*e)^2 + 6*\sin(f*x \\
& + e)^2 + 2*\cos(f*x + e))*c^2*d/(a^2*f*\cos(3*f*x + 3*e)^2 + 9*a^2*f*\cos(2*f \\
& *x + 2*e)^2 + 9*a^2*f*\cos(f*x + e)^2 + a^2*f*\sin(3*f*x + 3*e)^2 + 9*a^2*f*\sin \\
& (2*f*x + 2*e)^2 + 18*a^2*f*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*a^2*f*\sin(f*x \\
& + e)^2 + 6*a^2*f*\cos(f*x + e) + a^2*f + 2*(3*a^2*f*\cos(2*f*x + 2*e) + 3*a \\
& ^2*f*\cos(f*x + e) + a^2*f)*\cos(3*f*x + 3*e) + 6*(3*a^2*f*\cos(f*x + e) + a^2 \\
& *f)*\cos(2*f*x + 2*e) + 6*(a^2*f*\sin(2*f*x + 2*e) + a^2*f*\sin(f*x + e))*\sin(\\
& 3*f*x + 3*e)) + c^3*(3*\sin(f*x + e)/(\cos(f*x + e) + 1) + \sin(f*x + e)^3/(\cos \\
& (f*x + e) + 1)^3)/a^2 + 3*c*d^2*e^2*(3*\sin(f*x + e)/(\cos(f*x + e) + 1) + \sin \\
& (f*x + e)^3/(\cos(f*x + e) + 1)^3)/(a^2*f^2) - 3*c^2*d*e*(3*\sin(f*x + e)/(\cos \\
& (f*x + e) + 1) + \sin(f*x + e)^3/(\cos(f*x + e) + 1)^3)/(a^2*f) - 6*(2*d^3 \\
& *e^3 + 12*d^3*e - 12*c*d^2*f - (6*(f*x + e)^2*d^3 + 6*d^3*e^2 + 12*d^3 - 12 \\
& *(d^3*e - c*d^2*f)*(f*x + e) + 6*((f*x + e)^2*d^3 + d^3*e^2 + 2*d^3 - 2*(d^ \\
& 3*e - c*d^2*f)*(f*x + e))*\cos(3*f*x + 3*e) + 18*((f*x + e)^2*d^3 + d^3*e^2 \\
& + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(2*f*x + 2*e) + 18*((f*x + e)^2 \\
& *d^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*\cos(f*x + e) + (6*I \\
& *(f*x + e)^2*d^3 + 6*I*d^3*e^2 + 12*I*d^3 + (-12*I*d^3*e + 12*I*c*d^2*f)*(f \\
& *x + e))*\sin(3*f*x + 3*e) + (18*I*(f*x + e)^2*d^3 + 18*I*d^3*e^2 + 36*I*d^3 \\
& + (-36*I*d^3*e + 36*I*c*d^2*f)*(f*x + e))*\sin(2*f*x + 2*e) + (18*I*(f*x + \\
& e)^2*d^3 + 18*I*d^3*e^2 + 36*I*d^3 + (-36*I*d^3*e + 36*I*c*d^2*f)*(f*x + e)
\end{aligned}$$

```

)*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) + 2*((f*x + e)^3*d^
3 - 3*(d^3*e - c*d^2*f)*(f*x + e)^2 + 3*(d^3*e^2 + 2*d^3)*(f*x + e))*cos(3*
f*x + 3*e) + (6*(f*x + e)^3*d^3 - 6*I*d^3*e^2 + 12*d^3*e - 12*c*d^2*f - 6*(
3*d^3*e - 3*c*d^2*f + I*d^3)*(f*x + e)^2 + (18*d^3*e^2 + 12*I*d^3*e - 12*I*
c*d^2*f + 24*d^3)*(f*x + e))*cos(2*f*x + 2*e) + (6*d^3*e^3 - 6*I*(f*x + e)^
2*d^3 - 6*I*d^3*e^2 + 24*d^3*e - 24*c*d^2*f - (-12*I*d^3*e + 12*I*c*d^2*f -
12*d^3)*(f*x + e))*cos(f*x + e) + (12*(f*x + e)*d^3 - 12*d^3*e + 12*c*d^2*
f + 12*((f*x + e)*d^3 - d^3*e + c*d^2*f))*cos(3*f*x + 3*e) + 36*((f*x + e)*d
^3 - d^3*e + c*d^2*f))*cos(2*f*x + 2*e) + 36*((f*x + e)*d^3 - d^3*e + c*d^2*
f))*cos(f*x + e) - (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f))*sin(3*f
*x + 3*e) - (-36*I*(f*x + e)*d^3 + 36*I*d^3*e - 36*I*c*d^2*f))*sin(2*f*x + 2
*e) - (-36*I*(f*x + e)*d^3 + 36*I*d^3*e - 36*I*c*d^2*f))*sin(f*x + e))*dilog
(-e^(I*f*x + I*e)) - (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 - 6*I*d^3 + (6*I*d
^3*e - 6*I*c*d^2*f)*(f*x + e) + (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 - 6*I*d
^3 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*cos(3*f*x + 3*e) + (-9*I*(f*x + e
)^2*d^3 - 9*I*d^3*e^2 - 18*I*d^3 + (18*I*d^3*e - 18*I*c*d^2*f)*(f*x + e))*c
os(2*f*x + 2*e) + (-9*I*(f*x + e)^2*d^3 - 9*I*d^3*e^2 - 18*I*d^3 + (18*I*d^
3*e - 18*I*c*d^2*f)*(f*x + e))*cos(f*x + e) + 3*((f*x + e)^2*d^3 + d^3*e^2
+ 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*sin(3*f*x + 3*e) + 9*((f*x + e)^2*
d^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*sin(2*f*x + 2*e) + 9
*((f*x + e)^2*d^3 + d^3*e^2 + 2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*sin(f*
x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) - (-12*I*
d^3*cos(3*f*x + 3*e) - 36*I*d^3*cos(2*f*x + 2*e) - 36*I*d^3*cos(f*x + e) +
12*d^3*sin(3*f*x + 3*e) + 36*d^3*sin(2*f*x + 2*e) + 36*d^3*sin(f*x + e) - 1
2*I*d^3)*polylog(3, -e^(I*f*x + I*e)) - (-2*I*(f*x + e)^3*d^3 + (6*I*d^3*e
- 6*I*c*d^2*f)*(f*x + e)^2 + (-6*I*d^3*e^2 - 12*I*d^3)*(f*x + e))*sin(3*f*x
+ 3*e) - (-6*I*(f*x + e)^3*d^3 - 6*d^3*e^2 - 12*I*d^3*e + 12*I*c*d^2*f + (
18*I*d^3*e - 18*I*c*d^2*f - 6*d^3)*(f*x + e)^2 + (-18*I*d^3*e^2 + 12*d^3*e
- 12*c*d^2*f - 24*I*d^3)*(f*x + e))*sin(2*f*x + 2*e) - (-6*I*d^3*e^3 - 6*(f
*x + e)^2*d^3 - 6*d^3*e^2 - 24*I*d^3*e + 24*I*c*d^2*f + 12*(d^3*e - c*d^2*f
- I*d^3)*(f*x + e))*sin(f*x + e))/(-3*I*a^2*f^3*cos(3*f*x + 3*e) - 9*I*a^2
*f^3*cos(2*f*x + 2*e) - 9*I*a^2*f^3*cos(f*x + e) + 3*a^2*f^3*sin(3*f*x + 3*
e) + 9*a^2*f^3*sin(2*f*x + 2*e) + 9*a^2*f^3*sin(f*x + e) - 3*I*a^2*f^3))/f

```

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^3/(a + a*cos(e + f*x))^2,x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^3}{\cos^2(e+fx)+2\cos(e+fx)+1} dx + \int \frac{d^3x^3}{\cos^2(e+fx)+2\cos(e+fx)+1} dx + \int \frac{3cd^2x^2}{\cos^2(e+fx)+2\cos(e+fx)+1} dx + \int \frac{3c^2dx}{\cos^2(e+fx)+2\cos(e+fx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**3/(a+a*cos(f*x+e))**2,x)

[Out] (Integral(c**3/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x) + Integral(d**3*x**3/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x) + Integral(3*c*d**2*x**2/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x) + Integral(3*c**2*d*x/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x))/a**2

$$3.134 \quad \int \frac{(c+dx)^2}{(a+a \cos(e+fx))^2} dx$$

Optimal. Leaf size=212

$$\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f}$$

[Out] $-1/3*I*(d*x+c)^2/a^2/f+4/3*d*(d*x+c)*\ln(1+\exp(I*(f*x+e)))/a^2/f^2-4/3*I*d^2$
 $*\text{polylog}(2,-\exp(I*(f*x+e)))/a^2/f^3-1/3*d*(d*x+c)*\sec(1/2*e+1/2*f*x)^2/a^2/$
 $f^2+2/3*d^2*\tan(1/2*e+1/2*f*x)/a^2/f^3+1/3*(d*x+c)^2*\tan(1/2*e+1/2*f*x)/a^2$
 $/f+1/6*(d*x+c)^2*\sec(1/2*e+1/2*f*x)^2*\tan(1/2*e+1/2*f*x)/a^2/f$

Rubi [A] time = 0.26, antiderivative size = 212, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 9, integrand size = 20, $\frac{\text{number of rules}}{\text{integrand size}} = 0.450$, Rules used = {3318, 4186, 3767, 8, 4184, 3719, 2190, 2279, 2391}

$$\frac{4d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2/(a + a*Cos[e + f*x])^2,x]

[Out] $((-I/3)*(c+d*x)^2)/(a^2*f) + (4*d*(c+d*x)*\text{Log}[1+E^{I*(e+f*x)}])/(3*a^2*f^2) - (((4*I)/3)*d^2*\text{PolyLog}[2,-E^{I*(e+f*x)}])/(a^2*f^3) - (d*(c+d*x)*\text{Sec}[e/2+(f*x)/2]^2)/(3*a^2*f^2) + (2*d^2*\text{Tan}[e/2+(f*x)/2])/(3*a^2*f^3) + ((c+d*x)^2*\text{Tan}[e/2+(f*x)/2])/(3*a^2*f) + ((c+d*x)^2*\text{Sec}[e/2+(f*x)/2]^2*\text{Tan}[e/2+(f*x)/2])/(6*a^2*f)$

Rule 8

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] := Simp[(((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))
]^(n), x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)
, x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3719

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[(
I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*(e
+ f*x)))/(1 + E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]
```

Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^2}{(a+a\cos(e+fx))^2} dx &= \frac{\int (c+dx)^2 \csc^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{4a^2} \\
&= -\frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{6a^2} \\
&= -\frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c+dx)^2 \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} \\
&= -\frac{i(c+dx)^2}{3a^2 f} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^3} + \frac{(c+dx)^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} \\
&= -\frac{i(c+dx)^2}{3a^2 f} + \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^3} \\
&= -\frac{i(c+dx)^2}{3a^2 f} + \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2} + \frac{2d^2 \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^3} \\
&= -\frac{i(c+dx)^2}{3a^2 f} + \frac{4d(c+dx) \log(1+e^{i(e+fx)})}{3a^2 f^2} - \frac{4id^2 \text{Li}_2(-e^{i(e+fx)})}{3a^2 f^3} - \frac{d(c+dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f^2}
\end{aligned}$$

Mathematica [A] time = 1.08, size = 212, normalized size = 1.00

$$2 \cos\left(\frac{1}{2}(e+fx)\right) \left(\sin\left(\frac{1}{2}(e+fx)\right) \left((c^2 f^2 + 2cd f^2 x + d^2 (f^2 x^2 + 2)) \cos(e+fx) + 2(c^2 f^2 + 2cd f^2 x + d^2 (f^2 x^2 + 2)) \sin(e+fx)\right)\right) / (3a^2 f^3 (1 + \cos(e+fx))^2)$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^2/(a + a*Cos[e + f*x])^2,x]

[Out] (2*Cos[(e + f*x)/2]*(-2*d*f*(c + d*x)*Cos[(e + f*x)/2] - (2*I)*f*(c + d*x)*Cos[(e + f*x)/2]^3*(f*(c + d*x) + (4*I)*d*Log[1 + E^(I*(e + f*x))]) - (8*I)*d^2*Cos[(e + f*x)/2]^3*PolyLog[2, -E^(I*(e + f*x))] + (2*(c^2*f^2 + 2*c*d*f^2*x + d^2*(1 + f^2*x^2)) + (c^2*f^2 + 2*c*d*f^2*x + d^2*(2 + f^2*x^2))*Cos[e + f*x])*Sin[(e + f*x)/2])/(3*a^2*f^3*(1 + Cos[e + f*x])^2)

fricas [B] time = 1.22, size = 390, normalized size = 1.84

$$\frac{2d^2fx + 2cdf + 2(d^2fx + cdf)\cos(fx + e) - (2id^2\cos(fx + e))^2 + 4id^2\cos(fx + e) + 2id^2}{\text{Li}_2(-\cos(fx + e))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out]
$$-1/3*(2*d^2*f*x + 2*c*d*f + 2*(d^2*f*x + c*d*f)*\cos(f*x + e) - (2*I*d^2*\cos(f*x + e)^2 + 4*I*d^2*\cos(f*x + e) + 2*I*d^2)*\text{dilog}(-\cos(f*x + e) + I*\sin(f*x + e)) - (-2*I*d^2*\cos(f*x + e)^2 - 4*I*d^2*\cos(f*x + e) - 2*I*d^2)*\text{dilog}(-\cos(f*x + e) - I*\sin(f*x + e)) - 2*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(f*x + e)^2 + 2*(d^2*f*x + c*d*f)*\cos(f*x + e))*\log(\cos(f*x + e) + I*\sin(f*x + e) + 1) - 2*(d^2*f*x + c*d*f + (d^2*f*x + c*d*f)*\cos(f*x + e)^2 + 2*(d^2*f*x + c*d*f)*\cos(f*x + e))*\log(\cos(f*x + e) - I*\sin(f*x + e) + 1) - (2*d^2*f^2*x^2 + 4*c*d*f^2*x + 2*c^2*f^2 + 2*d^2 + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 2*d^2)*\cos(f*x + e))*\sin(f*x + e))/(a^2*f^3*\cos(f*x + e)^2 + 2*a^2*f^3*\cos(f*x + e) + a^2*f^3)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(dx + c)^2}{(a \cos(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] integrate((d*x + c)^2/(a*cos(f*x + e) + a)^2, x)

maple [B] time = 0.35, size = 358, normalized size = 1.69

$$\frac{2i(2id^2fx e^{2i(fx+e)} + 3d^2f^2x^2 e^{i(fx+e)} + 2icdf e^{2i(fx+e)} + 2id^2fx e^{i(fx+e)} + 6cdf^2x e^{i(fx+e)} + d^2f^2x^2 + 2icdf e^{i(fx+e)})}{3f^3a^2(e^{i(fx+e)} + 1)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a+a*cos(f*x+e))^2,x)

[Out]
$$2/3*I*(2*I*d^2*f*x*\exp(2*I*(f*x+e))+3*d^2*f^2*x^2*\exp(I*(f*x+e))+2*I*c*d*f*\exp(2*I*(f*x+e))+2*I*d^2*f*x*\exp(I*(f*x+e))+6*c*d*f^2*x*\exp(I*(f*x+e))+d^2*$$

$$f^2x^2+2Ic*d*f*\exp(I*(f*x+e))+3c^2*f^2*\exp(I*(f*x+e))+2*c*d*f^2*x+c^2*f^2+2*d^2*\exp(2*I*(f*x+e))+4*d^2*\exp(I*(f*x+e))+2*d^2/f^3/a^2/(\exp(I*(f*x+e))+1)^3+4/3/a^2*d/f^2*c*\ln(\exp(I*(f*x+e))+1)-4/3/a^2*d/f^2*c*\ln(\exp(I*(f*x+e))) -2/3*I/a^2*d^2/f*x^2-4/3*I/a^2*d^2/f^2*e*x-2/3*I/a^2*d^2/f^3*e^2+4/3/a^2*d^2/f^2*\ln(\exp(I*(f*x+e))+1)*x-4/3*I*d^2*polylog(2,-\exp(I*(f*x+e)))/a^2/f^3+4/3/a^2*d^2/f^3*e*\ln(\exp(I*(f*x+e)))$$

maxima [B] time = 2.47, size = 772, normalized size = 3.64

$$2c^2f^2 + 4d^2 + (4d^2fx + 4cdf + 4(d^2fx + cdf) \cos(3fx + 3e) + 12(d^2fx + cdf) \cos(2fx + 2e) + 12(d^2fx + cdf) \cos(fx + e) + (4I*d^2*f*x + 4I*c*d*f)*\sin(3*f*x + 3*e) + (12*I*d^2*f*x + 12*I*c*d*f)*\sin(2*f*x + 2*e) + (12*I*d^2*f*x + 12*I*c*d*f)*\sin(f*x + e))*\arctan2(\sin(f*x + e), \cos(f*x + e) + 1) - 2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*\cos(3*f*x + 3*e) - (6*d^2*f^2*x^2 - 4*I*c*d*f - 4*d^2 + 4*(3*c*d*f^2 - I*d^2*f)*x)*\cos(2*f*x + 2*e) + (6*c^2*f^2 + 4*I*d^2*f*x + 4*I*c*d*f + 8*d^2)*\cos(f*x + e) - (4*d^2*\cos(3*f*x + 3*e) + 12*d^2*\cos(2*f*x + 2*e) + 12*d^2*\cos(f*x + e) + 4*I*d^2*\sin(3*f*x + 3*e) + 12*I*d^2*\sin(2*f*x + 2*e) + 12*I*d^2*\sin(f*x + e) + 4*d^2)*\operatorname{dilog}(-e^{(I*f*x + I*e)}) + (-2*I*d^2*f*x - 2*I*c*d*f + (-2*I*d^2*f*x - 2*I*c*d*f)*\cos(3*f*x + 3*e) + (-6*I*d^2*f*x - 6*I*c*d*f)*\cos(2*f*x + 2*e) + (-6*I*d^2*f*x - 6*I*c*d*f)*\cos(f*x + e) + 2*(d^2*f*x + c*d*f)*\sin(3*f*x + 3*e) + 6*(d^2*f*x + c*d*f)*\sin(2*f*x + 2*e) + 6*(d^2*f*x + c*d*f)*\sin(f*x + e))*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) + (-2*I*d^2*f^2*x^2 - 4*I*c*d*f^2*x)*\sin(3*f*x + 3*e) + (-6*I*d^2*f^2*x^2 - 4*c*d*f + 4*I*d^2 + (-12*I*c*d*f^2 - 4*d^2*f)*x)*\sin(2*f*x + 2*e) + (6*I*c^2*f^2 - 4*d^2*f*x - 4*c*d*f + 8*I*d^2)*\sin(f*x + e))/(-3*I*a^2*f^3*\cos(3*f*x + 3*e) - 9*I*a^2*f^3*\cos(2*f*x + 2*e) - 9*I*a^2*f^3*\cos(f*x + e) + 3*a^2*f^3*\sin(3*f*x + 3*e) + 9*a^2*f^3*\sin(2*f*x + 2*e) + 9*a^2*f^3*\sin(f*x + e) - 3*I*a^2*f^3)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] (2*c^2*f^2 + 4*d^2 + (4*d^2*f*x + 4*c*d*f + 4*(d^2*f*x + c*d*f)*cos(3*f*x + 3*e) + 12*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e) + 12*(d^2*f*x + c*d*f)*cos(f*x + e) + (4*I*d^2*f*x + 4*I*c*d*f)*sin(3*f*x + 3*e) + (12*I*d^2*f*x + 12*I*c*d*f)*sin(2*f*x + 2*e) + (12*I*d^2*f*x + 12*I*c*d*f)*sin(f*x + e))*arctan2(sin(f*x + e), cos(f*x + e) + 1) - 2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*cos(3*f*x + 3*e) - (6*d^2*f^2*x^2 - 4*I*c*d*f - 4*d^2 + 4*(3*c*d*f^2 - I*d^2*f)*x)*cos(2*f*x + 2*e) + (6*c^2*f^2 + 4*I*d^2*f*x + 4*I*c*d*f + 8*d^2)*cos(f*x + e) - (4*d^2*cos(3*f*x + 3*e) + 12*d^2*cos(2*f*x + 2*e) + 12*d^2*cos(f*x + e) + 4*I*d^2*sin(3*f*x + 3*e) + 12*I*d^2*sin(2*f*x + 2*e) + 12*I*d^2*sin(f*x + e) + 4*d^2)*dilog(-e^(I*f*x + I*e)) + (-2*I*d^2*f*x - 2*I*c*d*f + (-2*I*d^2*f*x - 2*I*c*d*f)*cos(3*f*x + 3*e) + (-6*I*d^2*f*x - 6*I*c*d*f)*cos(2*f*x + 2*e) + (-6*I*d^2*f*x - 6*I*c*d*f)*cos(f*x + e) + 2*(d^2*f*x + c*d*f)*sin(3*f*x + 3*e) + 6*(d^2*f*x + c*d*f)*sin(2*f*x + 2*e) + 6*(d^2*f*x + c*d*f)*sin(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 + 2*cos(f*x + e) + 1) + (-2*I*d^2*f^2*x^2 - 4*I*c*d*f^2*x)*sin(3*f*x + 3*e) + (-6*I*d^2*f^2*x^2 - 4*c*d*f + 4*I*d^2 + (-12*I*c*d*f^2 - 4*d^2*f)*x)*sin(2*f*x + 2*e) + (6*I*c^2*f^2 - 4*d^2*f*x - 4*c*d*f + 8*I*d^2)*sin(f*x + e))/(-3*I*a^2*f^3*cos(3*f*x + 3*e) - 9*I*a^2*f^3*cos(2*f*x + 2*e) - 9*I*a^2*f^3*cos(f*x + e) + 3*a^2*f^3*sin(3*f*x + 3*e) + 9*a^2*f^3*sin(2*f*x + 2*e) + 9*a^2*f^3*sin(f*x + e) - 3*I*a^2*f^3)

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^2/(a + a*cos(e + f*x))^2,x)

[Out] \text{Hanged}

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^2}{\cos^2(e+fx)+2\cos(e+fx)+1} dx + \int \frac{d^2x^2}{\cos^2(e+fx)+2\cos(e+fx)+1} dx + \int \frac{2cdx}{\cos^2(e+fx)+2\cos(e+fx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)**2/(a+a*cos(f*x+e))**2,x)

[Out] (Integral(c**2/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x) + Integral(d**2*x**2/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x) + Integral(2*c*d*x/(cos(e + f*x)**2 + 2*cos(e + f*x) + 1), x))/a**2

$$3.135 \quad \int \frac{c+dx}{(a+a \cos(e+fx))^2} dx$$

Optimal. Leaf size=123

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2 f^2}$$

[Out] $2/3*d*\ln(\cos(1/2*e+1/2*f*x))/a^2/f^2-1/6*d*\sec(1/2*e+1/2*f*x)^2/a^2/f^2+1/3*(d*x+c)*\tan(1/2*e+1/2*f*x)/a^2/f+1/6*(d*x+c)*\sec(1/2*e+1/2*f*x)^2*\tan(1/2*e+1/2*f*x)/a^2/f$

Rubi [A] time = 0.09, antiderivative size = 123, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3318, 4185, 4184, 3475}

$$\frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c+dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} + \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2 f^2}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a + a*Cos[e + f*x])^2, x]

[Out] $(2*d*\text{Log}[\text{Cos}[e/2 + (f*x)/2]])/(3*a^2*f^2) - (d*\text{Sec}[e/2 + (f*x)/2]^2)/(6*a^2*f^2) + ((c + d*x)*\text{Tan}[e/2 + (f*x)/2])/(3*a^2*f) + ((c + d*x)*\text{Sec}[e/2 + (f*x)/2]^2*\text{Tan}[e/2 + (f*x)/2])/(6*a^2*f)$

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 4185

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :=
  -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x
], x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]
```

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{(a + a \cos(e + fx))^2} dx &= \frac{\int (c + dx) \csc^4\left(\frac{e+\pi}{2} + \frac{fx}{2}\right) dx}{4a^2} \\ &= -\frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} + \frac{(c + dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} + \frac{\int (c + dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2} \\ &= -\frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} + \frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c + dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f} \\ &= \frac{2d \log\left(\cos\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{3a^2 f^2} - \frac{d \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2 f^2} + \frac{(c + dx) \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{3a^2 f} + \frac{(c + dx) \sec^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2} \end{aligned}$$

Mathematica [A] time = 0.52, size = 113, normalized size = 0.92

$$\frac{\cos\left(\frac{1}{2}(e + fx)\right) \left(f(c + dx) \left(3 \sin\left(\frac{1}{2}(e + fx)\right) + \sin\left(\frac{3}{2}(e + fx)\right)\right) + 2d \cos\left(\frac{3}{2}(e + fx)\right) \log\left(\cos\left(\frac{1}{2}(e + fx)\right)\right) + 2d \cos\left(\frac{3}{2}(e + fx)\right)\right)}{3a^2 f^2 (\cos(e + fx) + 1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a + a*Cos[e + f*x])^2,x]

[Out] (Cos[(e + f*x)/2]*(2*d*Cos[(3*(e + f*x))/2]*Log[Cos[(e + f*x)/2]] + 2*d*Cos[(e + f*x)/2]*(-1 + 3*Log[Cos[(e + f*x)/2]])) + f*(c + d*x)*(3*Sin[(e + f*x)/2] + Sin[(3*(e + f*x))/2]))/(3*a^2*f^2*(1 + Cos[e + f*x])^2)

fricas [A] time = 0.55, size = 118, normalized size = 0.96

$$\frac{d \cos(fx + e) - \left(d \cos(fx + e)\right)^2 + 2d \cos(fx + e) + d \log\left(\frac{1}{2} \cos(fx + e) + \frac{1}{2}\right) - (2dfx + 2cf + (dfx + c))}{3\left(a^2 f^2 \cos(fx + e)\right)^2 + 2a^2 f^2 \cos(fx + e) + a^2 f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] $-1/3*(d*\cos(f*x + e) - (d*\cos(f*x + e)^2 + 2*d*\cos(f*x + e) + d)*\log(1/2*\cos(f*x + e) + 1/2) - (2*d*f*x + 2*c*f + (d*f*x + c*f)*\cos(f*x + e))*\sin(f*x + e) + d)/(a^2*f^2*\cos(f*x + e)^2 + 2*a^2*f^2*\cos(f*x + e) + a^2*f^2)$

giac [B] time = 3.03, size = 757, normalized size = 6.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] $-1/6*(3*d*f*x*\tan(1/2*f*x)^3*\tan(1/2*e)^2 + 3*d*f*x*\tan(1/2*f*x)^2*\tan(1/2*e)^3 - 2*d*\log(4*(\tan(1/2*f*x)^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1))*\tan(1/2*f*x)^3*\tan(1/2*e)^3 + 3*c*f*\tan(1/2*f*x)^3*\tan(1/2*e)^2 + 3*c*f*\tan(1/2*f*x)^2*\tan(1/2*e)^3 + d*\tan(1/2*f*x)^3*\tan(1/2*e)^3 + d*f*x*\tan(1/2*f*x)^3 - 3*d*f*x*\tan(1/2*f*x)^2*\tan(1/2*e) - 3*d*f*x*\tan(1/2*f*x)*\tan(1/2*e)^2 + 6*d*\log(4*(\tan(1/2*f*x)^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1))*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + d*f*x*\tan(1/2*e)^3 + c*f*\tan(1/2*f*x)^3 - 3*c*f*\tan(1/2*f*x)^2*\tan(1/2*e) + d*\tan(1/2*f*x)^3*\tan(1/2*e) - 3*c*f*\tan(1/2*f*x)*\tan(1/2*e)^2 - d*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + c*f*\tan(1/2*e)^3 + d*\tan(1/2*f*x)*\tan(1/2*e)^3 + 3*d*f*x*\tan(1/2*f*x) + 3*d*f*x*\tan(1/2*e) - 6*d*\log(4*(\tan(1/2*f*x)^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1))*\tan(1/2*f*x)*\tan(1/2*e) + 3*c*f*\tan(1/2*f*x) - d*\tan(1/2*f*x)^2 + 3*c*f*\tan(1/2*e) + d*\tan(1/2*f*x)*\tan(1/2*e) - d*\tan(1/2*e)^2 + 2*d*\log(4*(\tan(1/2*f*x)^4*\tan(1/2*e)^2 - 2*\tan(1/2*f*x)^3*\tan(1/2*e) + \tan(1/2*f*x)^2*\tan(1/2*e)^2 + \tan(1/2*f*x)^2 - 2*\tan(1/2*f*x)*\tan(1/2*e) + 1)/(\tan(1/2*e)^2 + 1)) - d)/(a^2*f^2*\tan(1/2*f*x)^3*\tan(1/2*e)^3 - 3*a^2*f^2*\tan(1/2*f*x)^2*\tan(1/2*e)^2 + 3*a^2*f^2*\tan(1/2*f*x)*\tan(1/2*e) - a^2*f^2)$

maple [A] time = 0.18, size = 123, normalized size = 1.00

$$\frac{c \left(\tan^3 \left(\frac{e}{2} + \frac{fx}{2} \right) \right)}{6a^2f} + \frac{c \tan \left(\frac{e}{2} + \frac{fx}{2} \right)}{2a^2f} - \frac{d \left(\tan^2 \left(\frac{e}{2} + \frac{fx}{2} \right) \right)}{6a^2f^2} + \frac{xd \tan \left(\frac{e}{2} + \frac{fx}{2} \right)}{2a^2f} + \frac{xd \left(\tan^3 \left(\frac{e}{2} + \frac{fx}{2} \right) \right)}{6a^2f} - \frac{d \ln \left(1 + \tan^2 \left(\frac{e}{2} + \frac{fx}{2} \right) \right)}{3a^2f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a+a*cos(f*x+e))^2,x)

[Out] $1/6/a^2*c/f*\tan(1/2*e+1/2*f*x)^3+1/2/a^2*c/f*\tan(1/2*e+1/2*f*x)-1/6/a^2*d/f^2*\tan(1/2*e+1/2*f*x)^2+1/2/a^2/f*x*d*\tan(1/2*e+1/2*f*x)+1/6/a^2/f*x*d*\tan(1/2*e+1/2*f*x)^3-1/3/a^2*d/f^2*\ln(1+\tan(1/2*e+1/2*f*x)^2)$

maxima [B] time = 0.99, size = 763, normalized size = 6.20

$$2\left(2(3(fx+e)\sin(fx+e)+\cos(2fx+2e)+\cos(fx+e))\cos(3fx+3e)+2(9(fx+e)\sin(fx+e)+6\cos(fx+e)+1)\cos(2fx+2e)+6\cos(2fx+2e)^2+6\cos(fx+e)^2\right)/f$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="maxima")`

[Out] $-1/6*(2*(2*(3*(f*x + e)*\sin(f*x + e) + \cos(2*f*x + 2*e) + \cos(f*x + e))*\cos(3*f*x + 3*e) + 2*(9*(f*x + e)*\sin(f*x + e) + 6*\cos(f*x + e) + 1)*\cos(2*f*x + 2*e) + 6*\cos(2*f*x + 2*e)^2 + 6*\cos(f*x + e)^2 - (2*(3*\cos(2*f*x + 2*e) + 3*\cos(f*x + e) + 1)*\cos(3*f*x + 3*e) + \cos(3*f*x + 3*e)^2 + 6*(3*\cos(f*x + e) + 1)*\cos(2*f*x + 2*e) + 9*\cos(2*f*x + 2*e)^2 + 9*\cos(f*x + e)^2 + 6*(\sin(2*f*x + 2*e) + \sin(f*x + e))*\sin(3*f*x + 3*e) + \sin(3*f*x + 3*e)^2 + 9*\sin(2*f*x + 2*e)^2 + 18*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*\sin(f*x + e)^2 + 6*\cos(f*x + e) + 1)*\log(\cos(f*x + e)^2 + \sin(f*x + e)^2 + 2*\cos(f*x + e) + 1) - 2*(f*x + 3*(f*x + e)*\cos(f*x + e) + e - \sin(2*f*x + 2*e) - \sin(f*x + e))*\sin(3*f*x + 3*e) - 6*(f*x + 3*(f*x + e)*\cos(f*x + e) + e - 2*\sin(f*x + e))*\sin(2*f*x + 2*e) + 6*\sin(2*f*x + 2*e)^2 + 6*\sin(f*x + e)^2 + 2*\cos(f*x + e))*d/(a^2*f*\cos(3*f*x + 3*e)^2 + 9*a^2*f*\cos(2*f*x + 2*e)^2 + 9*a^2*f*\cos(f*x + e)^2 + a^2*f*\sin(3*f*x + 3*e)^2 + 9*a^2*f*\sin(2*f*x + 2*e)^2 + 18*a^2*f*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*a^2*f*\sin(f*x + e)^2 + 6*a^2*f*\cos(f*x + e) + a^2*f + 2*(3*a^2*f*\cos(2*f*x + 2*e) + 3*a^2*f*\cos(f*x + e) + a^2*f)*\cos(3*f*x + 3*e) + 6*(3*a^2*f*\cos(f*x + e) + a^2*f)*\cos(2*f*x + 2*e) + 6*(a^2*f*\sin(2*f*x + 2*e) + a^2*f*\sin(f*x + e))*\sin(3*f*x + 3*e)) - c*(3*\sin(f*x + e)/(\cos(f*x + e) + 1) + \sin(f*x + e)^3/(\cos(f*x + e) + 1)^3)/a^2 + d*e*(3*\sin(f*x + e)/(\cos(f*x + e) + 1) + \sin(f*x + e)^3/(\cos(f*x + e) + 1)^3)/(a^2*f))/f$

mupad [B] time = 4.29, size = 175, normalized size = 1.42

$$\frac{2d \ln(e^{e^{1i}} e^{f x^{1i}} + 1)}{3a^2 f^2} + \frac{(cf + dfx - d1i) 2i}{3a^2 f^2 (2e^{e^{1i+fx^{1i}}} + e^{e^{2i+fx^{2i}}} + 1)} - \frac{dx 2i}{3a^2 f} - \frac{2d}{3a^2 f^2 (e^{e^{1i+fx^{1i}}} + 1)} + \frac{e^{e^{1i}}}{3a^2 f (3e^{e^{1i+fx^{1i}}} + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a + a*cos(e + f*x))^2,x)`

```
[Out] (2*d*log(exp(e*1i)*exp(f*x*1i) + 1))/(3*a^2*f^2) + ((c*f - d*1i + d*f*x)*2i
)/(3*a^2*f^2*(2*exp(e*1i + f*x*1i) + exp(e*2i + f*x*2i) + 1)) - (d*x*2i)/(3
*a^2*f) - (2*d)/(3*a^2*f^2*(exp(e*1i + f*x*1i) + 1)) + (exp(e*1i + f*x*1i)*
(c + d*x)*4i)/(3*a^2*f*(3*exp(e*1i + f*x*1i) + 3*exp(e*2i + f*x*2i) + exp(e
*3i + f*x*3i) + 1))
```

sympy [A] time = 1.09, size = 146, normalized size = 1.19

$$\left\{ \begin{array}{l} \frac{c \tan^3\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{c \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f} + \frac{dx \tan^3\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f} + \frac{dx \tan\left(\frac{e}{2} + \frac{fx}{2}\right)}{2a^2f} - \frac{d \log\left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{3a^2f^2} - \frac{d \tan^2\left(\frac{e}{2} + \frac{fx}{2}\right)}{6a^2f^2} \quad \text{for } f \neq 0 \\ \frac{cx + \frac{dx^2}{2}}{(a \cos(e) + a)^2} \quad \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((d*x+c)/(a+a*cos(f*x+e))**2,x)
```

```
[Out] Piecewise((c*tan(e/2 + f*x/2)**3/(6*a**2*f) + c*tan(e/2 + f*x/2)/(2*a**2*f)
+ d*x*tan(e/2 + f*x/2)**3/(6*a**2*f) + d*x*tan(e/2 + f*x/2)/(2*a**2*f) - d
*log(tan(e/2 + f*x/2)**2 + 1)/(3*a**2*f**2) - d*tan(e/2 + f*x/2)**2/(6*a**2
*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(a*cos(e) + a)**2, True))
```

$$3.136 \quad \int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{1}{(c+dx)(a \cos(e+fx)+a)^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a+a*cos(f*x+e))^2, x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c+d*x)*(a+a*Cos[e+f*x])^2), x]

[Out] Defer[Int][1/((c+d*x)*(a+a*Cos[e+f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx = \int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx$$

Mathematica [A] time = 12.17, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)(a+a \cos(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c+d*x)*(a+a*Cos[e+f*x])^2), x]

[Out] Integrate[1/((c+d*x)*(a+a*Cos[e+f*x])^2), x]

fricas [A] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{a^2 dx + a^2 c + (a^2 dx + a^2 c) \cos(fx + e)^2 + 2(a^2 dx + a^2 c) \cos(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*d*x + a^2*c + (a^2*d*x + a^2*c)*cos(f*x + e)^2 + 2*(a^2*d*x + a^2*c)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)(a \cos(fx + e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)*(a*cos(f*x + e) + a)^2), x)

maple [A] time = 2.54, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)(a + a \cos(fx + e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a+a*cos(f*x+e))^2,x)

[Out] int(1/(d*x+c)/(a+a*cos(f*x+e))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] 1/3*(6*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + 6*(d^2*f*x + c*d*f)*cos(f*x + e)^2 + 6*(d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 4*d^2*sin(f*x + e) + 6*(d^2*f*x + c*d*f)*sin(f*x + e)^2 - 2*(2*d^2*sin(2*f*x + 2*e) - (d^2*f*x + c*d*f)*cos(2*f*x + 2*e) - (d^2*f*x + c*d*f)*cos(f*x + e) + (3*d^2*f^2*x^2 + 6*c*d*f^2*x + 3*c^2*f^2 + 4*d^2)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(d^2*f*x + c*d*f + 6*(d^2*f*x + c*d*f)*cos(f*x + e) - 3*(3*d^2*f^2*x^2 + 6*c*d*f^2*x + 3*c^2*f^2 + 2*d^2)*sin(f*x + e))*cos(2*f*x + 2*e) + 2*(d^2*f*x + c*d*f)*cos(f*x + e) + 3*(a^2*d^3*f^3*x^3 + 3*a^2*c*d^2*f^3*x^2 + 3*a^2*c^2*d*f^3*x + a^2*c^3*f^3 + (a^2*d^3*f^3*x^3 + 3*a^2*c*d^2*f^3*x^2 + 3*a^2*c^2*d*f^3*x + a^2*c^3*f^3))*cos(3*f*x + 3*e)^2 + 9*(a^2*d^3*f^3*x^3 + 3*a^2*c*d^2*f^3*x^2 + 3*a^2*c^2*d*f^3*x + a^2*c^3*f^3)*cos(2*f*x + 2*e)^2 + 9*(a^2*d^3*f^3*x^3 + 3*a^2*c*d^2*f^3*x^2 + 3*a^2*c^2*d*f^3*x + a^2*c^3*f^3)*cos(f*x + e)^2 +

$$\begin{aligned}
& (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \sin(3fx + 3e)^2 + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \sin(2fx + 2e)^2 + 18(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \sin(2fx + 2e) * \sin(fx + e) + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \sin(fx + e)^2 + 2(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(2fx + 2e) + 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(fx + e) * \cos(3fx + 3e) + 6(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(fx + e) * \cos(2fx + 2e) + 6(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(fx + e) + 6((a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \sin(2fx + 2e) + (\\
& a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \sin(fx + e)) * \sin(3fx + 3e) * \\
& \int (2/3(d^3f^2x^2 + 2cd^2f^2x + c^2df^2 + 6d^3) * \sin(fx + e) / (a^2d^4f^3x^4 + 4a^2cd^3f^3x^3 + 6a^2c^2d^2f^3x^2 + \\
& 4a^2c^3df^3x + a^2c^4f^3 + (a^2d^4f^3x^4 + 4a^2cd^3f^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) * \\
& \cos(fx + e)^2 + (a^2d^4f^3x^4 + 4a^2cd^3f^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) * \sin(fx + e)^2 + \\
& 2(a^2d^4f^3x^4 + 4a^2cd^3f^3x^3 + 6a^2c^2d^2f^3x^2 + 4a^2c^3df^3x + a^2c^4f^3) * \cos(fx + e)), x) + 2(d^2f^2x^2 + \\
& 2cdf^2x + c^2f^2 + 2d^2 * \cos(2fx + 2e) + 2d^2 + (3d^2f^2x^2 + 6cdf^2x + 3c^2f^2 + 4d^2) * \cos(fx + e) + \\
& (d^2fx + cdf) * \sin(2fx + 2e) + (d^2fx + cdf) * \sin(fx + e)) * \sin(3fx + 3e) + 2(3d^2f^2x^2 + 6cdf^2x + \\
& 3c^2f^2 + 4d^2 + 3(3d^2f^2x^2 + 6cdf^2x + 3c^2f^2 + 2d^2) * \cos(fx + e) + 6(d^2fx + cdf) * \sin(fx + e)) * \\
& \sin(2fx + 2e) / (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3 + (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + \\
& 3a^2c^2df^3x + a^2c^3f^3) * \cos(3fx + 3e)^2 + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(2fx + 2e)^2 + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \cos(fx + e)^2 + (a^2d^3f^3x^3 + \\
& 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \sin(3fx + 3e)^2 + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + \\
& a^2c^3f^3) * \sin(2fx + 2e)^2 + 18(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \sin(2fx + 2e) * \\
& \sin(fx + e) + 9(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \sin(fx + e)^2 + 2(a^2d^3f^3x^3 + \\
& 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3 + 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \\
& \cos(2fx + 2e) + 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3) * \cos(fx + e)) * \cos(3fx + 3e) + \\
& 6(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3 + 3(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + \\
& a^2c^3f^3) * \cos(fx + e)) * \cos(2fx + 2e) + 6(a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3)
\end{aligned}$$

) $\cos(fx + e) + 6*((a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3)\sin(2fx + 2e) + (a^2d^3f^3x^3 + 3a^2cd^2f^3x^2 + 3a^2c^2df^3x + a^2c^3f^3)\sin(fx + e))\sin(3fx + 3e)$

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a + a \cos(e + fx))^2 (c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/((a + a*cos(e + f*x))^2*(c + d*x)), x)`

[Out] `int(1/((a + a*cos(e + f*x))^2*(c + d*x)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{c \cos^2(e+fx)+2c \cos(e+fx)+c+dx \cos^2(e+fx)+2dx \cos(e+fx)+dx} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(d*x+c)/(a+a*cos(f*x+e))**2,x)`

[Out] `Integral(1/(c*cos(e + f*x)**2 + 2*c*cos(e + f*x) + c + d*x*cos(e + f*x)**2 + 2*d*x*cos(e + f*x) + d*x), x)/a**2`

$$3.137 \quad \int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx$$

Optimal. Leaf size=23

$$\text{Int}\left(\frac{1}{(c+dx)^2(a \cos(e+fx)+a)^2}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a+a*cos(f*x+e))^2, x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a + a*Cos[e + f*x])^2), x]

[Out] Defer[Int][1/((c + d*x)^2*(a + a*Cos[e + f*x])^2), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx = \int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx$$

Mathematica [A] time = 12.78, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)^2(a+a \cos(e+fx))^2} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a + a*Cos[e + f*x])^2), x]

[Out] Integrate[1/((c + d*x)^2*(a + a*Cos[e + f*x])^2), x]

fricas [A] time = 1.08, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{a^2d^2x^2 + 2a^2cdx + a^2c^2 + (a^2d^2x^2 + 2a^2cdx + a^2c^2) \cos(fx + e)^2 + 2(a^2d^2x^2 + 2a^2cdx + a^2c^2) \cos}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="fricas")

[Out] integral(1/(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2 + (a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*cos(f*x + e)^2 + 2*(a^2*d^2*x^2 + 2*a^2*c*d*x + a^2*c^2)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx+c)^2 (a \cos(fx+e) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="giac")

[Out] integrate(1/((d*x + c)^2*(a*cos(f*x + e) + a)^2), x)

maple [A] time = 3.26, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx+c)^2 (a + a \cos(fx+e))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a+a*cos(f*x+e))^2,x)

[Out] int(1/(d*x+c)^2/(a+a*cos(f*x+e))^2,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a+a*cos(f*x+e))^2,x, algorithm="maxima")

[Out] 1/3*(12*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e)^2 + 12*(d^2*f*x + c*d*f)*cos(f*x + e)^2 + 12*(d^2*f*x + c*d*f)*sin(2*f*x + 2*e)^2 + 12*d^2*sin(f*x + e) + 12*(d^2*f*x + c*d*f)*sin(f*x + e)^2 - 2*(6*d^2*sin(2*f*x + 2*e) - 2*(d^2*f*x + c*d*f)*cos(2*f*x + 2*e) - 2*(d^2*f*x + c*d*f)*cos(f*x + e) + 3*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 4*d^2)*sin(f*x + e))*cos(3*f*x + 3*e) + 2*(2*d^2*f*x + 2*c*d*f + 12*(d^2*f*x + c*d*f)*cos(f*x + e) - 9*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 2*d^2)*sin(f*x + e))*cos(2*f*x + 2*e) + 4*(d^2*f*x + c*d*f)*cos(f*x + e) + 3*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3 + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*cos(3*f*x + 3*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*cos(3*f*x + 3*e)

$$\begin{aligned}
&^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(2*f*x + 2*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e)^2 + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(3*f*x + 3*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(2*f*x + 2*e)^2 + 18*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(2*f*x + 2*e)*\sin(f*x + e) + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(f*x + e)^2 + 2*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3 + 3*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(2*f*x + 2*e) + 3*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e))*\cos(3*f*x + 3*e) + 6*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3 + 3*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e))*\cos(2*f*x + 2*e) + 6*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e) + 6*((a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(2*f*x + 2*e) + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(f*x + e))*\sin(3*f*x + 3*e))*\integrate(4/3*(d^3*f^2*x^2 + 2*c*d^2*f^2*x + c^2*d*f^2 + 12*d^3)*\sin(f*x + e)/(a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x + a^2*c^5*f^3 + (a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x + a^2*c^5*f^3)*\cos(f*x + e)^2 + (a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x + a^2*c^5*f^3)*\sin(f*x + e)^2 + 2*(a^2*d^5*f^3*x^5 + 5*a^2*c*d^4*f^3*x^4 + 10*a^2*c^2*d^3*f^3*x^3 + 10*a^2*c^3*d^2*f^3*x^2 + 5*a^2*c^4*d*f^3*x + a^2*c^5*f^3)*\cos(f*x + e)), x) + 2*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 6*d^2*\cos(2*f*x + 2*e) + 6*d^2 + 3*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 4*d^2)*\cos(f*x + e) + 2*(d^2*f*x + c*d*f)*\sin(2*f*x + 2*e) + 2*(d^2*f*x + c*d*f)*\sin(f*x + e))*\sin(3*f*x + 3*e) + 6*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 4*d^2 + 3*(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 2*d^2)*\cos(f*x + e) + 4*(d^2*f*x + c*d*f)*\sin(f*x + e))*\sin(2*f*x + 2*e))/(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3 + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(3*f*x + 3*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(2*f*x + 2*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\cos(f*x + e)^2 + (a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(3*f*x + 3*e)^2 + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*\sin(2*f*x + 2*e)^2 + 18*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3
\end{aligned}$$

```
*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*sin(2*f
*x + 2*e)*sin(f*x + e) + 9*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c
^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*sin(f*x + e)^2 + 2*(a^2*d
^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*
x + a^2*c^4*f^3 + 3*(a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*
f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*cos(2*f*x + 2*e) + 3*(a^2*d^4*f
^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a
^2*c^4*f^3)*cos(f*x + e))*cos(3*f*x + 3*e) + 6*(a^2*d^4*f^3*x^4 + 4*a^2*c*d
^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3 + 3*(a
^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*
f^3*x + a^2*c^4*f^3)*cos(f*x + e))*cos(2*f*x + 2*e) + 6*(a^2*d^4*f^3*x^4 +
4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f
^3)*cos(f*x + e) + 6*((a^2*d^4*f^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d
^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x + a^2*c^4*f^3)*sin(2*f*x + 2*e) + (a^2*d^4*f
^3*x^4 + 4*a^2*c*d^3*f^3*x^3 + 6*a^2*c^2*d^2*f^3*x^2 + 4*a^2*c^3*d*f^3*x +
^2*c^4*f^3)*sin(f*x + e))*sin(3*f*x + 3*e))
```

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a + a \cos(e + f x))^2 (c + d x)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a + a*cos(e + f*x))^2*(c + d*x)^2), x)

[Out] int(1/((a + a*cos(e + f*x))^2*(c + d*x)^2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{c^2 \cos^2(e+fx) + 2c^2 \cos(e+fx) + c^2 + 2cdx \cos^2(e+fx) + 4cdx \cos(e+fx) + 2cdx + d^2x^2 \cos^2(e+fx) + 2d^2x^2 \cos(e+fx) + d^2x^2} dx$$

$$a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a+a*cos(f*x+e))**2,x)

[Out] Integral(1/(c**2*cos(e + f*x)**2 + 2*c**2*cos(e + f*x) + c**2 + 2*c*d*x*cos(e + f*x)**2 + 4*c*d*x*cos(e + f*x) + 2*c*d*x + d**2*x**2*cos(e + f*x)**2 + 2*d**2*x**2*cos(e + f*x) + d**2*x**2), x)/a**2

$$3.138 \quad \int \frac{(c+dx)^3}{a-a \cos(e+fx)} dx$$

Optimal. Leaf size=133

$$-\frac{12id^2(c+dx)\text{Li}_2(e^{i(e+fx)})}{af^3} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^3}{af} + \frac{12d^3\text{Li}_3(e^{i(e+fx)})}{af^4}$$

[Out] $-I*(d*x+c)^3/a/f-(d*x+c)^3*\cot(1/2*e+1/2*f*x)/a/f+6*d*(d*x+c)^2*\ln(1-\exp(I*(f*x+e)))/a/f^2-12*I*d^2*(d*x+c)*\text{polylog}(2,\exp(I*(f*x+e)))/a/f^3+12*d^3*\text{polylog}(3,\exp(I*(f*x+e)))/a/f^4$

Rubi [A] time = 0.28, antiderivative size = 133, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 7, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3318, 4184, 3717, 2190, 2531, 2282, 6589}

$$-\frac{12id^2(c+dx)\text{Li}_2(e^{i(e+fx)})}{af^3} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^3}{af} + \frac{12d^3\text{Li}_3(e^{i(e+fx)})}{af^4}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(c + d*x)^3/(a - a*\text{Cos}[e + f*x]),x]$

[Out] $((-I)*(c + d*x)^3)/(a*f) - ((c + d*x)^3*\text{Cot}[e/2 + (f*x)/2])/(a*f) + (6*d*(c + d*x)^2*\text{Log}[1 - E^(I*(e + f*x))])/(a*f^2) - ((12*I)*d^2*(c + d*x)*\text{PolyLog}[2, E^(I*(e + f*x))])/(a*f^3) + (12*d^3*\text{PolyLog}[3, E^(I*(e + f*x))])/(a*f^4)$

Rule 2190

$\text{Int}[(((F_)^\wedge((g_) * ((e_) + (f_) * (x_)))^\wedge(n_) * ((c_) + (d_) * (x_))^\wedge(m_)) / ((a_) + (b_) * ((F_)^\wedge((g_) * ((e_) + (f_) * (x_)))^\wedge(n_))), x_Symbol] \rightarrow \text{Simp} [((c + d*x)^\wedge m * \text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a]] / (b*f*g*n*\text{Log}[F]), x] - \text{Dist} [(d*m) / (b*f*g*n*\text{Log}[F]), \text{Int} [(c + d*x)^\wedge(m - 1) * \text{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n)/a], x], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \&\& \text{IGtQ}[m, 0]$

Rule 2282

$\text{Int}[u, x_Symbol] \rightarrow \text{With}\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_))^\wedge(m_)] /; \text{FreeQ}\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n] \&\& !\text{MatchQ}[u, E^\wedge((c_)*((a_) + (b_)*x))* (F_)[v_] /; \text{FreeQ}\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3318

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.)
, x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 +
(f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2
, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3717

```
Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol
] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[(c + d*x)^
m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x],
x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]
```

Rule 4184

```
Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Sim
p[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Co
t[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{(c+dx)^3}{a-a\cos(e+fx)} dx &= \frac{\int (c+dx)^3 \csc^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{2a} \\
&= -\frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(3d) \int (c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(6id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)} (c+dx)^2}{1-e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{(12d^2) \int (c+dx) dx}{af^3} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx)}{af^3} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx)}{af^3} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx)}{af^3} \\
&= -\frac{i(c+dx)^3}{af} - \frac{(c+dx)^3 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{6d(c+dx)^2 \log(1-e^{i(e+fx)})}{af^2} - \frac{12id^2(c+dx)}{af^3}
\end{aligned}$$

Mathematica [A] time = 1.25, size = 164, normalized size = 1.23

$$\frac{2 \sin\left(\frac{1}{2}(e+fx)\right) \left(f^3 \csc\left(\frac{e}{2}\right) (c+dx)^3 \sin\left(\frac{fx}{2}\right) + 2 \sin\left(\frac{1}{2}(e+fx)\right) \left(6id^2 f(c+dx) \text{Li}_2\left(e^{-i(e+fx)}\right) - \frac{if^3(c+dx)^3}{-1+e^{ie}} + 3d \right) \right)}{f^4(a-a\cos(e+fx))}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)^3/(a - a*Cos[e + f*x]),x]

[Out] (2*Sin[(e + f*x)/2]*(f^3*(c + d*x)^3*Csc[e/2]*Sin[(f*x)/2] + 2*((-I)*f^3*(c + d*x)^3)/(-1 + E^(I*e)) + 3*d*f^2*(c + d*x)^2*Log[1 - E^((-I)*(e + f*x))] + (6*I)*d^2*f*(c + d*x)*PolyLog[2, E^((-I)*(e + f*x))] + 6*d^3*PolyLog[3, E^((-I)*(e + f*x))])*Sin[(e + f*x)/2])/f^4*(a - a*Cos[e + f*x]))

fricas [C] time = 0.83, size = 467, normalized size = 3.51

$$d^3 f^3 x^3 + 3 c d^2 f^3 x^2 + 3 c^2 d f^3 x + c^3 f^3 - 6 d^3 \operatorname{polylog}(3, \cos(fx + e) + i \sin(fx + e)) \sin(fx + e) - 6 d^3 \operatorname{polylog}(3, \cos(fx + e) - i \sin(fx + e)) \sin(fx + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a-a*cos(f*x+e)),x, algorithm="fricas")

[Out] $-(d^3 f^3 x^3 + 3 c d^2 f^3 x^2 + 3 c^2 d f^3 x + c^3 f^3 - 6 d^3 \operatorname{polylog}(3, \cos(fx + e) + I \sin(fx + e)) \sin(fx + e) - 6 d^3 \operatorname{polylog}(3, \cos(fx + e) - I \sin(fx + e)) \sin(fx + e) - (-6 I d^3 f x - 6 I c d^2 f) \operatorname{dilog}(\cos(fx + e) + I \sin(fx + e)) \sin(fx + e) - (6 I d^3 f x + 6 I c d^2 f) \operatorname{dilog}(\cos(fx + e) - I \sin(fx + e)) \sin(fx + e) - 3(d^3 e^2 - 2 c d^2 e f + c^2 d f^2) \log(-1/2 \cos(fx + e) + 1/2 I \sin(fx + e) + 1/2) \sin(fx + e) - 3(d^3 e^2 - 2 c d^2 e f + c^2 d f^2) \log(-1/2 \cos(fx + e) - 1/2 I \sin(fx + e) + 1/2) \sin(fx + e) - 3(d^3 f^2 x^2 + 2 c d^2 f^2 x - d^3 e^2 + 2 c d^2 e f) \log(-\cos(fx + e) + I \sin(fx + e) + 1) \sin(fx + e) - 3(d^3 f^2 x^2 + 2 c d^2 f^2 x - d^3 e^2 + 2 c d^2 e f) \log(-\cos(fx + e) - I \sin(fx + e) + 1) \sin(fx + e) + (d^3 f^3 x^3 + 3 c d^2 f^3 x^2 + 3 c^2 d f^3 x + c^3 f^3) \cos(fx + e) / (a f^4 \sin(fx + e))$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(dx+c)^3}{a \cos(fx+e)-a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a-a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(-(d*x + c)^3/(a*cos(f*x + e) - a), x)

maple [B] time = 0.16, size = 468, normalized size = 3.52

$$\frac{6 i d^2 c e^2}{a f^3} - \frac{6 d c^2 \ln\left(e^{i(fx+e)}\right)}{a f^2} + \frac{6 d c^2 \ln\left(e^{i(fx+e)} - 1\right)}{a f^2} - \frac{6 d^3 e^2 \ln\left(e^{i(fx+e)}\right)}{a f^4} + \frac{6 d^3 e^2 \ln\left(e^{i(fx+e)} - 1\right)}{a f^4} - \frac{12 i d^2 c e x}{a f^2} - \frac{2 i d^3 e^2}{a f^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^3/(a-a*cos(f*x+e)),x)

[Out] $-12 I / a d^3 / f^3 \operatorname{polylog}(2, \exp(I(fx+e))) x - 6 / a / f^2 d c^2 \ln(\exp(I(fx+e))) + 6 / a d / f^2 c^2 \ln(\exp(I(fx+e)) - 1) - 6 / a / f^4 d^3 e^2 \ln(\exp(I(fx+e))) + 6 / a$


```
*d^3/f^4*e^2*ln(exp(I*(f*x+e))-1)-6*I/a/f^3*d^2*c*e^2-12*I/a/f^2*d^2*c*e*x-
12*I/a*d^2/f^3*c*polylog(2,exp(I*(f*x+e)))-2*I*(d^3*x^3+3*c*d^2*x^2+3*c^2*d
*x+c^3)/f/a/(exp(I*(f*x+e))-1)+6/a*d^3/f^2*ln(1-exp(I*(f*x+e)))*x^2-6/a*d^3
/f^4*ln(1-exp(I*(f*x+e)))*e^2+6*I/a/f^3*d^3*e^2*x+12*d^3*polylog(3,exp(I*(f
*x+e)))/a/f^4+12/a/f^3*d^2*c*e*ln(exp(I*(f*x+e)))-12/a*d^2/f^3*c*e*ln(exp(I
*(f*x+e))-1)+12/a*d^2/f^2*c*ln(1-exp(I*(f*x+e)))*x+12/a*d^2/f^3*c*ln(1-exp(
I*(f*x+e)))*e-6*I/a/f*d^2*c*x^2-2*I/a/f*d^3*x^3+4*I/a/f^4*d^3*e^3
```

maxima [B] time = 1.34, size = 959, normalized size = 7.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^3/(a-a*cos(f*x+e)),x, algorithm="maxima")

```
[Out] -(6*((cos(f*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1)*log(cos(f*x + e
)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1) - 2*(f*x + e)*sin(f*x + e))*c*d^
2*e/(a*f^2*cos(f*x + e)^2 + a*f^2*sin(f*x + e)^2 - 2*a*f^2*cos(f*x + e) + a
*f^2) - 3*((cos(f*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1)*log(cos(f
*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1) - 2*(f*x + e)*sin(f*x + e
))*c^2*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 - 2*a*f*cos(f*x + e) + a*f
) + c^3*(cos(f*x + e) + 1)/(a*sin(f*x + e)) + 3*c*d^2*e^2*(cos(f*x + e) + 1
)/(a*f^2*sin(f*x + e)) - 3*c^2*d*e*(cos(f*x + e) + 1)/(a*f*sin(f*x + e)) -
(2*d^3*e^3 + (6*d^3*e^2*cos(f*x + e) + 6*I*d^3*e^2*sin(f*x + e) - 6*d^3*e^2
)*arctan2(sin(f*x + e), cos(f*x + e) - 1) + (6*(f*x + e)^2*d^3 - 12*(d^3*e
- c*d^2*f)*(f*x + e) - 6*((f*x + e)^2*d^3 - 2*(d^3*e - c*d^2*f)*(f*x + e))*
cos(f*x + e) + (-6*I*(f*x + e)^2*d^3 + (12*I*d^3*e - 12*I*c*d^2*f)*(f*x + e
))*sin(f*x + e))*arctan2(sin(f*x + e), -cos(f*x + e) + 1) - 2*((f*x + e)^3*
d^3 + 3*(f*x + e)*d^3*e^2 - 3*(d^3*e - c*d^2*f)*(f*x + e)^2)*cos(f*x + e) +
(12*(f*x + e)*d^3 - 12*d^3*e + 12*c*d^2*f - 12*((f*x + e)*d^3 - d^3*e + c*
d^2*f)*cos(f*x + e) + (-12*I*(f*x + e)*d^3 + 12*I*d^3*e - 12*I*c*d^2*f)*sin
(f*x + e))*dilog(e^(I*f*x + I*e)) + (3*I*(f*x + e)^2*d^3 + 3*I*d^3*e^2 + (-
6*I*d^3*e + 6*I*c*d^2*f)*(f*x + e) + (-3*I*(f*x + e)^2*d^3 - 3*I*d^3*e^2 +
(6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e))*cos(f*x + e) + 3*((f*x + e)^2*d^3 + d^
3*e^2 - 2*(d^3*e - c*d^2*f)*(f*x + e))*sin(f*x + e))*log(cos(f*x + e)^2 + s
in(f*x + e)^2 - 2*cos(f*x + e) + 1) + (-12*I*d^3*cos(f*x + e) + 12*d^3*sin(
f*x + e) + 12*I*d^3)*polylog(3, e^(I*f*x + I*e)) + (-2*I*(f*x + e)^3*d^3 -
6*I*(f*x + e)*d^3*e^2 + (6*I*d^3*e - 6*I*c*d^2*f)*(f*x + e)^2)*sin(f*x + e)
)/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x + e) + I*a*f^3))/f
```

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^3}{a - a \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)^3/(a - a*cos(e + f*x)),x)`

[Out] `int((c + d*x)^3/(a - a*cos(e + f*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^3}{\cos(e+fx)-1} dx + \int \frac{d^3x^3}{\cos(e+fx)-1} dx + \int \frac{3cd^2x^2}{\cos(e+fx)-1} dx + \int \frac{3c^2dx}{\cos(e+fx)-1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**3/(a-a*cos(f*x+e)),x)`

[Out] `-(Integral(c**3/(cos(e + f*x) - 1), x) + Integral(d**3*x**3/(cos(e + f*x) - 1), x) + Integral(3*c*d**2*x**2/(cos(e + f*x) - 1), x) + Integral(3*c**2*d*x/(cos(e + f*x) - 1), x))/a`

$$3.139 \quad \int \frac{(c+dx)^2}{a-a \cos(e+fx)} dx$$

Optimal. Leaf size=102

$$\frac{4d(c+dx) \log(1 - e^{i(e+fx)})}{af^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^2}{af} - \frac{4id^2 \text{Li}_2(e^{i(e+fx)})}{af^3}$$

[Out] $-I*(d*x+c)^2/a/f-(d*x+c)^2*\cot(1/2*e+1/2*f*x)/a/f+4*d*(d*x+c)*\ln(1-\exp(I*(f*x+e)))/a/f^2-4*I*d^2*\text{polylog}(2,\exp(I*(f*x+e)))/a/f^3$

Rubi [A] time = 0.20, antiderivative size = 102, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 6, integrand size = 21, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3318, 4184, 3717, 2190, 2279, 2391}

$$\frac{4d(c+dx) \log(1 - e^{i(e+fx)})}{af^2} - \frac{(c+dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{i(c+dx)^2}{af} - \frac{4id^2 \text{Li}_2(e^{i(e+fx)})}{af^3}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)^2/(a - a*Cos[e + f*x]),x]

[Out] $((-I)*(c+d*x)^2)/(a*f) - ((c+d*x)^2*\text{Cot}[e/2 + (f*x)/2])/(a*f) + (4*d*(c+d*x)*\text{Log}[1 - E^{(I*(e+f*x))}])/(a*f^2) - ((4*I)*d^2*\text{PolyLog}[2, E^{(I*(e+f*x))}])/(a*f^3)$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x))))^n]/a)/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m-1)*Log[1 + (b*(F^(g*(e + f*x))))^n]/a], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_)*((F_)^(e_)*((c_) + (d_)*(x_)))^(n_)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_)*((d_) + (e_)*(x_))^(n_)]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3717

Int[((c_.) + (d_.)*(x_))^(m_.)*tan[(e_.) + Pi*(k_.) + (f_.)*(x_)], x_Symbol] := Simp[(I*(c + d*x)^(m + 1))/(d*(m + 1)), x] - Dist[2*I, Int[((c + d*x)^m*E^(2*I*k*Pi)*E^(2*I*(e + f*x)))/(1 + E^(2*I*k*Pi)*E^(2*I*(e + f*x))), x], x] /; FreeQ[{c, d, e, f}, x] && IntegerQ[4*k] && IGtQ[m, 0]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{(c + dx)^2}{a - a \cos(e + fx)} dx &= \frac{\int (c + dx)^2 \csc^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{2a} \\
 &= -\frac{(c + dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{(2d) \int (c + dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\
 &= -\frac{i(c + dx)^2}{af} - \frac{(c + dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} - \frac{(4id) \int \frac{e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)(c+dx)}}{1 - e^{2i\left(\frac{e}{2} + \frac{fx}{2}\right)}} dx}{af} \\
 &= -\frac{i(c + dx)^2}{af} - \frac{(c + dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{4d(c + dx) \log(1 - e^{i(e+fx)})}{af^2} - \frac{(4d^2) \int \log(1 - e^{i(e+fx)})}{af^2} \\
 &= -\frac{i(c + dx)^2}{af} - \frac{(c + dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{4d(c + dx) \log(1 - e^{i(e+fx)})}{af^2} + \frac{(4id^2) \text{Subst}\left(\int \log(1 - e^{i(e+fx)})\right)}{af^2} \\
 &= -\frac{i(c + dx)^2}{af} - \frac{(c + dx)^2 \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{4d(c + dx) \log(1 - e^{i(e+fx)})}{af^2} - \frac{4id^2 \text{Li}_2(e^{i(e+fx)})}{af^3}
 \end{aligned}$$

Mathematica [B] time = 5.53, size = 292, normalized size = 2.86

$$2 \csc\left(\frac{e}{2}\right) \sin\left(\frac{1}{2}(e + fx)\right) \left(-2cdf \sin\left(\frac{1}{2}(e + fx)\right) \left(fx \cos\left(\frac{e}{2}\right) - 2 \sin\left(\frac{e}{2}\right) \log\left(\sin\left(\frac{1}{2}(e + fx)\right)\right)\right)\right) + f^2(c + dx)^2 \sin$$

Warning: Unable to verify antiderivative.

[In] Integrate[(c + d*x)^2/(a - a*Cos[e + f*x]),x]

[Out] (2*Csc[e/2]*Sin[(e + f*x)/2]*(f^2*(c + d*x)^2*Sin[(f*x)/2] - 2*c*d*f*(f*x*Cos[e/2] - 2*Log[Sin[(e + f*x)/2]]*Sin[e/2])*Sin[(e + f*x)/2] + d^2*(-(E^(I*ArcTan[Tan[e/2]])*f^2*x^2*Cos[e/2]*Sqrt[Sec[e/2]^2]) - 4*((-1/2*I)*f*x*(Pi - 2*ArcTan[Tan[e/2]]) - Pi*Log[1 + E^((-I)*f*x)] - (f*x + 2*ArcTan[Tan[e/2]])*Log[1 - E^(I*(f*x + 2*ArcTan[Tan[e/2]])]) + Pi*Log[Cos[(f*x)/2]] + 2*ArcTan[Tan[e/2]]*Log[Sin[(f*x)/2 + ArcTan[Tan[e/2]]]) + I*PolyLog[2, E^(I*(f*x + 2*ArcTan[Tan[e/2]])])]*Sin[e/2])*Sin[(e + f*x)/2))/(f^3*(a - a*Cos[e + f*x]))

fricas [B] time = 0.65, size = 283, normalized size = 2.77

$$d^2 f^2 x^2 + 2 c d f^2 x + c^2 f^2 + 2 i d^2 \text{Li}_2(\cos(fx + e) + i \sin(fx + e)) \sin(fx + e) - 2 i d^2 \text{Li}_2(\cos(fx + e) - i \sin$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="fricas")

[Out] -(d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2 + 2*I*d^2*dilog(cos(f*x + e) + I*sin(f*x + e))*sin(f*x + e) - 2*I*d^2*dilog(cos(f*x + e) - I*sin(f*x + e))*sin(f*x + e) + 2*(d^2*e - c*d*f)*log(-1/2*cos(f*x + e) + 1/2*I*sin(f*x + e) + 1/2)*sin(f*x + e) + 2*(d^2*e - c*d*f)*log(-1/2*cos(f*x + e) - 1/2*I*sin(f*x + e) + 1/2)*sin(f*x + e) - 2*(d^2*f*x + d^2*e)*log(-cos(f*x + e) + I*sin(f*x + e) + 1)*sin(f*x + e) - 2*(d^2*f*x + d^2*e)*log(-cos(f*x + e) - I*sin(f*x + e) + 1)*sin(f*x + e) + (d^2*f^2*x^2 + 2*c*d*f^2*x + c^2*f^2)*cos(f*x + e))/(a*f^3*sin(f*x + e))

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{(dx + c)^2}{a \cos(fx + e) - a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(-(d*x + c)^2/(a*cos(f*x + e) - a), x)

maple [B] time = 0.12, size = 247, normalized size = 2.42

$$\frac{2i(d^2x^2 + 2cdx + c^2)}{fa(e^{i(fx+e)} - 1)} - \frac{4dc \ln(e^{i(fx+e)})}{af^2} + \frac{4dc \ln(e^{i(fx+e)} - 1)}{af^2} - \frac{2id^2x^2}{af} - \frac{4id^2ex}{af^2} - \frac{2id^2e^2}{af^3} + \frac{4d^2 \ln(1 - e^{i(fx+e)})x}{af^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)^2/(a-a*cos(f*x+e)),x)

[Out] -2*I*(d^2*x^2+2*c*d*x+c^2)/f/a/(exp(I*(f*x+e))-1)-4/a/f^2*d*c*ln(exp(I*(f*x+e)))+4/a*d/f^2*c*ln(exp(I*(f*x+e))-1)-2*I/a/f*d^2*x^2-4*I/a/f^2*d^2*e*x-2*I/a/f^3*d^2*e^2+4/a*d^2/f^2*ln(1-exp(I*(f*x+e)))*x+4/a*d^2/f^3*ln(1-exp(I*(f*x+e)))*e-4*I*d^2*polylog(2,exp(I*(f*x+e)))/a/f^3+4/a/f^3*d^2*e*ln(exp(I*(f*x+e)))-4/a*d^2/f^3*e*ln(exp(I*(f*x+e))-1)

maxima [B] time = 0.68, size = 314, normalized size = 3.08

$$\frac{2c^2f^2 - 4(cdf \cos(fx + e) + icdf \sin(fx + e) - cdf) \arctan(\sin(fx + e), \cos(fx + e) - 1) + (4d^2fx \cos(fx + e) + 4d^2fx \sin(fx + e) - 4d^2c \cos(fx + e) - 4d^2c \sin(fx + e))}{a^2 f^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="maxima")

[Out] -(2*c^2*f^2 - 4*(c*d*f*cos(f*x + e) + I*c*d*f*sin(f*x + e) - c*d*f)*arctan2(sin(f*x + e), cos(f*x + e) - 1) + (4*d^2*f*x*cos(f*x + e) + 4*I*d^2*f*x*sin(f*x + e) - 4*d^2*f*x)*arctan2(sin(f*x + e), -cos(f*x + e) + 1) + 2*(d^2*f^2*x^2 + 2*c*d*f^2*x)*cos(f*x + e) + (4*d^2*cos(f*x + e) + 4*I*d^2*sin(f*x + e) - 4*d^2)*dilog(e^(I*f*x + I*e)) - (2*I*d^2*f*x + 2*I*c*d*f + (-2*I*d^2*f*x - 2*I*c*d*f)*cos(f*x + e) + 2*(d^2*f*x + c*d*f)*sin(f*x + e))*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1) - (-2*I*d^2*f^2*x^2 - 4*I*c*d*f^2*x)*sin(f*x + e))/(-I*a*f^3*cos(f*x + e) + a*f^3*sin(f*x + e) + I*a*f^3)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(c + dx)^2}{a - a \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c + d*x)^2/(a - a*cos(e + f*x)),x)

[Out] `int((c + d*x)^2/(a - a*cos(e + f*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{c^2}{\cos(e+fx)-1} dx + \int \frac{d^2x^2}{\cos(e+fx)-1} dx + \int \frac{2cdx}{\cos(e+fx)-1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)**2/(a-a*cos(f*x+e)), x)`

[Out] `-(Integral(c**2/(cos(e + f*x) - 1), x) + Integral(d**2*x**2/(cos(e + f*x) - 1), x) + Integral(2*c*d*x/(cos(e + f*x) - 1), x))/a`

$$3.140 \quad \int \frac{c+dx}{a-a \cos(e+fx)} dx$$

Optimal. Leaf size=50

$$\frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

[Out] $-(d*x+c)*\cot(1/2*e+1/2*f*x)/a/f+2*d*\ln(\sin(1/2*e+1/2*f*x))/a/f^2$

Rubi [A] time = 0.07, antiderivative size = 50, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 19, $\frac{\text{number of rules}}{\text{integrand size}} = 0.158$, Rules used = {3318, 4184, 3475}

$$\frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} - \frac{(c+dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}$$

Antiderivative was successfully verified.

[In] Int[(c + d*x)/(a - a*Cos[e + f*x]),x]

[Out] $-\left(\frac{(c + dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af}\right) + \frac{2d \log\left[\sin\left(\frac{e}{2} + \frac{fx}{2}\right)\right]}{af^2}$

Rule 3318

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(2*a)^n, Int[(c + d*x)^m*Sin[(1*(e + (Pi*a)/(2*b)))/2 + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 3475

Int[tan[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[Log[RemoveContent[Cos[c + d*x], x]]/d, x] /; FreeQ[{c, d}, x]

Rule 4184

Int[csc[(e_.) + (f_.)*(x_)]^2*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> -Simp[((c + d*x)^m*Cot[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*Cot[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{c + dx}{a - a \cos(e + fx)} dx &= \frac{\int (c + dx) \csc^2\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{2a} \\ &= -\frac{(c + dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{d \int \cot\left(\frac{e}{2} + \frac{fx}{2}\right) dx}{af} \\ &= -\frac{(c + dx) \cot\left(\frac{e}{2} + \frac{fx}{2}\right)}{af} + \frac{2d \log\left(\sin\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} \end{aligned}$$

Mathematica [A] time = 0.25, size = 57, normalized size = 1.14

$$\frac{f(c + dx) \sin(e + fx) - 4d \sin^2\left(\frac{1}{2}(e + fx)\right) \log\left(\sin\left(\frac{1}{2}(e + fx)\right)\right)}{af^2(\cos(e + fx) - 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(c + d*x)/(a - a*Cos[e + f*x]),x]

[Out] (-4*d*Log[Sin[(e + f*x)/2]]*Sin[(e + f*x)/2]^2 + f*(c + d*x)*Sin[e + f*x])/(a*f^2*(-1 + Cos[e + f*x]))

fricas [A] time = 0.57, size = 59, normalized size = 1.18

$$\frac{dfx - d \log\left(-\frac{1}{2} \cos(fx + e) + \frac{1}{2}\right) \sin(fx + e) + cf + (dfx + cf) \cos(fx + e)}{af^2 \sin(fx + e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a-a*cos(f*x+e)),x, algorithm="fricas")

[Out] -(d*f*x - d*log(-1/2*cos(f*x + e) + 1/2)*sin(f*x + e) + c*f + (d*f*x + c*f)*cos(f*x + e))/(a*f^2*sin(f*x + e))

giac [B] time = 0.60, size = 229, normalized size = 4.58

$$dfx \tan\left(\frac{1}{2}fx\right) \tan\left(\frac{1}{2}e\right) + cf \tan\left(\frac{1}{2}fx\right) \tan\left(\frac{1}{2}e\right) - dfx + d \log \frac{4\left(\tan\left(\frac{1}{2}fx\right)\right)^4 + 2 \tan\left(\frac{1}{2}fx\right)^3 \tan\left(\frac{1}{2}e\right) + \tan\left(\frac{1}{2}fx\right)^2 \tan\left(\frac{1}{2}e\right)^2}{\tan\left(\frac{1}{2}e\right)^2 + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a-a*cos(f*x+e)),x, algorithm="giac")

[Out] (d*f*x*tan(1/2*f*x)*tan(1/2*e) + c*f*tan(1/2*f*x)*tan(1/2*e) - d*f*x + d*log(4*(tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^3*tan(1/2*e) + tan(1/2*f*x)^2*tan(1/2*e)^2 + tan(1/2*f*x)^2 + 2*tan(1/2*f*x)*tan(1/2*e) + tan(1/2*e)^2)/(tan(1/2*e)^2 + 1))*tan(1/2*f*x) + d*log(4*(tan(1/2*f*x)^4 + 2*tan(1/2*f*x)^3*tan(1/2*e) + tan(1/2*f*x)^2*tan(1/2*e)^2 + tan(1/2*f*x)^2 + 2*tan(1/2*f*x)*tan(1/2*e) + tan(1/2*e)^2)/(tan(1/2*e)^2 + 1))*tan(1/2*e) - c*f)/(a*f^2*tan(1/2*f*x) + a*f^2*tan(1/2*e))

maple [A] time = 0.09, size = 85, normalized size = 1.70

$$-\frac{c}{af \tan\left(\frac{e}{2} + \frac{fx}{2}\right)} - \frac{dx}{af \tan\left(\frac{e}{2} + \frac{fx}{2}\right)} - \frac{d \ln\left(1 + \tan^2\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} + \frac{2d \ln\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((d*x+c)/(a-a*cos(f*x+e)),x)

[Out] -1/a*c/f/tan(1/2*e+1/2*f*x)-1/a*d*x/f/tan(1/2*e+1/2*f*x)-1/a*d/f^2*ln(1+tan(1/2*e+1/2*f*x)^2)+2/a*d/f^2*ln(tan(1/2*e+1/2*f*x))

maxima [B] time = 0.86, size = 160, normalized size = 3.20

$$\frac{\left(\cos(fx+e)^2 + \sin(fx+e)^2 - 2 \cos(fx+e) + 1\right) \log\left(\cos(fx+e)^2 + \sin(fx+e)^2 - 2 \cos(fx+e) + 1\right) - 2(fx+e) \sin(fx+e)}{af \cos(fx+e)^2 + af \sin(fx+e)^2 - 2af \cos(fx+e) + af} d - \frac{c(\cos(fx+e)+1)}{a \sin(fx+e)} + \frac{de(\cos(fx+e)+1)}{af \sin(fx+e)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((d*x+c)/(a-a*cos(f*x+e)),x, algorithm="maxima")

[Out] (((cos(f*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1)*log(cos(f*x + e)^2 + sin(f*x + e)^2 - 2*cos(f*x + e) + 1) - 2*(f*x + e)*sin(f*x + e))*d/(a*f*cos(f*x + e)^2 + a*f*sin(f*x + e)^2 - 2*a*f*cos(f*x + e) + a*f) - c*(cos(f*x + e) + 1)/(a*sin(f*x + e)) + d*e*(cos(f*x + e) + 1)/(a*f*sin(f*x + e)))/f

mupad [B] time = 0.52, size = 65, normalized size = 1.30

$$\frac{2d \ln\left(e^{1i} e^{fx1i} - 1\right)}{af^2} - \frac{(c + dx) 2i}{af \left(e^{1i+fx1i} - 1\right)} - \frac{dx 2i}{af}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c + d*x)/(a - a*cos(e + f*x)),x)`

[Out] $(2*d*\log(\exp(e*1i)*\exp(f*x*1i) - 1))/(a*f^2) - ((c + d*x)*2i)/(a*f*(\exp(e*1i + f*x*1i) - 1)) - (d*x*2i)/(a*f)$

sympy [A] time = 0.77, size = 90, normalized size = 1.80

$$\left\{ \begin{array}{ll} -\frac{c}{af \tan\left(\frac{e}{2} + \frac{fx}{2}\right)} - \frac{dx}{af \tan\left(\frac{e}{2} + \frac{fx}{2}\right)} - \frac{d \log\left(\tan^2\left(\frac{e}{2} + \frac{fx}{2}\right) + 1\right)}{af^2} + \frac{2d \log\left(\tan\left(\frac{e}{2} + \frac{fx}{2}\right)\right)}{af^2} & \text{for } f \neq 0 \\ \frac{cx + \frac{dx^2}{2}}{-a \cos(e) + a} & \text{otherwise} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((d*x+c)/(a-a*cos(f*x+e)),x)`

[Out] `Piecewise((-c/(a*f*tan(e/2 + f*x/2)) - d*x/(a*f*tan(e/2 + f*x/2)) - d*log(tan(e/2 + f*x/2)**2 + 1)/(a*f**2) + 2*d*log(tan(e/2 + f*x/2))/(a*f**2), Ne(f, 0)), ((c*x + d*x**2/2)/(-a*cos(e) + a), True))`

$$3.141 \quad \int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx$$

Optimal. Leaf size=24

$$\text{Int}\left(\frac{1}{(c+dx)(a-a \cos(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)/(a-a*cos(f*x+e)), x)

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)*(a - a*Cos[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)*(a - a*Cos[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx = \int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx$$

Mathematica [A] time = 2.40, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)(a-a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)*(a - a*Cos[e + f*x])), x]

[Out] Integrate[1/((c + d*x)*(a - a*Cos[e + f*x])), x]

fricas [A] time = 0.60, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{adx+ac-(adx+ac)\cos(fx+e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*cos(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d*x + a*c - (a*d*x + a*c)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int -\frac{1}{(dx+c)(a\cos(fx+e)-a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(-1/((d*x + c)*(a*cos(f*x + e) - a)), x)

maple [A] time = 0.15, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx+c)(a-a\cos(fx+e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)/(a-a*cos(f*x+e)),x)

[Out] int(1/(d*x+c)/(a-a*cos(f*x+e)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$2 \left[\frac{\left(ad^2fx+acdf+(ad^2fx+acdf)\cos(fx+e)^2+(ad^2fx+acdf)\sin(fx+e)^2-2(ad^2fx+acdf)\cos(fx+e) \right) \int \frac{\sin(fx+e)}{(dx+c)^2(\cos(fx+e)^2+\sin(fx+e)^2-2\cos(fx+e))} dx}{af} \right]$$

$$adfx + acf + (adfx + acf)\cos(fx + e)^2 + (adfx + acf)\sin(fx + e)^2 - 2(adfx + acf)\cos(fx + e)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*cos(f*x+e)),x, algorithm="maxima")

[Out] -2*((a*d^2*f*x + a*c*d*f + (a*d^2*f*x + a*c*d*f)*cos(f*x + e)^2 + (a*d^2*f*x + a*c*d*f)*sin(f*x + e)^2 - 2*(a*d^2*f*x + a*c*d*f)*cos(f*x + e))*integrate(sin(f*x + e)/(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*cos(f*x + e)^2 + (a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*sin(f*x + e)^2 - 2*(a*d^2*f*x^2 + 2*a*c*d*f*x + a*c^2*f)*cos(f*x + e)), x) + sin(f*x + e)/(a*d*f*x + a*c*f + (a*d*f*x + a*c*f)*cos(f*x + e)^2 + (a*d*f*x + a*c*f)*sin(f*x + e)^2 - 2*(a*d*f*x + a*c*f)*cos(f*x + e))

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a - a \cos(e + f x)) (c + d x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - a*cos(e + f*x))*(c + d*x)),x)

[Out] int(1/((a - a*cos(e + f*x))*(c + d*x)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{c \cos(e + f x) - c + d x \cos(e + f x) - d x} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)/(a-a*cos(f*x+e)),x)

[Out] -Integral(1/(c*cos(e + f*x) - c + d*x*cos(e + f*x) - d*x), x)/a

$$3.142 \quad \int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx$$

Optimal. Leaf size=24

$$\text{Int}\left(\frac{1}{(c+dx)^2(a-a \cos(e+fx))}, x\right)$$

[Out] Unintegrable(1/(d*x+c)^2/(a-a*cos(f*x+e)), x)

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Int[1/((c + d*x)^2*(a - a*Cos[e + f*x])), x]

[Out] Defer[Int][1/((c + d*x)^2*(a - a*Cos[e + f*x])), x]

Rubi steps

$$\int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx = \int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx$$

Mathematica [A] time = 2.33, size = 0, normalized size = 0.00

$$\int \frac{1}{(c+dx)^2(a-a \cos(e+fx))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/((c + d*x)^2*(a - a*Cos[e + f*x])), x]

[Out] Integrate[1/((c + d*x)^2*(a - a*Cos[e + f*x])), x]

fricas [A] time = 0.59, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{ad^2x^2 + 2acdx + ac^2 - (ad^2x^2 + 2acdx + ac^2) \cos(fx + e)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="fricas")

[Out] integral(1/(a*d^2*x^2 + 2*a*c*d*x + a*c^2 - (a*d^2*x^2 + 2*a*c*d*x + a*c^2)*cos(f*x + e)), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)^2 (a \cos(fx + e) - a)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="giac")

[Out] integrate(-1/((d*x + c)^2*(a*cos(f*x + e) - a)), x)

maple [A] time = 0.21, size = 0, normalized size = 0.00

$$\int \frac{1}{(dx + c)^2 (a - a \cos(fx + e))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(d*x+c)^2/(a-a*cos(f*x+e)),x)

[Out] int(1/(d*x+c)^2/(a-a*cos(f*x+e)),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)^2/(a-a*cos(f*x+e)),x, algorithm="maxima")

[Out] Timed out

mupad [A] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{1}{(a - a \cos(e + fx)) (c + dx)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/((a - a*cos(e + f*x))*(c + d*x)^2),x)

[Out] int(1/((a - a*cos(e + f*x))*(c + d*x)^2), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\frac{\int \frac{1}{c^2 \cos(e+fx) - c^2 + 2cdx \cos(e+fx) - 2cdx + d^2x^2 \cos(e+fx) - d^2x^2} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(d*x+c)**2/(a-a*cos(f*x+e)), x)

[Out] -Integral(1/(c**2*cos(e + f*x) - c**2 + 2*c*d*x*cos(e + f*x) - 2*c*d*x + d**2*x**2*cos(e + f*x) - d**2*x**2), x)/a

3.143 $\int x^3 \sqrt{a + a \cos(c + dx)} dx$

Optimal. Leaf size=110

$$-\frac{96\sqrt{a \cos(c + dx) + a}}{d^4} - \frac{48x \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d^3} + \frac{12x^2 \sqrt{a \cos(c + dx) + a}}{d^2} + \frac{2x^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d}$$

[Out] $-96*(a+a*\cos(d*x+c))^(1/2)/d^4+12*x^2*(a+a*\cos(d*x+c))^(1/2)/d^2-48*x*(a+a*\cos(d*x+c))^(1/2)*\tan(1/2*d*x+1/2*c)/d^3+2*x^3*(a+a*\cos(d*x+c))^(1/2)*\tan(1/2*d*x+1/2*c)/d$

Rubi [A] time = 0.13, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3319, 3296, 2638}

$$\frac{12x^2 \sqrt{a \cos(c + dx) + a}}{d^2} - \frac{96\sqrt{a \cos(c + dx) + a}}{d^4} - \frac{48x \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d^3} + \frac{2x^3 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3 \sqrt{a + a \cos[c + dx]}, x]$

[Out] $(-96*\sqrt{a + a*\cos[c + dx]})/d^4 + (12*x^2*\sqrt{a + a*\cos[c + dx]})/d^2 - (48*x*\sqrt{a + a*\cos[c + dx]}*\tan[c/2 + (d*x)/2])/d^3 + (2*x^3*\sqrt{a + a*\cos[c + dx]}*\tan[c/2 + (d*x)/2])/d$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\cos[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)} \sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m \cos[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)} \cos[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \&\& \text{GtQ}[m, 0]$

Rule 3319

$\text{Int}[(c_.) + (d_.)*(x_.)]^{(m_.)} ((a_.) + (b_.) \sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(2*a)^{\text{IntPart}[n]} (a + b \sin[e + f*x])^{\text{FracPart}[n]}] / \sin[e/2 + (a*\pi)/(4*b) + (f*x)/2]^{(2*\text{FracPart}[n])}, \text{Int}[(c + d*x)^m \sin[e/2 + (a*\pi)/(4*b) + (f*x)/2]^{(2*n)}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n + 1/2] \&\& (\text{GtQ}[n, 0] \parallel \text{IGtQ}[m, 0])$

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a + a \cos(c + dx)} dx &= \left(\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right) \int x^3 \sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) dx \\
&= \frac{2x^3 \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} - \frac{\left(6\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right)}{d} \\
&= \frac{12x^2 \sqrt{a + a \cos(c + dx)}}{d^2} + \frac{2x^3 \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} - \frac{\left(24\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right)}{d^2} \\
&= \frac{12x^2 \sqrt{a + a \cos(c + dx)}}{d^2} - \frac{48x \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d^3} + \frac{2x^3 \sqrt{a + a \cos(c + dx)}}{d^3} \\
&= -\frac{96\sqrt{a + a \cos(c + dx)}}{d^4} + \frac{12x^2 \sqrt{a + a \cos(c + dx)}}{d^2} - \frac{48x \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d^3}
\end{aligned}$$

Mathematica [A] time = 0.22, size = 53, normalized size = 0.48

$$\frac{2 \left(dx \left(d^2 x^2 - 24 \right) \tan \left(\frac{1}{2} (c + dx) \right) + 6 \left(d^2 x^2 - 8 \right) \right) \sqrt{a (\cos(c + dx) + 1)}}{d^4}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(6*(-8 + d^2*x^2) + d*x*(-24 + d^2*x^2))*Tan[(c + d*x)/2])/d^4

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.47, size = 98, normalized size = 0.89

$$2 \sqrt{2} \sqrt{a} \left(\frac{6 \left(d^2 x^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) - 8 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \right) \cos \left(\frac{1}{2} dx + \frac{1}{2} c \right)}{d^4} + \frac{\left(d^3 x^3 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \right)}{d^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*sqrt(a)*(6*(d^2*x^2*sgn(cos(1/2*d*x + 1/2*c)) - 8*sgn(cos(1/2*d*x + 1/2*c)))*cos(1/2*d*x + 1/2*c)/d^4 + (d^3*x^3*sgn(cos(1/2*d*x + 1/2*c)) - 24*d*x*sgn(cos(1/2*d*x + 1/2*c)))*sin(1/2*d*x + 1/2*c)/d^4

maple [C] time = 0.10, size = 132, normalized size = 1.20

$$\frac{i\sqrt{2} \sqrt{a \left(e^{i(dx+c)} + 1 \right)^2 e^{-i(dx+c)} \left(d^3 x^3 e^{i(dx+c)} + 6id^2 x^2 e^{i(dx+c)} - d^3 x^3 + 6id^2 x^2 - 24dx e^{i(dx+c)} - 48ie^{i(dx+c)} + 24dx \right)}{\left(e^{i(dx+c)} + 1 \right) d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+a*cos(d*x+c))^(1/2),x)

[Out] -I*2^(1/2)*(a*(exp(I*(d*x+c))+1)^2*exp(-I*(d*x+c)))^(1/2)/(exp(I*(d*x+c))+1)*(d^3*x^3*exp(I*(d*x+c))+6*I*d^2*x^2*exp(I*(d*x+c))-d^3*x^3+6*I*d^2*x^2-24*d*x*exp(I*(d*x+c))-48*I*exp(I*(d*x+c))+24*d*x-48*I)/d^4

maxima [B] time = 1.71, size = 206, normalized size = 1.87

$$\frac{2 \left(\sqrt{2} \sqrt{a} c^3 \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 3 \left(\sqrt{2} (dx + c) \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 2 \sqrt{2} \cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \sqrt{a} c^2 + 3 \left(\sqrt{2} (dx + c)^2 \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) - 3 \sqrt{2} (dx + c) \cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 2 \sqrt{2} \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \sqrt{a}}{d^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] -2*(sqrt(2)*sqrt(a)*c^3*sin(1/2*d*x + 1/2*c) - 3*(sqrt(2)*(d*x + c)*sin(1/2*d*x + 1/2*c) + 2*sqrt(2)*cos(1/2*d*x + 1/2*c))*sqrt(a)*c^2 + 3*(sqrt(2)*(d*x + c)^2*sin(1/2*d*x + 1/2*c) + 4*sqrt(2)*(d*x + c)*cos(1/2*d*x + 1/2*c) - 8*sqrt(2)*sin(1/2*d*x + 1/2*c))*sqrt(a)*c - (sqrt(2)*(d*x + c)^3*sin(1/2*d*x + 1/2*c) + 6*sqrt(2)*(d*x + c)^2*cos(1/2*d*x + 1/2*c) - 24*sqrt(2)*(d*x + c)*sin(1/2*d*x + 1/2*c) - 48*sqrt(2)*cos(1/2*d*x + 1/2*c))*sqrt(a)/d^4

mupad [B] time = 0.55, size = 83, normalized size = 0.75

$$\frac{2 \sqrt{a} (\cos(c + dx) + 1) \left(48 \cos(c + dx) - 6 d^2 x^2 - 6 d^2 x^2 \cos(c + dx) - d^3 x^3 \sin(c + dx) + 24 dx \sin(c + dx) \right)}{d^4 (\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + a*cos(c + d*x))^(1/2),x)

```
[Out] -(2*(a*(cos(c + d*x) + 1))^(1/2)*(48*cos(c + d*x) - 6*d^2*x^2 - 6*d^2*x^2*c
os(c + d*x) - d^3*x^3*sin(c + d*x) + 24*d*x*sin(c + d*x) + 48))/(d^4*(cos(c
+ d*x) + 1))
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int x^3 \sqrt{a(\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**3*(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(x**3*sqrt(a*(cos(c + d*x) + 1)), x)
```

3.144 $\int x^2 \sqrt{a + a \cos(c + dx)} dx$

Optimal. Leaf size=88

$$-\frac{16 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d^3} + \frac{8x \sqrt{a \cos(c + dx) + a}}{d^2} + \frac{2x^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d}$$

[Out] $8*x*(a+a*\cos(d*x+c))^(1/2)/d^2-16*(a+a*\cos(d*x+c))^(1/2)*\tan(1/2*d*x+1/2*c)/d^3+2*x^2*(a+a*\cos(d*x+c))^(1/2)*\tan(1/2*d*x+1/2*c)/d$

Rubi [A] time = 0.11, antiderivative size = 88, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$, Rules used = {3319, 3296, 2637}

$$\frac{8x \sqrt{a \cos(c + dx) + a}}{d^2} - \frac{16 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d^3} + \frac{2x^2 \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]], x]$

[Out] $(8*x*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d^2 - (16*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Tan}[c/2 + (d*x)/2])/d^3 + (2*x^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Tan}[c/2 + (d*x)/2])/d$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\sin[c + d*x]/d, x] /;$
 $\text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^(m_.)*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^(m-1)*\text{Cos}[e + f*x], x], x] /;$
 $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3319

$\text{Int}[(c_. + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] \rightarrow \text{Dist}[(2*a)^\text{IntPart}[n]*(a + b*\sin[e + f*x])^\text{FracPart}[n]/\sin[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^(2*\text{FracPart}[n]), \text{Int}[(c + d*x)^m*\sin[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^(2*n), x], x] /;$
 $\text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{qQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n + 1/2] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])$

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + a \cos(c + dx)} dx &= \left(\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right) \int x^2 \sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \\
&= \frac{2x^2 \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} - \frac{\left(4\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} \right) \right)}{d} \\
&= \frac{8x \sqrt{a + a \cos(c + dx)}}{d^2} + \frac{2x^2 \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d} - \frac{\left(8\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} \right) \right)}{d} \\
&= \frac{8x \sqrt{a + a \cos(c + dx)}}{d^2} - \frac{16\sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{d^3} + \frac{2x^2 \sqrt{a + a \cos(c + dx)}}{d}
\end{aligned}$$

Mathematica [A] time = 0.16, size = 44, normalized size = 0.50

$$\frac{2 \left((d^2 x^2 - 8) \tan \left(\frac{1}{2} (c + dx) \right) + 4dx \right) \sqrt{a(\cos(c + dx) + 1)}}{d^3}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(4*d*x + (-8 + d^2*x^2)*Tan[(c + d*x)/2]))/d^3

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.56, size = 77, normalized size = 0.88

$$2 \sqrt{2} \sqrt{a} \left(\frac{4x \cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right)}{d^2} + \frac{\left(d^2 x^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) - 8 \operatorname{sgn} \left(\cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \right)}{d^3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] $2*\sqrt{2}*\sqrt{a}*(4*x*\cos(1/2*d*x + 1/2*c)*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))/d^2 + (d^2*x^2*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)) - 8*\operatorname{sgn}(\cos(1/2*d*x + 1/2*c)))*\sin(1/2*d*x + 1/2*c)/d^3$

maple [C] time = 0.06, size = 105, normalized size = 1.19

$$\frac{i\sqrt{2} \sqrt{a(e^{i(dx+c)} + 1)^2 e^{-i(dx+c)} (d^2 x^2 e^{i(dx+c)} + 4idx e^{i(dx+c)} - d^2 x^2 + 4idx - 8e^{i(dx+c)} + 8)}}{(e^{i(dx+c)} + 1) d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+a*cos(d*x+c))^(1/2),x)

[Out] $-I*2^{(1/2)}*(a*(\exp(I*(d*x+c))+1)^{2*\exp(-I*(d*x+c))})^{(1/2)}/(\exp(I*(d*x+c))+1)*(d^2*x^2*\exp(I*(d*x+c))+4*I*d*x*\exp(I*(d*x+c))-d^2*x^2+4*I*d*x-8*\exp(I*(d*x+c))+8)/d^3$

maxima [A] time = 1.56, size = 122, normalized size = 1.39

$$\frac{2\left(\sqrt{2}\sqrt{a}c^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2\left(\sqrt{2}(dx+c)\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2\sqrt{2}\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\sqrt{a}c + \left(\sqrt{2}(dx+c)^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] $2*(\sqrt{2}*\sqrt{a}*c^2*\sin(1/2*d*x + 1/2*c) - 2*(\sqrt{2}*(d*x + c)*\sin(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c))*\sqrt{a}*c + (\sqrt{2}*(d*x + c)^2*\sin(1/2*d*x + 1/2*c) + 4*\sqrt{2}*(d*x + c)*\cos(1/2*d*x + 1/2*c) - 8*\sqrt{2}*\sin(1/2*d*x + 1/2*c))*\sqrt{a})/d^3$

mupad [B] time = 0.43, size = 63, normalized size = 0.72

$$\frac{2\sqrt{a}(\cos(c+dx)+1)\left(4dx - 8\sin(c+dx) + d^2x^2\sin(c+dx) + 4dx\cos(c+dx)\right)}{d^3(\cos(c+dx)+1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + a*cos(c + d*x))^(1/2),x)

[Out] $(2*(a*(\cos(c + d*x) + 1))^{(1/2)}*(4*d*x - 8*\sin(c + d*x) + d^2*x^2*\sin(c + d*x) + 4*d*x*\cos(c + d*x)))/(d^3*(\cos(c + d*x) + 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a(\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral(x**2*sqrt(a*(cos(c + d*x) + 1)), x)

3.145 $\int x\sqrt{a + a\cos(c + dx)} dx$

Optimal. Leaf size=53

$$\frac{4\sqrt{a\cos(c + dx) + a}}{d^2} + \frac{2x \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a\cos(c + dx) + a}}{d}$$

[Out] $4*(a+a*\cos(d*x+c))^(1/2)/d^2+2*x*(a+a*\cos(d*x+c))^(1/2)*\tan(1/2*d*x+1/2*c)/d$

Rubi [A] time = 0.06, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.188$, Rules used = {3319, 3296, 2638}

$$\frac{4\sqrt{a\cos(c + dx) + a}}{d^2} + \frac{2x \tan\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a\cos(c + dx) + a}}{d}$$

Antiderivative was successfully verified.

[In] Int[x*Sqrt[a + a*Cos[c + d*x]],x]

[Out] $(4*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])/d^2 + (2*x*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Tan}[c/2 + (d*x)/2])/d$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m-1)*cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int x\sqrt{a+a\cos(c+dx)} dx &= \left(\sqrt{a+a\cos(c+dx)} \csc\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{\pi}{4}+\frac{dx}{2}\right)\right) \int x \sin\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{\pi}{4}+\frac{dx}{2}\right) dx \\
&= \frac{2x\sqrt{a+a\cos(c+dx)} \tan\left(\frac{c}{2}+\frac{dx}{2}\right)}{d} - \frac{\left(2\sqrt{a+a\cos(c+dx)} \csc\left(\frac{1}{2}\left(c+\frac{\pi}{2}\right)+\frac{\pi}{4}+\frac{dx}{2}\right)\right)}{d} \\
&= \frac{4\sqrt{a+a\cos(c+dx)}}{d^2} + \frac{2x\sqrt{a+a\cos(c+dx)} \tan\left(\frac{c}{2}+\frac{dx}{2}\right)}{d}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 34, normalized size = 0.64

$$\frac{2\left(dx \tan\left(\frac{1}{2}(c+dx)\right) + 2\right)\sqrt{a(\cos(c+dx)+1)}}{d^2}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(2 + d*x*Tan[(c + d*x)/2]))/d^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.44, size = 57, normalized size = 1.08

$$2\sqrt{2}\left(\frac{x\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{d} + \frac{2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{d^2}\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*(x*sgn(cos(1/2*d*x + 1/2*c))*sin(1/2*d*x + 1/2*c)/d + 2*cos(1/2*d*x + 1/2*c)*sgn(cos(1/2*d*x + 1/2*c))/d^2)*sqrt(a)

maple [C] time = 0.06, size = 80, normalized size = 1.51

$$\frac{i\sqrt{2} \sqrt{a \left(e^{i(dx+c)} + 1 \right)^2} e^{-i(dx+c)} \left(dx e^{i(dx+c)} + 2ie^{i(dx+c)} - dx + 2i \right)}{\left(e^{i(dx+c)} + 1 \right) d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+a*cos(d*x+c))^(1/2),x)`

[Out] $-I*2^{(1/2)}*(a*(\exp(I*(d*x+c))+1)^{2*\exp(-I*(d*x+c))}^{(1/2)}/(\exp(I*(d*x+c))+1)*(d*x*\exp(I*(d*x+c))+2*I*\exp(I*(d*x+c))-d*x+2*I)/d^2$

maxima [A] time = 1.49, size = 61, normalized size = 1.15

$$\frac{2 \left(\sqrt{2} \sqrt{a} c \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) - \left(\sqrt{2} (dx + c) \sin \left(\frac{1}{2} dx + \frac{1}{2} c \right) + 2 \sqrt{2} \cos \left(\frac{1}{2} dx + \frac{1}{2} c \right) \right) \sqrt{a} \right)}{d^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] $-2*(\text{sqrt}(2)*\text{sqrt}(a)*c*\sin(1/2*d*x + 1/2*c) - (\text{sqrt}(2)*(d*x + c)*\sin(1/2*d*x + 1/2*c) + 2*\text{sqrt}(2)*\cos(1/2*d*x + 1/2*c))*\text{sqrt}(a))/d^2$

mupad [B] time = 0.21, size = 46, normalized size = 0.87

$$\frac{2 \sqrt{a (\cos(c + dx) + 1)} (2 \cos(c + dx) + dx \sin(c + dx) + 2)}{d^2 (\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + a*cos(c + d*x))^(1/2),x)`

[Out] $(2*(a*(\cos(c + d*x) + 1))^{(1/2)}*(2*\cos(c + d*x) + d*x*\sin(c + d*x) + 2))/(d^2*(\cos(c + d*x) + 1))$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x \sqrt{a (\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral(x*sqrt(a*(cos(c + d*x) + 1)), x)`

3.146 $\int \sqrt{a + a \cos(c + dx)} dx$

Optimal. Leaf size=26

$$\frac{2a \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] $2*a*\sin(d*x+c)/d/(a+a*\cos(d*x+c))^(1/2)$

Rubi [A] time = 0.01, antiderivative size = 26, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.071$, Rules used = {2646}

$$\frac{2a \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]], x]

[Out] (2*a*Sin[c + d*x])/(d*Sqrt[a + a*Cos[c + d*x]])

Rule 2646

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)} dx = \frac{2a \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.03, size = 29, normalized size = 1.12

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]], x]

[Out] (2*Sqrt[a*(1 + Cos[c + d*x]])*Tan[(c + d*x)/2])/d

fricas [A] time = 0.76, size = 32, normalized size = 1.23

$$\frac{2\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{d\cos(dx+c)+d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] 2*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)

giac [A] time = 1.01, size = 30, normalized size = 1.15

$$\frac{2\sqrt{2}\sqrt{a}\operatorname{sgn}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*sqrt(a)*sgn(cos(1/2*d*x + 1/2*c))*sin(1/2*d*x + 1/2*c)/d

maple [A] time = 0.07, size = 43, normalized size = 1.65

$$\frac{2a\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\sqrt{2}}{\sqrt{a\left(\cos^2\left(\frac{dx}{2}+\frac{c}{2}\right)\right)}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2),x)

[Out] 2*a*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)*2^(1/2)/(a*cos(1/2*d*x+1/2*c)^2)^(1/2)/d

maxima [A] time = 1.34, size = 20, normalized size = 0.77

$$\frac{2\sqrt{2}\sqrt{a}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] 2*sqrt(2)*sqrt(a)*sin(1/2*d*x + 1/2*c)/d

mupad [B] time = 0.33, size = 33, normalized size = 1.27

$$\frac{2 \sin(c + dx) \sqrt{a (\cos(c + dx) + 1)}}{d (\cos(c + dx) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2), x)`

[Out] `(2*sin(c + d*x)*(a*(cos(c + d*x) + 1))^(1/2))/(d*(cos(c + d*x) + 1))`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(c + dx) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2), x)`

[Out] `Integral(sqrt(a*cos(c + d*x) + a), x)`

$$3.147 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{x} dx$$

Optimal. Leaf size=84

$$\cos\left(\frac{c}{2}\right) \text{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} - \sin\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a}$$

[Out] Ci(1/2*d*x)*cos(1/2*c)*sec(1/2*d*x+1/2*c)*(a+a*cos(d*x+c))^(1/2)-sec(1/2*d*x+1/2*c)*Si(1/2*d*x)*sin(1/2*c)*(a+a*cos(d*x+c))^(1/2)

Rubi [A] time = 0.12, antiderivative size = 84, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$, Rules used = {3319, 3303, 3299, 3302}

$$\cos\left(\frac{c}{2}\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} - \sin\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]/x,x]

[Out] Cos[c/2]*Sqrt[a + a*Cos[c + d*x]]*CosIntegral[(d*x)/2]*Sec[c/2 + (d*x)/2] - Sqrt[a + a*Cos[c + d*x]]*Sec[c/2 + (d*x)/2]*Sin[c/2]*SinIntegral[(d*x)/2]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Dist[Cos[(d*e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] && NeQ[d*e - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Ssin[e + f*x])^FracPart[n])/Sin[

$e/2 + (a\pi)/(4b) + (f*x)/2]^{(2*\text{FracPart}[n])}$, Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
 qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \cos(c + dx)}}{x} dx &= \left(\sqrt{a + a \cos(c + dx)} \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\ &= \left(\cos\left(\frac{c}{2}\right) \sqrt{a + a \cos(c + dx)} \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{\cos\left(\frac{dx}{2}\right)}{x} dx - \left(\sqrt{a + a \cos(c + dx)} \right) \int \frac{\sin\left(\frac{dx}{2}\right)}{x} dx \\ &= \cos\left(\frac{c}{2}\right) \sqrt{a + a \cos(c + dx)} \text{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) - \sqrt{a + a \cos(c + dx)} \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.09, size = 55, normalized size = 0.65

$$\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\cos\left(\frac{c}{2}\right) \text{Ci}\left(\frac{dx}{2}\right) - \sin\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]/x,x]

[Out] Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(Cos[c/2]*CosIntegral[(d*x)/2] - Sin[c/2]*SinIntegral[(d*x)/2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [C] time = 0.54, size = 166, normalized size = 1.98

$$\sqrt{2} \left(\Re\left(\text{Ci}\left(\frac{1}{2} dx\right)\right) \text{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \tan\left(\frac{1}{4} c\right)^2 + \Re\left(\text{Ci}\left(-\frac{1}{2} dx\right)\right) \text{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \tan\left(\frac{1}{4} c\right)^2 + 2 \Im\left(\text{Ci}\left(\frac{1}{2} dx\right)\right) \text{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right) \tan\left(\frac{1}{4} c\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)/x,x, algorithm="giac")

[Out]
$$-1/2*\sqrt{2}*(\text{real_part}(\text{cos_integral}(1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c))*\tan(1/4*c)^2 + \text{real_part}(\text{cos_integral}(-1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c))*\tan(1/4*c)^2 + 2*\text{imag_part}(\text{cos_integral}(1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c))*\tan(1/4*c) - 2*\text{imag_part}(\text{cos_integral}(-1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c))*\tan(1/4*c) + 4*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c))*\text{sin_integral}(1/2*d*x)*\tan(1/4*c) - \text{real_part}(\text{cos_integral}(1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c)) - \text{real_part}(\text{cos_integral}(-1/2*d*x))*\text{sgn}(\text{cos}(1/2*d*x + 1/2*c)))*\sqrt{a}/(\tan(1/4*c)^2 + 1)$$

maple [F] time = 0.10, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + a \cos(dx + c)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/2)/x,x)

[Out] int((a+a*cos(d*x+c))^(1/2)/x,x)

maxima [C] time = 2.24, size = 61, normalized size = 0.73

$$-\frac{1}{2} \left(\left(\sqrt{2} E_1 \left(\frac{1}{2} i dx \right) + \sqrt{2} E_1 \left(-\frac{1}{2} i dx \right) \right) \cos \left(\frac{1}{2} c \right) - \left(i \sqrt{2} E_1 \left(\frac{1}{2} i dx \right) - i \sqrt{2} E_1 \left(-\frac{1}{2} i dx \right) \right) \sin \left(\frac{1}{2} c \right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)/x,x, algorithm="maxima")

[Out]
$$-1/2*((\sqrt{2}*\exp_integral_e(1, 1/2*I*d*x) + \sqrt{2}*\exp_integral_e(1, -1/2*I*d*x))*\cos(1/2*c) - (I*\sqrt{2}*\exp_integral_e(1, 1/2*I*d*x) - I*\sqrt{2}*\exp_integral_e(1, -1/2*I*d*x))*\sin(1/2*c))*\sqrt{a}$$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(c + d*x))^(1/2)/x,x)

[Out] int((a + a*cos(c + d*x))^(1/2)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(1/2)/x,x)

[Out] Integral(sqrt(a*(cos(c + d*x) + 1))/x, x)

$$3.148 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{x^2} dx$$

Optimal. Leaf size=110

$$-\frac{1}{2}d \sin\left(\frac{c}{2}\right) \text{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} - \frac{1}{2}d \cos\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} - \sqrt{a \cos(c+dx) + a}$$

[Out] $-(a+a*\cos(d*x+c))^{(1/2)}/x-1/2*d*\cos(1/2*c)*\sec(1/2*d*x+1/2*c)*\text{Si}(1/2*d*x)*(a+a*\cos(d*x+c))^{(1/2)}-1/2*d*\text{Ci}(1/2*d*x)*\sec(1/2*d*x+1/2*c)*\sin(1/2*c)*(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.13, antiderivative size = 110, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3297, 3303, 3299, 3302}

$$-\frac{1}{2}d \sin\left(\frac{c}{2}\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} - \frac{1}{2}d \cos\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]/x^2,x]

[Out] $-(\text{Sqrt}[a + a*\text{Cos}[c + d*x]]/x) - (d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{CosIntegral}[(d*x)/2]*\text{Sec}[c/2 + (d*x)/2]*\text{Sin}[c/2])/2 - (d*\text{Cos}[c/2]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c/2 + (d*x)/2]*\text{SinIntegral}[(d*x)/2])/2$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.),
x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \cos(c + dx)}}{x^2} dx &= \left(\sqrt{a + a \cos(c + dx)} \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)}{x^2} dx \\ &= -\frac{\sqrt{a + a \cos(c + dx)}}{x} - \frac{1}{2} \left(d \sqrt{a + a \cos(c + dx)} \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\ &= -\frac{\sqrt{a + a \cos(c + dx)}}{x} - \frac{1}{2} \left(d \cos\left(\frac{c}{2}\right) \sqrt{a + a \cos(c + dx)} \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \right) \int \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)}{x} dx \\ &= -\frac{\sqrt{a + a \cos(c + dx)}}{x} - \frac{1}{2} d \sqrt{a + a \cos(c + dx)} \operatorname{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sin\left(\frac{c}{2}\right) - \frac{1}{2} d \end{aligned}$$

Mathematica [A] time = 0.16, size = 75, normalized size = 0.68

$$\frac{\sqrt{a(\cos(c + dx) + 1)} \left(dx \sin\left(\frac{c}{2}\right) \operatorname{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{1}{2}(c + dx)\right) + dx \cos\left(\frac{c}{2}\right) \operatorname{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{1}{2}(c + dx)\right) + 2 \right)}{2x}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]/x^2, x]
```

```
[Out] -1/2*(Sqrt[a*(1 + Cos[c + d*x])]*(2 + d*x*CosIntegral[(d*x)/2]*Sec[(c + d*x
)/2]*Sin[c/2] + d*x*Cos[c/2]*Sec[(c + d*x)/2]*SinIntegral[(d*x)/2]))/x
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)/x^2,x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (has polynomial part)
```

```
giac [C] time = 1.08, size = 560, normalized size = 5.09
```

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)/x^2,x, algorithm="giac")
```

```
[Out] 1/4*sqrt(2)*(d*x*imag_part(cos_integral(1/2*d*x))*sgn(cos(1/2*d*x + 1/2*c))
*tan(1/4*d*x)^2*tan(1/4*c)^2 - d*x*imag_part(cos_integral(-1/2*d*x))*sgn(co
s(1/2*d*x + 1/2*c))*tan(1/4*d*x)^2*tan(1/4*c)^2 + 2*d*x*sgn(cos(1/2*d*x + 1
/2*c))*sin_integral(1/2*d*x)*tan(1/4*d*x)^2*tan(1/4*c)^2 - 2*d*x*real_part(
cos_integral(1/2*d*x))*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x)^2*tan(1/4*c)
- 2*d*x*real_part(cos_integral(-1/2*d*x))*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4
*d*x)^2*tan(1/4*c) - d*x*imag_part(cos_integral(1/2*d*x))*sgn(cos(1/2*d*x +
1/2*c))*tan(1/4*d*x)^2 + d*x*imag_part(cos_integral(-1/2*d*x))*sgn(cos(1/2
*d*x + 1/2*c))*tan(1/4*d*x)^2 - 2*d*x*sgn(cos(1/2*d*x + 1/2*c))*sin_integra
l(1/2*d*x)*tan(1/4*d*x)^2 + d*x*imag_part(cos_integral(1/2*d*x))*sgn(cos(1/
2*d*x + 1/2*c))*tan(1/4*c)^2 - d*x*imag_part(cos_integral(-1/2*d*x))*sgn(co
s(1/2*d*x + 1/2*c))*tan(1/4*c)^2 + 2*d*x*sgn(cos(1/2*d*x + 1/2*c))*sin_inte
gral(1/2*d*x)*tan(1/4*c)^2 - 2*d*x*real_part(cos_integral(1/2*d*x))*sgn(cos
(1/2*d*x + 1/2*c))*tan(1/4*c) - 2*d*x*real_part(cos_integral(-1/2*d*x))*sgn
(cos(1/2*d*x + 1/2*c))*tan(1/4*c) - 4*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x
)^2*tan(1/4*c)^2 - d*x*imag_part(cos_integral(1/2*d*x))*sgn(cos(1/2*d*x + 1
/2*c)) + d*x*imag_part(cos_integral(-1/2*d*x))*sgn(cos(1/2*d*x + 1/2*c)) -
2*d*x*sgn(cos(1/2*d*x + 1/2*c))*sin_integral(1/2*d*x) + 4*sgn(cos(1/2*d*x +
1/2*c))*tan(1/4*d*x)^2 + 16*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*d*x)*tan(1/4
*c) + 4*sgn(cos(1/2*d*x + 1/2*c))*tan(1/4*c)^2 - 4*sgn(cos(1/2*d*x + 1/2*c
))*sqrt(a)/(x*tan(1/4*d*x)^2*tan(1/4*c)^2 + x*tan(1/4*d*x)^2 + x*tan(1/4*c
)^2 + x)
```

```
maple [F] time = 0.06, size = 0, normalized size = 0.00
```

$$\int \frac{\sqrt{a + a \cos(dx + c)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+a*cos(d*x+c))^(1/2)/x^2,x)
```

[Out] $\int (a+a\cos(dx+c))^{1/2}/x^2, x$

maxima [C] time = 0.98, size = 198, normalized size = 1.80

$$\frac{\left(4\left(E_2\left(\frac{1}{2}i dx\right) + E_2\left(-\frac{1}{2}i dx\right)\right)\cos\left(\frac{1}{2}c\right)^3 + 4\left(E_2\left(\frac{1}{2}i dx\right) + E_2\left(-\frac{1}{2}i dx\right)\right)\cos\left(\frac{1}{2}c\right)\sin\left(\frac{1}{2}c\right)^2 - \left(4i E_2\left(\frac{1}{2}i dx\right) - 4i E_2\left(-\frac{1}{2}i dx\right)\right)\sin\left(\frac{1}{2}c\right)^3\right)}{8\left(\left(\sqrt{2}\cos\left(\frac{1}{2}c\right)\right)^2 + \left(\sqrt{2}\sin\left(\frac{1}{2}c\right)\right)^2\right)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)/x^2,x, algorithm="maxima")`

[Out] $-1/8*(4*(\exp_integral_e(2, 1/2*I*d*x) + \exp_integral_e(2, -1/2*I*d*x))*\cos(1/2*c)^3 + 4*(\exp_integral_e(2, 1/2*I*d*x) + \exp_integral_e(2, -1/2*I*d*x))*\cos(1/2*c)*\sin(1/2*c)^2 - (4*I*\exp_integral_e(2, 1/2*I*d*x) - 4*I*\exp_integral_e(2, -1/2*I*d*x))*\sin(1/2*c)^3 + 4*(\exp_integral_e(2, 1/2*I*d*x) + \exp_integral_e(2, -1/2*I*d*x))*\cos(1/2*c) - ((4*I*\exp_integral_e(2, 1/2*I*d*x) - 4*I*\exp_integral_e(2, -1/2*I*d*x))*\cos(1/2*c)^2 + 4*I*\exp_integral_e(2, 1/2*I*d*x) - 4*I*\exp_integral_e(2, -1/2*I*d*x))*\sin(1/2*c))*\sqrt{a}*d/((\sqrt{2}*\cos(1/2*c)^2 + \sqrt{2}*\sin(1/2*c)^2)*(d*x + c) - (\sqrt{2}*\cos(1/2*c)^2 + \sqrt{2}*\sin(1/2*c)^2)*c)$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/x^2,x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(1/2)/x**2,x)`

[Out] `Integral(sqrt(a*(cos(c + d*x) + 1))/x**2, x)`

$$3.149 \quad \int \frac{\sqrt{a+a \cos(c+dx)}}{x^3} dx$$

Optimal. Leaf size=151

$$-\frac{1}{8}d^2 \cos\left(\frac{c}{2}\right) \text{Ci}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} + \frac{1}{8}d^2 \sin\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} -$$

[Out] $-1/2*(a+a*\cos(d*x+c))^{(1/2)}/x^2-1/8*d^2*\text{Ci}(1/2*d*x)*\cos(1/2*c)*\sec(1/2*d*x+1/2*c)*(a+a*\cos(d*x+c))^{(1/2)}+1/8*d^2*\sec(1/2*d*x+1/2*c)*\text{Si}(1/2*d*x)*\sin(1/2*c)*(a+a*\cos(d*x+c))^{(1/2)}+1/4*d*(a+a*\cos(d*x+c))^{(1/2)}*\tan(1/2*d*x+1/2*c)/x$

Rubi [A] time = 0.16, antiderivative size = 151, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 3297, 3303, 3299, 3302}

$$-\frac{1}{8}d^2 \cos\left(\frac{c}{2}\right) \text{CosIntegral}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} + \frac{1}{8}d^2 \sin\left(\frac{c}{2}\right) \text{Si}\left(\frac{dx}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{a \cos(c+dx) + a} -$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[c + d*x]]/x^3,x]

[Out] $-\text{Sqrt}[a + a*\text{Cos}[c + d*x]]/(2*x^2) - (d^2*\text{Cos}[c/2]*\text{Sqrt}[a + a*\text{Cos}[c + d*x]])*\text{CosIntegral}[(d*x)/2]*\text{Sec}[c/2 + (d*x)/2])/8 + (d^2*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sec}[c/2 + (d*x)/2]*\text{Sin}[c/2]*\text{SinIntegral}[(d*x)/2])/8 + (d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Tan}[c/2 + (d*x)/2])/(4*x)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) -

$c*f, 0]$

Rule 3303

```
Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] := Dist[Cos[(d*
e - c*f)/d], Int[Sin[(c*f)/d + f*x]/(c + d*x), x], x] + Dist[Sin[(d*e - c*f
)/d], Int[Cos[(c*f)/d + f*x]/(c + d*x), x], x] /; FreeQ[{c, d, e, f}, x] &&
NeQ[d*e - c*f, 0]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.),
x_Symbol] := Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + a \cos(c + dx)}}{x^3} dx &= \left(\sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right) \int \frac{\sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right)}{x^3} dx \\
 &= -\frac{\sqrt{a + a \cos(c + dx)}}{2x^2} - \frac{1}{4} \left(d \sqrt{a + a \cos(c + dx)} \csc \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right) \right) \int \frac{\sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right)}{x^2} dx \\
 &= -\frac{\sqrt{a + a \cos(c + dx)}}{2x^2} + \frac{d \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{4x} - \frac{1}{8} \left(d^2 \sqrt{a + a \cos(c + dx)} \right) \int \frac{\sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right)}{x} dx \\
 &= -\frac{\sqrt{a + a \cos(c + dx)}}{2x^2} + \frac{d \sqrt{a + a \cos(c + dx)} \tan \left(\frac{c}{2} + \frac{dx}{2} \right)}{4x} - \frac{1}{8} \left(d^2 \cos \left(\frac{c}{2} \right) \sqrt{a + a \cos(c + dx)} \right) \int \frac{\sin \left(\frac{1}{2} \left(c + \frac{\pi}{2} \right) + \frac{\pi}{4} + \frac{dx}{2} \right)}{x} dx \\
 &= -\frac{\sqrt{a + a \cos(c + dx)}}{2x^2} - \frac{1}{8} d^2 \cos \left(\frac{c}{2} \right) \sqrt{a + a \cos(c + dx)} \operatorname{Ci} \left(\frac{dx}{2} \right) \sec \left(\frac{c}{2} + \frac{dx}{2} \right) + \frac{1}{8} d^2 \sin \left(\frac{c}{2} \right) \sqrt{a + a \cos(c + dx)} \operatorname{Si} \left(\frac{dx}{2} \right) \sec \left(\frac{c}{2} + \frac{dx}{2} \right)
 \end{aligned}$$

Mathematica [A] time = 0.27, size = 98, normalized size = 0.65

$$\frac{\sqrt{a(\cos(c + dx) + 1)} \left(-d^2 x^2 \cos \left(\frac{c}{2} \right) \operatorname{Ci} \left(\frac{dx}{2} \right) \sec \left(\frac{1}{2}(c + dx) \right) + d^2 x^2 \sin \left(\frac{c}{2} \right) \operatorname{Si} \left(\frac{dx}{2} \right) \sec \left(\frac{1}{2}(c + dx) \right) + 2dx \tan \left(\frac{1}{2}(c + dx) \right) \right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[c + d*x]]/x^3,x]

[Out] (Sqrt[a*(1 + Cos[c + d*x])] * (-4 - d^2*x^2*Cos[c/2]*CosIntegral[(d*x)/2]*Sec[(c + d*x)/2] + d^2*x^2*Sec[(c + d*x)/2]*Sin[c/2]*SinIntegral[(d*x)/2] + 2*d*x*Tan[(c + d*x)/2])) / (8*x^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [C] time = 1.23, size = 662, normalized size = 4.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/2)/x^3,x, algorithm="giac")

[Out]
$$\begin{aligned} & \frac{1}{16} \sqrt{2} (d^2 x^2 \operatorname{real_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c)^2 + d^2 x^2 \operatorname{real_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c)^2 + 2 d^2 x^2 \operatorname{imag_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c) - 2 d^2 x^2 \operatorname{imag_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c) + 4 d^2 x^2 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \sin_integral(1/2 d x) \tan(1/4 d x)^2 \tan(1/4 c) - d^2 x^2 \operatorname{real_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 - d^2 x^2 \operatorname{real_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 + d^2 x^2 \operatorname{real_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c)^2 + d^2 x^2 \operatorname{real_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c)^2 + 2 d^2 x^2 \operatorname{imag_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c) - 2 d^2 x^2 \operatorname{imag_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c) + 4 d^2 x^2 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \sin_integral(1/2 d x) \tan(1/4 c) - d^2 x^2 \operatorname{real_part}(\cos_integral(1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) - d^2 x^2 \operatorname{real_part}(\cos_integral(-1/2 d x)) \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) - 8 d x \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c) - 8 d x \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x) \tan(1/4 c)^2 - 8 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 \tan(1/4 c)^2 + 8 d x \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x) + 8 d x \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c) + 8 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x)^2 + 32 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 d x) \tan(1/4 c) + 8 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \tan(1/4 c)^2 - 8 \operatorname{sgn}(\cos(1/2 d x + 1/2 c)) \sqrt{a} / \end{aligned}$$

$x^2 \tan(1/4 dx)^2 \tan(1/4 c)^2 + x^2 \tan(1/4 dx)^2 + x^2 \tan(1/4 c)^2 + x^2$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + a \cos(dx + c)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(d*x+c))^(1/2)/x^3,x)`

[Out] `int((a+a*cos(d*x+c))^(1/2)/x^3,x)`

maxima [C] time = 1.52, size = 232, normalized size = 1.54

$$\frac{\left(4 \left(E_3\left(\frac{1}{2} i dx\right) + E_3\left(-\frac{1}{2} i dx\right)\right) \cos\left(\frac{1}{2} c\right)^3 + 4 \left(E_3\left(\frac{1}{2} i dx\right) + E_3\left(-\frac{1}{2} i dx\right)\right) \cos\left(\frac{1}{2} c\right) \sin\left(\frac{1}{2} c\right)^2 - \left(4 i E_3\left(\frac{1}{2} i dx\right) - 4 i E_3\left(-\frac{1}{2} i dx\right)\right) \sin\left(\frac{1}{2} c\right)^3}{8 \left(\left(\sqrt{2} \cos\left(\frac{1}{2} c\right)\right)^2 + \sqrt{2} \sin\left(\frac{1}{2} c\right)\right)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(1/2)/x^3,x, algorithm="maxima")`

[Out] `-1/8*(4*(exp_integral_e(3, 1/2*I*d*x) + exp_integral_e(3, -1/2*I*d*x))*cos(1/2*c)^3 + 4*(exp_integral_e(3, 1/2*I*d*x) + exp_integral_e(3, -1/2*I*d*x))*cos(1/2*c)*sin(1/2*c)^2 - (4*I*exp_integral_e(3, 1/2*I*d*x) - 4*I*exp_integral_e(3, -1/2*I*d*x))*sin(1/2*c)^3 + 4*(exp_integral_e(3, 1/2*I*d*x) + exp_integral_e(3, -1/2*I*d*x))*cos(1/2*c) - ((4*I*exp_integral_e(3, 1/2*I*d*x) - 4*I*exp_integral_e(3, -1/2*I*d*x))*cos(1/2*c)^2 + 4*I*exp_integral_e(3, 1/2*I*d*x) - 4*I*exp_integral_e(3, -1/2*I*d*x))*sin(1/2*c))*sqrt(a)*d^2/((sqrt(2)*cos(1/2*c)^2 + sqrt(2)*sin(1/2*c)^2)*(d*x + c)^2 - 2*(sqrt(2)*cos(1/2*c)^2 + sqrt(2)*sin(1/2*c)^2)*(d*x + c)*c + (sqrt(2)*cos(1/2*c)^2 + sqrt(2)*sin(1/2*c)^2)*c^2)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(c + dx)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(c + d*x))^(1/2)/x^3,x)`

[Out] `int((a + a*cos(c + d*x))^(1/2)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(c + dx) + 1)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)/x**3,x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))/x**3, x)
```

3.150 $\int x^3 \sqrt{a + a \cos(x)} dx$

Optimal. Leaf size=68

$$2x^3 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + 12x^2 \sqrt{a \cos(x) + a} - 96 \sqrt{a \cos(x) + a} - 48x \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

[Out] $-96*(a+a*\cos(x))^{(1/2)}+12*x^2*(a+a*\cos(x))^{(1/2)}-48*x*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)+2*x^3*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.11, antiderivative size = 68, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3319, 3296, 2638}

$$12x^2 \sqrt{a \cos(x) + a} + 2x^3 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} - 96 \sqrt{a \cos(x) + a} - 48x \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] Int[x^3*Sqrt[a + a*Cos[x]],x]

[Out] $-96*\text{Sqrt}[a + a*\text{Cos}[x]] + 12*x^2*\text{Sqrt}[a + a*\text{Cos}[x]] - 48*x*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2] + 2*x^3*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2]$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a + a \cos(x)} dx &= \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int x^3 \cos\left(\frac{x}{2}\right) dx \\
&= 2x^3 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) - \left(6\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int x^2 \sin\left(\frac{x}{2}\right) dx \\
&= 12x^2 \sqrt{a + a \cos(x)} + 2x^3 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) - \left(24\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int x \cos\left(\frac{x}{2}\right) dx \\
&= 12x^2 \sqrt{a + a \cos(x)} - 48x \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) + 2x^3 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) + \left(48\sqrt{a + a \cos(x)} \right) \int \cos\left(\frac{x}{2}\right) dx \\
&= -96\sqrt{a + a \cos(x)} + 12x^2 \sqrt{a + a \cos(x)} - 48x \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) + 2x^3 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) + 48 \sin\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 33, normalized size = 0.49

$$2 \left(6(x^2 - 8) + x(x^2 - 24) \tan\left(\frac{x}{2}\right) \right) \sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[a + a*Cos[x]],x]

[Out] 2*Sqrt[a*(1 + Cos[x])]*(6*(-8 + x^2) + x*(-24 + x^2)*Tan[x/2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.41, size = 55, normalized size = 0.81

$$2\sqrt{2} \left(6 \left(x^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) - 8 \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \right) \cos\left(\frac{1}{2}x\right) + \left(x^3 \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) - 24x \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \right) \sin\left(\frac{1}{2}x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*(6*(x^2*sgn(cos(1/2*x)) - 8*sgn(cos(1/2*x)))*cos(1/2*x) + (x^3*sgn(cos(1/2*x)) - 24*x*sgn(cos(1/2*x)))*sin(1/2*x))*sqrt(a)

maple [C] time = 0.10, size = 87, normalized size = 1.28

$$\frac{i\sqrt{2} \sqrt{a(e^{ix} + 1)^2} e^{-ix} (6ix^2 e^{ix} + x^3 e^{ix} + 6ix^2 - x^3 - 48ie^{ix} - 24x e^{ix} - 48i + 24x)}{e^{ix} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+a*cos(x))^(1/2),x)

[Out] $-I*2^{(1/2)}*(a*(\exp(I*x)+1)^2*\exp(-I*x))^{(1/2)}/(\exp(I*x)+1)*(6*I*x^2*\exp(I*x)+x^3*\exp(I*x)+6*I*x^2-x^3-48*I*\exp(I*x)-24*x*\exp(I*x)-48*I+24*x)$

maxima [A] time = 1.23, size = 48, normalized size = 0.71

$$2 \left(\sqrt{2} x^3 \sin\left(\frac{1}{2} x\right) + 6 \sqrt{2} x^2 \cos\left(\frac{1}{2} x\right) - 24 \sqrt{2} x \sin\left(\frac{1}{2} x\right) - 48 \sqrt{2} \cos\left(\frac{1}{2} x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(1/2),x, algorithm="maxima")

[Out] $2*(\text{sqrt}(2)*x^3*\sin(1/2*x) + 6*\text{sqrt}(2)*x^2*\cos(1/2*x) - 24*\text{sqrt}(2)*x*\sin(1/2*x) - 48*\text{sqrt}(2)*\cos(1/2*x))*\text{sqrt}(a)$

mupad [B] time = 0.43, size = 91, normalized size = 1.34

$$\frac{2\sqrt{a}\sqrt{\cos(x)+1}(24x - \cos(x)48i + 48\sin(x) + x^2\cos(x)6i + x^3\cos(x) - 6x^2\sin(x) + x^3\sin(x)1i - 24x\cos(x)1i - \sin(x) + 1i)}{\cos(x)1i - \sin(x) + 1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a + a*cos(x))^(1/2),x)

[Out] $(2*a^{(1/2)}*(\cos(x) + 1)^{(1/2)}*(24*x - \cos(x)*48i + 48*\sin(x) + x^2*\cos(x)*6i + x^3*\cos(x) - 6*x^2*\sin(x) + x^3*\sin(x)*1i - 24*x*\cos(x) - x*\sin(x)*24i + x^2*6i - x^3 - 48i))/(\cos(x)*1i - \sin(x) + 1i)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{a(\cos(x) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a+a*cos(x))**(1/2),x)

[Out] Integral(x**3*sqrt(a*(cos(x) + 1)), x)

3.151 $\int x^2 \sqrt{a + a \cos(x)} dx$

Optimal. Leaf size=53

$$2x^2 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + 8x \sqrt{a \cos(x) + a} - 16 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

[Out] $8*x*(a+a*\cos(x))^{(1/2)}-16*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)+2*x^2*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.10, antiderivative size = 53, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3319, 3296, 2637}

$$2x^2 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + 8x \sqrt{a \cos(x) + a} - 16 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*\text{Sqrt}[a + a*\text{Cos}[x]], x]$

[Out] $8*x*\text{Sqrt}[a + a*\text{Cos}[x]] - 16*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2] + 2*x^2*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$
FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_))^m*\sin[(e_.) + (f_.)*(x_)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{m-1}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3319

$\text{Int}[((c_.) + (d_.)*(x_))^m*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^n, x_Symbol] \rightarrow \text{Dist}[(2*a)^{\text{IntPart}[n]}*(a + b*\text{Sin}[e + f*x])^{\text{FracPart}[n]}/\text{Sin}[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^{2*\text{FracPart}[n]}, \text{Int}[(c + d*x)^m*\text{Sin}[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^{2*n}, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a + a \cos(x)} dx &= \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int x^2 \cos\left(\frac{x}{2}\right) dx \\
&= 2x^2 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) - \left(4\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int x \sin\left(\frac{x}{2}\right) dx \\
&= 8x \sqrt{a + a \cos(x)} + 2x^2 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) - \left(8\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \cos\left(\frac{x}{2}\right) dx \\
&= 8x \sqrt{a + a \cos(x)} - 16\sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right) + 2x^2 \sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 29, normalized size = 0.55

$$8 \left(\frac{1}{4} (x^2 - 8) \tan\left(\frac{x}{2}\right) + x \right) \sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a + a*Cos[x]],x]

[Out] 8*Sqrt[a*(1 + Cos[x])]*(x + ((-8 + x^2)*Tan[x/2])/4)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.42, size = 43, normalized size = 0.81

$$2\sqrt{2} \left(4x \cos\left(\frac{1}{2}x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) + \left(x^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) - 8 \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \right) \sin\left(\frac{1}{2}x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(x))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*(4*x*cos(1/2*x)*sgn(cos(1/2*x)) + (x^2*sgn(cos(1/2*x)) - 8*sgn(cos(1/2*x)))*sin(1/2*x))*sqrt(a)

maple [C] time = 0.07, size = 70, normalized size = 1.32

$$\frac{i\sqrt{2} \sqrt{a(e^{ix} + 1)^2} e^{-ix} (4ix e^{ix} + x^2 e^{ix} + 4ix - x^2 - 8e^{ix} + 8)}{e^{ix} + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a+a*cos(x))^(1/2), x)

[Out] -I*2^(1/2)*(a*(exp(I*x)+1)^2*exp(-I*x))^(1/2)/(exp(I*x)+1)*(4*I*x*exp(I*x)+x^2*exp(I*x)+4*I*x-x^2-8*exp(I*x)+8)

maxima [A] time = 1.29, size = 36, normalized size = 0.68

$$2 \left(\sqrt{2} x^2 \sin\left(\frac{1}{2} x\right) + 4 \sqrt{2} x \cos\left(\frac{1}{2} x\right) - 8 \sqrt{2} \sin\left(\frac{1}{2} x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a+a*cos(x))^(1/2), x, algorithm="maxima")

[Out] 2*(sqrt(2)*x^2*sin(1/2*x) + 4*sqrt(2)*x*cos(1/2*x) - 8*sqrt(2)*sin(1/2*x))*sqrt(a)

mupad [B] time = 0.34, size = 70, normalized size = 1.32

$$\frac{2 \sqrt{a} \sqrt{\cos(x) + 1} (x^2 \cos(x) - 8 \cos(x) - 4 x \sin(x) - x^2 + 8 + x 4i - \sin(x) 8i + x^2 \sin(x) 1i + x \cos(x) 4i)}{\cos(x) 1i - \sin(x) + 1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2*(a + a*cos(x))^(1/2), x)

[Out] (2*a^(1/2)*(cos(x) + 1)^(1/2)*(x*4i - 8*cos(x) - sin(x)*8i + x^2*cos(x) + x^2*sin(x)*1i + x*cos(x)*4i - 4*x*sin(x) - x^2 + 8))/(cos(x)*1i - sin(x) + 1i)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{a(\cos(x) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2*(a+a*cos(x))**(1/2), x)

[Out] Integral(x**2*sqrt(a*(cos(x) + 1)), x)

3.152 $\int x\sqrt{a + a\cos(x)} dx$

Optimal. Leaf size=32

$$4\sqrt{a\cos(x) + a} + 2x \tan\left(\frac{x}{2}\right)\sqrt{a\cos(x) + a}$$

[Out] $4*(a+a*\cos(x))^{(1/2)}+2*x*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.05, antiderivative size = 32, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3319, 3296, 2638}

$$4\sqrt{a\cos(x) + a} + 2x \tan\left(\frac{x}{2}\right)\sqrt{a\cos(x) + a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*\text{Sqrt}[a + a*\text{Cos}[x]], x]$

[Out] $4*\text{Sqrt}[a + a*\text{Cos}[x]] + 2*x*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2]$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /;$ FreeQ[{c, d}, x]

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /;$ FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3319

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Dist}[(2*a)^{\text{IntPart}[n]}*(a + b*\text{Sin}[e + f*x])^{\text{FracPart}[n]}/\text{Sin}[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^{(2*\text{FracPart}[n])}, \text{Int}[(c + d*x)^m*\text{Sin}[e/2 + (a*\text{Pi})/(4*b) + (f*x)/2]^{(2*n)}, x], x] /;$ FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int x\sqrt{a+a\cos(x)} dx &= \left(\sqrt{a+a\cos(x)} \sec\left(\frac{x}{2}\right)\right) \int x \cos\left(\frac{x}{2}\right) dx \\
&= 2x\sqrt{a+a\cos(x)} \tan\left(\frac{x}{2}\right) - \left(2\sqrt{a+a\cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \sin\left(\frac{x}{2}\right) dx \\
&= 4\sqrt{a+a\cos(x)} + 2x\sqrt{a+a\cos(x)} \tan\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 22, normalized size = 0.69

$$2\left(x \tan\left(\frac{x}{2}\right) + 2\right)\sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a + a*Cos[x]],x]

[Out] 2*Sqrt[a*(1 + Cos[x])]*(2 + x*Tan[x/2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ
rate: implementation incomplete (has polynomial part)

giac [A] time = 0.40, size = 31, normalized size = 0.97

$$2\sqrt{2}\left(x\operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right)\sin\left(\frac{1}{2}x\right) + 2\cos\left(\frac{1}{2}x\right)\operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right)\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a+a*cos(x))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*(x*sgn(cos(1/2*x))*sin(1/2*x) + 2*cos(1/2*x)*sgn(cos(1/2*x)))*sqrt(a)

maple [C] time = 0.07, size = 55, normalized size = 1.72

$$\frac{i\sqrt{2}\sqrt{a(e^{ix}+1)^2}e^{-ix}(2ie^{ix}+xe^{ix}+2i-x)}{e^{ix}+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+a*cos(x))^(1/2),x)`

[Out] $-I*2^{(1/2)}*(a*(\exp(I*x)+1)^{2*\exp(-I*x)})^{(1/2)}/(\exp(I*x)+1)*(2*I*\exp(I*x)+x*\exp(I*x)+2*I-x)$

maxima [A] time = 1.50, size = 24, normalized size = 0.75

$$2\left(\sqrt{2}x\sin\left(\frac{1}{2}x\right)+2\sqrt{2}\cos\left(\frac{1}{2}x\right)\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(x))^(1/2),x, algorithm="maxima")`

[Out] $2*(\text{sqrt}(2)*x*\sin(1/2*x) + 2*\text{sqrt}(2)*\cos(1/2*x))*\text{sqrt}(a)$

mupad [B] time = 0.31, size = 50, normalized size = 1.56

$$\frac{2\sqrt{a}\sqrt{\cos(x)+1}(x\cos(x)+\cos(x)2i-2\sin(x)-x+x\sin(x)1i+2i)}{\cos(x)1i-\sin(x)+1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + a*cos(x))^(1/2),x)`

[Out] $(2*a^{(1/2)}*(\cos(x)+1)^{(1/2)}*(\cos(x)*2i-x-2*\sin(x)+x*\cos(x)+x*\sin(x)*1i+2i))/(\cos(x)*1i-\sin(x)+1i)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{a(\cos(x)+1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(x))**(1/2),x)`

[Out] `Integral(x*sqrt(a*(cos(x)+1)),x)`

3.153 $\int \sqrt{a + a \cos(x)} dx$

Optimal. Leaf size=15

$$\frac{2a \sin(x)}{\sqrt{a \cos(x) + a}}$$

[Out] 2*a*sin(x)/(a+a*cos(x))^(1/2)

Rubi [A] time = 0.01, antiderivative size = 15, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 10, $\frac{\text{number of rules}}{\text{integrand size}} = 0.100$, Rules used = {2646}

$$\frac{2a \sin(x)}{\sqrt{a \cos(x) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[x]], x]

[Out] (2*a*Sin[x])/Sqrt[a + a*Cos[x]]

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \sqrt{a + a \cos(x)} dx = \frac{2a \sin(x)}{\sqrt{a + a \cos(x)}}$$

Mathematica [A] time = 0.01, size = 18, normalized size = 1.20

$$2 \tan\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[x]], x]

[Out] 2*Sqrt[a*(1 + Cos[x])]*Tan[x/2]

fricas [A] time = 0.68, size = 18, normalized size = 1.20

$$\frac{2 \sqrt{a \cos(x) + a} \sin(x)}{\cos(x) + 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2),x, algorithm="fricas")

[Out] 2*sqrt(a*cos(x) + a)*sin(x)/(cos(x) + 1)

giac [A] time = 1.37, size = 17, normalized size = 1.13

$$2\sqrt{2}\sqrt{a}\operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right)\sin\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*sqrt(a)*sgn(cos(1/2*x))*sin(1/2*x)

maple [A] time = 0.07, size = 25, normalized size = 1.67

$$\frac{2a\cos\left(\frac{x}{2}\right)\sin\left(\frac{x}{2}\right)\sqrt{2}}{\sqrt{a}\left(\cos^2\left(\frac{x}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(x))^(1/2),x)

[Out] 2*a*cos(1/2*x)*sin(1/2*x)*2^(1/2)/(a*cos(1/2*x)^2)^(1/2)

maxima [A] time = 1.48, size = 12, normalized size = 0.80

$$2\sqrt{2}\sqrt{a}\sin\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2),x, algorithm="maxima")

[Out] 2*sqrt(2)*sqrt(a)*sin(1/2*x)

mupad [B] time = 0.29, size = 34, normalized size = 2.27

$$\frac{2\sqrt{a}\sqrt{\cos(x)+1}(\cos(x)-1+\sin(x)1i)}{\cos(x)1i-\sin(x)+1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(x))^(1/2),x)

[Out] $(2*a^{(1/2)}*(\cos(x) + 1)^{(1/2)}*(\cos(x) + \sin(x)*1i - 1))/(\cos(x)*1i - \sin(x) + 1i)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{a \cos(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))**(1/2),x)`

[Out] `Integral(sqrt(a*cos(x) + a), x)`

$$3.154 \quad \int \frac{\sqrt{a+a \cos(x)}}{x} dx$$

Optimal. Leaf size=23

$$\text{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

[Out] Ci(1/2*x)*sec(1/2*x)*(a+a*cos(x))^(1/2)

Rubi [A] time = 0.09, antiderivative size = 23, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {3319, 3302}

$$\text{CosIntegral}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[x]]/x,x]

[Out] Sqrt[a + a*Cos[x]]*CosIntegral[x/2]*Sec[x/2]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(x)}}{x} dx &= \left(\sqrt{a+a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x} dx \\ &= \sqrt{a+a \cos(x)} \text{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.01, size = 23, normalized size = 1.00

$$\operatorname{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[x]]/x,x]

[Out] Sqrt[a*(1 + Cos[x])]*CosIntegral[x/2]*Sec[x/2]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.44, size = 16, normalized size = 0.70

$$\sqrt{2} \sqrt{a} \operatorname{Ci}\left(\frac{1}{2}x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x,x, algorithm="giac")

[Out] sqrt(2)*sqrt(a)*cos_integral(1/2*x)*sgn(cos(1/2*x))

maple [F] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + a \cos(x)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(x))^(1/2)/x,x)

[Out] int((a+a*cos(x))^(1/2)/x,x)

maxima [C] time = 1.52, size = 17, normalized size = 0.74

$$\frac{1}{2} \sqrt{2} \sqrt{a} \left(\operatorname{Ei}\left(\frac{1}{2}ix\right) + \operatorname{Ei}\left(-\frac{1}{2}ix\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x,x, algorithm="maxima")

[Out] 1/2*sqrt(2)*sqrt(a)*(Ei(1/2*I*x) + Ei(-1/2*I*x))

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{a + a \cos(x)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(x))^(1/2)/x,x)

[Out] int((a + a*cos(x))^(1/2)/x, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(x) + 1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))**(1/2)/x,x)

[Out] Integral(sqrt(a*(cos(x) + 1))/x, x)

$$3.155 \quad \int \frac{\sqrt{a+a \cos(x)}}{x^2} dx$$

Optimal. Leaf size=42

$$-\frac{1}{2} \operatorname{Si}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} - \frac{\sqrt{a \cos(x) + a}}{x}$$

[Out] $-(a+a*\cos(x))^{(1/2)}/x-1/2*\sec(1/2*x)*\operatorname{Si}(1/2*x)*(a+a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 42, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3319, 3297, 3299}

$$-\frac{1}{2} \operatorname{Si}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} - \frac{\sqrt{a \cos(x) + a}}{x}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[x]]/x^2,x]

[Out] $-(\operatorname{Sqrt}[a + a*\operatorname{Cos}[x]]/x) - (\operatorname{Sqrt}[a + a*\operatorname{Cos}[x]]*\operatorname{Sec}[x/2]*\operatorname{SinIntegral}[x/2])/2$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \cos(x)}}{x^2} dx &= \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x^2} dx \\
&= -\frac{\sqrt{a + a \cos(x)}}{x} - \frac{1}{2} \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x} dx \\
&= -\frac{\sqrt{a + a \cos(x)}}{x} - \frac{1}{2} \sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \text{Si}\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 33, normalized size = 0.79

$$\frac{\sqrt{a(\cos(x) + 1)} \left(x \text{Si}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) + 2 \right)}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[x]]/x^2,x]

[Out] -1/2*(Sqrt[a*(1 + Cos[x])]*(2 + x*Sec[x/2]*SinIntegral[x/2]))/x

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.44, size = 34, normalized size = 0.81

$$\frac{\sqrt{2} \left(x \text{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \text{Si}\left(\frac{1}{2}x\right) + 2 \cos\left(\frac{1}{2}x\right) \text{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \right) \sqrt{a}}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x^2,x, algorithm="giac")

[Out] -1/2*sqrt(2)*(x*sgn(cos(1/2*x))*sin_integral(1/2*x) + 2*cos(1/2*x)*sgn(cos(1/2*x)))*sqrt(a)/x

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + a \cos(x)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(x))^(1/2)/x^2,x)`

[Out] `int((a+a*cos(x))^(1/2)/x^2,x)`

maxima [C] time = 0.90, size = 23, normalized size = 0.55

$$-\frac{1}{4} \sqrt{2} \sqrt{a} \left(i \Gamma\left(-1, \frac{1}{2} i x\right) - i \Gamma\left(-1, -\frac{1}{2} i x\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))^(1/2)/x^2,x, algorithm="maxima")`

[Out] `-1/4*sqrt(2)*sqrt(a)*(I*gamma(-1, 1/2*I*x) - I*gamma(-1, -1/2*I*x))`

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a + a \cos(x)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(x))^(1/2)/x^2,x)`

[Out] `int((a + a*cos(x))^(1/2)/x^2, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a (\cos(x) + 1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))**(1/2)/x**2,x)`

[Out] `Integral(sqrt(a*(cos(x) + 1))/x**2, x)`

$$3.156 \quad \int \frac{\sqrt{a+a \cos(x)}}{x^3} dx$$

Optimal. Leaf size=67

$$-\frac{1}{8}\text{Ci}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a} - \frac{\sqrt{a \cos(x) + a}}{2x^2} + \frac{\tan\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a}}{4x}$$

[Out] $-1/2*(a+a*\cos(x))^{(1/2)}/x^2-1/8*\text{Ci}(1/2*x)*\sec(1/2*x)*(a+a*\cos(x))^{(1/2)+1/4}$
 $*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)/x$

Rubi [A] time = 0.11, antiderivative size = 67, normalized size of antiderivative = 1.00,
 number of steps used = 4, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} =$
 0.214, Rules used = {3319, 3297, 3302}

$$-\frac{1}{8}\text{CosIntegral}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a} - \frac{\sqrt{a \cos(x) + a}}{2x^2} + \frac{\tan\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a}}{4x}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a*Cos[x]]/x^3,x]

[Out] $-\text{Sqrt}[a + a*\text{Cos}[x]]/(2*x^2) - (\text{Sqrt}[a + a*\text{Cos}[x]]*\text{CosIntegral}[x/2]*\text{Sec}[x/2])$
 $/8 + (\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/(4*x)$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a + a \cos(x)}}{x^3} dx &= \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x^3} dx \\
&= -\frac{\sqrt{a + a \cos(x)}}{2x^2} - \frac{1}{4} \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x^2} dx \\
&= -\frac{\sqrt{a + a \cos(x)}}{2x^2} + \frac{\sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right)}{4x} - \frac{1}{8} \left(\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x} dx \\
&= -\frac{\sqrt{a + a \cos(x)}}{2x^2} - \frac{1}{8} \sqrt{a + a \cos(x)} \operatorname{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) + \frac{\sqrt{a + a \cos(x)} \tan\left(\frac{x}{2}\right)}{4x}
\end{aligned}$$

Mathematica [A] time = 0.07, size = 44, normalized size = 0.66

$$\frac{\sqrt{a(\cos(x) + 1)} \left(x^2 \operatorname{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) - 2x \tan\left(\frac{x}{2}\right) + 4 \right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a*Cos[x]]/x^3,x]

[Out] -1/8*(Sqrt[a*(1 + Cos[x])]*(4 + x^2*CosIntegral[x/2]*Sec[x/2] - 2*x*Tan[x/2]))/x^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.41, size = 48, normalized size = 0.72

$$\frac{\sqrt{2} \left(x^2 \operatorname{Ci}\left(\frac{1}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) - 2x \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) \sin\left(\frac{1}{2} x\right) + 4 \cos\left(\frac{1}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) \right) \sqrt{a}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(1/2)/x^3,x, algorithm="giac")

[Out] $-1/8*\sqrt{2}*(x^2*\cos_integral(1/2*x)*sgn(\cos(1/2*x)) - 2*x*sgn(\cos(1/2*x))$
 $*\sin(1/2*x) + 4*\cos(1/2*x)*sgn(\cos(1/2*x)))*\sqrt{a}/x^2$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a + a \cos(x)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(x))^(1/2)/x^3,x)`

[Out] `int((a+a*cos(x))^(1/2)/x^3,x)`

maxima [C] time = 1.41, size = 19, normalized size = 0.28

$$\frac{1}{8} \sqrt{2} \sqrt{a} \left(\Gamma\left(-2, \frac{1}{2}ix\right) + \Gamma\left(-2, -\frac{1}{2}ix\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))^(1/2)/x^3,x, algorithm="maxima")`

[Out] `1/8*sqrt(2)*sqrt(a)*(gamma(-2, 1/2*I*x) + gamma(-2, -1/2*I*x))`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a + a \cos(x)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(x))^(1/2)/x^3,x)`

[Out] `int((a + a*cos(x))^(1/2)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a(\cos(x) + 1)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))**(1/2)/x**3,x)`

[Out] `Integral(sqrt(a*(cos(x) + 1))/x**3, x)`

3.157 $\int x^3 \sqrt{a - a \cos(x)} dx$

Optimal. Leaf size=72

$$-2x^3 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)} + 12x^2 \sqrt{a - a \cos(x)} - 96 \sqrt{a - a \cos(x)} + 48x \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)}$$

[Out] $-96*(a-a*\cos(x))^{(1/2)}+12*x^2*(a-a*\cos(x))^{(1/2)}+48*x*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}-2*x^3*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 72, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3319, 3296, 2637}

$$12x^2 \sqrt{a - a \cos(x)} - 2x^3 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)} - 96 \sqrt{a - a \cos(x)} + 48x \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)}$$

Antiderivative was successfully verified.

[In] `Int[x^3*Sqrt[a - a*Cos[x]],x]`

[Out] $-96*\text{Sqrt}[a - a*\text{Cos}[x]] + 12*x^2*\text{Sqrt}[a - a*\text{Cos}[x]] + 48*x*\text{Sqrt}[a - a*\text{Cos}[x]]*\text{Cot}[x/2] - 2*x^3*\text{Sqrt}[a - a*\text{Cos}[x]]*\text{Cot}[x/2]$

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3319

`Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),`
`x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[`
`e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a`
`*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /;` `FreeQ[{a, b, c, d, e, f, m}, x] && E`
`qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])`

Rubi steps

$$\begin{aligned}
\int x^3 \sqrt{a - a \cos(x)} dx &= \left(\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int x^3 \sin\left(\frac{x}{2}\right) dx \\
&= -2x^3 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) + \left(6\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int x^2 \cos\left(\frac{x}{2}\right) dx \\
&= 12x^2 \sqrt{a - a \cos(x)} - 2x^3 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - \left(24\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int x \sin\left(\frac{x}{2}\right) dx \\
&= 12x^2 \sqrt{a - a \cos(x)} + 48x \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - 2x^3 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - \left(48\sqrt{a - a \cos(x)} \right) \int \sin\left(\frac{x}{2}\right) dx \\
&= -96\sqrt{a - a \cos(x)} + 12x^2 \sqrt{a - a \cos(x)} + 48x \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - 2x^3 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.05, size = 34, normalized size = 0.47

$$-2 \left(x(x^2 - 24) \cot\left(\frac{x}{2}\right) - 6(x^2 - 8) \right) \sqrt{a - a \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x^3*Sqrt[a - a*Cos[x]],x]

[Out] -2*Sqrt[a - a*Cos[x]]*(-6*(-8 + x^2) + x*(-24 + x^2)*Cot[x/2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.47, size = 55, normalized size = 0.76

$$-2\sqrt{2} \left(\left(x^3 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - 24x \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \right) \cos\left(\frac{1}{2}x\right) - 6 \left(x^2 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - 8 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \right) \sin\left(\frac{1}{2}x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] -2*sqrt(2)*((x^3*sgn(sin(1/2*x)) - 24*x*sgn(sin(1/2*x)))*cos(1/2*x) - 6*(x^2*sgn(sin(1/2*x)) - 8*sgn(sin(1/2*x)))*sin(1/2*x))*sqrt(a)

maple [C] time = 0.07, size = 86, normalized size = 1.19

$$\frac{i\sqrt{2} \sqrt{-a(e^{ix}-1)^2} e^{-ix} (6ix^2e^{ix} + x^3e^{ix} - 6ix^2 + x^3 - 48ie^{ix} - 24xe^{ix} + 48i - 24x)}{e^{ix} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a-a*cos(x))^(1/2),x)

[Out] $-I*2^{(1/2)}*(-a*(\exp(I*x)-1)^2*\exp(-I*x))^{(1/2)}/(\exp(I*x)-1)*(6*I*x^2*\exp(I*x)+x^3*\exp(I*x)-6*I*x^2+x^3-48*I*\exp(I*x)-24*x*\exp(I*x)+48*I-24*x)$

maxima [B] time = 1.15, size = 129, normalized size = 1.79

$$-\left(\left(6\sqrt{2}x^2 - 6\left(\sqrt{2}x^2 - 8\sqrt{2}\right)\cos(x) - \left(\sqrt{2}x^3 - 24\sqrt{2}x\right)\sin(x) - 48\sqrt{2}\right)\cos\left(\frac{1}{2}\pi + \frac{1}{2}\arctan(\sin(x), \cos(x))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] $-((6*\sqrt{2}*x^2 - 6*(\sqrt{2}*x^2 - 8*\sqrt{2}))*\cos(x) - (\sqrt{2}*x^3 - 24*\sqrt{2}*x)*\sin(x) - 48*\sqrt{2})*\cos(1/2*\pi + 1/2*\arctan2(\sin(x), \cos(x))) + (\sqrt{2}*x^3 + (\sqrt{2}*x^3 - 24*\sqrt{2}*x)*\cos(x) - 6*(\sqrt{2}*x^2 - 8*\sqrt{2}))*\sin(x) - 24*\sqrt{2}*x)*\sin(1/2*\pi + 1/2*\arctan2(\sin(x), \cos(x))))*\sqrt{2}$

mupad [B] time = 0.43, size = 92, normalized size = 1.28

$$\frac{2\sqrt{a}\sqrt{1-\cos(x)}(24x + \cos(x)48i - 48\sin(x) - x^2\cos(x)6i - x^3\cos(x) + 6x^2\sin(x) - x^3\sin(x)1i + 24x\cos(x) + x^2*6i - x^3 - 48i)}{\sin(x) - \cos(x)1i + 1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a - a*cos(x))^(1/2),x)

[Out] $(2*a^{(1/2)}*(1 - \cos(x))^{(1/2)}*(24*x + \cos(x)*48i - 48*\sin(x) - x^2*\cos(x)*6i - x^3*\cos(x) + 6*x^2*\sin(x) - x^3*\sin(x)*1i + 24*x*\cos(x) + x*\sin(x)*24i + x^2*6i - x^3 - 48i))/(\sin(x) - \cos(x)*1i + 1i)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 \sqrt{-a(\cos(x) - 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3*(a-a*cos(x))**(1/2),x)

[Out] Integral(x**3*sqrt(-a*(cos(x) - 1)), x)

3.158 $\int x^2 \sqrt{a - a \cos(x)} dx$

Optimal. Leaf size=56

$$-2x^2 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)} + 8x \sqrt{a - a \cos(x)} + 16 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)}$$

[Out] $8*x*(a-a*\cos(x))^{(1/2)}+16*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}-2*x^2*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.10, antiderivative size = 56, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3319, 3296, 2638}

$$-2x^2 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)} + 8x \sqrt{a - a \cos(x)} + 16 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)}$$

Antiderivative was successfully verified.

[In] Int[x^2*Sqrt[a - a*Cos[x]], x]

[Out] $8*x*\text{Sqrt}[a - a*\text{Cos}[x]] + 16*\text{Sqrt}[a - a*\text{Cos}[x]]*\text{Cot}[x/2] - 2*x^2*\text{Sqrt}[a - a*\text{Cos}[x]]*\text{Cot}[x/2]$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] :> -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int x^2 \sqrt{a - a \cos(x)} dx &= \left(\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int x^2 \sin\left(\frac{x}{2}\right) dx \\
&= -2x^2 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) + \left(4\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int x \cos\left(\frac{x}{2}\right) dx \\
&= 8x \sqrt{a - a \cos(x)} - 2x^2 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - \left(8\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int \sin\left(\frac{x}{2}\right) dx \\
&= 8x \sqrt{a - a \cos(x)} + 16\sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right) - 2x^2 \sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.04, size = 30, normalized size = 0.54

$$8 \left(x - \frac{1}{4} (x^2 - 8) \cot\left(\frac{x}{2}\right) \right) \sqrt{a - a \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x^2*Sqrt[a - a*Cos[x]],x]

[Out] 8*Sqrt[a - a*Cos[x]]*(x - ((-8 + x^2)*Cot[x/2])/4)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.37, size = 51, normalized size = 0.91

$$2\sqrt{2} \left(4x \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \sin\left(\frac{1}{2}x\right) - \left(x^2 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - 8 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \right) \cos\left(\frac{1}{2}x\right) - 8 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2*(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] 2*sqrt(2)*(4*x*sgn(sin(1/2*x))*sin(1/2*x) - (x^2*sgn(sin(1/2*x)) - 8*sgn(sin(1/2*x))))*cos(1/2*x) - 8*sgn(sin(1/2*x))*sqrt(a)

maple [C] time = 0.06, size = 69, normalized size = 1.23

$$\frac{i\sqrt{2} \sqrt{-a(e^{ix}-1)^2 e^{-ix}} (4ix e^{ix} + x^2 e^{ix} - 4ix + x^2 - 8e^{ix} - 8)}{e^{ix} - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a-a*cos(x))^(1/2),x)`

[Out] `-I*2^(1/2)*(-a*(exp(I*x)-1)^2*exp(-I*x))^(1/2)/(exp(I*x)-1)*(4*I*x*exp(I*x)+x^2*exp(I*x)-4*I*x+x^2-8*exp(I*x)-8)`

maxima [B] time = 1.38, size = 100, normalized size = 1.79

$$\left((4\sqrt{2}x \cos(x) + (\sqrt{2}x^2 - 8\sqrt{2}) \sin(x) - 4\sqrt{2}x) \cos\left(\frac{1}{2}\pi + \frac{1}{2}\arctan(\sin(x), \cos(x))\right) - (\sqrt{2}x^2 - 4\sqrt{2}x \sin(x) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a-a*cos(x))^(1/2),x, algorithm="maxima")`

[Out] `((4*sqrt(2)*x*cos(x) + (sqrt(2)*x^2 - 8*sqrt(2))*sin(x) - 4*sqrt(2)*x)*cos(1/2*pi + 1/2*arctan2(sin(x), cos(x))) - (sqrt(2)*x^2 - 4*sqrt(2)*x*sin(x) + (sqrt(2)*x^2 - 8*sqrt(2))*cos(x) - 8*sqrt(2))*sin(1/2*pi + 1/2*arctan2(sin(x), cos(x))))*sqrt(a)`

mupad [B] time = 0.34, size = 71, normalized size = 1.27

$$\frac{2\sqrt{a}\sqrt{1-\cos(x)}(8\cos(x)-x^2\cos(x)+4x\sin(x)-x^2+8+x4i+\sin(x)8i-x^2\sin(x)1i-x\cos(x)4i)}{\sin(x)-\cos(x)1i+1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a - a*cos(x))^(1/2),x)`

[Out] `(2*a^(1/2)*(1 - cos(x))^(1/2)*(x*4i + 8*cos(x) + sin(x)*8i - x^2*cos(x) - x^2*sin(x)*1i - x*cos(x)*4i + 4*x*sin(x) - x^2 + 8))/(sin(x) - cos(x)*1i + 1i)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 \sqrt{-a(\cos(x)-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a-a*cos(x))**(1/2),x)`

[Out] `Integral(x**2*sqrt(-a*(cos(x) - 1)), x)`

3.159 $\int x\sqrt{a - a\cos(x)} dx$

Optimal. Leaf size=34

$$4\sqrt{a - a\cos(x)} - 2x \cot\left(\frac{x}{2}\right) \sqrt{a - a\cos(x)}$$

[Out] $4*(a-a*\cos(x))^{(1/2)}-2*x*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.05, antiderivative size = 34, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.231$, Rules used = {3319, 3296, 2637}

$$4\sqrt{a - a\cos(x)} - 2x \cot\left(\frac{x}{2}\right) \sqrt{a - a\cos(x)}$$

Antiderivative was successfully verified.

[In] `Int[x*Sqrt[a - a*Cos[x]],x]`

[Out] `4*Sqrt[a - a*Cos[x]] - 2*x*Sqrt[a - a*Cos[x]]*Cot[x/2]`

Rule 2637

`Int[sin[Pi/2 + (c_.) + (d_.)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;`
`FreeQ[{c, d}, x]`

Rule 3296

`Int[((c_.) + (d_.)*(x_))^(m_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := -Simp[`
`((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[`
`e + f*x], x], x] /;` `FreeQ[{c, d, e, f}, x] && GtQ[m, 0]`

Rule 3319

`Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),`
`x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[`
`e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a`
`*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /;` `FreeQ[{a, b, c, d, e, f, m}, x] && E`
`qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])`

Rubi steps

$$\begin{aligned}
\int x\sqrt{a-a\cos(x)} dx &= \left(\sqrt{a-a\cos(x)} \csc\left(\frac{x}{2}\right)\right) \int x \sin\left(\frac{x}{2}\right) dx \\
&= -2x\sqrt{a-a\cos(x)} \cot\left(\frac{x}{2}\right) + \left(2\sqrt{a-a\cos(x)} \csc\left(\frac{x}{2}\right)\right) \int \cos\left(\frac{x}{2}\right) dx \\
&= 4\sqrt{a-a\cos(x)} - 2x\sqrt{a-a\cos(x)} \cot\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 23, normalized size = 0.68

$$-2\left(x \cot\left(\frac{x}{2}\right) - 2\right)\sqrt{a-a\cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[x*Sqrt[a - a*Cos[x]],x]

[Out] -2*Sqrt[a - a*Cos[x]]*(-2 + x*Cot[x/2])

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.42, size = 31, normalized size = 0.91

$$-2\sqrt{2}\left(x\cos\left(\frac{1}{2}x\right)\operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - 2\operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right)\sin\left(\frac{1}{2}x\right)\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x*(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] -2*sqrt(2)*(x*cos(1/2*x)*sgn(sin(1/2*x)) - 2*sgn(sin(1/2*x))*sin(1/2*x))*sqrt(a)

maple [C] time = 0.06, size = 54, normalized size = 1.59

$$\frac{i\sqrt{2}\sqrt{-a(e^{ix}-1)^2}e^{-ix}(2ie^{ix}+xe^{ix}-2i+x)}{e^{ix}-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a-a*cos(x))^(1/2),x)`

[Out] $-I*2^{(1/2)}*(-a*(\exp(I*x)-1)^2*\exp(-I*x))^{(1/2)}/(\exp(I*x)-1)*(2*I*\exp(I*x)+x*\exp(I*x)-2*I+x)$

maxima [B] time = 1.69, size = 72, normalized size = 2.12

$$\left(\left(\sqrt{2} x \sin(x) + 2 \sqrt{2} \cos(x) - 2 \sqrt{2} \right) \cos \left(\frac{1}{2} \pi + \frac{1}{2} \arctan(\sin(x), \cos(x)) \right) - \left(\sqrt{2} x \cos(x) + \sqrt{2} x - 2 \sqrt{2} \sin(x) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a-a*cos(x))^(1/2),x, algorithm="maxima")`

[Out] $((\sqrt{2}*x*\sin(x) + 2*\sqrt{2}*\cos(x) - 2*\sqrt{2})*\cos(1/2*\pi + 1/2*\arctan2(\sin(x), \cos(x))) - (\sqrt{2}*x*\cos(x) + \sqrt{2}*x - 2*\sqrt{2}*\sin(x))*\sin(1/2*\pi + 1/2*\arctan2(\sin(x), \cos(x))))*\sqrt{a}$

mupad [B] time = 0.32, size = 48, normalized size = 1.41

$$\frac{2\sqrt{a}\sqrt{1-\cos(x)}(x+\cos(x)2i-2\sin(x)+x\cos(x)+x\sin(x)1i-2i)}{\sin(x)-\cos(x)1i+1i}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a - a*cos(x))^(1/2),x)`

[Out] $-(2*a^{(1/2)}*(1-\cos(x))^{(1/2)}*(x+\cos(x)*2i-2*\sin(x)+x*\cos(x)+x*\sin(x)*1i-2i))/(\sin(x)-\cos(x)*1i+1i)$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x\sqrt{-a(\cos(x)-1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a-a*cos(x))**(1/2),x)`

[Out] `Integral(x*sqrt(-a*(cos(x) - 1)), x)`

3.160 $\int \sqrt{a - a \cos(x)} dx$

Optimal. Leaf size=16

$$-\frac{2a \sin(x)}{\sqrt{a - a \cos(x)}}$$

[Out] $-2*a*\sin(x)/(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.01, antiderivative size = 16, normalized size of antiderivative = 1.00, number of steps used = 1, number of rules used = 1, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$, Rules used = {2646}

$$-\frac{2a \sin(x)}{\sqrt{a - a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a*Cos[x]], x]

[Out] $(-2*a*\sin[x])/Sqrt[a - a*\cos[x]]$

Rule 2646

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \sqrt{a - a \cos(x)} dx = -\frac{2a \sin(x)}{\sqrt{a - a \cos(x)}}$$

Mathematica [A] time = 0.01, size = 19, normalized size = 1.19

$$-2 \cot\left(\frac{x}{2}\right) \sqrt{a - a \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a*Cos[x]], x]

[Out] $-2*Sqrt[a - a*\cos[x]]*Cot[x/2]$

fricas [A] time = 0.58, size = 19, normalized size = 1.19

$$-\frac{2 \sqrt{-a \cos(x) + a} (\cos(x) + 1)}{\sin(x)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] -2*sqrt(-a*cos(x) + a)*(cos(x) + 1)/sin(x)

giac [A] time = 0.41, size = 26, normalized size = 1.62

$$-2\sqrt{2}\left(\cos\left(\frac{1}{2}x\right)\operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right)\right)\sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] -2*sqrt(2)*(cos(1/2*x)*sgn(sin(1/2*x)) - sgn(sin(1/2*x)))*sqrt(a)

maple [A] time = 0.12, size = 25, normalized size = 1.56

$$-\frac{2\sin\left(\frac{x}{2}\right)a\cos\left(\frac{x}{2}\right)\sqrt{2}}{\sqrt{a\left(\sin^2\left(\frac{x}{2}\right)\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a*cos(x))^(1/2),x)

[Out] -2*sin(1/2*x)*a*cos(1/2*x)*2^(1/2)/(a*sin(1/2*x)^2)^(1/2)

maxima [A] time = 1.07, size = 23, normalized size = 1.44

$$-\frac{2\sqrt{2}\sqrt{a}}{\sqrt{\frac{\sin(x)^2}{(\cos(x)+1)^2} + 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] -2*sqrt(2)*sqrt(a)/sqrt(sin(x)^2/(cos(x) + 1)^2 + 1)

mupad [B] time = 0.29, size = 34, normalized size = 2.12

$$-\frac{2\sqrt{a}\sqrt{1-\cos(x)}(\cos(x)+1+\sin(x)\operatorname{li})}{\sin(x)-\cos(x)\operatorname{li}+1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - a*cos(x))^(1/2),x)`

[Out] `-(2*a^(1/2)*(1 - cos(x))^(1/2)*(cos(x) + sin(x)*1i + 1))/(sin(x) - cos(x)*1i + 1i)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \sqrt{-a \cos(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a-a*cos(x))**(1/2),x)`

[Out] `Integral(sqrt(-a*cos(x) + a), x)`

$$3.161 \quad \int \frac{\sqrt{a-a \cos(x)}}{x} dx$$

Optimal. Leaf size=24

$$\operatorname{Si}\left(\frac{x}{2}\right) \operatorname{csc}\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)}$$

[Out] `csc(1/2*x)*Si(1/2*x)*(a-a*cos(x))^(1/2)`

Rubi [A] time = 0.09, antiderivative size = 24, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.133$, Rules used = {3319, 3299}

$$\operatorname{Si}\left(\frac{x}{2}\right) \operatorname{csc}\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)}$$

Antiderivative was successfully verified.

[In] `Int[Sqrt[a - a*Cos[x]]/x,x]`

[Out] `Sqrt[a - a*Cos[x]]*Csc[x/2]*SinIntegral[x/2]`

Rule 3299

`Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]`

Rule 3319

`Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[((2*a)^(IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n])), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])`

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a-a \cos(x)}}{x} dx &= \left(\sqrt{a-a \cos(x)} \operatorname{csc}\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x} dx \\ &= \sqrt{a-a \cos(x)} \operatorname{csc}\left(\frac{x}{2}\right) \operatorname{Si}\left(\frac{x}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.02, size = 24, normalized size = 1.00

$$\operatorname{Si}\left(\frac{x}{2}\right) \operatorname{csc}\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a*Cos[x]]/x,x]

[Out] Sqrt[a - a*Cos[x]]*Csc[x/2]*SinIntegral[x/2]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.40, size = 16, normalized size = 0.67

$$\sqrt{2} \sqrt{a} \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \operatorname{Si}\left(\frac{1}{2}x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x,x, algorithm="giac")

[Out] sqrt(2)*sqrt(a)*sgn(sin(1/2*x))*sin_integral(1/2*x)

maple [F] time = 0.08, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a - a \cos(x)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a*cos(x))^(1/2)/x,x)

[Out] int((a-a*cos(x))^(1/2)/x,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a \cos(x) + a}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x,x, algorithm="maxima")

[Out] integrate(sqrt(-a*cos(x) + a)/x, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.04

$$\int \frac{\sqrt{a - a \cos(x)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - a*cos(x))^(1/2)/x,x)`

[Out] `int((a - a*cos(x))^(1/2)/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(x) - 1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a-a*cos(x))**(1/2)/x,x)`

[Out] `Integral(sqrt(-a*(cos(x) - 1))/x, x)`

$$3.162 \quad \int \frac{\sqrt{a-a \cos(x)}}{x^2} dx$$

Optimal. Leaf size=44

$$\frac{1}{2} \text{Ci}\left(\frac{x}{2}\right) \csc\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)} - \frac{\sqrt{a-a \cos(x)}}{x}$$

[Out] $-(a-a \cos(x))^{1/2}/x+1/2 \text{Ci}(1/2*x) \text{csc}(1/2*x) (a-a \cos(x))^{1/2}$

Rubi [A] time = 0.09, antiderivative size = 44, normalized size of antiderivative = 1.00, number of steps used = 3, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3319, 3297, 3302}

$$\frac{1}{2} \text{CosIntegral}\left(\frac{x}{2}\right) \csc\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)} - \frac{\sqrt{a-a \cos(x)}}{x}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a*Cos[x]]/x^2,x]

[Out] $-(\text{Sqrt}[a - a \text{Cos}[x]]/x) + (\text{Sqrt}[a - a \text{Cos}[x]] \text{CosIntegral}[x/2] \text{Csc}[x/2])/2$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3302

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] := Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^(FracPart[n]))/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a - a \cos(x)}}{x^2} dx &= \left(\sqrt{a - a \cos(x)} \operatorname{csc}\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x^2} dx \\
&= -\frac{\sqrt{a - a \cos(x)}}{x} + \frac{1}{2} \left(\sqrt{a - a \cos(x)} \operatorname{csc}\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x} dx \\
&= -\frac{\sqrt{a - a \cos(x)}}{x} + \frac{1}{2} \sqrt{a - a \cos(x)} \operatorname{Ci}\left(\frac{x}{2}\right) \operatorname{csc}\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.03, size = 34, normalized size = 0.77

$$\frac{\sqrt{a - a \cos(x)} \left(x \operatorname{Ci}\left(\frac{x}{2}\right) \operatorname{csc}\left(\frac{x}{2}\right) - 2 \right)}{2x}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a*Cos[x]]/x^2,x]

[Out] (Sqrt[a - a*Cos[x]]*(-2 + x*CosIntegral[x/2]*Csc[x/2]))/(2*x)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integ rate: implementation incomplete (has polynomial part)

giac [A] time = 2.65, size = 34, normalized size = 0.77

$$\frac{\sqrt{2} \left(x \operatorname{Ci}\left(\frac{1}{2}x\right) \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) - 2 \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \sin\left(\frac{1}{2}x\right) \right) \sqrt{a}}{2x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x^2,x, algorithm="giac")

[Out] 1/2*sqrt(2)*(x*cos_integral(1/2*x)*sgn(sin(1/2*x)) - 2*sgn(sin(1/2*x))*sin(1/2*x))*sqrt(a)/x

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a - a \cos(x)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a-a*cos(x))^(1/2)/x^2,x)

[Out] int((a-a*cos(x))^(1/2)/x^2,x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a \cos(x) + a}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x^2,x, algorithm="maxima")

[Out] integrate(sqrt(-a*cos(x) + a)/x^2, x)

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{\sqrt{a - a \cos(x)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a - a*cos(x))^(1/2)/x^2,x)

[Out] int((a - a*cos(x))^(1/2)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(x) - 1)}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))**(1/2)/x**2,x)

[Out] Integral(sqrt(-a*(cos(x) - 1))/x**2, x)

$$3.163 \quad \int \frac{\sqrt{a-a \cos(x)}}{x^3} dx$$

Optimal. Leaf size=70

$$-\frac{1}{8} \operatorname{Si}\left(\frac{x}{2}\right) \csc\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)} - \frac{\sqrt{a-a \cos(x)}}{2x^2} - \frac{\cot\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)}}{4x}$$

[Out] $-1/2*(a-a*\cos(x))^{(1/2)}/x^2-1/4*\cot(1/2*x)*(a-a*\cos(x))^{(1/2)}/x-1/8*\csc(1/2*x)*\operatorname{Si}(1/2*x)*(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.11, antiderivative size = 70, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 3, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.200$, Rules used = {3319, 3297, 3299}

$$-\frac{1}{8} \operatorname{Si}\left(\frac{x}{2}\right) \csc\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)} - \frac{\sqrt{a-a \cos(x)}}{2x^2} - \frac{\cot\left(\frac{x}{2}\right) \sqrt{a-a \cos(x)}}{4x}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a - a*Cos[x]]/x^3,x]

[Out] $-\operatorname{Sqrt}[a - a*\operatorname{Cos}[x]]/(2*x^2) - (\operatorname{Sqrt}[a - a*\operatorname{Cos}[x]]*\operatorname{Cot}[x/2])/(4*x) - (\operatorname{Sqrt}[a - a*\operatorname{Cos}[x]]*\operatorname{Csc}[x/2]*\operatorname{SinIntegral}[x/2])/8$

Rule 3297

Int[((c_.) + (d_.)*(x_))^(m_)*sin[(e_.) + (f_.)*(x_)], x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x])/(d*(m + 1)), x] - Dist[f/(d*(m + 1)), Int[(c + d*x)^(m + 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && LtQ[m, -1]

Rule 3299

Int[sin[(e_.) + (f_.)*(x_)]/((c_.) + (d_.)*(x_)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a - a \cos(x)}}{x^3} dx &= \left(\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x^3} dx \\
&= -\frac{\sqrt{a - a \cos(x)}}{2x^2} + \frac{1}{4} \left(\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int \frac{\cos\left(\frac{x}{2}\right)}{x^2} dx \\
&= -\frac{\sqrt{a - a \cos(x)}}{2x^2} - \frac{\sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right)}{4x} - \frac{1}{8} \left(\sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \right) \int \frac{\sin\left(\frac{x}{2}\right)}{x} dx \\
&= -\frac{\sqrt{a - a \cos(x)}}{2x^2} - \frac{\sqrt{a - a \cos(x)} \cot\left(\frac{x}{2}\right)}{4x} - \frac{1}{8} \sqrt{a - a \cos(x)} \csc\left(\frac{x}{2}\right) \text{Si}\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.06, size = 45, normalized size = 0.64

$$\frac{\sqrt{a - a \cos(x)} \left(x^2 \text{Si}\left(\frac{x}{2}\right) \csc\left(\frac{x}{2}\right) + 2x \cot\left(\frac{x}{2}\right) + 4 \right)}{8x^2}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a - a*Cos[x]]/x^3,x]

[Out] -1/8*(Sqrt[a - a*Cos[x]]*(4 + 2*x*Cot[x/2] + x^2*Csc[x/2]*SinIntegral[x/2])/x^2)

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.45, size = 48, normalized size = 0.69

$$\frac{\sqrt{2} \left(x^2 \text{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \text{Si}\left(\frac{1}{2}x\right) + 2x \cos\left(\frac{1}{2}x\right) \text{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) + 4 \text{sgn}\left(\sin\left(\frac{1}{2}x\right)\right) \sin\left(\frac{1}{2}x\right) \right) \sqrt{a}}{8x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a-a*cos(x))^(1/2)/x^3,x, algorithm="giac")

[Out] $-1/8*\sqrt{2}*(x^2*\operatorname{sgn}(\sin(1/2*x))*\sin_integral(1/2*x) + 2*x*\cos(1/2*x)*\operatorname{sgn}(\sin(1/2*x)) + 4*\operatorname{sgn}(\sin(1/2*x))*\sin(1/2*x))*\sqrt{a}/x^2$

maple [F] time = 0.07, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{a - a \cos(x)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a-a*cos(x))^(1/2)/x^3,x)`

[Out] `int((a-a*cos(x))^(1/2)/x^3,x)`

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a \cos(x) + a}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a-a*cos(x))^(1/2)/x^3,x, algorithm="maxima")`

[Out] `integrate(sqrt(-a*cos(x) + a)/x^3, x)`

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{\sqrt{a - a \cos(x)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a - a*cos(x))^(1/2)/x^3,x)`

[Out] `int((a - a*cos(x))^(1/2)/x^3, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt{-a(\cos(x) - 1)}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a-a*cos(x))**(1/2)/x**3,x)`

[Out] `Integral(sqrt(-a*(cos(x) - 1))/x**3, x)`

3.164 $\int x^3(a + a \cos(x))^{3/2} dx$

Optimal. Leaf size=185

$$\frac{4}{3}ax^3 \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax^3 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + 16ax^2 \sqrt{a \cos(x) + a}$$

[Out] $-1280/9*a*(a+a*\cos(x))^{(1/2)}+16*a*x^2*(a+a*\cos(x))^{(1/2)}-64/27*a*\cos(1/2*x)^2*(a+a*\cos(x))^{(1/2)}+8/3*a*x^2*\cos(1/2*x)^2*(a+a*\cos(x))^{(1/2)}-32/9*a*x*\cos(1/2*x)*\sin(1/2*x)*(a+a*\cos(x))^{(1/2)}+4/3*a*x^3*\cos(1/2*x)*\sin(1/2*x)*(a+a*\cos(x))^{(1/2)}-640/9*a*x*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)+8/3*a*x^3*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.18, antiderivative size = 185, normalized size of antiderivative = 1.00, number of steps used = 9, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3319, 3311, 3296, 2638, 3310}

$$\frac{8}{3}ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + 16ax^2 \sqrt{a \cos(x) + a} + \frac{4}{3}ax^3 \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax^3 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] Int[x^3*(a + a*Cos[x])^(3/2), x]

[Out] $(-1280*a*\text{Sqrt}[a + a*\text{Cos}[x]])/9 + 16*a*x^2*\text{Sqrt}[a + a*\text{Cos}[x]] - (64*a*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/27 + (8*a*x^2*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/3 - (32*a*x*\text{Cos}[x/2]*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2])/9 + (4*a*x^3*\text{Cos}[x/2]*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2])/3 - (640*a*x*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/9 + (8*a*x^3*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/3$

Rule 2638

Int[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[Cos[c + d*x]/d, x] /; FreeQ[{c, d}, x]

Rule 3296

Int[((c_.) + (d_.)*(x_.))^(m_.)*sin[(e_.) + (f_.)*(x_.)], x_Symbol] := -Simp[((c + d*x)^m*Cos[e + f*x])/f, x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Cos[e + f*x], x], x] /; FreeQ[{c, d, e, f}, x] && GtQ[m, 0]

Rule 3310

Int[((c_.) + (d_.)*(x_.))*((b_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(d*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist[(b^2*(n - 1))/n, Int[(c + d*x)*(b*Sine[e + f*x])^(n - 2), x], x] - Simp[(b*(c + d*x)*Cos[e + f*x]*(b

$\text{*Sin}[e + f*x]^{(n - 1)}/(f*n), x] /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1]$

Rule 3311

$\text{Int}[(c + d*x)^m * (b * \text{Sin}[e + f*x])^n, x_Symbol] \rightarrow \text{Simp}[(d*m*(c + d*x)^{m-1} * (b * \text{Sin}[e + f*x])^n) / (f^2 * n^2), x] + (\text{Dist}[(b^2 * (n - 1)) / n, \text{Int}[(c + d*x)^m * (b * \text{Sin}[e + f*x])^{n-2}, x], x] - \text{Dist}[d^2 * m * (m - 1) / (f^2 * n^2), \text{Int}[(c + d*x)^{m-2} * (b * \text{Sin}[e + f*x])^n, x], x] - \text{Simp}[(b * (c + d*x)^m * \text{Cos}[e + f*x] * (b * \text{Sin}[e + f*x])^{n-1}) / (f * n), x]) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{GtQ}[m, 1]$

Rule 3319

$\text{Int}[(c + d*x)^m * (a + b * \text{Sin}[e + f*x])^n, x_Symbol] \rightarrow \text{Dist}[(2*a)^{\text{IntPart}[n]} * (a + b * \text{Sin}[e + f*x])^{\text{FracPart}[n]}] / \text{Sin}[e/2 + (a * \text{Pi}) / (4 * b) + (f * x) / 2]^{2 * \text{FracPart}[n]}, \text{Int}[(c + d*x)^m * \text{Sin}[e/2 + (a * \text{Pi}) / (4 * b) + (f * x) / 2]^{2 * n}, x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ \text{E}[\text{qQ}[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n + 1/2] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])]$

Rubi steps

$$\begin{aligned} \int x^3 (a + a \cos(x))^{3/2} dx &= \left(2a \sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int x^3 \cos^3\left(\frac{x}{2}\right) dx \\ &= \frac{8}{3} ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3} ax^3 \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) + \frac{1}{3} (4a \sqrt{a + a \cos(x)})^3 \\ &= -\frac{64}{27} a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{8}{3} ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} - \frac{32}{9} ax \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \\ &= 16ax^2 \sqrt{a + a \cos(x)} - \frac{64}{27} a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{8}{3} ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} - \\ &= -\frac{128}{9} a \sqrt{a + a \cos(x)} + 16ax^2 \sqrt{a + a \cos(x)} - \frac{64}{27} a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{8}{3} ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \\ &= -\frac{1280}{9} a \sqrt{a + a \cos(x)} + 16ax^2 \sqrt{a + a \cos(x)} - \frac{64}{27} a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{8}{3} ax^2 \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \end{aligned}$$

Mathematica [A] time = 0.30, size = 67, normalized size = 0.36

$$\frac{2}{27} a \sqrt{a(\cos(x) + 1)} \left(234x^2 + 3(15x^2 - 328)x \tan\left(\frac{x}{2}\right) + \cos(x) \left(2(9x^2 - 8) + 3x(3x^2 - 8) \tan\left(\frac{x}{2}\right)\right) - 1936\right)$$

Antiderivative was successfully verified.

[In] Integrate[x^3*(a + a*cos[x])^(3/2),x]

[Out] (2*a*Sqrt[a*(1 + Cos[x])]*(-1936 + 234*x^2 + 3*x*(-328 + 15*x^2)*Tan[x/2] + Cos[x]*(2*(-8 + 9*x^2) + 3*x*(-8 + 3*x^2)*Tan[x/2]))) / 27

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(3/2),x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.48, size = 113, normalized size = 0.61

$$\frac{1}{27} \sqrt{2} \left(2 \left(9 a x^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) - 8 a \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) \right) \cos \left(\frac{3}{2} x \right) + 486 \left(a x^2 \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) - 8 a \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(3/2),x, algorithm="giac")

[Out] 1/27*sqrt(2)*(2*(9*a*x^2*sgn(cos(1/2*x)) - 8*a*sgn(cos(1/2*x)))*cos(3/2*x) + 486*(a*x^2*sgn(cos(1/2*x)) - 8*a*sgn(cos(1/2*x)))*cos(1/2*x) + 3*(3*a*x^3*sgn(cos(1/2*x)) - 8*a*x*sgn(cos(1/2*x)))*sin(3/2*x) + 81*(a*x^3*sgn(cos(1/2*x)) - 24*a*x*sgn(cos(1/2*x)))*sin(1/2*x))*sqrt(a)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int x^3 (a + a \cos(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3*(a+a*cos(x))^(3/2),x)

[Out] int(x^3*(a+a*cos(x))^(3/2),x)

maxima [A] time = 0.82, size = 98, normalized size = 0.53

$$\frac{1}{27} \left(81 \sqrt{2} a x^3 \sin \left(\frac{1}{2} x \right) + 486 \sqrt{2} a x^2 \cos \left(\frac{1}{2} x \right) - 1944 \sqrt{2} a x \sin \left(\frac{1}{2} x \right) - 3888 \sqrt{2} a \cos \left(\frac{1}{2} x \right) + 2 \left(9 \sqrt{2} a x^2 - \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3*(a+a*cos(x))^(3/2),x, algorithm="maxima")

[Out] $\frac{1}{27}(81\sqrt{2})ax^3\sin(\frac{1}{2}x) + 486\sqrt{2}ax^2\cos(\frac{1}{2}x) - 1944\sqrt{2}ax\sin(\frac{1}{2}x) - 3888\sqrt{2}a\cos(\frac{1}{2}x) + 2(9\sqrt{2}ax^2 - 8\sqrt{2}a)\cos(\frac{3}{2}x) + 3(3\sqrt{2}ax^3 - 8\sqrt{2}ax)\sin(\frac{3}{2}x)\sqrt{a}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^3 (a + a \cos(x))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^3*(a + a*cos(x))^(3/2), x)`

[Out] `int(x^3*(a + a*cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^3 (a (\cos(x) + 1))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3*(a+a*cos(x))**(3/2), x)`

[Out] `Integral(x**3*(a*(cos(x) + 1))**(3/2), x)`

3.165 $\int x^2(a + a \cos(x))^{3/2} dx$

Optimal. Leaf size=145

$$\frac{4}{3}ax^2 \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax^2 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{32}{3}ax \sqrt{a \cos(x) + a}$$

[Out] $32/3*a*x*(a+a*\cos(x))^{(1/2)}+16/9*a*x*\cos(1/2*x)^2*(a+a*\cos(x))^{(1/2)}+4/3*a*x^2*\cos(1/2*x)*\sin(1/2*x)*(a+a*\cos(x))^{(1/2)}-224/9*a*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)+8/3*a*x^2*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)+32/27*a*\sin(1/2*x)^2*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.14, antiderivative size = 145, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3319, 3311, 3296, 2637, 2633}

$$\frac{4}{3}ax^2 \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax^2 \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{32}{3}ax \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^2*(a + a*\text{Cos}[x])^{(3/2)}, x]$

[Out] $(32*a*x*\text{Sqrt}[a + a*\text{Cos}[x]])/3 + (16*a*x*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/9 + (4*a*x^2*\text{Cos}[x/2]*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2])/3 - (224*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/9 + (8*a*x^2*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/3 + (32*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2]^2*\text{Tan}[x/2])/27$

Rule 2633

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{((n - 1)/2)}, x], x], x, \text{Cos}[c + d*x]], x] /;$ $\text{FreeQ}[\{c, d\}, x]$ && $\text{IGtQ}[(n - 1)/2, 0]$

Rule 2637

$\text{Int}[\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow \text{Simp}[\text{Sin}[c + d*x]/d, x] /;$ $\text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[(c_. + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m - 1)}*\text{Cos}[e + f*x], x], x] /;$ $\text{FreeQ}[\{c, d, e, f\}, x]$ && $\text{GtQ}[m, 0]$

Rule 3311

```
Int[((c_.) + (d_.)*(x_))^(m_)*((b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol]
:> Simp[(d*m*(c + d*x)^(m - 1)*(b*Sine[e + f*x])^n)/(f^2*n^2), x] + (Dist
[(b^2*(n - 1))/n, Int[(c + d*x)^m*(b*Sine[e + f*x])^(n - 2), x], x] - Dist[
d^2*m*(m - 1)/(f^2*n^2), Int[(c + d*x)^(m - 2)*(b*Sine[e + f*x])^n, x], x]
- Simp[(b*(c + d*x)^m*Cos[e + f*x]*(b*Sine[e + f*x])^(n - 1))/(f*n), x]) /;
FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && GtQ[m, 1]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sine[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sine[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned}
\int x^2(a + a \cos(x))^{3/2} dx &= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int x^2 \cos^3\left(\frac{x}{2}\right) dx \\
&= \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax^2 \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) + \frac{1}{3}\left(4a\sqrt{a + a \cos(x)}\right) \\
&= \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax^2 \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) + \frac{8}{3}ax^2 \sqrt{a + a \cos(x)} \\
&= \frac{32}{3}ax \sqrt{a + a \cos(x)} + \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax^2 \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) \\
&= \frac{32}{3}ax \sqrt{a + a \cos(x)} + \frac{16}{9}ax \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax^2 \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.22, size = 54, normalized size = 0.37

$$\frac{2}{27}a\sqrt{a(\cos(x) + 1)} \left((45x^2 - 328) \tan\left(\frac{x}{2}\right) + \cos(x) \left((9x^2 - 8) \tan\left(\frac{x}{2}\right) + 12x \right) + 156x \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x^2*(a + a*Cos[x])^(3/2), x]
```

```
[Out] (2*a*Sqrt[a*(1 + Cos[x])]*(156*x + (-328 + 45*x^2)*Tan[x/2] + Cos[x]*(12*x
+ (-8 + 9*x^2)*Tan[x/2])))/27
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*cos(x))^(3/2),x, algorithm="fricas")`

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.37, size = 85, normalized size = 0.59

$$\frac{1}{27} \sqrt{2} \left(12 ax \cos\left(\frac{3}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) + 324 ax \cos\left(\frac{1}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) + \left(9 ax^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) - 8 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right)\right) \sin\left(\frac{3}{2} x\right) + 81 (a x^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) - 8 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right)) \sin\left(\frac{1}{2} x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*cos(x))^(3/2),x, algorithm="giac")`

[Out] $\frac{1}{27} \sqrt{2} * (12 * a * x * \cos(3/2 * x) * \operatorname{sgn}(\cos(1/2 * x)) + 324 * a * x * \cos(1/2 * x) * \operatorname{sgn}(\cos(1/2 * x)) + (9 * a * x^2 * \operatorname{sgn}(\cos(1/2 * x)) - 8 * a * \operatorname{sgn}(\cos(1/2 * x))) * \sin(3/2 * x) + 81 * (a * x^2 * \operatorname{sgn}(\cos(1/2 * x)) - 8 * a * \operatorname{sgn}(\cos(1/2 * x))) * \sin(1/2 * x)) * \sqrt{a}$

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int x^2 (a + a \cos(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a+a*cos(x))^(3/2),x)`

[Out] `int(x^2*(a+a*cos(x))^(3/2),x)`

maxima [A] time = 1.08, size = 72, normalized size = 0.50

$$\frac{1}{27} \left(81 \sqrt{2} ax^2 \sin\left(\frac{1}{2} x\right) + 12 \sqrt{2} ax \cos\left(\frac{3}{2} x\right) + 324 \sqrt{2} ax \cos\left(\frac{1}{2} x\right) - 648 \sqrt{2} a \sin\left(\frac{1}{2} x\right) + \left(9 \sqrt{2} ax^2 - 8 \sqrt{2} a\right) \sin\left(\frac{3}{2} x\right) + 81 (a x^2 \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) - 8 a \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right)) \sin\left(\frac{1}{2} x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2*(a+a*cos(x))^(3/2),x, algorithm="maxima")`

[Out] $\frac{1}{27} * (81 * \sqrt{2} * a * x^2 * \sin(1/2 * x) + 12 * \sqrt{2} * a * x * \cos(3/2 * x) + 324 * \sqrt{2} * a * x * \cos(1/2 * x) - 648 * \sqrt{2} * a * \sin(1/2 * x) + (9 * \sqrt{2} * a * x^2 - 8 * \sqrt{2} * a) * \sin(3/2 * x)) * \sqrt{a}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x^2 (a + a \cos(x))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2*(a + a*cos(x))^(3/2), x)`

[Out] `int(x^2*(a + a*cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x^2 (a (\cos(x) + 1))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2*(a+a*cos(x))**(3/2), x)`

[Out] `Integral(x**2*(a*(cos(x) + 1))**(3/2), x)`

3.166 $\int x(a + a \cos(x))^{3/2} dx$

Optimal. Leaf size=89

$$\frac{8}{9}a \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{16}{3}a \sqrt{a \cos(x) + a} + \frac{4}{3}ax \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

[Out] $16/3*a*(a+a*\cos(x))^{(1/2)}+8/9*a*\cos(1/2*x)^2*(a+a*\cos(x))^{(1/2)}+4/3*a*x*\cos(1/2*x)*\sin(1/2*x)*(a+a*\cos(x))^{(1/2)}+8/3*a*x*(a+a*\cos(x))^{(1/2)}*\tan(1/2*x)$

Rubi [A] time = 0.07, antiderivative size = 89, normalized size of antiderivative = 1.00, number of steps used = 4, number of rules used = 4, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3319, 3310, 3296, 2638}

$$\frac{8}{9}a \cos^2\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{16}{3}a \sqrt{a \cos(x) + a} + \frac{4}{3}ax \sin\left(\frac{x}{2}\right) \cos\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a} + \frac{8}{3}ax \tan\left(\frac{x}{2}\right) \sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x*(a + a*\text{Cos}[x])^{(3/2)}, x]$

[Out] $(16*a*\text{Sqrt}[a + a*\text{Cos}[x]])/3 + (8*a*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/9 + (4*a*x*\text{Cos}[x/2]*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2])/3 + (8*a*x*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Tan}[x/2])/3$

Rule 2638

$\text{Int}[\sin[(c_.) + (d_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[\text{Cos}[c + d*x]/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 3296

$\text{Int}[((c_.) + (d_.)*(x_.))^{(m_.)}*\sin[(e_.) + (f_.)*(x_.)], x_Symbol] \rightarrow -\text{Simp}[(c + d*x)^m*\text{Cos}[e + f*x]/f, x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Cos}[e + f*x], x], x] /; \text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{GtQ}[m, 0]$

Rule 3310

$\text{Int}[((c_.) + (d_.)*(x_.))*((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x_Symbol] \rightarrow \text{Simp}[(d*(b*\text{Sin}[e + f*x])^n)/(f^2*n^2), x] + (\text{Dist}[(b^2*(n-1))/n, \text{Int}[(c + d*x)*(b*\text{Sin}[e + f*x])^{(n-2)}, x], x] - \text{Simp}[(b*(c + d*x)*\text{Cos}[e + f*x]*(b*\text{Sin}[e + f*x])^{(n-1)})/(f*n), x]) /; \text{FreeQ}[\{b, c, d, e, f\}, x] \ \&\& \ \text{GtQ}[n, 1]$

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
 x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rubi steps

$$\begin{aligned} \int x(a + a \cos(x))^{3/2} dx &= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int x \cos^3\left(\frac{x}{2}\right) dx \\ &= \frac{8}{9}a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) + \frac{1}{3}\left(4a\sqrt{a + a \cos(x)}\right. \\ &= \frac{8}{9}a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) + \frac{8}{3}ax\sqrt{a + a \cos(x)} \\ &= \frac{16}{3}a\sqrt{a + a \cos(x)} + \frac{8}{9}a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} + \frac{4}{3}ax \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.07, size = 45, normalized size = 0.51

$$\frac{1}{9}a\sqrt{a(\cos(x) + 1)} \left(4 \cos(x) + 27x \tan\left(\frac{x}{2}\right) + 3x \sin\left(\frac{3x}{2}\right) \sec\left(\frac{x}{2}\right) + 52\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[x*(a + a*Cos[x])^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[x])]*(52 + 4*Cos[x] + 3*x*Sec[x/2]*Sin[(3*x)/2] + 27*x*Tan[x/2]))/9
```

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x*(a+a*cos(x))^(3/2), x, algorithm="fricas")
```

```
[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)
```

giac [A] time = 0.48, size = 59, normalized size = 0.66

$$\frac{1}{9} \sqrt{2} \left(3ax \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \sin\left(\frac{3}{2}x\right) + 27ax \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) \sin\left(\frac{1}{2}x\right) + 2a \cos\left(\frac{3}{2}x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2}x\right)\right) + 54a \cos\left(\frac{1}{2}x\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(x))^(3/2),x, algorithm="giac")`

[Out] $\frac{1}{9}\sqrt{2}*(3*a*x*\text{sgn}(\cos(1/2*x))*\sin(3/2*x) + 27*a*x*\text{sgn}(\cos(1/2*x))*\sin(1/2*x) + 2*a*\cos(3/2*x)*\text{sgn}(\cos(1/2*x)) + 54*a*\cos(1/2*x)*\text{sgn}(\cos(1/2*x)))*\sqrt{a}$

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int x(a + a \cos(x))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a+a*cos(x))^(3/2),x)`

[Out] `int(x*(a+a*cos(x))^(3/2),x)`

maxima [A] time = 1.07, size = 48, normalized size = 0.54

$$\frac{1}{9} \left(3\sqrt{2}ax \sin\left(\frac{3}{2}x\right) + 27\sqrt{2}ax \sin\left(\frac{1}{2}x\right) + 2\sqrt{2}a \cos\left(\frac{3}{2}x\right) + 54\sqrt{2}a \cos\left(\frac{1}{2}x\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(x))^(3/2),x, algorithm="maxima")`

[Out] $\frac{1}{9}*(3*\sqrt{2}*a*x*\sin(3/2*x) + 27*\sqrt{2}*a*x*\sin(1/2*x) + 2*\sqrt{2}*a*\cos(3/2*x) + 54*\sqrt{2}*a*\cos(1/2*x))*\sqrt{a}$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int x(a + a \cos(x))^{3/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x*(a + a*cos(x))^(3/2),x)`

[Out] `int(x*(a + a*cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int x(a(\cos(x) + 1))^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x*(a+a*cos(x))**(3/2),x)`

[Out] `Integral(x*(a*(cos(x) + 1))**(3/2), x)`

$$3.167 \quad \int \frac{(a+a \cos(x))^{3/2}}{x} dx$$

Optimal. Leaf size=55

$$\frac{3}{2}a\text{Ci}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a} + \frac{1}{2}a\text{Ci}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a}$$

[Out] $3/2*a*Ci(1/2*x)*sec(1/2*x)*(a+a*cos(x))^(1/2)+1/2*a*Ci(3/2*x)*sec(1/2*x)*(a+a*cos(x))^(1/2)$

Rubi [A] time = 0.13, antiderivative size = 55, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3319, 3312, 3302}

$$\frac{3}{2}a\text{CosIntegral}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a} + \frac{1}{2}a\text{CosIntegral}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a \cos(x) + a}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[x])^(3/2)/x,x]

[Out] $(3*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{CosIntegral}[x/2]*\text{Sec}[x/2])/2 + (a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{CosIntegral}[(3*x)/2]*\text{Sec}[x/2])/2$

Rule 3302

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[CosIntegral[e - Pi/2 + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*(e - Pi/2) - c*f, 0]

Rule 3312

Int[((c_.) + (d_.)*(x_.))^(m_)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] :> Int[ExpandTrigReduce[(c + d*x)^m, Sin[e + f*x]^n, x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && (!RationalQ[m] || (GeQ[m, -1] && LtQ[m, 1]))

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Ssin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Ssin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(x))^{3/2}}{x} dx &= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\cos^3\left(\frac{x}{2}\right)}{x} dx \\
&= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \left(\frac{3 \cos\left(\frac{x}{2}\right)}{4x} + \frac{\cos\left(\frac{3x}{2}\right)}{4x}\right) dx \\
&= \frac{1}{2} \left(a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\cos\left(\frac{3x}{2}\right)}{x} dx + \frac{1}{2} \left(3a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\cos\left(\frac{x}{2}\right)}{x} dx \\
&= \frac{3}{2} a\sqrt{a + a \cos(x)} \operatorname{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) + \frac{1}{2} a\sqrt{a + a \cos(x)} \operatorname{Ci}\left(\frac{3x}{2}\right) \sec\left(\frac{x}{2}\right)
\end{aligned}$$

Mathematica [A] time = 0.02, size = 36, normalized size = 0.65

$$\frac{1}{2} a \left(3 \operatorname{Ci}\left(\frac{x}{2}\right) + \operatorname{Ci}\left(\frac{3x}{2}\right)\right) \sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[x])^(3/2)/x,x]

[Out] (a*Sqrt[a*(1 + Cos[x])]*(3*CosIntegral[x/2] + CosIntegral[(3*x)/2])*Sec[x/2])/2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.42, size = 32, normalized size = 0.58

$$\frac{1}{2} \sqrt{2} \left(a \operatorname{Ci}\left(\frac{3}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) + 3 a \operatorname{Ci}\left(\frac{1}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) \right) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x,x, algorithm="giac")

[Out] $\frac{1}{2}\sqrt{2}*(a*\cos_integral(3/2*x)*sgn(\cos(1/2*x)) + 3*a*\cos_integral(1/2*x)*sgn(\cos(1/2*x)))*\sqrt{a}$

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{(a + a \cos(x))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+a*cos(x))^(3/2)/x,x)`

[Out] `int((a+a*cos(x))^(3/2)/x,x)`

maxima [C] time = 1.18, size = 29, normalized size = 0.53

$$\frac{1}{4} \sqrt{2} a^{\frac{3}{2}} \left(\operatorname{Ei}\left(\frac{3}{2}ix\right) + 3 \operatorname{Ei}\left(\frac{1}{2}ix\right) + 3 \operatorname{Ei}\left(-\frac{1}{2}ix\right) + \operatorname{Ei}\left(-\frac{3}{2}ix\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))^(3/2)/x,x, algorithm="maxima")`

[Out] $\frac{1}{4}\sqrt{2}*a^{(3/2)}*(\operatorname{Ei}(3/2*I*x) + 3*\operatorname{Ei}(1/2*I*x) + 3*\operatorname{Ei}(-1/2*I*x) + \operatorname{Ei}(-3/2*I*x))$

mupad [F] time = 0.00, size = -1, normalized size = -0.02

$$\int \frac{(a + a \cos(x))^{3/2}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a + a*cos(x))^(3/2)/x,x)`

[Out] `int((a + a*cos(x))^(3/2)/x, x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(x) + 1))^{\frac{3}{2}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(x))**(3/2)/x,x)`

[Out] `Integral((a*(cos(x) + 1))**(3/2)/x, x)`

$$3.168 \quad \int \frac{(a+a \cos(x))^{3/2}}{x^2} dx$$

Optimal. Leaf size=79

$$-\frac{3}{4}a\text{Si}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{3}{4}a\text{Si}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{2a\cos^2\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}}{x}$$

[Out] $-2*a*\cos(1/2*x)^2*(a+a*\cos(x))^(1/2)/x-3/4*a*\sec(1/2*x)*\text{Si}(1/2*x)*(a+a*\cos(x))^(1/2)-3/4*a*\sec(1/2*x)*\text{Si}(3/2*x)*(a+a*\cos(x))^(1/2)$

Rubi [A] time = 0.13, antiderivative size = 79, normalized size of antiderivative = 1.00, number of steps used = 5, number of rules used = 3, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.214$, Rules used = {3319, 3313, 3299}

$$-\frac{3}{4}a\text{Si}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{3}{4}a\text{Si}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{2a\cos^2\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}}{x}$$

Antiderivative was successfully verified.

[In] Int[(a + a*Cos[x])^(3/2)/x^2,x]

[Out] $(-2*a*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/x - (3*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sec}[x/2]*\text{SinIntegral}[x/2])/4 - (3*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sec}[x/2]*\text{SinIntegral}[(3*x)/2])/4$

Rule 3299

Int[sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] :> Simp[SinIntegral[e + f*x]/d, x] /; FreeQ[{c, d, e, f}, x] && EqQ[d*e - c*f, 0]

Rule 3313

Int[((c_.) + (d_.)*(x_.))^(m_)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] :> Simp[((c + d*x)^(m + 1)*Sin[e + f*x]^n)/(d*(m + 1)), x] - Dist[(f*n)/(d*(m + 1)), Int[ExpandTrigReduce[(c + d*x)^(m + 1), Cos[e + f*x]*Sin[e + f*x]^(n - 1), x], x] /; FreeQ[{c, d, e, f, m}, x] && IGtQ[n, 1] && GeQ[m, -2] && LtQ[m, -1]

Rule 3319

Int[((c_.) + (d_.)*(x_.))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E

qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(x))^{3/2}}{x^2} dx &= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\cos^3\left(\frac{x}{2}\right)}{x^2} dx \\ &= -\frac{2a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x} + \left(3a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \left(-\frac{\sin\left(\frac{x}{2}\right)}{4x} - \frac{\sin\left(\frac{3x}{2}\right)}{4x}\right) dx \\ &= -\frac{2a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x} - \frac{1}{4} \left(3a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\sin\left(\frac{x}{2}\right)}{x} dx - \frac{1}{4} \left(3a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\sin\left(\frac{3x}{2}\right)}{x} dx \\ &= -\frac{2a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x} - \frac{3}{4} a \sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \text{Si}\left(\frac{x}{2}\right) - \frac{3}{4} a \sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right) \text{Si}\left(\frac{3x}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.08, size = 53, normalized size = 0.67

$$\frac{a \sec\left(\frac{x}{2}\right) \sqrt{a(\cos(x) + 1)} \left(3x \text{Si}\left(\frac{x}{2}\right) + 3x \text{Si}\left(\frac{3x}{2}\right) + 8 \cos^3\left(\frac{x}{2}\right)\right)}{4x}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*Cos[x])^(3/2)/x^2,x]

[Out] -1/4*(a*Sqrt[a*(1 + Cos[x])]*Sec[x/2]*(8*Cos[x/2]^3 + 3*x*SinIntegral[x/2] + 3*x*SinIntegral[(3*x)/2]))/x

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^2,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.42, size = 62, normalized size = 0.78

$$\frac{\sqrt{2} \left(3 a x \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) \operatorname{Si}\left(\frac{3}{2} x\right) + 3 a x \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) \operatorname{Si}\left(\frac{1}{2} x\right) + 2 a \cos\left(\frac{3}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right) + 6 a \cos\left(\frac{1}{2} x\right) \operatorname{sgn}\left(\cos\left(\frac{1}{2} x\right)\right)\right)}{4 x}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^2,x, algorithm="giac")

[Out] $-1/4*\sqrt{2}*(3*a*x*\operatorname{sgn}(\cos(1/2*x))*\sin_integral(3/2*x) + 3*a*x*\operatorname{sgn}(\cos(1/2*x))*\sin_integral(1/2*x) + 2*a*\cos(3/2*x)*\operatorname{sgn}(\cos(1/2*x)) + 6*a*\cos(1/2*x)*\operatorname{sgn}(\cos(1/2*x)))*\sqrt{a}/x$

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{(a + a \cos(x))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(x))^(3/2)/x^2,x)

[Out] int((a+a*cos(x))^(3/2)/x^2,x)

maxima [C] time = 1.33, size = 37, normalized size = 0.47

$$-\frac{1}{8}\sqrt{2}a^{\frac{3}{2}}\left(3i\Gamma\left(-1, \frac{3}{2}ix\right) + 3i\Gamma\left(-1, \frac{1}{2}ix\right) - 3i\Gamma\left(-1, -\frac{1}{2}ix\right) - 3i\Gamma\left(-1, -\frac{3}{2}ix\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^2,x, algorithm="maxima")

[Out] $-1/8*\sqrt{2}*a^{(3/2)}*(3*I*\gamma(-1, 3/2*I*x) + 3*I*\gamma(-1, 1/2*I*x) - 3*I*\gamma(-1, -1/2*I*x) - 3*I*\gamma(-1, -3/2*I*x))$

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(x))^{3/2}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(x))^(3/2)/x^2,x)

[Out] int((a + a*cos(x))^(3/2)/x^2, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(x) + 1))^{\frac{3}{2}}}{x^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(x))**(3/2)/x**2,x)
```

```
[Out] Integral((a*(cos(x) + 1))**(3/2)/x**2, x)
```


$$3.169 \quad \int \frac{(a+a \cos(x))^{3/2}}{x^3} dx$$

Optimal. Leaf size=109

$$-\frac{3}{16}a\text{Ci}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{9}{16}a\text{Ci}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{a\cos^2\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}}{x^2}+\frac{3a\sin\left(\frac{x}{2}\right)}{x}$$

[Out] $-a*\cos(1/2*x)^2*(a+a*\cos(x))^(1/2)/x^2-3/16*a*Ci(1/2*x)*\sec(1/2*x)*(a+a*\cos(x))^(1/2)-9/16*a*Ci(3/2*x)*\sec(1/2*x)*(a+a*\cos(x))^(1/2)+3/2*a*\cos(1/2*x)*\sin(1/2*x)*(a+a*\cos(x))^(1/2)/x$

Rubi [A] time = 0.17, antiderivative size = 109, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 4, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.286$, Rules used = {3319, 3314, 3302, 3312}

$$-\frac{3}{16}a\text{CosIntegral}\left(\frac{x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{9}{16}a\text{CosIntegral}\left(\frac{3x}{2}\right)\sec\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}-\frac{a\cos^2\left(\frac{x}{2}\right)\sqrt{a\cos(x)+a}}{x^2}+\frac{3a\sin\left(\frac{x}{2}\right)}{x}$$

Antiderivative was successfully verified.

[In] $\text{Int}[(a + a*\text{Cos}[x])^(3/2)/x^3, x]$

[Out] $-((a*\text{Cos}[x/2]^2*\text{Sqrt}[a + a*\text{Cos}[x]])/x^2) - (3*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{CosIntegral}[x/2]*\text{Sec}[x/2])/16 - (9*a*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{CosIntegral}[(3*x)/2]*\text{Sec}[x/2])/16 + (3*a*\text{Cos}[x/2]*\text{Sqrt}[a + a*\text{Cos}[x]]*\text{Sin}[x/2])/(2*x)$

Rule 3302

$\text{Int}[\sin[(e_.) + (f_.)*(x_.)]/((c_.) + (d_.)*(x_.)), x_Symbol] \rightarrow \text{Simp}[\text{CosIntegral}[e - \text{Pi}/2 + f*x]/d, x] /; \text{FreeQ}\{c, d, e, f\}, x \ \&\& \ \text{EqQ}[d*(e - \text{Pi}/2) - c*f, 0]$

Rule 3312

$\text{Int}(((c_.) + (d_.)*(x_.))^(m_)*\sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] \rightarrow \text{Int}[\text{ExpandTrigReduce}[(c + d*x)^m, \text{Sin}[e + f*x]^n, x], x] /; \text{FreeQ}\{c, d, e, f, m\}, x \ \&\& \ \text{IGtQ}[n, 1] \ \&\& \ (!\text{RationalQ}[m] \ || \ (\text{GeQ}[m, -1] \ \&\& \ \text{LtQ}[m, 1]))$

Rule 3314

$\text{Int}(((c_.) + (d_.)*(x_.))^(m_)*((b_.)*\sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] \rightarrow \text{Simp}(((c + d*x)^(m + 1)*(b*\text{Sin}[e + f*x])^n)/(d*(m + 1)), x) + (\text{Dist}[(b^2*f^2*n*(n - 1))/(d^2*(m + 1)*(m + 2)), \text{Int}[(c + d*x)^(m + 2)*(b*\text{Sin}[e + f*x])^(n - 2), x], x] - \text{Dist}[(f^2*n^2)/(d^2*(m + 1)*(m + 2)), \text{Int}[(c + d*x)$

$\int (b \sin[e + f x])^{n+2} dx - \text{Simp}[(b f^n (c + d x)^{m+2} \cos[e + f x] (b \sin[e + f x])^{n-1}) / (d^{2m+2} (m+2)), x] / ; \text{FreeQ}\{b, c, d, e, f\}, x \} \&\& \text{GtQ}[n, 1] \&\& \text{LtQ}[m, -2]$

Rule 3319

$\text{Int}[(c + d x)^m (a + b \sin[e + f x])^n, x] \text{Symbol} \rightarrow \text{Dist}[(2a)^{\text{IntPart}[n]} (a + b \sin[e + f x])^{\text{FracPart}[n]} / \sin[e/2 + (a \pi)/(4b) + (f x)/2]^{\text{FracPart}[n]}], \text{Int}[(c + d x)^m \sin[e/2 + (a \pi)/(4b) + (f x)/2]^{2n}, x] / ; \text{FreeQ}\{a, b, c, d, e, f, m\}, x \} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{IntegerQ}[n + 1/2] \&\& (\text{GtQ}[n, 0] \parallel \text{IGtQ}[m, 0])$

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(x))^{3/2}}{x^3} dx &= \left(2a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \int \frac{\cos^3\left(\frac{x}{2}\right)}{x^3} dx \\ &= -\frac{a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x^2} + \frac{3a \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)} \sin\left(\frac{x}{2}\right)}{2x} + \frac{1}{2} \left(3a\sqrt{a + a \cos(x)} \sec\left(\frac{x}{2}\right)\right) \\ &= -\frac{a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x^2} + \frac{3}{2} a \sqrt{a + a \cos(x)} \text{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) + \frac{3a \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{2x} \\ &= -\frac{a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x^2} + \frac{3}{2} a \sqrt{a + a \cos(x)} \text{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) + \frac{3a \cos\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{2x} \\ &= -\frac{a \cos^2\left(\frac{x}{2}\right) \sqrt{a + a \cos(x)}}{x^2} - \frac{3}{16} a \sqrt{a + a \cos(x)} \text{Ci}\left(\frac{x}{2}\right) \sec\left(\frac{x}{2}\right) - \frac{9}{16} a \sqrt{a + a \cos(x)} \text{Ci}\left(\frac{x}{2}\right) \end{aligned}$$

Mathematica [A] time = 0.05, size = 66, normalized size = 0.61

$$\frac{(a(\cos(x) + 1))^{3/2} \left(3x^2 \text{Ci}\left(\frac{x}{2}\right) \sec^3\left(\frac{x}{2}\right) + 9x^2 \text{Ci}\left(\frac{3x}{2}\right) \sec^3\left(\frac{x}{2}\right) - 24x \tan\left(\frac{x}{2}\right) + 16\right)}{32x^2}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a*cos[x])^(3/2)/x^3, x]

[Out] -1/32*((a*(1 + Cos[x]))^(3/2)*(16 + 3*x^2*CosIntegral[x/2]*Sec[x/2]^3 + 9*x^2*CosIntegral[(3*x)/2]*Sec[x/2]^3 - 24*x*Tan[x/2]))/x^2

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^3,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.52, size = 92, normalized size = 0.84

$$\frac{\sqrt{2} \left(9 a x^2 \operatorname{Ci} \left(\frac{3}{2} x \right) \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) + 3 a x^2 \operatorname{Ci} \left(\frac{1}{2} x \right) \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) - 6 a x \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) \sin \left(\frac{3}{2} x \right) - 6 a x \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) \sin \left(\frac{1}{2} x \right) + 4 a \cos \left(\frac{3}{2} x \right) \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) + 12 a \cos \left(\frac{1}{2} x \right) \operatorname{sgn} \left(\cos \left(\frac{1}{2} x \right) \right) \right) \sqrt{a}}{16 x^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^3,x, algorithm="giac")

[Out] -1/16*sqrt(2)*(9*a*x^2*cos_integral(3/2*x)*sgn(cos(1/2*x)) + 3*a*x^2*cos_integral(1/2*x)*sgn(cos(1/2*x)) - 6*a*x*sgn(cos(1/2*x))*sin(3/2*x) - 6*a*x*sgn(cos(1/2*x))*sin(1/2*x) + 4*a*cos(3/2*x)*sgn(cos(1/2*x)) + 12*a*cos(1/2*x)*sgn(cos(1/2*x)))*sqrt(a)/x^2

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{(a + a \cos(x))^{\frac{3}{2}}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(x))^(3/2)/x^3,x)

[Out] int((a+a*cos(x))^(3/2)/x^3,x)

maxima [C] time = 1.09, size = 33, normalized size = 0.30

$$\frac{3}{16} \sqrt{2} a^{\frac{3}{2}} \left(3 \Gamma \left(-2, \frac{3}{2} i x \right) + \Gamma \left(-2, \frac{1}{2} i x \right) + \Gamma \left(-2, -\frac{1}{2} i x \right) + 3 \Gamma \left(-2, -\frac{3}{2} i x \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))^(3/2)/x^3,x, algorithm="maxima")

[Out] 3/16*sqrt(2)*a^(3/2)*(3*gamma(-2, 3/2*I*x) + gamma(-2, 1/2*I*x) + gamma(-2, -1/2*I*x) + 3*gamma(-2, -3/2*I*x))

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{(a + a \cos(x))^{3/2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(x))^(3/2)/x^3, x)

[Out] int((a + a*cos(x))^(3/2)/x^3, x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a(\cos(x) + 1))^{3/2}}{x^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(x))**(3/2)/x**3, x)

[Out] Integral((a*(cos(x) + 1))**(3/2)/x**3, x)

$$3.170 \quad \int \frac{x^3}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=374

$$\frac{96i\text{Li}_4\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^4\sqrt{a\cos(c+dx)+a}} + \frac{96i\text{Li}_4\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^4\sqrt{a\cos(c+dx)+a}} - \frac{48x\text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}} + \frac{48x\text{Li}_3\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}}$$

[Out] $-4*I*x^3*\arctan(\exp(1/2*I*(d*x+c)))*\cos(1/2*d*x+1/2*c)/d/(a+a*\cos(d*x+c))^{(1/2)+12*I*x^2*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,-I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}-12*I*x^2*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}-48*x*\cos(1/2*d*x+1/2*c)*\text{polylog}(3,-I*\exp(1/2*I*(d*x+c)))/d^3/(a+a*\cos(d*x+c))^{(1/2)}+48*x*\cos(1/2*d*x+1/2*c)*\text{polylog}(3,I*\exp(1/2*I*(d*x+c)))/d^3/(a+a*\cos(d*x+c))^{(1/2)}-96*I*\cos(1/2*d*x+1/2*c)*\text{polylog}(4,-I*\exp(1/2*I*(d*x+c)))/d^4/(a+a*\cos(d*x+c))^{(1/2)}+96*I*\cos(1/2*d*x+1/2*c)*\text{polylog}(4,I*\exp(1/2*I*(d*x+c)))/d^4/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.21, antiderivative size = 374, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3319, 4181, 2531, 6609, 2282, 6589}

$$\frac{12ix^2\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{12ix^2\text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{48x\text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}} + \frac{48x\text{Li}_3\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[x^3/Sqrt[a + a*Cos[c + d*x]],x]

[Out] $((-4*I)*x^3*\text{ArcTan}[E^{((I/2)*(c+d*x))}]*\text{Cos}[c/2+(d*x)/2])/((d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + ((12*I)*x^2*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,(-I)*E^{((I/2)*(c+d*x))}])/((d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - ((12*I)*x^2*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,I*E^{((I/2)*(c+d*x))}])/((d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - (48*x*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[3,(-I)*E^{((I/2)*(c+d*x))}])/((d^3*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + (48*x*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[3,I*E^{((I/2)*(c+d*x))}])/((d^3*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - ((96*I)*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[4,(-I)*E^{((I/2)*(c+d*x))}])/((d^4*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + ((96*I)*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[4,I*E^{((I/2)*(c+d*x))}])/((d^4*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.)+(b_.)*x))*

$(F_)[v_]$ /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] :> Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(p_.)], x_Symbol] :> Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \int x^3 \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} - \frac{\left(6 \sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int x^2 \log\left(1 - ie^{\frac{1}{2}i(c+dx)}\right) dx}{d\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^3\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^3\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^3\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{12ix^2 \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^3\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.13, size = 199, normalized size = 0.53

$$\frac{4i \cos\left(\frac{1}{2}(c + dx)\right) \left(d^3 x^3 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) - 3d^2 x^2 \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right) + 3d^2 x^2 \text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right) - 12idx \text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)\right)}{d^4 \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/Sqrt[a + a*Cos[c + d*x]],x]

[Out] ((-4*I)*Cos[(c + d*x)/2]*(d^3*x^3*ArcTan[E^((I/2)*(c + d*x))]) - 3*d^2*x^2*PolyLog[2, (-I)*E^((I/2)*(c + d*x))]) + 3*d^2*x^2*PolyLog[2, I*E^((I/2)*(c + d*x))]) - (12*I)*d*x*PolyLog[3, (-I)*E^((I/2)*(c + d*x))]) + (12*I)*d*x*PolyLog[3, I*E^((I/2)*(c + d*x))]) + 24*PolyLog[4, (-I)*E^((I/2)*(c + d*x))]) - 24*PolyLog[4, I*E^((I/2)*(c + d*x))])/(d^4*Sqrt[a*(1 + Cos[c + d*x])])

fricas [F] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^3}{\sqrt{a \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x^3/sqrt(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(x^3/sqrt(a*cos(d*x + c) + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a + a \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+a*cos(d*x+c))^(1/2),x)

[Out] int(x^3/(a+a*cos(d*x+c))^(1/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + a*cos(c + d*x))^(1/2),x)

[Out] int(x^3/(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+a*cos(d*x+c))**(1/2), x)

[Out] Integral(x**3/sqrt(a*(cos(c + d*x) + 1)), x)

$$3.171 \quad \int \frac{x^2}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=262

$$\frac{16\text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}} + \frac{16\text{Li}_3\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}} + \frac{8ix\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{8ix\text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}}$$

[Out] $-4*I*x^2*\arctan(\exp(1/2*I*(d*x+c)))*\cos(1/2*d*x+1/2*c)/d/(a+a*\cos(d*x+c))^{(1/2)}+8*I*x*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,-I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}-8*I*x*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}-16*\cos(1/2*d*x+1/2*c)*\text{polylog}(3,-I*\exp(1/2*I*(d*x+c)))/d^3/(a+a*\cos(d*x+c))^{(1/2)}+16*\cos(1/2*d*x+1/2*c)*\text{polylog}(3,I*\exp(1/2*I*(d*x+c)))/d^3/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 262, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.278$, Rules used = {3319, 4181, 2531, 2282, 6589}

$$\frac{8ix\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{8ix\text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{16\text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}} + \frac{16\text{Li}_3\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^3\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[x^2/Sqrt[a + a*Cos[c + d*x]],x]

[Out] $((-4*I)*x^2*\text{ArcTan}[E^{((I/2)*(c+d*x))}]*\text{Cos}[c/2+(d*x)/2])/(d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + ((8*I)*x*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,(-I)*E^{((I/2)*(c+d*x))}])/(d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - ((8*I)*x*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,I*E^{((I/2)*(c+d*x))}])/(d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - (16*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[3,(-I)*E^{((I/2)*(c+d*x))}])/(d^3*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + (16*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[3,I*E^{((I/2)*(c+d*x))}])/(d^3*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.)+(b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_)^(m_.))*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_)^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n, (c_.)*((a_.) + (b_.)*(x_)^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \int x^2 \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^2 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} - \frac{\left(4 \sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int x \log\left(1 - ie^{\frac{1}{2}i\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) dx}{d\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^2 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^2 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{4ix^2 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{8ix \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \cos(c + dx)}}
\end{aligned}$$

Mathematica [A] time = 0.08, size = 146, normalized size = 0.56

$$\frac{4 \cos\left(\frac{1}{2}(c + dx)\right) \left(-id^2 x^2 \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) + 2idx \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right) - 2idx \text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right) - 4\text{Li}_3\left(-ie^{\frac{1}{2}i(c+dx)}\right) + 4\text{Li}_3\left(ie^{\frac{1}{2}i(c+dx)}\right)\right)}{d^3 \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (4*Cos[(c + d*x)/2]*((-I)*d^2*x^2*ArcTan[E^((I/2)*(c + d*x))]) + (2*I)*d*x*PolyLog[2, (-I)*E^((I/2)*(c + d*x))] - (2*I)*d*x*PolyLog[2, I*E^((I/2)*(c + d*x))] - 4*PolyLog[3, (-I)*E^((I/2)*(c + d*x))] + 4*PolyLog[3, I*E^((I/2)*(c + d*x))])/ (d^3*Sqrt[a*(1 + Cos[c + d*x])])

fricas [F] time = 0.62, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x^2}{\sqrt{a \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x^2/sqrt(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(x^2/sqrt(a*cos(d*x + c) + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a + a \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a+a*cos(d*x+c))^(1/2),x)

[Out] int(x^2/(a+a*cos(d*x+c))^(1/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a + a*cos(c + d*x))^(1/2),x)

[Out] int(x^2/(a + a*cos(c + d*x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a (\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(x**2/sqrt(a*(cos(c + d*x) + 1)), x)
```

$$3.172 \quad \int \frac{x}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=156

$$\frac{4i\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{4i\text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{4ix\cos\left(\frac{c}{2}+\frac{dx}{2}\right)\tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right)}{d\sqrt{a\cos(c+dx)+a}}$$

[Out] $-4*I*x*\arctan(\exp(1/2*I*(d*x+c)))*\cos(1/2*d*x+1/2*c)/d/(a+a*\cos(d*x+c))^{(1/2)}+4*I*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,-I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}-4*I*\cos(1/2*d*x+1/2*c)*\text{polylog}(2,I*\exp(1/2*I*(d*x+c)))/d^2/(a+a*\cos(d*x+c))^{(1/2)}$

Rubi [A] time = 0.09, antiderivative size = 156, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.250$, Rules used = {3319, 4181, 2279, 2391}

$$\frac{4i\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{4i\text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right)\cos\left(\frac{c}{2}+\frac{dx}{2}\right)}{d^2\sqrt{a\cos(c+dx)+a}} - \frac{4ix\cos\left(\frac{c}{2}+\frac{dx}{2}\right)\tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right)}{d\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[a + a*Cos[c + d*x]], x]

[Out] $((-4*I)*x*\text{ArcTan}[E^{((I/2)*(c+d*x))}]*\text{Cos}[c/2+(d*x)/2])/(d*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) + ((4*I)*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,(-I)*E^{((I/2)*(c+d*x))}])/(d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]]) - ((4*I)*\text{Cos}[c/2+(d*x)/2]*\text{PolyLog}[2,I*E^{((I/2)*(c+d*x))}])/(d^2*\text{Sqrt}[a+a*\text{Cos}[c+d*x]])$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Ssin[e + f*x])^FracPart[n])/Sin[

$e/2 + (a\pi)/(4b) + (f*x)/2]^{(2*\text{FracPart}[n])}$, $\text{Int}[(c + d*x)^m*\text{Sin}[e/2 + (a*\pi)/(4*b) + (f*x)/2]^{(2*n)}, x], x] /;$ $\text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \ \&\& \ E$
 $qQ[a^2 - b^2, 0] \ \&\& \ \text{IntegerQ}[n + 1/2] \ \&\& \ (\text{GtQ}[n, 0] \ || \ \text{IGtQ}[m, 0])$

Rule 4181

$\text{Int}[\text{csc}[(e_.) + \text{Pi}*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^{(m_.)}, x_Symbol]$
 $] \rightarrow \text{Simp}[(-2*(c + d*x)^m*\text{ArcTanH}[E^{(I*k*Pi)}*E^{(I*(e + f*x))}])/f, x] + (-\text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 - E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x] + \text{Dist}[(d*m)/f, \text{Int}[(c + d*x)^{(m-1)}*\text{Log}[1 + E^{(I*k*Pi)}*E^{(I*(e + f*x))}], x], x)] /;$ $\text{FreeQ}[\{c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[2*k] \ \&\& \ \text{IGtQ}[m, 0]$

Rubi steps

$$\int \frac{x}{\sqrt{a + a \cos(c + dx)}} dx = \frac{\sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) \int x \csc\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right) dx}{\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{4ix \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} - \frac{\left(2 \sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \int \log\left(1 - ie^{i\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) dx}{d\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{4ix \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{\left(4i \sin\left(\frac{1}{2}\left(c + \frac{\pi}{2}\right) + \frac{\pi}{4} + \frac{dx}{2}\right)\right) \text{Subst}\left(\int \frac{\log(1-ix)}{x} dx, x\right)}{d^2\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{4ix \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right) \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d\sqrt{a + a \cos(c + dx)}} + \frac{4i \cos\left(\frac{c}{2} + \frac{dx}{2}\right) \text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right)}{d^2\sqrt{a + a \cos(c + dx)}} - \frac{4i \cos\left(\frac{c}{2} + \frac{dx}{2}\right)}{d^2\sqrt{a + a \cos(c + dx)}}$$

Mathematica [A] time = 0.05, size = 89, normalized size = 0.57

$$\frac{4i \cos\left(\frac{1}{2}(c + dx)\right) \left(-\text{Li}_2\left(-ie^{\frac{1}{2}i(c+dx)}\right) + \text{Li}_2\left(ie^{\frac{1}{2}i(c+dx)}\right) + dx \tan^{-1}\left(e^{\frac{1}{2}i(c+dx)}\right)\right)}{d^2\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] $\text{Integrate}[x/\text{Sqrt}[a + a*\text{Cos}[c + d*x]], x]$

[Out] $((-4*I)*\text{Cos}[(c + d*x)/2]*(d*x*\text{ArcTan}[E^{((I/2)*(c + d*x))}] - \text{PolyLog}[2, (-I)*E^{((I/2)*(c + d*x))}] + \text{PolyLog}[2, I*E^{((I/2)*(c + d*x))}]])/ (d^2*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])])$

fricas [F] time = 0.66, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{x}{\sqrt{a \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(x/sqrt(a*cos(d*x + c) + a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(a*cos(d*x + c) + a), x)

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a + a \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+a*cos(d*x+c))^(1/2),x)

[Out] int(x/(a+a*cos(d*x+c))^(1/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(x/(a + a*cos(c + d*x))^(1/2),x)
```

```
[Out] int(x/(a + a*cos(c + d*x))^(1/2), x)
```

```
sympy [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral(x/sqrt(a*(cos(c + d*x) + 1)), x)
```

$$3.173 \quad \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx$$

Optimal. Leaf size=46

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

[Out] arctanh(1/2*sin(d*x+c)*a^(1/2)*2^(1/2)/(a+a*cos(d*x+c))^(1/2))*2^(1/2)/d/a^(1/2)

Rubi [A] time = 0.02, antiderivative size = 46, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$, Rules used = {2649, 206}

$$\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{a} d}$$

Antiderivative was successfully verified.

[In] Int[1/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (Sqrt[2]*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])])/(Sqrt[a]*d)

Rule 206

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2649

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx = -\frac{2 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d}$$

$$= \frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{a} d}$$

Mathematica [A] time = 0.02, size = 40, normalized size = 0.87

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a + a*Cos[c + d*x]],x]

[Out] (2*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2])/(d*Sqrt[a*(1 + Cos[c + d*x])])

fricas [A] time = 0.67, size = 126, normalized size = 2.74

$$\left[\frac{\sqrt{2} \log\left(-\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sin(dx+c) - 2\cos(dx+c) - 3}{\sqrt{a}\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{2\sqrt{a}d}, -\frac{\sqrt{2}\sqrt{-\frac{1}{a}} \arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{-\frac{1}{a}}}{\sin(dx+c)}\right)}{d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] [1/2*sqrt(2)*log(-(cos(d*x + c))^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/(sqrt(a)*d, -sqrt(2)*sqrt(-1/a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(-1/a)/sin(d*x + c))/d]

giac [B] time = 1.86, size = 93, normalized size = 2.02

$$\frac{\sqrt{2} \log\left(\frac{1}{\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)} + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 2\right)}{\sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)} - \frac{\sqrt{2} \log\left(\frac{1}{\sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)} + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 2\right)}{\sqrt{a} \operatorname{sgn}\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}$$

$$4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] $\frac{1}{4} * (\sqrt{2} * \log(\text{abs}(1/\sin(1/2*d*x + 1/2*c) + \sin(1/2*d*x + 1/2*c) + 2)) / (\text{sqrt}(a) * \text{sgn}(\cos(1/2*d*x + 1/2*c))) - \sqrt{2} * \log(\text{abs}(1/\sin(1/2*d*x + 1/2*c) + \sin(1/2*d*x + 1/2*c) - 2)) / (\text{sqrt}(a) * \text{sgn}(\cos(1/2*d*x + 1/2*c)))) / d$

maple [C] time = 0.12, size = 54, normalized size = 1.17

$$\frac{\sqrt{2} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \text{am}^{-1}\left(\frac{dx}{2} + \frac{c}{2} \middle| 1\right)}{d \sqrt{a \left(\cos^2\left(\frac{dx}{2} + \frac{c}{2}\right)\right)} \text{csgn}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a+a*cos(d*x+c))^(1/2),x)

[Out] $\frac{1}{d*2^{(1/2)}} / (a*\cos(1/2*d*x+1/2*c)^2)^{(1/2)} / \text{csgn}(\cos(1/2*d*x+1/2*c))*\cos(1/2*d*x+1/2*c)*\text{InverseJacobiAM}(1/2*d*x+1/2*c,1)$

maxima [B] time = 1.63, size = 90, normalized size = 1.96

$$\frac{\sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)}{2 \sqrt{a} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] $\frac{1}{2} * (\sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) + 1) - \sqrt{2} * \log(\cos(1/2*d*x + 1/2*c)^2 + \sin(1/2*d*x + 1/2*c)^2 - 2*\sin(1/2*d*x + 1/2*c) + 1)) / (\text{sqrt}(a)*d)$

mupad [B] time = 0.33, size = 45, normalized size = 0.98

$$\frac{F\left(\frac{c}{2} + \frac{dx}{2} \middle| 1\right) \sqrt{\frac{2(a+a \cos(c+dx))}{a}}}{d \sqrt{a + a \cos(c + dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(a + a*cos(c + d*x))^(1/2),x)

[Out] $(\text{ellipticF}(c/2 + (d*x)/2, 1) * ((2*(a + a*\cos(c + d*x)))/a)^{(1/2)}) / (d*(a + a*\cos(c + d*x))^{(1/2)})$

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(c + dx) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral(1/sqrt(a*cos(c + d*x) + a), x)

$$3.174 \quad \int \frac{1}{x\sqrt{a+a\cos(c+dx)}} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{1}{x\sqrt{a\cos(c+dx)+a}}, x\right)$$

[Out] Unintegrable(1/x/(a+a*cos(d*x+c))^(1/2), x)

Rubi [A] time = 0.07, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x\sqrt{a+a\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[a + a*Cos[c + d*x]]), x]

[Out] Defer[Int][1/(x*Sqrt[a + a*Cos[c + d*x]]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{a+a\cos(c+dx)}} dx = \int \frac{1}{x\sqrt{a+a\cos(c+dx)}} dx$$

Mathematica [A] time = 0.89, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a+a\cos(c+dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[a + a*Cos[c + d*x]]), x]

[Out] Integrate[1/(x*Sqrt[a + a*Cos[c + d*x]]), x]

fricas [A] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{a\cos(dx+c)+a}}{ax\cos(dx+c)+ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(a*cos(d*x + c) + a)/(a*x*cos(d*x + c) + a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(dx + c) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(a*cos(d*x + c) + a)*x), x)

maple [A] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a + a \cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+a*cos(d*x+c))^(1/2),x)

[Out] int(1/x/(a+a*cos(d*x+c))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{a \cos(dx + c) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(a*cos(d*x + c) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{1}{x \sqrt{a + a \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + a*cos(c + d*x))^(1/2)),x)

[Out] int(1/(x*(a + a*cos(c + d*x))^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(d*x+c))**(1/2),x)

[Out] Integral(1/(x*sqrt(a*(cos(c + d*x) + 1))), x)

$$3.175 \quad \int \frac{x^3}{\sqrt{a-a \cos(x)}} dx$$

Optimal. Leaf size=235

$$\frac{12ix^2\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{12ix^2\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{48x\text{Li}_3\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} + \frac{48x\text{Li}_3\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{96i\text{Li}_4\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}}$$

[Out] $-4*x^3*\text{arctanh}(\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}+12*I*x^2*\text{polylog}(2,-\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}-12*I*x^2*\text{polylog}(2,\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}-48*x*\text{polylog}(3,-\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}+48*x*\text{polylog}(3,\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}-96*I*\text{polylog}(4,-\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}+96*I*\text{polylog}(4,\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.17, antiderivative size = 235, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.400$, Rules used = {3319, 4183, 2531, 6609, 2282, 6589}

$$\frac{12ix^2\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{12ix^2\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{48x\text{Li}_3\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} + \frac{48x\text{Li}_3\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{96i\text{Li}_4\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}}$$

Antiderivative was successfully verified.

[In] $\text{Int}[x^3/\text{Sqrt}[a - a*\text{Cos}[x]], x]$

[Out] $(-4*x^3*\text{ArcTanh}[E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + ((12*I)*x^2*\text{PolyLog}[2, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - ((12*I)*x^2*\text{PolyLog}[2, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - (48*x*\text{PolyLog}[3, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + (48*x*\text{PolyLog}[3, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - ((96*I)*\text{PolyLog}[4, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + ((96*I)*\text{PolyLog}[4, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]]$

Rule 2282

$\text{Int}[u_, x_Symbol] \rightarrow \text{With}[\{v = \text{FunctionOfExponential}[u, x]\}, \text{Dist}[v/D[v, x], \text{Subst}[\text{Int}[\text{FunctionOfExponentialFunction}[u, x]/x, x], x, v], x] /; \text{FunctionOfExponentialQ}[u, x] \&\& !\text{MatchQ}[u, (w_)*((a_)*(v_)^{(n_)})^{(m_)} /; \text{FreeQ}[\{a, m, n\}, x] \&\& \text{IntegerQ}[m*n]] \&\& !\text{MatchQ}[u, E^{(c_)*((a_)+(b_)*x)}*(F_)[v_] /; \text{FreeQ}[\{a, b, c\}, x] \&\& \text{InverseFunctionQ}[F[x]]]$

Rule 2531

$\text{Int}[\text{Log}[1 + (e_)*((F_)^{(c_)*((a_)+(b_)*(x_)))^{(n_)}]*((f_)+(g_)*(x_))^{(m_)}], x_Symbol] \rightarrow -\text{Simp}[(f + g*x)^m*\text{PolyLog}[2, -(e*(F^{c*(a + b*x$

)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m - 1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f, g, n}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && EqQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_Symbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d, e, n, p}, x] && EqQ[b*d, a*e]

Rule 6609

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c, d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{\sqrt{a - a \cos(x)}} dx &= \frac{\sin\left(\frac{x}{2}\right) \int x^3 \csc\left(\frac{x}{2}\right) dx}{\sqrt{a - a \cos(x)}} \\
&= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(6 \sin\left(\frac{x}{2}\right)) \int x^2 \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} + \frac{(6 \sin\left(\frac{x}{2}\right)) \int x^2 \log\left(1 + e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\
&= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{12ix^2 \text{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(24i \sin\left(\frac{x}{2}\right)) \int x \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\
&= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{12ix^2 \text{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{48x \text{Li}_3\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} \\
&= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{12ix^2 \text{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{48x \text{Li}_3\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} \\
&= -\frac{4x^3 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{12ix^2 \text{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{12ix^2 \text{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{48x \text{Li}_3\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}}
\end{aligned}$$

Mathematica [A] time = 0.10, size = 170, normalized size = 0.72

$$\frac{i \sin\left(\frac{x}{2}\right) \left(-48x^2 \text{Li}_2\left(e^{-\frac{ix}{2}}\right) - 48x^2 \text{Li}_2\left(-e^{\frac{ix}{2}}\right) + 192ix \text{Li}_3\left(e^{-\frac{ix}{2}}\right) - 192ix \text{Li}_3\left(-e^{\frac{ix}{2}}\right) + 384 \text{Li}_4\left(e^{-\frac{ix}{2}}\right) + 384 \text{Li}_4\left(-e^{\frac{ix}{2}}\right)\right)}{4\sqrt{a - a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/Sqrt[a - a*Cos[x]],x]

[Out] $((-1/4*I)*(8*Pi^4 - x^4 + (8*I)*x^3*Log[1 - E^((-1/2*I)*x)] - (8*I)*x^3*Log[1 + E^((I/2)*x)] - 48*x^2*PolyLog[2, E^((-1/2*I)*x)] - 48*x^2*PolyLog[2, -E^((I/2)*x)] + (192*I)*x*PolyLog[3, E^((-1/2*I)*x)] - (192*I)*x*PolyLog[3, -E^((I/2)*x)] + 384*PolyLog[4, E^((-1/2*I)*x)] + 384*PolyLog[4, -E^((I/2)*x)])*Sin[x/2])/Sqrt[a - a*Cos[x]]$

fricas [F] time = 0.72, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-a \cos(x) + a} x^3}{a \cos(x) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a*cos(x) + a)*x^3/(a*cos(x) - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(x^3/sqrt(-a*cos(x) + a), x)

maple [F] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a-a*cos(x))^(1/2),x)

[Out] int(x^3/(a-a*cos(x))^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] integrate(x^3/sqrt(-a*cos(x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a - a*cos(x))^(1/2),x)

[Out] int(x^3/(a - a*cos(x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{\sqrt{-a(\cos(x) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a-a*cos(x))**(1/2),x)

[Out] Integral(x**3/sqrt(-a*(cos(x) - 1)), x)

$$3.176 \quad \int \frac{x^2}{\sqrt{a-a \cos(x)}} dx$$

Optimal. Leaf size=163

$$\frac{8ix\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{8ix\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{16\text{Li}_3\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} + \frac{16\text{Li}_3\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4x^2 \sin\left(\frac{x}{2}\right) \tanh^{-1}\left(e^{\frac{ix}{2}}\right)}{\sqrt{a-a \cos(x)}}$$

[Out] $-4*x^2*\text{arctanh}(\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}+8*I*x*\text{polylog}(2, -\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}-8*I*x*\text{polylog}(2, \exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}-16*\text{polylog}(3, -\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}+16*\text{polylog}(3, \exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}$

Rubi [A] time = 0.14, antiderivative size = 163, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 15, $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$, Rules used = {3319, 4183, 2531, 2282, 6589}

$$\frac{8ix\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{8ix\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{16\text{Li}_3\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} + \frac{16\text{Li}_3\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4x^2 \sin\left(\frac{x}{2}\right) \tanh^{-1}\left(e^{\frac{ix}{2}}\right)}{\sqrt{a-a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Int[x^2/Sqrt[a - a*Cos[x]],x]

[Out] $(-4*x^2*\text{ArcTanh}[E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + ((8*I)*x*\text{PolyLog}[2, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - ((8*I)*x*\text{PolyLog}[2, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - (16*\text{PolyLog}[3, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + (16*\text{PolyLog}[3, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]]$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*((f_.) + (g_.)*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x))))^n])/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m-1)*PolyLog[2, -(e*(F^(c*(a + b*x))))^n], x], x] /; FreeQ[{F, a, b, c, e, f

, g, n}, x] && GtQ[m, 0]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
x_Symbol] := Dist[((2*a)^(IntPart[n])*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4183

Int[csc[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol] := Simp[(-
2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d
*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(
m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ
[m, 0]

Rule 6589

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

Rubi steps

$$\begin{aligned} \int \frac{x^2}{\sqrt{a - a \cos(x)}} dx &= \frac{\sin\left(\frac{x}{2}\right) \int x^2 \csc\left(\frac{x}{2}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(4 \sin\left(\frac{x}{2}\right)) \int x \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} + \frac{(4 \sin\left(\frac{x}{2}\right)) \int x \log\left(1 + e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{8ix \operatorname{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(8i \sin\left(\frac{x}{2}\right)) \int x \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{8ix \operatorname{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(16 \sin\left(\frac{x}{2}\right)) \int x \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x^2 \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{8ix \operatorname{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{8ix \operatorname{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{16 \operatorname{Li}_3\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} \end{aligned}$$

Mathematica [A] time = 0.05, size = 117, normalized size = 0.72

$$\frac{2 \sin\left(\frac{x}{2}\right) \left(4ix \operatorname{Li}_2\left(-e^{\frac{ix}{2}}\right) - 4ix \operatorname{Li}_2\left(e^{\frac{ix}{2}}\right) - 8\operatorname{Li}_3\left(-e^{\frac{ix}{2}}\right) + 8\operatorname{Li}_3\left(e^{\frac{ix}{2}}\right) + x^2 \log\left(1 - e^{\frac{ix}{2}}\right) - x^2 \log\left(1 + e^{\frac{ix}{2}}\right) \right)}{\sqrt{a - a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/Sqrt[a - a*Cos[x]],x]

[Out] (2*(x^2*Log[1 - E^((I/2)*x)] - x^2*Log[1 + E^((I/2)*x)] + (4*I)*x*PolyLog[2, -E^((I/2)*x)] - (4*I)*x*PolyLog[2, E^((I/2)*x)] - 8*PolyLog[3, -E^((I/2)*x)] + 8*PolyLog[3, E^((I/2)*x)]*Sin[x/2])/Sqrt[a - a*Cos[x]])

fricas [F] time = 0.55, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(-\frac{\sqrt{-a \cos(x) + a} x^2}{a \cos(x) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a*cos(x) + a)*x^2/(a*cos(x) - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(x^2/sqrt(-a*cos(x) + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a-a*cos(x))^(1/2),x)

[Out] int(x^2/(a-a*cos(x))^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] integrate(x^2/sqrt(-a*cos(x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x^2}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^2/(a - a*cos(x))^(1/2),x)

[Out] int(x^2/(a - a*cos(x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{\sqrt{-a(\cos(x) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**2/(a-a*cos(x))**(1/2),x)

[Out] Integral(x**2/sqrt(-a*(cos(x) - 1)), x)

$$3.177 \quad \int \frac{x}{\sqrt{a-a \cos(x)}} dx$$

Optimal. Leaf size=97

$$\frac{4i\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4i\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4x \sin\left(\frac{x}{2}\right) \tanh^{-1}\left(e^{\frac{ix}{2}}\right)}{\sqrt{a-a \cos(x)}}$$

[Out] $-4*x*\text{arctanh}(\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}+4*I*\text{polylog}(2,-\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}-4*I*\text{polylog}(2,\exp(1/2*I*x))*\sin(1/2*x)/(a-a*\cos(x))^{1/2}$

Rubi [A] time = 0.08, antiderivative size = 97, normalized size of antiderivative = 1.00, number of steps used = 6, number of rules used = 4, integrand size = 13, $\frac{\text{number of rules}}{\text{integrand size}} = 0.308$, Rules used = {3319, 4183, 2279, 2391}

$$\frac{4i\text{Li}_2\left(-e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4i\text{Li}_2\left(e^{\frac{ix}{2}}\right)\sin\left(\frac{x}{2}\right)}{\sqrt{a-a \cos(x)}} - \frac{4x \sin\left(\frac{x}{2}\right) \tanh^{-1}\left(e^{\frac{ix}{2}}\right)}{\sqrt{a-a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Int[x/Sqrt[a - a*Cos[x]],x]

[Out] $(-4*x*\text{ArcTanh}[E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] + ((4*I)*\text{PolyLog}[2, -E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]] - ((4*I)*\text{PolyLog}[2, E^{((I/2)*x)}]*\text{Sin}[x/2])/ \text{Sqrt}[a - a*\text{Cos}[x]]$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^(e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3319

Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E

qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4183

Int[csc[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*(e + f*x))])/f, x] + (-Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*(e + f*x))], x], x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*(e + f*x))], x], x]) /; FreeQ[{c, d, e, f}, x] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned} \int \frac{x}{\sqrt{a - a \cos(x)}} dx &= \frac{\sin\left(\frac{x}{2}\right) \int x \csc\left(\frac{x}{2}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{(2 \sin\left(\frac{x}{2}\right)) \int \log\left(1 - e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} + \frac{(2 \sin\left(\frac{x}{2}\right)) \int \log\left(1 + e^{\frac{ix}{2}}\right) dx}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{(4i \sin\left(\frac{x}{2}\right)) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, e^{\frac{ix}{2}}\right)}{\sqrt{a - a \cos(x)}} - \frac{(4i \sin\left(\frac{x}{2}\right)) \text{Subst}\left(\int \frac{\log(1-x)}{x} dx, x, -e^{\frac{ix}{2}}\right)}{\sqrt{a - a \cos(x)}} \\ &= -\frac{4x \tanh^{-1}\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} + \frac{4i \text{Li}_2\left(-e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} - \frac{4i \text{Li}_2\left(e^{\frac{ix}{2}}\right) \sin\left(\frac{x}{2}\right)}{\sqrt{a - a \cos(x)}} \end{aligned}$$

Mathematica [A] time = 0.03, size = 83, normalized size = 0.86

$$\frac{2 \sin\left(\frac{x}{2}\right) \left(2i \text{Li}_2\left(-e^{\frac{ix}{2}}\right) - 2i \text{Li}_2\left(e^{\frac{ix}{2}}\right) + x \left(\log\left(1 - e^{\frac{ix}{2}}\right) - \log\left(1 + e^{\frac{ix}{2}}\right)\right)\right)}{\sqrt{a - a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/Sqrt[a - a*Cos[x]], x]

[Out] (2*(x*(Log[1 - E^((I/2)*x)] - Log[1 + E^((I/2)*x)]) + (2*I)*PolyLog[2, -E^((I/2)*x)] - (2*I)*PolyLog[2, E^((I/2)*x)]*Sin[x/2])/Sqrt[a - a*Cos[x]]

fricas [F] time = 0.80, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-a \cos(x) + a} x}{a \cos(x) - a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a*cos(x) + a)*x/(a*cos(x) - a), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(x/sqrt(-a*cos(x) + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a-a*cos(x))^(1/2),x)

[Out] int(x/(a-a*cos(x))^(1/2),x)

maxima [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] integrate(x/sqrt(-a*cos(x) + a), x)

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a - a*cos(x))^(1/2),x)

[Out] int(x/(a - a*cos(x))^(1/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{\sqrt{-a(\cos(x) - 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x/(a-a*cos(x))**(1/2),x)
```

```
[Out] Integral(x/sqrt(-a*(cos(x) - 1)), x)
```

$$3.178 \quad \int \frac{1}{\sqrt{a-a \cos(x)}} dx$$

Optimal. Leaf size=37

$$-\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{a-a \cos(x)}}\right)}{\sqrt{a}}$$

[Out] $-\operatorname{arctanh}(1/2*\sin(x)*a^{(1/2)}*2^{(1/2)/(a-a*\cos(x))^{(1/2)})}*2^{(1/2)}/a^{(1/2)}$

Rubi [A] time = 0.02, antiderivative size = 37, normalized size of antiderivative = 1.00, number of steps used = 2, number of rules used = 2, integrand size = 11, $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$, Rules used = {2649, 206}

$$-\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{a-a \cos(x)}}\right)}{\sqrt{a}}$$

Antiderivative was successfully verified.

[In] `Int[1/Sqrt[a - a*Cos[x]], x]`

[Out] $-\left(\left(\operatorname{Sqrt}[2]*\operatorname{ArcTanh}\left[\frac{\operatorname{Sqrt}[a]*\operatorname{Sin}[x]}{\operatorname{Sqrt}[2]*\operatorname{Sqrt}[a - a*\operatorname{Cos}[x]]}\right]\right)\right)/\operatorname{Sqrt}[a]$

Rule 206

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])`

Rule 2649

`Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

Rubi steps

$$\begin{aligned} \int \frac{1}{\sqrt{a-a \cos(x)}} dx &= -\left(2 \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, \frac{a \sin(x)}{\sqrt{a-a \cos(x)}}\right)\right) \\ &= -\frac{\sqrt{2} \tanh^{-1}\left(\frac{\sqrt{a} \sin(x)}{\sqrt{2} \sqrt{a-a \cos(x)}}\right)}{\sqrt{a}} \end{aligned}$$

Mathematica [A] time = 0.01, size = 36, normalized size = 0.97

$$\frac{2 \sin\left(\frac{x}{2}\right) \left(\log\left(\sin\left(\frac{x}{4}\right)\right) - \log\left(\cos\left(\frac{x}{4}\right)\right)\right)}{\sqrt{a - a \cos(x)}}$$

Antiderivative was successfully verified.

[In] Integrate[1/Sqrt[a - a*Cos[x]], x]

[Out] (2*(-Log[Cos[x/4]] + Log[Sin[x/4]])*Sin[x/2])/Sqrt[a - a*Cos[x]]

fricas [A] time = 0.68, size = 87, normalized size = 2.35

$$\left[\frac{\sqrt{2} \log\left(\frac{(\cos(x)+3)\sin(x) - \frac{2\sqrt{2}\sqrt{-a\cos(x)+a}(\cos(x)+1)}{\sqrt{a}}}{(\cos(x)-1)\sin(x)}\right)}{2\sqrt{a}}, \sqrt{2}\sqrt{-\frac{1}{a}} \arctan\left(\frac{\sqrt{2}\sqrt{-a\cos(x)+a}\sqrt{-\frac{1}{a}}}{\sin(x)}\right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a-a*cos(x))^(1/2), x, algorithm="fricas")

[Out] [1/2*sqrt(2)*log(-((cos(x) + 3)*sin(x) - 2*sqrt(2)*sqrt(-a*cos(x) + a)*(cos(x) + 1)/sqrt(a))/((cos(x) - 1)*sin(x)))/sqrt(a), sqrt(2)*sqrt(-1/a)*arctan(sqrt(2)*sqrt(-a*cos(x) + a)*sqrt(-1/a)/sin(x))]

giac [A] time = 0.49, size = 20, normalized size = 0.54

$$\frac{\sqrt{2} \log\left(\left|\tan\left(\frac{1}{4}x\right)\right|\right)}{\sqrt{a} \operatorname{sgn}\left(\sin\left(\frac{1}{2}x\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/(a-a*cos(x))^(1/2), x, algorithm="giac")

[Out] sqrt(2)*log(abs(tan(1/4*x)))/(sqrt(a)*sgn(sin(1/2*x)))

maple [A] time = 0.18, size = 25, normalized size = 0.68

$$-\frac{\sin\left(\frac{x}{2}\right) \operatorname{arctanh}\left(\cos\left(\frac{x}{2}\right)\right) \sqrt{2}}{\sqrt{a} \left(\sin^2\left(\frac{x}{2}\right)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a-a*cos(x))^(1/2),x)`

[Out] `-sin(1/2*x)*arctanh(cos(1/2*x))*2^(1/2)/(a*sin(1/2*x)^2)^(1/2)`

maxima [B] time = 1.93, size = 81, normalized size = 2.19

$$\sqrt{2} \log \left(\cos \left(\frac{1}{2} \arctan(\sin(x), \cos(x)) \right) \right)^2 + \sin \left(\frac{1}{2} \arctan(\sin(x), \cos(x)) \right)^2 + 2 \cos \left(\frac{1}{2} \arctan(\sin(x), \cos(x)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a-a*cos(x))^(1/2),x, algorithm="maxima")`

[Out] `-1/2*(sqrt(2)*log(cos(1/2*arctan2(sin(x), cos(x))))^2 + sin(1/2*arctan2(sin(x), cos(x))))^2 + 2*cos(1/2*arctan2(sin(x), cos(x))) + 1) - sqrt(2)*log(cos(1/2*arctan2(sin(x), cos(x))))^2 + sin(1/2*arctan2(sin(x), cos(x))))^2 - 2*cos(1/2*arctan2(sin(x), cos(x))) + 1)/sqrt(a)`

mupad [F] time = 0.00, size = -1, normalized size = -0.03

$$\int \frac{1}{\sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(a - a*cos(x))^(1/2),x)`

[Out] `int(1/(a - a*cos(x))^(1/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a \cos(x) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/(a-a*cos(x))**(1/2),x)`

[Out] `Integral(1/sqrt(-a*cos(x) + a), x)`

$$3.179 \quad \int \frac{1}{x\sqrt{a-a\cos(x)}} dx$$

Optimal. Leaf size=18

$$\text{Int}\left(\frac{1}{x\sqrt{a-a\cos(x)}}, x\right)$$

[Out] Unintegrable(1/x/(a-a*cos(x))^(1/2), x)

Rubi [A] time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x\sqrt{a-a\cos(x)}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*Sqrt[a - a*Cos[x]]), x]

[Out] Defer[Int][1/(x*Sqrt[a - a*Cos[x]]), x]

Rubi steps

$$\int \frac{1}{x\sqrt{a-a\cos(x)}} dx = \int \frac{1}{x\sqrt{a-a\cos(x)}} dx$$

Mathematica [A] time = 2.96, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{a-a\cos(x)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*Sqrt[a - a*Cos[x]]), x]

[Out] Integrate[1/(x*Sqrt[a - a*Cos[x]]), x]

fricas [A] time = 0.95, size = 0, normalized size = 0.00

$$\text{integral}\left(-\frac{\sqrt{-a\cos(x)+a}}{ax\cos(x)-ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a-a*cos(x))^(1/2),x, algorithm="fricas")

[Out] integral(-sqrt(-a*cos(x) + a)/(a*x*cos(x) - a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a \cos(x) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a-a*cos(x))^(1/2),x, algorithm="giac")

[Out] integrate(1/(sqrt(-a*cos(x) + a)*x), x)

maple [A] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{x \sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a-a*cos(x))^(1/2),x)

[Out] int(1/x/(a-a*cos(x))^(1/2),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{\sqrt{-a \cos(x) + a} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a-a*cos(x))^(1/2),x, algorithm="maxima")

[Out] integrate(1/(sqrt(-a*cos(x) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x \sqrt{a - a \cos(x)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a - a*cos(x))^(1/2)),x)

[Out] int(1/(x*(a - a*cos(x))^(1/2)), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x\sqrt{-a(\cos(x)-1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a-a*cos(x))**(1/2),x)
```

```
[Out] Integral(1/(x*sqrt(-a*(cos(x) - 1))), x)
```

$$3.180 \quad \int \frac{x^3}{(a+a \cos(x))^{3/2}} dx$$

Optimal. Leaf size=423

$$\frac{3ix^2\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{3ix^2\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{12x\text{Li}_3\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{12x\text{Li}_3\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{24i\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \dots$$

[Out] $-3x^2/a/(a+a\cos(x))^{1/2}-24Ix\arctan(\exp(1/2Ix))\cos(1/2x)/a/(a+a\cos(x))^{1/2}-Ix^3\arctan(\exp(1/2Ix))\cos(1/2x)/a/(a+a\cos(x))^{1/2}+24I\cos(1/2x)\text{polylog}(2,-I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}+3Ix^2\cos(1/2x)\text{polylog}(2,-I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}-24I\cos(1/2x)\text{polylog}(2,I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}-3Ix^2\cos(1/2x)\text{polylog}(2,I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}-12x\cos(1/2x)\text{polylog}(3,-I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}+12x\cos(1/2x)\text{polylog}(3,I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}-24I\cos(1/2x)\text{polylog}(4,-I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}+24I\cos(1/2x)\text{polylog}(4,I\exp(1/2Ix))/a/(a+a\cos(x))^{1/2}+1/2x^3\tan(1/2x)/a/(a+a\cos(x))^{1/2}$

Rubi [A] time = 0.26, antiderivative size = 423, normalized size of antiderivative = 1.00, number of steps used = 16, number of rules used = 9, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.643$, Rules used = {3319, 4186, 4181, 2279, 2391, 2531, 6609, 2282, 6589}

$$\frac{3ix^2\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{3ix^2\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{12x\text{Li}_3\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{12x\text{Li}_3\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{24i\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[x^3/(a + a*Cos[x])^(3/2), x]

[Out] $(-3x^2)/(a\sqrt{a+a\cos[x]}) - ((24I)x\text{ArcTan}[E^{(I/2)x}]\cos[x/2])/(a\sqrt{a+a\cos[x]}) - (Ix^3\text{ArcTan}[E^{(I/2)x}]\cos[x/2])/(a\sqrt{a+a\cos[x]}) + ((24I)\cos[x/2]\text{PolyLog}[2, (-I)E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) + ((3I)x^2\cos[x/2]\text{PolyLog}[2, (-I)E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) - ((24I)\cos[x/2]\text{PolyLog}[2, I E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) - ((3I)x^2\cos[x/2]\text{PolyLog}[2, I E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) - (12x\cos[x/2]\text{PolyLog}[3, (-I)E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) + (12x\cos[x/2]\text{PolyLog}[3, I E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) - ((24I)\cos[x/2]\text{PolyLog}[4, (-I)E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) + ((24I)\cos[x/2]\text{PolyLog}[4, I E^{(I/2)x}])/(a\sqrt{a+a\cos[x]}) + (x^3\tan[x/2])/(2a\sqrt{a+a\cos[x]})$

Rule 2279

```
Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_)))^(n_.)], x_Symbol]
:> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]
```

Rule 2282

```
Int[u_, x_Symbol] :> With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_) [v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2391

```
Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2
, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_)^(m_.), x_Symbol] :> -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_)^(m_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_)^(m_.), x_Symbol
] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x)
)], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_)*((c_.) + (d_.)*(x_)^(m_), x_Symbo
l] :> -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
```

```

1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]

```

Rule 6589

```

Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]

```

Rule 6609

```

Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.
)*(x_))))^(p_.)], x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
d, e, f, n, p}, x] && GtQ[m, 0]

```

Rubi steps

$$\begin{aligned}
\int \frac{x^3}{(a + a \cos(x))^{3/2}} dx &= \frac{\cos\left(\frac{x}{2}\right) \int x^3 \sec^3\left(\frac{x}{2}\right) dx}{2a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} + \frac{x^3 \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} + \frac{\cos\left(\frac{x}{2}\right) \int x^3 \sec\left(\frac{x}{2}\right) dx}{4a\sqrt{a + a \cos(x)}} + \frac{(6 \cos\left(\frac{x}{2}\right)) \int x \sec\left(\frac{x}{2}\right) dx}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} - \frac{24ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} - \frac{ix^3 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{x^3 \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} - \frac{24ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} - \frac{ix^3 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{3ix^2 \cos\left(\frac{x}{2}\right) \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} - \frac{24ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} - \frac{ix^3 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{24i \cos\left(\frac{x}{2}\right) \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} - \frac{24ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} - \frac{ix^3 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{24i \cos\left(\frac{x}{2}\right) \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{3x^2}{a\sqrt{a + a \cos(x)}} - \frac{24ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} - \frac{ix^3 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{24i \cos\left(\frac{x}{2}\right) \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}}
\end{aligned}$$

Mathematica [A] time = 0.41, size = 257, normalized size = 0.61

$$\frac{i \cos\left(\frac{x}{2}\right) \left(-6(x^2 + 8) \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) + 6(x^2 + 8) \operatorname{Li}_2\left(ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) - 24ix \operatorname{Li}_3\left(-ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) + 24ix \operatorname{Li}_3\left(ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right)\right)}{a^2 \cos(x)^2 + 2a^2 \cos(x) + a^2}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + a*Cos[x])^(3/2), x]

[Out] ((-1)*Cos[x/2]*((-6*I)*x^2*Cos[x/2] + 48*x*ArcTan[E^((I/2)*x)]*Cos[x/2]^2 + 2*x^3*ArcTan[E^((I/2)*x)]*Cos[x/2]^2 - 6*(8 + x^2)*Cos[x/2]^2*PolyLog[2, (-I)*E^((I/2)*x)] + 6*(8 + x^2)*Cos[x/2]^2*PolyLog[2, I*E^((I/2)*x)] - (24*I)*x*Cos[x/2]^2*PolyLog[3, (-I)*E^((I/2)*x)] + (24*I)*x*Cos[x/2]^2*PolyLog[3, I*E^((I/2)*x)] + 48*Cos[x/2]^2*PolyLog[4, (-I)*E^((I/2)*x)] - 48*Cos[x/2]^2*PolyLog[4, I*E^((I/2)*x)] + I*x^3*Sin[x/2]))/(a*(1 + Cos[x]))^(3/2)

fricas [F] time = 0.73, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{a \cos(x) + a} x^3}{a^2 \cos(x)^2 + 2a^2 \cos(x) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(x))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(a*cos(x) + a)*x^3/(a^2*cos(x)^2 + 2*a^2*cos(x) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a \cos(x) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(x))^(3/2),x, algorithm="giac")

[Out] integrate(x^3/(a*cos(x) + a)^(3/2), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a + a \cos(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+a*cos(x))^(3/2),x)

[Out] int(x^3/(a+a*cos(x))^(3/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+a*cos(x))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{(a + a \cos(x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + a*cos(x))^(3/2),x)

[Out] `int(x^3/(a + a*cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{(a(\cos(x) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**3/(a+a*cos(x))**(3/2), x)`

[Out] `Integral(x**3/(a*(cos(x) + 1))**(3/2), x)`

$$3.181 \quad \int \frac{x^2}{(a+a \cos(x))^{3/2}} dx$$

Optimal. Leaf size=257

$$\frac{2ix\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{2ix\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{4\text{Li}_3\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{4\text{Li}_3\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{ix^2\cos\left(\frac{x}{2}\right)\tan^{-1}\left(e^{\frac{ix}{2}}\right)}{a\sqrt{a\cos(x)+a}}$$

[Out] $-2*x/a/(a+a*\cos(x))^{(1/2)}-I*x^2*\arctan(\exp(1/2*I*x))*\cos(1/2*x)/a/(a+a*\cos(x))^{(1/2)}+4*\operatorname{arctanh}(\sin(1/2*x))*\cos(1/2*x)/a/(a+a*\cos(x))^{(1/2)}+2*I*x*\cos(1/2*x)*\operatorname{polylog}(2,-I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}-2*I*x*\cos(1/2*x)*\operatorname{polylog}(2,I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}-4*\cos(1/2*x)*\operatorname{polylog}(3,-I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}+4*\cos(1/2*x)*\operatorname{polylog}(3,I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}+1/2*x^2*\tan(1/2*x)/a/(a+a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.19, antiderivative size = 257, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 7, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.500$, Rules used = {3319, 4186, 3770, 4181, 2531, 2282, 6589}

$$\frac{2ix\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{2ix\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{4\text{Li}_3\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} + \frac{4\text{Li}_3\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{ix^2\cos\left(\frac{x}{2}\right)\tan^{-1}\left(e^{\frac{ix}{2}}\right)}{a\sqrt{a\cos(x)+a}}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + a*Cos[x])^(3/2), x]

[Out] $(-2*x)/(a*\sqrt{a+a*\cos[x]}) - (I*x^2*\operatorname{ArcTan}[E^{((1/2)*x)}]*\cos[x/2])/(a*\sqrt{a+a*\cos[x]}) + (4*\operatorname{ArcTanh}[\sin[x/2]]*\cos[x/2])/(a*\sqrt{a+a*\cos[x]}) + ((2*I)*x*\cos[x/2]*\operatorname{PolyLog}[2, (-I)*E^{((1/2)*x)}])/(a*\sqrt{a+a*\cos[x]}) - ((2*I)*x*\cos[x/2]*\operatorname{PolyLog}[2, I*E^{((1/2)*x)}])/(a*\sqrt{a+a*\cos[x]}) - (4*\cos[x/2]*\operatorname{PolyLog}[3, (-I)*E^{((1/2)*x)}])/(a*\sqrt{a+a*\cos[x]}) + (4*\cos[x/2]*\operatorname{PolyLog}[3, I*E^{((1/2)*x)}])/(a*\sqrt{a+a*\cos[x]}) + (x^2*\tan[x/2])/(2*a*\sqrt{a+a*\cos[x]})$

Rule 2282

Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x], Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x] /; FunctionOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*(F_)[v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*(a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n]]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3319

```
Int[((c_.) + (d_.)*(x_))^(m_.)*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_),
x_Symbol] := Dist[((2*a)^IntPart[n]*(a + b*Sin[e + f*x])^FracPart[n])/Sin[
e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Sin[e/2 + (a
*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 4181

```
Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_)]*((c_.) + (d_.)*(x_))^(m_.), x_Symbol
] := Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))]/f, x] + (-Di
st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x]) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]
```

Rule 4186

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_))^(m_.), x_Symbo
l] := -Simp[(b^2*(c + d*x)^m*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n -
1)), x] + (Dist[(b^2*d^2*m*(m - 1))/(f^2*(n - 1)*(n - 2)), Int[(c + d*x)^(
m - 2)*(b*Csc[e + f*x])^(n - 2), x], x] + Dist[(b^2*(n - 2))/(n - 1), Int[(
c + d*x)^m*(b*Csc[e + f*x])^(n - 2), x], x] - Simp[(b^2*d*m*(c + d*x)^(m -
1)*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /; FreeQ[{b, c, d,
e, f}, x] && GtQ[n, 1] && NeQ[n, 2] && GtQ[m, 1]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{(a + a \cos(x))^{3/2}} dx &= \frac{\cos\left(\frac{x}{2}\right) \int x^2 \sec^3\left(\frac{x}{2}\right) dx}{2a\sqrt{a + a \cos(x)}} \\
&= -\frac{2x}{a\sqrt{a + a \cos(x)}} + \frac{x^2 \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} + \frac{\cos\left(\frac{x}{2}\right) \int x^2 \sec\left(\frac{x}{2}\right) dx}{4a\sqrt{a + a \cos(x)}} + \frac{(2 \cos\left(\frac{x}{2}\right)) \int \sec\left(\frac{x}{2}\right) dx}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{2x}{a\sqrt{a + a \cos(x)}} - \frac{ix^2 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{4 \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{x^2 \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} \\
&= -\frac{2x}{a\sqrt{a + a \cos(x)}} - \frac{ix^2 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{4 \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{2ix \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{2x}{a\sqrt{a + a \cos(x)}} - \frac{ix^2 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{4 \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{2ix \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} \\
&= -\frac{2x}{a\sqrt{a + a \cos(x)}} - \frac{ix^2 \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{4 \tanh^{-1}\left(\sin\left(\frac{x}{2}\right)\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{2ix \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}}
\end{aligned}$$

Mathematica [A] time = 0.12, size = 185, normalized size = 0.72

$$\frac{\cos\left(\frac{x}{2}\right) \left(4ix \operatorname{Li}_2\left(-ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) - 4ix \operatorname{Li}_2\left(ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) - 8\operatorname{Li}_3\left(-ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) + 8\operatorname{Li}_3\left(ie^{\frac{ix}{2}}\right) \cos^2\left(\frac{x}{2}\right) + x^2 \sin\left(\frac{x}{2}\right) \right)}{(a(\cos(x) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + a*Cos[x])^(3/2), x]

[Out] (Cos[x/2]*(-4*x*Cos[x/2] - (2*I)*x^2*ArcTan[E^((I/2)*x)]*Cos[x/2]^2 + 8*ArcTanh[Sin[x/2]]*Cos[x/2]^2 + (4*I)*x*Cos[x/2]^2*PolyLog[2, (-I)*E^((I/2)*x)] - (4*I)*x*Cos[x/2]^2*PolyLog[2, I*E^((I/2)*x)] - 8*Cos[x/2]^2*PolyLog[3, (-I)*E^((I/2)*x)] + 8*Cos[x/2]^2*PolyLog[3, I*E^((I/2)*x)] + x^2*Sin[x/2]))/(a*(1 + Cos[x]))^(3/2)

fricas [F] time = 0.61, size = 0, normalized size = 0.00

$$\operatorname{integral}\left(\frac{\sqrt{a \cos(x) + a} x^2}{a^2 \cos(x)^2 + 2 a^2 \cos(x) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^2/(a+a*cos(x))^(3/2), x, algorithm="fricas")

[Out] `integral(sqrt(a*cos(x) + a)*x^2/(a^2*cos(x)^2 + 2*a^2*cos(x) + a^2), x)`

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a \cos(x) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+a*cos(x))^(3/2),x, algorithm="giac")`

[Out] `integrate(x^2/(a*cos(x) + a)^(3/2), x)`

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a + a \cos(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+a*cos(x))^(3/2),x)`

[Out] `int(x^2/(a+a*cos(x))^(3/2),x)`

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+a*cos(x))^(3/2),x, algorithm="maxima")`

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{(a + a \cos(x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + a*cos(x))^(3/2),x)`

[Out] `int(x^2/(a + a*cos(x))^(3/2), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{(a (\cos(x) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x**2/(a+a*cos(x))**(3/2),x)
```

```
[Out] Integral(x**2/(a*(cos(x) + 1))**(3/2), x)
```

$$3.182 \quad \int \frac{x}{(a+a \cos(x))^{3/2}} dx$$

Optimal. Leaf size=150

$$\frac{i\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{i\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{1}{a\sqrt{a\cos(x)+a}} - \frac{ix\cos\left(\frac{x}{2}\right)\tan^{-1}\left(e^{\frac{ix}{2}}\right)}{a\sqrt{a\cos(x)+a}} + \frac{x\tan\left(\frac{x}{2}\right)}{2a\sqrt{a\cos(x)+a}}$$

[Out] $-1/a/(a+a*\cos(x))^{(1/2)}-I*x*\arctan(\exp(1/2*I*x))*\cos(1/2*x)/a/(a+a*\cos(x))^{(1/2)}+I*\cos(1/2*x)*\text{polylog}(2,-I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}-I*\cos(1/2*x)*\text{polylog}(2,I*\exp(1/2*I*x))/a/(a+a*\cos(x))^{(1/2)}+1/2*x*\tan(1/2*x)/a/(a+a*\cos(x))^{(1/2)}$

Rubi [A] time = 0.12, antiderivative size = 150, normalized size of antiderivative = 1.00, number of steps used = 7, number of rules used = 5, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.417$, Rules used = {3319, 4185, 4181, 2279, 2391}

$$\frac{i\text{Li}_2\left(-ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{i\text{Li}_2\left(ie^{\frac{ix}{2}}\right)\cos\left(\frac{x}{2}\right)}{a\sqrt{a\cos(x)+a}} - \frac{1}{a\sqrt{a\cos(x)+a}} - \frac{ix\cos\left(\frac{x}{2}\right)\tan^{-1}\left(e^{\frac{ix}{2}}\right)}{a\sqrt{a\cos(x)+a}} + \frac{x\tan\left(\frac{x}{2}\right)}{2a\sqrt{a\cos(x)+a}}$$

Antiderivative was successfully verified.

[In] Int[x/(a + a*Cos[x])^(3/2), x]

[Out] $-(1/(a*\text{Sqrt}[a + a*\text{Cos}[x]])) - (I*x*\text{ArcTan}[E^{((I/2)*x)}]*\text{Cos}[x/2])/(a*\text{Sqrt}[a + a*\text{Cos}[x]]) + (I*\text{Cos}[x/2]*\text{PolyLog}[2, (-I)*E^{((I/2)*x)}])/(a*\text{Sqrt}[a + a*\text{Cos}[x]]) - (I*\text{Cos}[x/2]*\text{PolyLog}[2, I*E^{((I/2)*x)}])/(a*\text{Sqrt}[a + a*\text{Cos}[x]]) + (x*\text{Tan}[x/2])/(2*a*\text{Sqrt}[a + a*\text{Cos}[x]])$

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol] :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2, -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3319

Int[((c_.) + (d_.)*(x_)^(m_.))*((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Dist[((2*a)^IntPart[n]*(a + b*Ssin[e + f*x])^FracPart[n])/Sin[e/2 + (a*Pi)/(4*b) + (f*x)/2]^(2*FracPart[n]), Int[(c + d*x)^m*Ssin[e/2 + (a

*Pi)/(4*b) + (f*x)/2]^(2*n), x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && E
 qQ[a^2 - b^2, 0] && IntegerQ[n + 1/2] && (GtQ[n, 0] || IGtQ[m, 0])

Rule 4181

Int[csc[(e_.) + Pi*(k_.) + (f_.)*(x_.)]*((c_.) + (d_.)*(x_.))^(m_.), x_Symbol
] :> Simp[(-2*(c + d*x)^m*ArcTanh[E^(I*k*Pi)*E^(I*(e + f*x))])/f, x] + (-Di
 st[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 - E^(I*k*Pi)*E^(I*(e + f*x))], x],
 x] + Dist[(d*m)/f, Int[(c + d*x)^(m - 1)*Log[1 + E^(I*k*Pi)*E^(I*(e + f*x))
], x], x)) /; FreeQ[{c, d, e, f}, x] && IntegerQ[2*k] && IGtQ[m, 0]

Rule 4185

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(n_.)*((c_.) + (d_.)*(x_.)), x_Symbol] :>
 -Simp[(b^2*(c + d*x)*Cot[e + f*x]*(b*Csc[e + f*x])^(n - 2))/(f*(n - 1)), x
] + (Dist[(b^2*(n - 2))/(n - 1), Int[(c + d*x)*(b*Csc[e + f*x])^(n - 2), x]
 , x] - Simp[(b^2*d*(b*Csc[e + f*x])^(n - 2))/(f^2*(n - 1)*(n - 2)), x]) /;
 FreeQ[{b, c, d, e, f}, x] && GtQ[n, 1] && NeQ[n, 2]

Rubi steps

$$\begin{aligned} \int \frac{x}{(a + a \cos(x))^{3/2}} dx &= \frac{\cos\left(\frac{x}{2}\right) \int x \sec^3\left(\frac{x}{2}\right) dx}{2a\sqrt{a + a \cos(x)}} \\ &= -\frac{1}{a\sqrt{a + a \cos(x)}} + \frac{x \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} + \frac{\cos\left(\frac{x}{2}\right) \int x \sec\left(\frac{x}{2}\right) dx}{4a\sqrt{a + a \cos(x)}} \\ &= -\frac{1}{a\sqrt{a + a \cos(x)}} - \frac{ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{x \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} - \frac{\cos\left(\frac{x}{2}\right) \int \log\left(1 - ie^{\frac{ix}{2}}\right) dx}{2a\sqrt{a + a \cos(x)}} \\ &= -\frac{1}{a\sqrt{a + a \cos(x)}} - \frac{ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{x \tan\left(\frac{x}{2}\right)}{2a\sqrt{a + a \cos(x)}} + \frac{(i \cos\left(\frac{x}{2}\right)) \text{Subst}\left(\int \frac{1}{1 - ie^{\frac{ix}{2}}}\right)}{a\sqrt{a + a \cos(x)}} \\ &= -\frac{1}{a\sqrt{a + a \cos(x)}} - \frac{ix \tan^{-1}\left(e^{\frac{ix}{2}}\right) \cos\left(\frac{x}{2}\right)}{a\sqrt{a + a \cos(x)}} + \frac{i \cos\left(\frac{x}{2}\right) \text{Li}_2\left(-ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}} - \frac{i \cos\left(\frac{x}{2}\right) \text{Li}_2\left(ie^{\frac{ix}{2}}\right)}{a\sqrt{a + a \cos(x)}} \end{aligned}$$

Mathematica [A] time = 0.18, size = 165, normalized size = 1.10

$$\frac{\sec\left(\frac{x}{2}\right) \left(2i \text{Li}_2\left(-ie^{\frac{ix}{2}}\right) (\cos(x) + 1) - 2i \text{Li}_2\left(ie^{\frac{ix}{2}}\right) (\cos(x) + 1) + x \log\left(1 - ie^{\frac{ix}{2}}\right) - x \log\left(1 + ie^{\frac{ix}{2}}\right) + 2x \sin\left(\frac{x}{2}\right) - 4\right)}{4a\sqrt{a(\cos(x) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + a*Cos[x])^(3/2),x]

[Out] (Sec[x/2]*(-4*Cos[x/2] + x*Log[1 - I*E^((I/2)*x)] + x*Cos[x]*Log[1 - I*E^((I/2)*x)] - x*Log[1 + I*E^((I/2)*x)] - x*Cos[x]*Log[1 + I*E^((I/2)*x)] + (2*I)*(1 + Cos[x])*PolyLog[2, (-I)*E^((I/2)*x)] - (2*I)*(1 + Cos[x])*PolyLog[2, I*E^((I/2)*x)] + 2*x*Sin[x/2]))/(4*a*Sqrt[a*(1 + Cos[x])])

fricas [F] time = 1.61, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{\sqrt{a \cos(x) + a} x}{a^2 \cos(x)^2 + 2 a^2 \cos(x) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(x))^(3/2),x, algorithm="fricas")

[Out] integral(sqrt(a*cos(x) + a)*x/(a^2*cos(x)^2 + 2*a^2*cos(x) + a^2), x)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a \cos(x) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(x))^(3/2),x, algorithm="giac")

[Out] integrate(x/(a*cos(x) + a)^(3/2), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x}{(a + a \cos(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+a*cos(x))^(3/2),x)

[Out] int(x/(a+a*cos(x))^(3/2),x)

maxima [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(x))^(3/2),x, algorithm="maxima")

[Out] Timed out

mupad [F] time = 0.00, size = -1, normalized size = -0.01

$$\int \frac{x}{(a + a \cos(x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + a*cos(x))^(3/2),x)

[Out] int(x/(a + a*cos(x))^(3/2), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{(a(\cos(x) + 1))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+a*cos(x))**(3/2),x)

[Out] Integral(x/(a*(cos(x) + 1))**(3/2), x)

$$3.183 \quad \int \frac{1}{x(a+a \cos(x))^{3/2}} dx$$

Optimal. Leaf size=17

$$\text{Int} \left(\frac{1}{x(a \cos(x) + a)^{3/2}}, x \right)$$

[Out] Unintegrable(1/x/(a+a*cos(x))^(3/2),x)

Rubi [A] time = 0.08, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a + a \cos(x))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + a*cos[x])^(3/2)),x]

[Out] Defer[Int][1/(x*(a + a*cos[x])^(3/2)), x]

Rubi steps

$$\int \frac{1}{x(a + a \cos(x))^{3/2}} dx = \int \frac{1}{x(a + a \cos(x))^{3/2}} dx$$

Mathematica [A] time = 11.14, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + a \cos(x))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + a*cos[x])^(3/2)),x]

[Out] Integrate[1/(x*(a + a*cos[x])^(3/2)), x]

fricas [A] time = 0.56, size = 0, normalized size = 0.00

$$\text{integral} \left(\frac{\sqrt{a \cos(x) + a}}{a^2 x \cos(x)^2 + 2 a^2 x \cos(x) + a^2 x}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(x))^(3/2),x, algorithm="fricas")

[Out] `integral(sqrt(a*cos(x) + a)/(a^2*x*cos(x)^2 + 2*a^2*x*cos(x) + a^2*x), x)`

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(x) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+a*cos(x))^(3/2),x, algorithm="giac")`

[Out] `integrate(1/((a*cos(x) + a)^(3/2)*x), x)`

maple [A] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + a \cos(x))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/x/(a+a*cos(x))^(3/2),x)`

[Out] `int(1/x/(a+a*cos(x))^(3/2),x)`

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(a \cos(x) + a)^{\frac{3}{2}} x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(1/x/(a+a*cos(x))^(3/2),x, algorithm="maxima")`

[Out] `integrate(1/((a*cos(x) + a)^(3/2)*x), x)`

mupad [A] time = 0.00, size = -1, normalized size = -0.06

$$\int \frac{1}{x(a + a \cos(x))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(1/(x*(a + a*cos(x))^(3/2)),x)`

[Out] `int(1/(x*(a + a*cos(x))^(3/2)), x)`

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x (a (\cos(x) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+a*cos(x))**(3/2),x)

[Out] Integral(1/(x*(a*(cos(x) + 1))**(3/2)), x)

$$3.184 \quad \int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx$$

Optimal. Leaf size=21

$$\text{Int}\left(\frac{\sqrt[3]{a \cos(c+dx)+a}}{x}, x\right)$$

[Out] Unintegrable((a+a*cos(d*x+c))^(1/3)/x,x)

Rubi [A] time = 0.06, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Int[(a + a*Cos[c + d*x])^(1/3)/x,x]

[Out] Defer[Int] [(a + a*Cos[c + d*x])^(1/3)/x, x]

Rubi steps

$$\int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx = \int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx$$

Mathematica [A] time = 1.51, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a+a \cos(c+dx)}}{x} dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + a*Cos[c + d*x])^(1/3)/x,x]

[Out] Integrate[(a + a*Cos[c + d*x])^(1/3)/x, x]

fricas [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/3)/x,x, algorithm="fricas")

[Out] Exception raised: TypeError >> Error detected within library code: integrate: implementation incomplete (has polynomial part)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/3)/x,x, algorithm="giac")

[Out] integrate((a*cos(d*x + c) + a)^(1/3)/x, x)

maple [A] time = 0.09, size = 0, normalized size = 0.00

$$\int \frac{(a + a \cos(dx + c))^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+a*cos(d*x+c))^(1/3)/x,x)

[Out] int((a+a*cos(d*x+c))^(1/3)/x,x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{(a \cos(dx + c) + a)^{\frac{1}{3}}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))^(1/3)/x,x, algorithm="maxima")

[Out] integrate((a*cos(d*x + c) + a)^(1/3)/x, x)

mupad [A] time = 0.00, size = -1, normalized size = -0.05

$$\int \frac{(a + a \cos(c + dx))^{1/3}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a + a*cos(c + d*x))^(1/3)/x,x)

[Out] int((a + a*cos(c + d*x))^(1/3)/x, x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{\sqrt[3]{a(\cos(c+dx)+1)}}{x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a*cos(d*x+c))**(1/3)/x,x)

[Out] Integral((a*(cos(c + d*x) + 1))**(1/3)/x, x)

$$3.185 \quad \int \frac{x^3}{a+b \cos(x)} dx$$

Optimal. Leaf size=383

$$-\frac{3x^2 \operatorname{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \operatorname{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{6ix \operatorname{Li}_3\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{6ix \operatorname{Li}_3\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{6 \operatorname{Li}_4\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{6 \operatorname{Li}_4\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}$$

[Out] $-I*x^3*\ln(1+b*\exp(I*x)/(a-(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}+I*x^3*\ln(1+b*\exp(I*x)/(a+(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}-3*x^2*\operatorname{polylog}(2,-b*\exp(I*x)/(a-(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}+3*x^2*\operatorname{polylog}(2,-b*\exp(I*x)/(a+(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}-6*I*x*\operatorname{polylog}(3,-b*\exp(I*x)/(a-(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}+6*I*x*\operatorname{polylog}(3,-b*\exp(I*x)/(a+(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}+6*\operatorname{polylog}(4,-b*\exp(I*x)/(a-(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}-6*\operatorname{polylog}(4,-b*\exp(I*x)/(a+(a^2-b^2)^{(1/2)}))/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.56, antiderivative size = 383, normalized size of antiderivative = 1.00, number of steps used = 12, number of rules used = 7, integrand size = 12, $\frac{\text{number of rules}}{\text{integrand size}} = 0.583$, Rules used = {3321, 2264, 2190, 2531, 6609, 2282, 6589}

$$-\frac{3x^2 \operatorname{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \operatorname{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{6ix \operatorname{Li}_3\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{6ix \operatorname{Li}_3\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{6 \operatorname{Li}_4\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{6 \operatorname{Li}_4\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] $\operatorname{Int}[x^3/(a + b*\operatorname{Cos}[x]), x]$

[Out] $((-I)*x^3*\operatorname{Log}[1 + (b*E^{(I*x)})/(a - \operatorname{Sqrt}[a^2 - b^2])])/ \operatorname{Sqrt}[a^2 - b^2] + (I*x^3*\operatorname{Log}[1 + (b*E^{(I*x)})/(a + \operatorname{Sqrt}[a^2 - b^2])])/ \operatorname{Sqrt}[a^2 - b^2] - (3*x^2*\operatorname{PolyLog}[2, -((b*E^{(I*x)})/(a - \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2] + (3*x^2*\operatorname{PolyLog}[2, -((b*E^{(I*x)})/(a + \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2] - ((6*I)*x*\operatorname{PolyLog}[3, -((b*E^{(I*x)})/(a - \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2] + ((6*I)*x*\operatorname{PolyLog}[3, -((b*E^{(I*x)})/(a + \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2] + (6*\operatorname{PolyLog}[4, -((b*E^{(I*x)})/(a - \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2] - (6*\operatorname{PolyLog}[4, -((b*E^{(I*x)})/(a + \operatorname{Sqrt}[a^2 - b^2]))])/ \operatorname{Sqrt}[a^2 - b^2]$

Rule 2190

$\operatorname{Int}[(((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)*((c_) + (d_)*(x_))^\wedge(m_))/((a_) + (b_)*((F_)^\wedge((g_)*(e_) + (f_)*(x_)))^\wedge(n_)), x_Symbol] \rightarrow \operatorname{Simp}(((c + d*x)^\wedge m * \operatorname{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n]/a)]/(b*f*g*n*\operatorname{Log}[F]), x) - \operatorname{Dist}((d*m)/(b*f*g*n*\operatorname{Log}[F]), \operatorname{Int}[(c + d*x)^\wedge(m - 1)*\operatorname{Log}[1 + (b*(F^\wedge(g*(e + f*x)))^\wedge n]/a], x), x) /; \operatorname{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x \&\& \operatorname{IGtQ}[m, 0]$

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_)] /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^((c_.)*((a_.) + (b_.)*(x_))))^(n_.)]*(f_.) + (g_.)
*(x_)^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n]), x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3321

```
Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(
x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(
e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rule 6609

```
Int[((e_.) + (f_.)*(x_))^(m_.)*PolyLog[n_, (d_.)*((F_)^((c_.)*((a_.) + (b_.)
*(x_)))]^(p_.), x_Symbol] := Simp[((e + f*x)^m*PolyLog[n + 1, d*(F^(c*(a
+ b*x)))^p])]/(b*c*p*Log[F]), x] - Dist[(f*m)/(b*c*p*Log[F]), Int[(e + f*x)^(
m - 1)*PolyLog[n + 1, d*(F^(c*(a + b*x)))^p], x], x] /; FreeQ[{F, a, b, c,
```

d, e, f, n, p}, x] && GtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x^3}{a + b \cos(x)} dx &= 2 \int \frac{e^{ix} x^3}{b + 2ae^{ix} + be^{2ix}} dx \\
 &= \frac{(2b) \int \frac{e^{ix} x^3}{2a-2\sqrt{a^2-b^2}+2be^{ix}} dx}{\sqrt{a^2-b^2}} - \frac{(2b) \int \frac{e^{ix} x^3}{2a+2\sqrt{a^2-b^2}+2be^{ix}} dx}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{(3i) \int x^2 \log\left(1 + \frac{2be^{ix}}{2a-2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2}} - \frac{(3i) \int x^2 \log\left(1 + \frac{2be^{ix}}{2a+2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix^3 \log\left(1 + \frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{ix^3 \log\left(1 + \frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} - \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}} + \frac{3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}
 \end{aligned}$$

Mathematica [A] time = 0.92, size = 290, normalized size = 0.76

$$\frac{-3x^2 \text{Li}_2\left(\frac{be^{ix}}{\sqrt{a^2-b^2}-a}\right) + 3x^2 \text{Li}_2\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right) - 6ix \text{Li}_3\left(\frac{be^{ix}}{\sqrt{a^2-b^2}-a}\right) + 6ix \text{Li}_3\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right) + 6\text{Li}_4\left(\frac{be^{ix}}{\sqrt{a^2-b^2}-a}\right) - 6\text{Li}_4\left(-\frac{be^{ix}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Integrate[x^3/(a + b*Cos[x]),x]

[Out] ((-1)*x^3*Log[1 + (b*E^(I*x))/(a - Sqrt[a^2 - b^2]]) + I*x^3*Log[1 + (b*E^(I*x))/(a + Sqrt[a^2 - b^2]]) - 3*x^2*PolyLog[2, (b*E^(I*x))/(-a + Sqrt[a^2 - b^2])] + 3*x^2*PolyLog[2, -(b*E^(I*x))/(a + Sqrt[a^2 - b^2])]) - (6*I)*x*PolyLog[3, (b*E^(I*x))/(-a + Sqrt[a^2 - b^2])] + (6*I)*x*PolyLog[3, -(b*E^(I*x))/(a + Sqrt[a^2 - b^2])]) + 6*PolyLog[4, (b*E^(I*x))/(-a + Sqrt[a^2 - b^2])]

b²]]) - 6*PolyLog[4, -((b*E^{I*x})/(a + Sqrt[a² - b²]))]/Sqrt[a² - b²]

fricas [C] time = 0.75, size = 1074, normalized size = 2.80

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x³/(a+b*cos(x)),x, algorithm="fricas")

[Out] -1/4*(2*I*b*x³*sqrt((a² - b²)/b²)*log(1/2*(2*a*cos(x) + 2*I*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b) - 2*I*b*x³*sqrt((a² - b²)/b²)*log(1/2*(2*a*cos(x) + 2*I*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b) - 2*I*b*x³*sqrt((a² - b²)/b²)*log(1/2*(2*a*cos(x) - 2*I*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b) + 2*I*b*x³*sqrt((a² - b²)/b²)*log(1/2*(2*a*cos(x) - 2*I*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b) + 6*b*x²*sqrt((a² - b²)/b²)*dilog(-1/2*(2*a*cos(x) + 2*I*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b + 1) - 6*b*x²*sqrt((a² - b²)/b²)*dilog(-1/2*(2*a*cos(x) + 2*I*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b + 1) + 6*b*x²*sqrt((a² - b²)/b²)*dilog(-1/2*(2*a*cos(x) - 2*I*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b + 1) - 6*b*x²*sqrt((a² - b²)/b²)*dilog(-1/2*(2*a*cos(x) - 2*I*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²) + 2*b)/b + 1) + 12*I*b*x*sqrt((a² - b²)/b²)*polylog(3, -1/2*(2*a*cos(x) + 2*I*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²))/b) - 12*I*b*x*sqrt((a² - b²)/b²)*polylog(3, -1/2*(2*a*cos(x) + 2*I*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²))/b) - 12*I*b*x*sqrt((a² - b²)/b²)*polylog(3, -1/2*(2*a*cos(x) - 2*I*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²))/b) + 12*I*b*x*sqrt((a² - b²)/b²)*polylog(3, -1/2*(2*a*cos(x) - 2*I*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²))/b) - 12*b*sqrt((a² - b²)/b²)*polylog(4, -1/2*(2*a*cos(x) + 2*I*a*sin(x) + 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²))/b) + 12*b*sqrt((a² - b²)/b²)*polylog(4, -1/2*(2*a*cos(x) + 2*I*a*sin(x) - 2*(b*cos(x) + I*b*sin(x))*sqrt((a² - b²)/b²))/b) - 12*b*sqrt((a² - b²)/b²)*polylog(4, -1/2*(2*a*cos(x) - 2*I*a*sin(x) + 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²))/b) + 12*b*sqrt((a² - b²)/b²)*polylog(4, -1/2*(2*a*cos(x) - 2*I*a*sin(x) - 2*(b*cos(x) - I*b*sin(x))*sqrt((a² - b²)/b²))/b))/(a² - b²)

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{b \cos(x) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*cos(x)),x, algorithm="giac")

[Out] integrate(x^3/(b*cos(x) + a), x)

maple [F] time = 0.06, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a+b*cos(x)),x)

[Out] int(x^3/(a+b*cos(x)),x)

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x^3/(a+b*cos(x)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*a^2-4*b^2>0)', see `assume?` for more details)Is 4*a^2-4*b^2 positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^3}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x^3/(a + b*cos(x)),x)

[Out] int(x^3/(a + b*cos(x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^3}{a + b \cos(x)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x**3/(a+b*cos(x)),x)

[Out] Integral(x**3/(a + b*cos(x)), x)

$$3.186 \quad \int \frac{x^2}{a+b \cos(c+dx)} dx$$

Optimal. Leaf size=329

$$-\frac{2i\text{Li}_3\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^3\sqrt{a^2-b^2}} + \frac{2i\text{Li}_3\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^3\sqrt{a^2-b^2}} - \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} + \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} - \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}}$$

[Out] $-I*x^2*\ln(1+b*\exp(I*(d*x+c))/(a-(a^2-b^2)^{(1/2)}))/d/(a^2-b^2)^{(1/2)}+I*x^2*\ln(1+b*\exp(I*(d*x+c))/(a+(a^2-b^2)^{(1/2)}))/d/(a^2-b^2)^{(1/2)}-2*x*polylog(2,-b*\exp(I*(d*x+c))/(a-(a^2-b^2)^{(1/2)}))/d^2/(a^2-b^2)^{(1/2)}+2*x*polylog(2,-b*\exp(I*(d*x+c))/(a+(a^2-b^2)^{(1/2)}))/d^2/(a^2-b^2)^{(1/2)}-2*I*polylog(3,-b*\exp(I*(d*x+c))/(a-(a^2-b^2)^{(1/2)}))/d^3/(a^2-b^2)^{(1/2)}+2*I*polylog(3,-b*\exp(I*(d*x+c))/(a+(a^2-b^2)^{(1/2)}))/d^3/(a^2-b^2)^{(1/2)}$

Rubi [A] time = 0.66, antiderivative size = 329, normalized size of antiderivative = 1.00, number of steps used = 10, number of rules used = 6, integrand size = 16, $\frac{\text{number of rules}}{\text{integrand size}} = 0.375$, Rules used = {3321, 2264, 2190, 2531, 2282, 6589}

$$-\frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} + \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} - \frac{2i\text{Li}_3\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^3\sqrt{a^2-b^2}} + \frac{2i\text{Li}_3\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^3\sqrt{a^2-b^2}} - \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x^2/(a + b*Cos[c + d*x]), x]

[Out] $((-I)*x^2*\text{Log}[1 + (b*E^{I*(c + d*x)})/(a - \text{Sqrt}[a^2 - b^2])])/(\text{Sqrt}[a^2 - b^2]*d) + (I*x^2*\text{Log}[1 + (b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2])])/(\text{Sqrt}[a^2 - b^2]*d) - (2*x*\text{PolyLog}[2, -((b*E^{I*(c + d*x)})/(a - \text{Sqrt}[a^2 - b^2]))])/(\text{Sqrt}[a^2 - b^2]*d^2) + (2*x*\text{PolyLog}[2, -((b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2]))])/(\text{Sqrt}[a^2 - b^2]*d^2) - ((2*I)*\text{PolyLog}[3, -((b*E^{I*(c + d*x)})/(a - \text{Sqrt}[a^2 - b^2]))])/(\text{Sqrt}[a^2 - b^2]*d^3) + ((2*I)*\text{PolyLog}[3, -((b*E^{I*(c + d*x)})/(a + \text{Sqrt}[a^2 - b^2]))])/(\text{Sqrt}[a^2 - b^2]*d^3)$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2264

```
Int[((F_)^(u_)*((f_.) + (g_.)*(x_))^(m_.))/((a_.) + (b_.)*(F_)^(u_) + (c_.)
*(F_)^(v_)), x_Symbol] := With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[
((f + g*x)^m*F^u)/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[((f + g*x)^
m*F^u)/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,
2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]
```

Rule 2282

```
Int[u_, x_Symbol] := With[{v = FunctionOfExponential[u, x]}, Dist[v/D[v, x]
, Subst[Int[FunctionOfExponentialFunction[u, x]/x, x], x, v], x]] /; Functi
onOfExponentialQ[u, x] && !MatchQ[u, (w_)*((a_.)*(v_)^(n_))^(m_) /; FreeQ[
{a, m, n}, x] && IntegerQ[m*n]] && !MatchQ[u, E^((c_.)*((a_.) + (b_.)*x))*
(F_)^v_] /; FreeQ[{a, b, c}, x] && InverseFunctionQ[F[x]]]
```

Rule 2531

```
Int[Log[1 + (e_.)*((F_)^(c_.)*((a_.) + (b_.)*(x_)))^(n_.)]*((f_.) + (g_.)
*(x_))^(m_.), x_Symbol] := -Simp[((f + g*x)^m*PolyLog[2, -(e*(F^(c*(a + b*x)
)))^n])]/(b*c*n*Log[F]), x] + Dist[(g*m)/(b*c*n*Log[F]), Int[(f + g*x)^(m -
1)*PolyLog[2, -(e*(F^(c*(a + b*x)))^n)], x], x] /; FreeQ[{F, a, b, c, e, f
, g, n}, x] && GtQ[m, 0]
```

Rule 3321

```
Int[((c_.) + (d_.)*(x_))^(m_.))/((a_.) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(
x_)]), x_Symbol] := Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
*x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(
e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
a^2 - b^2, 0] && IGtQ[m, 0]
```

Rule 6589

```
Int[PolyLog[n_, (c_.)*((a_.) + (b_.)*(x_))^(p_.)]/((d_.) + (e_.)*(x_)), x_S
ymbol] := Simp[PolyLog[n + 1, c*(a + b*x)^p]/(e*p), x] /; FreeQ[{a, b, c, d
, e, n, p}, x] && EqQ[b*d, a*e]
```

Rubi steps

$$\begin{aligned}
\int \frac{x^2}{a + b \cos(c + dx)} dx &= 2 \int \frac{e^{i(c+dx)} x^2}{b + 2ae^{i(c+dx)} + be^{2i(c+dx)}} dx \\
&= \frac{(2b) \int \frac{e^{i(c+dx)} x^2}{2a-2\sqrt{a^2-b^2}+2be^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} - \frac{(2b) \int \frac{e^{i(c+dx)} x^2}{2a+2\sqrt{a^2-b^2}+2be^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} \\
&= -\frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{(2i) \int x \log\left(1 + \frac{2be^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2} d} \\
&= -\frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} - \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} + \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} \\
&= -\frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} - \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} + \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} \\
&= -\frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix^2 \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} - \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} + \frac{2x\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2}
\end{aligned}$$

Mathematica [A] time = 0.72, size = 379, normalized size = 1.15

$$\frac{e^{ic} \left(-i \left(d^2 x^2 \log \left(1 + \frac{be^{i(2c+dx)}}{ae^{ic} - \sqrt{e^{2ic}(a^2-b^2)}} \right) - d^2 x^2 \log \left(1 + \frac{be^{i(2c+dx)}}{\sqrt{e^{2ic}(a^2-b^2)} + ae^{ic}} \right) + 2idx\text{Li}_2 \left(-\frac{be^{i(2c+dx)}}{e^{ic}a + \sqrt{(a^2-b^2)e^{2ic}}} \right) + 2\text{Li}_3 \left(-\frac{be^{i(2c+dx)}}{ae^{ic} - \sqrt{e^{2ic}(a^2-b^2)}} \right) - 2\text{Li}_3 \left(-\frac{be^{i(2c+dx)}}{\sqrt{e^{2ic}(a^2-b^2)} + ae^{ic}} \right) \right)}{d^3 \sqrt{e^{2ic}(a^2-b^2)}}$$

Antiderivative was successfully verified.

[In] Integrate[x^2/(a + b*Cos[c + d*x]),x]

[Out] (E^(I*c)*(-2*d*x*PolyLog[2, -((b*E^(I*(2*c + d*x)))/(a*E^(I*c) - Sqrt[(a^2 - b^2)*E^((2*I)*c)])]) - I*(d^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(a*E^(I*c) - Sqrt[(a^2 - b^2)*E^((2*I)*c)])] - d^2*x^2*Log[1 + (b*E^(I*(2*c + d*x)))/(a*E^(I*c) + Sqrt[(a^2 - b^2)*E^((2*I)*c)])] + (2*I)*d*x*PolyLog[2, -((b*E^(I*(2*c + d*x)))/(a*E^(I*c) + Sqrt[(a^2 - b^2)*E^((2*I)*c)])]) + 2*PolyLog[3, -((b*E^(I*(2*c + d*x)))/(a*E^(I*c) - Sqrt[(a^2 - b^2)*E^((2*I)*c)])]) - 2*PolyLog[3, -((b*E^(I*(2*c + d*x)))/(a*E^(I*c) + Sqrt[(a^2 - b^2)*E^((2*I)*c)])])]/(d^3*Sqrt[(a^2 - b^2)*E^((2*I)*c)]))

fricas [C] time = 0.79, size = 1267, normalized size = 3.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] -1/4*(4*b*d*x*sqrt((a^2 - b^2)/b^2)*dilog(-(a*cos(d*x + c) + I*a*sin(d*x + c) + (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b + 1) - 4*b*d*x*sqrt((a^2 - b^2)/b^2)*dilog(-(a*cos(d*x + c) + I*a*sin(d*x + c) - (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b + 1) + 4*b*d*x*sqrt((a^2 - b^2)/b^2)*dilog(-(a*cos(d*x + c) - I*a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b + 1) - 4*b*d*x*sqrt((a^2 - b^2)/b^2)*dilog(-(a*cos(d*x + c) - I*a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b + 1) - 2*I*b*c^2*sqrt((a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) + 2*a) + 2*I*b*c^2*sqrt((a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) + 2*a) - 2*I*b*c^2*sqrt((a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) - 2*a) + 2*I*b*c^2*sqrt((a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) - 2*a) + 2*(I*b*d^2*x^2 - I*b*c^2)*sqrt((a^2 - b^2)/b^2)*log((a*cos(d*x + c) + I*a*sin(d*x + c) + (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b) + 2*(-I*b*d^2*x^2 + I*b*c^2)*sqrt((a^2 - b^2)/b^2)*log((a*cos(d*x + c) + I*a*sin(d*x + c) - (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b) + 2*(-I*b*d^2*x^2 + I*b*c^2)*sqrt((a^2 - b^2)/b^2)*log((a*cos(d*x + c) - I*a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b) + 2*(I*b*d^2*x^2 - I*b*c^2)*sqrt((a^2 - b^2)/b^2)*log((a*cos(d*x + c) - I*a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2) + b)/b) + 4*I*b*sqrt((a^2 - b^2)/b^2)*polylog(3, -(a*cos(d*x + c) + I*a*sin(d*x + c) + (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2))/b) - 4*I*b*sqrt((a^2 - b^2)/b^2)*polylog(3, -(a*cos(d*x + c) + I*a*sin(d*x + c) - (b*cos(d*x + c) + I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2))/b) - 4*I*b*sqrt((a^2 - b^2)/b^2)*polylog(3, -(a*cos(d*x + c) - I*a*sin(d*x + c) + (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2))/b) + 4*I*b*sqrt((a^2 - b^2)/b^2)*polylog(3, -(a*cos(d*x + c) - I*a*sin(d*x + c) - (b*cos(d*x + c) - I*b*sin(d*x + c))*sqrt((a^2 - b^2)/b^2))/b))/((a^2 - b^2)*d^3)
```

```
giac [F] time = 0.00, size = 0, normalized size = 0.00
```

$$\int \frac{x^2}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(x^2/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate(x^2/(b*cos(d*x + c) + a), x)
```

maple [F] time = 0.16, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a+b*cos(d*x+c)),x)`

[Out] `int(x^2/(a+b*cos(d*x+c)),x)`

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x^2/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x^2}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(x^2/(a + b*cos(c + d*x)),x)`

[Out] `int(x^2/(a + b*cos(c + d*x)), x)`

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x^2}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(x**2/(a+b*cos(d*x+c)),x)`

[Out] `Integral(x**2/(a + b*cos(c + d*x)), x)`

$$3.187 \quad \int \frac{x}{a+b \cos(cx+dx)} dx$$

Optimal. Leaf size=214

$$-\frac{\operatorname{Li}_2\left(-\frac{be^{i(cx+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} + \frac{\operatorname{Li}_2\left(-\frac{be^{i(cx+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} - \frac{ix \log\left(1 + \frac{be^{i(cx+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}} + \frac{ix \log\left(1 + \frac{be^{i(cx+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d\sqrt{a^2-b^2}}$$

[Out] $-I*x*\ln(1+b*\exp(I*(d*x+c)))/(a-(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}+I*x*\ln(1+b*\exp(I*(d*x+c))/(a+(a^2-b^2)^{(1/2)})/d/(a^2-b^2)^{(1/2)}-\operatorname{polylog}(2,-b*\exp(I*(d*x+c))/(a-(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)}+\operatorname{polylog}(2,-b*\exp(I*(d*x+c))/(a+(a^2-b^2)^{(1/2)})/d^2/(a^2-b^2)^{(1/2)})$

Rubi [A] time = 0.40, antiderivative size = 214, normalized size of antiderivative = 1.00, number of steps used = 8, number of rules used = 5, integrand size = 14, $\frac{\text{number of rules}}{\text{integrand size}} = 0.357$, Rules used = {3321, 2264, 2190, 2279, 2391}

$$-\frac{\operatorname{Li}_2\left(-\frac{be^{i(cx+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} + \frac{\operatorname{Li}_2\left(-\frac{be^{i(cx+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2\sqrt{a^2-b^2}} - \frac{ix \log\left(1 + \frac{be^{i(cx+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d\sqrt{a^2-b^2}} + \frac{ix \log\left(1 + \frac{be^{i(cx+dx)}}{\sqrt{a^2-b^2}+a}\right)}{d\sqrt{a^2-b^2}}$$

Antiderivative was successfully verified.

[In] Int[x/(a + b*Cos[c + d*x]),x]

[Out] $((-I)*x*\operatorname{Log}[1 + (b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2])])/(\operatorname{Sqrt}[a^2 - b^2]*d) + (I*x*\operatorname{Log}[1 + (b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2])])/(\operatorname{Sqrt}[a^2 - b^2]*d) - \operatorname{PolyLog}[2, -((b*E^{(I*(c + d*x))})/(a - \operatorname{Sqrt}[a^2 - b^2]))]/(\operatorname{Sqrt}[a^2 - b^2]*d^2) + \operatorname{PolyLog}[2, -((b*E^{(I*(c + d*x))})/(a + \operatorname{Sqrt}[a^2 - b^2]))]/(\operatorname{Sqrt}[a^2 - b^2]*d^2)$

Rule 2190

Int[(((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)*((c_) + (d_)*(x_))^(m_))/((a_) + (b_)*((F_)^(g_)*((e_) + (f_)*(x_)))^(n_)), x_Symbol] :> Simp[((c + d*x)^m*Log[1 + (b*(F^(g*(e + f*x)))^n)/a])/(b*f*g*n*Log[F]), x] - Dist[(d*m)/(b*f*g*n*Log[F]), Int[(c + d*x)^(m - 1)*Log[1 + (b*(F^(g*(e + f*x)))^n)/a], x], x] /; FreeQ[{F, a, b, c, d, e, f, g, n}, x] && IGtQ[m, 0]

Rule 2264

Int[(((F_)^(u_)*((f_) + (g_)*(x_))^(m_))/((a_) + (b_)*(F_)^(u_) + (c_)*(F_)^(v_)), x_Symbol] :> With[{q = Rt[b^2 - 4*a*c, 2]}, Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b - q + 2*c*F^u), x], x] - Dist[(2*c)/q, Int[(f + g*x)^m*F^u/(b + q + 2*c*F^u), x], x]] /; FreeQ[{F, a, b, c, f, g}, x] && EqQ[v,

2*u] && LinearQ[u, x] && NeQ[b^2 - 4*a*c, 0] && IGtQ[m, 0]

Rule 2279

Int[Log[(a_) + (b_.)*((F_)^((e_.)*((c_.) + (d_.)*(x_))))^(n_.)], x_Symbol]
 :> Dist[1/(d*e*n*Log[F]), Subst[Int[Log[a + b*x]/x, x], x, (F^(e*(c + d*x)))
)^n], x] /; FreeQ[{F, a, b, c, d, e, n}, x] && GtQ[a, 0]

Rule 2391

Int[Log[(c_.)*((d_) + (e_.)*(x_)^(n_.))]/(x_), x_Symbol] :> -Simp[PolyLog[2,
 -(c*e*x^n)]/n, x] /; FreeQ[{c, d, e, n}, x] && EqQ[c*d, 1]

Rule 3321

Int[((c_.) + (d_.)*(x_))^(m_.)/((a_) + (b_.)*sin[(e_.) + Pi*(k_.) + (f_.)*(
 x_)]), x_Symbol] :> Dist[2, Int[((c + d*x)^m*E^(I*Pi*(k - 1/2))*E^(I*(e + f
 *x)))/(b + 2*a*E^(I*Pi*(k - 1/2))*E^(I*(e + f*x)) - b*E^(2*I*k*Pi)*E^(2*I*(
 e + f*x))), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && IntegerQ[2*k] && NeQ[
 a^2 - b^2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
 \int \frac{x}{a + b \cos(c + dx)} dx &= 2 \int \frac{e^{i(c+dx)} x}{b + 2ae^{i(c+dx)} + be^{2i(c+dx)}} dx \\
 &= \frac{(2b) \int \frac{e^{i(c+dx)} x}{2a-2\sqrt{a^2-b^2}+2be^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} - \frac{(2b) \int \frac{e^{i(c+dx)} x}{2a+2\sqrt{a^2-b^2}+2be^{i(c+dx)}} dx}{\sqrt{a^2-b^2}} \\
 &= -\frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{i \int \log\left(1 + \frac{2be^{i(c+dx)}}{2a-2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2} d} - \frac{i \int \log\left(1 + \frac{2be^{i(c+dx)}}{2a+2\sqrt{a^2-b^2}}\right) dx}{\sqrt{a^2-b^2} d} \\
 &= -\frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{\text{Subst}\left(\int \frac{\log\left(1 + \frac{2bx}{2a-2\sqrt{a^2-b^2}}\right)}{x} dx, x, e^{i(c+dx)}\right)}{\sqrt{a^2-b^2} d^2} \\
 &= -\frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} + \frac{ix \log\left(1 + \frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d} - \frac{\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2} + \frac{\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{\sqrt{a^2-b^2} d^2}
 \end{aligned}$$

Mathematica [B] time = 0.83, size = 756, normalized size = 3.53

$$i \left(\operatorname{Li}_2 \left(\frac{(a-i\sqrt{b^2-a^2})(a+b-\sqrt{b^2-a^2} \tan(\frac{1}{2}(c+dx)))}{b(a+b+\sqrt{b^2-a^2} \tan(\frac{1}{2}(c+dx)))} \right) - \operatorname{Li}_2 \left(\frac{(a+i\sqrt{b^2-a^2})(a+b-\sqrt{b^2-a^2} \tan(\frac{1}{2}(c+dx)))}{b(a+b+\sqrt{b^2-a^2} \tan(\frac{1}{2}(c+dx)))} \right) \right) + 2(c+dx) \tanh^{-1} \left(\frac{(a+b) \cot(\frac{1}{2}(c+dx))}{\sqrt{b^2-a^2}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[x/(a + b*Cos[c + d*x]),x]

[Out] (2*(c + d*x)*ArcTanh[((a + b)*Cot[(c + d*x)/2])/Sqrt[-a^2 + b^2]] - 2*(c + ArcCos[-(a/b)])*ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]] + (ArcCos[-(a/b)] - (2*I)*ArcTanh[((a + b)*Cot[(c + d*x)/2])/Sqrt[-a^2 + b^2]] + (2*I)*ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2])*Log[Sqrt[-a^2 + b^2]/(Sqrt[2]*Sqrt[b]*E^((I/2)*(c + d*x))*Sqrt[a + b*Cos[c + d*x]])] + (ArcCos[-(a/b)] + (2*I)*(ArcTanh[((a + b)*Cot[(c + d*x)/2])/Sqrt[-a^2 + b^2]] - ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]))*Log[(Sqrt[-a^2 + b^2])*E^((I/2)*(c + d*x))]/(Sqrt[2]*Sqrt[b]*Sqrt[a + b*Cos[c + d*x]])] - (ArcCos[-(a/b)] - (2*I)*ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2])*Log[((a + b)*(-a + b - I*Sqrt[-a^2 + b^2]))*(1 + I*Tan[(c + d*x)/2])]/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))] - (ArcCos[-(a/b)] + (2*I)*ArcTanh[(-a + b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2])*Log[((a + b)*(I*a - I*b + Sqrt[-a^2 + b^2])*(I + Tan[(c + d*x)/2]))]/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))] + I*(PolyLog[2, ((a - I*Sqrt[-a^2 + b^2])*(a + b - Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))]/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))] - PolyLog[2, ((a + I*Sqrt[-a^2 + b^2])*(a + b - Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))]/(b*(a + b + Sqrt[-a^2 + b^2]*Tan[(c + d*x)/2]))])/(Sqrt[-a^2 + b^2]*d^2)

fricas [B] time = 0.96, size = 917, normalized size = 4.29

$$2i bc \sqrt{\frac{a^2-b^2}{b^2}} \log \left(2b \cos(dx+c) + 2ib \sin(dx+c) + 2b \sqrt{\frac{a^2-b^2}{b^2}} + 2a \right) - 2i bc \sqrt{\frac{a^2-b^2}{b^2}} \log \left(2b \cos(dx+c) - 2ib \sin(dx+c) + 2b \sqrt{\frac{a^2-b^2}{b^2}} - 2a \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*cos(d*x+c)),x, algorithm="fricas")

[Out] -1/4*(2*I*b*c*sqrt((a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) + 2*a) - 2*I*b*c*sqrt((a^2 - b^2)/b^2)*log(2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) + 2*a) + 2*I*b*c*sqrt((a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) + 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) - 2*a) - 2*I*b*c*sqrt((a^2 - b^2)/b^2)*log(-2*b*cos(d*x + c) - 2*I*b*sin(d*x + c) + 2*b*sqrt((a^2 - b^2)/b^2) - 2*a))

$s(dx + c) - 2I*b*\sin(dx + c) + 2*b*\sqrt{(a^2 - b^2)/b^2} - 2*a) + 2*b*\sqrt{(a^2 - b^2)/b^2}*\operatorname{dilog}(-a*\cos(dx + c) + I*a*\sin(dx + c) + (b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b + 1) - 2*b*\sqrt{(a^2 - b^2)/b^2}*\operatorname{dilog}(-a*\cos(dx + c) + I*a*\sin(dx + c) - (b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b + 1) + 2*b*\sqrt{(a^2 - b^2)/b^2}*\operatorname{dilog}(-a*\cos(dx + c) - I*a*\sin(dx + c) + (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b + 1) - 2*b*\sqrt{(a^2 - b^2)/b^2}*\operatorname{dilog}(-a*\cos(dx + c) - I*a*\sin(dx + c) - (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b + 1) + 2*(I*b*d*x + I*b*c)*\sqrt{(a^2 - b^2)/b^2}*\log((a*\cos(dx + c) + I*a*\sin(dx + c) + (b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b) + 2*(-I*b*d*x - I*b*c)*\sqrt{(a^2 - b^2)/b^2}*\log((a*\cos(dx + c) + I*a*\sin(dx + c) - (b*\cos(dx + c) + I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b) + 2*(-I*b*d*x - I*b*c)*\sqrt{(a^2 - b^2)/b^2}*\log((a*\cos(dx + c) - I*a*\sin(dx + c) + (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b) + 2*(I*b*d*x + I*b*c)*\sqrt{(a^2 - b^2)/b^2}*\log((a*\cos(dx + c) - I*a*\sin(dx + c) - (b*\cos(dx + c) - I*b*\sin(dx + c))*\sqrt{(a^2 - b^2)/b^2} + b)/b))/((a^2 - b^2)*d^2)$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*cos(d*x+c)),x, algorithm="giac")

[Out] integrate(x/(b*cos(d*x + c) + a), x)

maple [B] time = 0.09, size = 414, normalized size = 1.93

$$\frac{i \ln\left(\frac{-b e^{i(dx+c)} + \sqrt{a^2 - b^2} - a}{-a + \sqrt{a^2 - b^2}}\right) x}{d\sqrt{a^2 - b^2}} + \frac{i \ln\left(\frac{b e^{i(dx+c)} + \sqrt{a^2 - b^2} + a}{a + \sqrt{a^2 - b^2}}\right) x}{d\sqrt{a^2 - b^2}} - \frac{i \ln\left(\frac{-b e^{i(dx+c)} + \sqrt{a^2 - b^2} - a}{-a + \sqrt{a^2 - b^2}}\right) c}{d^2\sqrt{a^2 - b^2}} + \frac{i \ln\left(\frac{b e^{i(dx+c)} + \sqrt{a^2 - b^2} + a}{a + \sqrt{a^2 - b^2}}\right) c}{d^2\sqrt{a^2 - b^2}} - \operatorname{dilog}\left(\frac{-b e^{i(dx+c)} + \sqrt{a^2 - b^2} - a}{-a + \sqrt{a^2 - b^2}}\right) + \operatorname{dilog}\left(\frac{b e^{i(dx+c)} + \sqrt{a^2 - b^2} + a}{a + \sqrt{a^2 - b^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a+b*cos(d*x+c)),x)

[Out] $-I/d/(a^2-b^2)^{(1/2)}*\ln((-b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*x+I/d/(a^2-b^2)^{(1/2)}*\ln((b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}+a)/(a+(a^2-b^2)^{(1/2)}))*x-I/d^2/(a^2-b^2)^{(1/2)}*\ln((-b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))*c+I/d^2/(a^2-b^2)^{(1/2)}*\ln((b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}+a)/(a+(a^2-b^2)^{(1/2)}))*c-1/d^2/(a^2-b^2)^{(1/2)}*\operatorname{dilog}((-b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2)}))+1/d^2/(a^2-b^2)^{(1/2)}*\operatorname{dilog}((b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}+a)/(a+(a^2-b^2)^{(1/2)}))+2*I/d^2*c/(-a^2+b^2)^{(1/2)}*\arctan(1/2*(2*b*\exp(I*(d*x+c))+2*a)/(-a^2+b^2)^{(1/2)})$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*cos(d*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested additional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [F] time = 0.00, size = -1, normalized size = -0.00

$$\int \frac{x}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(x/(a + b*cos(c + d*x)),x)

[Out] int(x/(a + b*cos(c + d*x)), x)

sympy [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{x}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(x/(a+b*cos(d*x+c)),x)

[Out] Integral(x/(a + b*cos(c + d*x)), x)

$$3.188 \quad \int \frac{1}{x(a+b \cos(x))} dx$$

Optimal. Leaf size=15

$$\text{Int}\left(\frac{1}{x(a+b \cos(x))}, x\right)$$

[Out] Unintegrable(1/x/(a+b*cos(x)), x)

Rubi [A] time = 0.05, antiderivative size = 0, normalized size of antiderivative = 0.00, number of steps used = 0, number of rules used = 0, integrand size = 0, $\frac{\text{number of rules}}{\text{integrand size}} = 0.000$, Rules used = {}

$$\int \frac{1}{x(a+b \cos(x))} dx$$

Verification is Not applicable to the result.

[In] Int[1/(x*(a + b*Cos[x])), x]

[Out] Defer[Int][1/(x*(a + b*Cos[x])), x]

Rubi steps

$$\int \frac{1}{x(a+b \cos(x))} dx = \int \frac{1}{x(a+b \cos(x))} dx$$

Mathematica [A] time = 0.84, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a+b \cos(x))} dx$$

Verification is Not applicable to the result.

[In] Integrate[1/(x*(a + b*Cos[x])), x]

[Out] Integrate[1/(x*(a + b*Cos[x])), x]

fricas [A] time = 0.63, size = 0, normalized size = 0.00

$$\text{integral}\left(\frac{1}{bx \cos(x) + ax}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*cos(x)), x, algorithm="fricas")

[Out] integral(1/(b*x*cos(x) + a*x), x)

giac [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(x) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*cos(x)),x, algorithm="giac")

[Out] integrate(1/((b*cos(x) + a)*x), x)

maple [A] time = 0.05, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \cos(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/x/(a+b*cos(x)),x)

[Out] int(1/x/(a+b*cos(x)),x)

maxima [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{(b \cos(x) + a)x} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(1/x/(a+b*cos(x)),x, algorithm="maxima")

[Out] integrate(1/((b*cos(x) + a)*x), x)

mupad [A] time = 0.00, size = -1, normalized size = -0.07

$$\int \frac{1}{x(a + b \cos(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(1/(x*(a + b*cos(x))),x)

[Out] int(1/(x*(a + b*cos(x))), x)

sympy [A] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{1}{x(a + b \cos(x))} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(1/x/(a+b*cos(x)),x)
```

```
[Out] Integral(1/(x*(a + b*cos(x))), x)
```

$$3.189 \quad \int \frac{e+fx}{(a+b \cos(c+dx))^2} dx$$

Optimal. Leaf size=296

$$-\frac{af\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} + \frac{af\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} - \frac{f \log(a+b \cos(c+dx))}{d^2(a^2-b^2)} - \frac{ia(e+fx) \log\left(1+\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}} + \frac{ia(e+fx) \log\left(1+\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}}$$

[Out] $-f \ln(a+b \cos(dx+c)) / (a^2-b^2) / d^2 - I a (f x+e) \ln(1+b \exp(I (d x+c))) / (a-(a^2-b^2)^{1/2}) / (a^2-b^2)^{3/2} / d + I a (f x+e) \ln(1+b \exp(I (d x+c))) / (a+(a^2-b^2)^{1/2}) / (a^2-b^2)^{3/2} / d - a f \text{polylog}(2, -b \exp(I (d x+c))) / (a-(a^2-b^2)^{1/2}) / (a^2-b^2)^{3/2} / d^2 + a f \text{polylog}(2, -b \exp(I (d x+c))) / (a+(a^2-b^2)^{1/2}) / (a^2-b^2)^{3/2} / d^2 - b (f x+e) \sin(dx+c) / (a^2-b^2) / d / (a+b \cos(dx+c))$

Rubi [A] time = 0.52, antiderivative size = 296, normalized size of antiderivative = 1.00, number of steps used = 11, number of rules used = 8, integrand size = 18, $\frac{\text{number of rules}}{\text{integrand size}} = 0.444$, Rules used = {3324, 3321, 2264, 2190, 2279, 2391, 2668, 31}

$$-\frac{af\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} + \frac{af\text{Li}_2\left(-\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d^2(a^2-b^2)^{3/2}} - \frac{f \log(a+b \cos(c+dx))}{d^2(a^2-b^2)} - \frac{ia(e+fx) \log\left(1+\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}} + \frac{ia(e+fx) \log\left(1+\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{d(a^2-b^2)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(e + f*x)/(a + b*Cos[c + d*x])^2, x]

[Out] $((-I) a (e + f x) \text{Log}[1 + (b E^{I (c + d x)})] / (a - \text{Sqrt}[a^2 - b^2])) / ((a^2 - b^2)^{3/2} d) + (I a (e + f x) \text{Log}[1 + (b E^{I (c + d x)})] / (a + \text{Sqrt}[a^2 - b^2])) / ((a^2 - b^2)^{3/2} d) - (f \text{Log}[a + b \text{Cos}[c + d x]] / ((a^2 - b^2) d^2) - (a f \text{PolyLog}[2, -((b E^{I (c + d x)})] / (a - \text{Sqrt}[a^2 - b^2]))]) / ((a^2 - b^2)^{3/2} d^2) + (a f \text{PolyLog}[2, -((b E^{I (c + d x)})] / (a + \text{Sqrt}[a^2 - b^2]))]) / ((a^2 - b^2)^{3/2} d^2) - (b (e + f x) \text{Sin}[c + d x]) / ((a^2 - b^2) d (a + b \text{Cos}[c + d x]))$

Rule 31

Int[((a_) + (b_.)*(x_))^(n_), x_Symbol] := Simp[Log[RemoveContent[a + b*x, x]]/b, x] /; FreeQ[{a, b}, x]

Rule 2190

Int[(((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.)*((c_.) + (d_.)*(x_))^(m_.))/((a_) + (b_.)*((F_)^(g_.)*((e_.) + (f_.)*(x_)))^(n_.), x_Symbol] := Simp

$$\left(\frac{(c + dx)^m \log[1 + (b(F^{g(e+fx)}))^n]}{a} \right) / (bfg^n \log[F]), x] - \text{Dist}[(d^m)/(bfg^n \log[F]), \text{Int}[(c + dx)^{m-1} \log[1 + (b(F^{g(e+fx)}))^n]/a], x] /; \text{FreeQ}\{F, a, b, c, d, e, f, g, n\}, x] \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2264

$$\text{Int}[(F^u)((f) + (g)(x))^{(m)} / ((a) + (b)(F^u) + (c)(F^v)), x_Symbol] \rightarrow \text{With}\{q = \text{Rt}[b^2 - 4ac, 2]\}, \text{Dist}[(2c)/q, \text{Int}[(f + gx)^m F^u / (b - q + 2cF^u), x], x] - \text{Dist}[(2c)/q, \text{Int}[(f + gx)^m F^u / (b + q + 2cF^u), x], x] /; \text{FreeQ}\{F, a, b, c, f, g\}, x] \ \&\& \ \text{EqQ}[v, 2u] \ \&\& \ \text{LinearQ}[u, x] \ \&\& \ \text{NeQ}[b^2 - 4ac, 0] \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 2279

$$\text{Int}[\log[(a) + (b)(F^{(e)(c) + (d)(x)})^n]], x_Symbol] \rightarrow \text{Dist}[1/(de^n \log[F]), \text{Subst}[\text{Int}[\log[a + bx]/x, x], x, (F^{e(c+dx)})^n], x] /; \text{FreeQ}\{F, a, b, c, d, e, n\}, x] \ \&\& \ \text{GtQ}[a, 0]$$

Rule 2391

$$\text{Int}[\log[(c)(d) + (e)(x)^n] / (x), x_Symbol] \rightarrow -\text{Simp}[\text{PolyLog}[2, -(cex^n)]/n, x] /; \text{FreeQ}\{c, d, e, n\}, x] \ \&\& \ \text{EqQ}[c*d, 1]$$

Rule 2668

$$\text{Int}[\cos[(e) + (f)(x)]^{(p)} ((a) + (b)\sin[(e) + (f)(x)])^m], x_Symbol] \rightarrow \text{Dist}[1/(b^p f), \text{Subst}[\text{Int}[(a + x)^m (b^2 - x^2)^{(p-1)/2}], x], x, b\sin[e + fx]], x] /; \text{FreeQ}\{a, b, e, f, m\}, x] \ \&\& \ \text{IntegerQ}[(p-1)/2] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

Rule 3321

$$\text{Int}[(c + (d)(x))^{(m)} / ((a) + (b)\sin[(e) + \text{Pi}(k) + (f)(x)]), x_Symbol] \rightarrow \text{Dist}[2, \text{Int}[(c + dx)^m E^{i\text{Pi}(k-1/2)} E^{i(e+fx)}] / (b + 2aE^{i\text{Pi}(k-1/2)} E^{i(e+fx)} - bE^{2i\text{Pi}k} E^{2i(e+fx)}), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{IntegerQ}[2k] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{IGtQ}[m, 0]$$

Rule 3324

$$\text{Int}[(c + (d)(x))^{(m)} / ((a) + (b)\sin[(e) + (f)(x)])^2, x_Symbol] \rightarrow \text{Simp}[(b(c + dx)^m \cos[e + fx]) / (f(a^2 - b^2)(a + b\sin[e + fx])), x] + (\text{Dist}[a/(a^2 - b^2), \text{Int}[(c + dx)^m / (a + b\sin[e + fx]), x], x] - \text{Dist}[(b^m d^m) / (f(a^2 - b^2)), \text{Int}[(c + dx)^{m-1} \cos[e + fx] / (a + b\sin[e + fx]), x], x)) /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$$

2, 0] && IGtQ[m, 0]

Rubi steps

$$\begin{aligned}
\int \frac{e+fx}{(a+b\cos(c+dx))^2} dx &= -\frac{b(e+fx)\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{a\int\frac{e+fx}{a+b\cos(c+dx)}dx}{a^2-b^2} + \frac{(bf)\int\frac{\sin(c+dx)}{a+b\cos(c+dx)}dx}{(a^2-b^2)d} \\
&= -\frac{b(e+fx)\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{(2a)\int\frac{e^{i(c+dx)}(e+fx)}{b+2ae^{i(c+dx)}+be^{2i(c+dx)}}dx}{a^2-b^2} - \frac{f\text{Subst}\left(\int\frac{1}{a+x}dx,\right)}{(a^2-b^2)d} \\
&= -\frac{f\log(a+b\cos(c+dx))}{(a^2-b^2)d^2} - \frac{b(e+fx)\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{(2ab)\int\frac{e^{i(c+dx)}(e+fx)}{2a-2\sqrt{a^2-b^2}+2be^{i(c+dx)}}dx}{(a^2-b^2)^{3/2}} \\
&= -\frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} + \frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} - \frac{f\log(a+b\cos(c+dx))}{(a^2-b^2)d^2} \\
&= -\frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} + \frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} - \frac{f\log(a+b\cos(c+dx))}{(a^2-b^2)d^2} \\
&= -\frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} + \frac{ia(e+fx)\log\left(1+\frac{be^{i(c+dx)}}{a+\sqrt{a^2-b^2}}\right)}{(a^2-b^2)^{3/2}d} - \frac{f\log(a+b\cos(c+dx))}{(a^2-b^2)d^2}
\end{aligned}$$

Mathematica [B] time = 9.75, size = 933, normalized size = 3.15

$$\left(\frac{2a(de-cf)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}\sqrt{a+b}} + f\log\left(\sec^2\left(\frac{1}{2}(c+dx)\right)\right) - f\log\left((a+b\cos(c+dx))\sec^2\left(\frac{1}{2}(c+dx)\right)\right) - \frac{iaf\left(\log\left(1-\frac{be^{i(c+dx)}}{a-\sqrt{a^2-b^2}}\right)\right)}{(a^2-b^2)^{3/2}d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(e + f*x)/(a + b*Cos[c + d*x])^2,x]

[Out] (-b*d*e*Sin[c + d*x]) + b*c*f*Sin[c + d*x] - b*f*(c + d*x)*Sin[c + d*x])/((a - b)*(a + b)*d^2*(a + b*Cos[c + d*x])) + (Cos[(c + d*x)/2]^2*((2*a*(d*e

$$\begin{aligned}
& -c*f)*\text{ArcTan}[\frac{\sqrt{a-b}*\text{Tan}[(c+d*x)/2]}{\sqrt{a+b}}]/(\sqrt{a-b}*\sqrt{a+b}) + f*\text{Log}[\text{Sec}[(c+d*x)/2]^2] - f*\text{Log}[(a+b*\text{Cos}[c+d*x])*\text{Sec}[(c+d*x)/2]^2] \\
& - (I*a*f*(\text{Log}[1 - I*\text{Tan}[(c+d*x)/2]]*\text{Log}[(\sqrt{a+b} - \sqrt{-a+b})*\text{Tan}[(c+d*x)/2])/(I*\sqrt{-a+b} + \sqrt{a+b}) + \text{PolyLog}[2, (\sqrt{-a+b}*(1 - I*\text{Tan}[(c+d*x)/2]))/(\sqrt{-a+b} - I*\sqrt{a+b})])]/(\sqrt{-a+b}*\sqrt{a+b}) \\
& + (I*a*f*(\text{Log}[1 - I*\text{Tan}[(c+d*x)/2]]*\text{Log}[(I*(\sqrt{a+b} + \sqrt{-a+b})*\text{Tan}[(c+d*x)/2])]/(\sqrt{-a+b} + I*\sqrt{a+b}) + \text{PolyLog}[2, (\sqrt{-a+b}*(1 - I*\text{Tan}[(c+d*x)/2]))/(\sqrt{-a+b} + I*\sqrt{a+b})])]/(\sqrt{-a+b}*\sqrt{a+b}) \\
& - (I*a*f*(\text{Log}[1 + I*\text{Tan}[(c+d*x)/2]]*\text{Log}[(\sqrt{a+b} + \sqrt{-a+b})*\text{Tan}[(c+d*x)/2])/(I*\sqrt{-a+b} + \sqrt{a+b}) + \text{PolyLog}[2, (\sqrt{-a+b}*(1 + I*\text{Tan}[(c+d*x)/2]))/(\sqrt{-a+b} - I*\sqrt{a+b})])]/(\sqrt{-a+b}*\sqrt{a+b}) \\
& + (I*a*f*(\text{Log}[1 + I*\text{Tan}[(c+d*x)/2]]*\text{Log}[(I*(\sqrt{a+b} - \sqrt{-a+b})*\text{Tan}[(c+d*x)/2])]/(\sqrt{-a+b} + I*\sqrt{a+b}) + \text{PolyLog}[2, (\sqrt{-a+b}*(1 + I*\text{Tan}[(c+d*x)/2]))/(\sqrt{-a+b} + I*\sqrt{a+b})])]/(\sqrt{-a+b}*\sqrt{a+b}) \\
& *(a*d*e + a*d*f*x + b*f*\text{Sin}[c+d*x])*(\sqrt{a+b} - \sqrt{-a+b})*\text{Tan}[(c+d*x)/2]*(\sqrt{a+b} + \sqrt{-a+b})*\text{Tan}[(c+d*x)/2])/((a^2 - b^2)*d^2*(a + b*\text{Cos}[c+d*x])*(a*(d*e - c*f + I*f*\text{Log}[1 - I*\text{Tan}[(c+d*x)/2]] - I*f*\text{Log}[1 + I*\text{Tan}[(c+d*x)/2]]) + b*f*\text{Sin}[c+d*x])
\end{aligned}$$

fricas [B] time = 1.59, size = 1482, normalized size = 5.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*cos(d*x+c))^2,x, algorithm="fricas")

[Out]
$$\begin{aligned}
& -1/2*((a*b^2*f*\text{cos}(d*x + c) + a^2*b*f)*\text{sqrt}((a^2 - b^2)/b^2)*\text{dilog}(-(a*\text{cos}(d*x + c) + I*a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b + 1) \\
& - (a*b^2*f*\text{cos}(d*x + c) + a^2*b*f)*\text{sqrt}((a^2 - b^2)/b^2)*\text{dilog}(-(a*\text{cos}(d*x + c) + I*a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b + 1) \\
& + (a*b^2*f*\text{cos}(d*x + c) + a^2*b*f)*\text{sqrt}((a^2 - b^2)/b^2)*\text{dilog}(-(a*\text{cos}(d*x + c) - I*a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b + 1) \\
& - (a*b^2*f*\text{cos}(d*x + c) + a^2*b*f)*\text{sqrt}((a^2 - b^2)/b^2)*\text{dilog}(-(a*\text{cos}(d*x + c) - I*a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b + 1) \\
& - (-I*a^2*b*d*f*x - I*a^2*b*c*f + (-I*a*b^2*d*f*x - I*a*b^2*c*f)*\text{cos}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2)*\text{log}((a*\text{cos}(d*x + c) + I*a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) + I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b) \\
& - (I*a^2*b*d*f*x + I*a^2*b*c*f + (I*a*b^2*d*f*x + I*a*b^2*c*f)*\text{cos}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2)*\text{log}((a*\text{cos}(d*x + c) - I*a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b) \\
& - (-I*a^2*b*d*f*x - I*a^2*b*c*f + (-I*a*b^2*d*f*x - I*a*b^2*c*f)*\text{cos}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2)*\text{log}((a*\text{cos}(d*x + c) - I*a*\text{sin}(d*x + c) + (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b) \\
& - (I*a^2*b*d*f*x + I*a^2*b*c*f + (I*a*b^2*d*f*x + I*a*b^2*c*f)*\text{cos}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2)*\text{log}((a*\text{cos}(d*x + c) - I*a*\text{sin}(d*x + c) - (b*\text{cos}(d*x + c) - I*b*\text{sin}(d*x + c))*\text{sqrt}((a^2 - b^2)/b^2) + b)/b)
\end{aligned}$$

$$2*d*f*x - I*a*b^2*c*f)*\cos(d*x + c))*\sqrt{(a^2 - b^2)/b^2)*\log((a*\cos(d*x + c) - I*a*\sin(d*x + c) - (b*\cos(d*x + c) - I*b*\sin(d*x + c))*\sqrt{(a^2 - b^2)/b^2) + b)/b) + ((a^2*b - b^3)*f*\cos(d*x + c) + (a^3 - a*b^2)*f - (I*a^2*b*d*e - I*a^2*b*c*f + (I*a*b^2*d*e - I*a*b^2*c*f)*\cos(d*x + c))*\sqrt{(a^2 - b^2)/b^2))*\log(2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{(a^2 - b^2)/b^2) + 2*a) + ((a^2*b - b^3)*f*\cos(d*x + c) + (a^3 - a*b^2)*f - (-I*a^2*b*d*e + I*a^2*b*c*f + (-I*a*b^2*d*e + I*a*b^2*c*f)*\cos(d*x + c))*\sqrt{(a^2 - b^2)/b^2))*\log(2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{(a^2 - b^2)/b^2) + 2*a) + ((a^2*b - b^3)*f*\cos(d*x + c) + (a^3 - a*b^2)*f - (I*a^2*b*d*e - I*a^2*b*c*f + (I*a*b^2*d*e - I*a*b^2*c*f)*\cos(d*x + c))*\sqrt{(a^2 - b^2)/b^2))*\log(-2*b*\cos(d*x + c) + 2*I*b*\sin(d*x + c) + 2*b*\sqrt{(a^2 - b^2)/b^2) - 2*a) + ((a^2*b - b^3)*f*\cos(d*x + c) + (a^3 - a*b^2)*f - (-I*a^2*b*d*e + I*a^2*b*c*f + (-I*a*b^2*d*e + I*a*b^2*c*f)*\cos(d*x + c))*\sqrt{(a^2 - b^2)/b^2))*\log(-2*b*\cos(d*x + c) - 2*I*b*\sin(d*x + c) + 2*b*\sqrt{(a^2 - b^2)/b^2) - 2*a) + 2*((a^2*b - b^3)*d*f*x + (a^2*b - b^3)*d*e)*\sin(d*x + c))/(a^4*b - 2*a^2*b^3 + b^5)*d^2*\cos(d*x + c) + (a^5 - 2*a^3*b^2 + a*b^4)*d^2)$$

giac [F] time = 0.00, size = 0, normalized size = 0.00

$$\int \frac{fx + e}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*cos(d*x+c))^2,x, algorithm="giac")

[Out] integrate((f*x + e)/(b*cos(d*x + c) + a)^2, x)

maple [B] time = 0.70, size = 674, normalized size = 2.28

$$\frac{2i(fx + e)(ae^{i(dx+c)} + b)}{d(-a^2 + b^2)(be^{2i(dx+c)} + 2ae^{i(dx+c)} + b)} - \frac{2f \ln(e^{i(dx+c)})}{d^2(-a^2 + b^2)} + \frac{f \ln(be^{2i(dx+c)} + 2ae^{i(dx+c)} + b)}{d^2(-a^2 + b^2)} + \frac{2iae \arctan\left(\frac{2be^{i(dx+c)}}{2\sqrt{-a^2 + b^2}}\right)}{d(-a^2 + b^2)^{\frac{3}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((f*x+e)/(a+b*cos(d*x+c))^2,x)

[Out] $2*I*(f*x+e)*(a*\exp(I*(d*x+c))+b)/d/(-a^2+b^2)/(b*\exp(2*I*(d*x+c))+2*a*\exp(I*(d*x+c))+b)-2/d^2/(-a^2+b^2)*f*\ln(\exp(I*(d*x+c)))+1/d^2/(-a^2+b^2)*f*\ln(b*\exp(2*I*(d*x+c))+2*a*\exp(I*(d*x+c))+b)+2*I/d/(-a^2+b^2)^{(3/2)}*a*e*\arctan(1/2*(2*b*\exp(I*(d*x+c))+2*a)/(-a^2+b^2)^{(1/2}))+I/d/(-a^2+b^2)*a*f/(a^2-b^2)^{(1/2)}*\ln((-b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2})))$
 $*x+I/d^2/(-a^2+b^2)*a*f/(a^2-b^2)^{(1/2)}*\ln((-b*\exp(I*(d*x+c))+(a^2-b^2)^{(1/2)}-a)/(-a+(a^2-b^2)^{(1/2})))$
 $*c-I/d/(-a^2+b^2)*a*f/(a^2-b^2)^{(1/2)}*\ln((b*\exp(I*(d*x+c)$

$$\begin{aligned} &)) + (a^2 - b^2)^{1/2} + a) / (a + (a^2 - b^2)^{1/2})) * x - I/d^2 / (-a^2 + b^2) * a * f / (a^2 - b^2)^{1/2} \\ & * \ln((b * \exp(I * (d * x + c)) + (a^2 - b^2)^{1/2} + a) / (a + (a^2 - b^2)^{1/2})) * c + 1/d^2 \\ & / (-a^2 + b^2) * a * f / (a^2 - b^2)^{1/2} * \operatorname{dilog}((-b * \exp(I * (d * x + c)) + (a^2 - b^2)^{1/2} - a) \\ & / (-a + (a^2 - b^2)^{1/2})) - 1/d^2 / (-a^2 + b^2) * a * f / (a^2 - b^2)^{1/2} * \operatorname{dilog}((b * \exp(I * \\ & (d * x + c)) + (a^2 - b^2)^{1/2} + a) / (a + (a^2 - b^2)^{1/2})) - 2 * I/d^2 / (-a^2 + b^2)^{3/2} * a \\ & * f * c * \arctan(1/2 * (2 * b * \exp(I * (d * x + c)) + 2 * a) / (-a^2 + b^2)^{1/2}) \end{aligned}$$

maxima [F(-2)] time = 0.00, size = 0, normalized size = 0.00

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*cos(d*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError >> Computation failed since Maxima requested a dditional constraints; using the 'assume' command before evaluation *may* help (example of legal syntax is 'assume(4*b^2-4*a^2>0)', see `assume?` for more details)Is 4*b^2-4*a^2 positive or negative?

mupad [F(-1)] time = 0.00, size = -1, normalized size = -0.00

Hanged

Verification of antiderivative is not currently implemented for this CAS.

[In] int((e + f*x)/(a + b*cos(c + d*x))^2,x)

[Out] \text{Hanged}

sympy [F(-1)] time = 0.00, size = 0, normalized size = 0.00

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((f*x+e)/(a+b*cos(d*x+c))**2,x)

[Out] Timed out

Chapter 4

Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

4.0.1 Mathematica and Rubi grading function

```
(* Original version thanks to Albert Rich emailed on 03/21/2017 *)
(* ::Package:: *)

(* ::Subsection:: *)
(*GradeAntiderivative[result,optimal]*)

(* ::Text:: *)
(*If result and optimal are mathematical expressions, *)
(*      GradeAntiderivative[result,optimal] returns*)
(* "F" if the result fails to integrate an expression that*)
(*      is integrable*)
(* "C" if result involves higher level functions than necessary*)
(* "B" if result is more than twice the size of the optimal*)
(*      antiderivative*)
(* "A" if result can be considered optimal*)

GradeAntiderivative[result_,optimal_] :=
  If[ExpnType[result]<=ExpnType[optimal],
```

```

If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
  If[LeafCount[result]<=2*LeafCount[optimal],
    "A",
    "B"],
  "C"],
If[FreeQ[result,Integrate] && FreeQ[result,Int],
  "C",
"F"]]

```

```

(* ::Text:: *)
(*The following summarizes the type number assigned an *)
(*expression based on the functions it involves*)
(*1 = rational function*)
(*2 = algebraic function*)
(*3 = elementary function*)
(*4 = special function*)
(*5 = hyperpergeometric function*)
(*6 = appell function*)
(*7 = rootsum function*)
(*8 = integrate function*)
(*9 = unknown function*)

```

```

ExpnType[expn_] :=
  If[AtomQ[expn],
    1,
  If[ListQ[expn],
    Max[Map[ExpnType,expn]],
  If[Head[expn]===Power,
    If[IntegerQ[expn[[2]]],
      ExpnType[expn[[1]]],
    If[Head[expn[[2]]]===Rational,
      If[IntegerQ[expn[[1]]] || Head[expn[[1]]]===Rational,
        1,
        Max[ExpnType[expn[[1]],2]],
      Max[ExpnType[expn[[1]],ExpnType[expn[[2]],3]],
    If[Head[expn]===Plus || Head[expn]===Times,
      Max[ExpnType[First[expn]],ExpnType[Rest[expn]]],
    If[ElementaryFunctionQ[Head[expn]],
      Max[3,ExpnType[expn[[1]]],
    If[SpecialFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],4]],
    If[HypergeometricFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],5]],
    If[AppellFunctionQ[Head[expn]],
      Apply[Max,Append[Map[ExpnType,Apply[List,expn]],6]],

```

```

If[Head[expn]===RootSum,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],7]],
If[Head[expn]===Integrate || Head[expn]===Int,
  Apply[Max,Append[Map[ExpnType,Apply[List,expn]],8]],
9]]]]]]]]]]

ElementaryFunctionQ[func_] :=
MemberQ[{
  Exp,Log,
  Sin,Cos,Tan,Cot,Sec,Csc,
  ArcSin,ArcCos,ArcTan,ArcCot,ArcSec,ArcCsc,
  Sinh,Cosh,Tanh,Coth,Sech,Csch,
  ArcSinh,ArcCosh,ArcTanh,ArcCoth,ArcSech,ArcCsch
},func]

SpecialFunctionQ[func_] :=
MemberQ[{
  Erf, Erfc, Erfi,
  FresnelS, FresnelC,
  ExpIntegralE, ExpIntegralEi, LogIntegral,
  SinIntegral, CosIntegral, SinhIntegral, CoshIntegral,
  Gamma, LogGamma, PolyGamma,
  Zeta, PolyLog, ProductLog,
  EllipticF, EllipticE, EllipticPi
},func]

HypergeometricFunctionQ[func_] :=
MemberQ[{Hypergeometric1F1,Hypergeometric2F1,HypergeometricPFQ},func]

AppellFunctionQ[func_] :=
MemberQ[{AppellF1},func]

```

4.0.2 Maple grading function

```

# File: GradeAntiderivative.mpl
# Original version thanks to Albert Rich emailed on 03/21/2017

#Nasser 03/22/2017 Use Maple leaf count instead since buildin
#Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
#Nasser 03/24/2017 corrected the check for complex result
#Nasser 10/27/2017 check for leafsize and do not call ExpnType()
#
# if leaf size is "too large". Set at 500,000

```

```

#Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
# see problem 156, file Apostol_Problems

GradeAntiderivative := proc(result,optimal)
local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
  debug:=false;

  leaf_count_result:=leafcount(result);
  #do NOT call ExpnType() if leaf size is too large. Recursion problem
  if leaf_count_result > 500000 then
    return "B";
  fi;

  leaf_count_optimal:=leafcount(optimal);

  ExpnType_result:=ExpnType(result);
  ExpnType_optimal:=ExpnType(optimal);

  if debug then
    print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
ExpnType_optimal);
  fi;

# If result and optimal are mathematical expressions,
# GradeAntiderivative[result,optimal] returns
# "F" if the result fails to integrate an expression that
# is integrable
# "C" if result involves higher level functions than necessary
# "B" if result is more than twice the size of the optimal
# antiderivative
# "A" if result can be considered optimal

#This check below actually is not needed, since I only
#call this grading only for passed integrals. i.e. I check
#for "F" before calling this. But no harm of keeping it here.
#just in case.

if not type(result,freeof('int')) then
  return "F";
end if;

if ExpnType_result<=ExpnType_optimal then
  if debug then
    print("ExpnType_result<=ExpnType_optimal");
  fi;

```

```

if is_contains_complex(result) then
  if is_contains_complex(optimal) then
    if debug then
      print("both result and optimal complex");
    fi;
    #both result and optimal complex
    if leaf_count_result<=2*leaf_count_optimal then
      return "A";
    else
      return "B";
    end if
  else #result contains complex but optimal is not
    if debug then
      print("result contains complex but optimal is not");
    fi;
    return "C";
  end if
else # result do not contain complex
  # this assumes optimal do not as well
  if debug then
    print("result do not contain complex, this assumes optimal do not
as well");
  fi;
  if leaf_count_result<=2*leaf_count_optimal then
    if debug then
      print("leaf_count_result<=2*leaf_count_optimal");
    fi;
    return "A";
  else
    if debug then
      print("leaf_count_result>2*leaf_count_optimal");
    fi;
    return "B";
  end if
end if
else #ExpnType(result) > ExpnType(optimal)
  if debug then
    print("ExpnType(result) > ExpnType(optimal)");
  fi;
  return "C";
end if

end proc:

#
# is_contains_complex(result)
# takes expressions and returns true if it contains "I" else false

```

```

#
#Nasser 032417
is_contains_complex:= proc(expression)
  return (has(expression,I));
end proc:

# The following summarizes the type number assigned an expression
# based on the functions it involves
# 1 = rational function
# 2 = algebraic function
# 3 = elementary function
# 4 = special function
# 5 = hyperpergeometric function
# 6 = appell function
# 7 = rootsum function
# 8 = integrate function
# 9 = unknown function

ExpnType := proc(expn)
  if type(expn,'atomic') then
    1
  elif type(expn,'list') then
    apply(max,map(ExpnType,expn))
  elif type(expn,'sqrt') then
    if type(op(1,expn),'rational') then
      1
    else
      max(2,ExpnType(op(1,expn)))
    end if
  elif type(expn,'^^') then
    if type(op(2,expn),'integer') then
      ExpnType(op(1,expn))
    elif type(op(2,expn),'rational') then
      if type(op(1,expn),'rational') then
        1
      else
        max(2,ExpnType(op(1,expn)))
      end if
    else
      max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    end if
  elif type(expn,'`+`') or type(expn,'`*`') then
    max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
  elif ElementaryFunctionQ(op(0,expn)) then
    max(3,ExpnType(op(1,expn)))
  elif SpecialFunctionQ(op(0,expn)) then
    max(4,apply(max,map(ExpnType,[op(expn)])))
  end if
end proc:

```



```

elif HypergeometricFunctionQ(op(0,expn)) then
  max(5,apply(max,map(ExpnType,[op(expn)])))
elif AppellFunctionQ(op(0,expn)) then
  max(6,apply(max,map(ExpnType,[op(expn)])))
elif op(0,expn)='int' then
  max(8,apply(max,map(ExpnType,[op(expn)]))) else
9
end if
end proc:

ElementaryFunctionQ := proc(func)
  member(func,[
    exp,log,ln,
    sin,cos,tan,cot,sec,csc,
    arcsin,arccos,arctan,arccot,arcsec,arccsc,
    sinh,cosh,tanh,coth,sech,csch,
    arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
end proc:

SpecialFunctionQ := proc(func)
  member(func,[
    erf,erfc,erfi,
    FresnelS,FresnelC,
    Ei,Ei,Li,Si,Ci,Shi,Chi,
    GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
    EllipticF,EllipticE,EllipticPi])
end proc:

HypergeometricFunctionQ := proc(func)
  member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
end proc:

AppellFunctionQ := proc(func)
  member(func,[AppellF1])
end proc:

# u is a sum or product. rest(u) returns all but the
# first term or factor of u.
rest := proc(u) local v;
  if nops(u)=2 then
    op(2,u)
  else
    apply(op(0,u),op(2..nops(u),u))
  end if
end proc:

```

```
#leafcount(u) returns the number of nodes in u.
#Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
leafcount := proc(u)
    MmaTranslator[Mma][LeafCount](u);
end proc:
```

4.0.3 Sympy grading function

```
#Dec 24, 2019. Nasser M. Abbasi:
#           Port of original Maple grading function by
#           Albert Rich to use with Sympy/Python
#Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
#           added 'exp_polar'
from sympy import *

def leaf_count(expr):
    #sympy do not have leaf count function. This is approximation
    return round(1.7*count_ops(expr))

def is_sqrt(expr):
    if isinstance(expr,Pow):
        if expr.args[1] == Rational(1,2):
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
        asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
        asinh,acosh,atanh,acoth,asech,acsch
        ]

def is_special_function(func):
    return func in [ erf,erfc,erfi,
        fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
        gamma,loggamma,digamma,zeta,polylog,LambertW,
        elliptic_f,elliptic_e,elliptic_pi,exp_polar
        ]

def is_hypergeometric_function(func):
    return func in [hyper]

def is_appell_function(func):
    return func in [appellf1]
```

```

def is_atom(expn):
    try:
        if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
            return True
        else:
            return False

    except AttributeError as error:
        return False

def expnType(expn):
    debug=False
    if debug:
        print("expn=",expn,"type(expn)=",type(expn))

    if is_atom(expn):
        return 1
    elif isinstance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
            return 1
        else:
            return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
    elif isinstance(expn,Pow): #type(expn,'`^`')
        if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
            return expnType(expn.args[0]) #ExpnType(op(1,expn))
        elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
            if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
                return 1
            else:
                return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)
))
        else:
            return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
ExpnType(op(1,expn)),ExpnType(op(2,expn)))
    elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,'`+`') or type
(expn,'`*`')
        m1 = expnType(expn.args[0])
        m2 = expnType(list(expn.args[1:]))
        return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
    elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
        return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
    elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
        m1 = max(map(expnType, list(expn.args)))
        return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))

```

```

elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
expn))
    m1 = max(map(expnType, list(expn.args)))
    return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif is_appell_function(expn.func):
    m1 = max(map(expnType, list(expn.args)))
    return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
elif isinstance(expn,RootSum):
    m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType,
Apply[List,expn]],7]],
    return max(7,m1)
elif str(expn).find("Integral") != -1:
    m1 = max(map(expnType, list(expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

#main function
def grade_antiderivative(result,optimal):

    leaf_count_result = leaf_count(result)
    leaf_count_optimal = leaf_count(optimal)

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

    if str(result).find("Integral") != -1:
        return "F"

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex
                if leaf_count_result <= 2*leaf_count_optimal:
                    return "A"
                else:
                    return "B"
            else: #result contains complex but optimal is not
                return "C"
        else: # result do not contain complex, this assumes optimal do not as
well
            if leaf_count_result <= 2*leaf_count_optimal:
                return "A"
            else:
                return "B"
    else:
        return "C"

```

4.0.4 SageMath grading function

```

#Dec 24, 2019. Nasser: Ported original Maple grading function by
#       Albert Rich to use with Sagemath. This is used to
#       grade Fracas, Giac and Maxima results.
#Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
#       'arctan2','floor','abs','log_integral'

from sage.all import *
from sage.symbolic.operators import add_vararg, mul_vararg

debug=False;

def tree_size(expr):
    r"""
    Return the tree size of this expression.
    """
    if expr not in SR:
        # deal with lists, tuples, vectors
        return 1 + sum(tree_size(a) for a in expr)
    expr = SR(expr)
    x, aa = expr.operator(), expr.operands()
    if x is None:
        return 1
    else:
        return 1 + sum(tree_size(a) for a in aa)

def is_sqrt(expr):
    if expr.operator() == operator.pow: #isinstance(expr,Pow):
        if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
            if debug: print ("expr is sqrt")
            return True
        else:
            return False
    else:
        return False

def is_elementary_function(func):
    debug=False
    m = func.name() in ['exp','log','ln',
        'sin','cos','tan','cot','sec','csc',
        'arcsin','arccos','arctan','arccot','arcsec','arccsc',
        'sinh','cosh','tanh','coth','sech','csch',
        'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
        'arctan2','floor','abs'
    ]
    if debug:
        if m:

```

```

        print ("func ", func , " is elementary_function")
    else:
        print ("func ", func , " is NOT elementary_function")

    return m

def is_special_function(func):
    debug=False
    if debug: print ("type(func)=", type(func))

    m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
        'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
sinh_integral'
        'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
        'polylog','lambert_w','elliptic_f','elliptic_e',
        'elliptic_pi','exp_integral_e','log_integral']

    if debug:
        print ("m=",m)
        if m:
            print ("func ", func ," is special_function")
        else:
            print ("func ", func ," is NOT special_function")

    return m

def is_hypergeometric_function(func):
    return func.name() in ['hypergeometric','hypergeometric_M','hypergeometric_U
']

def is_appell_function(func):
    return func.name() in ['hypergeometric']    #[appellf1] can't find this in
sagemath

def is_atom(expn):

    debug=False
    if debug: print ("Enter is_atom")

    #thanks to answer at https://ask.sagemath.org/question/49179/what-is-sagemath-equivalent-to-atomic-type-in-maple/
    try:
        if expn.parent() is SR:

```

```

        return expn.operator() is None
    if expn.parent() in (ZZ, QQ, AA, QQbar):
        return expn in expn.parent() # Should always return True
    if hasattr(expn.parent(), "base_ring") and hasattr(expn.parent(), "gens"):
        return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
    return False

except AttributeError as error:
    return False

def expnType(expn):

    if debug:
        print (">>>>Enter expnType, expn=", expn)
        print (">>>>is_atom(expn)=", is_atom(expn))

    if is_atom(expn):
        return 1
    elif type(expn)==list: #instance(expn,list):
        return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
    elif is_sqrt(expn):
        if type(expn.operands()[0])==Rational: #type(instance(expn.args[0],
Rational):
            return 1
        else:
            return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
    elif expn.operator() == operator.pow: #instance(expn,Pow)
        if type(expn.operands()[1])==Integer: #instance(expn.args[1],Integer)
            return expnType(expn.operands()[0]) #expnType(expn.args[0])
        elif type(expn.operands()[1])==Rational: #instance(expn.args[1],
Rational)
            if type(expn.operands()[0])==Rational: #instance(expn.args[0],
Rational)
                return 1
            else:
                return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
        else:
            return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
    elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
instance(expn,Add) or instance(expn,Mul)
        m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
        m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))

```

```

    return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
elif is_elementary_function(expn.operator()): #is_elementary_function(expn.
func)
    return max(3,expnType(expn.operands()[0]))
elif is_special_function(expn.operator()): #is_special_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(4,m1) #max(4,m1)
elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(5,m1) #max(5,m1)
elif is_appell_function(expn.operator()):
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(6,m1) #max(6,m1)
elif str(expn).find("Integral") != -1: #this will never happen, since it
#is checked before calling the grading function that is passed.
#but kept it here.
    m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))
    return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
else:
    return 9

```

```
#main function
```

```
def grade_antiderivative(result,optimal):
```

```

    if debug: print ("Enter grade_antiderivative for sagemath")

    leaf_count_result = tree_size(result) #leaf_count(result)
    leaf_count_optimal = tree_size(optimal) #leaf_count(optimal)

    if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)

```

```

    expnType_result = expnType(result)
    expnType_optimal = expnType(optimal)

```

```

    if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)

```

```

    if expnType_result <= expnType_optimal:
        if result.has(I):
            if optimal.has(I): #both result and optimal complex

```



```
        if leaf_count_result <= 2*leaf_count_optimal:
            return "A"
        else:
            return "B"
    else: #result contains complex but optimal is not
        return "C"
else: # result do not contain complex, this assumes optimal do not as
well
    if leaf_count_result <= 2*leaf_count_optimal:
        return "A"
    else:
        return "B"
else:
    return "C"
```